

Index

Special Characters and Numerics

- ... (ellipsis), 4
- { } (curly brackets)
 - Style property, 130
 - Value property, 194
- < > (angle brackets)
 - XAML, 37
 - XML, 34
- 3-D perspective transformations, 60, 63–64

• A •

- A (Alpha) property, Expression Blend, 66–67
- absolute positioning
 - Canvas control, 121–122
 - defined, 107
- accessibility, 21, 346–347
- accessing data
 - authenticating users, 244–247
 - cross-domain security, 236–243
 - downloading files, 214–226
 - overview, 213–214
 - WCF RIA Services, 297–318
 - Web services, 226–236
- Add New Project dialog box, Visual Studio, 162–163
- Add Service Reference dialog box, Visual Studio, 233, 235, 262
- Add Sample Data Source button, Expression Blend, 205
- Add Simple Property button, Expression Blend, 206
- Add State button, Expression Blend, 159
- Add States Group button, Expression Blend, 159
- Address class
 - creating, 198
 - data binding, 198–199
 - StreetName property, changing value of, 199–201
 - UseAsMailingAddress property, adding, 201–204
- Address fields, binding TextBox control to, 195–198
- AddressUserControl
 - creating, 195–196
 - data binding, 196–197
 - overview, 150–153
 - properties for, 154–156
 - reusing, 153–154
- Adobe Illustrator, importing designs from, 334
- Adobe Photoshop, importing designs from, 334–335
- ADO.NET Entity Framework, 250–251, 256–259
- Advanced Property options, Properties panel, Expression Blend, 51–52, 133
- aligning controls, 110–111
- All setting, EntitySetRights, 284
- AllRead setting, EntitySetRights, 284
- AllWrite setting, EntitySetRights, 284
- Alpha (A) property, Expression Blend, 66–67
- angle brackets (< >)
 - XAML, 37
 - XML, 34
- animation
 - bouncing ball, 171–185, 187
 - running, 180–185
 - of states of controls, 188–189
- Animation workspace, Expression Blend, 174
- Appearance properties group, Properties panel, Expression Blend, 52
- application tier, purpose of, 19
- App.xaml file, 46
- App.xaml.cs file, 46–47
- Artboard, Expression Blend
 - adding controls to, 35
 - clearing margins from, 112
 - columns, changing width of, 117
 - overview, 28
 - purpose of, 26–27
 - rows, changing height of, 117
 - shapes, drawing, 53–56
- Artboard controls, Expression Blend, 28–29
- Artboard element picker, Expression Blend, 169
- ASMX (simple) Web services, 251
- ASP.NET Configuration tool, Visual Studio, 287
- ASP.NET Web Site Administration tool, Visual Studio, 288, 315–316

AspNetCompatibilityRequirements, 244
 assemblies, defined, 47
 Asset Library window, Expression Blend, 93
 Assets panel, Expression Blend
 behaviors, 169
 controls, 153–154, 166–167
 images, adding to Button controls, 93–94
 purpose of, 30–31
 SketchFlow, 330
 Assets panel tool, Expression Blend, 30
 attached properties
 accessibility, 346–347
 defined, 40
 attributes (properties)
 defined, 34, 38
 setting, 38, 50
 that control layout, 109–110
 XAML, 37–41
 audio
 microphones, 78–79
 playing, 74–75
 Silverlight support for, 20
 authenticating users
 blogging engine, 315–318
 custom authentication system, 292–296
 overview, 244–247
 WCF RIA Services, 286–292
 Weather Channel Web service, 244
 AuthenticationService class, 290, 293, 295
 auto sizes, 116–117
 AutoCompleteBox control, 327–328
 AutoGenerateColumns property, DataGrid control, 323
 AutomationProperties.HelpText property, 346–347
 AutomationProperties.LabeledBy property, 346–347
 AutomationProperties.Name property, 346–347
 AutoPlay property, MediaElement control, 75
 AutoReverse property, 181
 auto-tracing feature, Expression Design, 333–334
 axis of rotation, Expression Blend, 61

• B •

B (Blue) property, Expression Blend, 66–67
 Back easing function, 185
 Background attribute, Grid element, 36
 bar charts, 325–326
 Barber, Corrina, 144
 Begin method, 180
 BeginExecute method, 266
 BeginInvoke method, TextBlock control, 226
 BeginSaveChanges method, 269–270
 Behavior<T> class, 335
 behaviors
 controlling, 168–170
 creating, 335–336
 defined, 168
 Bezier curves, defined, 186
 binding
 controls to each other, 192–195
 to data objects, 195–205
 defined, 13
 Flickr Web service photos, displaying, 231
 overview, 191–192
 to sample data, 205–210
 values in templates, 143
 bitmap graphics
 Expression Design, 332–334
 vector graphics versus, 53
 BlogEntities class, 263
 blogging engine
 authentication, 315–318
 change interceptors, 282–283
 concurrency, 277–280
 databases, 254–256, 263–276
 Domain Data Service, 298–304
 Entity Framework, 255–259
 entity sets, 283–284
 LINQ to Entity Framework, 304–306
 LINQ to SQL, 306–309
 query interceptors, 280–281
 validating data, 309–314
 WCF Data Service, 259–263
 Blue (B) property, Expression Blend, 66–67
 BlurEffect, 71, 73, 336–337
 Bold element, RichTextArea control, 102
 Border container, 108
 Border tool, Expression Blend, 30
 BorderBrush property, 143
 Bounce easing function, 185

- bouncing ball animation
 - ball, 172–173
 - easing, 182–185
 - KeySplines, 187
 - looping, 182
 - overview, 171–172
 - reversing, 181
 - running, 180
 - switching to Animation workspace, 174
 - timeline, 172–174
 - XAML for, 177–180
 - bounding box, Expression Blend, 57
 - Brush Resources tab, Expression Blend
 - function of, 66
 - video brushes, 76
 - Brush Transform tool, Expression Blend
 - displaying, 30, 70
 - gradients, 70–71
 - Brushes properties group, Properties
 - panel, Expression Blend
 - filling objects with color, 65–66
 - overview, 52
 - Bubble Creme theme, Silverlight Toolkit, 144–145
 - Business Application template
 - applications, creating, 287
 - client side of, 289
 - overview, 287–289
 - server side of, 289–290
 - user interfaces, creating, 300
 - Button control
 - adding, 91
 - animating captions in, 188–189
 - event handler, writing, 91–92
 - images, adding to, 93–95
 - overview, 90–92
 - setting content of, 92–93
 - skinning, 138–139
 - Button tool, Expression Blend, 30
 - Button_Click event
 - adding, 140
 - automatic creation of, 303
 - event handlers, generating, 91, 104–105
 - SmileyUserControl, 162
 - BytesReceived value, 221
- **C** ●
- C#, 1
 - calendars, 326
 - cameraSource data member, 77–78
 - Canvas control
 - absolute positioning, 121–122
 - purpose of, 108
 - Canvas tool, Expression Blend
 - displaying, 30
 - figure of, 121
 - CaptureSource class, 77
 - change interceptors, 280, 282–283
 - ChangeInterceptor method, 282
 - Chart control, 325–326
 - CheckBox control, 97
 - CheckBox tool, Expression Blend, 30
 - child controls, 107
 - child elements
 - defined, 34
 - setting properties with, 38
 - Circle easing function, 185
 - ClickFace event, 167
 - client-side validation, 309
 - Close Storyboard button, Expression Blend, 177
 - code-behind files, 44
 - CodePlex, 337
 - color
 - Eyedropper tool, 66
 - filling objects with, 65–66
 - gradients, 67–71, 138, 141
 - high contrast, 346
 - mixing, 66–67
 - overview, 64
 - special effects, 71–72
 - text, changing, 73
 - Color Eyedropper button, Expression Blend, 66
 - Color properties
 - function of, 40
 - simple animation, 178
 - ColorAnimation class, 178
 - ColorAnimationUsing KeyFrames class, 179
 - Column property, Grid control, 116
 - ColumnDefinition element, 116
 - columns
 - adding controls to, 114–115
 - overview, 112–113
 - setting up, 113–114
 - width of, 116–117
 - XAML for, 115–116
 - ComboBox control
 - creating, 100–101
 - overview, 98
 - ComboBox tool, Expression Blend
 - displaying, 30
 - figure of, 100
 - Comment table, blogging engine, 250
 - CommentMetaData class, 300
 - common controls, 39

- Common properties group, Properties panel, Expression Blend, 52
 - CommonStates group, 136–137
 - Community Technical Preview (CTP) releases, 249
 - Completed event
 - controlling animation, 181–182
 - LoginOperation, 291
 - Composite Applications, 348
 - concurrency, 277–280
 - consistency, defined, 127
 - containers, defined, 107. *See also names of specific containers*
 - Content property
 - Button control, setting, 91–92
 - HyperlinkButton control, setting, 96
 - ListBox control, setting, 99
 - UserControl element, function of, 109
 - ContentControl control, 92–93
 - contentPresenter, animating, 189
 - context, defined, 263
 - controls. *See also data binding; names of specific controls*
 - adding themes to, 146–147
 - behavior of, controlling, 168–170
 - defined, 21
 - grouping to create UserControl, 149–156
 - layout, 107–126
 - skinning, 134–144
 - Smiley UserControl, 156–168
 - styles, 127–134
 - themes, 144–147
 - conventions used in book, 4
 - copying objects, 73
 - corner radius handles, Expression Blend, 59
 - Crawford, David, 144
 - CREATE, READ, UPDATE, DELETE (CRUD operations)
 - creating data, 274–275
 - deleting data, 275–276
 - LINQ to Entity Framework, 304
 - overview, 251–253
 - reading data, 263–268, 301–303
 - updating data, 269–273, 303–304
 - Create Data Binding dialog box, Expression Blend, 192–193, 204
 - Create Style Resource dialog box, Expression Blend, 128–129
 - cross-domain exchanges, 227–232
 - cross-domain policy file
 - accessing Web services without, 237–238
 - creating, 237
 - defined, 227
 - cross-domain security
 - cross-domain policy file, 237–238
 - overview, 236–237
 - workaround, 238–243
 - CRUD operations (CREATE, READ, UPDATE, DELETE)
 - creating data, 274–275
 - deleting data, 275–276
 - LINQ to Entity Framework, 304
 - overview, 251–253
 - reading data, 263–268, 301–303
 - updating data, 269–273, 303–304
 - CTP (Community Technical Preview) releases, 249
 - Cubic easing function, 185
 - curly brackets ({}), Style property, 130
 - Value property, 194
 - cursor, Expression Blend, 50, 57–59, 61
 - custom controls (templatable controls; templated controls)
 - defined, 149, 156
 - Smiley UserControl, 162–168
- D •
- data binding
 - controls to each other, 192–195
 - to data objects, 195–205
 - defined, 13
 - Flickr Web service photos, displaying, 231
 - overview, 191–192
 - to sample data, 205–210
 - values in templates, 143
 - data objects, binding to
 - automatically updating changes to data, 199–201
 - binding data object to control, 198–199
 - binding to property name, 196–198
 - converting data while binding, 201–205
 - creating data class, 198
 - creating UserControl for, 195–196
 - Data panel, Expression Blend, 32–33
 - Data parameter, 56
 - data tier, purpose of, 19
 - databases
 - creating, 254
 - creating data, 274–275
 - deleting data, 275–276
 - reading data, 263–268, 301–303
 - tables, 254–256
 - updating data, 269–273
 - DataContext property, Slider control, 194

DataForm control
 overview, 323–324
 validating data, 312–314

DataGrid control
 binding to sample data, 207–208
 displaying in Expander control, 324–325
 ItemsSource property, 266
 LINQ to Entity Framework, 304–306
 overview, 322–323
 user interfaces, creating, 301–302

DataServiceQuery object, 265–266

DatePicker control, 326

debugging applications, 345

Deep Zoom Composer, 19–20

Deep Zoom Composer, 331–332

DeleteObject method, 275–276

Design view, Expression Blend, 28–29

design-time resizing handles, 112

Details mode button, Expression Blend, 209

Direct Selection tool, Expression Blend, 30

Disabled button state, 137

discrete interpolation, 179

DisplayMemberPath property, 231–232

.dll (libraries), 47

docking controls, 124–126

DockPanel control
 overview, 124–126
 purpose of, 108

Documents tab, Expression Blend, 28–29

DOM (Document Object Model)
 accessing HTML, 342
 Silverlight support for, 21

domain data service
 generated files, 300
 overview, 298–300
 retrieving data, 301–303
 updating data, 303–304
 user interface, 300–301

DomainContext object, 301–302

Double properties, 177

DoubleAnimation class, 178

DoubleAnimationUsingKeyFrames
 class, 179–180

double-headed arrow cursor, Expression Blend, 57

downloading files
 HTTPWebRequest class, 222–226
 overview, 214–215
 WebClient class, 216–221

DownloadProgressChanged event,
 219–221

DownloadStringCompleted event, 229

DropShadowEffect, 71–72, 336–337

Duration attribute, DoubleAnimation
 element, 178

• E •

easing animation
 Easing functions, 185–186
 KeySplines, 186–187
 overview, 182–185

Easing functions, Expression Blend
 kinds of, 185–186
 list of, 185
 overview, 183–185

Edit menu, Expression Blend, 27

Edit Sample Values button, Expression
 Blend, 209

Edit Sample Values dialog box, Expression
 Blend, 209–210

Editor panel, Visual Studio, 42–43

Effect property, 71

effects (.fx extension), 337

Elastic easing function, 185

ElementName property, Slider control, 194

elements
 defined, 34
 XAML, 37–41

Ellipse tool, Expression Blend
 creating SmileyUserControl, 157–158
 displaying, 30, 53–54

ellipsis (. . .), 4

ellipses button, Expression Blend, 94

Enable Sample Data When Application Is
 Running check box, Expression Blend,
 205, 208

Enable WCF RIA Services check box, Visual
 Studio, 286

EnableRedrawRegions property, 346

Entity Data Model design surface, Visual
 Studio, 257–258

Entity Data Model Wizard, Visual Studio,
 257–258

entity sets, 283–284

entity tags (ETags), 279–280

EntityQuery object, 303

EntitySetRights, 283–284

ETags (entity tags), 279–280

event handlers, defined, 45, 199

events. *See names of specific events*

Events button, Properties panel,
 Expression Blend, 51–52

Expander control, 324–325

Exponential easing function, 186

Expression Blend
 importing designs from Adobe applications,
 334–335
 keyboard shortcuts, 343–344
 overview, 16–18, 23–26

Expression Blend (*continued*)
 running Silverlight out of Web browser, 337
 SketchFlow, 329–331
 user interface, 26–34
 using in tandem with Visual Studio, 48
 Expression Dark theme, Silverlight Toolkit,
 144–147

Expression Design, 17–18, 332–334

Expression Encoder, 17–18

Expression Studio, 16–17

Expression Web, 16–17

Extensible Application Markup Language
 (XAML)

AddressUserControl, 151–153

appearance of code in book, 4

blank Silverlight page, 108

bouncing ball animation, 173, 177–180

Button control content, 92, 95

columns, 115–116

data binding, 194, 196–197

defined, 1

DockPanel control, 126

elements and attributes, 37–41

Expression Dark theme, 146

ListBox control, 100

overview, 35–41

POST requests, 222–223

RichTextArea control, 102–103

rows, 115–116

SmileyCustomControl, 164–166

SmileyUserControl, 158

StackPanel container, 120

Style property, 131

styles, 128, 130–131

templates, 136–137

TextBlock control, 84, 87–90, 131

UI framework, 12

Extensible Markup Language (XML)

defined, 34

Flickr Web service, 228

Eyedropper tool, Expression Blend

color, 66

figure of, 30

gradients, 69

• F •

Fiddler tool, 277–280, 349

File menu, Expression Blend, 27

Flickr Web service

accessing, 229

developer account, 228

displaying photos, 232

modifying ListBox control, 230–231

overview, 227

XML data, 228

Flip tab, Properties panel, Expression
 Blend, 160

Flip Y axis button, Expression Blend, 160

Focused button state, 137

font

changing using Properties panel, 85

increasing size of, 72

FontSize attribute, TextBlock tags,
 37–38

Foreground attribute, TextBlock tags,
 37–38

four-sided arrow cursor, Expression
 Blend, 50

From attribute, DoubleAnimation
 element, 178

.fx extension (effects), 337

• G •

G (Green) property, Expression Blend,
 66–67

GET request, 215

GetAuthenticatedUser method, 295

GetDefaultAudioCaptureDevice()
 method, 78

GetDefaultVideoCaptureDevice()
 method, 77

GetPostsWithComments method, 315

GetRequestStream method, 225–226

GetResponseResult method, 225

GetWeatherForecastXml method,
 239, 245

GoToStateAction behavior, 168–169

GPU (Graphics Processing Unit)
 acceleration, 346

Gradient brush tab, Expression Blend
 function of, 66

setting, 67

gradient brushes, Expression Blend, 67

Gradient eyedropper, Expression Blend,
 68–69

Gradient slider, Expression Blend, 67–68

gradient stops, Expression Blend, 68

Gradient tool, Expression Blend

displaying Brush Transform tool, 70

figure of, 30

overview, 69–70

gradients

Brush Transform tool, 70–71

Button controls, 138, 141

Gradient tool, 69–70

Properties panel, 67–69

graphics, Silverlight support for, 20
 Graphics Processing Unit (GPU)
 acceleration, 346
 Green (G) property, Expression Blend,
 66–67
 Grid control
 converting to StackPanel, 118–119
 laying out controls in tabular fashion,
 112–116
 purpose of, 108
 grid divider, Expression Blend, 113
 Grid element
 eliminating, 37
 function of, 36
 using TextBlock element within, 40
 Grid tool, Expression Blend, 30
 grouping controls
 to create UserControl, 149–156
 into tabbed pages, 122–124
 GroupName property, RadioButton
 control, 97

• **H** •

Hard Rock Café Memorabilia site, 10–11
 Height property
 function of, 56, 109–110
 UserControl, setting at design time, 111–112
 “Hello, World” application, 34
 attached properties, 40
 creating, 24–25, 44
 eliminating Grid element, 37
 XAML for, 35–36
 HelloWorld method, 234–236
 Help menu, Expression Blend, 27
 Help tab, Expression Blend, 24
 High Level Shader Language (HLSL), 337
 HorizontalAlignment property
 function of, 110
 setting, 122
 hosting applications
 with Visual Studio, 47–48
 in Web pages, 14–15
 HTML (HyperText Markup Language)
 accessing, 341–342
 hosting Silverlight applications in, 14–15
 overview, 340
 HTML Bridge, 338–340
 HtmlPage.Document object, 342
 HTTP (HyperText Transfer Protocol)
 verbs, 253
 HttpRequest class
 downloading files, 222–226
 overview, 215

Hungarian notation, 87
 Hyperlink element, RichTextArea
 control, 103
 HyperlinkButton control, 95–96
 HyperText Markup Language (HTML)
 accessing, 341–342
 hosting Silverlight applications in, 14–15
 overview, 340
 HyperText Transfer Protocol (HTTP)
 verbs, 253

• **I** •

IAAsyncResult parameter, 265, 270
 icons used in book, 4–5
 IDE (Integrated Development
 Environment), 16, 42–43
 IEnumerable namespace, 302
 Illustrator, importing designs from, 334
 image brushes, 76
 Image control, 215
 images, as content for Button control,
 93–95
 ImageUrl property, 230
 importing designs, 334–335
 Include operator, 304
 [Include] attribute, 304, 306, 308
 InitializeComponent method, 45
 InitializeService method, 283
 InlineUIContainer element,
 RichTextArea control, 103
 INotifyPropertyChanged interface,
 200, 272
 Integrated Development Environment
 (IDE), 16, 42–43
 IntelliSense feature
 defined, 87, 264
 proxy classes, 233–234
 internationalization
 overview, 347
 Silverlight support for, 21
 interpolation, defined, 178–179
 IQueryable list, 304
 IsChecked property
 CheckBox control, 202, 204–205
 RadioButton control, 97
 IsMuted property, MediaElement
 control, 75
 IsSelected property, ListBox
 control, 100
 Italic element, RichTextArea
 control, 102

ItemsSource property, DataGrid control, 266–268, 323
 ItemTemplate element, ListBox control, 322

• J •

Java Script Object Notation (JSON), 252
 JavaScript
 creating and registering objects, 339
 overview, 338–340
 scriptable method, creating, 339
 ScriptableMember function, 339–340
 Silverlight support for, 21
 JSON (Java Script Object Notation), 252

• K •

keyboard shortcuts
 accessibility, 346
 Expression Blend, 343–344
 Visual Studio, 344
 KeyDown event, 88
 keyframe animation, XAML for, 178–180
 keyframes, defined, 175
 KeySpline editor, Expression Blend, 186–187
 KeySplines, 186–187
 Kothari, Nikhil, 349

• L •

Language Integrated Query (LINQ)
 Flickr Web service, 228, 230–231
 LINQ to Entity Framework, 304–306
 LINQ to SQL, 306–309
 layers (tiers), defined, 19
 layout
 absolute positioning, 121–122
 docking controls, 124–126
 grouping controls into tabbed pages, 122–124
 layout containers, 107–112
 rows and columns, 112–117
 stacking controls, 117–120
 wrapping controls, 120–121
 layout containers
 aligning controls, 110–111
 clearing margins from Artboard, 112
 function of, 39
 Height and Width properties, setting at design time, 111–112
 overview, 107–108

 properties that control layout, 109–110
 root container, 108–109
 selecting incorrect, 126
 Layout group, Properties panel, Expression Blend, 58
 layout management, defined, 13
 layout properties, 40
 Layout properties group, Properties panel, Expression Blend, 52
 LeftButtonUp function, 168
 libraries (.dll), 47
 Line tool, Expression Blend, 30, 53–54
 Linear Gradient button, Expression Blend, 67–68
 linear interpolation, defined, 179
 LinExpression element, RichTextBox control, 103
 LINQ (Language Integrated Query)
 Flickr Web service, 228, 230–231
 LINQ to Entity Framework, 304–306
 LINQ to SQL, 306–309
 LINQ to Entity Framework, 304–306
 LINQ to SQL, 306–309
 ListBox control
 creating, 98–100
 displaying photos in, 230–232
 overview, 321–322
 ListBox tool, Expression Blend
 displaying, 30
 figure of, 98
 ListBoxItem property, ListBox control, 100
 ListMode button, Expression Blend, 209
 Load method, 302
 Loaded event, 264–266
 Local Resource menu item, Expression Blend, 133
 localization
 overview, 347
 Silverlight support for, 21
 Login method, 245–247, 290–292
 looping animation, 182

• M •

MainPage.xaml file, 44
 MainPage.xaml.cs file, 44
 Make Into UserControl dialog box, Expression Blend, 152
 Mapping Details section, Visual Studio, 258–259
 margin adorners, Expression Blend, 112
 Margin property, 56, 109

- margins
 - clearing from Artboard, 112
 - values, 110–111
 - Master-Detail view, Expression Blend, 209
 - MaxHeight property, 108, 109
 - MaxWidth property, 108, 110
 - media elements, function of, 39
 - MediaElement control
 - adding, 75
 - source files, 215
 - Menu bar, Expression Blend
 - overview, 27
 - purpose of, 26–27
 - microphones
 - connecting to applications, 78
 - selecting default, 79
 - Microsoft Expression Blend
 - importing designs from Adobe applications, 334–335
 - keyboard shortcuts, 343–344
 - overview, 16–18, 23–26
 - running Silverlight out of Web browser, 337
 - SketchFlow, 329–331
 - user interface, 26–34
 - using in tandem with Visual Studio, 48
 - Microsoft Expression Design, 17–18, 332–334
 - Microsoft Expression Encoder, 17–18
 - Microsoft Expression Studio, 16–17
 - Microsoft Expression Web, 16–17
 - Microsoft Silverlight. *See* Silverlight
 - Microsoft Silverlight Configuration dialog box, 25
 - Microsoft SQL Server Express (SQL Express)
 - database diagram, 256
 - overview, 250–251
 - Microsoft Visual Studio
 - creating applications, 44
 - debugging applications, 345
 - files, 46–47
 - hosting applications, 47–48
 - keyboard shortcuts, 344
 - overview, 16
 - running Silverlight out of Web browser, 338
 - Solution Explorer, 44–45
 - starting, 41–48
 - user interface, 42–43
 - using in tandem with Expression Blend, 48
 - MinHeight property, 108, 109
 - MinWidth property, 108, 109
 - mirror effect, 73
 - Miscellaneous properties group, Properties panel, Expression Blend, 52
 - mixing colors, 66–67
 - Mode parameter, Slider control, 194–195
 - Model-View-ViewModel (MVVM) pattern, 348–349
 - mouse, shaping objects using, 57–58
 - MouseEnter event, 88
 - MouseLeftButtonUp event, 167
 - MouseOver button state
 - defined, 137
 - setting, 140–141
 - moving gradients, 71
 - multi-touch, defined, 13
 - MVVM (Model-View-ViewModel) pattern, 348–349
- **N** •
- Name property, Button control, 103–104
 - naming
 - database tables, 250–251
 - styles, 130
 - Navigate method, WebBrowser control, 341
 - NavigateToString method, WebBrowser control, 341
 - NavigateUri property, HyperlinkButton control, 96
 - nested containers, 109, 118–119
 - .NET Framework
 - Silverlight .NET Framework versus, 237–238
 - using to write applications, 12
 - New Project dialog box
 - Expression Blend, 24
 - Visual Studio, 41
 - New Resources Dictionary button, Expression Blend, 132
 - New Silverlight Application dialog box, Visual Studio, 41–42
 - No brush tab, Expression Blend, 65
 - None setting, EntitySetRights, 284
 - Normal button state, 137
 - NumericUpDown control, 192–194
- **O** •
- Object Collection Editor: Items dialog box, Expression Blend, 99
 - Object menu, Expression Blend, 27
 - object tags, 15
 - ObjectAnimationUsingKeyFrames class, 179

Objects and Timeline panel, Expression Blend

- bouncing ball animation, 175–176
- displaying, 174
- purpose of, 30–31
- selecting controls, 111

obtaining Silverlight, 9–10

OnAttached method, 335

OnDetaching method, 335

OneTime value, Slider control, 194–195

one-to-many relationship, defined, 263

OneWay value, Slider control, 194–195

onPluginLoaded function, 340

OnTitleChanged method, 273

opacity of controls, setting, 335–336

OpenReadAsync method

- downloading files using WebClient class, 216, 218
- progress bars, 220

OpenReadCompleted method, 216–218

operating systems, 10

Orientation property, StackPanel control, 118–120

Oscillations property, Elastic easing function, 185

Out-of-Browser Settings dialog box, Visual Studio, 338

• p •

padlock icon, Expression Blend, 117

Paint Bucket, Expression Blend, 30

Palette icon, 138

panning. *See* Deep Zoom Composer

Panning tool, Expression Blend, 30

Paragraph element, RichTextArea control, 102–103

param name "source" tag, 15

parent controls, defined, 107

partial classes, 271

Password property, PasswordBox control, 87–88

PasswordBox control

- function of, 84
- overview, 83–90
- user input, 86–87

PasswordBox tool, Expression Blend, 30

PasswordChanged event handler, 90

Path object

- function of, 20
- XAML for, 56

Pause method, 181

Pen tool, Expression Blend

- drawing shapes, 53–55
- figure of, 30

Pencil tool, Expression Blend

- creating SmileyUserControl, 157–158
- displaying, 30
- drawing shapes, 53–55

performance issues, 345–346

Photoshop, importing designs from, 334–335

pin button, Expression Blend, 29

Pixel Shader (.ps) files, 337

pixel sizes, 116–117

playing

- audio, 74–75
- video, 74–75

plug-ins, defined, 9

plus sign cursor, Expression Blend, 59

Point properties, 178

PointAnimation class, 178

PointAnimationUsingKeyFrames class, 179

Position property, MediaElement control, 75

POST method, 215

POST request

- HttpWebRequest class, 222–226
- overview, 215

Post table, blogging engine, 250

PostMetaData class, 300

PostsDataGrid ItemsSource property, 301

PostsLoaded method, 265, 267, 273

Power easing function, 186

Power property, easing functions, 186

presentation tier, purpose of, 19

Pressed button state, 141–142

Prism, 347–348

- .prj (project files), 25, 44

progress bars, 219–221

ProgressBar control, 220–221, 326–327

project files (.prj), 25, 44

Project menu, Expression Blend, 27

projection

- 3-D perspective transformations, 63–64
- defined, 60

Projection ball, Expression Blend, 63–64

Projects panel, Expression Blend, 30–31

Projects tab, Expression Blend, 24

properties (attributes)

- defined, 34, 38
- setting, 38, 50
- that control layout, 109–110
- XAML, 37–41

- Properties button, Properties panel, Expression Blend, 51–52
 - Properties folder, Visual Studio, 47
 - Properties panel, Expression Blend color, 64–72
 - GoToStateAction behavior, 169
 - gradients, 67–69
 - overview, 49–52
 - purpose of, 31–32
 - setting properties, 50
 - shaping objects, 58–59
 - sizing objects, 58–59
 - styles, applying to existing elements, 133
 - Properties window, Visual Studio, 43
 - Property groups, Properties panel, Expression Blend, 51–52
 - PropertyChanged event, 200–201, 273
 - protocols, defined, 227
 - proxy classes
 - defined, 232–233, 251
 - displaying, 262–263
 - overview, 261–263
 - .ps (Pixel Shader) files, 337
- Q •**
- Quadratic easing function, 186
 - Quartic easing function, 186
 - query interceptors, 280–281
 - QueryInterceptor method, 281
 - Quintic easing function, 186
- R •**
- R (Red) property, Expression Blend, 66–67
 - Radial Gradient button, Expression Blend, 67–68, 70
 - RadioButton control, 96–97
 - RadioButton tool, Expression Blend
 - displaying, 30
 - figure of, 96
 - RadiusX property, Properties panel, Expression Blend, 60
 - RadiusY property, Properties panel, Expression Blend, 60
 - raster paths, 332
 - Rating control, 327–328
 - rctWebcam_MouseLeftButtonDown method, 77–78
 - reading data
 - WCF Data Services, 263–268
 - WCF RIA Services, 301–303
 - ReadMultiple setting, EntitySetRights, 284
 - ReadSingle setting, EntitySetRights, 284
 - Record Keyframe button, Expression Blend, 175, 183
 - Rectangle control, Expression Blend, 55–56
 - Rectangle object, rounding corners of, 59–60
 - Rectangle tool, Expression Blend
 - displaying Ellipse and Line tools, 53–54
 - figure of, 30
 - Red (R) property, Expression Blend, 66–67
 - Red Gate Reflector tool, 349, 350
 - References folder, Visual Studio, 47
 - Reflector tool, 349–350
 - RegistrationData class, 290
 - RepeatBehavior property, 182
 - Representational State Transfer (REST)
 - accessing Web services, 228–232
 - defined, 227
 - overview, 22
 - RESTful interfaces, 252
 - [RequiredRole] attribute, 316
 - [RequiresAuthentication] attribute, 315
 - resizing
 - gradients, 70
 - scaling versus, 60
 - using Properties panel, 58–59
 - Resource brushes, Expression Blend
 - images, 76
 - video, 76
 - resource dictionaries, 132
 - resource elements, 39
 - Resources panel, Expression Blend
 - purpose of, 31–32
 - styles, 132–133
 - REST (Representational State Transfer)
 - accessing Web services, 228–232
 - defined, 227
 - overview, 22
 - RESTful interfaces, 252
 - RESTful services, 22
 - Results panel, Expression Blend, 33
 - Resume method, 181
 - reusing UserControls, 153–154
 - Reverse Gradient Stops button, Expression Blend, 68
 - reversing animation, 181
 - Rich Internet Applications (RIA), 9, 285.
 - See also* WCF RIA Services

- RichTextArea control
 - formatting text at runtime, 103–105
 - function of, 84
 - overview, 83–90, 101–102
 - XAML for, 102–103
 - root container, 108–109
 - rotating
 - gradients, 70
 - objects, 60–61
 - round selection handle,
 - Expression Blend, 55
 - rounding corners, 59–60
 - RoutedEventHandler, 167
 - Row property, Grid control, 116
 - RowDefinition element, 116
 - rows
 - adding controls to, 114–115
 - height of, 116–117
 - overview, 112–113
 - setting up, 113–114
 - XAML for, 115–116
 - rulers, Expression Blend, 113
 - Run element, RichTextArea control, 103
 - running Silverlight
 - out of Web browser, 337–338
 - overview, 9–10
- S •**
- sample data
 - binding to, 205–210
 - TreeView control using, 327
 - SampleDataSource item, 205–206
 - Samples tab, Expression Blend, 24
 - sandboxed environment, 13
 - scaling objects
 - defined, 60
 - resizing versus, 60
 - screen readers, 346
 - ScriptableMember function, 339–340
 - ScrollBar tool, Expression Blend, 30
 - ScrollViewer tool, Expression Blend, 30
 - Search field, Properties panel, Expression Blend
 - overview, 51
 - setting properties, 50–51
 - security
 - cross-domain, 236–243
 - WCF RIA Services, 315–318
 - SelectedIndex property, ListBox control, 100
 - selection handles, Expression Blend, 57
 - Selection tool, Expression Blend
 - figure of, 30
 - setting properties, 50
 - SelectionChanged event, 268
 - server-side validation, 309
 - service methods
 - LINQ to Entity Framework, 304–306
 - LINQ to SQL, 306–309
 - Service References
 - adding, 233, 235, 262
 - defined, 261
 - updating, 245
 - Services API page, Flickr, 227
 - Set to Auto button, Expression Blend, 111
 - SetLink method, 274–275
 - Setter child elements, 131
 - shadow effect, 73–74
 - shape elements, 39
 - shapes
 - drawing, 53–55
 - XAML for, 55–56
 - shaping objects
 - overview, 56
 - rounding corners of Rectangle object, 59–60
 - using mouse, 57–58
 - using Properties panel, 58–59
 - Show Advanced Properties button,
 - Expression Blend, 204
 - Show Annotations control, Expression Blend, 29
 - Show Grid control, Expression Blend, 29
 - Silverlight
 - browser support for, 10
 - compatibility with other technologies, 21
 - examples of sites enhanced with, 10–12
 - Expression Blend, 16–18, 23–34, 48
 - features of, 12–14, 21–22
 - help resources, 343
 - hosting applications in Web pages, 14–15
 - name of, 14
 - obtaining, 9–10
 - operating system support for, 10
 - running, 9–10, 337–338
 - tools needed to create applications, 15–20
 - user experience, 20–21
 - versions of, 14
 - Visual Studio, 16, 41–48
 - Web sites, 343, 346–347
 - XAML, 35–41
 - Silverlight 4 Application + Website option,
 - Expression Blend, 24
 - Silverlight Configuration dialog box, 79

- Silverlight Toolkit
 - adding references to, 312–313
 - overview, 19
 - themes, 144
- Silverlight Tools for Visual Studio, 16
- SilverlightApplication1 project, 44
- SilverlightApplication1.Web project, 47–48
- simple (ASMX) Web services, 251
- simple animation, 177–178
- Sine easing function, 186
- sizing. *See* resizing
- SketchFlow, 329–331
- SketchFlow Map, 330
- SketchFlow Player, 330–331
- skewing
 - gradients, 71
 - objects, 60–63
 - text, 73–74
- skinning (templating)
 - controls, 134–144
 - defined, 3, 135
 - styles versus, 135
- Slider control, 192–194
- Slider tool, Expression Blend, 30
- .sln (solution files), 25, 44
- SmileyCustomControl
 - adding, 166–167
 - behaviors, 168–170
 - creating in Visual Studio, 162–166
 - events, 167
- SmileyUserControl
 - creating, 157–159
 - overview, 156–157
 - states, 159–162
 - testing, 161–162
- Snap to Grid control, Expression Blend, 29
- Snap to Snaplines control, 29
- Solid Color brush tab, Expression Blend
 - function of, 65
 - setting text color, 73
- Solution Explorer, Visual Studio, 43–45
- solution files (.sln), 25, 44
- Source property
 - MediaElement control, 75
 - WebBrowser control, 341
- Span element, RichTextArea control, 103
- special effects
 - color, 71–72
 - overview, 72–74
- splined interpolation, defined, 179
- Split view button, Expression Blend
 - function of, 35
 - location of, 29
- Split view, Expression Blend
 - function of, 28–29
 - skinning Button controls, 139
- Springiness property, Elastic easing function, 185
- SQL Express (Microsoft SQL Server Express)
 - database diagram, 256
 - overview, 250–251
- stacking controls
 - adding controls to StackPanel, 117–118
 - converting Grid to StackPanel, 118–119
 - XAML for StackPanel, 120
- StackPanel control
 - adding controls to, 117–118
 - converting Grid to, 118–119
 - creating AddressUserControl, 150
 - purpose of, 108
 - XAML for, 120
- StackPanel tool, Expression Blend
 - adding controls to StackPanel, 117–118
 - displaying, 30
- star sizes, 116–117
- starting Visual Studio, 41–48
- Startup event, 47
- startup file, specifying, 46–47
- Startup screen, Expression Blend, 23–24
- states
 - animation of, 188–189
 - Smiley UserControl, 159–162
 - specifying, 140–142
- States panel, Expression Blend
 - purpose of, 30, 32
 - specifying state, 140–141
- static resource, defined, 130
- Stop method, 181
- storing data locally, 342
- Storyboard class
 - AutoReverse property, 181
 - Completed event, 181–182
 - controlling animations, 180
 - RepeatBehavior property, 182
- Storyboard element, 177
- Storyboard.TargetName attribute,
 - DoubleAnimation element, 178
- Storyboard.TargetProperty attribute,
 - DoubleAnimation element, 178
- Stretch property, MediaElement control, 75
- StringToBooleanConverter class, 202–204
- Stroke property
 - binding to BorderBrush property, 143
 - function of, 56

Style menu item, Expression Blend, 133

Style property

- overview, 130
- XAML for, 131

styles

- applying to existing elements, 132–133
- creating, 128–130, 134
- defined, 128
- editing existing, 134
- overview, 127–128
- Resources panel, 132
- skinning versus, 135
- Style property, 130–131

styling, defined, 3

succeeded variable, 270–271

Super Preview feature, Expression Web, 16

• T •

tabbed pages, grouping controls into, 122–124

TabControl control, 122–123

TabItem control, 122–124

TargetType attribute, 131

templatable controls (templated controls; custom controls)

- defined, 149, 156
- Smiley UserControl, 162–168

templates. *See also* templating (skinning)

- Business Application, 287–290
- defined, 135
- editing visually, 138–140
- how work together, 290–292
- WCF RIA Services, 285–286

templating (skinning)

- controls, 134–143
- defined, 3, 135
- styles versus, 135

text

- color, changing, 73
- displaying, 84–85
- font, 72, 85
- formatting at runtime, 103–105
- skewing, 73–74

Text group, Properties panel, Expression Blend, 72

text properties, 40

Text properties group, Properties panel, Expression Blend, 52

Text property, TextBox control, 87–88

TextBlock control

- adding to rows and columns, 114–115
- creating AddressUserControl, 151
- displaying text, 84–85

- downloading files using WebClient class, 217–218
- function of, 84
- overview, 83–90
- special effects, 72–73
- styles, 128–129

TextBlock element

- drop-shadow effect, 38
- function of, 36
- using within Grid element, 40

TextBlock tags, 37–38

TextBlock tool, Expression Blend

- figure of, 30
- function of, 33–34

TextBox control

- accessing values in XAML markup, 87–90
- binding to Address fields, 195–198
- creating AddressUserControl, 151–152
- function of, 84
- user input, 86–87

TextBox tool, Expression Blend, 30

TextChanged event handler, 88–89

themes

- adding controls to, 146–147
- overview, 144–147

3-D perspective transformations, 60, 63–64

tiers (layers), defined, 19

Tile Brush tab, Expression Blend

- function of, 66
- image brushes, 76

timeline, animation, 172–174

Timeline Recording mode, Expression Blend

- starting, 173
- stopping, 177

TimeSpan parameter, RepeatBehavior property, 182

To attribute, DoubleAnimation element, 178

ToList() method, 267

Toolbox panel, Visual Studio, 42–43

Tools menu, Expression Blend, 27

Tools panel, Expression Blend

- drawing shapes, 53–54
- overview, 28
- purpose of, 26–27

TotalBytesToReceive value, 221

Transform group, Properties panel, Expression Blend, 62–63

Transform properties group, Properties panel, Expression Blend, 52

transformation properties, 40

transformations, defined, 60

Translate transforms, Expression Blend, 62–63
 transparency, 67
 TreeView control, 327
 Turn on Effects control, Expression Blend, 29
 two-sided arrow at angle cursor, Expression Blend, 61
 TwoWay value, Slider control, 194–195

• U •

UI (user interface)
 audio, 74–75, 79
 Button control, 90–95
 colors, 64–72
 ComboBox control, 98, 100–101
 domain data service, 300–301
 Expression Blend, 26–34, 49–52
 features of, 12–13
 HyperlinkButton control, 95–96
 ListBox control, 98–100
 PasswordBox control, 83–84, 86–90
 properties, setting, 50
 RadioButton control, 96–97
 RichTextArea control, 83–90, 101–105
 rotating objects, 60–61
 shapes, drawing, 53–56
 shaping objects, 56–60
 sizing objects, 58–59
 skewing objects, 60–63
 special effects, 72–74
 TextBlock control, 83–90
 TextBox control, 86–90
 3-D perspective transformations, 60, 63–64
 video, 74–79
 Visual Studio, 42–43
 Underline element, RichTextArea control, 103
 Unfocused button state, 137
 Universal Resource Indicators (URIs), 22
 updating data. *See also* data binding
 WCF Data Services, 269–273
 WCF RIA Services, 303–304
 URIs (Universal Resource Indicators), 22
 UseAsMailingAddress property, Address class, 201–204
 User class, 293–295
 user interface (UI)
 audio, 74–75, 79
 Button control, 90–95
 colors, 64–72
 ComboBox control, 98, 100–101

domain data service, 300–301
 Expression Blend, 26–34, 49–52
 features of, 12–13
 HyperlinkButton control, 95–96
 ListBox control, 98–100
 PasswordBox control, 83–90
 properties, setting, 50
 RadioButton control, 96–97
 RichTextArea control, 83–90, 101–105
 rotating objects, 60–61
 shapes, drawing, 53–56
 shaping objects, 56–60
 sizing objects, 58–59
 skewing objects, 60–63
 special effects, 72–74
 TextBlock control, 83–90
 TextBox control, 86–90
 3-D perspective transformations, 60, 63–64
 video, 74–79
 Visual Studio, 42–43
 UserBase class, 290
 UserControl element, 36
 UserControls
 data binding, 195–198
 defined, 149
 grouping controls to create, 149–156
 UserRegistrationServices class, 290

• V •

ValidateEntry() method, 89
 ValidateProperty method, 310
 ValidateUser method, 293, 295
 validating data
 DataForm control, 312–314
 overview, 309–310
 validation attributes, 311
 Validation Exception, 310–311
 Value property
 NumericUpDown control, 192
 Rating control, 327
 Slider control, 192, 194
 VB.NET, 1
 vector graphics
 bitmapped graphics versus, 53
 defined, 53
 vector paths, 332–333
 VerticalAlignment property
 function of, 110
 setting, 122
 video
 playing, 74–75
 Silverlight support for, 20

- video (*continued*)
 - video brush, creating, 76
 - webcams, 77–79
 - View buttons, Expression Blend, 28–29
 - View menu, Expression Blend, 27
 - Visual Studio
 - creating applications, 44
 - debugging applications, 345
 - files, 46–47
 - hosting applications, 47–48
 - keyboard shortcuts, 344
 - overview, 16
 - running Silverlight out of Web browser, 338
 - Solution Explorer, 44–45
 - starting, 41–48
 - user interface, 42–43
 - using in tandem with Expression Blend, 48
 - VisualState group, 136–137
 - VisualStateManager class, 161
 - Volume property, MediaElement control, 75
- *W* •
- WCF (Windows Communication Foundation) Data Services
 - change interceptors, 280, 282–283
 - concurrency, 277–280
 - creating, 254–261
 - database operations, 22
 - defined, 251–253
 - entity sets, 283–284
 - overview, 249–251
 - query interceptors, 280–281
 - using in Silverlight applications, 261–276
 - WCF RIA (Windows Communication Foundation Rich Internet Application) Services
 - accessing data with, 297–318
 - authenticating users, 286–292
 - custom authentication system, 292–296
 - overview, 19, 285–286
 - Weather Channel Web service
 - accessing, 241–243
 - authentication, 244
 - building, 239–240
 - displaying results of, 240–241
 - installing icons, 241
 - login procedure, 244–247
 - overview, 238
 - using, 240
 - Web browsers
 - running Silverlight out of, 337–338
 - support for Silverlight, 10
 - Web pages
 - adding UI elements to, 33–34
 - hosting Silverlight applications in, 14–15
 - Web Platform Installer (WPI), 250
 - Web Service Description Language (WSDL)
 - Web service
 - creating, 234–236
 - programming against, 232–234
 - Web services
 - creating WSDL Web service, 234–236
 - defined, 22
 - overview, 226–227
 - programming against WSDL Web service, 232–234
 - that allow cross-domain exchanges,
 - accessing, 227–232
 - without cross-domain policy file, accessing, 237–238
 - Web sites
 - Barber, Corrina, 144
 - CodePlex, 337
 - Crawford, David, 144
 - DataGrid control, 312
 - examples of Silverlight-enhanced, 10–12
 - Fiddler tool, 277, 349
 - Flickr, 227–228
 - free application development tools, 15
 - Hard Rock Café Memorabilia, 10–11
 - MVVM pattern, 349
 - Prism, 348
 - Red Gate Reflector tool, 349
 - Silverlight, 343, 346–347
 - Weather Channel, 238
 - Windows Performance Analysis Tools, 349
 - Woodgrove Financials sample application, 11–12
 - Yahoo!, 228
 - YouTube, 213
 - WebBrowser control, 341
 - Webcam / Mic dialog box, 79
 - webcams
 - displaying video from, 77–78
 - selecting default, 79
 - WebClient class
 - downloading files, 216–221
 - overview, 215
 - WebContext object, 289–291
 - Width property
 - function of, 56, 109–110
 - UserControl, setting at design time, 111–112
 - Window menu, Expression Blend, 27

- Windows Communication Foundation
 - Rich Internet Application (WCF RIA) Services
 - accessing data with, 297–318
 - authenticating users, 286–292
 - custom authentication system, 292–296
 - overview, 19, 285–286
 - Windows Communication Foundation (WCF) Data Services
 - change interceptors, 280, 282–283
 - concurrency, 277–280
 - creating, 254–261
 - database operations, 22
 - defined, 251–253
 - entity sets, 283–284
 - overview, 249–251
 - query interceptors, 280–281
 - using in Silverlight applications, 261–276
 - Windows Performance Analysis Tools, 349
 - Windows Presentation Foundation (WPF), 12
 - Woodgrove Financials sample application, 11–12
 - workspace panels, Expression Blend
 - moving, 29
 - overview, 26–27, 28–33
 - purpose of, 26–27
 - resetting to default position, 30
 - saving, 29
 - tooggling between, 29
 - WPF (Windows Presentation Foundation), 12
 - WPF/e (WPF everywhere), 14
 - WPI (Web Platform Installer), 250
 - WrapPanel control
 - overview, 120–121
 - purpose of, 108
 - WrapPanel tool, Expression Blend, 120
 - wrapping controls, 120–121
 - WriteAppend setting, EntitySetRights, 284
 - WriteDelete setting, EntitySetRights, 284
 - WriteMerge setting, EntitySetRights, 284
 - WriteReplace setting, EntitySetRights, 284
 - WSDL (Web Service Description Language)
 - Web service
 - creating, 234–236
 - programming against, 232–234
- X •
- XAML (Extensible Application Markup Language)
 - AddressUserControl, 151–153
 - appearance of code in book, 4
 - blank Silverlight page, 108
 - bouncing ball animation, 173, 177–180
 - Button control content, 92, 95
 - columns, 115–116
 - data binding, 194, 196–197
 - defined, 1
 - DockPanel control, 126
 - elements and attributes, 37–41
 - Expression Dark theme, 146
 - ListBox control, 100
 - overview, 35–41
 - POST requests, 222–223
 - RichTextArea control, 102–103
 - rows, 115–116
 - SmileyCustomControl, 164–166
 - SmileyUserControl, 158
 - StackPanel container, 120
 - Style property, 131
 - styles, 128, 130–131
 - templates, 136–137
 - TextBlock control, 84, 87–90, 131
 - UI framework, 12
 - XAML view, Expression Blend, 28–29
 - XAML view button, Expression Blend
 - function of, 35
 - location of, 29
 - overview, 55
 - XAP files, 14, 346
 - x:Class attribute, UserControl
 - element, 36
 - x:Key attribute, 131
 - XML (Extensible Markup Language)
 - defined, 34
 - Flickr Web service, 228
 - XmlDocument object, 239
 - x:Name property
 - Grid element, 36
 - ProgressBar control, 220
 - XPerf.exe tool, 349
 - XPerfView.exe tool, 349
- Y •
- Yahoo!, 228
 - YouTube, 213
- Z •
- Z-Index property, 110
 - .zip extension, 14
 - zooming. *See also* Deep Zoom Composer
 - Zooming tool, Expression Blend, 29, 30

