

Index

NUMBERS

- 2-D art, mapping to 3-D surfaces, 530–534
- 2-D objects. *See also* objects
 - Extrude command, 517–518
 - extruding, 519–520
 - extruding strokes, 520–521
- 3-D
 - changing from two dimensions to, 516
 - creation of, 515–516
 - perspective, 517–518
 - positioning, 516–517
- 3-D effects
 - creating with Revolve command, 518
 - using, 502
- 3D Extrude & Bevel Options
 - Cap, 520
 - Extrude Depth, 519
 - lighting sphere, 528–529
 - Position, 519
 - Rotate, 520
 - Views, 520
 - X indicator, 517
 - Y indicator, 517
 - Z indicator, 517
- 3-D objects. *See also* objects
 - applying perspective to, 534–535
 - blending, 438, 440
 - lighting, 528
 - lighting options, 528–530
 - Surface properties, 526–528
 - using Appearance panel with, 530
- 3D Revolve Options dialog box, displaying, 524
- 3-D rotation, performing, 525
- 3-D surfaces, mapping 2-D art to, 530–534
- 3-D techniques
 - perspective drawing, 534–535
 - using gradients for bumps and dents, 534
- 3.13% magnification level, going to, 30
- 100% magnification, using, 27, 29

SYMBOLS

- “ (Double Quotes) style, choosing, 46
- “ (quotation marks), using with numbers on legends, 149
- ‘ (Single Quotes) style, choosing, 46
- (em dash), replacing hyphens with, 339
- (en dash), replacing hyphens with, 339
- (hyphen)
 - replacing with em dash, 339
 - replacing with en dash, 339
- % (percentage) of zoom levels
 - changing, 26–28
 - limit of, 28–29
- . (periods), replacing with ellipses, 339
- ... (ellipses)
 - appearance with menus, 23
 - drawing, 129–130
 - replacing periods with, 339
- / (forward slash), using with fills and strokes, 144
- ` (grave) key, using to transform patterns, 393
- ~ (tilde) key
 - using with Rectangle tool, 123
 - using with Star tool, 134

A

- Acrobat files, saving, 59
- actions
 - Accelerated option, 564
 - assigning colors to, 563
 - assigning function keys, 563
 - clearing, 565
 - creating, 560–561
 - deleting, 562
 - duplicating, 562
 - inserting menu items into, 563
 - loading, 565
 - moving, 563
 - naming, 563
 - Pause For option, 564
 - playback options, 563–564
 - Record Stop command, 563

Index

- actions (*continued*)
 - renaming, 562–563
 - replacing, 565
 - resetting, 565
 - saving, 565
 - versus scripting, 633–634
 - Step By Step option, 564
 - stopping playback of, 563
- Actions panel
 - Default Actions, 559
 - described, 21
 - features of, 559–560
 - recording capabilities, 561
- Actual Size option
 - choosing for zooming, 29
 - using with work area, 16
- Add Anchor Point tool, features of, 181
- Add Anchor Points function
 - versus Add Anchor Point tool, 184
 - using, 183–185
- Add Arrowheads command, using with path directions, 451–452
- Add Arrowheads Stylize effect, using, 506–507. *See also* arrowheads
- Add/Delete option, disabling, 543
- Adobe PDF files
 - saving, 52, 58–60
 - saving for *Ultimate Werewolf* project, 649–650
- Adobe Single-line Composer, using, 329
- AICB (Adobe Illustrator Clip Board), changing to, 556
- airbrushing shadows, 441
- ait files, saving, 52
- Align panel
 - described, 21
 - keyboard shortcut, 21
 - using, 271–272
- Align to Pixel Grid feature, explained, 9
- aligning
 - artwork, 283
 - type in Paragraph panel, 326
- Alignment Smart Guide, explained, 285
- Alt key. *See also* keyboard shortcuts
 - using to copy objects, 540
 - using with Knife tool, 189
 - using with selection tools, 170
- anchor points. *See also* points
 - adding, 182
 - adding to paths, 181–185
 - appearance of, 69
 - classes of, 71
 - components of, 71
 - considering for Pen tool, 87–88
 - converting, 197
 - creating from overlapping endpoints, 196
 - deleting, 182, 185–186
 - doubling, 184
 - editing with, 182–183
 - in paths, 70
 - preferences, 546
 - removing using Simplify, 186–187
 - selecting, 173
 - selecting all of, 78
 - types of, 71–72, 74
 - using Reshape tool with, 379–381
 - using Roughen effect with, 185, 404
 - using with Pen tool, 94
 - with and without control handles, 73
- Anchor/Path Labels Smart Guide, explained, 285
- angle of alignment
 - changing preferences for, 539–540
 - using with shapes, 123
 - using with transformation tools, 373
- angles, choosing in Smart Guides, 553
- animations, creating, 627–630
- Anti-aliased Artwork option, explained, 543
- anti-aliasing
 - process of, 599
 - turning off, 599–600
- Appearance panel. *See also* graphic styles
 - adding strokes and fills, 495–496
 - clearing appearances, 497
 - described, 21
 - displaying objects' information in, 494
 - duplicating objects, 496–497
 - editing strokes and fills, 495–496
 - features of, 494–495
 - keyboard shortcut, 21
 - opening, 494
 - pop-up menu, 494–495
 - redefining graphic styles, 498–499
 - Reduce to Basic Appearance, 497–498
 - removing objects, 496–497
 - setting new art preferences, 498
 - showing and hiding attributes, 498
 - using with 3-D, 530
 - viewing thumbnails, 498

- Arc Segment tool, using, 96–97
 - Arc tool, using, 96–97
 - area graphs, features of, 154
 - area type functions, using, 307
 - Area Type Options feature, using, 339–340
 - Area Type tool, using, 301
 - area types
 - choosing shapes for, 308
 - flowing into shapes, 310–311
 - outlining areas of, 308
 - selecting with, 308–309
 - arrowheads
 - adding, 144–146
 - adding to ends of strokes, 4–5
 - Align tip toggle buttons, 146
 - customizing, 506–507
 - art
 - dragging and dropping, 66
 - importing, 64
 - placing, 63–64
 - Art brush, using, 108–109
 - Artboard color, matching to grid color, 46
 - Artboard Options dialog box, opening, 50
 - artboard size, changing prior to printing, 571–572
 - Artboard tool
 - accessing quickly, 45
 - using, 48
 - artboard tools Toolbox commands, 669
 - artboards
 - choosing measurement units, 47
 - creating at same size, 48
 - described, 14
 - features of, 15–16, 46–47
 - maximum printable size, 46
 - resizing, 48–50
 - rulers, 8
 - setting display of, 42
 - setting orientation for, 50
 - showing, 15–16, 277
 - sizing, 15
 - Artboards panel
 - described, 22
 - features of, 7–8, 47–48
 - artwork, aligning, 283
 - Asian fonts, setting options for, 549
 - Attributes panel
 - described, 22
 - keyboard shortcut, 22
 - using with path directions, 452–453
 - Attributes panel, displaying, 255
 - auto trace tools Toolbox commands, 669
 - AutoCAD Drawing (dwg) format, exporting files to, 61
 - AutoCAD Interchange File (dxf) format, exporting files to, 61
 - Average command, accessing, 196
 - Average dialog box, using with points, 194–195
- ## B
- backlighting effect, creating, 445
 - Backspace (Delete), using, 38
 - Banana-making tool, using, 116
 - banding of blends
 - avoiding, 431
 - occurrence of, 418–419
 - Baseline Shift feature, using with type, 316, 548
 - baseline shift, using in Character panel, 324
 - bevels, adding to objects, 521–523
 - Bézier curves, overview of, 75
 - bitmap fonts, features of, 293–294
 - bitmap images
 - Black and White Logo preset, 476–477
 - Blur option, 479
 - Color 6 tracing preset, 467–468
 - Color 16 preset, 468–469
 - combining modes, 465–466
 - Comic Art preset, 474–475
 - Corner Angle option, 480
 - Default tracing preset, 467
 - Detailed Illustration preset, 473–474
 - features of, 461–463
 - Grayscale preset, 471–472
 - Hand Drawn Sketch preset, 472–473
 - Inked Drawing preset, 477–478
 - Max Colors option, 479
 - Max Stroke Weight option, 480
 - Min Stroke Length option, 480
 - Minimum Area option, 480
 - Mode option, 478
 - Outline mode, 464
 - Output to Swatches option, 479
 - Palette option, 479
 - Path Fitting option, 480
 - Photo High Fidelity preset, 470–471
 - Photo Low Fidelity preset, 469–470
 - Resample option, 479
 - Technical Drawing preset, 475–476
 - Threshold option, 478
 - Tracing Fills/Strokes option, 479

Index

- bitmap images (*continued*)
 - Tracing Options dialog box, 467
 - tracing raster images with, 480–482
 - Tracing Result mode, 465
 - Type preset, 478–479
 - black, displaying and printing, 557
 - Black and White Logo preset, using with Live Trace tool, 476–477
 - Bleed and View Options, setting, 44–46
 - bleed settings, controlling, 42
 - bleeds, defined, 578
 - Blend Options dialog box
 - opening, 431–432
 - using, 420
 - blend steps, specifying for Scribble effect, 628
 - Blend tool, selecting, 417
 - blend tools Toolbox commands, 669
 - blended objects, editing, 421–422
 - blending
 - 3-D objects, 438, 440
 - envelopes, 438
 - guidelines for end paths, 430
 - isolating, 229–230
 - between multiple-path compound paths, 448
 - symbols, 436–438
 - blending modes, availability of, 228–229
 - blending objects, 419, 421
 - blends. *See also* nonlinear blends; path blends; shape blends
 - adding to objects, 247
 - banding, 418–419
 - calculating number of steps for, 428–429
 - changing gradients into, 244
 - color, 418–419
 - creating, 417–418
 - expanding, 422
 - versus gradients, 415–416
 - linear, 418–419
 - nonlinear, 425–426
 - radial, 429–430
 - reflection, 435
 - releasing, 422
 - replacing spine, 422–423
 - Reverse Front to Back option, 424–425
 - reversing spine, 424
 - stroke blends, 440–441
 - trimming, 206
 - using Group Selection tool with, 171
 - Bloat tool, features of, 397–398. *See also* Pucker & Bloat command
 - blue lines, appearance of, 121
 - blurring objects, 443
 - bmp format, exporting files to, 61
 - Bounding Box of circle, width of, 128
 - Bounding Boxes
 - accessing, 169
 - enabling and disabling, 170
 - using with patterns, 363
 - using with transformation tools, 373
 - box sides, creating for *Ultimate Werewolf* project, 645–646
 - boxes, creating with printed covers, 639–640. *See also* *Ultimate Werewolf* project
 - Bristle brush
 - applying to pretzel, 4–5
 - painting with, 111–112
 - Brush libraries
 - using, 114–115
 - viewing for Scatter brush, 106
 - brush types
 - Art, 108–109
 - Bristle, 111–112
 - Calligraphic, 104–105
 - Pattern, 109–111
 - Scatter, 106–107
 - brushes
 - Bristle, 4–5
 - customizing, 112–113
 - simulating, 116
 - using, 103–104
 - Brushes panel
 - brushes in, 79
 - described, 22
 - keyboard shortcut, 22
 - bubbles, creating from gradients, 242–243
 - bump curve, creating, 89–90
 - bumps, using gradients for, 534
 - butterfly symbol, spraying, 157–158
- ## C
- calibration, considering for Preview mode, 35
 - Calligraphic brush
 - accessing, 79
 - creating, 105, 112
 - options, 104–105
 - pressure-sensitive tablets, 105
 - widths, 105
 - “Can’t Add Anchor Point” message, avoiding, 182–183
 - cap style, modifying, 141

- Caps Lock, using with cursors, 543
- case, changing, 337–338
- cast shadows, creating, 389
- Center function, using with vertical type, 316
- center points, showing, 180. *See also* points
- centimeters, measurement of, 273
- centimeters indicator, using in Move dialog box, 383
- Change Case option, using, 337–338
- character attributes, changing by increments, 319
- character formatting Type commands, 671–672
- Character panel. *See also* Type panel
 - adjusting leading, 321
 - baseline shift, 324
 - changing fonts and styles, 319
 - changing Type options in, 296
 - changing type size, 320
 - character rotation, 324–325
 - features of, 318
 - horizontal scale, 324
 - kerning and tracking, 322–323
 - keyboard shortcut, 22
 - Language option, 324
 - measuring type, 319–320
 - multinational options, 325
 - navigating text fields in, 319
 - strikethrough, 324
 - text underlining, 324
 - undoing actions in, 319
 - vertical scale, 324
- character rotation, using in Character panel, 324
- characters. *See also* hidden characters; special characters
 - changing stacking order of, 257
 - distorting in outlines, 343–344
 - selecting with type tools, 318
 - selecting within type area, 316–317
- charts
 - adding labels to, 152
 - customizing, 151–152
 - editing, 149–150
 - enhancing, 151
 - ensuring ungrouping of, 148
 - making, 149–150
 - placing labels on legends, 149
 - tick marks, 152
 - tick values, 152
 - uses of, 147
 - using Group Selection tool with, 171
- Childlike Scribble effect, described, 511
- chokes versus spreads, 588–589
- CIE calibration, using, 35
- circles
 - changing to hearts, 199–200
 - diameter of, 128
 - drawing, 130
 - radius of, 128
- Clean Up, using with paths, 190–191
- Clear command, using, 38
- clicking with mouse, 26
- Clipboard
 - setting preferences for, 556–557
 - using, 66
- clipping masks. *See also* masks
 - creating, 344, 455
 - creating for backgrounds, 457–458
 - creating for layers, 267
 - creating in layers, 264
 - using, 230–231, 454
- clipping paths, creating in Photoshop, 455
- CMYK color space, explained, 219
- CMYK slider, adjusting, 220
- Color 6 tracing preset, using with Live Trace tool, 467–468
- Color 16 preset, using with Live Trace tool, 468–469
- color blends
 - creating, 418–419, 431–433
 - guidelines, 432–433
- color commands
 - Color panel, 672–673
 - Gradient panel, 674
 - Stroke, 674
 - Swatches panel, 673
- Color Guide panel
 - described, 22
 - keyboard shortcut, 22
- color mode, choosing, 42
- color of type versus type color, 309
- Color panel
 - commands, 672–673
 - described, 22
 - keyboard shortcut, 22
 - using color space options in, 218–220
- color percentages, typing, 220
- Color Profile, displaying, 25
- Color Ramp, using, 221
- color separations
 - misalignment of, 590–591
 - process color, 582
 - spot color, 582
- color spaces, cycling through, 221

Index

- color swatches, using, 212–213
- colorization tips, overview of, 113
- colors. *See also* custom colors; Eyedropper tool; gray colors; grid colors; Paint Bucket tool; process colors; spot colors
 - applying with Color panel, 223
 - choking, 588
 - hexadecimal, 603
 - printing, 581–582
 - specifying for printing, 584–586
 - spreading, 588
 - transferring between objects, 223–224
 - Web-safe, 601–602
- ColorSync, accessing on Macs, 35
- columns, adding, 339–340
- combination corner points
 - converting curved corner points into, 200
 - converting smooth points into, 197
 - converting straight corner points into, 198
- Comic Art preset, using with Live Trace tool, 474–475
- commands. *See also* keyboard shortcuts
 - miscellaneous, 677
 - reapplying, 403
 - viewing shortcuts, 677
- Compatibility options, using, 55–56
- composites, printing, 572–575
- compound paths. *See also* paths
 - blending between, 448
 - converting paths into, 453
 - creating, 446–447
 - creating from sets of paths, 449–450
 - creating masks from, 457
 - faking, 454
 - holes, 448
 - moving objects in, 449
 - overlapping holes, 448–449
 - releasing, 447–448
 - using type with, 450–451
 - using Winding Numbers Rule with, 452
- compression, lossless versus lossy, 603
- connection speed, choosing for Web graphics, 605
- Constrain Angle setting
 - changing preferences for, 539–540
 - using with shapes, 123
 - using with transformation tools, 373
- Construction Guides Smart Guide, explained, 285
- context-sensitive menus, opening, 24
- control handle lines, features of, 72–74
- control handles
 - features of, 72–74
 - managing with Pen tool, 93–94
- Control panel
 - described, 13, 21
 - using to resize artboards, 48–50
- Convert Anchor Point tool, using, 197–200
- Convert Direction Point tool, features of, 182
- Convert to Shape effects, using, 503–504
- Copy command, using, 39
- Copy keyboard shortcut, using, 25
- copyrighting illustrations, 254
- corner points, creating combinations, 93
- Corner Radius option, setting preferences for, 541
- corner radius, overview of, 128
- Corner Radius text field, specifying value in, 126
- corners. *See also* Round Corners effect
 - rounding, 127–128
 - rounding backward, 128–129
 - setting roundness of, 125–127
- crop marks
 - creating, 288–290
 - defined, 47
 - using, 544
- Crystallize tool, features of, 397, 399
- CSS layers, using with Web graphics, 606, 625
- Ctrl key. *See also* keyboard shortcuts
 - using with Selection tool, 168
 - using with selection tools, 171
 - using with swatches, 213
- cursor key increment, changing preferences for, 539
- cursors
 - changing shape of, 103
 - explained, 26
 - precise, 541–542
 - togglng, 543
- curved corner points
 - converting, 199–200
 - converting combination corner points into, 199
 - converting smooth points into, 197
 - converting straight corner points into, 199
 - using, 92–93
- curved paths, closing with Pen tool, 92
- curves
 - adjusting relative to control handles, 74
 - creation in Illustrator, 75
 - drawing with Pen tool, 89–92
 - managing with Pen tool, 93

- Custom Angles Smart Guide, explained, 285
- custom colors, converting to process colors, 585–586.
See also colors
- custom views feature, using, 37
- customizations, limitations of, 558
- Cut command, using, 39
- Cut/Copy/Paste keyboard shortcuts, 25
- cyan, percentage of gray in, 576
- ## D
- data-driven graphics. *See also* Web graphics
- scripting, 633
 - template, 634–636
 - using, 631
 - variables, 632
 - Variables panel, 632–633
- date and time, displaying, 25
- Delete Anchor Point tool, features of, 182
- Delete command, using, 38
- deleting
- actions, 562
 - anchor points, 182, 185–186
 - graphic styles, 500
 - guides, 284
 - layers, 265–266
 - lights for 3-D objects, 529
 - paths, 173
 - selections, 560
 - shapes, 121
 - swatches, 214
- Dense Scribble effect, described, 511
- dents, using gradients for, 534
- depth, simulating with Perspective Grid, 7
- Deselect All, using, 168
- Deselect option, accessing, 174, 176
- deselecting paths, 187
- Detailed Illustration preset, using with Live Trace tool, 473–474
- device pixels, rasterizing at, 77. *See also* pixels
- diagonal-line patterns, using, 365
- diagrams, creating, 156–157
- dialog boxes
- commands, 678
 - highlighting text fields in, 125
 - tooggling on or off, 560
- diameter of circle, explained, 128
- Diffuse Shading, lighting options for, 528
- Direct Selection tool
- activating, 164
 - features of, 164
 - using, 165, 170, 173, 198–199
 - using Shift key with, 170
 - using with blended objects, 421
- Display Performance preferences, changing, 551
- Distort & Transform effects, using, 504
- distorting objects. *See* effects
- distortion tools Toolbox commands, 666–667
- dither methods, choosing for GIF format, 608
- dithering, process of, 601
- Document Info panel
- contents of, 67
 - described, 22
 - versus File Info, 66
 - location of, 66
- document information
- looking at, 67–68
 - saving, 68
- document name, finding, 15
- Document Setup dialog box
- Bleed and View Options, 44–46
 - displaying, 35, 550
 - Transparency options, 46
 - Type Options, 46
- Document Setup menu, accessing for measurements, 273
- document window. *See also* windows
- accessing files, 15
 - Arrange Icons command, 15
 - artboards, 15–16
 - behavior, 15
 - Cascade option, 15
 - closing, 15
 - described, 13–14
 - maximizing, 15
 - minimizing, 15
 - moving around screen, 15
 - Print Tiling tool, 16–17
 - scroll bars, 15
 - Tile option, 15
 - viewing percentage, 15
 - work area, 16
- documents. *See also* files
- choosing orientation, 42
 - choosing units for, 42
 - creating, 41
 - naming, 42
 - previewing, 43
 - printable areas of, 16–17
 - sizing, 42
 - using scroll bars for viewing of, 31–32
 - viewing parts of, 28

Index

- Double Quotes (") style, choosing, 46
- double-clicking with mouse, 26
- dragging artwork, 40
- dragging with mouse, 26
- drawing area
 - choosing measurement units, 47
 - creating at same size, 48
 - described, 14
 - features of, 15–16, 46–47
 - maximum printable size, 46
 - resizing, 48–50
 - rulers, 8
 - setting display of, 42
 - setting orientation for, 50
 - showing, 15–16, 277
 - sizing, 15
- drawing devices, alternatives, 102
- Drawing modes, enhancements, 6
- drawing tools, advice for use of, 102–103
- Drop Shadow effect, using, 507–508
- drop shadow, using in *Ultimate Werewolf* project, 643
- dwg (AutoCAD Drawing) format, exporting files to, 61
- dxf (AutoCAD Interchange File) format, exporting files to, 61

E

- edges, softening, 442–444
- Edit actions, recording, 561
- Edit commands, 652–653
 - accessing, 37–38
 - Clear, 38
 - copying, 39
 - cutting, 39
 - pasting, 39
 - Redo, 40
 - Undo, 40
- Effect menu commands, 654
- Effect submenu
 - Rotate function, 525
 - using with small text, 600–601
- effects. *See also* Stylize effects
 - 3-D, 502
 - applying to objects, 502
 - backlighting, 445
 - Convert to Shape, 503–504
 - Distort & Transform, 504
 - free distortions, 400
 - lighting, 526–527
 - neon, 444–445
 - Path, 504
 - Photoshop, 514
 - Pucker & Bloat command, 401–402
 - Rasterize, 505
 - reapplying, 403
 - roughening objects, 403–404
 - Scribble effect, 627–630
 - versus stroke-based blends, 440
 - SVG Filters, 513–514
 - transforming objects, 405
 - tweaking transforms, 405–408
 - Twist command, 407, 409
 - Warp, 514
 - Warp effects, 411
 - Zig Zag, 407, 410
- Effects actions, recording, 561
- ellipses (...)
 - appearance with menus, 23
 - drawing, 129–130
 - replacing periods with, 339
- em dash (—), replacing hyphen with, 339
- em space, measurement of, 323
- embossed type, creating, 237–238
- emf (Enhanced Metafile) format, exporting files to, 61
- emulsion, overview of, 581
- en dash (–), replacing hyphens with, 339
- end paths. *See also* paths
 - blending from, 430
 - finding for linear blends, 427–428
- endpoints
 - determining locations of, 196
 - ensuring overlapping of, 196
 - joining, 195–197
 - joining into anchor points, 196
- envelopes
 - features of, 411
 - using, 514
 - using with blends, 438–439
- EPS files
 - limitation on changing colors of, 588
 - saving, 52
- EPS Options dialog box, displaying, 57–58
- Every-line Composer, using, 329
- Excel graph data, importing, 148–149
- Export commands, using, 55, 61–62
- Export dialog box, displaying for text, 341
- Exposé, invoking, 66

- Extrude command, using, 517
- extruding
- dashed line, 521
 - flat art, 519–520
- Eyedropper tool, using, 223–225. *See also* colors
- ## F
- Feather effect, using, 508–509
- Fidelity option, effect on lines, 83
- File actions, recording, 561
- File Handling & Clipboard preferences, 556–557
- File Info
- versus Document Info panel, 66
 - location of, 66
- file information, finding, 68
- File menu commands, 652
- files. *See also* documents; Illustrator files
- exporting, 55
 - opening and closing, 51
 - placing into Illustrator documents, 63–64
 - saving, 51–55
 - saving in SVG, 60–61
 - saving to Illustrator versions, 56
- fill color
- options, 139–140
 - resetting, 144
- Fill icon
- appearance of, 144
 - changing focus to, 144
- fills
- adding from Appearance panel, 495–496
 - applying, 143–144
 - applying to masking objects, 456
 - applying to paths, 76–78
 - changing to None, 144
 - combining strokes with, 142–143
 - defined, 138
 - determining types of, 144
 - editing from Appearance panel, 495–496
 - stacking order for, 258
 - versus strokes, 348
 - unhiding patterns for, 142
 - using, 139–140
- filmstrip stroke, creating, 355
- Find And Replace dialog box, using with text, 333–335
- Fit in Window option, choosing for zooming, 30
- Flare tool
- options, 136–137
 - uses of, 137
- flares, editing, 137–138
- Flash graphics, using for Web, 614–616
- Flash XML Graphics (FXG)
- support for, 9
 - using, 637–638
- flat art, extruding, 519–520
- Flatten Transparency dialog box, options in, 234–235
- Flattener Preview panel, described, 22
- Flex-based workflows, enhancing, 637–638
- flowcharts, creating, 156–157
- Flush Left function, using with vertical type, 316
- Flush Right function, using with vertical type, 316
- font conflicts, avoiding, 344–345
- Font function, using with vertical type, 315
- font names, displaying, 549
- font preview size, choosing, 549
- font size, choosing, 298
- Font submenu, using, 296–297
- fonts. *See also* type
- bitmap, 293–294
 - changing, 335–336
 - changing in Character panel, 319
 - finding fonts, 335–336
 - Multiple Master, 295
 - OpenType, 294
 - PostScript, 294
 - TrueType, 294
 - using hinting with, 345
- forward slash (/), using with fills and strokes, 144
- fractions, replacing with Expert Fractions, 339
- Free Distort effect, using, 193
- Free Distort tool versus Free Transform, 383
- free distortions, using, 400
- Free Transform tool, using, 383–384
- FXG (Flash XML Graphics)
- support for, 9
 - using, 637–638
- ## G
- gamut
- overview of, 221–222
 - warning about, 602
- Gap Options dialog box, using with Live Paint, 487
- General Preferences, keyboard shortcut, 125
- Geschke, Chuck, 75
- GIF file format
- setting for Web graphics, 606
 - using with Web graphics, 608–609

Index

- glow effects
 - creating, 442
 - Inner Glow, 510
 - Outer Glow, 510
- glowing surface effect, using shape blends for, 435, 437
- glyph scaling, applying, 327
- glyphs
 - defined, 294
 - missing, 549
 - using, 298–299
- Gradient feature, overview of, 238
- gradient meshes
 - creating, 246
 - opacity settings for points, 8
 - using for fill colors, 140
- gradient objects, expanding, 244
- Gradient panel
 - color commands, 674
 - described, 22
 - keyboard shortcut, 22
 - using, 239–240
- Gradient tool, using, 240–241
- gradients
 - versus blends, 415–416
 - changing into blends, 244
 - creating, 240–241
 - filling with strokes, 193–194
 - printing, 244–245
 - using for bumps, 534
 - using for dents, 534
 - using presets, 239
 - using to create bubbles, 242–243
 - using for fill color, 139
- Graph Data box
 - appearance of, 148
 - changing numbers and text in, 150
 - Transpose row/column button, 149
- graph data, importing from Excel, 148–149
- graph data variables, using with data-driven graphics, 632
- Graph tool, locating, 149
- graph tools Toolbox commands, 668
- Graph Type dialog box, opening, 151
- graph types
 - area graphs, 154
 - grouped-column, 152
 - line graphs, 153–154
 - pie graphs, 155
 - radar graphs, 155–156
 - scatter graphs, 155–156
 - stacked-column, 152–153
- Graphic Style Library
 - opening, 502
 - saving, 501
- graphic styles. *See also* Appearance panel; Web graphics
 - Appearance panel, 493–499
 - breaking links to, 501
 - creating, 499–500
 - deleting, 500
 - duplicating, 500
 - features of, 493
 - merging, 500
 - redefining, 498–499
- Graphic Styles panel
 - described, 22
 - features of, 499
 - keyboard shortcut, 22
 - Override Character Color option, 501
 - Select All Unused option, 501
 - Sort by Name option, 501
 - viewing swatches, 501
- graphics for Web. *See also* data-driven graphics; graphic styles; vector graphics
 - Background pane in Output Settings, 612–613
 - choosing connection speed for, 605
 - exporting in SWF format, 614–615
 - GIF format, 608–609
 - HTML and Images option, 610
 - HTML only option, 610
 - HTML pane in Output Settings, 611
 - Illustrator's features, 596–597
 - Images only option, 610
 - JPEG format, 609
 - Output Settings dialog box, 611–613
 - Pixel Preview mode, 597–598
 - PNG formats, 609
 - previewing, 604–607
 - Save for Web & Devices dialog box, 604–605
 - saving, 610
 - Saving Files pane in Output Settings, 612–613
 - setting file format options, 606
 - Slices pane in Output Settings, 612
 - slicing, 621–622
 - using CSS layers with, 606
 - using Flash graphics with, 614–616
 - WBMP format, 609

- graphs
 - adding labels to, 152
 - customizing, 151–152
 - editing, 149–150
 - enhancing, 151
 - ensuring ungrouping of, 148
 - making, 149–150
 - placing labels on legends, 149
 - tick marks, 152
 - tick values, 152
 - uses of, 147
 - using Group Selection tool with, 171
 - grave (¨) key, using to transform patterns, 393
 - gray colors, using prior to printing, 576. *See also* colors
 - grays, determining for printers, 429
 - Grayscale color space, explained, 219
 - Grayscale preset, using with Live Trace tool, 471–472
 - grid colors, changing, 46. *See also* colors
 - Grid feature, commands for, 278–279
 - grid lines, making, 97, 99–100. *See also* Polar Grid tool
 - grid patterns
 - creating, 365
 - using, 365–367
 - Grid preferences, changing, 279–280
 - grid size, changing, 46
 - gridlines, adjusting spacing in, 365
 - grids
 - displaying in documents, 279
 - perspective, 281–282
 - rotating to angles, 280
 - Grids In Back option, using, 551
 - Group Selection tool
 - activating, 164
 - features of, 164
 - using, 166, 170–171
 - using Shift key with, 171
 - grouped paths, selecting, 166–167. *See also* paths
 - grouping, process of, 258
 - groups, using with Live Paint, 488
 - guide preferences, changing, 284–285
 - guides. *See also* Smart Guides
 - checking status of, 284
 - creating, 283
 - deleting, 284
 - locking, 283–284
 - Magic Rotating, 283
 - moving, 283–284
 - pulling from rulers, 283
 - releasing, 284
 - selecting, 284
 - transforming paths into, 283
 - unlocking, 283–284
 - Guides & Grid section
 - opening, 284
 - options, 285
 - preferences, 551–552
 - Guides menu, accessing, 284
- ## H
- halo, setting for flare, 136
 - Hand Drawn Sketch preset, using with Live Trace tool, 472–473
 - Hand tool
 - accessing, 32
 - adjusting viewing performance for, 551
 - benefit of, 32
 - scrolling with, 32
 - Hang Punctuation function, using with vertical type, 316
 - Hanging Punctuation, using, 329
 - headlines, fitting, 333–334
 - Help menu commands, 656
 - hexadecimal colors, overview of, 603
 - hidden characters, showing, 340. *See also* characters
 - hidden objects, showing, 255
 - hiding
 - layers, 267
 - objects, 254–255
 - highlights, adding to objects, 137–138, 247
 - highway map element, creating, 358–359
 - hinting, use with fonts, 345
 - hints, displaying with Smart Guides, 553
 - holes
 - overlapping, 448–449
 - using with compound paths, 448
 - Horizontal Scale function, using with vertical type, 316
 - horizontal scale, using in Character panel, 324
 - HSB color space, explained, 219
 - hyphen (-)
 - replacing with em dash, 339
 - replacing with en dash, 339
 - hyphenating text, 328–329
 - hyphenation, changing, 554
 - Hyphenation function, using with vertical type, 316

Index

I

illustrations, previewing, 585

Illustrator

- launching, 12
- quitting, 12–13
- using with Photoshop, 27

Illustrator and Photoshop, moving between, 65

Illustrator art, placing into Photoshop, 65–66

Illustrator EPS, saving as, 56–59

Illustrator files. *See also* files

- opening and closing, 51
- saving, 51–55

Illustrator formats, exporting documents to, 55–56

Illustrator interface

- artboards, 14
- Control panel, 13
- document window, 13–14
- main menu, 13
- panels, 13
- status bar, 14
- Tools panel, 13
- zoom control, 13

image maps, specifying for interactivity, 626–627

imageable area, defined, 47

ImageReady product, introduction of, 604

images. *See also* raster images; vector images

- changing measurement units, 272–274
- changing to box frames, 45

imagesetters

- versus laser printers, 583
- limitations of, 585

inch indicator, using in Move dialog box, 382

inches, abbreviation for, 273

Indent functions, using with vertical type, 316

indenting paragraphs, 327

Info panel

- described, 22
- keyboard shortcut, 22
- Use Preview Bounds preference, 545

Inked Drawing preset, using with Live Trace tool, 477–478

Inner Glow effect, using, 510

insertion point, speeding up movement of, 317–318

interactivity

- creating animations, 627–630
- specifying image maps, 626–627

Intracpath selecting, explained, 165

Inverse function, using with selections, 175

invert masks, using, 230–231

items. *See also* objects

- collapsing, 560
- expanding, 560
- toggling on or off, 560

J

Japanese Crop Marks, using, 544

JavaScript event, applying, 620–621

Join command, using with endpoints, 195–196

Join enhancement, using with path, 5–6

join style, modifying, 141–142

joining, using, 196

Joins option, using with Offset Path function, 192

JPEG file format

- setting for Web graphics, 606
- using with Web graphics, 609

justification, applying to words, 327

Justification dialog box, accessing, 327–328

Justify Line functions, using with vertical type, 316

justifying type in Paragraph panel, 326

K

kerning

- defined, 322
- effect of, 316
- versus tracking, 316
- treatment of, 324
- type on paths, 312

keyboard commands

- removing Show Transparency Grid, 651
- removing Spacing command, 651
- removing Toggle Line Composer command, 651
- using with flares, 137

keyboard shortcuts. *See also* Alt key; commands; Ctrl key; Shift key

- Align panel, 21
- aligning type, 326
- Appearance panel, 21
- Apply Last Effect, 502
- Attributes panel, 22, 255
- blending 3-D objects, 438
- blends, 431–432
- Bring Forward command, 257
- Bring to Front command, 257
- Brushes panel, 22
- Character panel, 296
- checking spelling, 335

- clipping masks, 344, 455
 - closing Illustrator, 13, 51
 - Color Guide panel, 22
 - Color panel, 22
 - compound paths, 446, 448
 - customizing, 558–559
 - Cut/Copy/Paste, 25
 - Deselect All, 168
 - deselecting paths, 187, 417
 - Direct Selection tool, 164
 - Document Setup dialog box, 550
 - Fill icon focus, 144
 - General Preferences, 125
 - Gradient feature, 238
 - Gradient panel, 22
 - Graphic Styles panel, 22
 - Grid feature, 279
 - Group Selection tool, 164
 - grouping objects, 259
 - hiding objects, 254
 - Info panel, 22
 - insertion-point movement, 317
 - Join command, 195–196
 - justifying type, 308
 - Lasso tool, 164, 172
 - Layers panel, 22, 260
 - Lock Unselected command, 181
 - locking objects, 254
 - Magic Wand tool, 164, 171
 - masking objects, 456
 - masks, 343
 - measurement systems for artboards, 47
 - opening Illustrator files, 51
 - OpenType panel, 330
 - Outlines feature, 342
 - panel display, 17
 - Paragraph panel, 296
 - Paste in Back command, 258
 - Paste in Front Command, 258
 - path deselection, 417
 - Pathfinder panel, 22
 - paths, 90
 - point-size increase and decrease, 298, 320
 - preferences, 538
 - Preferences dialog box, 82
 - Print command, 572
 - reapplying commands, 403
 - Release Guides command, 284
 - releasing compound paths, 447
 - releasing masks, 456
 - Reselect, 174
 - rulers, 276
 - Save, 25
 - Save a Copy command, 53
 - Save As command, 53
 - saving files, 51
 - Select All, 25, 168
 - Selection tool, 164
 - Send Backward command, 257
 - Send to Back command, 257
 - Send to Current Layer command, 257
 - Show Rulers, 283
 - showing and hidden objects, 255
 - Smart Guides, 285
 - spelling checker, 335
 - Stroke panel, 22
 - Symbols panel, 22, 157, 160
 - Tabs panel, 330
 - Transform panel, 22
 - transformations, 388–389
 - transparency grid, 232
 - Transparency panel, 22
 - type justification, 308
 - typing, 24–25
 - Undo command, 123
 - Undo used with layers, 264
 - Unlock All option, 254
 - unlocking guides, 283
 - using, 23
 - Knife tool
 - features of, 182
 - using Alt key with, 189
 - using Shift key with, 189
 - using to divide paths, 188–189
 - Knockout Group check box, 230
- L**
- labels, including on legends, 149
 - Landscape orientation, choosing, 579–580
 - language, choosing or Type Options, 46
 - Language option, using in Character panel, 324
 - laser printers
 - versus imagesetters, 583
 - limitations of, 585
 - Lasso tool
 - activating, 164
 - features of, 164

Index

- Lasso tool (*continued*)
 - keyboard shortcut, 172
 - using, 172
- lathing objects, 523–525
- layer changes, undoing, 264
- layer deletions, undoing, 266
- layer names, displaying, 263
- layers
 - advantage for, 260
 - combining, 267
 - controlling viewing of, 263
 - creating, 261–262, 264–266
 - creating clipping masks for, 267
 - creating clipping masks in, 264
 - creating sublayers, 264, 266
 - defined, 260
 - deleting, 265–266
 - hiding, 267
 - identifying objects on, 260
 - locking, 267
 - merging, 267
 - moving objects to, 267
 - moving selected objects to, 265–266
 - naming, 262
 - placing templates on, 268–269
 - reversing stacking order of, 267
 - turning into Outline mode, 264
 - unlocking, 267
- Layers panel
 - buttons in, 264–265
 - columns, 263–265
 - commands, 676
 - described, 22
 - displaying, 260
 - example of, 260
 - keyboard shortcut, 22
 - menu options, 266–268
 - options in, 263–264
- leading
 - adjusting in Character panel, 321
 - auto, 327
- Leading function, using with vertical type, 315
- Left Indent function, using with vertical type, 316
- legacy text, updating, 341, 543
- legends, placing labels on, 149
- Legends in Wedges option, using with pie graphs, 155
- letter spacing, applying, 327
- letters. *See* characters; type
- ligature, defined, 294
- lighting, 3-D objects, 528
- lighting effects, controlling, 526–527
- lighting options, applying to 3-D objects, 528–530
- lights, deleting for 3-D objects, 529
- line graphs, features of, 153–154
- line patterns
 - applying for shaded effect, 367
 - creating, 364–365
- Line Segment tool, using, 94–95
- line segments, selecting, 173. *See also* segments
- line tools Toolbox commands, 662–663
- line weights
 - increasing, 545
 - reducing, 545
- linear blends
 - calculating number of steps for, 429
 - defining, 418–419
 - finding end paths for, 427–428
 - using colors with, 431–433
- lines
 - drawing with Pen tool, 88–89
 - with fills, 77
 - justifying in Paragraph panel, 326
 - listing as paths, 552–553
 - printing, 77
 - pulling control handles away from, 74
 - showing angles of, 552–553
 - thin black versus fat gray, 599–601
 - using Fidelity option with, 83
 - using Smoothness option with, 83
- linked image variables, using with data-driven graphics, 632
- Links panel, described, 22
- Liquify tools
 - Bloat tool, 397–398
 - changing brush size for, 394
 - Crystallize tool, 397, 399
 - features of, 394
 - Pucker tool, 395, 397
 - Scallop tool, 397–398
 - Twirl tool, 395–396
 - Warp tool, 394–396
 - Wrinkle tool, 397, 399
- Live Blend
 - explained, 420
 - using, 421
- Live Paint Bucket Options dialog box
 - Paint Fills option, 486–487
 - settings, 486–487

- Live Paint Bucket tool
 - features of, 224, 483–484
 - Gap Options dialog box, 487
 - Live Paint feature
 - overview of, 483–485
 - using, 488
 - using groups with, 488
 - Live Paint object, converting objects to, 485
 - Live Paint Selection tool, features of, 485–486
 - Live Trace tool. *See also* tracing modes for Live Trace
 - Black and White Logo preset, 476–477
 - Blur option, 479
 - Color 6 tracing preset, 467–468
 - Color 16 preset, 468–469
 - combining modes, 465–466
 - Comic Art preset, 474–475
 - Corner Angle option, 480
 - Default tracing preset, 467
 - Detailed Illustration preset, 473–474
 - features of, 461–463
 - Grayscale preset, 471–472
 - Hand Drawn Sketch preset, 472–473
 - Inked Drawing preset, 477–478
 - Max Colors option, 479
 - Max Stroke Weight option, 480
 - Min Stroke Length option, 480
 - Minimum Area option, 480
 - Mode option, 478
 - Outline mode, 464
 - Output to Swatches option, 479
 - Palette option, 479
 - Path Fitting option, 480
 - Photo High Fidelity preset, 470–471
 - Photo Low Fidelity preset, 469–470
 - Resample option, 479
 - Technical Drawing preset, 475–476
 - Threshold option, 478
 - Tracing Fills/Strokes option, 479
 - Tracing Options dialog box, 467
 - tracing raster images with, 480–482
 - Tracing Result mode, 465
 - Type preset, 478–479
 - Lock Unselected command, activating, 181
 - locked objects, changing, 254
 - locking objects, 254
 - logo file, creating for *Ultimate Werewolf* project, 643
 - Loose Scribble effect, described, 512
 - lossy versus lossless compression, 603
 - lowercase, changing, 337
- ## M
- Macintosh PICT (pct) format, exporting files to, 61
 - Macs
 - ColorSync feature, 35
 - displaying path to document name, 15
 - scroll bar settings, 32
 - magenta, percentage of gray in, 576
 - Magic Rotating Guide, features of, 283
 - Magic Wand panel
 - described, 22
 - setting options in, 172
 - Magic Wand tool
 - activating, 164
 - features of, 164
 - keyboard shortcut, 171
 - using, 171–172
 - magnification levels
 - changing, 26–28
 - limit of, 28–29
 - main menu, described, 13
 - Map Art dialog box
 - displaying, 531–532
 - features of, 534
 - map elements. *See also* strokes
 - highway, 358–359
 - railroad track with gradient, 356–357
 - using Outline Stroke, 356–357
 - marquee
 - drawing around paths, 166
 - drawing with Zoom tool, 28
 - masking
 - and printing, 457
 - raster images, 455–456
 - masking object
 - identifying, 456
 - selecting, 456
 - masks. *See also* clipping masks
 - creating from compound paths, 457
 - drawing in and behind, 457
 - grouping objects in, 455
 - releasing, 456–457
 - using with other masks, 456
 - using words as, 343–344
 - maximized state, toggling with minimized, 20
 - Measure tool, using, 274–275
 - Measurement Labels Smart Guide, explained, 285
 - measurement system, using in Move dialog box, 382–383

Index

- measurement units
 - changing for images, 272–274
 - choosing for artboards, 47
 - setting, 550–551
 - measuring
 - for printing, 287–290
 - using objects for, 277
 - using Offset Path for, 277–278
 - menu commands
 - Edit menu, 652–653
 - Effect menu, 654
 - File menu, 652
 - Help menu, 656
 - Object menu, 653–654
 - Select menu, 654
 - Type menu, 654
 - View menu, 655
 - Window menu, 656
 - menu items
 - choosing, 23
 - inserting into actions, 563
 - submenus for, 23
 - triangle next to, 23
 - menus
 - context-sensitive, 24
 - for panels, 23–24
 - mesh, applying, 246
 - mesh points, changing opacity of, 248
 - Mesh tool
 - accessing, 246
 - features of, 245–246
 - using to create shading, 248
 - metric system, measurements in, 273
 - millimeters, measurement of, 273
 - millimeters indicator, using in Move dialog box, 383
 - minimized state, toggling with maximized, 20
 - Miter Limit
 - modifying, 142
 - using with Offset Path function, 192
 - modes
 - Outline versus Preview, 33–35
 - Overprint Preview, 35
 - Pixel Preview, 36
 - Moiré Scribble effect, described, 512
 - monitor pixels per inch, explained, 27, 597
 - morphing, defined, 416
 - mouse functions, performing, 26
 - Move dialog box
 - measurement system in, 382–383
 - using with Measure tool, 274–275
 - using to type via keyboard, 383
 - moving
 - guides, 283–284
 - objects, 381–383
 - paths, 173
 - Multiple Master fonts, adding type with, 295
- ## N
- Navigator panel
 - described, 22
 - red triangle, 33
 - scrolling with, 33
 - zooming with, 30–31
 - negatives
 - printing, 581
 - sizes of, 590–591
 - neon effects, designing, 444–445
 - New Document dialog box, settings in, 42–43
 - nonlinear blends, using, 425–426. *See also* blends
 - numbers, using quotation marks (") with, 149
- ## O
- Object actions, recording, 561
 - object attributes, setting, 255
 - Object Highlighting Smart Guide, explained, 285
 - Object menu, commands, 653–654
 - Object options, choosing from Select menu, 175–176
 - object-based Web slicing, implementing, 622–625
 - objects. *See also* 2-D objects; 3-D objects; items
 - adding highlights to, 137–138
 - aligning automatically, 43
 - applying effects to, 502
 - blending, 419
 - blurring, 443
 - changing stacking order of, 256–257
 - copying using Alt shortcut, 540
 - copying using Option shortcut, 540
 - deselecting, 176
 - drawing around, 164
 - extruding, 517
 - grouping, 258–259
 - hiding, 254–255
 - locking, 254

- moving, 257, 274–275, 381–383
 - moving and scaling, 169
 - moving in compound paths, 449
 - moving to layers, 267
 - pasting, 258
 - reshaping, 379–381
 - resizing, 276, 378–379
 - revolving, 523–525
 - rotating, 169, 375, 525–526
 - scaling and moving, 169
 - selecting, 164
 - selecting for recording, 564–565
 - sizing with Transform tool, 276
 - transforming, 372–373, 405
 - ungrouping, 259–260
 - using for measuring, 277
 - using Reflect tool with, 375–377
 - objects in groups, applying effects to, 259–260
 - Offset Path function
 - versus Scale tool, 192
 - using to measure objects, 277–278
 - using with paths, 192
 - opacity
 - applying, 228
 - changing for mesh points, 248
 - opacity masks, using, 230–231
 - OpenType fonts, features of, 294
 - OpenType panel
 - described, 23
 - using, 330
 - Optical Margin Alignment punctuation, using, 329
 - Option shortcut, using to copy objects, 540
 - organization chart, creating, 156–157
 - orientation
 - choosing for pages, 579
 - setting for artboards, 50
 - setting for pages, 42
 - Outer Glow effect, using, 510
 - Outline mode
 - paths with fills in, 77
 - working in, 76
 - Outline Path function, using, 193–194
 - Outline Stroke, using in map elements, 357
 - Outline versus Preview modes, 33–35
 - outlines
 - applying effects, 343–344
 - converting type to, 342, 345
 - creating, 342–343
 - distorting characters, 343
 - masking, 343
 - using hinting, 345
 - using to avoid font conflicts, 344–345
 - Outlines function, using with vertical type, 316
 - out-of-gamut warning, appearance of, 602
 - overlapping paths
 - combining, 206–207
 - removing, 206
 - Overprint Preview mode, features of, 35
- ## P
- page size, changing, 578–579
 - Paint Bucket tool. *See also* colors
 - problem with, 483
 - using, 223–224
 - Paint Style section, appearance of, 143
 - paint tools Toolbox commands, 668
 - Paintbrush tool, using, 101–103
 - panel commands, 675
 - panel menus, opening, 23–24
 - panel types
 - Actions, 21
 - Align, 21
 - Appearance, 21
 - Artboards, 22
 - Attributes, 22
 - Brushes, 22
 - Character, 22
 - Color, 22
 - Color Guide, 22
 - Control, 21
 - Document Info, 22
 - Flattener Preview, 22
 - Gradient, 22
 - Graphic Styles, 22
 - Info, 22
 - Layers, 22
 - Links, 22
 - Magic Wand, 22
 - Navigator, 22
 - OpenType, 23
 - Paragraph, 23
 - Pathfinder, 22
 - Separations Preview, 22
 - Stroke, 22

Index

- panel types (*continued*)
 - SVG Interactivity, 22
 - Swatches, 22
 - Symbols, 22
 - Tabs, 23
 - Tools, 21
 - Transform, 22
 - Transparency, 22
 - Type, 22
 - Variables, 23
- panels
 - bringing to forefront, 20
 - creating sets of, 20
 - described, 13
 - docking, 20–21
 - features of, 19–20
 - fixed appearance of, 43
 - floating, 21
 - linking together, 20–21
 - moving into other panels, 20
 - number of, 19
 - resizing, 20
 - restoring default layout, 21
 - showing and hiding, 17
 - tabbing, 20–21
 - tearing apart, 20–21
 - toggling display of, 17
- Panels actions, recording, 561
- paragraph formatting Type commands, 671
- Paragraph panel
 - adding options, 325–326
 - Adobe Single-line Composer, 329
 - aligning type, 326
 - auto leading, 327
 - changing text-related options in, 296
 - controlling punctuation, 329–330
 - described, 23
 - displaying, 325
 - Every-line Composer, 329
 - glyph scaling, 327
 - hyphenating text, 328–329
 - indenting paragraphs, 327
 - justifying type, 326
 - letter spacing, 327
 - single word justification, 327
 - spacing options, 327–328
 - word spacing, 327
- paragraph terminology, use of, 296
- paragraphs, selecting, 317
- Paste command
 - using, 39
 - using with type, 312
- Paste in Back command, accessing, 258
- Paste in Front command, accessing, 258
- Paste keyboard shortcut, using, 25
- path blends, creating, 417–418. *See also* blends
- path directions
 - finding, 451
 - reversing, 452–453
 - Winding Numbers Rule, 452
- Path effects, creating, 504
- Path Eraser tool
 - erasing with, 86–87
 - location of, 79
- path join, enhancement, 5–6
- path selecting, using, 166
- path tools Toolbox commands, 659–660
- path-editing tools
 - Add Anchor Point, 181
 - Convert Direction Point, 182
 - Delete Anchor Point, 182
 - Knife, 182, 188–189
 - Reshape, 189–190
 - Scissors, 182
 - Slice, 189
- Pathfinder panel. *See also* shapes
 - Add to shape area mode, 202–203
 - components of, 201
 - Crop button, 207
 - described, 22
 - Divide button, 205
 - drawback to, 200
 - Exclude overlapping shape areas, 204
 - Expand button, 205
 - Intersect shape areas, 204
 - keyboard shortcut, 22
 - Merge button, 206–207
 - Minus Back button, 208
 - options, 201
 - Outline button, 208
 - setting options in, 201–202
 - Subtract from shape, 203–204
 - Trap function, 208–209
 - Trim button, 206
 - using for trapping, 592

- paths. *See also* compound paths; end paths; grouped paths; pencil paths; stroked path
- adding anchor points to, 181
 - adding to, 85
 - adjusting for type areas, 309–310
 - anchor points in, 70
 - applying fills to, 76–77
 - applying strokes to, 78
 - blending, 427
 - cleaning up, 190–191
 - closing with Pen tool, 89
 - combining, 203
 - converting into compound paths, 453
 - creating for area type, 306
 - creating type on, 312
 - defined, 69
 - deleting, 173
 - deselecting, 187, 417
 - drawing marquees around, 166
 - drawing with Pencil tool, 83–84
 - drawing with Scatter brush, 106–107
 - duplicating portions of, 174
 - Empty Text Paths Clean Up option, 191
 - Group selecting, 166–167
 - kerning type on, 312
 - keyboard shortcut, 90
 - moving, 173
 - offsetting, 192
 - outlining, 193–194
 - recording, 564
 - removing overlapping, 206
 - repeating, 188–189
 - reshaping, 189–190
 - rotating into, 389–391
 - sectioning, 188–189
 - selecting, 172–173, 446
 - selecting and deselecting, 171
 - selecting for anchor points, 182
 - selecting in entirety, 168
 - selecting portions of, 165, 173
 - simplifying, 186–187
 - splitting, 187–188
 - Stray Points Clean Up option, 190
 - subtracting, 208
 - transforming into guides, 283
 - twisting, 407
 - types of, 70
 - Unpainted Objects Clean Up option, 191
 - using transformation tools on, 392–393
 - using Type on a Path tool with, 301
 - wrapping type around, 311
 - wrapping type on, 313–314
- Pattern brush, using to create tiles, 109–111
- pattern tiles, transforming, 545
- patterns
- backgrounds, 363–364
 - boundaries, 363–364
 - customizing, 362
 - defined, 360
 - diagonal-line, 365
 - lines and grids, 364–365
 - making seamless, 364
 - moving within paths, 369
 - symmetrical, 364
 - transforming, 372, 393–394
 - transforming inside paths, 368–369
 - using defaults, 360–361
 - using for fill color, 139
 - using with transparency, 367–368
- pct (Macintosh PICT) format, exporting files to, 61
- pcx format, exporting files to, 62
- PDF files
- saving, 52, 58–60
 - saving for *Ultimate Werewolf* project, 649–650
- Pen tool
- closing curved paths with, 92
 - closing paths with, 89
 - considering anchor points, 87–88
 - drawing curves with, 89–92
 - drawing straight lines with, 88–89
 - drawing techniques, 93–94
 - features of, 87–88
 - versus Line Segment tool, 95
 - selecting, 17
- pencil paths, connecting, 85. *See also* paths
- Pencil tool
- changing cursor for, 82
 - changing paint style attributes for, 81
 - drawing open and closed paths, 83–84
 - features of, 79
 - Fidelity setting, 81–82
 - location, 81
 - repeating drawn items, 82
 - Smoothness value, 81–82

Index

- percentage (%) of zoom levels
 - changing, 26–28
 - limit of, 28–29
- percentages, comparing in pie graphs, 155
- periods (.), replacing with ellipses, 339
- perspective
 - 3-D, 517–518
 - adding, 383
 - drawing, 534–535
- Perspective Grid tool
 - enhancements, 7
 - features of, 281–282
- Photo High Fidelity preset, using with Live Trace tool, 470–471
- Photo Low Fidelity preset, using with Live Trace tool, 469–470
- Photoshop
 - creating clipping masks in, 455
 - placing Illustrator art into, 65
 - using Illustrator with, 27
- Photoshop (psd) format, exporting files to, 62
- Photoshop and Illustrator, moving between, 65
- Photoshop art, placing in Illustrator, 64–66
- Photoshop effects, creating, 514
- Photoshop paths, placing into Illustrator, 66
- pica indicator, using in Move dialog box, 382
- pica/point measurement system, explained, 273
- picas/points
 - abbreviation for, 273
 - using in Move dialog box, 383
- pie graphs
 - features of, 155
 - Legends in Wedges option, 155
- Pixar (pxr) format, exporting files to, 62
- Pixel Preview mode
 - features of, 36
 - using for Web graphics, 597–598
 - verifying, 598–599
- pixel version, viewing, 9
- pixels. *See also* device pixels
 - abbreviation for, 273
 - on and off states of, 599
- Place command, using, 64
- Place dialog box, displaying, 63
- Plastic Shading, lighting options for, 528–529
- playing and recording, stopping, 560
- plug-ins, specifying folder for, 555
- Plug-ins & Scratch Disks preferences, adjusting, 554
- PNG file formats
 - exporting files to, 62
 - setting for Web graphics, 606
 - using with Web graphics, 609
- point size
 - decreasing for fonts, 298, 320
 - increasing for fonts, 298, 320
- pointing with mouse, 26
- points. *See also* anchor points; center points; smooth points
 - abbreviation for, 273
 - aligning, 194–195
 - averaging vertically, 194
 - cleaning up strays, 190–191
 - continuing selection of, 168
 - controlling with Pen tool, 93
 - converting combination corner, 199–200
 - converting curved corner, 199–200
 - converting straight corner, 198–199
 - creating strays, 179
 - curved versus smooth, 92
 - distributing, 194–195
 - manipulating with Shear tool, 378–379
 - selecting, 173, 446
 - selecting on paths, 166
- points indicator, using in Move dialog box, 382
- Polar Grid tool, using, 100–102. *See also* grid lines
- polygons, creating, 130–132
- Portrait orientation, choosing, 579–580
- positive images, printing, 581
- PostScript
 - benefits of, 570
 - fonts, 294
 - using, 571
- PPD (PostScript Printer Description), changing, 578
- precise cursors, using, 541–542
- preferences
 - changing, 538
 - Constrain Angle setting, 539–540
 - Corner Radius option, 541
 - cursor key increment, 539
 - File Handling & Clipboard, 556–557
 - Guides & Grid, 551–552
 - keyboard customization, 558
 - limitations of, 558
 - Slices, 553
 - Smart Guides, 552–553
 - Units settings, 550–551
 - User Interface, 555–556

- Preferences dialog box
 - accessing for measurements, 273
 - Appearance of Black section, 557
 - Hyphenation section, 554
 - opening, 82
 - Plug-ins & Scratch Disks section, 554
 - preferences for type
 - Baseline Shift, 548
 - Font Preview, 546
 - Font Preview size, 549
 - Inline Input for Non-Latin text, 549
 - Missing Glyph Protection, 549
 - Number of Recent Fonts, 549
 - setting, 545–546
 - Show Asian Options, 549
 - Show Font Names in English, 549
 - Size/Leading, 548
 - Tracking, 548
 - Type Object Selection, 549
 - Preferences in General section
 - Anti-aliased Artwork, 543
 - Append...Upon Opening Legacy Files, 543
 - Disable Auto Add/Delete, 543
 - Reset All Warning Dialogs, 545
 - Scale Strokes & Effects, 545
 - Select Same Tint %, 543
 - Show Tool Tips, 543
 - Transform Pattern Tiles, 545
 - Use Japanese Crop Marks, 544
 - Use Precise Cursors, 541–543
 - Use Preview Bounds, 545
 - presets, fixed appearance of, 43
 - Preview mode
 - explained, 43
 - versus Outline mode, 33–35
 - paths with fills in, 77
 - working in, 76
 - Print dialog box
 - Advanced pane, 575
 - Color Management pane, 575
 - General pane, 573–574
 - Graphics pane, 575
 - Marks & Bleed pane, 574
 - Output options, 577
 - Output pane, 574
 - separation setup, 577
 - Setup button, 574
 - Summary area, 575
 - Print Tiling tool, using, 16–17
 - print versus Web design, 595–596
 - printer information, changing, 578
 - printers
 - determining grays for, 429
 - imagesetters, 583
 - laser printers, 583
 - limitations of, 585
 - marks and bleeds, 578
 - printing
 - colors, 581–582
 - composites, 572–575
 - gradients, 244–245
 - images sideways, 579
 - lines, 77
 - and masking, 457
 - measuring for, 287–290
 - negative images, 581
 - positive images, 581
 - process color separations, 584–585
 - specifying colors for, 584–586
 - spot color separations, 582–584
 - straight lines, 77
 - printing companies, visiting, 583
 - printing errors, identifying, 575
 - printing preparations
 - changing artboard size, 571–572
 - using gray colors, 576
 - process color separations
 - combining with spot colors, 587
 - printing, 584–585
 - process colors. *See also* colors
 - printing, 582
 - settings and printed results, 576
 - versus spot color separations, 583
 - tinting, 220
 - psd (Photoshop) format, exporting files to, 62
 - Pucker & Bloat command, using, 401–402. *See also*
 - Bloat tool
 - Pucker tool, features of, 395, 397
 - punctuation, controlling, 329. *See also* Smart Punctuation
 - pxr (Pixar) format, exporting files to, 62
- ## Q
- Quit command, choosing, 12–13
 - quotation marks (”), using with numbers legends, 149
 - quotes, replacing, 339

Index

R

- radar graphs, features of, 155–156
- radial blends, creating, 429–430
- radius of circle, explained, 128
- railroad track, creating with gradient, 356–357
- raster effects, keeping appearance of, 9
- Raster Effects setting, explained, 43
- raster images. *See also* images
 - masking, 455–456
 - tracing with Live Trace tool, 480–482
- Raster Sample Size menu, accessing, 224
- raster-based images
 - importing, 64
 - placing, 65
 - versus vector images, 64–65
- Rasterize effect
 - features of, 505
 - using with small text, 600–601
- rays, setting for flares, 137
- Record Stop command, using with actions, 563
- recording
 - beginning, 560
 - limitations of, 561
 - selecting objects for, 564–565
 - starting, 562
 - stopping, 562
- recording and playing, stopping, 560
- Rectangle dialog box, defining properties with, 124–125
- Rectangle tool
 - tools in slot, 130
 - using, 123–124
- rectangles
 - creating with exact dimensions, 124–125
 - placing area type in, 304
 - rounded, 125–127
 - size limitation, 125
 - using with linear blends, 432
- Rectangular Grid tool, using, 97, 99–100
- Redo command, using, 40
- redoing selections, 174
- Reflect tool
 - using, 375–377
 - using to make tiles, 390–392
- reflection blends, using, 435
- regions
 - choosing with Live Paint Selection tool, 485
 - selecting in Live Paint groups, 488
- registration marks, explained, 578
- Release to Layers feature, using with animations, 627, 629
- Replace Spine option, using with blends, 422–423
- Reselect option, accessing, 174
- Reshape tool
 - using with anchor points, 379–381
 - using with paths, 189–190
- resolution
 - of monitors, 597
 - setting for raster-based effects, 43
- Revert option, using with saved versions, 54
- Revolve command, using, 518
- revolving objects, 523–525
- RGB color space, explained, 219
- RGB monitors, colors displayed on, 585
- RGB slider, adjusting, 220
- Right Indent function, using with vertical type, 316
- right-clicking with mouse, 26
- rollovers, assigning to slices, 621
- Roman Hanging Punctuation, using, 329
- Rotate dialog box, using with patterns, 368
- Rotate function, using, 525–526
- Rotate tool
 - using, 375, 389–391
 - using on portions of paths, 393
- rotating, using Bounding Box for, 169
- Roughen dialog box, using with stars, 135
- Roughen effect
 - limitation of, 403
 - using, 403–404
 - using with anchor points, 185
- Round Corners effect, using, 127–128, 510. *See also* corners
- Rounded Rectangle tool, using, 126
- rows, adding, 339–340
- rulers
 - pulling guides from, 283
 - toggleing on and off, 276
 - using, 277

S

- S shape, creating, 90–91
- Same options, choosing from Select menu, 175
- Save a Copy command, using, 53
- Save As command, using, 53
- Save As dialog box, displaying, 51–52
- Save keyboard shortcut, using, 25
- saved versions, reverting to, 54

- saving
 - Acrobat files, 59
 - actions, 565
 - document information, 68
 - files, 51
 - files as Adobe PDF, 58–60
 - files in SVG, 60–61
 - frequency of, 53
 - Graphic Style Library, 501
 - guidelines, 53
 - as Illustrator EPS, 56–59
 - selections, 180
 - SVG files, 616
 - swatch library, 215
 - Web graphics, 610
- Saving for Web & Devices option, using, 54
- Scalable Vector Graphics (SVG) format, saving files in, 60–61
- Scale Strokes & Effects feature, using, 545
- Scale tool
 - effect of, 193
 - versus Offset Path, 192
 - using, 378–379
- scaling, using Bounding Box for, 169
- Scallop tool, features of, 397–398
- Scatter brush, using, 106–107
- scatter graphs, features of, 155–156
- scientific charting, using graphs for, 155–156
- Scissors tool
 - features of, 182
 - using to split paths, 187
 - using with path directions, 451
- screen modes, using, 37
- screen redraw, stopping for Preview mode, 35
- Scribble effect
 - creating, 627–630
 - using, 511–513
- scripting
 - versus actions, 633–634
 - using with data-driven graphics, 633
- scroll bars
 - gray area, 31–32
 - thumb, 31
 - up and down arrows, 31
 - using to view documents, 31–32
- scroll wheel, using to zoom in or out, 29
- scrolling
 - with hand tool, 32
 - with Navigator panel, 33
- segments. *See also* line segments
 - selecting, 446
 - selecting on paths, 166
- Select All
 - keyboard shortcut, using, 25
 - using, 168
- Select Behind feature, avoiding, 6
- Select functions
 - accessing, 174–176
 - Flash Dynamic Text, 180
 - Flash Input Text, 180
 - Text Objects, 180
- Select Inverse option, explained, 176
- Select menu commands, 654
- Select Object functions
 - All on Same Layers, 179
 - Brush Strokes, 179
 - Clipping Masks, 179
 - Direction Handles, 179
 - Stray Points, 179
- Select Same functions
 - Blending Mode, 177
 - Fill & Stroke, 177
 - Fill Color, 177–178
 - Link Block Series, 179
 - Opacity, 178
 - Stroke, 178
 - Stroke Weight, 178
 - Style, 178
 - Symbol Instance, 178
- selecting
 - path selecting, 166
 - type, 316–317
- Selection & Anchor display options
 - Anchors/Handles, 546
 - Highlight anchors on mouse over, 546
 - Object Selection by Path Only, 546
 - Show handles, 546
 - Snap to Point, 546
 - Tolerance, 545
- selection methods
 - Direct Selection tool, 164, 170, 173, 198
 - Group Selection tool, 164, 170–171
 - Intracpath selecting, 165
 - Lasso tool, 164, 172
 - Magic Wand tool, 164, 171–172
 - Select All, 168
 - Selection tool, 164, 168–169
 - using Shift key, 173

Index

- Selection tool
 - changing to, 6
 - features of, 164
 - toggle, 168
 - using, 166, 168–169
 - using Ctrl key with, 168
 - using to choose type, 300
- selection tools
 - availability of, 164
 - choosing, 164
 - jumping around, 171
 - toggle between, 170
 - Toolbox commands, 657–658
 - using Ctrl key with, 171
- selections
 - adding to, 172
 - custom painting, 181
 - deleting, 560
 - keeping, 180
 - labeling, 180
 - playing, 560
 - redoing, 174
- sentence case, changing, 338
- separation, defined, 47
- separation setup, selecting for printing, 577
- separations. *See* color separations
- Separations Preview panel, described, 22
- sets of actions, creating, 560–561
- shaded effect, creating, 366–367
- shading, creating with Mesh tool, 248
- shadows
 - airbrushing, 441
 - creating, 389
 - using stroke blends with, 441
- shape blends. *See also* blends
 - creating, 433–434
 - creating realism with, 434–436
 - guidelines, 440
- Shape Builder tool
 - features of, 8
 - using, 146–147
- Shape Options dialog box, Convert to Shape effects, 503
- shape tools Toolbox commands, 664–665
- shapes. *See also* Pathfinder panel
 - changing, 121, 199–200
 - changing units of measure, 121
 - choosing for area type, 308
 - Constrain Angle value, 123
 - creating, 120
 - deleting, 121
 - dragging, 121
 - drawing at angles, 122–123
 - drawing from centers, 122
 - entering dimensions for, 121
 - flowing area types into, 310–311
 - joining, 146–147
 - making symmetrical, 122
 - morphing, 416
 - moving while drawing, 121
- Sharp Scribble effect, described, 512
- Shear tool, using, 378–380
- Shift key. *See also* keyboard shortcuts
 - releasing when selecting paths, 173
 - using with Direct Selection tool, 170
 - using with Group Selection tool, 171
 - using with Knife tool, 189
 - using with Select All, 168
 - using with swatches, 213
- shortcut keys
 - Align panel, 21
 - aligning type, 326
 - Appearance panel, 21
 - Apply Last Effect, 502
 - Attributes panel, 22, 255
 - blending 3-D objects, 438
 - blends, 431–432
 - Bring Forward command, 257
 - Bring to Front command, 257
 - Brushes panel, 22
 - Character panel, 296
 - checking spelling, 335
 - clipping masks, 344, 455
 - closing Illustrator, 13, 51
 - Color Guide panel, 22
 - Color panel, 22
 - compound paths, 446, 448
 - customizing, 558–559
 - Cut/Copy/Paste, 25
 - Deselect All, 168
 - deselecting paths, 187, 417
 - Direct Selection tool, 164
 - Document Setup dialog box, 550
 - Fill icon focus, 144
 - General Preferences, 125
 - Gradient feature, 238
 - Gradient panel, 22
 - Graphic Styles panel, 22
 - Grid feature, 279

- Group Selection tool, 164
- grouping objects, 259
- hiding objects, 254
- Info panel, 22
- insertion-point movement, 317
- Join command, 195–196
- justifying type, 308
- Lasso tool, 164, 172
- Layers panel, 22, 260
- Lock Unselected command, 181
- locking objects, 254
- Magic Wand tool, 164, 171
- masking objects, 456
- masks, 343
- measurement systems for artboards, 47
- opening Illustrator files, 51
- OpenType panel, 330
- Outlines feature, 342
- panel display, 17
- Paragraph panel, 296
- Paste in Back command, 258
- Paste in Front Command, 258
- path deselection, 417
- Pathfinder panel, 22
- paths, 90
- point-size increase and decrease, 298, 320
- preferences, 538
- Preferences dialog box, 82
- Print command, 572
- reapplying commands, 403
- Release Guides command, 284
- releasing compound paths, 447
- releasing masks, 456
- Reselect, 174
- rulers, 276
- Save, 25
- Save a Copy command, 53
- Save As command, 53
- saving files, 51
- Select All, 25, 168
- Selection tool, 164
- Send Backward command, 257
- Send to Back command, 257
- Send to Current Layer command, 257
- Show Rulers, 283
- showing and hidden objects, 255
- Smart Guides, 285
- spelling checker, 335
- Stroke panel, 22
- Symbols panel, 22, 157, 160
- Tabs panel, 330
- Transform panel, 22
- transformations, 388–389
- transparency grid, 232
- Transparency panel, 22
- type justification, 308
- typing, 24–25
- Undo command, 123
- Undo used with layers, 264
- Unlock All option, 254
- unlocking guides, 283
- using, 23
- Show Transparency Grid, removing, 651
- Simplify function, using with anchor points, 186–187
- Single Quotes (') style, choosing, 46
- site maps, creating, 156–157
- Size function, using with vertical type, 315
- Sketch Scribble effect, described, 512
- Slice Selection tool, using, 624
- Slice tool
 - using, 622–623
 - using with paths, 189
- slice tools Toolbox commands, 669
- slices
 - applying, 622
 - drawing with Slice tool, 622–623
 - editing, 624
 - selecting, 624
 - setting parameters for, 624
 - states, 624
- Slices preferences, changing, 553
- slicing
 - defined, 621
 - object-based, 622–625
- Small Caps style, choosing, 46
- Smart Guides. *See also* guides
 - activating, 285
 - altering angles, 553
 - changing display options, 553
 - changing Snapping Tolerance, 553
 - display options, 285–287
 - features of, 552
 - hints and lines, 553
- Smart Punctuation, using, 338–339. *See also* punctuation
- smooth points. *See also* points
 - converting, 197–198
 - converting combination corner points into, 199
 - converting curved corner points into, 200

Index

- smooth points (*continued*)
 - converting straight corner points into, 198
 - creating, 92
- Smooth tool
 - applying, 85–86
 - location of, 79
 - using, 83
- Smoothness option, effect on lines, 83
- Snap to Grid feature, accessing, 279
- Snapping Tolerance Smart Guide, explained, 285, 553
- Snarl Scribble effect, described, 512
- spaces, controlling, 339
- spacing
 - before paragraphs, 327
 - after paragraphs, 327
 - through justification, 327
- Spacing command, removing, 651
- Special actions, recording, 561
- special characters, typing into text boxes, 549. *See also* characters
- spelling, checking, 335–337
- spine
 - replacing for blends, 422–423
 - reversing for blends, 424
- Spiral tool, using, 97–98
- spot color separations
 - combining with process colors, 587
 - versus process colors, 583
 - using, 582–584
- spot colors. *See also* colors
 - conversion to process colors, 582
 - converting to CMYK colors, 223
 - creating, 222
- spreads versus chokes, 588–589
- squares, rounded, 125–127
- stacking order
 - for fills, 258
 - for objects, 256–257
 - for strokes, 258
 - for text, 257
- stars
 - creating, 132–134
 - creating with Flare tool, 137
 - enhancing, 135–136
- status bar
 - described, 14
 - location of, 25
 - using, 25
- straight corner points
 - converting, 198–199
 - converting combination corner points into, 199
 - converting curved corner points into, 200
 - converting smooth points into, 197
- strikethrough, using in Character panel, 324
- stroke attributes, modifying, 141–142
- stroke blends
 - features of, 440
 - using with neon effects, 444–445
 - using with shadows, 441
- stroke charts, using, 349–352
- stroke color
 - commands, 674
 - resetting, 144
 - setting, 140
- Stroke icon, appearance of, 144
- Stroke panel
 - arrowhead section, 144
 - described, 22
 - keyboard shortcut, 22
 - using math operations in, 140
- stroke paths, examples of, 350–352
- stroke weight
 - changing, 140
 - editing from Appearance panel, 495–496
- stroke-blended glow, creating, 442
- stroked path, drawing, 101–103. *See also* paths
- strokes. *See also* map elements
 - adding arrowheads to, 3–4
 - adding from Appearance panel, 495–496
 - aligning, 142
 - applying, 143–144
 - applying to masking objects, 456
 - applying to paths, 78
 - changing focus to, 144
 - changing to None, 144
 - combining with fills, 142–143
 - dashed patterns, 142
 - defined, 138, 140
 - determining types of, 144
 - editing from Appearance panel, 495–496
 - extruding, 520–521
 - filling with gradients, 193–194
 - versus fills, 348
 - filmstrip, 355
 - guidelines, 348

- knocking out fills, 143
- overlapping, 353
- parallel, 353–354
- point limitations, 140
- presets, 140–141
- stacking order for, 258
- upper and lower limits, 140
- using Width tool with, 3–4
- using with spirals, 97
- variable width, 116
- weight of, 440
- styles, changing in Character panel, 319. *See also* graphic styles
- Stylize effects. *See also* effects
 - Add Arrowheads, 506–507
 - Drop Shadow, 507–508
 - Feather, 508–509
 - Inner Glow, 510
 - Outer Glow, 510
 - Round Corners, 510
 - Scribble, 511–513
- sublayers, creating, 264, 266
- Subscript style, choosing, 56
- Superscript style, choosing, 46
- Surface properties, setting for 3-D objects, 526–528
- SVG (Scalable Vector Graphics) format, saving files in, 60–61
- SVG effects, applying to vector graphics, 617–620
- SVG files
 - saving, 52, 616
 - setting for Web graphics, 606
 - viewing in Web browsers, 616
- SVG Filters effects, using, 513–514
- SVG Interactivity panel
 - described, 22
 - using, 620–621
- svgz files, saving, 52
- Swash Scribble effect, described, 512
- swatch libraries
 - opening, 215
 - saving, 215
 - using, 216–218
- Swatch Options dialog box, options in, 212
- swatches
 - adding used colors, 214
 - creating, 213
 - creating color groups, 214
 - deleting, 214
 - displaying options for, 214
 - duplicating, 214
 - merging, 214
 - selecting, 213
 - selecting unused, 214
 - showing Find field for, 214
 - sorting, 214
 - Spot Colors option, 214
 - ungrouping color groups, 214
 - using Ctrl key with, 213
 - using Shift key with, 213
 - View options, 214
- Swatches panel
 - accessing, 211
 - buttons in, 211–212
 - color commands, 673
 - described, 22
 - using color swatches, 212–213
 - viewing, 214, 216
- Swatches popup menu, using, 213–216
- SWF format
 - exporting files to, 61–62
 - exporting Web graphics in, 614–615
 - setting for Web graphics, 606
- symbol instance, placing, 160
- Symbol Screener tool, using, 236
- Symbol Sprayer tool, using, 157–160
- symbol tools Toolbox commands, 667
- Symbol tools, using, 161–162
- Symbolism Tools Options dialog box, 159–160
- symbols
 - altering designs of, 160
 - applying styles to, 162
 - applying transparency to, 236
 - blending, 436–438
 - changing colors of, 162
 - changing transparency of, 162
 - enhancements, 8–9
 - enlarging, 162
 - making, 160–161
 - moving in dragging direction, 162
 - relocating, 162
 - using with 3-D surfaces, 532–533
 - using with bevels, 522
- Symbols panel
 - described, 22
 - keyboard shortcut, 22, 157, 160

Index

T

- Tab Ruler function, using with vertical type, 316
- tab styles, changing, 332
- tablets, pressure-sensitive, 102, 105
- tabs, types of, 331
- Tabs panel
 - changing width of, 331
 - described, 23
 - displaying, 330
 - setting tabs in, 331
- tagline text, creating for *Ultimate Werewolf* project, 643–644
- Targa (tga) format, exporting files to, 62
- Technical Drawing preset, using with Live Trace tool, 475–476
- templates
 - placing on layers, 268–269
 - using to trace images, 269–270
- text. *See also* type
 - anti-aliased, 598
 - finding and replacing, 333–335
 - hyphenating, 328–329
 - rasterizing, 600–601
 - stacking order for, 257
 - twisting, 407
 - unthreading, 333
 - updating legacy, 341
- text (txt) format, exporting files to, 62
- text blocks, threaded, 296
- text fields, navigating, 383
- text underlining, using in Character panel, 324
- Text variable, defining for data-driven graphics, 634–635
- text variables, using with data-driven graphics, 632
- text within type area, selecting, 317
- text-related options, changing, 296
- tga (Targa) format, exporting files to, 62
- Threading Text option, using with type, 332–333
- tif format, exporting files to, 62
- Tight Scribble effect, described, 512
- tilde (~) key
 - using with Rectangle tool, 123
 - using with Star tool, 134
- tiles
 - creating using Pattern brush, 109–111
 - making with Reflect tool, 390–392
- tiling artwork, 287–288
- tiling pages, 17
- time and date, displaying, 25
- tint percentage, specifying, 543
- Tips button, accessing, 113
- title case, changing, 337
- Toggle Line Composer command, removing, 651
- tool selection Toolbox commands, 657
- tool shortcuts, customizing, 19
- tool tips, showing, 19, 543
- Toolbox commands
 - artboard tools, 669
 - auto trace tools, 669
 - blend tools, 669
 - distortion tools, 666–667
 - graph tools, 668
 - line tools, 662–663
 - paint tools, 668
 - path tools, 659–660
 - selection tools, 657–658
 - shape tools, 664–665
 - slice tools, 669
 - symbol tools, 667
 - tool selection, 657
 - transformation tools, 665–666
 - type tools, 660–661
 - viewing tools, 669–670
- tools
 - browsing through popups, 19
 - choosing in Tools panel, 17
 - choosing popups, 18
 - clicking tearoff tabs, 19
 - deactivating, 17
 - displaying current, 25
- Tools panel
 - changing to floating panel, 17
 - described, 13, 21
 - shortcut keys for, 18
 - single- and double-column views, 17–18
 - values in, 558
- Tools panel actions, recording, 561
- traced images
 - expanding, 482
 - modifying, 482
 - previewing, 465
- tracing modes for Live Trace. *See also* Live Trace tool
 - choosing, 463
 - combining, 465–466
 - Outline mode, 464
 - Tracing Result mode, 465
- Tracing Options dialog box, displaying, 480–481

- tracking
 - defined, 322
 - versus kerning, 316
 - treatment of, 324
- Tracking option, using with type, 548
- Transform Again command, using, 388–389, 391
- Transform Each tool, using, 385–388
- Transform Effect dialog box, displaying, 405
- Transform panel
 - commands, 675
 - described, 22
 - features of, 384
 - H text field in, 385
 - keyboard shortcut, 22
 - Rotate text field in, 385
 - Shear text field in, 385
 - using, 385
 - W text field in, 385
 - X text field in, 384
 - Y text field in, 384
- Transform tool, using to size objects, 276
- Transform Tools Smart Guide, explained, 285
- transformation tools
 - accessing dialog boxes for, 374
 - features of, 371–372
 - origin point, 373
 - for patterns, 393–394
 - reliance on Constrain Angle, 373
 - Toolbox commands, 665–666
 - using Bounding Boxes with, 373
 - using on portions of paths, 392–393
 - using with type, 309
- transformations
 - creating cast shadows, 389
 - making tiles using Reflect tool, 390, 392
 - reapplying, 388–389, 391
 - rotating into paths, 389–391
 - tweaking, 405–408
- transparency
 - adjusting, 228
 - applying to symbols, 236
 - blending modes, 228–229
 - defining, 227
 - invert masks, 230–231
 - isolating blending, 229–230
 - Knockout Group check box, 230
 - opacity, 228
 - removing from objects, 234
 - using clipping, 230–231
 - using on type, 235–236
 - using opacity, 230–231
 - using with patterns, 367–368
- transparency grid, viewing, 232–233
- Transparency options, choosing, 46
- Transparency panel
 - described, 22
 - keyboard shortcut, 22
 - opacity mask used in, 231
 - options in, 226
- transparent effects, applying, 236–238
- transparent objects, separating, 235
- Transverse option, using with orientation, 579–580
- trap, deciding on amount of, 591–592
- trapping
 - estimating, 593
 - Illustrator files, 592
 - process of, 208, 588
 - techniques, 593
 - using service providers, 593
- trends, showing with line graphs, 153–154
- TrueType fonts, features of, 294
- Tweak effect, using, 405–408
- Twirl tool, features of, 395–396
- Twist command, using, 407, 409
- txt (text) format, exporting files to, 62
- type. *See also* fonts; text
 - adding to existing stories, 300
 - adding with Multiple Master fonts, 295
 - adjusting at small point sizes, 345
 - aligning in Paragraph panel, 326
 - converting to outlines, 342, 345
 - copying and pasting, 312
 - creating, 304
 - creating individual, 303–304
 - creating on paths, 312
 - creating within areas, 306–311
 - decreasing point size of, 298
 - editing, 317–318
 - embossing, 237–238
 - guidelines, 345–346
 - increasing point size of, 298
 - justifying, 308
 - justifying in Paragraph panel, 326
 - measuring, 319–320
 - selecting, 300, 316–317
 - using transformation tools with, 309

Index

- type (*continued*)
 - using with compound paths, 450–451
 - vertical, 300, 314–316
 - wrapping around paths, 311
 - wrapping on paths, 313–314
 - x-height of, 309
 - Type actions, recording, 561
 - type areas
 - adjusting paths for, 309–310
 - defining, 305
 - selecting text within, 316–317
 - type color versus color of type, 309
 - Type commands
 - character formatting, 671–672
 - paragraph formatting, 671
 - Type shortcuts, 670–671
 - type container, creating, 304
 - type functions
 - adding columns, 339–340
 - adding rows, 339–340
 - changing case, 337–338
 - checking spelling, 335–337
 - exporting and placing, 341–342
 - finding fonts, 335–336
 - fitting headlines, 333–334
 - showing hidden characters, 340
 - Smart Punctuation, 338–339
 - Threading Text option, 332–333
 - unthreading text, 333
 - updating legacy text, 341
 - Type menu
 - commands, 654
 - commands on, 295–296
 - Font submenu, 296–297
 - Recent Fonts submenu, 298
 - type on a path, adding effects to, 313–314
 - Type on a Path tool
 - glitch of, 311
 - using, 301–302
 - Type options, changing, 46, 296
 - type orientation, changing, 341
 - Type panel, described, 22. *See also* Character panel
 - type preferences
 - Baseline Shift, 548
 - Font Preview, 546
 - Font Preview size, 549
 - Inline Input for Non-Latin text, 549
 - Missing Glyph Protection, 549
 - Number of Recent Fonts, 549
 - setting, 545–546
 - Show Asian Options, 549
 - Show Font Names in English, 549
 - Size/Leading, 548
 - Tracking, 548
 - Type Object Selection, 549
 - Type preset, using with Live Trace tool, 478–479
 - Type shortcuts, 670–671
 - type size
 - changing in Character panel, 320
 - decreasing, 548
 - increasing, 548
 - Type tool
 - toggling with Vertical Type tool, 300
 - using, 300
 - type tools
 - Area Type tool, 301
 - availability of, 299
 - selecting characters with, 318
 - Toolbox commands, 660–661
 - using to adjust kerning, 323
 - using to adjust tracking, 323
 - Vertical Type tool, 302–303
- ## U
- Ultimate Werewolf* project. *See also* boxes
 - creating box bottom, 647–649
 - creating box sides, 645–646
 - creating front cover, 641–644
 - creating tagline text, 643–644
 - creating text box for, 648
 - finished cover, 647
 - logo file, 643
 - overview of, 639–641
 - preparing for production, 649–650
 - saving PDF files for, 649–650
 - setting up documents, 641
 - underlining, using in Character panel, 324
 - Undo command
 - keyboard shortcut, 123
 - limitation with scrolling, 32
 - using, 40
 - undos, showing number of, 25
 - unit abbreviations. *See* measurement units
 - unit of measure, changing, 273
 - Units settings, changing, 550–551
 - Unlock All option, accessing, 254
 - uppercase, changing, 337

URL, specifying, 626
 Use Preview Bounds preference, setting, 545
 User Interface preferences, customizing, 555–556

V

Variable Width tool, using, 116
 variables
 described, 23
 types of, 632
 Variables panel, using with data-driven graphics, 632–633
 vector graphics. *See also* Web graphics
 Flash graphics, 614–616
 SVG files, 616–621
 vector images versus raster-based images, 64–65. *See also*
 images
 Version Cue information, displaying, 25
 Vertical option, using with points, 194
 vertical scale, using in Character panel, 324
 Vertical Type tool
 toggling with Type tool, 300
 using, 302–303
 vertical type, using, 314–316
 View actions, recording, 561
 View menu commands, 655
 viewing shortcuts, 677
 views
 changing with Navigator panel, 30–31
 customizing, 37
 using, 37
 visibility variables, using with data-driven graphics, 632

W

Wacom pressure-sensitive tablets, 102, 105
 Wamock, John, 75
 warning dialogs, resetting, 545
 Warp effects
 features of, 411
 using, 514
 using with blends, 438–439
 Warp Style presets, 412–413
 Warp tool, features of, 394–396
 WBMP file format, setting for Web graphics, 606, 609
 Web graphics. *See also* data-driven graphics; graphic styles;
 vector graphics
 Background pane in Output Settings, 612–613
 choosing connection speed for, 605
 exporting in SWF format, 614–615

 GIF format, 608–609
 HTML and Images option, 610
 HTML only option, 610
 HTML pane in Output Settings, 611
 Illustrator's features, 596–597
 Images only option, 610
 JPEG format, 609
 Output Settings dialog box, 611–613
 Pixel Preview mode, 597–598
 PNG formats, 609
 previewing, 604–607
 Save for Web & Devices dialog box, 604–605
 saving, 610
 Saving Files pane in Output Settings, 612–613
 setting file format options, 606
 Slices pane in Output Settings, 612
 slicing, 621–622
 using CSS layers with, 606
 using Flash graphics with, 614–616
 WBMP format, 609
 Web Safe RGB color space, explained, 219–220
 Web versus print design, 595–596
 Web-based graphics, changing preferences for, 553
 Web-safe colors, using, 601–602
 Welcome screen, components of, 41–42
 Width tool, using with strokes, 3–4
 Winding Numbers Rule, using with path directions, 452
 Window menu commands, 656
 windows. *See also* document window
 modeless versus dialog boxes, 19–20
 opening, 33
 Wireframe Surface property, described, 526
 wmf (Windows Metafile) format, exporting files to, 62
 word spacing, applying, 327
 words
 selecting, 317
 using as masks, 343–344
 work area
 dimensions of, 16
 returning to, 16
 workflow in *Ultimate Werewolf* project
 creating box bottom, 647–649
 creating box sides, 645–646
 creating front cover, 641–644
 creating tagline text, 643–644
 creating text box for, 648
 finished cover, 647
 logo file, 643
 overview of, 639–641

Index

workflow in *Ultimate Werewolf* project (*continued*)

- preparing for production, 649–650

- saving PDF files for, 649–650

- setting up documents, 641

Wrinkle tool, features of, 397

X

X indicator, using in 3D Extrude & Bevel Options, 517

x-height of type, explained, 309

Y

Y indicator, using in 3D Extrude & Bevel Options, 517

yellow, percentage of gray in, 576

Z

Z indicator, using in 3D Extrude & Bevel Options, 517

Zig Zag effect, using, 407, 410, 512

zoom control, described, 13

zoom marquee, moving, 28

Zoom tool

- accessing, 32

- clicking, 28

- features of, 26–27

- using, 27–28

- using to draw marquee, 28

zooming

- to actual size, 29

- default levels, 29

- to fit in window size, 30

- with Navigator panel, 30–31

- in and out, 28

- to specific magnification, 30

