

# INDEX

---

- Abdel-Hamid, Tarek, 4, 10, 25, 27, 47, 51, 221, 265, 362, 374, 378, 392, 460, 474, 496, 531, 533–535, 556
- Abdel-Hamid's integrated project dynamics model, *see* Integrated project dynamics model
- Acuña, Silvia, 221, 260, 265, 267, 273, 362, 482, 531, 535
- Acquisition models, 490
- Agile and hybrid processes, 235, 482, 488.  
*See also* Hybrid process model
- Agile methods, 37
- Agile team size, 235
- Architecting, *see* Software architecting
- Artificial intelligence, 474
- Attribute averaging, 187
- Attribute tracking, 186
- Attrition, 257
- Auxiliaries 15, 57, 159  
  examples, 59, 159  
  model formulation, 89
- Balancing feedback model infrastructure, 175
- Barros, Márcio, 28, 157, 473, 476, 478, 491, 535, 536–539
- Boehm, Barry, 20, 25, 30, 32, 33, 35, 47, 140, 212, 218, 236, 238, 243, 245, 280, 282, 311, 327, 331, 337, 366, 396, 397, 399, 410, 422, 460, 474, 476, 479, 480, 481, 482, 484, 485, 486, 487, 490, 491, 494, 496, 499, 535, 550
- Brooks, Fred, 16, 20, 47, 426, 428, 441
- Brooks's Law, 10, 16, 426  
  model, 17, 152, 153, 154, 215, 259, 260, 264, 382, 464, 465, 565, 567  
  model behavior, 19  
  model equations, 18  
  team partitioning, 464, 465
- Burnout, 224. *See also* Exhaustion
- Business processes, 395, 490. *See also* Software business case analysis
- Capabilities of people, 260, 267
- Capability maturity models, 41, 327. *See also* Software process improvement
- Capability Maturity Model-Integrated (CMMI), 41, 220, 364  
    key process areas, 42
- FAA-iCMM, 41
- key process area modeling, 354
- level five and employee motivation, 252
- model example for, 343–362
- People Capability Maturity Model, 41, 220
- simulation uses at CMM levels, 43
- Software Acquisition Capability Maturity Model (SA-CMM), 41
- Software Capability Maturity Model (CMM or SW-CMM), 7, 41, 220
- Causal (loop) diagram, 79
- Causal relations, 81
- Change  
  deferral, 241  
  organizational, 462

- Change (*continued*)
  - traffic, 239
  - rapid, 239, 479
- Christie, Alan, 28, 261, 262, 268, 542
- Closed system, 12
- Coincident flows (coflows), 96, 164
  - effort expenditure, 187
  - defects, 196, 397
- Collaboration, 261, 268
- Constructive Cost Model (COCOMO)
  - calibration for inspection model, 277, 288
  - cost driver derivation from simulation model, 285
  - detailed, 285
  - dynamic, 125, 239, 243, 397
  - dynamic modeling vs. COCOMO for learning, 263
  - experience factors in Brooks's Law model, 20
  - experience factors and learning curves, 231
  - job size for integrated project dynamics model, 386
  - people factors, 218
  - platform volatility factor, 243
  - process and product factors, 270
  - project and organization factors, 370
  - reliability factor in value-based product model, 399
  - reuse model, 300
  - static modeling vs. dynamic modeling, 25, 218
  - system dynamics and, 551
- Constructive Quality Model (COQUALMO), 331, 365
- Collofello, James, 28, 263, 338, 475, 540–541, 556, 558, 560
- Commercial off-the-shelf (COTS) software, 38, 238, 309, 484. *See also* COTS
- Communication overhead, 17, 303
  - Abdel-Hamid's integrated project model and, 382
  - Brooks's Law model and, 17, 19, 464, 465
  - COCOMO model and, 218
- Component-based model development, 476
- Confidence intervals, 525
  - calculation, 527
- Connectors and feedback loops, 160. *See also* Information links
- Conserved flows, 55
- Conserved versus nonconserved product flow, 194
- Construction iterations in the modeling process, 104
- Continuous model improvement, 131
- Continuous systems modeling, *see* System dynamics
- Control and operational management applications, 28
- Control systems theory, 11
- COTS and process concurrence, 437
- COTS glue code development and COTS integration application model (Kim, Wook), 310–317
  - application development, 315
  - COTS component factors, 314
  - glue code development, 312
  - model overview, 311
  - test results, 316
- COTS-based systems (CBSs), 309, 366
- COTS-Lifespan Model (COTS-LIMO), 317
- Cybernetics, 10–11
- Cyclic modeling process, 70
- Data collection, 134
- Decision structures, 188
- Defect analysis for process improvement, 327
- Defect coflows, 196, 397
- Defects and quality, 327
- Defects as levels, 158
- Defect dynamics example application model (Abdel-Hamid), 328–330
- Defect chain model infrastructures, 196, 327
  - amplification, 199, 365
  - categories, 200
  - chain examples, 200, 329
  - coflows, 196
  - detection (filters), 197
  - generation and propagation, 196, 365
  - multiplication, 199
  - rework, 197
- Defect removal techniques and Orthogonal Defect Classification (ODC) application model (Madachy), 330–337
- Defect rework policies, 191
- Defense Modeling and Simulation Office (DMSO), 8, 472, 473, 476

- Delays, 93, 169
  - cascaded, 173
  - higher-order, 173
  - hiring, 172
  - model structures, 93
- DeMarco, Tom, 219, 227, 255, 258, 261, 265, 267, 268, 499, 531, 542
- Desired staff model structure, 188
- Discrete event simulation, 24, 55, 469, 471
  - inspections, 275
  - product attributes, 269, 273
- Distributed global development, 480
- Dynamic COCOMO, 125, 239, 243, 397
- Dynamic process models, 7
- Dynamics, 5
  
- Earned value, 442
  - general project procedures, 449
- Earned value application model (Madachy), 450–460, 466
  - Litton applications, 460
  - testing, 452
  - usage, 456
- Effort expenditure instrumentation, 187
- Empirical data collection for simulation
  - models, 493
- Empirical research and theory building, 492
- Endogenous view, 79
- Error detection rate, 330
- Evolutionary development, 31
- Exhaustion model, 222–227, 567
- Experimental design, 523
- Exponential decay, 172
- Exponential growth, 166. *See also* Positive feedback
  
- Feedback loops, 11, 132
- Feedback opportunities in organizations, 371
- Feedback systems
  - concepts applied to software process, 10
- Fernández-Ramil, Juan, 238, 488. *See also* Ramil, Juan
- Fifth Discipline, 5, 9
- Flight simulation, 5, 23, 263
- Flow, *see* Rate
- Flow chains, 156
  - generic flows in model formulation, 85
  - identification of in modeling process, 84
  - infrastructures, 192
- Ford, David, 237, 322, 423, 424, 466
- Forrester, Jay, 4, 6, 47, 53, 54, 61, 118, 119, 134, 142, 145, 203, 488, 496
- Fourth-generation languages, 39, 301
  
- Game playing, 475, 479. *See also* training
- Generic flow processes, 155, 160
  - adjustment process, 163
  - coflow process, 164
  - compounding process, 162
  - cyclic loop, 165
  - draining process, 163
  - flow chain, 161
  - production process, 163
  - rate and level system, 160
  - split flow process, 165
  - stock and flow, 160
- Global (process) feedback, 13, 291
- Glue code, *see* COTS Glue code
- Goal–question–metric (GQM) framework, 135, 477
  - application to inspection modeling, 138
- Goal-seeking behavior, 61
- Goodness-of-fit tests, 521
  
- Heuristics, 60
  - modeling heuristic summary, 148
- Hiring delays, 256
- Hybrid process (agile and plan-driven)
  - application model (Madachy et al.), 235–252
  - model overview, 240
  - scalable spiral model, 238
  - scenarios and test results, 246
  - software value, 249
  - tradeoff functions, 243
- Houston, Dan, 27, 341, 473, 544–545
- Humphrey, Watts, 220, 253, 258, 265
- Hybrid modeling, 24, 469, 491, 551
- Hypotheses in the modeling process, 132
- Hypothesis testing, 525
  
- Incremental development, 30, 239
- Information links 15, 58, 160
  - equations, 90
  - examples, 58, 160
  - model formulation, 89
  - nonconservation of, 58
- Information smoothing, 63, 180

- Infrastructures, 155
  - examples, 59
- Infrastructures and behaviors, 166–192
  - balancing feedback, 175
  - delays, 169
  - exponential growth, 166
  - integrated production structure, 183
  - oscillation, 177
  - personnel learning curve, 183
  - production and rework, 182
  - smoothing, 180
  - S-shaped growth and S-curves, 167
- Inspection model (Madachy), 195, 196, 199, 200, 202, 203, 210, 279, 365, 413
  - calibration, 277
  - demonstration and evaluation, 281
  - derivation of detailed cost driver, 285
  - industrial data collection and analysis for, 276
  - modification for walk-throughs, 289
  - overview, 277
  - validation, 287
- Inspection process data calibration, 289
- Inspection-based process, modeling, 275
- Integrated measurement and simulation, 136
- Integrated project dynamics model (Abdel-Hamid), 109, 152, 182, 195, 199, 200, 202, 203, 205, 217, 221, 234, 255, 264, 281, 328, 341, 372, 373–395, 414, 424, 450, 461, 462, 465, 466, 477, 489, 567, 568
  - control sector, 385
  - exhaustion model, 222–227
  - follow-ons to Abdel-Hamid's work, 393
  - human resources sector, 374, 567
  - insights and implications, 392–393
  - manpower allocation sector, 378
  - personnel sector 222–224, 267
  - planning sector, 375
  - quality assurance and rework sector, 328, 382
  - software development productivity subsector, 380
  - software development sector, 379
  - software production sector, 378
  - system testing sector, 384
- ISO 9000, 44
- ISO/IEC 15504, 44
- Iterative development, 32
  - compared to waterfall life-cycle process, 39
- Iterative modeling process, 68
- Johnson, Margaret, 265, 267, 373, 394, 395, 477, 545, 567, 568
- Kellner, Marc, 22, 23, 24, 26, 28, 29, 47
- Knowledge diffusion example model, 169
- Knowledge-based simulation, 474
- Learning, 227
- Learning curves, 229, 267, 302
  - comparison with COCOMO experience data, 231
  - fixed learning functions, 234
  - language levels and, 302
  - models, 231
- Lehman, Manny, 13, 27, 29, 210, 291, 292, 293, 295, 488, 535, 540, 546, 547–548, 561
- Levels (stocks) 15, 57, 157
  - examples, 58, 157
  - initialization and equilibrium, 101
  - model formulation, 86
  - oscillation and, 86
  - state variables, 59
- Lin, Chi, 234, 393, 394, 550
- Litton, 209, 263, 276, 277, 288, 460
- Madachy, Raymond, 28, 32, 47, 136, 138, 195, 235, 263, 264, 273, 274, 275, 276, 277, 281, 282, 284, 285, 287, 288, 327, 363, 365, 474, 475, 483, 535, 549–550. *See also* Inspection model
- Martin, Robert, 24, 27, 553
- Mental models, 9, 10, 118
- Meta-models (general modeling techniques), 491–492
- Metamodels (system dynamics), 478, 491
- Mission control centers, analysis, and training facilities, 494, 500
- Model analysis, 473
- Model assessment, 116
- Model building principles, 101
- Model conceptualization, 75
  - endogenous view, 79

- Model elements, 155, 157
  - auxiliaries, 159
  - connectors, 160
  - feedback loops, 160
  - flows, 159
  - levels, 157
  - sources and sinks, 159
  - rates, 159
  - stocks, 157
- Model formulation and construction, 83
  - accuracy, 99
  - addition and multiplication of effects, 95
  - assigning parameter values, 99
  - auxiliaries, 89
  - basic patterns, 90
  - bounds, 100
  - coincident flows (coflows), 96
  - connectors, 90
  - feedback loops, 90
  - generic flows, 85
  - graph and table functions, 96
  - overtime multiplier function, 97
  - level initialization and equilibrium, 101
  - levels, 86
  - major flow chains, 84
  - model sectors, 84
  - negative (balancing) feedback, 94
  - oscillation, 86
  - parameters and validity, 100
  - plumbing, 85
  - positive (reinforcing) feedback growth or decline, 92
  - rate equations, 90
    - constant rate with a level, 91
    - variable rate with a level, 91
  - rates, 89
  - snapshot test, 87
  - sources and sinks, 88
  - time delays, 93
  - time horizon considerations, 87
  - top-level, 84
- Model infrastructures, *see* Infrastructures
- Model integration, 103, 489
  - common unified models, 489
  - meta-model integration, 491
  - related disciplines and business processes, 490
- Model refinement, when to stop, 133
- Model response surface, 524
- Model sensitivity analysis, 121
- Model structures, *see also* Infrastructures and general behaviors, 65
  - and component-based model development, 476
- Model types, 7
- Model validation, 117
  - tests, 119, 120, 121
- Modeling communication, 139
- Modeling documentation and presentation, 141
- Modeling heuristics, *see* Heuristics
- Modeling tools, 142
- Model-Based Systems Architecting and Software Engineering (MBASE), 32, 36, 70, 319, 466
- Monte Carlo analysis, 125, 262, 474, 515
  - inverse transform, 515
- Motivation, 252
  - overtime function, 253
- Motorola, 45, 263, 327
- NASA, 234, 330, 331, 343, 346, 393
- Negative feedback, *see also* Balancing feedback
  - as balancing feedback, 175
  - general behavior, 62, 63, 67
  - in personnel hiring, 172
  - model structure, 63, 94, 175
- Negotiation, 261
- Networked simulations, 475, 498
- Nonconserved information, 55
- Object-oriented
  - framework for model structures, 156
  - methods, 478
- Open source software development, 486
- Open system, 11, 12
- Open-source software, 38, 486–488
- Opportunity trees, 212
  - people, 219
  - process and product, 271
  - project and organization, 370
- Orthogonal defect classification (ODC), 200, 328, 330
  - example model for, 330–333
- Oscillation, 61, 177
  - and multiple levels, 86
  - model structures for, 178

- Osterweil, Leon, 22, 23, 24, 25, 47
- Overtime, 253, 267  
multiplier, 97, 253
- Peer reviews, 274, 276. *See also* Inspections, Walk-throughs
- People, *see also* Personnel  
applications, 217–268  
COCOMO cost model factors, 218–219  
model infrastructures for, 200–203
- People maturity model, 41, 220
- People subsystem, 352
- Peopleware, 219, 258, 261, 265, 268
- Perceived quality, 181
- Personnel chain model infrastructures, 200  
chain examples, 203
- Personnel hiring and retention, 256
- Personnel learning curve, 183
- Personnel pools, 201
- Personnel (resource) allocation, 15, 411  
allocation policy, 411  
contention models, 411  
dynamic resource allocation with initially fixed levels, 413  
parameterized allocation profiles, 413  
project contention, 414  
squeaky wheel gets the grease, 411
- Personnel sector model (Abdel-Hamid), 222–223, 267
- Personnel talent supply and demand, 488. *See also* Workforce
- Personnel training, simulation for, 263. *See also* Software manager training, Training
- Pfahl, Dietmar, 27, 28, 137, 138, 263, 273, 337, 346, 475, 476, 477, 535, 551–554, 561
- Planning applications, 26
- Policy analysis, 126
- Policy parameter changes, 127
- Policy structural changes, 128
- Policy suitability and feasibility, 130
- Policy validity and robustness, 129
- Positive feedback  
exponential growth, 92, 166  
general behavior, 62, 63, 67  
model structure, 63, 92
- Powell, Anthony, 27, 237, 238, 555
- Probability, 502
- Probability distributions, 503  
empirical, 513  
gamma, 511  
interpreting, 505  
lognormal, 509  
measures of location, variability, and symmetry, 506  
normal, 509  
PERT, 509  
triangular, 508  
uniform, 508
- Problem definition, 73
- Process and product modeling applications, 269
- Process and product opportunity tree, 271
- Process concurrence, 322, 423–442, 466  
architecting, 322  
COTS, 437  
external process concurrence, 428  
internal process concurrence, 426  
phase leverage analysis with process concurrence, 432  
RAD example of external process concurrence, 432  
systems engineering staffing considerations, 433  
trying to accelerate software development, 425
- Process flight simulation, *see* Flight simulation
- Process improvement, *see also* Software process improvement  
capability maturity models, 41  
ISO 9000, 41  
ISO/IEC 15504, 41  
overview, 40  
Six Sigma, 41  
technology adoption applications and, 28
- Process improvement model, 274
- Process life-cycle models, 29
- Process model types, 23
- Process performance, 213
- Process and product applications, 269–368
- Production structure, 182–183
- Product(s), *see* Software product(s)
- Product quality, *see* Quality
- Project and organization applications, 369–468
- Project feedback (using simulation for), 13

- Project management in the modeling process, 138
- Project workforce modeling, 222
- Project rescoping framework, 14
- Prototyping, 36
- Putnam, Larry, 419, 425, 466
- Quality
  - defects and, 327
  - lost, 367
  - perceived, 181, 400
  - representative attributes of, 272
- Quality assurance tradeoffs, 330
- Quality assurance model sector, 382
- Quality modeling and value functions, 399
- Ramil, Juan, 27, 273, 291, 293, 296, 484, 549, 558. *See also* Fernández-Ramil, Juan
- Raffo, David, 24, 47, 275, 475, 481, 493, 551, 555
- Rates (flows) 15, 57, 159
  - equations, 90
  - examples, 58, 159
  - model formulation, 89
- Rational Unified Process (RUP), 32, 319, 466
- Rayleigh curve models, 366, 418–422
  - calibrated to COCOMO, 397
  - defect modeling, 333, 422
  - model enhancements, 422, 465, 466
  - Rayleigh curve generator, 185
  - Rayleigh manpower distribution model, 418
  - system dynamics implementation, 419
- Rayleigh curves for staffing profiles, 397, 417, 418
  - dynamic requirements changes, 422
  - incremental development, 422
  - Rayleigh curve versus flat staffing, 422
- Reengineering, 38
- Reference behavior, 76, 115, 282
  - patterns, 74
- Reliability
  - attribute of quality, 272
  - required software reliability cost factor, 270
  - modeling, 399, 400
  - sweet spot, 409
- Requirements
  - evolution and volatility, 337
  - process inputs, 11
  - volatility, 333, 466
- Requirements volatility application model (Ferreira), 337–343
  - causal model, 340
  - results, 342
  - simulation model, 341
- Resource allocation, *see also* Personnel
  - resource allocation
    - model infrastructures for, 190
- Reuse, 38. *See also* Software reuse
- Rework model structure, 182
- Richardson, George, 53, 54, 64, 69, 74, 80, 119, 127, 142, 146, 227
- Richmond, Barry, 9, 53, 64, 146, 204, 227
- Risk analysis, 502
- Risk management, 140
- Royce, Walker, 30, 32, 36, 47, 460
- Rubin, Howard, 28, 258, 264, 265, 394, 557
- Rus, Ioana, 27, 478, 558
- Sample size, 525
- Scacchi, Walt, 24, 487, 488, 490, 499
- Scalable spiral model, 238
- Scheduled completion date model structure, 190
- S-curves, 167. *See also* S-shaped growth
- Sensitivity analysis, 123
- Simulation
  - definition of, 8,
  - introduction, 4
  - knowledge-based, 474
  - modeling process and, 110
  - networked, 475
  - personnel training and, 263
  - statistics of, 501
- Simulation environments and tools, 472
- Simulation input, analysis of, 521
- Simulation output, analysis of, 525
- Simulation report, 143
- Six Sigma, 44, 367
- Skills, 260
- Slack (time), 227, 255, 267
- Smoothing of information, 63, 180
- Snapshot test, 87
- Software Acquisition CMM (SA-CMM), 41

- Software architecting application model (Fakharzadeh, Mehta) , 319–327
  - empirical reference data, 320
  - model overview, 321
- Software business case analysis, 395
- Software Capability Maturity Model (CMM or SW-CMM), 41. *See also* Capability Maturity Models
- Software Engineering Institute (SEI), 7, 24, 41, 309, 339, 343
- Software evolution, 291. *See also* Global process feedback
  - open-source systems and, 488
- Software evolution progressive and anti-regressive application model (Ramil), 293–299
  - model overview 295
  - calibration and experimentation, 296
- Software entropy, 167, 367
- Software life-cycle phases and modeling steps, 69
- Software manager training, 263, 264, 460
- Software metrics, 134
  - etiquette, 463
- Software process, 7
- Software process chain infrastructures, 192
- Software process control system, 13
- Software process improvement (SPI), *see also* Capability maturity models, Process improvement
  - simulation in support of, 343
- Software process improvement application model (Ho), 346–362, 367
  - high-level feedback, 347
  - KPA processing subsystem, 354
  - life-cycle subsystem, 351
  - model changes, 357
  - people subsystem, 352
  - sensitivity analysis, 360
  - test runs, 359
  - Xerox adaptation, 354
- Software process model types, 23
- Software process modeling overview, 22–26
  - characterization, 26
  - characterization matrix, 27
  - discrete, 24
  - hybrid, 24
  - major models, 27
  - modeling approaches, 23
- Software process simulation technology, 469
- Software process technology, 22
- Software product chain infrastructures, 193
  - chain examples, 195
- Software production rate, 14
- Software project management simulator, 337
- Software project dynamics, 4, 5, 10. *See also* Abdel-Hamid, Tarek
- Software Project Management Simulator (SPMS) model, 338
- Software reliability, *see* Reliability
- Software reuse, 299
- Software reuse and fourth-generation languages application model (Lo), 301–309
  - model description, 302
  - results, 304
- Spiral model, 33
  - modeling process usage, 70
  - scalable spiral model, 238
  - WinWin spiral model, 35
- Spreadsheets, 26
- S-shaped growth and S-curves, 167
- Staffing, *see also* Personnel
  - applications, 416
  - calculation parameters, 245
  - desired staff model structure, 188
  - Dynamic COCOMO, 125, 243, 397
  - integrating Rayleigh curves, process concurrence, and Brooks’s interpretations, 441
  - process concurrence modeling for staffing profiles, 423–442. *See also* Process concurrence
  - Rayleigh curves for staffing profiles, 417, 418–422
- Stallinger, Friedrich, 268, 559
- State variables, 6, 59
- Static versus dynamic modeling, 25
- Steady-state behavior, 113
- Steady-state conditions, 112
- Sterman, John, 53, 121, 146, 237, 322, 423, 424, 466, 476, 502
- Stock, *see* Level
- Stock and flow representation, 14
- Strategic management applications, 26
- Sweet spot (determination of), 405
- System boundary, 70, 78, 148, 149

- System dynamics, 3, 5, 8, 11, 14, 16, 24, 25, 54
  - background, 54
  - continuous view, 55
  - heuristics, 60
  - mathematical formulation, 56
    - structure of a model, 59
  - model element summary, 15
  - model elements, 56, 57
    - auxiliaries, 57
    - information linkages, 58
    - level, 57
    - rate, 57
    - sources and sinks, 57
  - notation, 56
  - numerical integration, 59
  - potential pitfalls, 60
- System feedback, *see* Feedback
- Systems (definition of), 6
  - closed (closed loop), 6, 11
  - combined, 6, 7
  - continuous, 6, 7
  - discrete, 6, 7
  - dynamic, 6, 7
  - open (open loop), 6, 11
  - static, 6
  - variables, 6
- Systems of systems, 236, 483
  - software-intensive, 235, 236, 483
- Systems thinking, 3, 8, 10
  - compared to system dynamics, 9
- Team communication, 260
- Team composition, 234
- Team issues, 139
- Team partitioning, 464, 465
- Team size, 235
- Test functions, 113
- Time horizon, 87
- Training
  - game playing and, 475
  - software project management, 263, 264, 460
    - simulation for, 4, 263
- Training and learning applications, 28
- Training overhead in Brooks's Law model, 17, 19
- Tvedt, John, 138, 195, 196, 210, 237, 275, 341, 365, 544, 560
- U.S. Defense Modeling and Simulation Office (DMSO), 8, 472
- Usability of simulation tools, 473, 498
- User- and people-oriented focus, 482
- Value-based product application model (Madachy), 396–411
  - applications, 402
  - model overview, 397
  - quality modeling and value functions, 399
- Value-based software engineering, 396
- Walk-throughs, 288. *See also* Peer reviews
- Waterfall (life-cycle) process, 29
  - compared to iterative process, 39
- Weinberg, Gerry, 10, 47, 51, 152, 220, 265, 268, 416, 467
- Wernick, Paul, 27, 291, 292, 293, 547, 561–562
- WinWin spiral model, 35, 70, 262
- Work breakdown structure for modeling, 142, 144
- Workforce modeling, 222
  - desired workforce levels, 223
- Workforce shortage, 258, 268, 499
  - causal loop, 259
- Xerox Corporation, 354, 357, 361
- Yourdon, Ed, 265, 393, 563

