

# Index

Page numbers in **bold** refer to the glossary.

## A

adaptation layer software 96, 172  
agile development process 75–6, 114  
API (Application Programming Interface) **179**  
    categorization 28–30  
    testing 135, 142  
    see also binary compatibility  
AppDep-tool 171  
Application Installer testing 136–7  
Application Shell testing 137  
applications  
    application launcher analysis 39–40  
    compatibility of 32  
    testing 135–43  
architecture of smartphones 5–7  
    as basis for test plans 106–7  
    complexity of 18, 97, 153  
ARM Instruction Set 34  
Australia 58  
Automotive Directive (1995/54/EC) 56

## B

back bone testing 125, **179**  
backward compatibility 32–3, **179**  
Baltimore UniCERT 49  
base porting 5, **179**  
baseline selection 9–15, 91, 107, **179**  
basic acceptance testing (BAT) 13, 101,  
    102–3, **179**

big bang testing 125, **180**  
binary analysers 39  
binary breaks 27, 28, 33–5  
binary compatibility 25–42, 103, **180**  
binary compatibility applications 40  
black-box testing 117, **180**  
Bluetooth (BT) 47, 173, **180**  
    certification 47–8, 147  
    testing 138, 142  
boot process 171–2  
bottom-up testing 125, **180**  
browser testing 143  
BT see Bluetooth  
build cycle 19–23, 168  
build process 168–9  
build sanity checks 23, 102–3, 171  
build tools 168, 169–71  
    build\_560.cmd 170  
business culture 64–6, 71–3, 86–7

## C

calendar testing 141  
camcorder applications 140, **180**  
Canada 58  
car regulations and standards 56,  
    60–1  
CDMA (Code Division Multiple Access)  
    55–6, **180**  
CE marks 56  
cell broadcast testing 142

Cellular Telecom Industry Association (CTIA) 59–60, **180**

certification and licensing 43–4  
 CTIA 59–60  
 governmental 56–8  
 IOP 52–5, 58–9  
 ISO standards 60–1, 66–7  
 operator-defined 55–6  
 for technology 44–52, 146–7

China 58

client provisioning 143, **180**

clock testing 141

COCOMO (Constructive Cost Model) 87–8

code  
 change control 164–6  
 complexity 18  
 good quality 19, 92–4  
 review 120, **180**

code complete stage 164, **180**

Code Division Multiple Access (CDMA) 55–6, **180**

communications between testers and developers 114–15, 160–1

company culture 64–6, 71–3, 86–7

compatibility *see* binary compatibility

component (module) testing 102, 121–4, 134–5

concurrent engineering 76–7

configuration management 163–7

connection manager testing 139

connectivity  
 certification 47–8, 50–1, 147  
 integration 173  
 testing 138, 142

Constructive Cost Model (COCOMO) 87–8

constructive testing 116, **180**

contacts testing 141

context sensitive Help testing 137

Conversion Description Language 10–11, **180–1**

CRUD tables 119–20

CTIA (Cellular Telecom Industry Association) 59–60, **180**

customer programs **181**  
*see also* Licensees

customers *see* end-users

## D

data connections 139, 173

data-driven testing 119, **181**

dataflow-driven testing 119–20, **181**

defect analysis  
 management systems 94, 149–52, 153–5  
 prioritising fixes 91, 150–2, 156–60  
 reporting procedures 154–5, 160–1  
 test planning and 108, 152–3

defect estimation 117–18, **181**

defect frequency 156, **181**

defect probability 156, **181**

defect seeding 118, **181**

defect severity 156, **181**

Denial of Service (DoS) 127, **181**

DepInfo tool 41

destructive testing 116, **181**

Device Manager testing 137

differentiation of phone programs 90–1

Digital Rights Management (DRM) 55, 143, **181**

DLL (Dynamic Link Libraries) 6, 34, **181–2**

documentation testing 111–12, 121

DoS (Denial of Service) 127, **181**

DOS (Domestic Operating System) 6

download folder testing 138

Dynamic Link Libraries (DLL) 6, 34, **181–2**

## E

EDFU (estimated degree of functional usage) 118–19, 152–3, **182**

EKA2 kernel 28

email testing 142

end-users  
 defect priority and 157, 158, 159, 160  
 EDFU 118–19  
 testing by 128–30, 147–8  
 understanding customer needs 65–6

Enhanced Data Rates for Global Evolution (EDGE) 139, **182**

Entertainment and Leisure Software Publishers Association Europe (ELSPA) 60  
 Entertainment Software Rating Board (ESRB) 57  
 Entrust 49  
 error managers 151  
 estimated degree of functional usage (EDFU) 118–19, 152–3, **182**  
 European legislation 56–7  
 European Telecommunications Standard Institute (ETSI) 55, **182**  
 EUSER.DLL 6  
 event-driven testing 119, **182**  
 extreme programming (XP) 115, 120, **182**

## F

fax testing 139, 143  
 feature phones 1–3, **182**  
 Federal Communications Commission (FCC) 57  
 Field Failure Rate (FFR) 152, **182**  
 file manager testing 141  
 fixes  
   code quality and 19  
   gatekeeping control 94, 149–50  
   prioritising 91, 150–2, 156–60  
   test planning and 108  
   see *also* defect analysis  
 Forum Nokia 5  
 forward compatibility 33, **182**  
 functional testing (FUTE) 103, 126, 135–43  
   see *also* black-box testing

## G

games, regulation of 57  
 gatekeepers 94, 149–50  
 General Log testing 140  
 General Packet Radio Service (GPRS) 135, 139, **182**  
 General Settings testing 137

Global Certification Forum (GCF) 58–9, **182**  
 goal-setting 83–4  
 GSM Circuit Switched Data 138, **182**  
 GSM High-Speed Circuit Switched Data 139, **183**  
 GUI see user interface

## H

hacking see destructive testing  
 hazardous substances 57  
 Header Checker tool 41  
 high watermark definition 126, **183**  
 HTTP protocol testing 138

## I

Image Viewer testing 140  
 incremental development process 10, 74–5, 114  
 independent software vendors **183**  
 infrared connectivity 50–1, 138, 142, 173  
 installation testing 136–7  
 Instant Messaging and Presence Server 54, 142, 145  
 integration 89–90, 171–3  
   adaptation layer 96, 172  
   testing in the large (ITL) 127–8  
   testing in the small (ITS) 102, 124–6, 135  
 International Organization for Standardization (ISO) 60–1, 66–7  
 internationalization of code see localization  
 interoperability (IOP)  
   GCF 58–9  
   OMA 52–5, 104, 145–6  
 IrDA (Infrared Data Association ) 50  
 ISO (International Organization for Standardization) 60–1, 66–7  
 iterative (waterfall) development process 10, 73–4, 113  
 ITL (integration testing in the large) 127–8  
 ITS (integration testing in the small) 102, 124–6, 135

**J**

- Japan 58
- Java
  - J2ME (Java 2 Micro Edition) 2, **183**
  - JUnit testing tool 123–4, **183**
  - licensing & certification 43, 44–6, 147

**K**

- kernels 5–6, 28

**L**

- language variations 93, 103, 169, 171
- lead environment 105, **183**
- least stable sub-system 12, 14
- legislation 43, 56–8
- Licenseses 4, **183**
  - customization and compatibility 13–14, 31–2
  - platform update deliveries 19, 167–8
  - platform-based phone testing 99–100, 104–8
- licensing see certification and licensing
- Lines of Code (LOC) 18
- load, testing of 126, 127, 144–5
- localization 93, 103–4, 168–9, 171
- location application testing 137
- logic-driven testing 119, **183**
- logs application testing 139–40
- look-and-feel (LAF) 11, 70, **183**

**M**

- maintenance testing 104, 131–2
- management tools see project management
- Manny Lehman's Law 10
- marketing
  - baseline selection 13, 14
  - customer surveys 65–6
  - defect priority and 157, 158, 159, 160
- McCabe's cyclomatic complexity 18, **183**
- Mean Time Between Failures (MTBF) 152, **183**
- Media Gallery testing 140–1
- Media Player testing 140
- message sequence charts 120

- messaging, testing of 53, 141–3, 145–6
- MIDI engine 49
- MMC (multimedia cards) 40, 51–2, 136, **183**
- MMS (multimedia messaging) 53, 142, 145–6
- mobile phones 1
- Mobile Software (MSW) 3, **183**
  - platform update deliveries 19, 167–8
- module testing 102, 121–4, 134–5
- multimedia
  - integration 173
  - testing 140–1
- multimedia cards (MMC) 40, 51–2, 136, **183**
- multimedia messaging (MMS) 53, 142, 145–6

**N**

- Nokia N73 Smartphone 177
- Nokia N80 Smartphone 176
- Nokia N93 Smartphone 178
- non-functional (performance) testing 126–7, 144–5
- notes testing 141

**O**

- offline mode testing 137
- Open Mobile Alliance (OMA) **183**
  - client provisioning 143
  - Instant Messaging and Presence Server 54, 142, 145
  - IOP testing 52–5, 104, 145–6
- Ordinal Checker tool 42
- organizational culture 64–6, 71–3, 86–7

**P**

- PC Suite 48–9
- PCC (Product Creation Community) 3–5, **183–4**
- PCS 1900 Type Certification Review Board (PTCRB) 57–8
- performance (non-functional) testing 126–7, 144–5

Personal Information Management (PIM) 141  
 personalization application testing 137  
 pinboard testing 138  
 platform security 27, **183**  
   *see also* security  
 platform testing 100–4, 105  
 platform-based phone testing 100, 104–8  
 predictive test input 49  
 presence API testing 142  
 presence application testing 142  
 Presence Server 54, 142, 145  
 Product Creation Community (PCC) 3–5, **183–4**  
 profiles application testing 137  
 project management  
   build cycle 19–23, 168  
   change control 121, 163–7  
   defect analysis 94, 149–52, 153–5  
   hazards specific to S60 programs 88–97  
   quality culture 64–6, 71–3, 86–7  
   risk analysis 79–82, 87–8  
   software development 10–11, 73–8, 82–8, 111–15  
   software testing 115–30  
 provider modules 97  
 PTCRB (PCS 1900 Type Certification Review Board) 57–8  
 public key infrastructure *see* Baltimore UniCERT

## Q

quality  
   of code 19, 92–4  
   definitions 63–4, 68–71, 78  
   designing in 73–8, 109–10  
   organizational culture 64–6, 71–3, 86–7  
   standards 60, 66–8  
   *see also* risk analysis and management; testing

## R

R&D quality 27, **184**

Radio and Telecommunications Terminal Equipment Directive (RTTE 1999/5/EC) 56  
 real-time operating systems (RTOS) 2, **184**  
 reference hardware 4, **184**  
 regression 91, 94, 104, 164  
 release management 17–24  
   S60 updates 19, 167–8  
 release testing 104  
 remote synchronization testing 141  
 repair, ease of 70  
 Restriction of Hazardous Substances Directive (RoHS 2002/95/EC) 57  
 reverse engineering 94, 164–5  
 risk analysis and management 79–80  
   COCOMO cost estimation model 87–8  
   S60-specific 88–97  
   software development 80–7  
 Rom image creation tools 168, 170–1

## S

S60 ecosystem 3–5, **184**  
 S60 platform  
   architecture 5–7  
   biweekly updates 19, 167–8  
   build environment 167–71  
   integration 171–3  
   potential problems in  
     development 88–97  
     testing 99–108, 134–48  
   third edition 27, 28, **184**  
   user interface 3, 7  
 S60Rom.cmd tool 168, 170–1  
 SCM (Software Configuration Management) 163–7  
 SDK *see* Software Development Kits  
 security  
   certification 49  
   platform security on the S60 27, **183**  
   testing 127, 143  
 Service Dialling Numbers (SDN)  
   testing 143  
 service industries 70–1  
 serviceability 70

Short Messaging testing 142  
 Six Sigma 67–8  
 Smart Messaging testing 142, 145  
 smartphones 1–3, **184**  
   Nokia models 176–8  
 Software Configuration Management (SCM) 163–7  
 Software Development Kits (SDK) **184**  
   analysers 36–8  
   compatibility of 29, 32–3  
 software production  
   COCOMO cost estimation model 87–8  
   development processes 10–11, 73–8, 111–15  
   potential problems 80–7  
   testing methods 115–20  
   see also code  
 source analysers 38–9  
 source compatibility 27–8, **184**  
 Space Architecture Failure Evaluation (SAFE) 80  
 specification-setting 83–4  
 standards  
   IOP 52–5  
   ISO 60–1, 66–7  
   quality 60, 66–8  
   telecommunications 47–8, 55–6  
   see also certification and licensing  
 state-driven testing 119, **184**  
 static analysis 120, **184**  
 sub-contractors 18, 77–8  
 sub-systems  
   integration 89–90, 102, 124–6, 135, 171–3  
   least stable 12, 14  
   testing 102, 117–18  
 Sun Microsystems 46  
 suppliers 18, 77–8  
 Symbian OS (Operating System)  
   build tools 169–70  
   good quality code for 93–4  
   kernels 5–6, 28  
   testing 46

Synchronized Multimedia Integration Language (SMIL) 143  
 SyncML 54–5  
 system testing 103  
 System Under Test (SUT) 144, **184**

## T

Technology Compatibility Kits (TCK) 44–6, **184**  
 telephony  
   regulations and standards 47–8, 55–6, 57, 59–60  
   testing 139–40, 145  
 testing 23  
   BAT 13, 101, 102–3, **179**  
   binary compatibility 35–40, 103  
   build sanity checks 23, 102–3, 171  
   certification and 46, 48, 50, 51–2, 59–60, 146–7  
   communicating results of 154–5, 160–1  
   documentation 111–12, 121  
   environmental requirements 90, 133–48  
   functional 103, 126, 135–43  
   identifying critical areas 111–15, 152–3  
   integration 102, 124–8, 135  
   IOP 52–5, 104, 145–6  
   modules 102, 121–4, 134–5  
   performance 126–7, 144–5  
   problems with 90, 94–6, 131  
   S60 testing 46, 99–108, 133–48  
   techniques 115–20  
   testability 115–16, **184**  
   TRUE 128–30, **185**  
 testware engineering 112–13, **184**  
 third-party developers 5, 40, **184**  
 three-D-rule 151, **185**  
 top down testing 125, **185**  
 TRUE testing 128–30, **185**

## U

UI see user interface  
 UICon library 7

unit (module) testing 102, 121–4, 134–5  
Universal Serial Bus (USB) 50, 138, 173,  
**185**  
USA 57–8, 59–60  
usability 69–70, 147–8  
user interface (UI)  
  customization 137–8  
  S60 platform 3, 7  
  usability testing 147–8

**V**

V-model of software development 111–12  
vehicle regulations and standards 56, 60–1  
verification  
  of binary compatibility 35–40  
  of IOP 52–5, 58–9, 104, 145–6

Verisign 49  
Voice Recorder testing 141

## **W**

WAP (Wireless Application Protocol) 53–4,  
138, **185**  
waste management 57  
waterfall (iterative) development  
  process 10, 73–4, 113  
white-box testing 116–17, **185**  
Wireless Application Protocol (WAP) 53–4,  
138, **185**

## **X**

XP (extreme programming) 115, 120, **182**

