

Contents

| | |
|---|------------|
| Introduction | xxi |
| Chapter 1: Introducing Ajax | 1 |
| What Is Ajax? | 2 |
| Ajax in Action | 3 |
| flickr | 3 |
| Basecamp | 4 |
| Amazon (A9.com) | 5 |
| Google Suggest and Google Maps | 6 |
| Other Sites | 7 |
| Bad Examples | 8 |
| Ajax: The Acronym | 9 |
| XHTML and CSS | 9 |
| The Document Object Model (DOM) | 10 |
| JavaScript | 11 |
| XML, XSLT, and XPath | 12 |
| The XMLHttpRequest Object | 14 |
| Server-Side Technologies | 15 |
| The Ajax Application Model | 16 |
| Why Should I Use Ajax? | 17 |
| Partial Page Updating | 17 |
| Invisible Data Retrieval | 18 |
| Constant Updating | 18 |
| Smooth Interfaces | 18 |
| Simplicity and Rich Functionality | 18 |
| Drag and Drop | 18 |
| When Not to Use Ajax | 18 |
| Poor Responsiveness | 19 |
| Breaks the Back Button on Your Browser | 19 |
| Breaking Bookmarks and Blocking Search Engine Indexes | 19 |
| Strain on the Browser | 19 |
| Who Can/Can't Use Ajax? | 20 |
| Create Your Own Example | 20 |
| Summary | 29 |
| Exercises | 30 |

| | |
|--|-----------|
| Chapter 2: JavaScript Refresher | 31 |
| Core JavaScript | 32 |
| Syntax | 32 |
| Variables | 32 |
| Primitive Datatypes | 33 |
| Reference Datatypes | 33 |
| Operators | 34 |
| Assignment Operator | 34 |
| Arithmetic Operators | 34 |
| Comparison Operators | 35 |
| Logical Operators | 35 |
| Increment and Decrement Operators | 36 |
| Statements | 37 |
| Conditional Statements | 37 |
| Loops | 38 |
| Functions | 40 |
| Object-Oriented JavaScript | 41 |
| Built-in Objects | 41 |
| Browser Objects | 42 |
| User-Defined Objects | 43 |
| Constructors | 43 |
| Prototypes | 44 |
| Destroying Objects | 45 |
| The Document Object Model | 47 |
| The Document as a Family Tree | 48 |
| The Document as a Node Tree | 48 |
| DOM Methods for Accessing Objects | 49 |
| getElementById | 49 |
| getElementsByTagName | 50 |
| Creating Nodes | 51 |
| The innerHTML Alternative | 53 |
| JavaScript and Events | 54 |
| Event Models | 54 |
| Event Registration | 55 |
| The Internet Explorer Event Registration Model | 56 |
| The W3C DOM Event Registration Model | 56 |
| Event Objects | 57 |
| Summary | 60 |
| Exercises | 61 |

| | |
|---|------------|
| Chapter 3: Ajax and Server-Side Technologies | 63 |
| Ajax and the Server-Side Technologies | 64 |
| Forms and HTML Controls | 64 |
| The Forms Model of Submission | 64 |
| The Ajax/JavaScript Model of Submission | 65 |
| From the Server Side Onward | 66 |
| Submitting Data to the Server | 67 |
| The Server Receives the Request | 67 |
| Writing the HTTP Response | 68 |
| The XMLHttpRequest Object | 69 |
| The Callback Function | 69 |
| The responseText Property | 70 |
| The responseXML Property | 70 |
| Debugging responseXML | 71 |
| Debugging responseXML in IE | 72 |
| Using the Data | 72 |
| The Server-Side Technologies | 73 |
| ASP.NET | 73 |
| Example Using AJAX and ASP.NET | 75 |
| PHP | 85 |
| Example Using AJAX and PHP | 86 |
| Java Servlets | 91 |
| Example Using AJAX and Java Servlets | 91 |
| Which One Should You Use? | 96 |
| Summary | 97 |
| Exercises | 97 |
| Chapter 4: Ajax Techniques | 99 |
| The XMLHttpRequest Object | 100 |
| Creating an XMLHttpRequest Object | 100 |
| Synchronous Usage | 101 |
| Asynchronous Usage | 101 |
| The readyState Property | 102 |
| XMLHttpRequest Properties and Methods | 102 |
| Common Mistakes | 109 |
| More Complex Issues | 109 |
| Same Origin Issues | 110 |
| Cache Control: IE Aggressive Caching | 110 |
| The POST Method | 115 |
| Advantages and Disadvantages of Using the POST and GET Methods | 117 |

Contents

| | |
|--|------------|
| Other Ajax Techniques | 117 |
| Hidden Frames | 118 |
| The Concept | 118 |
| Advantages and Disadvantages | 124 |
| Hidden Inline Frames | 124 |
| The Concept | 124 |
| Advantages and Disadvantages | 128 |
| Dynamic Script Loading | 128 |
| The Concept | 128 |
| Advantages and Disadvantages | 130 |
| Images and Cookies | 130 |
| The Concept | 131 |
| Advantages and Disadvantages | 135 |
| Summary | 135 |
| Exercises | 136 |
| | |
| Chapter 5: Working with XML | 137 |
| | |
| XML Basics | 137 |
| Creating Tags | 138 |
| XML Syntax | 138 |
| Well-Formed and Valid XML Documents | 139 |
| Extracting XML Data with JavaScript | 145 |
| Using Nodes | 145 |
| Accessing XML Elements by Name | 147 |
| Accessing Attribute Values | 148 |
| Using CSS with XML Data | 152 |
| Using CSS with XML Documents | 153 |
| Using CSS with Ajax | 153 |
| The style Property | 153 |
| The className Property | 154 |
| Summary | 154 |
| Exercises | 155 |
| | |
| Chapter 6: Debugging and Error Handling | 157 |
| | |
| JavaScript Error Handling | 158 |
| Handling Exceptions | 158 |
| The onerror Event Handler | 160 |
| Mozilla JavaScript Console | 162 |
| Microsoft Script Debugger | 164 |
| Firebug | 166 |

| | |
|---|------------|
| DOM Inspectors | 168 |
| Firefox DOM Inspector | 168 |
| IE DOM Inspector | 170 |
| Mouseover DOM Inspector (MODI) | 171 |
| Troubleshooting Ajax | 172 |
| Using the Firebug Console with XMLHttpRequest | 172 |
| Live HTTP Headers | 173 |
| ieHTTPHeaders Explorer Bar | 175 |
| Summary | 176 |
| Exercises | 177 |
| | |
| Chapter 7: Web Services, APIs, and Mashups | 179 |
| | |
| What Is a Web Service? | 180 |
| Public Web Services | 181 |
| Consuming a Third-Party Web Service | 181 |
| The Structure of a Web Service | 183 |
| The REST Approach | 184 |
| The SOAP Approach | 185 |
| Integrating a Web Service into Your Ajax Application | 186 |
| Consuming a Service with XMLHttpRequest | 187 |
| Same Origin Policy | 187 |
| Creating an Application Proxy | 188 |
| The Script Tag Hack | 195 |
| Future Alternatives | 198 |
| Using APIs | 198 |
| The Difference Between Web Services and APIs | 199 |
| The Google Maps APIs | 199 |
| Google Maps API Key | 200 |
| The Map Object | 200 |
| Geocode | 201 |
| The XMLHttpRequest Factory Method | 201 |
| Mashups | 209 |
| How Ajax Helps Enable the Use of Mashups | 210 |
| Using the Flickr API | 210 |
| Tag Clouds (Weighted List) | 211 |
| Using the Flickr API Key | 212 |
| Creating an Example Application | 212 |
| Geotagging Photos in Flickr | 212 |
| Displaying Photos from Flickr | 222 |
| Summary | 225 |
| Exercises | 226 |

| | |
|--|------------|
| Chapter 8: XSLT and XPath | 227 |
| XSLT and Its Purpose | 228 |
| XSLT Elements | 230 |
| xsl:stylesheet | 230 |
| xsl:output | 230 |
| xsl:includes | 231 |
| xsl:template, xsl:apply-templates, and xsl:call-template | 232 |
| The Match Attribute | 232 |
| The Name Attribute | 233 |
| XSLT Parameters | 233 |
| xsl:if | 234 |
| xsl:choose | 234 |
| Escaping XSLT Special Characters | 235 |
| xsl:for-each | 235 |
| xsl:value-of | 236 |
| xsl:sort | 236 |
| xsl:variable | 236 |
| XSLT Support in the Main Browsers | 237 |
| Performing a Transform | 237 |
| Performing a Transform Using IE | 237 |
| Performing a Transform in Firefox | 242 |
| Performing a Transform on the Server Side | 245 |
| Creating an XSLT Style Sheet for a Shopping Cart | 247 |
| XPath and Its Purpose | 256 |
| Basic XPath Functionality | 257 |
| XPath Expressions | 257 |
| Current Context | 258 |
| Document Root | 258 |
| Root Element | 258 |
| Recursive Descent | 259 |
| Specific Elements or Items | 259 |
| XPath Functions | 259 |
| The number Function | 259 |
| The position Function | 260 |
| The count Function | 260 |
| String Formatting | 260 |
| Arithmetic Functions | 260 |
| Logical Functions | 261 |
| Querying in an XML Document Using XPath | 262 |
| Amending the Shopping Cart Example to Use XSLT and Ajax | 267 |
| Summary | 273 |
| Exercises | 273 |

| | |
|---|------------|
| Chapter 9: Patterns | 275 |
| Design Pattern Background | 276 |
| Form Validation | 276 |
| Problem | 276 |
| Pattern | 277 |
| Extra Information on Mouseover Patterns | 284 |
| Problem | 284 |
| Pattern | 284 |
| Polling the Server Pattern | 292 |
| Problem | 292 |
| Pattern | 292 |
| Drag-and-Drop Lists Pattern | 301 |
| Problem | 301 |
| Pattern | 301 |
| Handling Errors Pattern | 314 |
| Problem | 315 |
| Pattern | 315 |
| Summary | 320 |
| Exercises | 321 |
| | |
| Chapter 10: Working with External Data | 323 |
| Working with XML News Feeds | 324 |
| RSS 0.9x | 325 |
| RSS 2.0 | 327 |
| RSS 1.0 | 328 |
| Atom | 329 |
| Extracting Data from an XML Feed | 331 |
| Extracting XML Data | 331 |
| Extracting String Data | 337 |
| Building an Online Feed Reader with Ajax | 339 |
| Summary | 348 |
| Exercise | 349 |
| | |
| Chapter 11: JSON | 351 |
| JSON Syntax | 352 |
| JSON Datatypes | 352 |
| Object Literals | 353 |
| Array Literals | 354 |
| Using a JSON Parser | 354 |
| Data Transmission Formats | 355 |

Contents

| | |
|---|------------|
| Ajax and JSON | 357 |
| Creating the Request | 357 |
| Parsing the Response | 359 |
| Using eval() | 359 |
| Using parseJSON() | 359 |
| Adding JSON Data to Your Page | 360 |
| Using JSON with PHP | 364 |
| Summary | 365 |
| Exercises | 366 |
| | |
| Chapter 12: In-Depth Example: Sortable List | 367 |
| | |
| Using MySQL | 368 |
| Creating a MySQL Table | 368 |
| Adding Data to the Table | 370 |
| Creating a Database Connection | 370 |
| Creating Database Queries | 371 |
| Obtaining Current Field Values | 372 |
| Ordering the List | 373 |
| Editing Database Records | 374 |
| Inserting a Record | 374 |
| Deleting a Record | 375 |
| Using Scriptaculous for Drag and Drop | 376 |
| Creating a Droppable Element | 377 |
| Creating a Sortable Element | 378 |
| Interaction with the User: The Index Page | 380 |
| Using Ajax for Updates | 383 |
| Creating POST Requests | 385 |
| Creating GET Requests | 386 |
| Processing the Results | 387 |
| Adding Style | 388 |
| The Files | 388 |
| Summary | 389 |
| | |
| Appendix A: Exercise Solutions | 391 |
| | |
| Appendix B: Ajax Resources: Frameworks and Libraries | 415 |

| | |
|---|------------|
| Appendix C: JavaScript Resources | 425 |
|---|------------|

| | |
|--|------------|
| Appendix D: JavaScript Language Reference | 429 |
|--|------------|

| | |
|--------------|------------|
| Index | 475 |
|--------------|------------|

