

Index

- A-stability, 76, 230, 238, 261, 270, 272, 343, 353, 356, 365, 398, 421
- $A(\alpha)$ -stability, 230
- Adams, xiv, 105, 375
- adjoint methods, 220
- Alexander, 261
- algebraic analysis of order, 413
- algebraic stability, 250, 252
- AN-stability, 245, 252
- angular momentum, 5
- annihilation conditions, 129, 427, 431
- arithmetic-geometric mean, 43
- asymptotic error formula, 72
- Axelsson, 240

- B-series, 280
- B-stability, 250
- Barton, 115
- Bashforth, xiv, 105, 375
- BN-stability, 250, 252
- boundary locus, 344, 346
- Brenan, xv
- Brouder, 280
- Burrage, 124, 258, 266, 373
- Butcher, 93, 122, 124, 163, 188, 192, 198, 240, 241, 258, 261, 266, 271, 280, 301, 358, 373, 380, 382, 402, 419, 420, 426, 433, 434, 436, 438, 445
- Butcher–Chipman conjecture, 402
- Byrne, 122, 380

- Calvo, xv
- Campbell, xv
- Cash, 271
- Cauchy–Schwarz inequality, 58
- Chartier, 436
- Chipman, 266, 402
- Christoffel–Darboux formula, 269
- coefficient tableau, 94
- companion matrix, 25
- compensated addition, 82
- compensated summation, 83
- conjugacy, 302
- consistency, 107, 109, 317, 320–322, 324, 326, 385, 389, 390, 396
- contraction mapping principle, 22
- convergence, 69, 107, 109, 317, 319, 322, 324, 326, 385, 387, 388, 390, 396
- Cooper, 196
- covariance, 108, 386
- Curtis, 196
- Curtiss, 105

- Dahlquist, 105, 247, 248, 320, 353, 358, 360, 361, 364, 365, 379
- Dahlquist barrier, 353, 355, 380
- Dahlquist second barrier, 358
- Daniel, 401
- Daniel–Moore barrier, 401
- DASSL, xv
- Davis, 20
- delay differential equation, 31
 - neutral, 32
- density of tree, 140
- derivative weight, 156
- difference equation, 38
 - Fibonacci, 40
 - linear, 38, 44
- differential equation
 - autonomous, 2, 150
 - chemical kinetics, 14
 - dissipative, 8
 - Euler (rigid body), 20
 - Hamiltonian, xv, 34
 - harmonic oscillator, 16
 - initial value problem, 2
 - Kepler, 4, 87, 127
 - linear, 24
 - Lotka–Volterra, 18

- many-body, 28
- method of lines, 7
- mildly stiff, 60
- Prothero and Robinson, 262
- restricted three-body, 28
- Robertson, 15
- simple pendulum, 10
- stiff, 26, 64, 74, 214, 245, 308, 313, 343, 353
- Van der Pol, 16
- differential index, 13
- differential-algebraic equation, xiv, 10, 36
- differentiation, 146
- DIFSUB, xiv
- Dirichlet conditions, 7
- DJ-reducibility, 247
- Donelson, 380
- Dormand, 198, 211
- doubly companion matrix, 436, 442

- E-polynomial, 231, 270
- eccentricity, 6
- effective order, 273, 302, 365, 436
- efficient extrapolation, 299
- Ehle, 240, 245
- Ehle barrier, 243, 244
- Ehle conjecture, 240
- elementary differential, 150, 151, 156
- elementary differentials
 - independence of, 160
- elementary weight, 155, 156
 - independence, 163
- elliptic integral, 43
- equivalence, 281
- error constant, 335
- error estimation, 79
- error estimator, 198
- error growth, 335
- error per step, 311
- error per unit step, 311
- Euler, 51
- existence and uniqueness, 22

- Fehlberg, 198, 208
- Feng, xv
- finger, 78, 241
- forest, 287
 - product, 288
- FSAL property, 211, 376

- G-stability, 343, 360, 361, 365
- Gaussian quadrature, 189, 215
- Gear, xiv, 122, 318, 368, 370, 380
- generalized order conditions, 186
- generalized Padé approximation, 400
- Gibbons, 115
- Gill, 82, 93, 180
- Gill-Møller algorithm, 82, 83
- global truncation error, 395, 412
- Gragg, 122, 380
- graph, 137
- Gustafsson, 130, 312, 313

- Hairer, xiv, xv, 77, 161, 188, 196, 220, 240, 241, 258, 267, 280, 281, 356, 358
- Hamiltonian, 5
- Hansen, 380
- Henrici, 81, 105
- Heun, 93
- hidden constraint, 37
- Higham, 82
- Hirschfelder, 105
- homomorphism, 290
- Hundsdofer, 361
- Huťa, 93, 163, 192, 194

- ideal, 300
- implementation, 128, 259
- index reduction, 13
- inherent Runge-Kutta stability, 438
- internal order, 182
- internal weights, 157
- interpolation, 131
- invariant, 35
- Iserles, 241

- Jackiewicz, 419, 426
- Jacobian, xiv
- Jacobian matrix, 27, 260, 271, 313
- Jeltsch, 247, 248

- Kahan, 82
- Kirchgraber, 338
- Kronecker product, 374
- Kutta, 93, 178, 192

- L-stability, 238, 261, 262, 270, 398
- labelled trees, 144
- Laguerre polynomial, 267

- Laguerre polynomials, 269
- Lambert, J. D., 320
- Lambert, R. J., 122, 380
- Lasagni, 276
- Legendre polynomials, 215
- Leone, 258
- limit cycles, 16
- linear stability, 397
- linear stability function, 246
- Lipschitz condition, 22, 65
- Lobatto IIIA, 376
- Lobatto quadrature, 196, 222
- local extrapolation, 198
- local truncation error, 324, 393, 412
- López-Marcos, 280
- Lotka, 18
- Lubich, xv, 220
- Lundh, 130, 312

- matrix
 - convergent, 46
 - Jordan, 47
 - power-bounded, 46
 - stable, 46
- Merson, 93, 198, 201
- method
 - Adams, 105
 - Adams–Bashforth, xiv, 105, 109, 111, 318, 331, 346, 378
 - Adams–Moulton, xiv, 91, 105, 109, 111, 330, 378
 - Almost Runge–Kutta (ARK), 128, 383, 426
 - stiff, 434
 - backward difference, 105, 330, 332
 - collocation, 252
 - cyclic composite, 380
 - DESIRE, 273, 275
 - diagonally implicit, 261
 - DIMSIM, xiv, 383, 420, 421
 - types, 421
 - DIRK, 261, 421
 - Dormand and Prince, 198, 211
 - Euler, xiii, 51, 65, 78
 - convergence, 68
 - order, 69
 - Fehlberg, 198, 208
 - Gauss, 257, 265
 - general linear, 90, 124
 - order, 280
 - generalized linear multistep, 124
 - Gill, 180
 - higher derivative, 88, 119
 - Huša, 163, 192
 - hybrid, 122, 380
 - implicit, 91
 - implicit Euler, 63, 64
 - implicit Runge–Kutta, 102
 - IRK stable, 442
 - Kutta, 192
 - leapfrog, 339
 - linear multistep, xiv, 87, 105, 107, 377
 - implementation, 366
 - order of, 329
 - Lobatto, 257
 - Lobatto IIIA, 91
 - Lobatto IIIC, 265
 - Merson, 198, 201
 - mid-point rule, 94
 - modified multistep, 122
 - multiderivative, 90
 - multistage, 88, 373
 - multistep, 88
 - multivalued, 88, 373
 - Nordsieck, 368, 371
 - Nyström, 105
 - Obreshkov, 90, 401
 - one-leg, 360, 361, 364, 379
 - PEC, 111
 - PECE, 111, 378
 - PECEC, 111
 - PECECE, 111
 - predictor–corrector, 105
 - predictor–corrector, xiv, 92, 109, 349, 378
 - pseudo Runge–Kutta, 122, 123, 380, 382
 - Radau IA, 257, 265
 - Radau IIA, 257, 265
 - reflected, 219
 - Rosenbrock, 90, 120
 - Runge–Kutta, xiii, xiv, 87, 93, 112, 319, 376
 - algebraic property, 280
 - effective order, 303
 - embedded, 202
 - equivalence class, 281, 285
 - Gauss, 238, 252
 - generalized, 292, 416
 - group, 284

- identity, 286
- implementation, 308
- implicit, 99, 213, 259
- inverse, 286
- irreducible, 282
- Lobatto IIIC, 238
- order, 162
- Radau IA, 238
- Radau IIA, 238, 252
- symplectic, 275
- Runge–Kutta (explicit), 170
 - high order, 195
 - order 4, 175
 - order 5, 190
 - order 6, 192
- SDIRK, 261, 421
- singly implicit, 266, 268, 270
- starting, 112, 318
- Taylor series, 89, 114
- underlying one-step, 337, 338, 417
- Verner, 198, 210
- weakly stable, 339
- Milne, 105, 112, 339
- Milne device, 111
- Moir, 433
- Moore, 115, 401
- Moulton, xiv, 105
- Munthe-Kaas, xv
- Møller, 82

- Neumann conditions, 7
- Newton, 214
- Newton iteration, 214, 308, 313
- Newton method, 42, 91
- non-linear stability, 248
- Nordsieck, 368, 375
- Nordsieck vector, 440
- normal subgroup, 301
- Nørsett, xv, 77, 161, 240, 241, 261, 267, 356, 358
- Nyström, 93, 105, 192

- Obreshkov, 90
- one-sided Lipschitz condition, 24, 26
- optimal stepsize sequences, 198, 308
- order, 329, 410
- order arrows, 79, 242, 243, 358
- order barrier, 187, 352
- order conditions, 95, 162
 - scalar problems, 162
- order of tree, 139
- order star, 77, 240, 241
- order stars, 356
- order web, 243

- P-equivalence, 281
- Padé approximation, 232, 244
- Padé approximation, 120
- periodic orbit, 17
- perturbing method, 302
- Petzold, xv
- Φ -equivalence, 281
- PI control, 312
- Picard iteration, 154
- Picel, 240
- powers of matrix, 46
- preconsistency, 108, 320, 385
- Prince, 198, 211
- principal moments of inertia, 21
- problem
 - discontinuous, 133
- Prothero, 262

- quotient group, 301

- Rabinowitz, 20
- Radau code, xiv
- Radau quadrature, 222
- Rattenbury, 433, 434
- reduced method, 247
- relaxation factor, 314
- Richardson, 198
- Riemann surfaces, 356
- RK stability, 420, 423, 424, 432
- Robertson, 15
- Robinson, 262
- Roche, xv
- Romberg, 199
- rooted tree, 96, 137
- Rosenbrock, 90, 120
- round-off error, 80
- rounding error, 80
- Runge, 93
- Runge–Kutta, xiv
- Runge–Kutta group, 287

- S-stability, 230
- safety factor, 310
- Sanz-Serna, xv, 276, 280
- Scherer, 220

- Schur criterion, 345, 349
- Shampine, 240
- Sheikh, 361
- similarity transformation, 316
- simplifying assumption, 171
- Singh, 426
- Skeel, 280
- Söderlind, 130, 312, 313
- stability, 107, 109, 317, 320, 322, 324, 326, 342, 385, 386, 388, 390, 396
- stability function, 76, 100, 398, 424
- stability matrix, 397, 424, 432
- stability order, 398, 399
- stability region, 74, 75, 100, 344, 398
 - explicit Runge–Kutta, 101
 - implicit Runge–Kutta, 102
- stage order, 262
- starting method
 - degenerate, 411
 - non-degenerate, 411
- Steiniger, 361
- stepsize control, 58, 112
- stepsize controller, 310
- Stetter, 122, 380
- Stoffer, 338, 418
- subgroup, 300
- super-convergence, 19
- superposition principle, 24
- Suris, 276
- symmetry, 148
- symmetry of tree, 140
- symplectic behaviour, 7

- Taylor expansion, 153, 159
- Taylor's theorem, 148
- tolerance, 308
- transformation of methods, 375
- tree, 137
- truncation error, 333
 - estimation, 390, 419
 - global, 66, 166, 168, 265, 390
 - local, 60, 66, 72, 73, 79, 112, 165, 168, 198, 309, 336, 428
 - built-in estimate, 201
 - estimate, 91

- V transformation, 254, 258
- Van der Pol, 16
- variable order, 308, 318
- variable stepsize, 130, 340, 368, 371, 419

- Verner, 196, 198, 210
- Vitasek, 82
- Volterra, 18

- W transformation, 254
- Wanner, xiv, xv, 77, 161, 220, 240, 241, 258, 267, 280, 281, 356, 358
- Watanabe, 361
- Watts, 240
- weak stability, 339
- Willers, 115
- Wright, K., 240
- Wright, W. M., 436, 438, 440, 445, 450
- Wronskian, 35

- Zahar, 115
- Zanna, xv
- zero spectral radius, 440
- zero-stability, 320