

Index

Note to the Reader: Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

A

- ABE. *See* Access-Based Enumeration (ABE)
- ABEUI.MSI file, **21**, *21*
- Accept Unsigned and Unencrypted Inbound Traffic, but Always Respond Using IPsec option, **213**
- /accepteula parameter in setup2, **243**
- access
 - to DFSN clients, **317–319**, *318*, **321–326**, *323–325*
 - in Network File System, **556–557**
 - in SharePoint Services
 - anonymous, **537**, *538*
 - request handling, **501**, **506–507**, *507*, *522*, *522*
 - subsite, **532–534**, *532–533*
- Access 2003, SharePoint Services integration with, **395**
- Access-Based Enumeration (ABE)
 - configuring, **21–22**, *22*
 - disabling, **22**
 - downloading, **20**
 - enabling, **18**
 - examples, **19–20**, *23*
 - vs. folder hiding, **17**
 - importance of, **16–17**
 - installing, **21**, *21*
 - operation, **15–16**
 - permissions, **16**, **18–19**
 - for shares, **18**
- accountname in auditusr, **60**
- ACL Editor, **675–676**
- actions
 - for quotas, **280**, **283–286**, *283*, *285–287*
 - for resources, **247–248**, *248*, *266*, *267*
- Actions pane, **247–248**, *248*, *266*, *267*
- Activate Named Pipe Firewall entry, **220**
- Active Desktop, **164**
- Active Directory (AD)
 - vs. ADAM, **669**, *669*
 - ADAM integration with, **677–682**, *678–679*
 - authentication in, **218**
 - for IPsec bypass, **114–116**
 - in NFS, **559**, **564–567**
 - for printers, **254**, *254*
 - schema
 - for NIS services, **595**
 - upgrades, **236–237**
 - Unix account association with, **607–609**, *607*
- Active Directory Application Mode (ADAM), **667** vs. Active Directory, **669**, *669*
- Active Directory integration with, **677–682**, *678–679*
- authenticating to, **681–682**
- capabilities, **667–668**, *668*
- installing, **669–672**, *671*, *673*
- objects in, **673–675**, *674–675*
- permissions, **675–676**, *675*
- querying, **676–677**, *677*
- Active Directory creation mode, **365**
- Active Directory Federation Services (ADFS), **649**
 - components, **653–654**, *654*
 - deployment design in, **652–653**, *652*
 - installing, **654–665**, *654–665*
 - standards for, **650–652**
 - technology behind, **650**
 - troubleshooting, **666**
 - working with, **665–666**, *666*
- Active Directory Sites and Services (ADSS), **322**
- Active Directory Users and Computers (DSA.MSC) tool
 - for DFSN, **328**
 - for NFS, **559**, *564*
 - for NIS map migration, **610**, *611*
 - for Password Synchronization, **637**
 - for Terminal Service clients, **152–153**, *153*, *160*
- active FTP file transfer, **106**
- active-requestor profile, **651**
- active screening types, **292**
- Active Server Pages, **224**
- active thin client sessions, **138**
- ActiveX controls
 - malware in, **26**
 - and spyware, **65**
- AD Schema Analyzer tool, **679**

- ADAM. *See* Active Directory Application Mode (ADAM)
- ADAM Administrators screen, 672
- ADAMSync tool, 680–681
- AdAware program, 44
- Add a New Path setting, 496, 497
- Add a Port dialog box, 90, 91
- Add a Program dialog box, 109
- Add and Customize Pages right, 489
- Add Clients and Client Groups dialog box, 578–579, 578
- Add Column page, 412–413, 412, 416
- Add Computer dialog box, 634, 635
- Add Content Database settings, 493, 493
- Add Folder Target dialog box, 316, 316, 320, 320
- Add Folder to Replicate dialog box, 337–338, 338
- Add IP Address or Subnet dialog box, 212, 212
- Add Item dialog box, 71–73, 72, 95–96, 95
- Add Items right, 488
- Add Members link, 508
- Add Namespace Server dialog box, 319, 319
- Add New Connection dialog box, 198, 199
- Add New Printer Filter option, 260
- add-ons, 65–68, 66
- Add Pages command, 464
- Add Printer Driver Wizard, 256
- Add Printer Wizard, 253
- Add/Remove Private Web Parts right, 489
- Add/Remove Snap-ins, 249, 249
- Add/Remove Windows Components dialog, 669
- Add Replication Groups to Display option, 342
- Add Scheduled Task option, 269
- Add Threshold dialog box, 283–286, 283, 285
- Add Users page, 519–520, 520, 525, 525
- Add Web Parts command
 - for Web Parts, 377, 380–381
 - for workspaces, 464, 465
- ADFS. *See* Active Directory Federation Services (ADFS)
- ADFS Web Agent, 653–654
- administration settings in SharePoint Services
 - central, 472–483, 472–477, 479–482, 484
 - Site Settings, 512–513
 - top-level. *See* top-level site administration in SharePoint Services
- Administrator group, 500
- adprep command, 236–237
- ADPREP tool, 559, 595
- ADSI tool
 - for ADAM, 673
 - for profiles, 160
- ADSIEdit tool, 673–675, 674–675, 681
- ADSIEdit.msc file, 337
- ADSS (Active Directory Sites and Services), 322
- Advanced settings for Web Parts, 384, 386
- advanced UNM maps, 569–571, 569–571
- Alert Frequency setting, 403–404
- Alert me option
 - for contacts, 394
 - for document libraries, 443
 - for lists, 410
- alerts
 - for contacts, 394
 - for document libraries, 443
 - email for, 404
 - for lists, 403–405, 403–405, 410
 - managing, 405
 - in SharePoint Services, 362
 - for site collections, 491
- Alerts setting, 491
- aliases map, 594, 621
- All Authenticated Users setting, 501
- All Contacts view, 397
- ALL MACHINES entry, 578
- All Printers filter, 254, 259
- Allow Anonymous Access option, 577
- Allow Authenticated IPsec Bypass option, 119
- Allow File and Printer Sharing Exception policy, 97
- Allow ICMP Exceptions option, 103
- Allow Inbound Echo Request option, 104
- Allow Incoming Echo Request option, 102
- Allow Local Port Exceptions policy, 98
- Allow Local Program Exceptions option, 111
- Allow Logging Properties option, 121
- Allow Remote Administration Exception policy, 97, 97
- Allow Remote Desktop Exception policy, 97
- Allow Time Zone Redirection option, 162
- Allow UPnP Framework Exception policy, 97
- AllowedPipes entry, 220
- analyze option in scwcmd, 231
- announcements in SharePoint Services, 362, 392
- Announcements List View Web Part, 428–431, 428–431
- anonymous access
 - IIS 6.0 for, 371
 - in SharePoint Services, 500–501, 537, 538
- anonymous RPC, 49–50
- antispyware programs, 44–45
- Appearance settings for Web Parts, 384, 386
- Application Directory, 668, 670, 671
- Application Directory Partition screen, 670, 671

- Application log
 - for NIS services, 598
 - for quotas, 283
 - application pools, 370
 - Application Server mode, 127–128
 - applications
 - templates, 454
 - in Terminal Services
 - configuring, 177–185, 183–184
 - deploying, 129–130
 - licensing, 177
 - server mode for, 127–128
 - terminating, 191–192
 - Apply a Theme to the Site link, 515–516, 516
 - Apply an Existing Security Policy option, 229
 - Apply Style Sheets right, 489
 - Apply Template Only to Derived File Screens That Match the Original Template option, 304
 - Apply Template Only to Derived Quotas That Match the Original Template option, 290
 - Apply Template to All Derived File Screens option, 304
 - Apply Template to All Derived Quotas option, 290
 - Apply theme to site link, 514
 - Apply Themes and Borders right, 489
 - Approve/reject command, 410, 410
 - Approve/reject Items view, 408, 409
 - archiving printer driver information, 256–257
 - ASP.NET, 363
 - associating AD and Unix accounts, 607–609, 607
 - attachments
 - for lists, 408
 - malware in, 26
 - Attachments setting, 408
 - attributes in ADAM, 678, 678
 - Audience setting, 417
 - Audio and Video Files file group, 293
 - Audio and Video Files setting, 300
 - Audit Policy folder, 61
 - Audit Policy settings, 203
 - Audit Successful Activities option, 222
 - Audit Successful and Unsuccessful Activities option, 222
 - auditing
 - auditusr utility
 - examples, 61–63
 - overview, 59
 - settings tracking, 63–64
 - syntax, 60–61
 - in NFS, 563, 564
 - in SCW, 220–223, 221–223
 - authentication
 - ADAM, 681–682
 - ADFS, 650
 - challenge/response, 218–219
 - IIS 6.0, 370, 371
 - IPsec, 117, 214
 - NFS, 556–557, 559–560
 - Terminal Services, 129
 - WebDAV, 57
 - Authentication policy, 117
 - authorization in ADFS, 650
 - Auto Apply Template and Create Quotas on Existing and New Subfolders option, 281–282
 - autoimmune behavior, 25
 - Automated Website Collection Management settings, 485–488, 485–487
 - automatic exceptions, 111–120, 119
 - automatic logons for Terminal Services, 147
 - automatic network printer detection, 253, 253
 - Automatically Add Network Printers dialog box, 253, 253
 - Automatically delete the site collection if use is not confirmed option, 488
 - automounter daemon, 618
- ## B
- backup and recovery
 - maps, 573
 - in SharePoint Services, 540
 - site collections, 546–550, 546, 548–551
 - SMIGRATE.EXE for, 551–554, 552–554
 - to templates, 540–546, 542–545
 - backup operation in STSADM.EXE, 547
 - backup RTM files, 10–11
 - bandwidth
 - for DFS replication, 346
 - for multiple user applications, 182
 - base 64 format, 57
 - Basic authentication, 57
 - Basic Meeting Workspace option, 462
 - Best Available Using DDC option, 146
 - BHOs (Browser Helper Objects)
 - malware in, 26
 - and spyware, 65
 - Bind as ADAM Principal method, 681
 - Bind as Windows Principal method, 681
 - Bind Using AD Proxy Object method, 681
 - binding in ADAM, 676, 677, 681–682
 - Black Ice firewall, 78
 - blacklists for CLSIDs, 69

Blank Meeting Workspace option, 462
 Blank Site option, 461
 Blaster worm
 appearance of, **25–26**
 operation of, 81–82
 boot.ini file for DEP, 37
 bootparams map, 594
 Bring to This Computer option, 149
 Browse command for Web Parts, 380
 Browse Directories right, 489
 Browse for Folder dialog box, 337, 338
 Browse for Shared Folders dialog box, 316, 316
 Browser Helper Objects (BHOs)
 malware in, 26
 and spyware, 65
 Budget Properties dialog box, 323–325, 324
 buffer for thin client sessions, 138
 buffer overflow, **25, 42**
 DEP for, **34–37, 35–36**
 handling, **33–34**
 launching, **31–32**
 perspective on, **32–33**
 for worms, **29–31**
 bugs, Patch Tuesday for, 4
 bulk uploads, 435

C

caches
 processor, 139
 in RDP, 137
 Calculated fields, 413
 Calendar view, 416, 418–419, 419
 CALs (Client Access Licenses)
 in R2, 235
 in Terminal Services, 170
 canaries for stack, 35
 Cancel Check-Out right, 488
 CDFS permissions, 583
 CDs for R2 setup, **235–236**
 central administration in SharePoint Services,
 472–473, 472–473
 components, **477–489, 479**
 data retrieval, 479
 sample settings, **480–483, 480–484**
 security, **475, 475**
 servers, **476, 476**
 virtual servers, **474, 474**
 Central Administration website, 364, 371, 372
 centralized application deployment, **129–130**
 CFR (Cross-File Replication), 354–355
 challenge/response authentication methods,
 218–219
 Change ADAM Server option, 678
 Change general settings link, 406
 change logon command, 186, 195
 Change permissions for this list link, 406
 Change Permissions page, 536–537
 change port command, 186
 Change regional settings, 503
 Change Scope dialog box, 91, 91, 110
 Change site title and description link, 514
 Change the Site Title and Description link, **515**
 Change Type setting, 403
 change user command, 134, **180–181, 186**
 channel IDs, 243
 channels, RDP, **137–138, 138**
 character translation, 562–563
 Check for Map Updates Now option, 616–617, 617
 Check for unused site collections, and send notices
 option, 487
 Check in and Check out Documents feature, 361,
 449–451, 450
 Check In dialog box, 451
 Check in file option, 450
 Check Out option, 443
 Choice fields, 412
 claims
 in ADFS, 658, 658, 661–662, 662
 in WS-Federation, **651–652**
 Class ID (CLSIDs)
 for group policy settings, **67–69**
 Registry for, 73
 Client Access Licenses (CALs), 170
 in R2, 235
 in Terminal Services, 170
 Client Connection Wizard, 148
 Client Devices settings, 161
 client groups in NFS, **580–581**
 client-side caching in RDP, 137
 clients
 DFSN
 access to, **317–319, 318, 321–326, 323–325**
 problems in, **329–330**
 NFS, 557, **584–590, 585–589**
 SCW, 202, 220
 Terminal Services
 connections, **148–152, 148–152, 162–168,**
 163–167
 creating, **145–148**
 editing, **152–153, 153**
 hardware requirements, **141–142**

- path information for, **157–162**, 159, 161–162
 - remote control settings for, **153–154**, 154
 - session time-out settings for, **155–157**, 156–157
 - in thin client sessions, **138**
- Close command for Web Parts, 377
- CLSIDs (Class ID)
 - for group policy settings, **67–69**
 - Registry for, 73
- Code Red worm, 26, 42
 - in IIS, 223
 - protection from, 33
- collaboration. *See* SharePoint Services
- columns for lists, 407, 412–413, 412, 417, 419
- Columns setting, 417
- COM (Common Object Model), 54
- COM Security tab, 54
- command line
 - exceptions from, **110**, **112**
 - for NFS clients, **589–590**
 - ping from, **103**
 - port 80 opening from, **92–93**
 - SP1 installation from, **8–11**
 - for UNM, **575–577**
 - in Windows Firewall
 - for enabling/disabling, **88**
 - for logging, **121**
- Command tab for quotas, 284, 285
- Comments field, 261
- Common Object Model (COM), 54
- communicating with SharePoint Services. *See* SharePoint Services
- compatibility
 - LM, 217–218
 - MSDTC, **52**, 52–53
 - for multiple user applications, 185
 - in Password Synchronization, 638, 639
 - scripts for, **181**
 - SP1/R2. *See* SP1/R2 incompatibilities
- component configuration
 - SharePoint Services, **477–479**, 477, 479
 - virtual server, **495**
- Components snap-in for MSDTC, 52, 52
- Computer Management tool, 152
- Computers container, 606
- configuration database, 364
- Configuration naming context, 668
- Configuration tab, 633, 634
- Configure antivirus settings, 475
- Configure connection to portal site setting, 506
- Configure data retrieval service settings link, 479, 495
- Configure default email server settings, 476
- Configure Email Server settings, **480–481**, 480
- Configure full-text search setting, 477
- Configure HTML Viewer setting, 476
- configure option in scwcmd, 230–231
- Configure Options Storage Reports tab, 276
- Configure Self-Service Site Creation settings, **485–486**, 486
- Configure Site and Workspace Creation link, 513
- Configure site collection use confirmation and deletion settings, **487–488**, 487
- Configure usage analysis processing setting, 477, **481**, 481
- Configure virtual server for central administration setting, 476
- Configure virtual server settings option, 474
- Configure Your Server Wizard
 - for SharePoint Services, 368–369
 - for Terminal Services, 143–144, 143
- Configuring Site settings, **515–517**, 516–517
- Confirmation Page, 340–341, 340–341
- Confirmation Errors page, 314, 315
- Confirmation Screen Errors tab, 314
- conflicts
 - DFSR, **357–358**
 - NIS map migration, 603–606, 604
- conflicts.log file, 604–605
- Connect Client Drives at Logon option, 161
- Connect permission, 168
- connections
 - DFSR, 331
 - RDP, 129
 - Terminal Services
 - creating, **147**
 - process, **148–152**, 148–152
 - settings, **162–168**, 163–167
 - troubleshooting, **195–197**, 196–197
 - Web Parts, **388–389**, 388–389
- Connections folder, **165**
- console tree in MMC, 247, 248
- contacts in SharePoint Services
 - adding, **396–398**, 397
 - lists for, **392–395**, 393
- Content Approval settings, **407–411**, 409–411
- content database for SharePoint Services
 - contents of, 365
 - for virtual servers, **491–493**, 491–493
- Content Editor Web Part, 382, 384–387, 385–387
- content filtering firewalls, **79**

- Contributor group, 500
 - cookies
 - for heaps, 34
 - for stack, 35
 - copy-on-write data sharing, 136
 - /copy option for tsprof, 160
 - counters for Terminal Services servers, **140–141**
 - cpprofile command, 186
 - Create a New Group Claim Extraction dialog box, 663, 664
 - Create a New Incoming Group Claim Mapping dialog box, 661
 - Create a New Outgoing Group Claim Mapping dialog box, 663, 664
 - Create a Template from File Screen option, 303
 - Create a top-level Website option, 474
 - Create Advanced Group Mapping dialog box, 572
 - Create Advanced User Mapping dialog box, 570, 570–571
 - Create Attribute option, 678
 - Create Calendar View page, 418–419, 419
 - Create Cross-site Groups right, 490
 - Create Document Workspace option, 443
 - Create Document Workspace page, 455, 456
 - Create File Group Properties dialog box, 300, 301
 - Create File Screen dialog box, 294, 294, 302–303, 302
 - Create File Screen Exception dialog box, 299–300, 299
 - Create File Screen Template dialog box, 303, 303
 - Create LDIF File option, 680
 - Create link in SharePoint Services, 376
 - Create Object screen, 675
 - Create page
 - for lists, **393**, 422–423, 423
 - for workspaces, **460–462**, 460–462, 466, 466
 - Create Quota dialog box, 280–281, 281, 286
 - Create Quota on Paths option, 281
 - Create Quota Template dialog box, 289–290
 - Create Subsites right, 489
 - Create top-level Web site page, 494
 - Create View page, 416, 416, 418
 - /createshortcut parameter in setup2, 243
 - Cross-File Replication (CFR), 354–355
 - Cross-site Groups
 - permissions for, **531–534**, 531–533
 - in SharePoint Services, **501**
 - Currency fields, 413
 - Current Virtual Server settings, 491
 - Custom Filters folder, 259
 - custom filters for printers, 252, **258–262**, 259–260
 - Custom Printer Filters section, 252
 - Custom Reports feature, 362
 - Custom Subsites feature, 362
 - Customization settings, **513–514**
 - Customize Contacts page, 406, 406, 408
 - Customize home page link, 514
 - Customize Vendors page, 425
 - Customized Shared Documents page, 436
- ## D
- /d option, **10–11**
 - DACLs (Discretionary Access Control Lists), 583
 - Data Execution Prevention (DEP), **25**, **81–83**
 - controlling, **36–37**, 36
 - motivation for, **26**
 - operation of, **34–36**, 35
 - databases
 - MSDTC, **51–52**, **203–206**, 204–206
 - SharePoint Services, **364–365**, **368**, 373, 373
 - DataScrn.sys driver, 266
 - datasheet view, 401, 416
 - Date and Time fields, 413–414, 414
 - dbgtrace command, 186
 - DBM files, 593
 - DCOM (Distributed Common Object Model), 50, **54–55**, 54–56, 349
 - DCs. *See* domain controllers (DCs)
 - de-anonymizers, purpose of, **47–49**
 - Decision Meeting Workspace option, 462
 - decommissioning root namespace servers, **327–328**
 - DEFAULT_NIS_DOMAIN variable, 620
 - Default option for DFS replication schedules, 344
 - Default Quota Template setting, 490
 - Default Time Zone setting, 490
 - Default Website Properties dialog box, 371, 372
 - DefaultMigrationContainer, 610
 - Define Custom Quota Properties option, 282
 - delegating management permissions, **326–327**
 - Delegation tab, 316
 - Delete Item command, 410
 - Delete option, 443
 - Delete Selected Members link, 508
 - Delete site collection option, 474, 494
 - Delete the web after sending X notices option, 488
 - Delete this list link, 406
 - Delete this site link, 503
 - deleting
 - library documents, 443
 - per-user settings, **63**
 - scheduled report tasks, **277**
 - Delivery tab, 268, 273

- Do Not Apply Template to Derived File Screens option, 304
 - Do Not Ask Me to Save as a Template Again option, 295
 - Do Not Delete Temp Folder Upon Exit policy, 164
 - Do Not Play option, 149
 - Do Not Use Temp Folders Per Session policy, 164
 - Document information tab, 445
 - document libraries, 361, **431–435**, 433–434
 - checking out and editing documents in, **449–451**, 450
 - customizing, **435–436**, 435
 - fields for, **436–437**
 - filters for, **448–449**
 - new documents, **446–448**, 447–448
 - settings for, **437–440**, 438–439
 - uploading documents, **440–444**, 441–442
 - version history in, 361, **451–452**, 451
 - workspaces for, **444–445**
 - Document Workspace option, 462
 - documents, 392
 - locking, 457
 - workspaces for. *See* workspaces
 - Documents and Lists link, 376
 - Documents heading on Quick Launch bar, **390–392**, 391
 - Documents tab for workspaces, 445
 - dollar signs (\$) for hidden folders, 17
 - domain account mode, 365
 - domain-based namespaces, 312–313
 - domain controllers (DCs)
 - in DFSN, 310
 - in NIS services, 595
 - Password Synchronization on, **626–627**
 - and port exceptions, **99–101**
 - in SCW, 206
 - domain profiles, **93–94**
 - domains
 - with firewalls, **85**
 - NIS, 592
 - for map migration, 603, 603
 - for services, 595
 - doors, lockable, 49
 - DOS applications, **178–179**
 - DOSKBD utility, 178
 - downstream partners, 331
 - Driver Name field, 261
 - drivers for printers, **255–257**, 255–256, 261
 - DSA.MSC (Active Directory Users and Computers) tool
 - for DFSN, 328
 - for NFS, 559, 564
 - for NIS map migration, 610, 611
 - for Password Synchronization, 637
 - for Terminal Service clients, 152–153, 153, 160
 - DSACLs editor, 675–676, 675
 - Duplicate Files reports, 269–270, 273, 276
 - dynamic data
 - buffers, **29–31**
 - program storage in, **27–28**
 - Dynamic Web Modules feature, 362
- ## E
- /e function in auditusr, 60
 - echos, ICMP, 30
 - Edit a Program dialog, 108–109, 109
 - Edit Access permission, 408
 - Edit DWORD Value dialog box, 184, 184
 - Edit in Datasheet link
 - for contacts, 394
 - for lists, **398–399**, 399–400
 - Edit in Microsoft Office Word option, 443
 - Edit Item command, 410
 - Edit Items right, 488
 - Edit Local Path dialog box, 339, 339
 - Edit Properties option, 442
 - Edit Schedule dialog box, 334–336, 335–336
 - Edit Settings dialog box, 311–312, 311
 - Edit Site Group Membership page, 519, 520
 - Edit Site Group Permissions link, 508, 509
 - Edit Template link, 436
 - Edit Template Properties option, 290
 - editing
 - document library
 - documents, **449–451**, 450
 - settings, **437–440**, 438–439
 - list items, **414–415**, 415, **430–431**, 431
 - lists, **398–399**, 399–400, **405–408**, 406–407
 - printer filters, **259**, 259
 - Web Parts, **383–389**, 383, 385–389
 - /ef function in auditusr, 60
 - Effective referral ordering method, 323
 - Ekici, Atilla, 34
 - email
 - Access Request, 508, 523, 523
 - for alerts, 404
 - FSRM report configuration for, **267–268**, 267
 - malware in, 26
 - in SharePoint Services, **366**
 - server settings for, **480–481**, 480
 - virtual server settings for, **493**
 - Email Enabled Document Libraries setting, 491
 - Email Notifications tab, 268

- Emergency Meeting workspaces, **464–466**, 465–466
 - Empty option for DFS replication schedules, 344–345
 - Enable Anonymous Access option, 665
 - Enable Extensive Logging option, 598, 599
 - /ENABLE parameter for change logon, 195
 - EnableAuthEpResolution entry, 50–51
 - enabling
 - ABE, **18**
 - quotas, **287**
 - remote administration, **198**, 198
 - Windows Firewall, 80, **86–89**, 87–88
 - encryption
 - IPsec, 210
 - LAN Manager, 218
 - NIS services, 599, 600
 - SMB signing, 216
 - Terminal Services, 129, 165
 - End Session option, 156
 - End User License Agreement (EULA)
 - for R2, 242
 - for Terminal Services, 145
 - Endpoint Mapper Client Authentication, 50
 - enumeration, ABE. *See* Access-Based Enumeration (ABE)
 - enumsites operation, 547
 - environment support by Terminal Services, **130–131**
 - Error tab for DFS replication, 341
 - Errors tab for namespaces, 314
 - /es function in auditusr, 60
 - Essebar, Farid, 34
 - /etc/fstab file, 582
 - /etc/nsswitch.conf file, 593
 - /etc/pam.d/ssod file, 631, 640–641, 644
 - /etc/pam.d/system-auth file, 640
 - /etc/passwd file, 592
 - /etc/shadow file, 631, 647
 - /etc/sso.conf file, 640–643, 645
 - /etc/vfstab file, 582, 593
 - ethers map, 594
 - EULA (End User License Agreement)
 - for R2, 242
 - for Terminal Services, 145
 - Event Handlers setting, 491
 - Event Viewer
 - for auditusr, 63–64
 - for NIS services, 598
 - for worms, 43
 - events in SharePoint Services, 392
 - Excel 2003, SharePoint Services integration with, 395
 - Exception Path setting, 300
 - exceptions
 - file screen, **299–301**, 299–301
 - port. *See* port exceptions
 - triggering, 34
 - for Windows Firewall, 81
 - automatic, **111–120**, 119
 - halting, **111–112**
 - ICMP, **101–104**, 102, 104
 - port, **89–101**, 91, 95, 97
 - program, **104–111**, 105, 109, 111
 - Exchange for IIS, 57
 - excluded managed paths, **494**
 - Executable Environment for Applications component, 135
 - Execute mode for Terminal Services, 179–180
 - /execute option for change user, 180
 - Experience tab, 151, 152
 - Expires field for announcements, 430
 - Explore Subsite Site settings, **517**, 518
 - Explorer, NFS shares in, **577–579**, 577–579
 - Explorer View for document libraries, **433–435**, 433
 - Export Contact command, 410
 - Export to spreadsheet action, 394
 - exported directories in NFS, 557
 - exporting
 - contacts, 410
 - file screen templates and file groups, **304–305**
 - lists, 394
 - per-user settings, **63**
 - quota templates, **291**
 - extending virtual servers, **474**
 - Extensible Markup Language (XML) technology
 - for reports, 272
 - for WS-Federation, 650
 - extensions for file groups, 270
 - Extracting Files dialog box, 5, 5
- ## F
- /f option, **9–10**
 - failback for DFS namespaces, **323–324**
 - fake source addresses, 41
 - Federation Server, **653**
 - Federation Server Proxy, **653**
 - fields
 - document libraries, **436–437**
 - filter, 260–261
 - lists, **411–414**, 412, 414

- File Count number in reports, 272
 - file filters in DFSR, 350
 - File Group Properties dialog box, 301
 - file groups
 - creating and editing, **300–301**, 301
 - importing and exporting, **304–305**
 - in NFS, 560, 565
 - in reports, 270
 - File ID tables, 359
 - File Locations screen, 672
 - file locking in NFS, **563**, 563
 - File Name setting, 541
 - File Replication Service (FRS), 307, **330–332**
 - monitoring, **355–357**, 356
 - process, **349–355**, 350
 - replication groups in, **332–347**, 332–341
 - troubleshooting, **357–360**
 - File Screen Audit feature, 293
 - File Screen Exception, 301
 - File Screen Properties dialog box, 294, 295
 - File Screening Audit reports, 272–273, 276, **296–298**
 - File Screening Management tool, 293, 293
 - file screens, **292–293**, 293
 - creating, **293–298**, 294–295, 298–299
 - exceptions for, **299–301**, 299–301
 - templates for, **302–305**, 302–304
 - File Server Resource Manager (FSRM)
 - configuring, **267–268**, 267
 - for file screens, 292–293, 293
 - installing, **265–266**, 266–267, 307
 - for quotas, 280–284, 281
 - filename handling in NFS, **562–563**, 562
 - Files by File Group reports, 273, 276
 - Files by Owner reports, 273, 276, 292
 - Filter Action policy, **116–117**
 - Filter Criteria tab, 259, 259
 - Filter link, 394
 - filter lists in IPsec, 210–212
 - Filter setting, **418**
 - filters
 - for contacts, 394
 - DFSR, 350
 - document libraries, **448–449**
 - firewall, **76–77**, 76, **79**
 - IPsec, 210–213, 211–212
 - lists, **402**, 402, **418**
 - for printers, 252, 254, **258–262**, 259–260
 - finding reports, **275–276**
 - FIPS Compliant security, 165
 - firewalls
 - content filtering, **79**
 - domain membership with, **85**
 - named pipe, 220–221
 - NAT, **77–78**
 - operation of, **75**
 - port-filtering, **76–77**, 76
 - software, **78–79**, **84**
 - Windows. *See* Windows Firewall
 - FirstCountMsgQPeeksSleepBadApp entry, 184
 - Flags entry, 184
 - flattemp command, 186
 - folder targets, 309, **319–321**, 320, 324–325, **327–328**, 327
 - folders
 - DFSN, 309, **315–317**, 315–317
 - filters for, 350
 - invisible. *See* Access-Based Enumeration (ABE)
 - for printers, 257
 - quotas for. *See* quotas
 - Folders to Replicate page, 337, 338
 - /forcerestart option, **9–10**
 - form libraries
 - vs. document libraries, 431
 - in SharePoint Services, 393
 - Form Web Part, **382**
 - formats for reports, **272**
 - forms for printers, 257, 257
 - FrontPage with SharePoint Services, **366**, 395
 - FRS (File Replication Service), 307, **330–332**
 - monitoring, **355–357**, 356
 - process, **349–355**, 350
 - replication groups in, **332–347**, 332–341
 - troubleshooting, **357–360**
 - FsCount attribute, 355
 - FSRM (File Server Resource Manager)
 - configuring, **267–268**, 267
 - for file screens, 292–293, 293
 - installing, **265–266**, 266–267, 307
 - for quotas, 280–284, 281
 - FSRMGMGT.EXE file, 245
 - FSUtil utility, 349
 - FTP, program exceptions with, **105–108**, 105
 - Full mesh replication, 334
 - full mesh topology, 344
 - Full option for DFS replication schedules, 344
 - functions in auditusr, 60–61
- ## G
- Gateway for NFS, 555
 - GDI (Graphical Device Interface), 48
 - General settings
 - document libraries, **437–439**
 - lists, **406–408**, 406–407

- RDP-Tcp dialog box, **165–166**, 165
 - Terminal Service connections, 148, 149
 - virtual server, **495–496**, 495
 - Generate Notifications When Usage Reaches setting, 283
 - Generate Reports in the Background option, 269
 - generic printer driver support, **128**
 - GIDs (Group IDs) in NFS, 557, 559, 565–567, 567
 - Global Version sequence numbers (GVsns), 352–353
 - Globally Unique IDs (GUIDs), 352–353
 - Go Back to List option, 396
 - Go Back to Manage Site Groups link, 508, 510
 - Go to Site Administration link, 513, 517
 - Google Toolbar, **71–73**, 72
 - gpedit.msc file, 70–71
 - GPMC (Group Policy Management Console), 118
 - GPOs (group policy objects)
 - for application deployment, 129
 - rolling out SP1 with, **12**
 - from SCW policies, **229**
 - Grant user access to the site link, 508
 - Graphical Device Interface (GDI), 48
 - Greenberg, Steve, 131
 - Group by setting, **418**
 - group claims, 658, 658
 - Group IDs (GIDs) in NFS, 557, 559, 565–567, 567
 - group maps
 - in NIS, 594
 - in UNM, **571–572**, 572
 - group policies
 - for add-ons, **66–67**
 - disabling exceptions from, 112
 - ping from, **103–104**, 104
 - port opening from, **93–98**, 97
 - program exceptions with, **110–111**, 111
 - for Terminal Services licensing, 129
 - whitelists for, **69–73**, 70, 72
 - for Windows Firewall
 - enabling/disabling, **88–89**, 88
 - logging from, **121**, 121
 - Group Policy Management Console (GPMC), 118
 - group policy objects (GPOs)
 - for application deployment, 129
 - rolling out SP1 with, **12**
 - from SCW policies, **229**
 - group SIDs in IPsec bypass, **119–120**, 119
 - groups
 - ADAM, 675, 675
 - DFSR, **332–347**, 332–341
 - file, 300
 - creating and editing, **300–301**, 301
 - importing and exporting, **304–305**
 - in NFS, 560, 565
 - in reports, 270
 - managing, **500**, **506–511**, 507–509
 - NFS, 566, 566, **580–581**
 - permissions for, **529–530**, 530
 - trusted client machines, **115–116**
 - view layouts, **418**
 - /gs compiler switch, 35
 - Guest group, 500
 - GUI
 - disabling exceptions from, 112
 - ping from, **102–103**, 102
 - port 80 opening from, **90–92**, 91
 - program exceptions from, **108–110**, 109
 - SP1 installation from, **5–7**, 6–7
 - Windows Firewall
 - enabling/disabling from, **86–88**, 87
 - logging from, **120**, 121
 - GUIDs (Globally Unique IDs), 352–353
 - GVsns (Global Version sequence numbers), 352–353
- ## H
- halting exceptions, **111–112**
 - hand-installed clean R2 builds, **237–240**, 238–239
 - handheld PCs for Terminal Services, **142**, **147–148**
 - hard drives
 - managing. *See* storage reports management
 - for Terminal Services servers, 139
 - hard quotas, 279
 - hardening, SCW. *See* Security Configuration Wizard (SCW)
 - hardware firewalls, **83–84**
 - hardware profiles, 141
 - hardware refreshes, **132**
 - hardware requirements
 - SharePoint Services, **366**
 - Terminal Services, **139–142**
 - hashes
 - DFSR, 354–355
 - LAN Manager, 217–218
 - heap
 - program storage on, **27–28**
 - protecting, **34–35**, 35
 - Help command for Web Parts, 377
 - help desk support, **132–133**
 - Help link in SharePoint Services, 376
 - hiding folders. *See* Access-Based Enumeration (ABE)

- home directories
 - ABE for, 16
 - file screens for, 293–295, 295
 - for NFS, 556
 - for quotas, 281–282, 282, 295, 295
 - for Terminal Service clients, **157–160**, 159
- Home Folders dialog box, 281–282, 282, 293–295, 295
- Home link in SharePoint Services, 376
- Home Team website, 375, 375
- host records in UNM, 574
- hosts files
 - in NFS, 558
 - for NIS map migration, 606
 - in Password Synchronization, **629–630**
- hosts map, 594
- HTML, CLSIDs in, **68–69**
- hub and spoke replication, 334
- hyperlinks
 - malware in, 26
 - in SharePoint Services, 413, 421

I

- /i function in auditusr, 61
- I/O stack, 266
- i386 folder, 12
- ICA (Independent Computing Architecture)
 - protocol, 137
- ICF (Internet Connection Firewall), 75, 82
- ICMP (Internet Control Message Protocol)
 - exceptions, **101–104**, 102, 104
 - vulnerabilities, **29–32**
- ICMP Settings dialog, 102, 102
- identity federation. *See* Active Directory Federation Services (ADFS)
- Identity Management for Unix (IDMU), 245, 559, **596–599**, 596–600, 610
- IDMU-Password Synchronization console, 632
- IDMUMGMT.MSC tool, 598, 601, 610–612, 614–617, 619–620
- /if function in auditusr, 60, 62
- IIS (Internet Information Services)
 - program exceptions for, **105**
 - security for, 203, **223–226**, 224–226
 - for SharePoint Services, 363, **369–371**, 370–372
 - for WebDAV, 57
- Image Web Part, 383
- images in thin client sessions, 135, 137
- immune systems, 25, 34
- Import command, 380
- Import Contacts link, 394
- importing
 - ADAM data, 678, 678
 - contacts, 394
 - file screen templates and file groups, **304–305**
 - quota templates, **291**
 - Web Parts, 380
- Importing LDIF Files dialog, 672
- Incident folder, 275, 286
- Include Content setting, 541
- included managed paths, **494**
- incoming packets for Windows Firewall, **80–81**
- incompatibilities, SP1/R2. *See* SP1/R2 incompatibilities
- incomplete connections and IP stack, **42–44**
- Independent Computing Architecture (ICA)
 - protocol, 137
- InfoPath 2003, SharePoint Services integration
 - with, 396
- input validation, **29–31**
- Install mode for Terminal Services, 179–181
- /install option for change user, 180–181
- installing
 - ABE, **21**, 21
 - ADAM, **669–672**, 671, 673
 - ADFS, 654–665, 654–665
 - DFS Management snap-in, **307–309**, 308–309
 - FSRM, **265–266**, 266–267, 307
 - multiple user applications, **179–182**
 - Password Synchronization
 - on domain controllers, **626–627**
 - PSWDSYNC, **632–637**, 633–635, 637
 - PMC, **252–253**, 252
 - printer drivers, **256**
 - Services for NFS, **560–561**, 560–561
 - SharePoint Services
 - overview, **366–367**
 - typical install, **368–374**, 369–374
 - SP1, **5**
 - command line, **8–11**
 - GUI, **5–7**, 6–7
 - SSOD, **639–644**, 643
 - Terminal Server Licensing tool, **173–174**, 173
- integrating
 - AD with ADAM, **677–682**, 678–679
 - SharePoint Services and Microsoft Office 2003, **395–396**
 - SP1, **12–13**

Interactive folder, 275
 Internet Connection Firewall (ICF), 75, 82
 Internet connections, firewalls for, 85
 Internet Control Message Protocol (ICMP)
 exceptions, **101–104**, 102, 104
 vulnerabilities, **29–32**
 Internet Data Connector, 224
 Internet Information Services (IIS)
 program exceptions for, **105**
 security for, 203, **223–226**, 224–226
 for SharePoint Services, 363, **369–371**, 370–372
 for WebDAV, 57
 interprocess communications (IPCs), 48
 Intersite Topology Generator (ISTG), 330
 intranets, 43
 invisible folders. *See* Access-Based Enumeration (ABE)
 IP addresses, 41
 firewalls for. *See* firewalls
 for Terminal Services, 146
 IP Filter List policy, **116**
 IP packets
 layout of, 41
 with Windows Firewall, **80–81**
 IP Security Monitor, **117–118**
 IP stack, 39
 and antispyware programs, **44–45**
 and incomplete connections, **42–44**
 and raw sockets, **40–42**
 and TCP/IP, **39–40**
 IPCs (interprocess communications), 48
 IPsec
 for firewalls, 78
 port lockdown with, **209–214**, 209–215
 IPsec bypass, 79, **112–113**
 operation, **113–114**
 setting up, **114–120**, 119
 /is function in auditusr, 60, 62
 Is Shared field, 262
 ISTG (Intersite Topology Generator), 330
 Item Level Permissions setting, 408
 Item Limit setting, 418
 Items right, 488
 IUSR accounts, 226

J

jobs, print, **258–262**, 258–260
 Jobs in Queue field, 261
 journal wraps, **358–360**

K

Keep checked out option, 450
 Kerberos authentication, **117**, 214
 keyboard shortcuts in Terminal Services, 150
 killing applications, **191–192**
 Knowledge Base for CLSIDs, **69**

L

LAN Manager hashes, 217–218
 Large Files reports, 273, 276
 Layout settings for Web Parts, 384, 386
 LDIF (Lightweight Directory Interchange Format)
 files, 672
 LDIFDE tool, 679
 LDP tool, **676–677**, 677
 Least Recently Accessed Files reports, 273, 276
 Least Recently Used (LRU) algorithm, 137
 levels, DEP, 36
 libraries
 backing up, 545
 document. *See* document libraries
 form, 393, 431
 licensing for Terminal Services, **128–129**, 144, **169**
 application, 177
 clients, **163**, 163–164
 models for, **169**, 169
 session, **169–172**
 Terminal Server Licensing tool, **172–176**,
 172–173
 Lightweight Directory Interchange Format (LDIF)
 files, 672
 Link targets in DFSN, 309
 linking
 firewall client machines and servers, **116–119**
 quota templates, **289–290**
 links
 DFSN, 309
 SharePoint Services, 392
 for workspaces, 445
 Links tab, 445
 List in the Directory option, 254
 List View Web Part, **427–431**, 428–431, 457
 Lists heading on Quick Launch bar, **390–392**, 391
 lists in SharePoint Services, 362, **392–396**
 adding items to, **396–398**, 397
 alerts for, **403–405**, 403–405
 backing up, 545
 contacts, **392–395**, 393

- Content Approval settings for, **408–411**, 409–411
 - custom, **422–427**, 423–424, 426–427
 - editing, **398–399**, 399–400, **405–408**, 406–407
 - editing items in, **414–415**, 415, **430–431**, 431
 - fields for, **411–414**, 412, 414
 - filtering, **402**, 402, **418**
 - List View Web Part, **427–431**, 428–431
 - permissions for, **488–490**, **534–540**, 535–539
 - totals for, **401**, 401
 - views for, **415–422**, 416–417, 419–422
 - LM authentication, 218–219
 - LM compatibility level, 217–218
 - Load Base Schema option, 680
 - Local Accounts on the Remote Computers option, 219
 - Local Path of Budget on Other Members page, 339, 339
 - Local Resources tab, 149, 150
 - Location field, 262
 - lockable doors, 49
 - lockdown, port, **209–214**, 209–215
 - locking
 - documents, 457
 - NFS files, **563**, 563
 - SharePoint Services settings for, 478, 479, **482–483**, 482
 - Log tab for quotas, 284, 285
 - Logging settings, 477
 - Logging tab, 598, 599
 - login limits in remote administration, 199
 - logoff command, 186
 - Logoff permission, 168
 - Logon permission, 168
 - logs
 - for alerts, 284, 285
 - for file screens, 297
 - for NIS services, 598, 599
 - for quotas, 283
 - for SharePoint Services, 477
 - for Windows Firewall, **120–121**, 121
 - Lookup fields for lists, 413
 - LRU (Least Recently Used) algorithm, 137
- ## M
- Madden, Brian, 180
 - mainframe paradigm for Terminal Services, **133**
 - Makefile directory, 642–644, 647
 - malware, **26**
 - man-in-the-middle attacks, 215
 - Manage Add-ons dialog box, 65–68, 66
 - Manage blocked file types option, 475
 - Manage content database page, **491–493**, 491–493
 - Manage Folders option, 257
 - Manage List Permissions right, 488
 - Manage list template gallery option, 503
 - Manage Lists right, 488
 - Manage My Information settings, **514–515**
 - Manage Pages command, 464
 - Manage Permission Inheritance link, 517, 518
 - Manage Personal Views right, 489
 - Manage Quota Templates settings, **482–483**, 482
 - Manage quotas and locks settings, 478, 479, 483
 - Manage request access link, 506, 538
 - Manage security settings, 489
 - Manage site collection owners option, 475
 - Manage Site Collections Quotas and Locks settings, 483
 - Manage Site Groups page, **506–511**, 507–509, 530
 - Manage Site Groups right, 489
 - Manage site template gallery option, 503
 - Manage sites and workspaces link, 502, 512
 - Manage user alerts setting, 503
 - Manage user rights, **488–490**
 - Manage Users page, 512, 519, 519, 525–526, 526
 - Manage Web Discussions setting, 502
 - Manage Web Part gallery option, **503**
 - Manage Web server list setting, 476
 - Manage Website right, 489
 - Manage Website users option, 475
 - Manage Your Server page, 143–144, 144, 240, 240
 - Manage Your Server window, 370
 - managed paths, **494**, **496–498**, 497–498
 - Management and Statistics settings, **502–503**, 502
 - management permissions in DFSN, **326–327**
 - Map Network Drive tool, 586
 - Map Updates link, 598
 - MAPADMIN tool, **574–577**
 - .maphosts file, 572–573
 - mapnames.txt file, 613
 - mapping
 - names. *See* User Name Mapping (UNM)
 - Terminal Service client resources, **161–162**, 161–162
 - Unix accounts to Windows user accounts, 559
 - maps, NIS, **592–595**
 - migrating, **600**
 - associating AD and Unix accounts, **607–609**, 607
 - modifying map data, **620–622**
 - NIS2AD for, **609**

- nonstandard, **618–620**, 619
- post-migration tour and testing, **610–612**, 610–612
- trial, **600–607**, 601–605
- propagating to Unix subordinates, **616–617**, 617–618
- Maps map, 594
- Mark All Non-present Elements as Included option, 680
- masks in IPsec, 212
- master servers, NIS, 592, 612–614
- Maximum Upload Size setting, 490
- meeting workspaces, **462–468**, 463–468
- Member Availability Notification feature, 362
- /MemberListFile attribute, 356
- Members tab for workspaces, 445
- MemName attribute, 355
- memory
 - for Terminal Services servers, **135–136**, 139
 - worms in, **26–28**, 27
- memory sticks, **123–125**
- Message permission, 168
- metadata for document libraries, 436
- Microsoft Distributed Transaction Coordinator (MSDTC)
 - compatibility issues, **52**, 52–53
 - operation, **51**
- Microsoft Identity Management for Unix, 633
- Microsoft License Pak (MLP), 170
- Microsoft Management Console (MMC) 3, **247–249**, 248–249
- Microsoft Office 2003 integration in SharePoint Services, **395–396**
- Microsoft Product Code, 243
- Microsoft Update, 5
- Migration Wizard, **600–607**, 601–605, 619–620, 619
- Minimize command for Web Parts, 377
- MinNTFSJournalSizeInMB attribute, 358
- mixed build types for R2, **242–243**
- mixed environment in DFSN, **328–330**
- MLP (Microsoft License Pak), 170
- MMC (Microsoft Management Console) 3, **247–249**, 248–249
- mobile thieves, **123–125**
- mock replication groups, 347
- Modify item-level security link, 537
- Modify Permissions page, 536, 536
- Modify settings and columns action, 394
- Modify Shared Page link, 376, 383
- Modify Shared Web Part command, 377
- Modify Shared Web Parts command, 377
- Modify site content link, 514
- Monitor 200 GB Volume Usage template, 288
- Monitor 500 MB Share template, 288
- monitoring
 - DFSR, **355–357**, 356
 - print job status, **258–262**, 258–260
- morph conflicts, DFSR, **357–358**
- Most Recently Accessed Files reports, 273, 276
- mount command, 582, 589
- mounting NFS shares, **586–588**, 587–589
- moving Web Parts, **378–379**, 379
- MPS folder, 454
- MS-ADAMSyncConf.XML file, 680
- MS-AZMan.LDF file, 672
- MS-InetOrgPerson.LDF file, 672
- MS-User.LDF file, 672
- MS-UserProxy.LDF file, 672
- MSDTC (Microsoft Distributed Transaction Coordinator)
 - compatibility issues, **52**, 52–53
 - operation, **51**
- msg utility, 186, **190–191**
- MsgQBadAppSleepTimeInMillisec entry, 184
- MSSQL\$SHAREPOINT service, 373
- Multipage Meeting Workspace option, 462
- multiple file uploading to document libraries, 440, 441–442
- multiple lines for lists, 412
- multiple password synchronization, **632**
- multiple report generation, 269
- multiple UNM servers, **573–574**, 573–574
- multiple users
 - adding, **524–526**, 525–526
 - applications for, **179–182**
 - environment configuration for, **177–185**, 183–184
- Multipurpose replication group option, 332
- Multiuser Windows. *See* Terminal Services
- MultiWin product, 127
- Muus, Mike, 29–30
- My alerts on this site link, **514–515**
- My submissions view, 408

N

- Name and Description setting, 407
- Name and Domain page, 333, 333
- name mapping. *See* User Name Mapping (UNM)
- Name setting for list views, 417
- named pipe firewalls, 220–221

- Namespace Name and Settings dialog box, 311–312
- Namespace roots in DFSN, 309
- Namespace servers in DFSN, 309, 316
- Namespace tab, 316
- namespaces. *See* Distributed File System
 - Namespace (DFSN)
- NAT firewalls, 77–78
- navigating subsites, 468–471, 469, 471
- Navigation setting for lists, 407
- netgroup map, 594
- netid map, 594
- netmasks map, 594
- netsh firewall show state command, 86–87
- netstat command, 89–90
- NetWare operating system, 48
- network cards, 139
- Network DTC Access option, 52
- Network File System (NFS), 555–556
 - access in, 556–557
 - Active Directory lookups for, 564–567
 - auditing in, 563, 564
 - authentication in, 556–557, 559–560
 - client components for, 584–590, 585–589
 - file locking in, 563, 563
 - filename handling in, 562–563, 562
 - operation, 557–558
 - permissions, 583–584, 583–584
 - server settings, 561, 562
 - service installation for, 560–561, 560–561
 - shares, 556, 577–582, 577–579
 - user name mapping in. *See* User Name Mapping (UNM)
- Network Information Service (NIS), 568, 591
 - concepts, 591–594
 - IDMU for, 596–599, 596–600
 - maps and map migration in, 600
 - associating AD and Unix accounts, 607–609, 607
 - modifying map data, 620–622
 - NIS2AD for, 609
 - nonstandard, 618–620, 619
 - post-migration tour and testing, 610–612, 610–612
 - propagating to Unix subordinates, 616–617, 617–618
 - trial, 600–607, 601–605
 - master servers in, 592, 612–614
 - in Password Synchronization, 628, 638, 639, 646–647, 646
 - services for, 594–595
 - subordinate servers, 614–617, 615–618
- Network Location Awareness (NLA) Service, 94
- network printer detection, 253, 253
- Network Security settings in SCW, 203
- networks, Terminal Services, 197
- networks map, 594
- New Alert page, 403, 405
- New Document link, 446
- New Document Workspace Home page, 468, 528, 528
- New Folder dialog box, 315–316, 315–316
- New Item link, 394
- New Namespace Wizard, 310–314, 310–311, 313–315
- New Replication Group Wizard, 332–342, 332–335, 337–341
- New Row link, 398
- New SharePoint Site page, 527
- NFS. *See* Network File System (NFS)
- NFS Management tool, 574
- NFS Share Permissions dialog box, 578, 578
- NFSADMIN command, 563
- NFSMGMT.MSC file, 585
- NFSSHARE command, 579–580
- nfssvc.exe process, 557
- Nimda worm
 - in IIS, 223
 - protection from, 33
- NIS. *See* Network Information Service (NIS)
- NIS Map Selection dialog box, 619
- NIS_SERVER variable, 620
- nis2ad.log file, 606, 609, 620
- NIS2AD tool, 600, 604, 607–609, 620
- nisadmin tool, 615–617
- nismap command, 615, 619, 621–622
- nispaswd command, 646
- NLA (Network Location Awareness) Service, 94
- nlockmgr service, 558
- No topology replication, 334
 - /NoExecute parameter, 37
- nonexecutable heaps, 34, 35
- nonstandard maps in NIS, 602, 618–620, 619
 - /norestart option, 9
- notifications
 - for program exceptions, 108
 - for quotas, 280, 283–286, 283, 285–287
- NT hashes, 218
- NT virtual DOS machines (NTVDMs), 136
- NTFS permissions, 583–584, 583–584
- NthCountMsgQPeeksSleepBadApp entry, 184

NTLM authentication, 218–219
 NTVDMS (NT virtual DOS machines), 136
 Number fields for lists, 413
 NX bit, 34, 35

O

/o option, 9
 Object IDs (OIDs), 678
 Office 2003 integration in SharePoint Services, 362, 395–396
 Office Files file group, 293
 on-demand reports, 272
 100 MB Limit template, 288
 Online gallery, 380
 Online Web Part Gallery setting, 490
 Open License, 170
 Open Ports and Approve Applications page, 209, 210, 213
 open requests, limits on, 43
 Open Systems Interconnection (OSI) model, 39–40
 Open the Advanced Properties for This Task When I Click Finish option, 269–270
 operating system mixing in DFSN, 328–330
 Orientation Pane for namespaces, 314
 OSI (Open Systems Interconnection) model, 39–40
 OUs, applying policies to, 230
 Outbound Authentication Methods page, 219, 219
 outgoing traffic for Windows Firewall, 80
 Outlook 2003, SharePoint Services integration with, 395
 Override referral ordering method, 325
 overwriting
 accounts in NIS map migration, 604
 non-Microsoft files in SP1 installation, 9

P

/p parameter in setup2, 243
 packets
 layout of, 41
 with Windows Firewall, 80–81
 Page View Web Part, 382
 pages, read-only, 34
 PAMs (pluggable authentication modules), 631, 644–645, 647
 parallel ports, 257
 partner account organizations, 660–663
 partners in DFSR, 331
 passive FTP file transfer, 107
 /passive option in SP1 installation, 8
 passive-requestor profile, 651

passive screening types, 292
 passwd map, 594
 Password Synchronization service, 598, 622, 625–626
 concepts, 626
 installing
 on domain controllers, 626–627
 PSWDSYNC, 632–637, 633–635, 637
 multiple, 632
 platform support for, 628
 policies for, 627
 Unix to Windows, 630–631, 631, 644–645
 user names in, 627
 Windows to Unix, 628–630, 629–630, 638–644, 639, 643
 PasswordPropAllow group, 637
 PasswordPropDeny group, 637
 passwords
 ADAM, 675
 LAN Manager, 218
 NFS, 557, 559–560, 565
 NIS, 599, 622
 Patch Tuesday, 4
 patches for buffer overflow, 33
 paths
 for file screen exceptions, 300
 for multiple user applications, 182
 for quotas, 281
 for Terminal Service clients, 157–162, 159, 161–162
 in virtual server configuration, 494, 496–498, 497–498
 PC clients for Terminal Services, 142, 145
 PC-unfriendly environment support by Terminal Services, 130–131
 PCs, applying policies to, 230–231
 PDC emulators, 320
 Peak Usage quota data, 292
 Per Device licensing, 163, 171–172
 per-user auditing
 examples, 61–63
 overview, 59
 settings tracking, 63–64
 syntax, 60–61
 Per User licensing, 163, 172
 Perazzoli, Lou, 244
 performance
 remote administration, 199
 Terminal Services servers, 140–141
 perimeter firewalls, 83

permissions

- ABE, 16, **18–19**
- ADAM, **675–676**, 675
- DCOM, 54–55, 54–56
- DFSN, **326–327**
- document libraries, 443
- NFS, **583–584**, 583–584
- NTFS, **583–584**, 583–584
- SCW audit setting, 221, 221
- SharePoint Services, **518**
 - for adding users, **519–529**, 519–523, 525–529
 - for Cross-site Groups, **531–534**, 531–533
 - for lists, 406, 408, **534–540**, 535–539
 - for site groups, **529–530**, 530
 - testing, **521–524**, 522–523, **526–529**, 527–529, **538–539**, 539
 - top-level site administration, **498–501**, **506–511**, 506–509, 512
- Terminal Services
 - clients, **166–168**, 166–167
 - troubleshooting, 197
- Permissions for Share dialog box, 312, 312
- Person Name Smart Tag and Presence settings, 490
- Person Name Smart Tags, **457**, 490
- personal firewalls, 78
- Personal View command, 378
- Picture fields for lists, 413
- Picture Manager, SharePoint Services integration with, 396
- Pictures heading on Quick Launch bar, 390
- ping of death, 32
- ping program, 29–30
 - from command line, **103**
 - from group policy settings, **103–104**, 104
 - from GUI, **102–103**, 102
 - ICMP exceptions for, **101–104**, 102, 104
- pipe firewalls, 220–221
- pluggable authentication modules (PAMs), 631, **644–645**, 647
- PMC. *See* Print Management Console (PMC)
- PMCMGMT.EXE file, 245
- policies
 - group. *See* group policies
 - Password Synchronization, **627**
 - SCW, 203, **228–231**
 - Terminal Service clients, 157, 157
- polls
 - for DFS namespaces, 320
 - in SharePoint Services, 362

pools

- application, 370–371
- UNM, 568, **574–575**
- port exceptions, **89**
 - and domain controllers, **99–101**
 - limitations of, **99**
- port opening
 - from command line, **92–93**
 - from group policy settings, **93–96**
 - from GUI, **90–92**, 91
- for RPC, **100–101**
- selecting, **89–90**, **98–99**
- for Windows Firewall, 81
- port-filtering firewalls, **76–77**, 76
- ports
 - ADAM, 670, 671
 - FTP, **106–107**
 - lockdown, **209–214**, 209–215
 - printer settings, **257–258**
 - RPCs, 557–558
- Ports screen, 670, 671
- Post-Setup Security Updates page, 238–240, 239
- post-SP1 reboot, **9–10**
- power costs in Terminal Services environments, **131**
- /POWERDOWN parameter for tsshutdn, 194
- PowerPoint 2003, SharePoint Services integration with, 395
- preinstalling SP1, **12–13**
- preunpacking SP1, **11**
- Primary Member page, 337, 337
- Print Management Console (PMC), 236, **251**
 - adding printers with, **253–254**, 253–255
 - installing, **252–253**, 252
 - for job status, **258–262**, 258–260
 - overview, **251–252**, 252
 - for port settings, **257–258**
 - for printer drivers, **255–257**, 255–256
 - for queue management, **262–263**, 263
 - for remote print servers, **263**, 263
- Print Management Role, **252–253**, 252
- print servers
 - listing, 252
 - remote, **263**, 263
- Printer Name field, 261
- printers
 - adding, **253–254**, 253–255
 - deploying, **254**, 254–255
 - drivers, **128**, **255–257**, 255–256, 261
 - job status monitoring, **258–262**, 258–260
 - for Terminal Services, **128**

Printers Not Ready option, 259
 Printers with Jobs filter, 259, 262
 priority of DFS namespace targets, 324–325
 private network addresses, 77
 process IDs, 136, 187–189
 Processes tab, 188, 188
 Processing settings, 477–478
 % Processor Time counter, 140
 processors
 for multiple user applications, 182–183
 for Terminal Services servers, 139
 Product Code, 243
 product keys, 241, 242
 /productkey parameter in setup2, 243
 profiles
 standard vs. domain, 93–94
 for Terminal Services, 141, 157–160, 159
 WS-Federation support for, 651
 program exceptions, 81, 89, 104
 from command line, 110
 with group policies, 110–111, 111
 from GUI, 108–110, 109
 notifications for, 108
 selecting, 104–108, 105
 Programs tab, 151, 151
 promoting NIS subordinates to masters,
 615–616, 616
 propagating
 NIS maps to Unix subordinates, 616–617,
 617–618
 passwords. *See* Password Synchronization
 service
 protocols map, 594
 psadmin command, 635–636, 639
 psgetsid trusted command, 120
 PSWDSYNC service. *See* Password
 Synchronization service
 Publish to Source Location page, 459, 459

Q

/q option for tsprof, 160
 Query Information permission, 168
 /query option
 for change logon, 195
 for change user, 180
 query process command, 186
 query session command, 186
 query termserver command, 186
 query user command, 186
 querying ADAM, 676–677, 677

queue management, 262–263, 263
 Queue Status field, 261
 Quick Launch bar, 390–392, 391
 /quiet option
 in setup2, 243
 in SP1 installation, 8
 Quota Properties dialog box, 282–283, 282, 286–287
 Quota.sys driver, 266
 Quota Templates settings, 478, 479
 Quota Usage reports, 273, 276
 quotas, 279–280
 creating, 280–283
 disabling and enabling, 287
 notification thresholds and actions, 283–286,
 283, 285–287
 SharePoint Services, 478, 479, 482–483, 482
 templates, 287–291, 291
 viewing, 291–292, 292

R

/r function in auditusr, 61
 R2
 domain controllers, 559
 NFS client, 584–586
 setup for
 AD schema upgrades in, 236–237
 CDs for, 235–236
 hand-installed clean builds, 237–240,
 238–239
 installation options for, 237
 mixed build types for, 242–243
 server management in, 240–241, 240
 Setup2.exe for, 241–244, 241–242
 for SharePoint Services, 363–364
 on XP, 244–245
 /ra function in auditusr, 61
 RAM, worms in, 26–28, 27
 raw sockets, 40–42
 RDC (Remote Differential Compression), 330, 354
 RDP (Remote Desktop Protocol), 137–138, 138
 clients, 129, 145
 connections, 129
 RDP-Tcp dialog box, 165–166, 165–166
 Read Access permission, 408
 read-only devices, 123–125
 read-only pages, 34
 Reader group, 500
 /REBOOT parameter for tsshutdn, 194
 reboots, post-SP1, 9–10

- Record File Screening Activity in Auditing
 - Database option, 296–297
- recovery. *See* backup and recovery
- referral ordering method, **322–325**, 323–324
- Referral tab, 323, 324
- RefMemName attribute, 355
- Refresh Data link, 399
- refreshes, hardware, **132**
- regional settings, 503
- register command, 186
- Registry entries
 - anonymous RPC, 50
 - DFSN, 330
 - group policies, 73
 - MMC, 249
 - multiple user applications, **179–185**, 183–184
 - R2 setup, 236
 - root namespace servers, 328
 - SCW, 203, **215–221**, 215–217, 219–221
 - USB devices, 124–125
 - WebDAV, 57
- Release To Manufacturing (RTM) version, 3
- Remote Control permission, 168
- remote control in Terminal Service clients, 127, **130**
 - connections, 129, **198–199**, 199
 - enabling, **198**, 198
 - operation, **199–200**
 - RDP for, **137–138**, 138, **145**
 - settings, **153–154**, 154
- Remote Desktop client, 148
- Remote Desktop Connection, 148–152, 148–152, 161, 198
- Remote Desktop Protocol (RDP), **137–138**, 138
 - clients, 129, **145**
 - connections, 129
- Remote Desktops tool, 198
- Remote Differential Compression (RDC), 330, 354
- remote mapping requests, **572–573**
- remote operations in SCW, 204, 204
- remote print servers, **263**, 263
- Remote Procedure Calls (RPCs), **49–51**
 - in NFS, 557
 - ports for, **100–101**
- remote SCW policies, 229
- Remove Content Database settings, 493
- Remove Windows SharePoint Services from
 - virtual server settings, 493–494
- Rename Folder dialog box, 327, 327
- Rename option, 604
- Rename User dialog box, 607, 607
- renaming
 - DFSN folder targets, 327, 327
 - migrated files, 604, 607, 607
- Replica_GUID.XML file, 348
- Replicate Folder Wizard, 341
- replicated folders, 331
- replication, DFS, **307**
 - DFSN after, **348**
 - monitoring, **355–357**, 356
 - process, **349–355**, 350
 - troubleshooting, **357–360**
- Replication Delay message, 341, 341
- Replication Group and Replication Folder name
 - page, 342
- Replication Group Members page, 333, 333
- Replication Group Schedule and Bandwidth page, 334, 335
- Replication Group Type page, 332, 332
- replication groups, **332–347**, 332–341
- RepName attribute, 355
- Report Locations tab, 275
- Report Parameters dialog box, 298, 298
- Report tab, 285–286, 286
- Report Totals section, 270
- reports
 - DFSR, **356–357**, 356
 - file screens, **296–298**, 298–299
 - finding, **275–276**
 - generating, **268–272**, 268, 270–272
 - quotas, 285–286, 286, **291–292**, 292
 - scheduling, **273–275**, 274–275, **277**
 - SCW, **214**, 215
 - troubleshooting, **276**
 - types of, **272–273**
- Request Signing option, 213
- Require secondary contact setting, 486
- Require Signing option, 213
- Require SMB Signing setting, 216
- reset command, 186
- reset session command, 193–194
- resource mapping, **161–162**, 161–162
- restartable services, 669
- Restore User Name Maps dialog box, 574, 574
- restores
 - SMIGRATE.EXE for, **553–554**, 554
 - STSADM.EXE for, 547, **550**, 550–551
- Restrict Remote Access to This Port to Only the
 - Following Remote Addresses setting, 211
- Restrict Terminal Services Users to a Single
 - Remote Session setting, 164

- RestrictRemoteClients entry, 50–51
 - return addresses on stack, 29
 - Review Settings and Create Namespace page, 313–314, 313
 - Review Settings and Create Replication Group page, 339–340, 340
 - Reviews view, 420–421, 420–422
 - RgName attribute, 355
 - Rich Text Editor, 384, 385
 - roaming profiles, 157–160, 159
 - role-based permissions
 - in SCW, 202
 - in SharePoint Services, 362
 - role-based security configuration, 202
 - roles in SCW, 202, 206–207, 207
 - rollback option in scwcmd, 231
 - root servers, 309, 327–328
 - root targets, 319–322, 319
 - Roots in DFSN, 309
 - round-robin for host records, 574
 - routers, firewalls for. *See* firewalls
 - rpc map, 594
 - rpcinfo command, 561, 612
 - RPCs (Remote Procedure Calls), 49–51
 - in NFS, 557
 - ports for, 100–101
 - RPCSS.DLL file, 81–82
 - RTM files, backup, 10–11
 - rules
 - firewall, 77, 80–81
 - IPsec, 210–214
- S**
- SAML (Security Assertion Markup Language) standards, 650
 - Sasser worm, 33
 - Save Custom Properties as a Template dialog box, 286, 287, 294, 295
 - Save list as a template link for lists, 406
 - Save Site as Template page, 502, 541, 542
 - Save the Custom File Screen without Creating a Template option, 295
 - Save the Custom Properties as a Template option, 295
 - saved reports, finding, 275–276
 - saving document library documents, 446–447, 447
 - Schedule a New Report Task option, 273
 - Schedule a Task Wizard, 269
 - Scheduled folder, 275
 - schedules
 - DFS replication, 331, 334–336, 335–336, 344–347
 - report, 273–275, 274–275, 277
 - Scheduling Reports to Run option, 273
 - schema
 - Active Directory
 - for NIS services, 595
 - upgrades, 236–237
 - ADAM, 668
 - R2, 235
 - scope of SCW, 202–203
 - screening types, 292
 - screens, file, 292–293, 293
 - creating, 293–298, 294–295, 298–299
 - exceptions for, 299–301, 299–301
 - templates for, 302–305, 302–304
 - scripts, compatibility, 181
 - SCSI disks for Terminal Services servers, 139
 - SCW. *See* Security Configuration Wizard (SCW)
 - SCW viewer, 205, 205, 229
 - scwaudit.inf file, 222
 - scwcmd command, 229–230
 - SDDL (Security Descriptor Definition Language), 119
 - Search command for Web Parts, 380
 - searching in SharePoint Services, 376
 - security
 - MSDTC, 52, 53
 - SCW. *See* Security Configuration Wizard (SCW)
 - SharePoint Services, 475, 475, 488–490
 - Terminal Services, 152, 152, 164
 - Security Assertion Markup Language (SAML) standards, 650
 - Security Associations folder, 118
 - Security Configuration dialog box, 52, 53
 - Security Configuration Wizard (SCW)
 - audit settings, 221–223, 221–223
 - database and system information, 203–206, 204–206
 - finishing up, 226–228, 227–228
 - for IIS, 223–226, 224–226
 - installing, 202
 - policies, 228–231
 - port lockdown with, 209–214, 209–215
 - progress reports, 214, 215
 - Registry for, 215–221, 215–217, 219–221
 - scope, 202–203
 - services, 206–208, 206–209
 - test systems for, 202
 - warning for, 201–202
 - Security Descriptor Definition Language (SDDL), 119

- Security Identifiers (SIDs)
 - in file screen reports, 297
 - in IPsec bypass, **119–120**, 119
- Security log
 - for auditusr, 63–64
 - for SCW, 223
- Select Format dialog, 212
- Select from virtual server list link, 494
- Select Server Roles page, 207, 207
- Select Users, Contacts, or Computers dialog box, 115
- self-healing journal wraps, 359
- Self-Service Site Creation settings, **485–486**, 527
- SelfSSL utility, 656
- Send Alerts To setting, 403
- Send E-mail to the Following Administrators option, 284
- Send E-mail to the User Who Exceeded the Threshold option, 284
- Send email notifications to owners of unused site collections setting, 487
- Send User Name and Password in Email setting, 491
- Send Warning to Event Log option, 284
- sending messages in Terminal Services Manager, **190–191**
- server-based computing, 127, 133
- server farm installations, **366**
- Server for NFS Authentication component, 559
- Server for NIS component, 598
- Server for NIS Properties dialog box, 598, 599
- Server Name field, 261
- server policy in IPsec bypass, **117**
- Server Role page, 368, 369
- Server service, ABE. *See* Access-Based Enumeration (ABE)
- Server Settings folder, 162, 163
- Server-side includes (SSIs), **225**
- servers
 - firewalls for, **84–85**
 - namespace, 310–311, **310–311**
 - in NFS, **561**, 562
 - print, 252, **263**, 263
 - in R2 setup, **240–241**, 240
 - in remote administration, 199
 - in SharePoint Services, **476**, 476
 - in Terminal Services, **139–141**
 - UMN, **573–574**, 573–574
 - virtual. *See* virtual server configuration
- Service Account Selection screen, 672
- Service Packs
 - for SharePoint Services, **369**
 - for spyware, **65–66**, 66
- services
 - NIS, **594–595**
 - SCW, **206–208**, 206–209
- Services for NFS, **559–561**, 560–561
- Services for Unix (SFU), 555, 574, 584–586
- services map, 594
- sessions for Terminal Services, **134–136**
 - clients in, **138**, **161–162**, 161–162
 - command-line tools for, **185–186**
 - licensing, **169–172**
 - Remote Desktop Protocol, **137–138**, 138
 - session IDs, 134, 136, 187, 190
 - Terminal Services Manager for. *See* Terminal Services Manager
 - time-out settings, **155–157**, 156–157
- Set configuration database server setting, 476
- Set default content database server setting, 476
- Set Information permission, 168
- Set Path for TS Roaming Profiles policy, 159
- Set Rules for Remote Control of Terminal Services
 - User Sessions option, 155
- Set SharePoint administration group option, 475
- Settings tab
 - for Password Synchronization, 633, 634
 - for SRM, 268, 268
- Setup Options screen, 670, 671
- Setup2.exe program, **241–244**, 241–242
- SFU (Services for Unix), 555, 574, 584–586
- shadow command, 186, 193
- shadow map, 594
- Share Calendars feature, 361
- Share Contacts feature, 361
- Share Documents feature, 361
- Share Name field, 262
- Shared Documents page, 436
- Shared View command, 378
- SharePoint Services, **361–363**, 363
 - access in
 - anonymous, **537**, 538
 - request handling, **501**, **506–507**, 506, 522, 522
 - subsite, **532–534**, 532–533
 - backup and recovery in, **540**
 - site collections, **546–550**, 546, 548–551
 - SMIGRATE.EXE for, **551–554**, 552–554
 - to templates, **540–546**, 542–545

- central administration in. *See* central administration in SharePoint Services
 - component configuration in, **477–479**, 477, 479
 - databases in, **364–365**, **368**, 373, 373
 - document libraries in. *See* document libraries
 - email in, **366**
 - server settings for, **480–481**, 480
 - virtual server settings for, **493**
 - FrontPage extensions in, **366**
 - hardware requirements, **366**
 - hyperlinks in, 413, 421
 - and IIS, 57, **369–371**, 370–372
 - installing
 - overview, **366–367**
 - typical install, **368–374**, 369–374
 - Microsoft Office 2003 integration with, **395–396**
 - permissions in, **518**
 - for adding users, **519–529**, 519–523, 525–529
 - for Cross-site Groups, **531–534**, 531–533
 - for lists, 406, 408, **534–540**, 535–539
 - for site groups, **529–530**, 530
 - testing, **521–524**, 522–523, **526–529**, 527–529, **538–539**, 539
 - top-level site administration, **499–501**, **506–511**, 506–509, 512
 - Quick Launch bar, **390–392**, 391
 - R2 features for, **363–364**
 - security in, **475**, 475, **488–490**
 - server configuration in, **476**, 476
 - Service Pack 1 for, **369**
 - Site Settings for, **512–516**, 512, 516–518
 - starting, **375–377**, 375
 - summary, **554–555**
 - top-level site administration in, **498–499**, 499
 - Management and Statistics section, **502–503**, 502
 - Site Collection Administration section, **504–506**, 504–505
 - Site Collection Galleries section, **503**, 503
 - Users and Permissions section, **499–501**, **506–511**, 506–509, 512
 - usage analysis processing in, **481**, 481
 - user accounts in, **365**
 - virtual servers in. *See* virtual server configuration
 - Web Parts. *See* Web Parts
 - websites for, **364**
 - workspaces in. *See* workspaces
- shares
 - ABE, **18**
 - NFS, **577–582**, 577–579
 - Show Contents dialog box, 95, 95, 110
 - Show in Standard View link, 398
 - showmount command, 581, 590
 - SIDs (Security Identifiers)
 - in file screen reports, 297
 - in IPsec bypass, **119–120**, 119
 - signing
 - IPsec, 210
 - SMB, 215–216, 216
 - simple maps in UNM, **569–571**, 569–571
 - Simple Object Access Protocol (SOAP)-based Web Services, 650–651
 - single lines for lists, 412
 - Single Sign-on (SSO)
 - in ADFS, 652
 - in Forest Trust scenario, 652
 - Single Sign-On daemon (SSOD), 626, 629–630
 - installing, **639–644**, 643
 - ports and encryption for, 635
 - Site Administration page, 498
 - Site Collection Galleries section, **503**, 503
 - site collections, 453
 - backing up, **546–549**, 546, 548–550
 - restoring, **550**, 550–551
 - settings for, **503–505**, 503–505
 - site groups
 - managing, **500**, **506–511**, 506–509
 - permissions for, **529–530**, 530
 - Site Image Web Part, 378
 - Site Lock Information settings, 478
 - Site Quota Information settings, 478, 483
 - Site Settings section, 376, 498, **512**
 - Administration settings, **512–513**
 - for alerts, 405
 - Configuring Site settings, **515–517**, 516–517
 - Customization settings, **513–514**
 - Explore Subsite Site settings, **517**, 518
 - Manage My Information settings, **514–515**
 - for workspaces, 464
 - Site Template Gallery page, 542, 543
 - sites
 - backing up, **540–544**, 542–543
 - recovering, **544–546**, 544–545
 - 64-bit heap protection, **34**, 35
 - Size by File Group settings, 271, 271
 - Size by Owner settings, 271, 271
 - SMB signing, 215–216, 216

- SMIGRATE.EXE tool
 - for backups, **551–552**, 552–553
 - for restores, **553–554**, 554
- snap-ins in MMC, 249, 249
- SOAP (Simple Object Access Protocol)-based Web Services, 650–651
- Social Meeting Workspace option, 462
- sockets, raw, **40–42**
- soft quotas, 279
- software firewalls, **78–79**, **84**
- software licenses, 6, 6
- Sort setting, 417
- source addresses
 - for IP packets, 41
 - in IPsec, 212
- SP1
 - determining existence of, **3**
 - with GPOs, **12**
 - installing, **5**
 - from command line, **8–11**
 - from GUI, **5–7**, **6–7**
 - obtaining, **4–5**
 - preinstalling, **12–13**
 - preunpacking, **11**
 - uninstalling, **11**
- SP1/R2 incompatibilities, **47**
 - DCOM, **54–55**, 54–56
 - de-anonymizers, **47–49**
 - MSDTC, **51–52**
 - RPC, **49–51**
 - Web Development and Versioning system, **56–57**
- space limits for quotas, 280, 283
- speed of Terminal Services servers, 139
- spyware, 26, **65**
 - group policy settings for, **66–67**
 - Service Packs for, **65–66**, 66
- SQL Slammer worm, 32–33, 42–43
- SQLAgent\$SHAREPOINT service, 373
- SQLServerADHelper service, 373
- SRM (Storage Reports Manager) tool, 265–266, 268, 298
- SSIs (Server-side includes), **225**
- SSL
 - for ADFS, 655
 - for Terminal Services, 129
- SSO (Single Sign-on)
 - in ADFS, 652
 - in Forest Trust scenario, 652
- sso.cfg file, 640
- SSOD (Single Sign-On daemon), 626, 629–630
 - installing, **639–644**, 643
 - ports and encryption for, 635
- ssod.rhl file, 640
- stack
 - IP. *See* IP stack
 - protecting, **35**
 - and worms, **28–29**
- stand-alone namespaces, 312–313
- standard profiles, **93–94**
- Standard View, 416, 417
- Start sending notifications option, 487
- start time for scheduled reports, 274
- states, router, 78
- static data, program storage in, **27–28**
- status, print job, **258–262**, 258–260
- status services, 558
- Status tab for workspaces, 445
- Storage Limit Values settings, 478
- storage limits, 478, 482–483, 482
- storage reports management, **265**
 - File Server Resource Manager
 - configuring, **267–268**, 267
 - installing, **265–266**, 266–267
 - finding reports, **275–276**
 - generating reports, **268–272**, 268, 270–272
 - scheduling reports, **273–275**, 274–275, **277**
 - troubleshooting reports, **276**
 - type of reports, **272–273**
- Storage Reports Manager (SRM) tool, 265–266, 268, 298
- Storage Reports Task Properties dialog box, 268, 268, 273, 274, 298, 299
- StorageReports folder, 275
- StorRept.exe utility, 269
- STS folder, 454
- STS_WPG security group, 374, 374
- STSADM.EXE tool
 - for backups, **546–549**, 546, 548–550
 - for restores, **550**, 550–551
- StsAdminAppPool pool, 371
- StsAppPool1 pool, 371
- Style setting for list views, 418
- subnet masks, 212
- subordinate NIS Servers, **614–617**, 615–618
- subprograms, 28
- subsets, 214
- subsites in SharePoint Services, **452–454**. *See also* workspaces
 - Cross-site Groups for, **532–534**, 532–533
 - navigating, **468–471**, 469, 471

/suppressrestart parameter in setup2, 243
 surveys in SharePoint Services, 362, 390
 svchost.exe program, 90, 105
 SYNC_HOSTS statement, 642, 645
 SYNC_USERS statement, 632, 642, 645
 synchronization
 in IPsec bypass, 118
 password. *See* Password Synchronization service
 Synchronize Password Changes from the Computer Entered Above option, 634
 Synchronize Password Changes to the Computer Entered Above option, 634
 System Monitor, 140–141, 156
 System Volume Information folder, 297
 SYSVOL replication, 307

T

Tame tool, 178
 targets for DFS namespaces, 319–326, 319–320, 324–325
 Task Manager, 150
 Task Pane link, 399
 task panes, 399, 445
 Task tab, 270
 tasklist command, 90
 tasks in SharePoint Services, 392
 Tasks tab
 for namespaces, 314, 314
 for workspaces, 445
 TCP (Transport Control Protocol), 39
 TCP/IP and IP stack, 39–40
 TCP ports
 exceptions for, 100
 for RPCs, 557–558
 Team Site option, 461
 Team Web Site gallery, 380
 Team Web Site Home Page, 380–381, 381
 Template Name settings, 478
 Template Selection page, 461, 461, 544, 544
 templates
 for file screens, 302–305, 302–304
 for multiple user applications, 181
 quota, 282, 287–291, 291
 rolling back, 231
 SCW, 203
 in SharePoint Services
 backing up to, 540–544, 542–543
 creating, 478

 for document libraries, 436, 438–439
 recovering from, 544–546, 544–545
 settings for, 482–483, 482
 for workspaces, 454, 461, 461
 Templates folder, 181
 temporary folders, 163–164
 temporary licenses, 171
 Terminal Server Client Access Licenses (TSCALs), 170–171
 Terminal Server Client option, 148
 Terminal Server Edition, 127
 Terminal Server Licensing tool, 172–173, 172
 activating, 174–176, 175–177
 installing, 173–174, 173
 Terminal Services, 127
 application configuration for, 177–185, 183–184
 for application deployment, 129–130
 clients for
 connections, 148–152, 148–152, 162–168, 163–167
 creating, 145–148
 editing, 152–153, 153
 hardware requirements, 141–142
 path information for, 157–162, 159, 161–162
 remote control settings for, 153–154, 154
 time-out settings for, 155–157, 156–157
 connections
 creating, 147
 process, 148–152, 148–152
 settings, 162–168, 163–167
 troubleshooting, 195–197, 196–197
 environment support by, 130–131
 hardware refreshes in, 132
 hardware requirements for, 139–141
 for help desk support, 132–133
 importance of, 127–128
 licensing for, 169
 application, 177
 models for, 169, 169
 session, 169–172
 Terminal Server Licensing tool, 172–176, 172–173
 troubleshooting, 195–197, 196–197
 mainframe paradigm for, 133
 power savings with, 131
 Remote Administration mode in, 198–200, 198–199
 remote user support by, 130
 Service Pack 1 enhancements for, 128–129

- sessions for, **134–136**
 - clients in, **138, 161–162, 161–162**
 - command-line tools for, **185–186**
 - licensing, **169–172**
 - Remote Desktop Protocol, **137–138, 138**
 - session IDs, **134, 136, 187, 190**
 - Terminal Services Manager for. *See* Terminal Services Manager
 - time-out settings, **155–157, 156–157**
- support for, **143–144, 143–144**
- for user interface simplification, **132**
- Terminal Services Licensing Server, **144**
- Terminal Services Manager, **187, 187**
 - application termination in, **191–192**
 - information in, **188–190, 188**
 - messages in, **190–191**
 - for servers, **140**
 - user session control in, **192–195**
- Terminal Services Session object, **140**
- terminating Terminal Service sessions, **155, 191–192**
- TermSrvr.mst file, **181–182**
- testing permissions, **521–524, 522–523, 526–529, 527–529, 538–539, 539**
- Text format for reports, **272**
- thin client computing, **127**
- thin client networking, **133**
- thin client sessions, **134**
 - clients in, **138**
 - Remote Desktop Protocol for, **137–138, 138**
 - terminal servers for, **134–136**
- 32-bit heap protection, **35**
- threads, **135–136, 139**
- time in lists, **413**
- time-out settings, **155–157, 156–157**
- /TIME parameter for msg, **190**
- time synchronization in IPsec bypass, **118**
- Time To Live values, **324**
- time zone setting, **490**
- Timer Service, **374, 374**
- Title and Description setting, **541**
- TLS (Transport Layer Security), **166**
- Today view, **420**
- top-level site administration in SharePoint Services, **498–499, 499**
 - Management and Statistics section, **502–503, 502**
 - Site Collection Administration section, **504–506, 504–505**
 - Site Collection Galleries section, **503, 503**
 - Users and Permissions section, **499–501, 506–511, 506–509, 512**

- Top-Level Web Site settings, **478**
- Topology Selection page, **334, 334**
- Total Bytes counter, **140**
- Total Compressed Bytes counter, **141**
- Total Protocol Cache Hit Ratio counter, **141**
- Total Size on Disk settings, **270**
- Totals setting for lists, **399, 401, 401, 418**
- TP4 (Transport Protocol Class 4), **39**
- traits in hashes, **355**
- Transport Control Protocol (TCP), **39**
- Transport Layer Security (TLS), **166**
- Transport Protocol Class 4 (TP4), **39**
- trial map migration, **600–607, 601–605**
- triggering exceptions, **34**
- troubleshooting
 - ADFS, **666**
 - DFSR, **357–360**
 - reports, **276**
 - Terminal Services connections, **195–197, 196–197**
- trusted client machines, **115–116**
- TS User Home Directory policy, **159**
- TSCALs (Terminal Server Client Access Licenses), **170–171**
- tscon command, **186**
- tsdiscon command, **186, 193**
- tskill command, **186, 192**
- tsprof command, **160, 186**
- tsshutdown command, **186, 194–195**
- two-way password synchronization, **631**
- 200 MB Limit Reports to User template, **288**
- 200 MB Limit with 50 MB Extension template, **288**
- 250 MB Extended Limit template, **288**
- typical SharePoint Services installations, **366–374, 369–374**

U

- UDP ports
 - exceptions for, **100**
 - for RPCs, **557–558**
- UIDs (User IDs) in NFS, **557, 559, 567, 567**
- umount command, **582**
- unanswered requests, limits on, **43**
- unattended setup2.exe setup, **243–244**
- uninstalling SP1, **11**
- Unix
 - associating accounts with AD, **607–609, 607**
 - mapping accounts to Windows user accounts, **559**
 - Network File System. *See* Network File System (NFS)

- NIS. *See* Network Information Service (NIS) password synchronization. *See* Password Synchronization service
 - Unix attributes
 - in NFS, 566, 566
 - in NIS, 596, 597
 - /UNIX/bins directory, 640
 - UNM. *See* User Name Mapping (UNM)
 - Update File Screens Derived from Template dialog box, 304, 304
 - Update my information link, 514
 - /update option for tsprof, 160
 - Update Personal Web Parts right, 490
 - Update Quotas Derived from Template dialog box, 290, 291
 - Update Sequence Numbers (USNs), 359
 - updating
 - quota templates, 290, 291
 - user profiles, 160
 - upgrading
 - AD schema, 236–237
 - document library documents, 440–444, 441–442
 - virtual servers, 474
 - uploading to document libraries, 431, 440–444, 441–442
 - upstream partners, 331
 - URLs for lists, 424–425, 424
 - usage analysis processing, 481, 481
 - USB devices, 123–125
 - USB virtual ports, 257
 - Use Standard Windows Authentication Logon Interface option, 166
 - UseBasicAuth entry, 57
 - User Authentication Module for Terminal Services, 135
 - User IDs (UIDs) in NFS, 557, 559, 567, 567
 - user interfaces, Terminal Services for, 132
 - user mapping options for NFS, 560
 - User Name Mapping (UNM), 557, 559–560, 567–568
 - for clients, 585
 - command-line for, 575–577
 - configuring, 568–569, 568
 - group maps in, 571–572, 572
 - multiple servers for, 573–574, 573–574
 - pools for, 574–575
 - remote mapping requests in, 572–573
 - simple and advanced maps in, 569–571, 569–571
 - User Name Mapping node, 574
 - user names
 - for applications, 184–185
 - in LAN Manager, 218
 - in Password Synchronization, 627
 - user session control, 192–195
 - Users and Permissions settings, 519
 - users and user accounts
 - in per-user auditing. *See* auditing profiles for, 157–160, 159
 - in SharePoint Services, 365
 - permissions for, 519–529, 519–523, 525–529
 - in top-level site administration, 499–501, 506–511, 506–509, 512
 - Users container, 606
 - \$USNJRN variable, 359
 - USNs (Update Sequence Numbers), 359
- ## V
- validation, input, 29–31
 - VDMs (Virtual DOS Machines), 136, 178
 - Vendors list page, 427
 - version history in document libraries, 361, 443, 451–452, 451
 - Version Vector (VV) tables, 351–353
 - video drivers, 48
 - video resolution for Terminal Services, 146
 - View information about site users link, 515
 - View Item command, 410
 - View Items right, 489
 - View/Modify Report Tasks Properties option, 275
 - View Pages right, 489
 - View Properties option, 442
 - View Security Policy option, 227
 - View site collection usage summary setting, 504
 - View site collection user information setting, 504
 - View site hierarchy setting, 504, 504
 - View site usage data setting, 502, 502
 - View storage space allocation setting, 505, 505
 - View Usage Data right, 489
 - views
 - list, 407, 415–422, 416–417, 419–422
 - printer driver, 256, 256
 - Views setting, 407
 - Virtual Channels permission, 168
 - Virtual DOS Machines (VDMs), 136, 178
 - virtual server configuration, 364, 474, 474, 484
 - Automated Website Collection Management, 485–488, 485–487
 - component settings, 495

- email settings, **493**
- general settings, **495–496, 495**
- managed paths in, **494, 496–498, 497–498**
- management settings, **490–494, 490–493**
- security settings, **488–490**
- server lists, **494**
- Virtual Server gallery, **380**
- Virtual Server Management setting, **490**
- virtual trees of folders, **307**
- Volume_GUID.XML file, **348**
- VV (Version Vector) tables, **351–353**

W

- Wait for Reports to be Generated and Then Display Them option, **269**
- WBTs (Windows-Based Terminals), **145–147**
- Web Designer group, **500**
- Web Development and Versioning (WebDAV) system
 - changes in, **56–57**
 - in IIS, **225**
- Web File Properties dialog box, **446–448**
- Web Page Security Validation setting, **491**
- Web Part Connections setting, **490**
- Web Part Page gallery, **380**
- Web Parts, **377–378**
 - adding, **380–381, 381**
 - built-in, **382**
 - connections for, **388–389, 388–389**
 - editing, **383–389, 383, 385–389**
 - List View, **427–431, 428–431, 457**
 - moving, **378–379, 379**
- Web SSO, **653**
- WebClient, **434, 434**
- WebDAV (Web Development and Versioning) system
 - changes in, **56–57**
 - in IIS, **225**
- WebFolders, **225**
- Welcome and Overview phase for SCW, **202**
- whitelists
 - for CLSIDs, **69**
 - for group policies, **69–73, 70, 72**
- Win32 Subsystem, **135**
- Windows
 - mapping Unix accounts to, **559**
 - Network File System. *See* Network File System (NFS)

- Windows-Based Terminals (WBTs), **145–147**
- Windows Components Wizard
 - for SharePoint Services, **368–369**
 - for Terminal Server Licensing tool, **173, 173**
- Windows Defender program, **44**
- Windows Explorer, NFS shares in, **577–579, 577–579**
- Windows Firewall, **75**
 - basics, **79–80**
 - enabling and disabling, **86–89, 87–88**
 - logs for, **120–121, 121**
 - port lockdown with, **209, 210**
 - purpose, **81–83**
 - rules, **80–81**
 - scenarios, **83–85**
 - for server applications, **89**
 - automatic exceptions, **111–120, 119**
 - halting exceptions, **111–112**
 - ICMP exceptions, **101–104, 102, 104**
 - port exceptions, **89–101, 91, 95, 97**
 - program exceptions, **104–111, 105, 109, 111**
- Windows Integrated Authentication, **57**
- Windows Management Instrumentation (WMI), **349**
- Windows Microsoft SQL Database Engine 2000 (WMSDE), **363–364**
 - databases for, **368**
 - overview, **365**
 - in SharePoint Services installation, **373–374, 373**
- Windows Server 2000 in DFSN, **328–330**
- Windows Server Post-Setup Security Updates page, **238–240, 239**
- Windows Server Update Services (WSUS), **4–5**
- Windows SharePoint Services website, **364**
- Windows Terminal Services. *See* Terminal Services
- WINDOWSXP-MMC30-KB907265-X86.EXE file, **245**
- WinFrame product, **127**
- WINS name resolution, **146**
- WMI (Windows Management Instrumentation), **349**
- wmic command, **359**
- WMSDE (Windows Microsoft SQL Database Engine 2000), **363–364**
 - databases for, **368**
 - overview, **365**
 - in SharePoint Services installation, **373–374, 373**

Word 2003, SharePoint Services integration with, 395

Working Set counter, 141

workspaces, 452–454

document, 455–462, 455–456, 458–459

for document libraries, 444–445

locking documents in, 457

meeting, 462–468, 463–468

navigating, 468–471, 469, 471

workstations, firewalls for, 84–85

worms

buffer overflow for, 29–33

characteristics of, 26

DEP for

controlling, 36–37, 36

motivation for, 26

operation of, 34–36, 35

overview, 42–43

in RAM, 26–28, 27

and stack, 28–29

throttling, 43–44

Windows Firewall for, 81–83

wrappers for services, 90

WS-Federation standards, 650–652

WSUS (Windows Server Update Services), 4–5

X

/x option, 11

XML (Extensible Markup Language) technology

for reports, 272

for WS-Federation, 650

.XML log files, 297

XML Web Part, 383

XP, R2 on, 244–245

Y

Yes/No fields, 413

ypbind command, 612

ypcat command, 612, 617, 620–621

ypclear command, 617

ypmatch command, 612, 617, 620

yppasswd command, 622, 646–647

yppasswdd command, 612

yppush command, 614, 617, 617

ypservers map in NIS, 594

ypwhich command, 612

ypxfr command, 613–614

Z

Zone Alarm firewall, 78, 81

Zotob worm, 34