

Index

- A-bands, 228
- abdominal aorta aneurism (AAA), 265
- acceleration; vector, 18, 100, 103
- accuracy of the solution, 117
- acetylcholine, 230
- actin; filament, 228–229, 334
- action of surfactant, 218–219
- action potential, 230, 289
- activation; function, 237, 281, 291, 305, 341, 342, 347
- activation threshold, 242
- adductor canal, 279
- adherent cell, 333, 346
- ADP, 229
- advancements in bioengineering, 174
- advancements in computer modeling, 177
- advection–diffusion equation, 413, 415
- adventia, 255
- agonist; transport, 302, 303
- airway epithelium, 350
- airway remodeling, 352
- albumin, 297
- albumin concentration, 300
- albumin transport, 299, 301
- Almansi strain, 43
- alpha motoneurons, 230
- alveolar tissue, 202, 203
- amplitude vector, 104
- analytical solution, 57, 63, 168
- angular frequency, 103
- annulus, 315, 328
- aorta arch, 262
- apparent (equivalent) viscosity, 256
- apparent density, 185, 186
- apparent diffusion coefficient, 412
- arbitrary Lagrangian–Eulerian (ALE) formulation, 135, 136
- area ratio, 207, 213, 218
- arterial system, 252
- arterial wall, 256, 278, 280
- arterioles, 252
- artery; bifurcation, 38, 296
- arthritis, 315
- articular cartilage, 313
- assemblage of finite elements, 77
- asthma, 350, 352
- asthmatic airway, 352
- atherosclerosis, 273, 295
- ATP, 228
- atrium, 288
- attachment, 346
- attractive force, 309, 310
- autocrine ligand concentration, 376
- autocrine loop, 351, 352, 361
- average velocity, 409
- axial extension, 343
- axial force, 110, 190
- axial stress, 33, 34, 282
- axial stretch, 222
- axial symmetry, 28
- axial velocity, 139, 275
- axisymmetric conditions, 400
- axisymmetric element, 87, 89, 139, 291, 299, 304

- balance equation of diffusion, 354
balance of linear momentum, 18, 58, 163, 319, 340
balance of mass, 56, 163, 304
bar; structure, 73, 110
barrier to diffusion, 375
basal boundary, 363
base vectors, 166, 208
basis size, 166
bead; indentation, 344
bending; of cantilever, 85, 118
bending stiffness, 190
biaxial curve, 204, 210, 211
biaxial loading, 204
biaxial model, 203, 209, 218, 219
biaxial stress–strain state, 204
biaxial test, 203, 204
biconcave RBC, 344
biconcave shape, 343, 344
binding force, 308
binding sites, 229
bioengineering models, 175
bioinformatics, 175
bioinstrumentation, 175
biological barriers, 178
biological fluids, 58
biological membrane, 46, 203, 207, 209, 220
biological pathway, 376
biological soft tissue, 201
biomaterials, 175
biomechanics, 175, 176
biomedical applications, 412
bionics, 176
Biot number, 381, 390, 392, 395, 400
biphasic FE model, 343
biphasic finite element, 343
biphasic medium, 345
biphasic model, 339, 342
bisection method, 386
bladder, 201
blood, 251, 253
blood density, 263, 300
blood flow, 254
blood pressure, 38, 251, 279
blood velocity; field, 258, 305
blood vessel, 222, 255
blood vessel deformation, 260
blood viscosity, 253
blood volume, 251
body force, 18, 64
Boltzmann constant, 153
bolus, 409
bone: lamellar; fibrous; cortical; trabecular; tubular; woven, 182, 183, 185
bone density, 184, 185
bone fracture, 187
bone mechanical properties, 185
bone structure, 181
bone tissue, 181, 185, 190
bounce-back reflections boundary conditions, 153
boundary conditions, 37, 79, 159, 418
boundary conditions in DPD, 153
bovine pericardium, 204
bridging scale (BS) method, 155
bronchoconstriction, 352
B-spline function, 163
bulk modulus, 29, 65, 342, 346
bulk modulus of solid; of fluid, 317, 325, 340
bulk modulus of solid skeleton, 340
Burger's viscous equation, 63
cable, 336, 338
calcium ions, 228
cancellous bone, 315, 328
cancer cells, 178
cancer nanotechnology, 407
cantilever, 118
capillary; straight circular, 257, 409, 414, 422
capillary radius, 412
capillary system, 252
capillary wall, 421
carbohydrate, 228
cardiac cycle, 263
cardiovascular system, 250
carotid artery bifurcation, 272, 273
carotid artery model, 272
Cartesian coordinate system, 6, 14
cartilage; hyaline, 314, 315
cartilage deformation, 320
cartilage model, 318, 320
cartilage permeability, 315
cartilage stiffness, 322
cartilage structure, 314, 315
cartilaginous end plate, 329
Casson fluid; relation; law, 255, 412, 413, 419
cat mesentery, 204
Cauchy formula, 17, 259
Cauchy stress; true stress, 17, 45, 114, 216
Cauchy–Green deformation tensor; left; right; modified, 42, 43, 118, 209, 216, 233
cavity flow, 160

- cell adhesion, 332
- cell crawling, 345
- cell cytoplasm, 345
- cell cytoskeleton, 341
- cell mechanics, 331
- cell membrane, 342
- centerline velocity, 419, 420, 426
- channel section, 118, 119
- characteristic equation, 48, 104
- characteristic length, 381
- chemical energy, 228
- circular frequency, 324
- circular pipe, 410, 420
- circular stress, 33
- circulatory system, 249, 266
- circumferential strain, 89
- clamped plate, 96
- closed cylinder, 219
- coarse-scale; velocity, 155, 156
- coarse graining, 151
- coefficient of chemical contraction, 317
- coefficient of convection, 52
- coefficients in EFG, 166
- collagen, 182, 186, 202, 306, 308, 310
- collagen fiber; bundles, 202
- collagen wall, 306
- collapse of tube, 142
- column; settlement, 66, 67
- comminuted fracture, 190
- common boundary, 159
- common carotid artery, 263
- common coordinate system, 118
- compliance matrix, 29
- component form, 11
- compressibility modulus, 66
- compression therapy, 282, 285
- compressive stress, 350, 352, 353, 355, 369, 372
- computed hysteresis, 206
- computer models, 356
- concentrated solution, 56
- concentration at node, 365
- concentration average; mean; initial, 57, 373, 413, 417
- concentration dimensional; dimensionless; nondimensional, 415, 423, 424
- concentration distribution, 57, 135
- concentration gradient, 410
- concentration local, 411, 415, 416, 424, 425, 426
- concentration of mass total, 400
- concentration of polymer, 382
- concentration of protein, 400
- concentration of solvent, 382
- concentration profile; profiles, 359, 362, 366, 370, 371, 395, 398, 410, 422, 423, 426
- concentration strain, 317
- conductivity matrix, 125
- configuration initial; current; deformed; reference; stress-free, 41, 45, 47, 64, 114, 118, 119, 212, 223
- conjugate stress, 45
- connective tissue; biological, 181, 202, 205, 227, 235
- conservation of mass, 364
- conservative force, 310
- consistent mass matrix, 100
- consistent tangent constitutive matrix, 117, 261
- constitutive coefficient, 215
- constitutive curve; uniaxial; biaxial, 46, 218
- constitutive equation, 35, 60
- constitutive law; uniaxial, 233, 345
- constitutive matrix, 114, 186, 211, 212, 216, 217
- constitutive relation; relations; relationships; tensor, 26, 59, 65, 114, 116, 185
- contact traction, 206
- continuity equation, 58, 59, 65, 131, 143, 319, 340
- continuity of mass, 393, 421
- continuous load, 428
- continuum model, 296, 306
- continuum-based method; methods, 258, 302
- contour plot, 422
- contractile element, 235
- contractile unit, 228
- control volume, 58
- convection, 60, 413
- convection and shedding vector, 365
- convection external, 390
- convection flux, 52, 125
- convection matrix, 299
- convection resistance, 390
- convection–diffusion equation, 63, 134, 299, 424
- convection–diffusion–reaction equations, 303
- convective derivative, 11
- convective mass transfer coefficient, 381, 390
- convective transport, 412
- convergence check, 211
- convergence criteria, 141
- convergence rate, 112, 117
- conversion rate, 304
- coordinate transformations, 18

- coronary artery, 264
 cortical bone, 182, 185, 186, 315, 329
 conservative (repulsive) force, 152
 Coulomb friction coefficient, 206
 coupling DPD-FE, 155
 coupling EFG and FE, 168
 creep; deformation; response, 38, 64, 145, 201, 324
 cross-bridges, 229, 234
 CSK prestress, 334
 curl of vector field, 9
 current area, 384
 current density, 318, 319, 324
 cycle period, 272
 cyclic displacement; internal pressure; loading; stretching, 217, 219, 221
 cycling rate, 229
 cylindrical biological membrane, 219
 cylindrical coordinate system, 13, 14, 19, 20
 cytoplasm, 334
 cytoskeletal mechanics; actin; prestress; stiffness, 332, 335, 336
 cytoskeleton (CSK), 228, 332, 334
 cytosol, 342
- damping; coefficient; matrix, 35, 100, 101, 260
 Darcy's law; velocity, 64, 66, 318, 319, 339, 421
 daughter branches, 38
 decomposition of deformation; of kinetic energy, 44, 157
 deflection, 118
 deformable body, 232
 deformable wall, 266, 275
 deformation gradient; modified, 41, 47, 118, 209, 215
 deformed shape, 96
 Delfino tissue model, 216
 density of material; of substance; of solid; of mixture; total, 55, 56, 64, 65, 66, 100, 145, 322, 342; 384
 depletion; effects, 417, 420
 detachment, 345, 346
 deviatoric stress; strains, 18, 29
 dextran molecules, 368
 diastole, 287
 diastolic; flow; pressure, 251, 273, 275
 discretized domain, 168
 differential equation; of motion, 99, 121, 157, 321
 differential operator; 'nabla', 9, 13, 64
- diffusion; and convection; axially symmetric, 51, 55, 127, 362, 363, 392
 diffusion Brownian, 409
 diffusion coefficient, 56, 57, 302, 351, 361, 363, 368, 369, 371, 374, 375, 410
 diffusion coefficient constant; variable, 388
 diffusion coefficient of water, 380, 398, 40
 diffusion convective, 411
 diffusion equation; equations, 60, 127, 365
 diffusion internal; lateral ; with convection, 60, 380, 392, 410
 diffusion resistance, 390
 diffusion-transport equation, 298
 diffusive regime; -convective, 370
 diluted species; solution; mixture, 56, 60, 304
 discrete particle method, 147
 discrete system, 113
 discretization; of fluid, 72, 156, 165
 dispersion; longitudinal, 411, 414, 423
 displacement field, 23
 displacement increment, 109, 110, 112, 114, 115
 displacement of solid; of fluid; of mixture, 64, 320, 328
 displacement vector, 72, 77, 113
 dissipative force, 152, 308
 dissipative particle dynamics (DPD), 151
 distortion of material, 20
 distribution function, 418
 divergence of vector field; of tensor field; of velocity, 9, 59
 divergence theorem, 10
 domain of influence; in DPD, 152, 165, 166
 DPD method; equations; particle, 158, 296, 308, 310
 drug delivery, 429
 dummy index, 5, 53
 duration of collapse, 361
 dyadic notation; multiplication; product, 5, 9, 12
 dynamic analysis, 99
 dynamic diffusion; equation, 356, 357, 362
 dynamic equations of motion, 18
 dynamic hip; device; implant, 194, 195, 197, 199
 dynamic response, 106, 328
 dynamic stiffness, 322, 323
 dynamic viscosity, 59, 259, 300, 420
- effective diffusion; coefficient; diffusivity, 304, 305, 414, 419, 422, 427
 effective longitudinal diffusion, 410
 effective spring constant, 308

- effective stress, 65, 191, 196, 345
 EFG cell; point, 168
 EGF receptor, 351, 352
 eigenvalue analysis, 104
 eigenvalues; eigenvector, 8, 12, 104
 Einstein summation convention, 5
 ejection phase, 289
 elastic constitutive matrix, 26, 317, 340
 elastic matrix, 27, 39, 215
 elastic modulus, 27, 186, 324, 332, 397
 elastin; bundles; fiber, 202
 electrical conductivity, 318
 electrical potential, 318, 320, 325
 electrical-to-mechanical transduction, 324
 electrokinetic coupling, 316, 318, 319, 320, 327, 328
 electrokinetic coupling coefficient, 318
 electrokinetic transduction, 322
 element balance equation for diffusion, 127
 element forces, 78
 element geometry interpolation, 81
 element resistance force, 76
 element stiffness matrix; mass matrix, 76, 88, 100, 101
 element surface flux, 128
 element-free Galerkin (EFG) method, 164
 element-free points, 165
 elongational flow, 379, 389, 390, 396, 398
 embolization, 270
 endocardium, 201
 endomysium, 227
 endoplasmic reticulum, 228
 endoprosthesis, 277
 endurance, 240
 energy loss within cycle, 219
 energy source, 228
 engineering shear strains, 20
 epimysium, 227
 equation of balance for heat conduction, 124
 equation of motion, 61, 186, 260
 equilibrium equation; of finite element, 18, 64, 77, 78, 232, 338
 equilibrium iteration, 117, 258
 error function, 385
 Euclidean norm, 7
 Eulerian description, 55, 60
 evaporation; experiment, 380, 381, 391
 exchange coefficient, 417
 excitation, 230
 expanding pipe, 138
 expansion in plane, 23
 extended Hill's model, 243
 extensible protein, 202
 extension force, 206, 343
 external fixator, 188
 external force; body force; force increment; loading, 38, 73, 101, 109, 110, 113, 143, 157, 231
 external nodal force, 186, 260, 261
 external pressure, 89
 external skeletal fixation, 188
 external virtual work, 38, 76, 113
 extracellular fibrous proteins, 202
 extracellular matrix, 314, 332, 408
 extracellular mechanism, 376
 extracellular mechanotransduction, 351, 368, 374, 376
 extravasation, 408
 Fåhræus–Lindquist effect, 254
 fast-twitch, 231, 242
 fatigue curve; factor; rate, 240, 241
 FE equations of balance, 320, 359
 FE equilibrium equations, 392
 FE matrices, 383, 392
 FE model of diffusion and convection, 362
 FE model of dynamic diffusion, 357
 FE model of pan experiment, 382
 FE volume, 393
 femoral artery, 276
 femoral neck, 195
 femur; comminuted fracture, 189, 190, 192
 FES, 240
 fiber diameter, 395
 fiber direction; unit vector, 214, 340
 fiber spinning, 379, 388, 389, 392, 394, 397, 402, 404
 fiber strain; stretch, 233, 339
 fiber–fiber kinetics model, 206
 fibrocartilagenous cartilage, 314
 fibrous bone, 182
 Fick's law, 55, 56, 317, 363, 382, 410
 fictitious elastic configuration, 118
 field problems, 121
 filaments overlap, 230
 filtration velocity, 300
 fine scale, 157
 Finger deformation tensor, 43
 finite element; 3D, 71, 278, 342
 finite element description, 41
 finite element equations, 340
 finite element node, 72

- finite element stiffness matrix, 78, 88
 fitness function; level, 240
 flat bone, 183, 184
 flow resistance, 254
 flow through porous deformable media, 143
 fluid compressibility, 317
 fluid density, 58, 164
 fluid domain, 140
 fluid flow; with heat transfer; with mass transfer, 51, 129, 132
 fluid polygon, 428
 fluid pressure, 64, 318, 326, 339
 fluid–structure interaction, 263, 268
 fold-mean concentration, 372, 374
 force development, 230
 force function, 36
 force generation, 229
 force–displacement loop, 222
 Fourier’s law, 52, 56
 four-node shell elements, 118
 fracture treatment, 188
 free point, 165, 166, 167
 free-diffusion, 373
 free-swelling, 325
 frequency, 324
 friction coefficient, 152
 frictional force, 206
 full Newton iteration, 112
 Fung tissue model, 217

 Galerkin method; procedure, 121, 136, 143, 258, 320, 357, 383
 Gauss quadrature, 167
 Gauss’ theorem, 10, 123, 143, 320, 358
 Gauss–Ostrogradskii theorem, 10
 generalized Darcy’s law, 64
 generalized dispersion model, 414, 427
 geometric nonlinearity, 40, 116
 geometrically nonlinear only, 40, 116
 geometrically nonlinear stiffness matrix, 208
 global coordinate system, 78, 209
 global domain, 159
 gluteal muscles, 195
 glycocalyx, 351, 354, 355, 357, 360, 368
 Gordon curve, 234
 gradient of function; of vector field, 9
 gradient to mid-surface, 92
 Green–Lagrange strain, 43, 45, 114, 204, 216, 217

 hardening behavior, 203
 Haversian canal, 182
 HB-EGF, 353, 360, 368, 371, 373, 375
 heart chambers, 286
 heart cycle, 279
 heart model, 286
 heat and mass transfer, 129
 heat conduction, 51, 124
 heat conduction coefficient, 53, 54, 127
 heat conduction governing equation, 127
 heat conduction matrix, 53
 heat flux; through surface, 52, 125
 heat source, 52
 heat transfer, 51, 60
 hematocrit, 251, 253, 255
 Hencky (logarithmic) strain, 118
 Hill’s muscle model, 234, 235
 hindered diffusion; HB-EGF, 371, 373, 374
 hip fracture, 194, 195
 homogenous deformation, 23
 Hooke’s law, 26, 32, 39
 hoop strain, 34
 hoop stress, 39, 90, 280
 human aorta, 262, 263
 human bronchial epithelial cells, 351, 356, 367, 368
 hydraulic permeability, 318
 hyperelastic models, 45
 hysteresis; of ring; resulting, 202, 203, 206, 219, 220
 hysteretic action of surfactant, 222
 hysteretic behavior; character; characteristic, 203, 205, 212, 215
 hysteretic curve; constitutive, 205, 219
 hysteretic model, 205

 I-bands, 228
 identity matrix, 5
 imaging agents, 178
 impermeable; wall, 358, 412, 416, 418
 implant, 194
 implicit method, 103
 in vitro, 350, 352, 353, 362, 363, 370, 371
 in vivo, 355, 363, 370, 371
 incompressibility, 60, 364, 394
 incompressible fluid; flow, 56, 59, 257, 421
 incremental: analysis; equations; form; solution, 109, 116, 124, 359
 incremental-iterative equations, 124, 261, 298, 383, 365

- incremental-iterative procedure; scheme;
 solution, 113, 208, 232
 inelastic large strain, 118
 inertial force, 99, 100, 117
 initial conditions, 416, 417
 in-plane stresses, 28
 integral theorems, 8
 integrated bioengineering science, 174
 integration of differential equations, 101
 integration of DPD equations, 154
 integration parameter, 102
 interaction force, 148, 151, 152, 156, 308
 intermediate filament, 332, 333
 internal energy, 52
 internal excitation, 231
 internal finite element forces, 158
 internal fixation, 189
 internal force, 15, 110, 111, 157, 208
 internal nodal force, 76, 116, 158
 internal pressure, 33, 89, 222
 internal rim, 220
 internal virtual work, 38, 76, 113, 114
 interphase mass transfer, 412
 interpolation by EFG, 165
 interpolation function, 71, 74, 75, 82, 94, 123,
 129, 155, 167, 357, 383
 interpolation functions for pressure; for
 velocity, 301
 interpolation matrix, 75, 82, 143, 320
 interpolation of displacement field, 81
 interstitial: fluid; fluid pressure, 408, 414, 421
 intervertebral disc, 314, 328
 intima, 255, 256
 intracapsular fracture, 195, 197
 intracellular substance, 181
 intramedullary nail, 189, 190, 192, 193
 intraventricular pressure, 290
 invariants of deformation tensors, 216
 inverse deformation gradient, 42, 233
 inverse matrix, 5
 ion concentration, 317, 322, 325
 ionic diffusion; coefficient, 325, 326
 Irving–Kirkwood model, 158
 isochoric deformation, 215
 isometric contraction, 229, 234
 isoparametric element (3D), 117
 isoparametric finite element, 190
 isoparametric formulation, 75, 357
 isoparametric function, 74
 isotonic contraction, 229
 isotropic: material, medium, 26, 53
 isotropic membrane, 204
 isotropy, 30
 isovolumetric contraction, 287
 iteration counter, 383
 iteration loop on cycles, 215
 iteration scheme; procedure, 112, 385
 iterations, 140
 iterative scheme, 131, 215

 Jacobian matrix, 95
 Jacobian of transformation, 75, 83, 212

 Kelvin model; Kelvin-Voigt model, 29, 35
 kernel approximation, 161
 kernel support domain, 162
 kinematic viscosity, 164, 391
 kinematically admissible, 39
 kinematics of deformation, 19, 20
 kinetic energy, 157
 kinetics of geometric changes, 375
 Kronecker symbols, 5

 Lagrangian description, 15, 58
 laminar flow, 410, 411, 420
 Laplacian of: scalar field; vector field, 9
 Laplacian operator, 9
 large blood vessel, 250, 253
 large displacements, 118, 231
 large strain deformation, 41
 large strains, 47, 231
 lateral heat conduction, 53
 lateral intercellular space, 349, 362, 363
 LDL concentration, 298, 301
 LDL transport, 295, 298, 300, 301
 leapfrog method, 150
 Lees–Edwards method, 153
 left basis, 43, 47, 48, 118, 216
 length of finite element, 365
 Lennard-Jones (LJ) potential, 148
 leukocyte, 252
 ligaments, 202
 ligand, 178
 ligand accumulation, 375
 ligand concentration; concentration profile, 349,
 350, 358, 365, 371, 375
 ligand diffusivity, 363
 ligand–receptor affinities, 374
 ligand–receptor specific interactions, 408
 line integrals, 384
 linear base, 166, 168
 linear collapse, 370

- linear elastic; constitutive law; model, 26, 185, 223
- linear finite element, 82, 86
- linear interpolation, 210
- linear stiffness matrices, 208
- linear strain–displacement matrix, 115, 144, 208
- linear stress–strain relationship, 202
- linear viscoelasticity, 29
- linearization, 137
- linearized form of virtual work, 114
- LIS collapse, 354, 359, 369, 375
- LIS concentration; dynamics, 360
- LIS domain, 363, 364
- LIS model; finite element model, 355, 358, 364
- LIS width, 354, 359, 363, 364, 366, 369, 371, 375
- living cell, 331
- loading; curve; part; regime, 203, 215, 219
- local buckling, 118, 119
- local coordinate system, 77
- local derivative, 11, 59
- local domain, 159
- local membrane coordinate system, 209, 211
- local shell plane, 93
- logarithmic strain, 43, 117, 209, 316
- long bone, 183, 187
- long column, 53, 125
- longitudinal diffusion; coefficient, 413, 421
- loop direction, 222
- loose coupling; method, 139, 140, 261, 428
- low density lipoprotein (LDL), 295
- lumped mass matrix, 100
- lung tissue, 46
- macromolecule, 412
- macromolecule concentration, 297
- magnetic twisting cytometry, 344
- main artery, 38
- margination, 429
- marrow core, 184
- mass concentration, 55
- mass curves, 388
- mass density; initial; current, 18, 45, 52, 54, 127
- mass flux, 58, 383, 393, 410
- mass matrix, 117, 186, 260, 299
- mass transport, 297
- material body, 15
- material coordinates, 41
- material derivative; of volume integral, 10, 59, 60, 136
- material description, 58
- material element, 19, 47, 92, 203
- material ellipsoid; sphere; line; plane, 25, 26
- material model with hysteresis, 219
- material models, 26
- material nonlinearity, 40, 116
- material particle, 10
- material point, 15, 165, 166, 167
- material rotation, 43
- material volume, 52
- materially nonlinear only (MNO), 116
- materials with memory, 29
- mathematical model, 414
- matrix; two-dimensional; square; diagonal, 3, 4, 13
- matrix algebra; addition; multiplication; subtraction; summation, 4, 5
- matrix determinant; cofactor; inverse, 5, 11
- maximum force, 229
- maximum rate of ligand accumulation, 371
- maximum shear strain rate, 302
- maximum shear stresses, 17
- Maxwell model, 29, 35
- Maxwellian reflection method, 153
- MD algorithm, 149
- MD limitation, 149, 151
- MD particle, 148, 152
- mean LIS concentration; molar, 360, 373
- mean strain, 29
- mean stress, 18
- mean velocity, 279, 284, 300, 420
- mean wall shear stress, 259
- mechanical model, 175
- mechanical power, 45
- mechanical properties, 379, 389, 394, 395, 397, 398
- mechanical response, 231
- mechanically superior fiber, 404
- mechanical-to-electrical transduction, 322, 323
- mechanobiology, 176
- membrane conditions, 224
- membrane covered with surfactant, 212
- membrane stress, 215
- membrane tangential plane, 209
- membrane with a hole, 220
- mesh fixed in space, 129
- mesh-referential time derivative, 136, 137
- mesoscale particle, 151, 156
- mesoscopic bridging scale method (MBS), 155
- microchannel, 308, 428, 430
- microtubules, 334, 335
- microvelocity, 316

- microvessel, 254
 mid-surface, 92, 94
 Mindlin's plate theory, 92
 mineral salt, 182
 mitochondria, 228
 mixture formulation, 339
 modal shape, 99, 103, 104, 105
 modeling field problems, 121
 modified Newton iteration, 112
 Mohr circle, 17, 21
 molar concentration, 373
 molecular diffusion, 410
 molecular diffusivity, 410, 415
 molecular dynamics (MD), 147
 molecular size; small, 373; 407
 molecular weight, 355, 360, 367, 368, 373, 391
 monoclonal antibody, 407
 motor unit, 230
 mucous membranes, 201
 multi-fiber model, 243
 multi-file flow, 254
 multilinear curve, 385
 multiphasic material, 313
 multiscale biomechanics, 177
 multiscale MBS method, 160
 multiscale method, 308
 multiscale modeling, 155
 multistage nanodevice, 178
 multi-targeted therapy, 408
 muscle; skeletal; striated, 227; 228, 231
 muscle activation, 237, 279
 muscle cell, 203, 228
 muscle contraction; shortening; extension, 228, 234, 279, 282
 muscle fatigue, 239
 muscle fiber; bundle, 227, 242, 278
 muscle material; tissue; structure, 227, 231, 279
 muscle model, 290
 muscle modeling, 231, 234
 muscle physiology, 227
 muscle recovery; relaxation, 239; 285
 muscle stress; tension; force, 230, 232, 234, 235, 239
 muscle tone, 231
 myofibrils, 228
 myosin; crossbridge, 229, 333

 nanoparticle, 408, 412, 414
 nanoparticle delivery, 178
 nanovector concentration, 409

 natural coordinates; coordinate space, 41, 82, 83, 86, 156
 natural frequencies, 104, 105
 Navier–Stokes equations; for a finite element, 60, 131, 135, 159
 nebulin, 228
 neighbor-list method, 154
 Nephila clavipes spider, 379, 389, 397–398
 Nephila spinning: canal, process, 402
 neurotransmitter, 230
 neutralization plate, 189, 190, 191–194
 Newmark method, 99, 101, 103, 321
 Newtonian fluid, 263, 290, 299, 409, 414428
 Newton's method, 237
 Nitinol; stent, 277, 280
 nodal acceleration vector, 100–101, 117, 186
 nodal blood pressure; velocity, 258
 nodal concentration, 128
 nodal coordinate vector, 82
 nodal displacement; vector, 73, 74, 82, 94, 103, 144, 186
 nodal flux, 128
 nodal force; vector, 74, 84, 101, 130, 141, 429
 nodal force due to surfactant, 209
 nodal point, 72
 nodal pressure vector, 129
 nodal relative velocity vector, 143
 nodal rotation vector, 94
 nodal surface flux vector, 123
 nodal temperatures, 125
 nodal velocity vector, 117, 129, 156, 158
 nodal volume flux vector, 125
 node numbering, 80
 nonlamellar bone, 182
 nonlinear constitutive law; constitutive relations, 45, 116, 201, 233
 nonlinear continuum mechanics, 40
 nonlinear elastic material model, 45, 215
 nonlinear finite element analysis, 109
 nonlinear incremental analysis, 113
 nonlinear strain–displacement matrix, 115, 117, 144
 nonlinear strains, 114
 non-Newtonian, 258, 412
 normal stress; components, 17
 no-slip boundary condition, 153
 nucleus, 315, 328, 345, 346
 number density of particles, 158
 numerical tolerance, 393

- one-dimensional diffusion, 57, 129
 one-dimensional matrix, 18
 one-dimensional model, 327
 one-dimensional relationship, 30
 optical tweezers, 342
 orthogonal; bases; matrix, 5, 12, 13
 orthogonality; condition; property; relation, 12, 13, 33, 48, 155
 orthonormal, 13
 orthotropic medium, 53
 oscillatory shear index, 259
 osteoporosis; assessment, 184, 185, 315
 outlet pressure, 289
 out-of-balance vector, 365
 oxygen transport, 297
- PAK; PAK-T, 107, 386
 pan experiment, 382, 399
 parabolic finite element, 86
 parallel elastic element, 235
 parallel screws, 194, 195
 parameter space, 356, 359, 363, 366
 partial density, 55, 382
 particle circular; elliptical, 428, 429
 particle in SPH, 162
 particle mass, 158
 particle motion, 428
 particle surface, 428
 particulate formulation, 407
 partition coefficient, 381
 passive state, 231
 Peclet number, 371, 415
 penalty method; parameter, 131
 perfusing velocity, 421
 perfusion chamber, 309
 pericardium, 201
 perimysium, 227
 periodic boundary conditions, 149, 154
 permeability, 325, 342, 346, 411, 414, 420, 421, 423, 426
 permeability coefficient, 66, 298
 permeability matrix, 64
 permeability parameter, 414, 422, 424
 permeable, 412, 414
 permutation symbol, 5, 93
 persistence length, 332
 phase, 103
 phosphorylation, 352, 353, 355
 physical quantity, 11
 physical space, 82, 86
 Piola–Kirchhoff stress, 45, 204, 216
- plane strain; element, 27, 28, 87
 plane stress conditions; element, 30, 31, 88, 211
 plaque; rupture, 295
 plasma, 251, 252
 plaster cast, 188
 plate with hole, 89, 168
 platelet accumulation; rate, 295, 303, 304, 305
 platelet; activated; resting; deposited, 252, 295, 303, 307, 310
 platelet activation; adhesion; aggregation, 296, 302, 306, 310
 platelet concentration; deposition, 304, 306, 310
 platelet flux, 303, 305
 platelet mediated thrombosis, 303
 plates and screws fixation, 189
 plug radius, 412
 Poiseuille flow, 61, 150, 154, 409, 412, 415
 Poiseuille parabolic distribution, 420
 Poisson's ratio; coefficient, 27, 39, 96, 325
 polar decomposition theorem, 43
 pole of the Mohr circle, 21, 22
 polymer solution, 380, 381, 384, 389, 392
 pore fluid pressure, 64
 poroelastic material, 66
 porosity, 64, 66, 145, 316, 321, 325, 346
 porous deformable media, 51, 63
 position vector, 92, 93
 post-collapse steady-state solution, 366
 potential function, 148
 pre-collapse solution, 367
 prescribed displacement, 118
 prescribed temperature, 52
 pressure; dimensional, 59, 420
 pressure distribution, 142, 269, 421
 pressure drop, 254
 pressure field, 133
 pressure inlet; outlet, 421
 pressure parameter, 414, 422, 424
 pressure profile, 269
 pressure total, 317, 319, 326
 pre-strain, 341
 prestress; cytoskeletal, 334
 prestressed structure, 334, 336
 principal basis; vectors; right, 8, 12, 43, 47, 48, 118
 principal direction; directions, 8, 21, 47, 49, 209, 211, 316
 principal plane; planes, 17, 22
 principal strain directions, 217
 principal stresses, 17, 21, 118, 209, 217

- principal stretch; stretches, 43, 47, 49, 118, 208, 209, 211, 316
- principal value; values, 8, 48
- principle of virtual work; for continuum, 37, 76, 113, 114, 143
- profile of the spinning canal, 400
- projection operator, 155, 157
- protrusion, 345
- proximal femur, 195, 197
- pulmonary circulation, 249
- pulsatile flow, 259, 268
- pure shear; in plane, 23, 47
- pure stretch, 43
- pure-diffusion model, 362
- quadratic base, 166
- quadratic convergence rate, 112
- quasi-static problem, 208
- quintic spline, 163
- radial displacement, 106, 218, 219
- radial domain, 363, 364
- radial stress, 90
- radiation flux, 125
- random force, 152
- rate of change, 10
- rate of deformation tensor, 49
- rate of LIS collapse, 373
- rate of shedding, 354
- rate sensitivity, 368
- ratio of the stresses, 204
- receptor; receptors, 230, 408
- receptor activation; trafficking, 376
- recovery curve, 242
- recovery factor, 240
- recruitment, 230
- red blood cell (RBC) or erythrocyte, 251, 342
- relative viscosity; apparent, 254, 255
- relative fluid velocity, 143, 328
- relaxation; function, 29, 203, 346
- renal arteries, 262
- resistance force, 117, 319
- resistance matrix, 117
- resonant regime, 104
- retrograde flow, 283
- Reynolds number, 300, 390
- rheological parameter, 412
- rigid body displacement, 79
- rigid strut, 338
- rigid walls, 273, 283
- rings, 219, 220
- rotated coordinate system, 30
- rotation displacement, 92
- rotation tensor, 7, 11, 12, 43, 48
- rupture risk, 266
- sarcolemma, 227
- sarcomere, 242
- sarcoplasm, 228
- sarcoplasmic reticulum, 228
- scalar, 3
- scaling procedure, 213
- scope of bioengineering, 173
- second invariant of the strain rate, 253
- second moment of inertia, 190
- second Piola–Kirchhoff stress, 114
- semi-infinite medium, 54
- semipermeable wall, 301
- serial elastic element, 235
- settlement, 145
- shape function, 427
- shear modulus, 29, 190
- shear rate, 253, 305, 306, 310
- shear strain, 20
- shear stress, 17, 259, 263, 275
- shear-augmented dispersion, 409
- shedding, 357
- shedding rate, 349, 356, 359, 363, 366, 367, 369, 373, 374, 37
- shell conditions, 30, 31
- shell constitutive matrix, 28, 32, 95
- shell finite element, 91, 263, 268, 278
- shell in-plane terms, 211
- shell surface, 212
- shell tangential plane, 92–93, 208
- Sherwood number, 298, 390
- short bone, 183, 184
- signaling properties, 374
- single file flow, 254
- singular stiffness matrix, 79
- six-strut tensegrity model; structure, 336, 337, 341
- skew-symmetric, 21
- slow-twitch, 231, 242
- smooth muscle tissue, 205
- smoothed particle hydrodynamics (SPH), 161
- smoothing kernel function, 161
- solid matrix, 314, 316
- solid skeleton, 340
- solid tumor, 408

- solid–fluid interaction; algorithm, 139, 140, 141, 339
 solid–fluid mixture, 64, 316, 346
 solute, 412
 solute-absorption parameter, 413
 solvability condition, 417, 418
 solvent, 56, 414, 42
 solvent concentration; distribution; mean, 379, 380, 384, 387, 388, 391, 393, 395
 solvent diffusion coefficient, 379, 380, 381, 384, 387, 390, 391
 solvent removal, 379, 380, 388, 389, 390, 392, 397
 solvent removal modeling, 388, 397
 source term, 357
 space cell, 165
 space membrane, 28
 space volume, 10
 spatial description, 58
 spatial field, 11, 58
 spatial gradient, 56
 spatial point, 58
 species concentration, 56
 specific heat, 52, 127
 specific interactions, 408
 spectral decomposition, 13
 specular boundary conditions, 153
 SPH interpolation, 162
 SPH method, 308
 spherical biological membrane, 217, 218
 spider spinning process, 398
 spin line, 390, 392, 393, 394, 395, 397
 spin tensor, 21, 49
 spinal cord, 315
 spinal motion segment (SMS), 66, 145, 315, 327, 328
 spine anatomy, 315
 spinning canal, 379, 389, 397, 398, 399, 400, 402, 403
 spinning dope, 389, 397
 spring constant, 35
 squared membrane, 221
 static condensation, 27, 32
 steady flow, 60
 steady heat conduction, 125
 steady state solution, 53, 150, 354, 355
 steady-state, 357, 363, 370, 414
 stenosis, 270, 300, 304, 305, 308
 stent, 276, 278, 280, 281
 step pressure, 106
 stiffness matrix, 73, 84, 103, 113, 186, 260
 straight aorta, 268
 strain; small (linear), 19, 20, 114
 strain energy function, 45, 201, 215
 strain field, 20
 strain measures, 43
 strain rate, 19, 21, 30, 59, 186, 187
 strains; strain tensor, 20, 95
 strain-displacement matrix, 83
 strains-axial components; circumferential, 21
 streaming potential, 322, 323
 streamline contours, 305
 stress; tensor; vector; components, 15, 16, 17, 208
 stress active; passive, 339, 346
 stress concentration, 90, 196
 stress distribution, 168, 270
 stress effective; total, 316, 344
 stress fiber, 332
 stress in the solid phase, 64
 stress increment, 211
 stress integration, 116, 117, 235
 stress matrix, 117
 stress measures, 45
 stress ratio, 210
 stress recovery; relaxation, 203
 stress–strain curves; relationship, 202, 397
 stress–strain hysteretic loops, 206
 stress–stretch curves; relations; relationships, 46, 205, 209, 210
 stress–stretch loop, 214
 stretch, 118, 210, 233
 stretch ratio, 234
 stretch tensor left; right, 43, 48
 stretched biaxially, 220
 strong coupling method, 139
 structural axial strain, 341
 structural stiffness, 79, 110, 342
 structure of biological tissue, 201
 strut, 338, 340
 subdomain, 167
 surface flux; heat, 54, 123, 358
 surface integral, 10
 surface tension, 207, 2012, 213, 218
 surface traction vector, 259
 surfactant; with hysteresis, 201, 207, 211, 218, 219
 surfactant area, 207
 surrounding material, 214
 surrounding temperature, 52
 swelling of column, 325

- swelling pressure, 316, 317, 318, 321, 322, 326, 327, 334
- symmetric AAA, 268
- symmetric matrix; tensor, 4, 12
- symmetry conditions, 224, 416
- symmetry of structure, 80
- synthetic fiber, 379, 388, 389, 394, 397
- system configuration, 113
- system frequencies, 99, 103
- system matrix, 365
- system stiffness matrix, 79, 110
- systemic circulation, 250, 252
- ystole, 287
- ystolic; flow; phase; pressure, 269, 266, 276, 292
- tangent constitutive matrix, 208, 211, 232, 238
- tangent modulus, 210, 211
- tangential stress; components, 16
- tangential velocity, 259
- Taylor series, 110
- Taylor's approximation, 410
- temperature distribution; field, 53, 126
- temperature gradient, 51
- temperature profile, 54
- tendon, 202, 227
- tensile stiffness, 186
- tensegrity architecture, 334, 341
- tensegrity model, 334, 337, 343
- tensile element, 334
- tensile force, 332
- tension-length relationship, 235
- tension-stretch relationship, 234
- tension-velocity relation, 234
- tensor, 6
- tensor - cross product; dot product; scalar product, 7
- tensorial shear strains, 20
- tensorial transformation, 6, 17
- tetanic contraction, 230, 234
- tetanic stress, 237
- tetanzed condition; state, 234, 240
- TGF- α , 372, 373, 374, 375
- therapeutic antibody, 408
- thermal diffusivity, 302, 305
- thick filaments, 227
- thick-walled cylinder, 89
- thin filaments, 227
- three-dimensional (3D) finite element, 81, 126, 127, 327
- thrombosis, 295
- tight junction, 365
- time integration, 359
- time step, 124
- tissue; soft, 201
- tissue density, 186
- tissue hysteresis, 205
- titin, 229
- torsional force, 187
- total derivative, 59
- total mass of polymer solution, 384
- total strain; stress, 65
- total water content, 325
- traction normal; tangential, 345
- trajectory, 429, 430
- transformation matrix, 6, 12, 32, 209
- transformation of constitutive: matrix; relations, 30, 95
- transformation of stiffness matrix, 75
- transformation of : strains; stresses, 18, 31, 32
- transformation rule, 13
- transitional domain, 363, 364
- transport equation, 363, 411
- transposed matrix, 4
- transverse concentration, 413
- transverse diffusion, 413
- traveling cross section, 403
- tropomyosin, 228
- troponin, 230
- truss finite element, 73, 74
- T-tubules, 230
- tumor, 408
- tumor cell, 178, 408
- tumor vasculature, 408
- twitch, 230
- two-dimensional finite element, 85
- two-dimensional steady flow, 133
- unbalanced force, 112
- undeformed configuration, 212
- uniaxial curve, 204, 210, 211
- uniaxial deformation; extension, 23, 343
- uniaxial loading; load, 203, 204, 343
- uniaxial model, 203
- uniaxial tension, 89, 168
- uniaxial test, 203
- uniqueness theorem, 37
- unit normal, 92
- unit step force, 36
- unit vectors, 13
- unloading, 205, 221
- unloading curve, 205

- unloading regime, 214
- unsteady diffusion, 57, 128, 129
- unsteady fluid flow, 62, 134, 138, 164
- unsteady heat conduction, 54, 126, 127
- urinary bladder, 208, 223
- uterus, 201

- valve aortic, 287
- valvular plane, 289
- valvular pressure, 289
- vascular hydraulic conductivity, 414, 421
- vector; components, 3, 6
- vein; deformable, 285, 286
- vein valve, 283
- velocity deviation, 409
- velocity distribution, 134, 422
- velocity field, 269, 290, 300, 420
- velocity fluctuation, 155
- velocity gradient, 259
- velocity of contraction, 234
- velocity profile, 61, 133, 155, 161, 164, 269, 284, 285, 301, 309, 403, 410, 412
- velocity vector; field, 61, 103
- velocity–load relationship, 229
- velocity–pressure interpolation, 129
- venous system, 282
- ventricle left; right, 287, 289
- ventricle valve, 287
- ventricular pressure, 290
- venula, 250
- Verlet algorithm, 154
- vertebrae, 315
- vessel wall, 271
- virtual displacements, 37
- virtual strain, 37, 38, 40, 76
- virtual vascular surgery, 177
- virtual work, 37
- viscoelastic; constitutive law, 29, 186, 313
- viscoelastic materials, 29
- viscoelastic models, 206
- viscoelastic response, 36
- viscoelasticity, 29, 201, 339
- viscosity, 259
- viscosity (viscous) coefficient, 35, 59
- viscous constitutive law, 30
- viscous friction coefficients, 206
- viscous nodal force, 159
- viscous resistance, 260
- viscous stress, 30, 59, 130, 158, 254, 259
- virtual displacement, 76
- Voigt model, 35
- volume flow rate, 421
- volume integral, 10, 123
- volumetric concentration, 55, 128
- volumetric deformation, 215
- volumetric force; nodal, 60, 84
- volumetric fraction, 215
- volumetric source, 383
- volumetric strain; strain rate, 29, 30
- von Mises stress, 118, 119, 270, 274, 328
- Voronoi cell, 151

- wall permeability, 422
- wall reactions, 34
- water concentration ratio, 404
- water content, 321, 325
- water diffusion coefficient, 398, 399
- water diffusion internal, 400
- water diffusion modeling, 400
- wave equation, 62
- waveform, 268
- weak form, 122, 131, 357
- weighted (weight, weighting) function, 122, 152, 165, 166, 167, 357, 415, 417
- weighted quadratic form, 166
- weighting method, 122

- Young's modulus, 27, 39, 66, 202, 325, 338, 346

- zero traction stress, 300
- Z-line, 228

