

Index

A

Absolute paths, 110–111

Access databases. See database(s),

Access

Access, Microsoft, 308

cost of, 308

microsoft.com/office/access, 308

Office v., 308

AccessDataSource controls, 324

accessibility, 430

Accessibility Checker dialog box, 438

accessibility reports, 437

accessibility standards, 429

checking, 437–440

conforming to, 433–437

Lynx and, 434, 435

types of, 433

users with disabilities and, 430

Accessibility Task Pane, 437–438

accessibility flaws listed in, 439

features, 438–439

Generate HTML Report, 439, 440

Next Result, 438

Previous Result, 438

Refresh Changed Results, 439

Run Accessibility Checker, 438

Show Problem Details, 439

purpose of, 15

accessibility tests, 441–446

applet, 445

color/style, 442–443

data table, 444–445

form/scripting, 443–444

frame, 444–445

image, 441–442

imagemap, 442

multimedia, 445

other, 446

actions, 233

Add Choice dialog box, 247

Add WHERE clause dialog box, 333

functionality of, 333–334

Column menu, 334

Operator, 334

Parameter properties, 334

Source menu, 334

SQL Expression label, 334

Value label, 334

WHERE clause, 334

admin.aspx page. See Vecta Corp Web site, admin.aspx page

Advanced button form control, 276–277

Advanced SQL Generation Options dialog box, 358

Advanced tab (Page Properties dialog box)

Bottom Margin, 28

Left Margin, 27

Right Margin, 28

Top Margin, 27

align attribute, 102

alignment, text, 42

alt attribute, 102, 441

Appearance tab (Picture Properties dialog box), 99–100

Layout group, 99

Size group, 100

Wrapping style group, 99

applet tests, 445

Application Service Provider. *See* **ASP**

Application services, 389, 392. *See also*
forms authentication
configuring, 392–394
ASP.NET SQL Server Setup Wizard and,
393

Apply Styles Task Pane
applying styles to elements with, 152–153
functionality of, 153–156
Attach Style Sheet, 153
New Style, 153
Options, 153
Manage Styles Task Pane v., 157
purpose of, 14
Style Selection List in, 154–156

Arial font, 37

ASP (Application Service Provider), 275, 299
validation, 372, 373

ASP.NET, 299. *See also* **forms authentication; .NET Framework**
asp.net, 300
.NET Framework Redistributable
download, 300
.NET Framework SDK download, 300
complexity of, 303
development server, 67
installing, 299–300
Web application security and, 389–412
Web pages
creating simple, 301–303
Data Source Details Task Pane and, 305
Data Source Library Task Pane and, 304
Expression Web and development of,
303–305
New dialog box and, 303, 304
Tag Properties Task Pane and, 303
Toolbox Task Pane and, 303, 304

ASP.NET SQL Server Setup Wizard, 393

ASP.NET Validation controls. *See* **Validation controls, ASP.NET**

assistive technologies, 433–434

Attach Style Sheet dialog box, 164

attributes, 101
list of, 102–103

authentication methods, 391. *See also*
forms authentication
forms, 391
passport, 391
Windows, 391

Authentication mode menu, 396

AutoFormat dialog box, 341
formatting GridView control with, 341, 342,
343

B

Background category (New Style dialog box), 143–144
properties in, 143–144
background-attachment, 144
background-color, 144
background-image, 144
background-repeat, 144
border-color, 145
border-width, 145
x and y background-position, 144

Base Class Library, 316

behaviors, 231–255
Call Script, 238
Change Property, 238–242
Change Property Restore, 242
Check Browser, 243–244
Check Plug-in, 244–245
events in, 233
Go To URL, 245–246
inserting, 234–235
JavaScript and, 232–233
Jump Menu, 246–248
Jump Menu Go, 248
Open Browser Window, 248–250
Play Sound, 250–251
Popup Message, 234, 235
Preload Images, 251
Set Text, 252

Swap Image, 252–254
 Swap Image Restore, 253, 254

Behaviors Task Pane, 232

features of, 235–236
 actions, 235
 Delete, 236
 events, 235
 Insert, 236
 Reposition Behavior, 236
 Tag, 236
 inserting behaviors with, 234–235
 purpose of, 14

blank targets, 111

Block category (New Style dialog box), 142–143

properties in, 142–143
 letter-spacing, 143
 line-height, 142
 text-align, 142
 text-indent, 143
 vertical-alignment, 142
 whitespace, 143
 word-spacing, 143

Bold icon, 40, 41

bookmarks, 114–116

inserting and linking to, 114–116

border attribute, 102

Border category (New Style dialog box), 145

properties in, 145
 border-color, 145
 border-style, 145
 border-width, 145

borders, 47–48

colors of, 48

Borders and Shading dialog box, 215–216

Borders tab, 216
 functionality of, 216
 Shading tab, 216
 functionality of, 217

Borders tab (Borders and Shading dialog box)

Color, 216
 Padding, 216

Preview, 216
 Setting, 216
 Style, 216
 Width, 216

Box category (New Style dialog box), 146

properties in, 146
 margin, 146
 padding, 146

broken links, checking for, 124–126

browsers. See also Preview in Browser menu

Check Browser behavior and, 243–244
 Check Plug-in behavior and, 244–245
 previewing Web page in, 53–56

building block services, 392. See also

Application services

bulleted lists, 43–44

BulletList control, 329

business logic tier, 290. See also server-side technologies

server-side technologies and, 290, 298

button form control, 273

Button tab (Interactive Buttons dialog box)

Buttons property, 121
 Link property, 121
 Preview property, 121
 Text property, 121

C

Call Script behavior, 238

Cascading Style Sheets (CSS), 1. See also behaviors

client-side Web development and, 231, 291
 creating, 130–131
 defining styles in, 131–133
 classes, 131
 ID, 131–132
 tag redefinitions, 132–133
 document-wide, 130
 Expression Web's integration with, 135–167
 external file, 130
 HTML v., 129, 133–134

Cascading Style Sheets (CSS) (continued)

inline, 130

introduction to, 130–133

page formatting with, 129–167

rules in, 130–131

Categories (New Style dialog box), 140, 141–151

properties of, 141–151

Categories table (Vecta Corp database), 311

Cell Properties dialog box, 186

functionality of, 186–187

Background color, 187

Background picture, 187

Border Color, 187

Border Size, 187

Columns spanned, 186

Header cell, 186

Height, 186

Horizontal alignment, 186

No wrap, 186

Rows spanned, 186

Vertical alignment, 186

Width, 187

Layout Cells and, 198–199

cells. See table(s), cells in

Change Property behavior, 238–242

Change Property dialog box, functionality of, 240, 241–242

Add, 242

Borders, 242

Current Element, 241

Element ID, 241

Element Type, 241

Font, 241

Modify, 242

position, 241

Property List, 241

Remove, 242

Restore on mouseout event, 242

Select Element, 241

visibility, 242

Change Property Restore behavior, 242

ChangePassword control, 411–412. See also Login controls

Check Browser behavior, 243–244

Check Plug-in behavior, 244–245

Checkbox form control, 268

checked property, 268

value property, 268

CheckBoxList control, 329

checkpoints, WCAG, 432. See also Web content accessibility guidelines

Chicago Sun-Times XML sports feed, 425, 426

suntimes.com/rss/sports/index.xml, 425

Choose Data Source Library dialog box, 319

class attribute, 102

classes (selector), 131

defining styles with, 131

green dot and, 156

client, 286

dynamic Web page process and, 287

static Web Page process and, 286

client-side technologies, 286

CSS, 231, 291

HTML, 231, 291

JavaScript, 231–232, 291

media elements, 291

presentation tier and, 289, 290–291

client-side validation, 372–373. See also Validation controls, ASP.NET

limitations of, 372–373

server-side validation v., 373

client-side Web development, 231, 286

behaviors and, 231–255

CSS and, 231, 291

HTML and, 231, 291

JavaScript and, 231–232, 291

ClientValidationFunction, 386

CLR. See Common Language Runtime

Codd, E.F., 305

Code view toolbar, usage of, 19

collapse visibility, 149

color(s)

- background, 26, 45
- border, 48
- highlighting with, 26, 45
- horizontal line, 50
- hyperlink, 27
- text, 27, 45–47
- Web-safe, 46

Color dialog box, 47**color tests, 442–443****columns, database, 307****columns/rows. See table(s), rows/columns in Common Language Runtime (CLR), 299****Common toolbar, 16**

- usage of, 19

CompareValidator control, 378–380

- adding/configuring, 378–379
 - result of, 380
- properties and
 - ControltoCompare, 379
 - Operator, 379
 - Type, 380
 - ValueToCompare, 380
- TextBox control and, 378, 379

Compatibility Task Pane, purpose of, 15**Conditional Formatting Task Pane, purpose of, 15****Configure Data Source Wizard, 326–328**

- Choose Your Data Connection screen in, 326, 327
- Configure the Select Statement screen
 - Advanced button, 328
 - Columns pane, 327–328
 - Name menu, 327
 - ORDER BY button, 328
 - “Return only unique rows” checkbox, 328
 - “Specify a custom SQL statement or stored procedure” button, 326
 - “Specify columns from a table or view” button, 326
 - WHERE button, 328

- Configure the Select Statement screen in,
 - SELECT statement, 328
- DataSource control and, 326–328
- Query Builder in, 345, 346
- Test Query screen in, 328

Configure the Select Statement screen. See Configure Data Source Wizard**Configured Data Source Configuration****Wizard dialog box, 361, 362****Connection Properties dialog box, 319, 322****context menus, 3, 4**

- development area, 20
 - function of, 19–20
- contextual selectors, 160–164. See also selectors**
- active, 161
 - building, 227
 - CSS-P layers and, 226–227
 - hover, 161, 162
 - navigation menu links and, 163–164
 - link, 161
 - visited, 161
 - working with, 162–164

ControltoCompare property, 379**ControlToValidate property, 375, 377****Copy Web Site window, 57, 82–83, 90**

- functionality of, 82–83
 - Author, 83
 - Local Web Site Pane, 83
 - Modified, 83
 - Name, 83
 - Optimize Published HTML, 83
 - Publish All Changed Pages, 83
 - Remote Web Site Pane, 83
 - Remote Web Site Properties, 83
 - Size, 83
 - Status, 83
 - Type, 83
 - View, 82–83
- transferring files with, 83–86

Courier font, 37

CreateUserWizard control, 403–406. See

also Login controls

properties of

- AutoGeneratePassword, 404
- CompleteSuccessText, 404
- ContinueDestinationPageUrl, 405
- LoginCreatedUser, 405
- MailDefinition, 405
- RequireEmail, 405

testing functionality of, 405–406

CSS. See Cascading Style Sheets

CSS positioning (CSS-P), 218

layers and, 218–230

CSS Properties Task Pane

adding properties to style rule with,
158–159

functionality of, 159

- Applied Rules list, 159
- CSS Properties, 159
- Show alphabetized list, 159
- Show categorized list, 159
- Show set properties on top, 159
- Summary, 159

managing styles with, 157–158

purpose of, 14

table properties and, 177

CSS Reports dialog box, 165

- Errors tab, 165
- Usage tab, 165

CSS Reports results Task Pane, 166

CSS Reports Task Pane, purpose of, 15

CSS Style List (Manage Styles Task Pane), 157

CSS usage and error reports, 165–166

CSS-P. See CSS positioning

CustomValidator control, 385–386

ClientValidationFunction and, 386

D

data binding hierarchy

- Data controls in, 317
- data providers in, 316, 317, 324

- database in, 316, 317
- DataSource controls in, 317
- List Bound controls in, 317
- presentational elements in, 317

Data controls, 331–332. See also DataList control; GridView control

- data binding hierarchy and, 317
- DataList, 332, 345–353
- DetailsView, 332
- FormView, 332
- GridView, 332–344
- Repeater, 332
- templates used in, 350–351
- types of, 332

data providers, 316

data binding hierarchy and, 316, 317, 324

Data Source Configuration Wizard, 330

Data Source Details Task Pane

- ASP.NET and, 305
- purpose of, 15
- XML bindings with, 417, 420–425

Data Source Library Task Pane

- ASP.NET Web page and, 304
- connecting to Access database with,
318–321
- connecting to databases with, 316–323
- connecting to SQL Server 2005 Express
Edition databases with, 321–323
- purpose of, 15
- XML files and, 417, 419–420

data storage tier, 290. See also database(s)

databases and, 305

data table tests, 444–445

Data View menu item (menu bar), usage of, 6

database(s), 305–313

- Access, 308
- connecting to, 318–321
- Data Source Library Task Pane and,
318–321
- benefits of, 306
- columns, 307

- components of, 306–307
- connecting to, 315
 - Data Source Library Task Pane and, 316–323
- data binding hierarchy and, 316–317
- data storage tier, 290, 305
- DBMS and, 306
- filing cabinet as, 305
- model of relational, 305
- rows, 307
- SQL and, 312–313
- SQL Server 2005 Express Edition, 308–309
 - connecting to, 321–323
 - Data Source Library Task Pane and, 321–323
- tables, 307
- types of, 307, 308
- database administrator (DBA), 308**
- database management system (DBMS), 306**
- DataList control, 332**
 - adding, 346–347
 - creating complex joins in, 345
 - Query Builder and, 345–346
 - formatting, 347
 - Property Builder and, 347–350
 - templates and, 350–353
 - adding separator with, 351–353
 - AlternatingItemTemplate in, 351
 - EditItemTemplate in, 351
 - FooterTemplate in, 351
 - HeaderTemplate in, 351
 - ItemTemplate in, 351, 352
 - SelectedItemTemplate in, 351
 - SeparatorTemplate in, 351
 - working with, 345–353
- DataSource controls, 324–325**
 - AccessDataSource, 324
 - adding/configuring, 325–328
 - Advanced SQL Generation Options dialog box in, 358
 - inserts/updates/deletes support in, 357–358
 - Configure Data Source Wizard and, 326–328
 - data binding hierarchy and, 317
 - SqlDataSource, 324, 325
- DBA. See database administrator**
- DBMS. See database management system**
- Define Custom Statements or Stored Procedures dialog box, 346, 347**
- definition list, 44**
- deployment, of Web sites, 87**
 - Personal Web Packages and, 57, 87–90
- DetailsView control, 332**
- development area, 7, 8**
 - context menu of, 20
 - customization of, 8–9
 - page size of, 9
- development environment, Expression Web, 3–4**
 - five components of, 3–4
- Development window. See Document window**
- DHTML. See Dynamic HTML**
- dictionary, Expression Web**
 - adding words to, 50–51
 - spell-checking engine and, 50–53
- dir attribute, 102**
- disabilities, Web access and, 430**
- Display property, 377**
- DIV Tags, 223**
 - external style sheet and insertion of, 223–226
- docked position, 2, 16**
- Document relative paths, 110**
- Document window, 3, 4**
 - components of, 7–8
 - function of, 7–8
- document-wide CSS files, 130**
- Double-A WCAG standards, 433**
- Download Patches page, 323–324**
 - building, 323–324
- Drop-Down Box form control, 270–273**

Drop-Down Box Properties dialog box

Drop-Down Box Properties dialog box, 271, 272, 273

drop-down menus. See Drop-Down Box form control

DropDownList control, 329

adding, 330–331

Dynamic HTML (DHTML), 204

Netscape, Internet Explorer and, 204–205

dynamic Web pages, 287–288

process, 287

static v., 287

Vecta Corp Web site and, 313–314

Web application with, 289

Dynamic Web Template toolbar, usage of, 19

E

eBay, forms and, 258–259

Edit (menu bar), usage of, 5

Edit Browser List dialog box, 54–55

Add button, 55

Additional window sizes, 55

“Automatically save page before previewing”
checkbox, 55

Browsers list, 54

features, 54–55

Modify button, 55

Remove button, 55

Edit Hyperlink dialog box, 114

checking for broken links and, 125, 126

Remove Link, 114

Edit Rule dialog box, 397

Edit Tag option (Quick Tag selector), 13

e-mail address links, 116–117

EnableClientScript property, 377–378

Enabled property, 378

ErrorMessage property, 375, 378

Errors tab (CSS Reports dialog box), 165

events, 101, 233

list of, 236–237

Export Web Package dialog box, 88

options in, 88

Add, 88

Files in Package pane, 88

Files in Web Site pane, 88

Properties, 88

Remove, 88

Show Dependencies, 88

Total size, 88

Expression Web, Microsoft

accessibility standards and, 430–447

building Web page in, 21–56

built-in Web server of, 296–298

CSS integration in, 135–167

function of, 1–2

introduction to, 1–20

visual XML authoring environment of,
417–428

WebDAV and configuring, 78–79

working with Web sites in, 57–91

Extensible Markup Language (XML), 1

binding data to Web page and, 417,
420–425

Change Layout option in, 424

Conditional Formatting option in, 424

Data Source Details Task Pane, 417,
420–425

Data Source Library Task Pane, 417,
419–420

Data View Preview option in, 424

Data View Properties option in, 425

Edit Columns option in, 424

Filter option in, 424

Multiple Item View, 421

Refresh Data View option in, 424

Single Item View, 422

Sort option in, 424

creating document in, 418–420

Data Source Library Task Pane and
employees.xml file, 419, 420

New Page dialog box and, 417, 418–420

XML declaration in, 418

Expression Web and, 417–428

introduction to XSL and, 413–416

metadata and, 413

extensions, 58. See also FrontPage Server

Extensions

external CSS files, 130

external style sheets, 138

- creating style rule within, 138–139, 140
 - New Style dialog box and, 138–139, 140
- imported v. linked, 156
- layers, CSS and, 218–226

F

Fields dialog box, 338

- GridView control's columns and, 338–340
- options in, 338–339
 - Auto-generate fields checkbox, 339
 - Available fields pane, 338
 - BoundField properties, 339
 - Convert this field into a TemplateField, 339
 - Refresh Schema link, 339
 - Selected fields pane, 339

file field form control, 277–278

File menu item (menu bar), usage of, 5

File System option, Web server connection with, 79

File Transfer Protocol (FTP)

- disadvantages of, 75
- FrontPage Server Extensions v., 71
- remote Web server connection with, 73–75
- WebDAV v., 75–76

files

- deleting, 66
- renaming, 66
- transferring, 83–86

filing cabinet, database as, 305. See also database(s)

Find 1 Task Pane, 15

Find 2 Task Pane, 15

float property, nested layers and, 222

floating position, 2, 16

fly-out menu, 214, 215

Folder List Task Pane

- create new folders/pages with, 62–64

- deleting files with, 66
- purpose of, 14
- renaming files with, 66
- setting home page with, 65–66
- working with, 62–66

font(s), 37–39

- sizes of, 39–40

Font category (New Style dialog box), 142

- properties in, 142
 - color, 142
 - font-size, 142
 - font-style, 142
 - font-variant, 142
 - font-weight, 142
 - text-decoration, 142
 - text-transform, 142

font families, 37–38

- creation of, 38–39

Font option text change, 38

Font tab (Interactive Buttons dialog box),

121, 122, 123

- options in, 123
 - Font, 123
 - Font Style, 123
 - Horizontal and Vertical Alignment, 123
 - Hovered Font Color, 123
 - Original Font Color, 123
 - Pressed Font Color, 123
 - Preview, 123
 - Size, 123

form control(s)

- Advanced button, 276–277
- button, 273
- Checkbox, 268
 - checked property, 268
 - value property, 268
- Drop-Down Box, 270–273
- file field, 277–278
- forms v., 259
- Group Box, 280–281
- hidden field, 279
- Image field, 275–276
 - src property, 276

form control(s) (continued)

introduction to forms and, 257–260

Label, 281–282

list of, 263

Password, 264

properties, 265–266

class, 266

disabled, 266

readonly, 266

tabindex, 266

type, 265

Radio button, 268–270

Reset button, 273, 274

Submit button, 273, 274

Tag Properties Task Pane, 261–263

Text Area, 266–267

cols property, 267

rows property, 267

Text Field, 264–266

properties of, 264–265

working with forms and, 260–283

form tests, 443–444

Format menu item (menu bar), usage of, 6

Formatting tab (Page Properties dialog box)

Active hyperlink color, 27

Background color, 26

Background picture, 26

Hovered hyperlink color, 27

Hyperlink color, 27

Make it a watermark, 26

Text color, 27

Visited hyperlink color, 27

Formatting toolbar, usage of, 18

forms

eBay and, 258–259

form controls v., 259

introduction to, 258–260

properties of, 260–263

request/response process for, 274–275,
291

testing, 274–275

working with form controls and, 260–283

forms authentication, 391

configuring, 392, 394–398

configuring application services in,
391–392

creating login page in, 389, 393, 398–400

implementing Login controls in, 392

FormView control, 332

adding/configuring, 360–363

SolutionID DataBindings dialog box and,
363

templates and, 359

EditItemTemplate in, 359

HeaderTemplate in, 359

InsertTemplate, 359

ItemTemplate in, 359

PagerTemplate in, 359

working with, 359–363

FormView controls, templates and,

FooterTemplate in, 359

frame tests, 444–445

Framework Class Library, 299, 316

FrontPage Server Extensions, 71–72

benefits of, 71

FTP v., 71

installation of, 72–73

remote Web server connection with, 72–73

FTP. See File Transfer Protocol

G

General tab (Page Properties dialog box), 24–26

Background sound location, 26

Background sound loop, 26

Base location, 25

Default target frame, 25

Keywords, 25

Location, 25

Page description, 25

Title, 25

General tab (Picture Properties dialog box), 99

Accessibility group, 99

Hyperlink group, 99

Picture group, 99

get method, 261, 262

GIF. See Graphical Interchange Format

Go To URL behavior, 245–246

Graphical Interchange Format (GIF), 94

GridView control, 332

Add WHERE Clause dialog box and,
333–334

adding, 332–337

Edit and Delete hyperlinks in, 364, 365

editing columns of, 337–340

extending, 364

modifying/deleting support through,
364–368

Fields dialog box and, 338–340

formatting, 340–343

AutoFormat dialog box and, 341, 342,
343

Tag Properties Task Pane and, 341

modifying/deleting database data with,
363–368

paging/sorting, 343–345

AllowPaging in, 344

AllowSorting in, 344

PageIndex in, 344

PagerSettings in, 344–345

PagerStyle in, 344

PageSize in, 344

solution IDs and, 366–367

width restriction of, 367–368

Group Box form control, 280–281

H

headings, 35–37

custom properties for, 37

options for, 35–36

size of, 36, 37

height attribute, 102

Help menu item (menu bar), usage of, 7

Helvetica font, 37, 38

hidden field form control, 279

purchase process scam and, 279

hidden visibility, 149

highlighting, 26, 45

home page

definition of, 65

setting of, 65–66

horizontal line

color of, 50

insertion of, 49–50

shading property of, 49

width/height adjustment of, 49, 50

Horizontal Line Properties dialog box, 50

horizontal rule, 49

hotspots, 117–118

images and creating, 118–120

hover image, 123

hspace attribute, 102

HTML. See Hypertext Markup Language

HTML 4.0 specification, 204

HTML forms. See forms

HTML optimization, 79–80

**HTML request/response process. See
request/response process**

HTML tables. See table(s)

hyperlinking, 110

hyperlinks. See also links

active, color for, 27

color for, 27

hovered, color for, 27

preserving, 32

underlines and, 41

visited, color for, 27

Hyperlinks Task Pane, purpose of, 15

Hypertext Markup Language (HTML), 1.

See also Dynamic HTML

client-side Web development and, 231, 291

CSS v., 129, 133–134

hyperlinking and, 110

Markup in, 413

metadata and, 413

optimization of, 79–80

icdri.org, 430

icons, toolbar, 16, 17

id attribute, 102

ID property, 378

IDs (selector), 131

defining styles with, 131–132

Layers Task Pane and, 210

red dot and, 156

IIS. See Internet Information Service

image(s), 94. See also Graphical

**Interchange Format; Joint Photographic
Experts Group; Portable Network
Graphics**

hover, 123

layers with, 208

manipulating properties of, 96–106

multiple links within, 117–120

original, 123

Picture File Type dialog box and, 109

Picture Manager and editing, 106–108

Picture Properties dialog box and, 97,
98–100

Pictures toolbar and, 103–106

pressed, 123

spacer, 195

Tag Properties Task Pane and, 100–103

types of, 94

Web pages and inserting, 94–96

Image field form control, 275–276

src property, 276

image map, 117

Image Placeholder, 96

image rollover. See rollover images

**Image tab (Interactive Buttons dialog box),
123–124**

properties in, 123–124

Create hover image, 123

create pressed image, 123

Maintain proportions, 123

“Make the button a GIF image and use a
transparent background” button, 124

“Make the button a JPEG image and use
this background color” button, 124

Preload button images, 123

Preview, 123

Width and Height, 123

image tests, 441–442

imagemap tests, 442

imagemaps, 442

indentations, 42

inherit visibility, 149

inline CSS files, 130

yellow dot and, 156

Input (Button), 273

Input (Reset) button, 273–274

Input (Submit) button, 273–274

Input (Checkbox) control form, 268

Input (Password) control form, 264

Input (Radio) control form, 268–270

Input (Text) control form, 264–266

Input (Hidden) field control, 279

Input (File) form control, 277–278

Insert HTML option (Quick Tag selector), 13

Insert Hyperlink dialog box, 112–114

e-mail link and, 117

options in, 112–114

Address, 113

Bookmark button, 113

Browse the Web / Browse for File button,
113

Link to option, 112

Look in option, 112

Parameters button, 114

ScreenTip, 112

Site directory box, 113

Target Frame button, 114

Text to display, 112

text-based links and, 112–114

Insert menu item (menu bar), usage of, 6

**Insert Rows or Columns dialog box,
179–180**

Insert Table dialog box, 171, 172, 176–177

options in, 173–175

- Alignment, 173
- Background color, 175
- Background picture, 175
- Border Color, 174
- Border Size, 174
- Cell padding, 174
- Cell spacing, 174
- Collapse table border, 174–175
- Columns, 173
- float property, 173
- Height, 174
- Layout Tools, 175
- Rows, 173
- Set, 175
- Width, 174
- Interactive Buttons, 120**
 - re-creating navigation menu with, 120–121
- Interactive Buttons dialog box, 120, 121**
 - Button tab, 121
 - Font tab, 121, 122, 123
 - Image tab, 123–124
- interface, Expression Web, 2–4**
- International Center for Disability Resources, 430**
 - icdri.org, 430
 - Web accessibility standards and, 430
- Internet e-mail address, RegularExpressionValidator control and, 384, 385**
- Internet Explorer, 204**
 - DHTML, Netscape and, 204–205
- Internet Information Service (IIS), 76**
 - configuring, 293–295
 - Expression Web and, 297–298
 - file location and, 294–295
 - Localhost and, 295
 - creation of virtual directory in, 76–78, 294
 - installing, 293
 - secure web applications and, 390
 - Windows operating systems supporting, 292–293
- Internet URL, RegularExpressionValidator control and, 384**
- ismap attribute, 102**
- Italic icon, 40, 41**
- J**
- JavaScript, 1. See also behaviors**
 - client-side Web development and, 231–232, 291
 - fundamentals of, 232–233
- JavaScript validation, 372. See also client-side validation**
- jimthatcher.com/skipnav.htm., 446**
- Joint Photographic Experts Group (JPEG), description of, 94**
- JPEG. See Joint Photographic Experts Group**
- Jump Menu behavior, 246–248**
- Jump Menu dialog box, 247**
- Jump Menu Go behavior, 248**
- K**
- Knowledgebase table (Vecta Corp database), 310**
- L**
- Label form control, 281–282**
- lang attribute, 102**
- Language tab (Page Properties dialog box)**
 - HTML encoding, 29
 - Page language, 29
- layers**
 - borders/shading added to, 214–217
 - CSS-P and, 218
 - table-less Web sites with, 218–230
 - deleting, 217–218
 - drawing, 211–212
 - external style sheet and designing, 218–219
 - Content in, 219
 - CSS rules for, 219–223

layers (continued)

layers (continued)

- Footer in, 219
- Header in, 218–219
- inserting DIV Tags in, 223–226
- Navigation in, 219
- inserting, 205–207
- inserting content into, 207–208
- inserting image into, 208
- introduction to, 204–205
- modifying properties of, 209–211
 - Layers Task Pane and, 209–211
 - Positioning toolbar and, 209
- nested, 212–214
 - creating, 212–214
- right-clicking, 210
 - Borders and Shading in, 211
 - Cut, Copy, Paste in, 210
 - Modify ID in, 211
 - Modify Z-Index in, 211
 - Positioning in, 211
 - properties in, 210–211
 - visibility in, 210
- working with, 205–230
- z-index and, 204, 211

Layers Task Pane

- Draw Layer, 210
- features of, 210
- Insert Layer, 210
- modifying layer properties with, 209–211
- purpose of, 14

Layout category (New Style dialog box), 148–149

- overflow properties in, 149
 - auto, 149
 - hidden, 149
 - scroll, 149
 - visible, 149
- properties in, 148–149
 - clear, 149
 - clip top, right, bottom, and left, 149
 - cursor, 149

- display, 149
- float, 149
- visibility, 149

Layout Cells, 198

- Cell Properties dialog box and, 198–199
- drawing, 198–199

Layout Tables

- drawing, 193–197
- tables v., 193

Layout Tables dialog box, 196

- features of, 196
 - Alignment, 196
 - Auto-scale cells with table, 196
 - Draw Layout Cell, 196
 - Draw Layout Table, 196
 - Height, 196
 - Insert Layout Cell, 196
 - Insert Layout Table, 196
 - Make Column/Row Autostretch, 195
 - Set Page Margins, 196
 - Show Layout Tool, 196
 - Table Layout, 196
 - Use Column Spacer Image, 195
 - Width, 196

Layout Tables Task Pane, purpose of, 14 legacy Web sites, 164

line breaks, 33–35

line, horizontal. *See* horizontal line

links, 111. *See also* hyperlinks

- bookmarks and, 114–116
- checking for broken, 124–126
- e-mail address, 116–117
- images with multiple, 117–120
- text-based, 111–114

list(s)

- bulleted, 43–44
- definition, 44
- numeric, 43, 44

List Bound controls, 328–329

- BulletList, 329
- CheckBoxList, 329

- data binding hierarchy and, 317
 - DropDownList, 329
 - adding, 330–331
 - ListBox, 329
 - RadioButtonList, 329
 - types of, 329
 - list box, 270. See also Drop-Down Box form control**
 - List category (New Style dialog box), 150**
 - properties in, 150
 - list-style-image, 150
 - list-style-position, 150
 - list-style-type, 150
 - List Properties dialog box, 44**
 - Numbers, 44
 - Other tab, 44
 - Picture Bullets, 44
 - Plain Bullets, 44
 - ListBox control, 329**
 - “Local authorization rules” list, 398**
 - Localhost, 295**
 - Login controls, 389, 392, 400, 401–403.**
 - See also forms authentication**
 - forms authentication and, 400–412
 - properties, 402
 - CreateUserText, 402
 - CreateUserURL, 402
 - DestinationPageURL, 402
 - DisplayRememberMe, 402
 - FailureAction, 402
 - FailureText, 402
 - PasswordRecoveryText, 402
 - PasswordRecoveryURL, 402
 - types of
 - ChangePassword control, 411–412
 - CreateUserWizard control, 403–406
 - LoginName control, 406, 407
 - LoginStatus control, 406
 - PasswordRecovery control, 407–411
 - login page, forms authentication and, 389, 393, 398–400. See also forms authentication**
 - LoginName control, 406, 407**
 - LoginStatus control, 406**
 - longdesc attribute, 102**
 - Lynx, 434**
 - accessibility standards and, 434, 435
- ## M
- Manage Styles Task Pane**
 - Apply Styles Task Pane v., 157
 - managing styles, 157
 - purpose of, 14
 - margins, setting of, 27–28**
 - Master Page toolbar, usage of, 19**
 - MDI. See Multiple Document Interface**
 - media elements, 291**
 - menu bar, 3, 4, 5**
 - function of, 5
 - menu items within, 5–7
 - usage of, 5–7
 - metadata, 413**
 - Microsoft Access. See Access, Microsoft**
 - Microsoft Expression Web. See Expression Web, Microsoft**
 - Microsoft Office bundle. See Office, Microsoft**
 - Microsoft Office Picture Manager. See Picture Manager, Microsoft Office**
 - Microsoft SQL Server 2005 Express Edition. See SQL Server 2005 Express Edition, Microsoft**
 - microsoft.com/office/access, 308**
 - microsoft.com/sql, 308**
 - Modify Style dialog box, 155**
 - Modify Table dialog box, 176–177**
 - More Colors dialog box, 46**
 - msdn.microsoft.com/vstudio/express/sql/download, 308, 309**
 - multimedia tests, 445**
 - Multiple Document Interface (MDI), 2–4**
 - Multiple Item View, 421**

N

name attribute, 102

natural language, 446

navigation menus

Interactive Buttons and rebuilding, 120–121

Jump Menu behavior and, 246–248

nested layers. See layers, nested

nested tables. See table(s)

.NET, 298–299

features of, 299

.NET Framework, 299

ASP.NET in, 299

CLR in, 299

download, 300

Framework Class Library in, 299, 316

installing ASP.NET and, 299–300

Windows Update Web site, 300

main parts of, 299

.NET Framework SDK. See .NET Framework Software Development Kit

.NET Framework Software Development Kit (SDK), 300

download, 300

.NET initiative, aim of, 298

.NET platform, 299

.NET products, 299

.NET services, 299

Netscape, 204

DHTML, Internet Explorer and, 204–205

New Connection dialog box, 319, 320, 323

New dialog box, 22

ASP.NET and, 303, 304

Description feature, 23

functionality, 22–23

Options, 23

Page / Web Site Categories, 23

Page / Web Site Tabs, 22

Page tab, 22

Page Type List, 23

Preview, 23

Web Site tab, 59, 60

New Page dialog box, 417

creating XML document from, 418–420

New Style dialog box

categories in, 141–151

Background, 143–144

Block, 142–143

Border, 145

Box, 146

Font, 142

Layout, 148–149

List, 150

position, 147–148

Table, 150–151

creating style rule in external style sheet
with, 138–139, 140

options in, 139–140

Apply new style to document selection,
139

Define in, 139

Description feature, 140

Preview option, 140

Properties, 140

Selector, 139

URL text box, 140

New Web Site dialog box, 60

Categories List, 60

Description, 60

functionality/features of, 60

Location, 60

Options, 60

Preview, 60

Web Site Type List, 60

New Web Site Location dialog box, 61
numeric lists, 43, 44

O

objects, 233

Office, Microsoft, 308

**Office Picture Manager. See Picture
Manager, Microsoft Office**

OLTP. See online transaction processing

onblur event, 237
onclick event, 236
ondblclick event, 236
onfocus event, 237
online transaction processing (OLTP), 308
onload event, 237
onmousedown event, 236
onmouseout event, 237
onmouseover event, 237
onmouseup event, 236
onunload event, 237
Open Browser Window behavior, 248–250
 pop-up windows and, 248–250
Open Browser Window dialog box, 250
 Attributes, 250
 functionality of, 250
 Go to URL, 250
 Window name, 250
 Window width/height, 250
Operator property, 378
optimistic concurrency, 328
original image, 123
Outside Borders icon, 47, 48

P

Page Properties dialog box, 24–29
 Advanced tab, 27–28
 Custom tab, 28
 Formatting tab, 26–27
 General tab, 24–26
 Language tab, 29
page title, 4
paging/sorting GridView control, 343–345
paragraph breaks, 33–35
Parameter Values Editor dialog box, 334, 335
parent targets, 111
passport authentication, 391
Password form control, 264
PasswordRecovery control, 407–411. See also Login controls
Paste option, 31
Paste Text dialog box, 31–32
 options in, 32
 Many [pre] formatted paragraphs, 32
 Normal paragraphs with/without line breaks, 32
 One [pre] formatted paragraph, 32
 Plain text, 32
Patches table (Vecta Corp database), 310–311
paths, 110–111
 Absolute, 110–111
 Document Relative, 110
 Site Root Relative, 110
Personal Web Packages, 57, 87–90
Phone number, RegularExpressionValidator control and, 384
Picture dialog box, 96
Picture File Type dialog box, 109
Picture Manager, Microsoft Office, 97
 editing images with, 106–108
 features of, 108
Picture Properties dialog box, 97, 98–100
 Appearance tab, 99–100
 General tab, 99
 limitations of, 100
 manipulating images with, 98–100
pictures. See image(s)
Pictures toolbar, 103–106
 editing images with, 105–106
 image-editing features of, 103–104
 images and, 103–106
 Save Embedded Files dialog box and, 105
 usage of, 19
Play Sound behavior, 250–251
 stopping sound in, 251
plug-ins, 244
 Check Plug-in behavior and, 244–245
PNG. See Portable Network Graphics
Popup Message behavior, 234, 235
pop-up windows, 248
 Open Browser Window behavior and, 248–250
Portable Network Graphics (PNG), 94

Position category (New Style dialog box), 147–148

- position properties
 - absolute, 147
 - fixed, 147
 - relative, 147
 - static, 147
- properties in, 147–148
 - top, right, bottom, and left, 148
 - width and height, 148
 - z-index, 148

Positioning option (Quick Tag selector), 13

Positioning toolbar

- properties of, 209
 - Bring Forward and Send Backward, 209
 - Height, 209
 - modifying layer properties with, 209
 - Width, 209
 - z-index, 209
- usage of, 19

post method, 261, 262, 263

Preload Images behavior, 251

- rollover images and, 251

presentation tier, 289. See also client-side technologies

- client-side technologies and, 289, 290–291

pressed image, 123

Preview in Browser menu

- Edit Browser List option in, 53–55
- features in, 53
- list of browsers in, 54

Procedural Language SQL, 312

Property Builder, 347

- formatting DataList control with, 347–350
- properties, 350
 - Appearance, 350
 - Borders, 350
 - Format, 350
 - General, 350
 - Objects, 350

Publish Log, 86

publishing, of web sites, 69–87

Q

Query Builder, 345

- complex joins in DataList control with, 345–346
- Configure Data Source Wizard and, 345, 346

Quick Tag Selector, 7, 8

- expander arrow in, 12
- function of, 11–12
- submenu options in, 13

R

Radio button form control, 268–270

RadioButtonList control, 329

RangeValidator control, 380–382

- adding/configuring, 380–382
- result of, 381

Really Simple Syndication (RSS), 425

Really Simple Syndication (RSS) feeds, 425

- consuming, 425–428
- working with, 417, 425–428

redefining HTML tags. See tag redefinitions

re-docked position, 2, 16

regular expression, 384

Regular Expression Editor dialog box, 384

RegularExpressionValidator control, 383–385

- adding/configuring, 384
- Internet e-mail address and, 384
 - error message for invalid, 385
- Internet URL and, 384
- Phone number and, 384
- Social Security Number and, 384
- ZIP code and, 384

relational database design model, 305. See also database(s)

Relay Restrictions dialog box, 411

Remote Web server type(s), 70–79

- File System option, 79
- FrontPage Server Extensions, 71–73
- FTP, 73–75

setting of, 70–79

WebDAV, 75–79

Remote Web Site Properties dialog box, 69–70

Optimize HTML tab, 70, 79–80

Comments, 80

Generated HTML, 80

whitespace, 80

Publishing tab, 70, 80–81

Changes group, 81

General category, 80, 81

Logging category, 80, 81

Publish group, 81

removing elements with, 79–80

Remote Web Site tab, 70. See also Remote Web server type(s)

Remove Tag option (Quick Tag selector), 13
Repeater control, 332

request/response process. see also Web server(s)

forms and, 274–275, 291

Web server and, 291

RequiredFieldValidator control, 375, 376–378

adding/configuring, 376–378

result of, 377

properties and

ControlToValidate, 375, 377

Display, 377

EnableClientScript, 377–378

Enabled, 378

ErrorMessage, 375, 378

ID, 378

SetFocusOnError, 378

Text, 378

ValidationGroup, 378

resampling, 96

Reset button form control, 273, 274

resize handles, 207

Reuse Properties option (Style Application toolbar), 137

rollover images, 251, 252

creating, 253–254

Preload Images behavior and, 251

Swap Image behavior and, 252–254

rows, database, 307

rows/columns. See table(s), rows/columns in

RSS. See Really Simple Syndication rules. See style rules

S

sans-serif fonts, 37, 38

Save As dialog box, 23–24

Save Embedded Files dialog box, 105–106

options in, 106

Change Folder, 106

Embedded files to save, 106

Picture File Type, 106

Picture preview, 106

Rename, 106

Set Action, 106

Pictures toolbar and, 105

scripting tests, 443–444

search engine ranking, 24

page title's importance in, 24

Section 508, 432. See also Web content accessibility guidelines

aim of, 432

section508.gov, 432

security, 389. See also forms authentication

Web application, 389–412

authentication methods for, 391

forms authentication and, 391–412

Select Place in Document dialog box, 115–116

Select Tag Contents option (Quick Tag selector), 13

Select Tag option (Quick Tag selector), 13

Selected Style Preview (Manage Styles Task Pane), 157

selectors, 131. See also classes; contextual selectors; IDs; tag redefinitions

self targets, 111

SEQUEL (Structured English Query Language), 312

serif fonts, 38

servers. See Web server(s)

server-side technologies, 298. See also ASP.NET

ASP.NET, 298

business logic and, 290, 298

server-side validation, 372, 373. See also Validation controls, ASP.NET

client-side validation v., 373

limitations of, 373

Set as Home Page option, 65

Set Text behaviors, 252

SetFocusOnError property, 378

shading, 49

Shading tab (Borders and Shading dialog box)

Attachment option, 217

Background picture, 217

Fill, 217

Horizontal position, 217

Preview, 217

Repeat option, 217

Vertical position, 217

Show Code View option, 10

Show Design, Split, and Code View set of options, 7, 8

functions of, 10–11

Show Design View option, 10

Show Overlay option (Style Application toolbar), 137

Show Split View option, 10, 11

Single Item View, 422

Single-A WCAG checkpoints, 433

Site menu item (menu bar), usage of, 6

Site Root Relative paths, 110

Site Settings dialog box, 66

Advanced settings, 68

Default validation script language, 68

Options, 68

Temporary files, 68

Database settings, 69

General settings, 67

Language settings, 68

Default page encoding in, 68

Server message location in, 68

Preview in Browser settings, 67–68
custom URL in, 68

Web site URL and, 67–68

tabs in, 66–69

site synchronization, 59, 86–87, 90

skip navigation functionality

jimthatcher.com/skipnav.htm., 446

Thatcher and, 446

SMIL. See Synchronized Multimedia Integration Language

Social Security Number,

RegularExpressionValidator control and, 384

SolutionID DataBindings dialog box, 363

Solutions table (Vecta Corp database), 312

sorting/paging GridView control, 343–345

sound files, 250

Play Sound behavior and, 250–251

spacer images, 195, 441

spell-checking engine, 50–53

red squiggly underlines in, 50

word suggestions in, 51

Spelling dialog box, 52

functionality of, 52–53

Add, 52

Change, 52

Change All, 52

Change to / Suggestions, 52

Ignore, 52

Ignore All, 52

Not in Dictionary, 52

Options, 52

Suggest, 52

- Split Cells dialog box, 181, 182**
 - SQL (Structured Query Language), 312–313**
 - SQL Server 2005 Express Edition, Microsoft, 308–309. *See also* database(s), SQL Server 2005 Express Edition**
 - installing, 308–309
 - msdn.microsoft.com/vstudio/express/sql/download, 308, 309
 - SQL Server 2005, Microsoft, 308**
 - microsoft.com/sql and, 308
 - SqlDataSource controls, 324, 325**
 - src attribute, 102**
 - Standard toolbar, usage of, 18**
 - static Web pages, 286**
 - dynamic v., 287
 - process, 286
 - Web Server and, 286
 - Stop Sound behavior, 251**
 - stretching, 96–97**
 - Structured English Query Language. *See* SEQUEL**
 - Structured Query Language. *See* SQL**
 - Style Application options (Style Application toolbar), 136**
 - scenarios and, 137
 - Style Application toolbar**
 - options, 136–137
 - usage of, 19
 - style attribute, 102**
 - style rules, 130–131**
 - external style sheets and creating, 138–139, 140
 - New Style dialog box and, 138–139, 140
 - Style Selection List (Apply Styles Task Pane), 154**
 - options in, 154–156
 - Apply style, 154
 - Attach Style Sheet, 156
 - Delete, 156
 - Go To Code, 154
 - Manage Styles Sheet Links, 156
 - Modify Style, 155
 - New Style, 155
 - New Style Copy, 155
 - Remove Class, 156
 - Remove ID, 156
 - Remove Inline Style, 156
 - Remove Link, 156
 - Rename, 156
 - Select Instances, 155
 - style sheets. *See* Cascading Style Sheets; external style sheets**
 - style tests, 442–443**
 - Style toolbar**
 - applying styles to elements with, 152
 - usage of, 19
 - subheader image, 96, 97**
 - Submit button form control, 273, 274**
 - suntimes.com/rss/sports/index.xml, 425**
 - Swap Image behavior, 252–254**
 - rollover images and, 252–254
 - Vecta Corp Web site and, 255
 - Swap Image dialog box, 253, 254**
 - functionality of, 254
 - Images list, 254
 - Preload Images, 254
 - Restore on mouseout event, 254
 - Swap Image URL, 254
 - Swap Image Restore behavior, 253, 254**
 - synchronization, of sites, 59, 86–87, 90**
 - Synchronized Multimedia Integration Language (SMIL), 445**
 - System variables (Custom tab, page properties), 28**
- ## T
- tabbed file chooser, 7, 8**
 - function of, 10
 - table(s). *See also* Layout Tables**
 - captioning, 179
 - cells in
 - inserting content into, 182–185
 - modifying properties of, 185–187

table(s) (continued)

table(s) (continued)

- selecting, 176
 - splitting/merging, 180–182
 - database, 307
 - inserting, 170–172, 173
 - Layout Tables *v.*, 193
 - limitations of, 193, 203
 - modifying properties of, 176–177
 - nested, 175, 188
 - inserting, 188–190
 - rows/columns in
 - inserting, 179–180
 - removing, 179
 - selecting, 175–176
 - selecting, 175
 - Table AutoFormat and, 190–192
 - web page structuring techniques with, 169–201
- Table AutoFormat dialog box, 191, 192**
- features of, 192
 - Apply special formats, 192
 - Format to apply, 192
 - Formats, 192
 - Preview, 192
- Table category (New Style dialog box), 150–151**
- properties in, 151
 - border-collapse, 151
 - border-spacing, 151
 - caption-side, 151
 - empty-cells, 151
 - table-layout, 151
- Table menu item (menu bar), usage of, 6**
- Tables toolbar, 196**
- options in, 197
 - Align, 197
 - AutoFit to Contents, 197
 - Column to Left/Right, 197
 - Delete Cells, 197
 - Distribute Rows/Columns Evenly, 197
 - Draw Layout Cell, 197

- Draw Layout Table, 197
 - Fill Color, 197
 - Merge Cells/Split Cells, 197
 - Row Above/Row Below, 197
 - Show Layout Tool, 197
 - Table AutoFormat, 197
 - usage of, 19
- tab/pages, 10**
- Tag Properties option (Quick Tag selector), 13**
- horizontal line and, 49
- Tag Properties Task Pane, 98, 100–103**
- applying styles to elements with, 152
 - ASP.NET and, 303
 - features in, 100–101
 - Attributes, 102
 - Current tag, 101
 - Events, 102
 - Show alphabetized list, 101
 - Show categorized list, 101
 - Show set properties on top, 101
 - Show tag properties, 101
 - form controls
 - action property, 261
 - class, 263
 - enctype menu, 263
 - method property, 261–262, 263
 - name/id properties, 260
 - target, 263
 - formatting GridView control with, 341
 - AlternatingRowStyle, 341
 - EditRowStyle, 341
 - EmptyDataRowStyle, 341
 - FooterStyle, 341
 - HeaderStyle, 341
 - PagerStyle, 341
 - RowStyle, 341
 - SelectedRowStyle, 341
 - images and, 100–103
 - purpose of, 14
- tag redefinitions, 132–133**
- blue dot and, 156
 - defining styles with, 159–160

Target Rule options (Style Application toolbar), 136–137**targets, 110, 111**

- blank, 111
- parent, 111
- self, 111
- top, 111

Task Panes, 2, 3, 4

- list of, 14–16
- menu bar and, usage of, 6
- purposes of, 13–15

templates, 350

- Data control, 350–351
- DataList control, 350–353
- FormView control, 359

Test Query screen (Configure Data Source Wizard), 328**text**

- adding, 30–33
- alignment, 42
- color of, 27, 45–47
- external source for, 30–33
 - copying/pasting/inserting with, 30–33
- formatting, 33–50
- highlighting, 45
- indentations in, 42
- spell checking, 50–53
- styles, 40–41

Text Area form control, 266–267

- cols property, 267
- rows property, 267

Text Field form control, 264–266

- maxlength, 265
- name/id, 264
- size, 264
- value, 265

Text property, 378**text-based links, 111–114**

- Insert Hyperlink dialog box and, 112–114

TextBox control, 378, 379**text-only page, 446****Thatcher, Jim, 446**

- skip navigation functionality and, 446

tiers, 289

- business logic, 290, 298
- data storage, 290, 305
- presentation, 289, 290–291

Times New Roman font, 37**title attribute, 103****toolbars, 3, 4**

- function of, 16
- icons in, 16, 17
 - customization of, 17, 18
- list of, 18–19
- positioning, 16, 17
- usages of, 18–19

Toolbox Task Pane

- ASP.NET and, 303, 304
- purpose of, 15

Tools menu item (menu bar), usage of, 6**top targets, 111****Transact-SQL, 312****transferring files, Copy Web Site window and, 83–86****Triple-A WCAG standards, 433****Type property, 380****U****UNC. See Universal Naming Convention****Underline icon, 40, 41**

- hyperlinks and, 41

undocked position, 2, 16**Universal Naming Convention (UNC), 79****usability, 430****Usage tab (CSS Reports dialog box), 165****usemap attribute, 103****User variables (Custom tab, page properties), 28****Users table (Vecta Corp database), 311**

V

validation, 371

- client-side, 372–373
- server-side, 373

Validation controls, ASP.NET, 373–386

- advantages of, 373–374
- CompareValidator control, 378–380
- CustomValidator control, 385–386
- RangeValidator control, 380–382
- RegularExpressionValidator control, 383–385
- RequiredFieldValidator control, 375, 376–378
- types of, 375
- using, 375–386
- ValidationSummary control, 382, 383

ValidationGroup property, 378

ValidationSummary control, 382, 383

- adding/configuring, 382
- result of, 383

ValueToCompare property, 380

VBScript, 372. *See also* server-side validation

Vecta Corp Web site

- admin.aspx page
 - building, 356–368
 - exercise for building, 368–369
 - validate user input on, 387
- building support_knowledgebase.aspx page for, 354
- database, 306
 - administrators in, 306, 313
 - building Download Patches page in, 323–324
 - Categories table in, 311
 - knowledgebase in, 306, 313
 - Knowledgebase table in, 310
 - patch downloads in, 306, 313
 - Patches table in, 310–311
 - Solutions table in, 312
 - Users table in, 311

- defining, 90–91
- dynamic, 313–314
- forms/form controls and, 282–283
- images and rebuilding, 127, 255
 - Swap Image behavior, 255
- layers, CSS and rebuilding, 229–230
- main page creation for, 56
- new Web site creation for, 61–62
- securing, 390–412
- style sheet for, 166–167
- tables and rebuilding, 201

View menu item (menu bar), usage of, 5

virtual directory, 294

- IIS and creation of, 76–78, 294

visibility

- Change Property dialog box and, 249
- collapse, 149
- hidden, 149
- layers and, 204, 210
- Layout category and, 149
 - options for, 149
- visible, 149

vspace attribute, 103

W

W3C standards. *See* World Wide Web Consortium standards

w3.org, 431

w3.org/tr/wcag, 431

WAI. *See* Web Accessibility Initiative

watermark, 26

WCAG. *See* Web content accessibility guidelines

Web. *See* World Wide Web

Web Accessibility Initiative (WAI), 431

Web applications, 285–314

- definition of, 286
- dynamic Web pages in, 289
- introduction to, 288–313
- securing, 389–412
 - IIS and, 390

tiers, 289

business logic, 290, 298

data storage, 290, 305

presentation, 289, 290–291

Web content accessibility guidelines (WCAG), 429

checkpoints in, 432

priority values of, 432

fourteen principles in, 431–432

Section 508 and, 432

w3.org/tr/wcag, 431

Web page(s). See also ASP.NET, Web pages

attaching style sheet to, 164

bookmarks within, 114–116

browser preview of, 53–56

building, 21–56

creating new, 21–24

New dialog box in, 22–23

Save As dialog box in, 23–24

dynamic, 287–288

inserting images into, 94–96

page properties for, 24–29

Advanced tab, 27–28

Custom tab, 28

Formatting tab, 26–27

General tab, 24–26

Language tab, 29

page title for, 24

static, 286

structuring techniques

layers, CSS and advanced, 203–230

tables and, 169–201

text in, 29–53

adding, 30–33

formatting, 33–50

spell checking, 50–53

Web site v., 58

Web server(s), 58, 291–298. See also Internet Information Service

dynamic Web page process and, 287

Expression Web's built-in, 296

configuring, 296–297

IIS v., 297–298

IIS, 291–298

static Web page process and, 286

Web site(s)

building accessible and standards-compliant, 429–447

creating new, 59–62

location for, 61

special folders in, 61, 62

definition of, 22, 57, 58

deployment of, 87

Personal Web Packages and, 57, 87–90

layers, CSS and table-less, 218–230

legacy, 164

publishing, 69–87

settings modification of, 66–69

Web page v., 58

working with, 57–91

features in, 58–59

importance of, 58–59

Web Site window, 64

Web Standards Project, 431

webstandards.org, 431

Web-based Distributed Authoring and Versioning (WebDAV)

configuring Expression Web for, 78–79

enabling, 76

features of, 75–76

FTP v., 75–76

WebDav. See Web-based Distributed Authoring and Versioning

Web-safe colors, 46

WHERE clause, 334. See also Add WHERE clause dialog box

whitespace

Block category and, 143

Optimize HTML tab and, 80

width attribute, 103

Window menu item (menu bar), usage of, 7

Windows authentication, 391

Windows operating systems, IIS and, 292–293

Windows Update Web site, 300

.NET Framework at, 300

working with Web sites, 51–91. *See also* Web site(s)

World Wide Web, 429. *See also* accessibility standards

universality of, 429

Web accessibility standards and, 429

World Wide Web Consortium (W3C) standards, 172

DHTML and, 204

name/id and, 261

w3.org, 431

Web specifications and, 430–431

Wrap Tag option (Quick Tag selector), 13

Wrox Web site, 56, 59, 90

X

XML. *See* Extensible Markup Language

XML style sheet language (XSL), 413

introduction to XML and, 413–416

xml:lang attribute, 103

XSL. *See* XML style sheet language

Z

z-index, 148, 204

layers and, 204, 211

Layers Task Pane and, 210

Position category and, 148

Positioning toolbar and, 209

ZIP code, RegularExpressionValidator control and, 384