

Index

• A •

absolute name, 127
Access Control List (ACL), 261
Access databases, networking, 57–58
access points (APs).
 See wireless access point
Account Settings dialog box, 198–199, 201
Account tab, User Properties
 dialog box, 250–252
accounts. *See* user accounts
Active Directory, 134–135
Active Directory Users and Computers
 tool, 134–135, 223–225, 246–247,
 253–257
ad hoc networks, 166, 176
adapters, wireless networking, 172–173
Add E-mail Account dialog box, 198–199
Add Printer Wizard, 35–36
Add Roles Wizard, 148, 206–208
Add Web Site dialog box, 212–214
Address Leases,
 DHCP management console, 124
Address Pool,
 DHCP management console, 124
Address tab, User Properties
 dialog box, 250
addresses. *See* IP addresses
Admin Permissions dialog box, 273–274
Administrative Setup mode, 54
administrator. *See* network administrator
Administrator account, 146, 330
Advanced Sharing dialog box, 271–272
Advanced Sharing Settings page, 45–46
Advanced tab
 Microsoft Exchange dialog box, 201–202
 Properties dialog box, 153–154
AFP (AppleTalk Filing Protocol), 373
alias, 194
All Records method, Access, 58
Alohanet, 170
Analog Telephone Adapter (ATA), 218–220
AND operation, 107
antennas, 167–168
antivirus programs, 344–346, 388
Apache Web server, 372

Apple. *See* Macintosh networking
Apple iPhone, 223–225
AppleTalk, 372–373
AppleTalk Filing Protocol (AFP), 373
application gateway, 342
Application Layer, OSI model, 400
applications. *See* programs
APs (access points).
 See wireless access point
archive bit, 312–313
ARCnet standard, 81
AT&T 258A, 88–89
AT&T CallVantage, 218
ATA (Analog Telephone Adapter), 218–220
attachments, e-mail, 344, 346
authorizing DHCP server, 123
automated installation, NOS, 139–140
automatic logon, 25

• B •

backbone speed, 282
Background Printing, enabling, 374
backup selection, 312–313
backups
 local, 316–317
 network, 316–317
 network administrator tasks, 240
 before NOS installation, 143
 number of sets to keep, 317–318
 overview, 309
 schedules, 238, 286
 security, 320
 software for, 311
 tape, 310, 318–320, 325
 types of, 312–316
 user rights, 332
 virus threats, 345
bands, radio spectrum, 169
bandwidth, 83, 169
BarracudaWare Yosemite Backup, 311
baseline, 283
Baseline Security Analyzer program, 242
Basic Service Set (BSS), 175
benchmark, 283
binary system, 105–107

- binder, network administration, 238, 302, 390
- bits, 106, 109, 115, 312–313
- BlackBerry devices, 222, 225–226
- BNC connector, 101
- boot levels, Linux, 368
- boot partition, 355
- bottlenecks, 278–282
- bridges, 101–102, 176
- bringing computer up, 11
- broadband connections, 186
- broadcast, SSID, 178
- broadcast domain, 113
- Browse for Folder dialog box, 32
- browser, accessing OWA from, 230
- browsing network, 29–30
- BSS (Basic Service Set), 175
- bus topology, 80

• C •

- cable
 - categories of, 83–84
 - checking connections, 290–291
 - crossover, 91
 - infrastructure plan, 71–72
 - installation guidelines, 86–87
 - overview, 16–17, 82–83
 - patch panels, 91–92
 - plenum, 85
 - repeaters, 99–101
 - RJ-45 connectors, 89–90
 - shielding, 84–85
 - solid, 85–86
 - stranded, 85–86
 - tools, 87–88
 - wall jacks, 91–92
- cable Internet connections, 186
- cable ties, 87
- CallVantage, AT&T, 218
- Cancel Printing command, 39
- carrier sense multiple access with collision detection (CSMA/CD), 170
- categories, cable, 83–84
- cellphone, 222
- certificates, digital, 135
- certification, network administrator, 244
- Change E-mail Account dialog box, 201
- channels, wireless network, 166, 178
- cheat sheets, network, 241, 302
- chkconfig command, 367–368
- circuit-level gateway, 341
- classes, IP address, 108–111

- classless IP addresses, 108
- cleanup, network server, 240
- Client for Microsoft Networks, 154
- clients, 14–16, 41–42, 293–295, 324.
 - See also* Windows clients, configuring
- clock speed, 65
- closed-door approach to security, 323–324
- coaxial cable, 82, 96, 99–101
- collision indicator, 94
- Comcast Digital Voice, 220
- command shell, Linux, 360
- commands, TCP/IP, 241–242
- communication over network, 14
- compare after backup feature, 319
- compression methods, 311
- Computer Browser service, 296
- Computer folder, 31–33, 48
- computer identification, 158–162
- computer industry, keeping up with, 303
- computer magazines, 303
- computer name, 23, 143, 158–159, 292
- Computer Name Changes
 - dialog box, 159–160
- Computer Name/Domain Changes
 - dialog box, 161–162
- computer tools, 87, 392
- computers. *See also* servers
 - components, reinstalling internal, 290
 - equipment inventory, 238
 - mainframe, 17–18
 - network plan, 65–67
- concurrent usage license, 14
- Cone of Silence, 324
- confidential files, 322
- configuration settings,
 - troubleshooting, 292
- Confirm Installation Selections page, 208–209
- Connect To dialog box, 163
- connections, checking, 290–291
- connectors, 89–90, 97, 99
- contact information, user, 250, 330
- contributor permission level, 49
- co-owner permission level, 49
- copy backups, 314
- cordless phones, 171
- counters, performance, 285
- Create Samba Share dialog box, 370
- crimp tool, 87, 89–90
- crossover cables, 91
- CSMA/CD (carrier sense multiple access with collision detection), 170
- custom attributes, 197
- cycles per second, 167–168

• D •

daily backups, 310, 314
 daisy-chaining, 91, 94–96
 DAT (digital audio tape), 310
 data encryption, 135
 Data Link Layer, OSI model, 396–397
 data theft, 322
 database servers, 71
 Datacenter version,
 Windows Server 2008, 136
 decimal system, 106
 dedicated line, 187
 default gateway address, 120
 default Web site, 210–211
 deleting files, 18
 delivery options, 194
 delivery restrictions, 194
 Dell PowerVault NF500, 260
 desktop, GNOME, 359
 Device Manager, 66
 DHCP (Dynamic Host Configuration Protocol)
 configuring for WAP, 179
 DNS client, configuring, 129
 exclusions, 120
 lease duration, 121–122
 overview, 117–118
 reservations, 120–121
 scopes, 119–120
 servers, 118–119, 123
 Windows client, 124
 for Windows Server 2008, 122–124
 DHCP Client service, 296
 DHCP management console, 123–124
 DHCP options, 118
 diagnostic commands, 241–242
 diagram, network, 72–73, 238
 dial-in permissions, 330
 differential backups, 315–316
 digital audio tape (DAT), 310
 digital certificates, 135
 digital linear tape (DLT), 310
 directories, 26
 directory database, 134
 directory services, 133–134
 disk management, NOS, 132–133
 disk space, 281, 288
 disk striping, 281, 384–385
 DLT (digital linear tape), 310
 DNS (Domain Name System), 125–129,
 155–156

DNS Client service, 296
 DNS management console, 128
 DNS Manager, 214–215
 documentation, network, 238–239
 documents, accessing, 18
 dollar sign (\$), 263
 domain account, 159, 163, 245–246
 Domain Name System (DNS), 125–129,
 155–156
 domain names, 23–25, 120, 125–127, 143
 domain networks, 23–25
 domains, 125–127, 159, 162
 dotted-decimal notation, 108–109
 down computer state, 11
 drive letters, 31–34, 353
 Driver tab, Properties dialog box, 154
 drivers, 142
 DSL Internet connections, 186
 Dynamic Host Configuration Protocol.
 See DHCP

• E •

Edited Record method, Access, 58
 EIA/TIA 568A, 88–89
 EIA/TIA 568B, 88–89
 802.3, 79–83, 96, 99–101, 170–171.
 See also cable
 802.11 standards, 170–173
 electrical outlet, 289
 e-mail, 28, 70, 303–304, 344, 346
 E-Mail Accounts Wizard, Outlook, 198–199
 emergency phone calls, 220
 encryption, 135, 232
 Enterprise version, Windows Server 2008,
 136
 entitlement model, 323
 error messages, 291
 ESS (Extended Service Set), 176
 Ethereal program, 242
 Ethernet, 79–83, 96, 99–101, 170–171.
 See also cable
 Ethernet Device window, 363–364
 etiquette, 302
 ETLA (extended three-letter acronym), 11
 event logs, 298–299
 Event Viewer, 147, 298–299
 Exchange ActiveSync, 223–225
 Exchange Advanced tab, User Properties
 dialog box, 200
 Exchange Features tab, User Properties
 dialog box, 224

- Exchange Server 2007
 - mailboxes, 193–197, 199–202
 - Outlook, configuring for, 197–199
 - overview, 193
 - User Properties dialog box, 194–197
- exclusions, DHCP, 119–120, 124
- expansion slots, computer, 98–99
- expiration time, password, 327
- Extended Service Set (ESS), 176
- extended three-letter acronym (ETLA), 11

• F •

- F8 key, 291
- fan, computer, 289
- Fast Ethernet, 81, 89–90
- Federal Communications Commission (FCC), 169
- Fedora, 354
- File and Printer Sharing feature, 42–46
- File and Printer Sharing for Microsoft Networks, 154
- File Locations dialog box, 56–57
- file server role, configuring, 263–264
- file servers
 - folders, sharing without wizard, 271–273
 - overview, 69–70, 259–260, 264
 - permissions, granting, 273–275
 - Provision a Shared Folder Wizard, 265–271
- File Sharing dialog box, 48–49
- File Sharing option, Network and Sharing Center, 43
- filenames, 353, 376
- files
 - accessing with Microsoft Office, 54–55
 - deleting, 18
 - locking, by file server, 70
 - offline, 58–60
 - permissions, 261–262
 - saving, 18
 - sharing, 12, 132–133, 374
 - storing in shared folders, 27
 - transferring through shared folders, 28
- firewall router, VPN connection, 232
- firewalls, 132, 188–192, 337–343, 345, 388
- fish tape, 88
- fixes, NOS, 142
- floppy drive, disabling, 324
- folders
 - permissions, 261–262
 - Public, 49–50
 - shared, 26–28, 31–34, 46–49, 271–273
- forward-slash characters, 353

- Foundation version, Windows Server 2008, 136
- fractional T1 line, 187
- fractional T3 line, 187
- frequencies, 167–168
- full backup, 313
- Full control permission, 261
- full installation, NOS, 137–138
- full name, Linux account, 361
- fully qualified domain names, 127

• G •

- General tab
 - Exchange Properties dialog box, 223
 - Properties dialog box, 152–153
 - User Properties dialog box, 249–250
- generations, backup, 318
- Gigabit Ethernet, 81
- GNOME, 358–359
- graphical user interface (GUI), 352
- group accounts, 255–257, 332–333, 361
- group memberships, 246, 330
- Group Properties dialog box, 257
- Guest account, 331
- GUI (graphical user interface), 352

• H •

- hackers, 322, 340
- hard drive, 13, 46, 65–67, 242.
 - See also* partitions, hard drive
- hardening network. *See* network hardening
- hardware, 140–141, 352
- Hardware Compatibility List (HCL), 141
- hertz (Hz), 167
- hidden shares, 263
- hierarchical naming system, DNS, 127
- high-speed private lines, 187
- home directory, 330, 361
- home folder, 27, 253
- host ID, in IP address, 108–112, 115
- Hotfix Checker program, 242
- HTTP (HyperText Transfer Protocol), 400
- hub, 10–11, 17, 82–83, 282, 286, 325, 396
- HyperText Transfer Protocol (HTTP), 400
- Hz (hertz), 167

• I •

- IBSS (Independent Basic Service Set), 176
- icons used in book, 5
- IEEE 802.11 standards, 170–173

- IIS (Internet Information Services)
 - Manager, 212–213
 - IIS (Internet Information Services) Web servers, 205–209
 - ILS (Internet Locator Service), 197
 - IMAP4 protocol, 196
 - incremental backups, 314–315
 - Independent Basic Service Set (IBSS), 176
 - infrastructure, 71–72, 282
 - infrastructure mode, 166, 174–175
 - Initial Configuration Tasks page, 145, 147–148
 - Installation program, Linux, 362
 - Installation Results page,
 - Add Roles Wizard, 208–209
 - interference, sources of, 86
 - Internet
 - cable connections, 186
 - connecting LAN to through router, 103
 - DSL connections, 186
 - firewalls, 188–192, 337–338
 - high-speed private lines, 187
 - overview, 12, 185
 - password generators, 328
 - research on, 244
 - sharing connection, 187
 - VoIP service, 220
 - Internet Information Services (IIS)
 - Manager, 212–213
 - Internet Information Services (IIS) Web servers, 205–209
 - Internet Locator Service (ILS), 197
 - Internet Protocol (IP) addresses, 108–111, 128, 177. *See also* TCP/IP
 - Internet Protocol (TCP/IP) item, Properties dialog box, 154
 - Internet Protocol version 6 (IPv6), 112
 - Internet Service Provider (ISP), 185
 - intranets
 - IIS Web servers, setting up, 205–209
 - overview, 203–204
 - pages, creating, 210–212
 - requirements, 205
 - uses for, 204–205
 - Web sites, creating, 212–216
 - inventory, 65–68, 238–239
 - IP (Internet Protocol) addresses, 108–111, 128, 177. *See also* TCP/IP
 - IP spoofing, 340
 - `ipconfig /all` command, 147, 397
 - iPhone, configuring Exchange for, 223–225
 - IPSec, 232
 - IPv6 (Internet Protocol version 6), 112
 - ISP (Internet Service Provider), 185
- **K** •
 - key Windows Services, 296–297
 - keyhole saw, 88
- **L** •
 - labels, cable, 86–87
 - LAN (local-area network), 11–12, 103
 - lease duration, 119, 121–122
 - LED indicators, 94
 - library, network administrator, 302–303
 - licenses, 13, 14, 141
 - Link indicator light, 94
 - linking drives, 31–34
 - Linux. *See also* Samba
 - command shell, 360
 - GNOME, 358–359
 - installing, 355–356
 - logging off, 358
 - logging on, 356–358
 - network configuration, 362–365
 - overview, 137, 351
 - selecting distribution, 354–355
 - shutting down, 358
 - user accounts, managing, 360–362
 - versus Windows, 351–353
 - Linux-Mandriva, 354
 - List Folder Contents permission, 261
 - Local Area Connection properties
 - dialog box, 42–43
 - local-area network (LAN), 11–12, 103
 - local backups, 316–317
 - local drives, 26
 - local printer, 35
 - local resources, 21–22
 - local user accounts, 163, 245–246
 - locks, physical, 324
 - log files, 285
 - logging off, 39, 358
 - logical addressing, 398
 - logical AND operation, 114
 - logical map, 72
 - logical operations, 107
 - logon, 24–25, 146, 162–163, 331, 356–358
 - logon scripts, 252–253, 258, 334–335
 - Lumension program, 347
- **M** •
 - MAC (Media Access Control) address, 102, 121, 397
 - Mac OS X Server, 137, 372

- Macintosh networking
 - configuring Mac, 373
 - files, sharing, 374
 - Mac OS X Server, 372
 - network printer, accessing, 374
 - overview, 371
 - with PCs, 375–376
 - protocols, 371–372
 - shared files, accessing, 375
- magazines, network-related, 243, 303
- mail servers, 70
- mailboxes, Exchange 2007, 193–194, 199–202
- mainframe computers, 17–18
- Manage Your Server application, 122, 128
- manuals, 141, 302
- mapping network drives, 31–34, 55
- Media Access Control (MAC) address, 102, 121, 397
- members, adding to groups, 256–257
- memory, 66, 280, 286
- Microsoft Office, 53–58
- Microsoft Office Resource Kit, 53
- Microsoft Outlook, 197–199, 201–202
- Microsoft Product Activation feature, 146
- Microsoft System Information program, 67
- Microsoft TechNet Web site, 53
- Microsoft Visio, 72–73, 238
- Microsoft Windows. *See specific entries*
 - beginning with Windows*
- migration path, 236
- mirrors, 133
- mobile devices, 221–227
- Modify permission, 261
- monitor, computer, 290
- monitoring programs, 284
- motherboard, 16
- mount point, 353
- multiboot installation, 138–139, 142
- multicast address, 109
- multifunction routers, 103, 118
- multifunction wireless access points, 175, 177
- multi-port repeater, 396
- multitasking, 133
- multiuser operating system, 352
- My Computer window, 46
- My Network Places, 29–30
- N •**
- NAS (Network Attached Storage), 260
- NAT (network address translation), 116–117
- NetBoot, 372
- NetScout Systems Sniffer program, 242
- NetWare, 155, 347, 376
- network address translation (NAT), 116–117
- network administrator
 - certification, pursuing, 244
 - documentation, 238–239
 - facing difficult situations, 304–305
 - finding advice, 304
 - keeping up with industry, 303
 - library, organizing, 302–303
 - overview, 19, 235
 - part-time, selecting, 237–238
 - password, 143
 - recommended reading for, 243–244
 - resources, 237–238
 - responsibilities of, 235–236
 - routine chores, performing, 239–240
 - software tools, acquiring, 241–242
 - training users, 301–302
 - username, 23
 - users, managing, 240–241
- Network and Sharing Center, 43–44, 156–158
- Network Attached Storage (NAS), 260
- Network Browser, 375
- network cable. *See cable*
- Network Configuration program, 362–363
- Network Connections folder, 42, 152, 156–158, 180
- Network dialog box, 42
- network drive, 26, 31–34
- network envy, 389
- network hardening
 - firewalls, 337–343
 - overview, 337
 - patches, 346–347
 - virus protection, 343–346
- network ID, in IP address, 108–112, 114–115
- Network Installation Wizard, Office, 54
- network interface, 10, 66
- network interface card (NIC), 16, 96–99, 280
- Network Layer, OSI model, 398
- Network Monitor program, 242
- Network Neighborhood, 30–31
- network operating system (NOS). *See also Windows Server 2008*
 - Apple Mac OS X Server, 137
 - choosing, 71
 - configuration decisions, 142–143
 - dedicated servers, 15–16
 - directory services, 133–134
 - file-sharing services, 132–133

- final setup preparations, 143
 - installing, 137–142
 - Linux, 137
 - multitasking, 133
 - network support, 132
 - overview, 71, 131, 136
 - post-installation chores, 146–147
 - security services, 134–135
 - server roles, configuring, 147–150
 - Network Places, 29–31
 - Network Properties dialog box, 124
 - network protocols, 66, 132, 143, 154–155, 281, 292, 371–372
 - network-discovery program, 239
 - networks
 - components of, 16–17
 - disadvantages of, 17–19
 - overview, 1–6, 9–12
 - purpose of, 12–14
 - NetworkView program, 239
 - New dialog box, 55–56
 - New Host dialog box, 128–129
 - New Object — Group dialog box, 255–256
 - New Object — User Wizard, 247–249
 - New Resource Record dialog box, 215–216
 - New Scope Wizard, 122–123
 - newsletters, e-mail, 303–304
 - NIC (network interface card), 16, 96–99, 280
 - 911, VoIP calls to, 220
 - nmbd daemon, 367
 - No Locks method, Access, 58
 - node, 11
 - normal backups, 313–314
 - NOS. *See* network operating system; Windows Server 2008
 - NOT operation, 107
 - Novell, NetWare, 347
 - NTFS permissions, 266
 - NTFS volumes, 332
 - NWLink IPX/SPX/NetBIOS Compatible Transport Protocol, 154
- 0 ●
- octets, 108, 115
 - Office, Microsoft, 53–58
 - Office Resource Kit (ORK), 53
 - offline computer, 11
 - offline files, 58–60
 - on the network, 11
 - 100 Mbps Ethernet, 81, 89–90
 - 100BaseT, 81, 89–90, 99–100
 - online computer, 11
 - On–Off switch, computer, 289
 - Open dialog box, 54–55
 - Open System Interconnection (OSI) model, 395–400
 - Open Transport, 372
 - open-door approach to security, 323–324
 - opened software packages, 346
 - operating systems, 66–67, 71. *See also* network operating system
 - Options page, OWA, 231
 - OR operation, 107
 - Organization tab, User Properties dialog box, 250
 - organizational skills, network administrator, 19, 237
 - ORK (Office Resource Kit), 53
 - OSI (Open System Interconnection) model, 395–400
 - Outlook, 197–199, 201–202
 - Outlook Mobile Access, 195, 223
 - Outlook Web Access, 196, 229–231
 - ownership, file, 332
- p ●
- packet filtering, 339–341
 - packet sniffer, 242
 - packets, 81, 93
 - parent domain, 125
 - PartitionMagic program, PowerQuest, 356
 - partitions, hard drive, 65–66, 139, 142, 144, 355
 - password generators, 328
 - passwords
 - account options, 251
 - administrator, 143, 329
 - logging on with, 24–25
 - Mac, 373
 - NOS policies, 134
 - security, 326–328
 - user account, 246, 253–254, 329
 - patch cables, 85, 95, 291
 - patch panels, 91–92
 - patches, 346–347
 - path, share, 263
 - Pause key, 291
 - Pause Printing command, 38–39
 - PC card, wireless, 173
 - PC user groups, 304
 - PCI card, wireless, 172–173
 - PCI slots, 98
 - PCs, networking Macs with, 375–376
 - PDAs (Personal Digital Assistants), 222

- peer-to-peer network, 15–16, 69
- performance
 - backups, 316
 - bottlenecks, 278–282
 - monitoring, 284–285
 - overview, 277
 - problems, 277–278
 - tips, 286
 - tuning, 283
- performance counters, 285
- Performance Monitor tool, 284–285
- perimeter, 189, 339
- permissions
 - granting, 273–275
 - model, 323–324
 - network storage, 260–262
 - overview, 332
 - share, 263
 - troubleshooting, 292
 - user, 49
- Permissions for Support dialog box, 200
- Personal Digital Assistants (PDAs), 222
- phones, cordless, 171
- Physical Layer, OSI model, 396
- physical map, 72
- physical security, 324–325
- ping command, 147
- pins, 88–90
- planning network
 - dedicated versus peer-to-peer servers, 69
 - diagrams, drawing, 72–73
 - infrastructure, 71–72
 - inventory of current computers, 65–68
 - need for network, analyzing, 64–65
 - NOS, choosing, 71
 - overview, 63–64
 - sample plans, 73–78
 - server types, 69–71
- plenum cable, 85
- PocketPC, 222
- pointer (PTR) record, 128
- POP3 protocol, 196
- ports, 94, 339–340
- power management, 154
- PowerQuest PartitionMagic program, 356
- PowerVault NF500, Dell, 260
- prefabricated cables, 86
- Preferred Networks section, Properties dialog box, 180
- Presentation Layer, OSI model, 399
- Print command, 34
- Print dialog box, 37
- print queue, 37–39
- print servers, 70
- print spooling, 34, 279
- Printer Sharing option, Network and Sharing Center, 43
- printers, 34–39, 50–53, 66, 374
- Printers and Faxes folder, 51–52
- Printers folder, 35, 52
- printouts, System Information, 238
- private IP address, 116–117
- processor, 65, 280
- Product Activation feature, Microsoft, 146
- product key, 141, 144
- profile, user, 252–253
- programs. *See also specific programs by name*
 - browsing network from, 29–30
 - inventory, 68
 - licenses, 390
 - Linux, 352
 - manuals, 302
 - memory leak, 286
 - sharing, 13–14
- properties, user account, 246
- Properties dialog box
 - folder, 271–273
 - hard drive size, 66–67
 - Mobile Services, 223–224
 - network protocols, 66
 - Offline Files tab, 60
 - scope, 123
 - sharing folders, 46–48
 - sharing printers, 51–53
 - TCP/IP, 124, 129
 - User, 193–196, 249–253
 - Windows network connections, 152–156, 158
 - wireless networking, 180–181
- protocol analyzer, 242
- protocols, network, 66, 132, 143, 154–155, 281, 292, 371–372
- Provision a Shared Folder Wizard, 265–271
- proxy server, 342
- PTR (pointer) record, 128
- Public folder, 49–50
- public IP address, 116–117
- public switched telephone network (PSTN), 218
- publishing applications, 204–205
- Purge Print Documents command, 39
- PVC cable, 85



QuickTime Streaming Server, 372

• R •

radio waves, 167–169
 RAID (Redundant Array of Inexpensive Disks) system, 260
 range, 171–172
 Read & Execute permission, 261
 Read permission, 261
 reader permission level, 49
 read-only files, 55
 real-time data, 285
 rebooting, 293–294
 Reconnect at Logon option, 32, 34
 records, locking in Access, 58
 Recycle Bin, 381
 Redundant Array of Inexpensive Disks (RAID) system, 260
 refresh rate, Access, 58
 relative names, 127
 remote connections, Windows Server 2008, 136
 remote installation, NOS, 139–140
 Remote Installation Services (RIS), 140
 repeaters, 99–101, 396
 reports, scheduling, 286
 reservations, DHCP, 119–121, 124
 Reset button, 295
 residential gateway, 175
 resources, 21–22. *See also* sharing
 Resources tab, Properties dialog box, 154
 restarting, 288, 297–298, 363–365
 restoring backups, 332
 restrictions, 26, 330
 RG-58 cable, 82
 ring topology, 80
 RIS (Remote Installation Services), 140
 RJ-45 connectors, 89–90
 roaming, 175–176, 252
 Role Services page, 148–150
 root domain, 125
 root partition, 355
 rotation, tape, 318
 router address, for scope, 120
 routers, 102–103, 118, 132, 187–189, 232, 398
 routine chores, performing, 239–240
 routing, Network Layer, 398

• S •

safe computing, 345–346
 Samba
 installing, 366–367
 overview, 365–366
 Samba Server Configuration tool, 368–370
 starting, 367–368
 stopping, 367–368
 scheduled tasks, 286
 scopes, 119–120
 security
 Access database, 58
 administrator account, 328–329
 built-in accounts, 330–331
 closed-door approach, 323–324
 groups, 332–333
 IPSec, 232
 logon scripts, 334–335
 mobile devices, 226–227
 network administrator tasks, 240
 open-door approach, 323–324
 overview, 18, 321–323
 passwords, 326–328
 permissions, 332
 physical, 324–325
 policy, network, 335
 Samba server, 368–369
 services, NOS, 134–135
 spyware, 286
 user accounts, 329–330
 user profiles, 334
 user rights, 331–332
 usernames, 325–326
 virus protection, 388
 WAP, 383–384
 segments, cable, 100, 282
 Select Role Services page, 206–207
 Select Server Roles page, 148–149, 206
 Select Users, Computers, or Groups dialog box, 200, 275
 Server Core, 136
 Server Manager page, 147–148
 Server Message Block (SMB), 366
 server roles, 147–150, 263–264
 Server service, 296
 servers. *See also* file servers; sharing
 configuration options, 280–281
 database, 71
 dedicated, 15–16, 69
 DHCP, 118–119, 123
 firewalls, 188–189
 hardware, 280
 IIS Web, 205–209
 intranets, 205
 loss of privacy on computer used as, 18
 mail, 70
 NOS requirements, 140–141
 operating system, 71, 141
 overloaded, 281–282

- servers (*continued*)
 - overview, 14–15, 41–42
 - print, 70
 - restarting, 288, 297–298
 - Web, 70, 205
 - Service accounts, 331
 - Service Configuration window, 363–365, 368
 - service network restart command, 365
 - service packs, 146–147, 192, 346
 - service set identifier (SSID), 166, 175, 177
 - services, 132–135, 148–150, 295–297, 376
 - Session Layer, OSI model, 399
 - setup script, 139
 - Share and Storage Management console, 264, 273–275
 - share name, 47, 263
 - shared resources, 12–13, 18, 23
 - shares, 238, 262–263, 366, 370
 - sharing
 - File and Printer Sharing feature, 42–46
 - files, 12, 132–133, 374
 - folders, 26–28, 31–34, 46–49, 271–273
 - Internet connections, 187
 - overview, 41–42
 - printers, 50–53
 - programs, 13–14
 - shielded twisted-pair (STP) cable, 84–85
 - shredding trash, 325
 - shutdown, 332, 358
 - simple display name, 196
 - Skype, 218
 - Slackware, 354
 - Sleep feature, 289
 - smart card, 251
 - smartphone, 222
 - SMB (Server Message Block), 366
 - smbd daemon, 367
 - sneakernet, 10
 - Sniffer program, NetScout Systems, 242
 - software, 17, 67, 205, 236, 238
 - solid cable, 85–86
 - special permissions, 262
 - special shares, 263
 - spectrums, 169
 - SPI (stateful packet inspection), 341
 - splitting databases, Access, 58
 - spooling, print, 279
 - spyware, 286
 - SSID (service set identifier), 166, 175, 177
 - stackable switches, 96
 - standard drive assignments lists, 238
 - Standard version, Windows Server 2008, 136, 140
 - standards, wireless, 170–171
 - star topology, 80, 82–83
 - StarOffice, 352
 - startup diskette, NOS, 141
 - stateful packet inspection (SPI), 341
 - static data, 313–314
 - static IP address, 118, 120–121
 - station cable, 85, 92
 - stencils, Visio, 73
 - storage, 18, 194, 259–264.
 - See also* file servers
 - STP (shielded twisted-pair) cable, 84–85
 - stranded cable, 85–86
 - striped volumes, 281
 - subdomain, 126
 - subnet masks, 114–115, 119
 - subnets, 113–114
 - subnetting, 112–116
 - surge protector, 289–290
 - SuSE, 354
 - swap partition, 355
 - switches, 17, 82–83, 93–96, 286, 291, 325, 397
 - Sync command, 60
 - System Information program, 68, 160–161, 238–239, 242
 - System Properties dialog box, 159–161
 - system time, 331
 - System window, 66–67
- 7 •
- T1 lines, 187
 - T3 lines, 187
 - taking computer down, 11
 - tape, 310, 318–320. *See also* backups
 - tasks, scheduled, 286
 - TCP/IP (Transmission Control Protocol/Internet Protocol)
 - binary system, 105–107
 - commands, 241–242
 - DHCP, 117–124
 - DNS, 125–129
 - IP addresses, 108–111
 - ipconfig /all command, 147
 - network address translation, 116–117
 - NOS setup, configuration for, 143

- overview, 105
- ports, 339–340
- settings, checking, 292
- subnetting, 112–116
- TCP/IP Properties dialog box, 124, 129, 155–156
- telephones, cordless, 171
- Telephones tab, User Properties dialog box, 250
- Telnet circuit-level gateway, 341
- 10/100/1000 Mbps components, 82, 97
- 10Base2 cable, 96
- 10Base5 cable, 96
- 10BaseT, 89–90, 96, 99–100
- Terminal window, Linux, 360
- theft, data, 322
- thick coaxial cable, 96
- thin coaxial cable, 96
- three-letter acronym (TLA), 11
- Time to Live, 129
- Time Warner Cable Digital Phone, 220
- TLA (three-letter acronym), 11
- Token Ring standard, 81
- top-level domains, 125
- topology, network, 80
- tracking log, 299–300
- training, network, 240
- transaction applications, 204–205
- Transmission Control Protocol/Internet Protocol. *See* TCP/IP
- transmission speed, Ethernet, 81
- Transport Layer, OSI model, 398–399
- trash, shredding, 325
- Travan drives, 310
- Trojan horse programs, 322–323, 344
- Troubleshoot button, Properties dialog box, 153
- troubleshooting
 - client computer, restarting, 293–295
 - computers, fixing, 289–290
 - connection, checking, 290–291
 - documenting, 299–300
 - error messages, 291
 - event logs, 298–299
 - experimenting, 292–293
 - network server, restarting, 297–298
 - network services, restarting, 295–297
 - network settings, 292
 - overview, 287–288
- tuning network, 283
- twisted-pair cable, 16, 82–84, 88–89, 99–101

• U •

- UNC path, 36
- understudy, network administrator, 237
- Uninterruptible Power Supply (UPS), 143
- Unix, 137
- unshielded twisted-pair (UTP) cable, 82–84
- up computer state, 11
- updates, 142, 286
- upgrades, 137–138, 236
- uplink port, 91, 94
- UPS (Uninterruptible Power Supply), 143
- Up-to-Date Notifications, 195
- USB adapter, wireless, 173
- user accounts
 - administrator, 328–329
 - built-in, 330–331
 - creating, 246–249
 - deleting, 254–255
 - disabling, 254
 - domain, 245–246
 - enabling, 254
 - groups, 255–257
 - Linux, 356, 360–362
 - local, 245–246
 - logon scripts, creating, 258
 - NOS, 134
 - overview, 245
 - passwords, resetting, 253–254
 - properties, 246, 249–253
 - Samba, 368–369
 - security, 329–330
- User Initiated Synchronization, 195
- User Manager, 361–362
- User Properties dialog box, 193–196, 249–253
- User Templates folder, 56–57
- useradd command, 361
- username, 22–25, 246, 325–326, 329, 361
- users, 240–241, 301–302, 331–332, 334. *See also* user accounts
- UTP (unshielded twisted-pair) cable, 82–84

• V •

- virtual memory, 281
- virtual private network (VPN), 135, 231–232
- viruses, 18, 189, 232, 343–347
- Visio, Microsoft, 72–73, 238
- Voice over Internet Protocol (VoIP), 217–220
- Vonage, 218, 220
- VPN (virtual private network), 135, 231–232

• W •

- wall jacks, 91–92
- WAP (wireless access point), 166, 173–179
- wavelength, 167–168
- Web servers, 70, 205–207
- Web sites, 210–216
- WebObjects, 372
- WEP (wired equivalent privacy), 178
- Wi-Fi, 166
- Windows. *See also specific entries beginning with Windows*
 - versus Linux, 351–353
 - networking Macs with, 375–376
- Windows 7
 - Add Printer Wizard, 35–36
 - browsing network, 29
 - computer identification, 160–162
 - connections, configuring, 156–158
 - domain name, 25
 - File and Printer Sharing feature, 45–46
 - Firewall settings, 191–192
 - mapping network, 31–33
 - offline files, 59
 - Public folder, 49–50
 - sharing folders in, 48–49
 - sharing printer in, 52–53
 - wireless networking, 181–182
- Windows 95, 30–31
- Windows 98, 30–31
- Windows clients, configuring
 - computer identification, 158–162
 - network connections, 152–158
 - network logon, 162–163
 - overview, 151
- Windows DHCP client, configuring, 124
- Windows DNS client, configuring, 129
- Windows Firewall, 190–192, 342–343
- Windows Mobile, 222–225
- Windows Performance Monitor tool, 284–285
- Windows Resource Kit, 303
- Windows Server 2008
 - activating, 146
 - creating accounts, 246–249
 - DHCP server, 122–124
 - DNS server, 128–129
 - IIS Web Server, 206
 - installing, 144–145
 - logged on users, finding, 293
 - logging on, 146
 - overview, 15
 - service packs, 146–147
 - testing installation, 147
 - versions, 135–136
- Windows Setup Wizard, 144
- Windows Storage Server, 260
- Windows Update Web site, 346–347
- Windows user accounts. *See user accounts*
- Windows Vista
 - Add Printer Wizard, 35–36
 - browsing network, 29
 - computer identification, 160–162
 - connections, configuring, 156–158
 - domain name, 25
 - File and Printer Sharing feature, 43–44
 - Firewall settings, 190
 - logging off network, 39
 - mapping network, 31–33
 - offline files, 59
 - Public folder, 49–50
 - sharing folders in, 48–49
 - sharing printer in, 52–53
 - wireless networking, 181–182
- Windows Web Server 2008, 136
- Windows XP
 - browsing network, 29
 - computer identification, 159–160
 - configuring connections, 152–156
 - File and Printer Sharing feature, 42–43
 - Firewall settings, 190
 - logging off network, 39
 - Logon dialog box, 24–25
 - mapping network, 33
 - offline files, 59
 - Service Pack 2, 192
 - sharing folders in, 46–48
 - sharing printer in, 51–52
 - wireless networking, 179–181
- wire cutters, 87
- wire stripper, 87
- wired equivalent privacy (WEP), 178
- wireless access point (WAP), 166, 173–179
- wireless bridging, 176
- wireless local-area network (WLAN), 166
- wireless networking
 - adapters, 172–173
 - antennas, 167–168
 - FCC, 169
 - frequencies, 167
 - overview, 10, 165–166
 - radio waves, 167
 - range, 171–172
 - roaming, 175–176
 - spectrums, 169

standards, 170–171
wavelength, 167–168
Windows Vista or Windows 7, 181–182
Windows XP, configuring for, 179–181
wireless access points, 173–179
wiring schemes, 88–89
WLAN (wireless local-area network), 166
Word Options dialog box, 56
workgroup networks, 23, 159, 162
workgroup templates, 55–57
Workstation service, 296
worms, 344
Write permission, 261

• X •

X Window System, 352
X.400 standard, 196–197
XOR operation, 107

• Y •

Yosemite Backup, BarracudaWare, 311

