

Index

- Absorption, light, *see* Light
- Accumulation mode
- atmospheric aerosol 25
 - brake wear 345
 - definition 43–4
 - in dilution tunnel 148
 - effective density 220
 - in exhaust 54
 - survival in atmosphere 6
- Acetylene
- soot inception 68
 - surface growth 73
- Acid dew point 125
- Adsorption 20
- organic particulate 114–15
 - photoelectric effect 194
- Aftertreatment, *see under* Catalyst; Diesel particulate filter (DPF)
- Agglomerates
- in atmospheric aerosol 33
 - definition 44
 - fractality 12, 77
 - relation to spherule 216–17
- Agglomeration 20
- charge effects 78, 228
 - coalescent and noncoalescent 77
 - in exhaust plume 144
 - in lubricant 288
 - making particles bigger 394
 - Smoluchowski eqn. 21, 76
 - turbulence 78
- Aggregate, *see* Agglomerates
- Agrochemical aerosols 30–1
- Aircraft exhaust 128
- Aitken nucleus 19, 26
- Alkanes
- characterisations 235
 - fuel formulation 256
 - storage in exhaust 139
 - survivability 108
- Ames bioassay
- dose-response curve 180
 - index 180
 - indirect and direct mutagenicity 180
 - NPAH and PAH 181
- Ammonia
- deNO_x catalysts 299
 - motor vehicles 37
 - natural sources 37
 - nitrate 36, 46
 - sulphate 36
- Animal test (in vivo)
- epigenetic and genetic 378
 - excessive exposures 378
 - exposure to carbon black 379
 - exposure to diesel particles 378–9
 - exposure to sulphuric acid 379
 - humans 381–2
 - intracheal instillation 377
 - upper respiratory tract 377
- Arctic haze 41
- Aromaticity 254, 256

- Asbestos 31
- Ash particulate
 - animal exposures 380
 - chemical composition 104, 231
 - chlorine 95
 - coal 98
 - definition 47
 - density, bulk 220
 - diesel particulate filter 303, 304
 - flame suppressants 98
 - fly ash 98
 - fuel-borne elements 96, 261–2
 - incombustible 232
 - iron 101–4, 317
 - leaded gasoline 315–16
 - lubricant 283
 - magnesium 95
 - manganese 317
 - nitration 112
 - silicon 95
 - storage in catalysts 296
 - thermodynamics 97
 - wear 51, 53
 - zinc 95
- Asteroid impact 41
- Asthma 40
- Attachment (to surfaces) 18

- Bacteria 28, 29
- Barium (fuel additive) 97, 98–9, 261
- BET model 114, 222
- Binary homogeneous nucleation (BHN) 126
- Bioassays (in vitro)
 - DNA damage 376
 - oxidative stress 377–8
 - types of 375
- Biogenic aerosol 29
- Biological aerosol 27–9
- Bipolar charging 225
- Blowdown 136
 - charge sensing 196
- Boltzmann charge distribution 227
- Brake wear 344–6
 - loss patterns 345
 - particle composition 345
- Bronchitis 40
- Bubble bursting mechanism 27

- Cancer 40
- Candles 38
- Carbon
 - aciniform 47
 - black carbon 47
 - carbon black (manufacture) 62
 - carbonate 32
 - critical air-fuel ratio 65
 - elemental carbon 32, 47
 - organic 32
- Carbon-hydrogen ratio
 - carbonaceous fraction 229
 - organic fraction 233
 - thermogravimetry 170
 - young spherules 107
- Carbonaceous particulate
 - air-fuel ratio 65, 320
 - animal exposures 378–9
 - catalytic formation 296
 - catalytic oxidation 295
 - climate 41
 - damage to buildings 38
 - definition 47
 - density, bulk 219
 - diesel particulate filter 302
 - exhaust gas recirculation 272–3
 - flame ionisation 197
 - from lubricant 282–3
 - fullerenes 71
 - HACA mechanism 69
 - heat release 66
 - hydrophobicity 126
 - ignition delay 66
 - incandescence 62
 - ions 71
 - light absorption 192
 - oxidants 79, 80
 - oxygenates 257–8
 - premixed burn 86
 - pyrolysis 68–70
 - soot-formation window 292
 - soot-induced wear 289–90
 - stabilomers 70
 - thermodynamics 63
- Cardiovascular illness 40–1
- Catalyst
 - ash storage 296
 - attrition of 349–51
 - carbonaceous storage 296
 - deactivation 296
 - formation of sulphuric acid 124
 - hydrocarbon storage 294
 - mutagenicity 297
 - particle storage 140
 - precious metal losses 350–1
 - sulphate make 294–5, 317–18
 - sulphate-organic trade-off 295

- sulphate storage 295
- three-way 326
- Cenospheres 98
- Cerium 103
- Charring 169
- Chase experiments 142
- Chemiluminescence 87
- Chemisorption, *see* Adsorption
- Chromatography 175
 - fuel-lubricant partitioning 178–9
- Cigarette smoking 398
- Climate (change) 41
- Cloud formation 25
 - cloud condensation nuclei 25, 26, 27, 41
 - deposition 26
 - ice formation nuclei 25
- CNC 189–90
- Coagulation, *see* Agglomeration
- Coarse mode
 - atmospheric aerosol 25, 40
 - definition 42–3
 - in exhaust 54
 - formation 42
 - isokinetic sampling 159
- Combustion aerosols 33, 35–6
 - biomass 33, 97
 - climate 40–1
 - coal 33, 98
 - coke 43
 - municipal, industrial, medical 35, 98
 - open burning 39
- Compensation culture 398
- Condensation 18
 - organic particulate 112–13
- Condensation nuclei counter (CNC), *see* Light
- Condensation particle counter (CPC)
- Contact electrification 227
- Contrails (condensation trails) 41
- Cunningham slip correction 16
- Cylinder dumping 84
- Cylinder sampling 84, 109

- Deliquescence 19
- Demography
 - alternative combustion systems 193
 - catalysts 140–1, 298, 299
 - diesel engines 241–4
 - diesel particulate filter 242–3, 303–4
 - dilution tunnel 149
 - direct-injection gasoline 231
 - EGR 274
 - exhaust plume 144
 - fuel additives 101–4, 261
 - injection pressure 268
 - leaded gasoline 316
 - lubricant 285
 - oxygenates 259–60
 - port-injection gasoline 323
 - sulphur 253–4
 - transfer line 146–7
 - two-stroke engines 337
- Density
 - bulk 220–1
 - difficulties in measuring 221
 - effective 221
 - as a function of engine operation 221
 - as a function of size 221–2
 - incombustible ash 222
 - surface area 223
- Dew point 18, 52
- Diameter, particle, *see* Size, particle
- Diesel particulate filter (DPF)
 - demography 241–3, 392–3
 - evaluating efficiency of 151
 - filtering mechanisms 301
 - fuel additives 262
 - ignition temperature 301–2
 - regeneration methods 302
 - similarity to dilution tunnel filter 150
 - sulphate quantification 174
 - toxicology 238, 305–6
 - types of 300
- Diffusion 16
 - battery 158
 - in transfer line 146
- Dilution profile 163
- Dilution ratio 51
 - definition of 162
 - in exhaust plume 141–2
 - organic fraction 113
- Dilution tunnel 51
 - accumulation mode 148
 - adiabaticity 161
 - conditioning of air 161
 - constant volume sampling (CVS) 160
 - full- and partial-flow 160
 - heat transfer characteristics 162
 - interplay with saturation 148
 - kinetic aspects 148–9
 - laminar flow 164
 - nucleation 149–50
 - tasks of 160–1
 - turbulent flow 164–5
- Dimethyl sulphide (DMS) 27

- Dioxins 36
- Diseases
- allergens 364
 - asthma 363, 370
 - atherosclerosis 374
 - blood clotting 369–70, 374
 - bronchitis 370
 - cancer 362–3, 369
 - chronic obstructive pulmonary disease (COPD) 370, 374
 - lung deposition 365
 - lung function 363
 - mortality 363
 - myocardial infarctions 374
 - PAH-DNA adducts 369
 - respiratory, cardiovascular 363, 369–70
 - rhinitis 364
- Displacement 136
- Drag force 16
- Dry deposition 26
- Dust 23
- Efflorescence 19
- Ejector diluter 164
- Electrical charge
- charge cloud 195–6
 - demography of 225–6
 - indigenous 225–8
 - mechanisms 225–6
 - particle-sizing 185–6
 - relation to smoke 197
- Electrical low pressure impact (ELPI), *see* Impactor
- Electrostatic attraction 16
- ELPI 183–5
- Epidemiology
- confounding factors 371–2
 - lung cancer 371, 373
 - occupational health 373
 - other illnesses 374
 - public health 373–4
 - respiratory and cardiovascular 373
 - risk 372
 - threshold 371
- Epithelium (lung) 39
- Evaporation 19
- light scattering 191
 - via LII 188
- Exhaust gas recirculation (EGR)
- alternative combustion systems 292
 - demography 274
 - engine management 272
 - engine wear 289
 - fouling of cooler and valve 274
 - gasoline engine 325
 - NO_x-soot trade-off 271–2
 - soot promoting mechanisms 272–4
- Exhaust systems
- acid corrosion 349
 - iron 349
 - rust and scale 349
- Extinction, light, *see* Light
- Extraction, filter
- falsifications 171
 - Soxhlet 171–2
 - sulphates 171–3
 - super- and subcritical 172
- Ferrocene
- combustion 96
 - gasoline 317
 - nucleation of iron 103
 - soot suppression 100–1
- Filter, dilution tunnel
- acid-mediated falsifications 152
 - blow-by 151, 165
 - conditioning 167
 - drawbacks 165
 - extraction 171–4
 - gas-particle partitioning 151
 - inconstancy in characteristics 150
 - nitration (PAH to NPAH) 152
 - types 165
 - vapour-phase trap 151, 165
 - weighing 166–7
- Fireworks 31
- Fly ash 98
- Fog 23, 38
- Fractality 12
- agglomerate morphology 217–18
 - spherule agglomeration 77–8
- Fuel
- additives 261–2, 315–17
 - aromaticity 254, 256
 - ashing elements 96, 98
 - desulphurisation 252
 - distillation curves 263
 - engine calibration 251, 265
 - Fischer–Tropsch 251
 - gasoline 325, 333
 - partitioning from lubricant 178–9
 - sulphur-bearing compounds 123
 - volatility 263
 - water-diesel emulsions 251
 - white smoke 121

- Fuel injection
atomisation 265–6, 268, 319
demography 268
direct, gasoline 326
end of injection 266
flow in nozzle 265
'hang up' 320
multiple injections 269
port injection 318–19
soot-suppression mechanisms 267–8, 269–70
- Fullerenes 71
- Fume 23
- Gas-to-particle conversion
ash in relation to soot 100–1
diesel particulate filter 302, 305
in exhaust 52–3
hydrocarbons 118
kinetic considerations 116
leaded gasoline 315
onto transfer line walls 146–7
rise-and-fall characteristic 115
soot (spherules) 71–2
- Gasification 224
see also Thermogravimetry
- Gaussian plume dispersal 143
- Geogenic aerosol 27–30
- Global dimming 41–2
- Gravitational settling 17, 25
- Greenfield gap 26
- HACA mechanism
soot inception 69
surface growth 74
- Haze 38
- Head vortex 88
- Henry's law 19
- Hydrocarbon
sooting tendency 254
storage 120
- Hygroscopicity 19
- Ignition delay 48
correlation to smoke 65
premixed burn 87
- Impactor
bounce 184
plugging 184
principle 184
volatilisation 185
- Incandescence 62, 87
laser-induced 186–8
in late burn 91
- Induction
air density 278
airpath management 276
charge temperature 278
swirl 277
'turbo-lag' 276
turbulence 277
- Industrial aerosols 31–2
- Inertial impaction 17
particle sizing 183–5
- Interception 16
- In-use compliance 389
- Ion-mediated nucleation 128
- Ionisation 193
- Ions
acquisition by particles 195, 225–6
diffusion charging 195
nucleation in exhaust 128
soluble 173
soot formation 70–1
- Isokinetic sampling 17, 158
- Kelvin diameter 19
- Knudsen number 15
in engine 76
- Langmuir model 114
- Laser ablation mass spectrometry 209
- Laser imaging 84
- Leaded gasoline 316–17
- Leidenfrost effect 329
- Lift-off length 88–9
- Light
absorption 191
atmospheric aerosols 37
fits to Mie theory 191–2
Mie scattering, limitations 189
nephelometers 190
particle enumeration 190
photoacoustic effect 191
Rayleigh scattering 37
refractive index 182
smokemeters 200–4
transmission (optical window) 94
transmittance 202
- Lubricant
blowdown 136
carbon-hydrogen ratio 233
consumption versus combustion 280
demography 285
escape mode (vapour, liquid) 281
escape routes 279, 281

- Lubricant (*Continued*)
- fuel-oil interactions 282
 - maintaining oil quality 286
 - partitioning from fuel 178–9, 235–6
 - quantification of soot 286
 - reasons for soot entry 286
 - reformulation 282
 - rheology 287–8
 - soot agglomeration 288
 - soot-induced wear 289–90
 - tracer studies 283–4
 - transient escape 280
- Methylcyclopentadienyl manganese tricarbonyl (MMT) 317
- Mist 23
- Morphology 12
- density 222
 - in exhaust 137
 - fractality 217–18
 - gasoline particulate 322
 - organic particulate 218–19
 - radius of gyration 78, 217
 - spherule agglomeration in engine 77
 - surface area 223
- Mucociliary escalator 39–40
- Mutagenicity
- aftertreatment 238
 - Ames bioassay 179–81
 - catalysts 297
 - diesel particulate filter 306
 - fuel formulation 257
 - gasoline engines 323
 - index 180
 - indirect and direct 180
 - nitration 112
 - oxygenates 260
 - particle size 238
 - subfractions 239–40
 - synergisms 181–2
 - two-stroke engines 337
 - vehicle operation 238–9
- Nagle and Strickland Constable (NSC) 82
- Nanoparticles 26
- animal exposures 380–1
 - chemical composition 362, 392
 - electronic states 395–6
 - flame synthesis 98
 - following lung deposition 393
 - lung deposition 365
 - nucleation events 361, 393
 - public exposure 360–2
 - secondary versus primary 361–2, 390
 - tyre wear 347
 - very, very small particle 395
- Nitrate particulate
- ammonia 37, 46
 - atmospheric aerosol 36
 - connection to sulphate particulate 125
 - definition 46
- Nitration (PAH to NPAH) 110–11, 238
- catalysts 297–8
 - diesel particulate filter 305–6
 - on dilution tunnel filter 152, 180
 - metals 112
 - mutagenicity 112
- Nitro-PAH (NPAH)
- Ames bioassay 181
 - characterisations 235
 - quantification 177
 - relation to PAH 110–11
- Nuclear winter 41
- Nucleation 19
- aircraft exhaust 128
 - ash 100, 103, 104
 - atmosphere 26
 - charge 228
 - direct-injection gasoline 331
 - ‘events’ 361
 - in exhaust plume 143
 - heterogeneous 19
 - homogeneous 19
 - implications for measurement 55
 - meteorology 144
 - oxygenates 260
 - secondary nanoparticles 361
 - soot inception 68
 - sulphuric acid 126, 253
 - in transfer line 147
- Nucleation mode
- ash 261
 - atmospheric aerosol 25
 - catalysts 298
 - definition 43
 - diesel particulate filter 243–4, 303, 304
 - in dilution tunnel 149–50
 - effective density 220
 - in exhaust 54
- Occlusions 101, 230–1
- Organic intermediates 105
- Organic particulate
- adsorption 114–15
 - animal exposures 379

- atmospheric aerosol 34–5
- boundary with HC 117–18, 175, 197–8
- boundary with soot 105
- catalytic oxidation 294
- condensation 112–13
- definition 45
- density, bulk 220
- diesel particulate filter 303, 304
- direct and indirect 50
- extraction 171–2
- flame ionisation 197
- fuel-lubricant partitioning 178, 235–6
- functional groups 233
- gasoline engine 321
- growth agents 128
- intermediates 105
- lubricant 50
- microtransport 116–17
- oxygenates 257–8
- particle size 237
- spiking experiments 178
- subfractions 175–7, 234
- survivability 108
- thermal transition 108
- vapour-particle partitioning 236
- Outgassing 22
 - in exhaust deposits 139
 - from transfer line walls 147
- Oxidation
 - combusting plume 89
 - late burn 90–1
 - mixing of soot and oxygen 83, 91
 - rate control 80
 - rise-and-fall characteristic 85–6, 328
 - soot suppressing additives 99, 100–1
 - wall deposits 93
- Oxidation catalyst, *see under* Catalyst
- Oxygenates
 - demography 259–60
 - desirable properties 257
 - organic-carbonaceous ratio 257
 - PAH 259
 - sequestration theory 258
 - soot-suppressing mechanisms 259
 - types of 256–7
- Ozone 37, 38
- Particulate
 - ageing in atmosphere 145
 - boundary problems 47–8
 - boundary with HC 48, 117–18, 119
 - definition of 8, 44
 - fractionation 167
 - fractions, amounts 47
 - lubricant contribution 50
 - wet and dry 44, 109
- Petrogenic compounds 35, 70, 105
- Photochemical smog, *see* Smog
- Physisorption, *see* Adsorption
- Pilot injection 270
- Plant vitality 38
- Plume stem 89
- PM2.5 and PM10
 - brake wear 345
 - deposition curve (definition) 40
 - public exposure 358
 - relation to emissions legislation 397
 - relation to vehicles 55
 - road wear 343
- Pneumoconiosis 40
- Pollen 28
- Polycyclic Aromatic Hydrocarbons (PAH)
 - adducts 369, 375
 - atmospheric aerosol 35
 - atmospheric partitioning 117
 - cancer 369
 - catalytic oxidation 294
 - cetane number 264
 - characterisation 235
 - chemiluminescence 87
 - in food 35, 40
 - fuel formulation 256
 - gas-to-particle conversion 114, 117
 - gasoline engines 322
 - nitration (PAH to NPAH) 110–11, 261
 - organic particulate 106
 - oxygenates 259–60
 - photoelectric effect 194
 - proto-particles 106–7
 - quantification 177
 - soot formation 68–70
 - source apportionment 35
 - sulphur 253
 - surface growth 73–4
 - survivability 108
- Polydispersity 12
- Polyurethane foam (PUF) 165
- Pool-fire combustion 328
- Porosity 223
- Porous tube diluter 164
- Post injection 270
- Premixed zone/flame 88–9
- Public exposure
 - gasoline versus diesel 358
 - heavy-duty and light-duty diesels 358

- Public exposure (*Continued*)
 indoors and outdoors 358, 359
 infiltration into buildings 359
 nanoparticles 361
 occupational 360
 particle ageing 360
 PM2.5 and PM10 359
 in school buses 359–60
 in vehicle compartments 359
- Pyrogenic compounds 35, 70, 105
- Pyrolysis
 coke 43
 in diesel engine 49, 63
 in exhaust 110
 soot formation 68–70
 on walls 109
- Quartz crystal microbalance (QCM) 199
- Re-entrainment 22
 duty cycle 137–8
 in engine 136
 in exhaust 137
- Respiratory tract 39
 alveoli 366
 animals (various) 377
 antioxidant defence 368
 bioavailability 368
 defence mechanisms 365–6
 deposition curve 39–40, 364–5
 factors controlling deposition 365
 inflammation 367–8
 interstitialisation 368
 macrophages 366
 nanoparticles 368
 overload 367
 particle retention 366–7
 reactive oxygen species (ROS) 368
 translocation 368, 381
- Road salt 95
- Road wear 342
 particle composition 344
- Rotating disc diluter 164
- Saturation
 ash particulate 103
 definition 18
 in dilution tunnel 148
 implications for measurement 55
 long-term trends 391–2
 organic particulate 113
- Scanning mobility particle sizer (SMPS) 185
- Scattering, light, *see* Light
- Sea salt 27
- Secondary organic aerosol (SOA) 29, 33, 37
- Signal-to-noise ratios 387
- Silicosis 40
- Size, particle
 biological aerosol 28
 density function 220–2
 deposition in lung 40
 distributions, formulae for 12–14
 instrumentation for 182
 Knudsen number 16
 spectrum 26
 spherules 43, 216
 transport 17
 typical distribution 54
- Smog 23
 London 36
 Los Angeles 36
- Smoke, colour 119–20, 336
- Smoke detection (by charge) 227
- Smoke point 65
- Smokemeters
 correlations to other instruments 203
 opacimeter 202
 Ringelmann cards 201
 signal levels 203
 spotmeter 201–2
 white smoke 204
- Smoluchowski eqn. 21
- SMPS 185–6
- Soluble organic fraction (SOF) 45, 168
- Soot 47
see also Carbonaceous particulate
- Soot lamp 65
- Source apportionment 25, 35, 194
- Soxhlet extraction
 choice of solvent 172
 optimisation 171–2
 sulphates 172
- Spherules
 assimilation of organics 106–7
 in atmospheric aerosol 33
 carbon-hydrogen ratio 107
 crystallites 214
 definition 43–4
 formation 72
 HACA mechanism 74
 internal oxidation 81
 nuclei 214
 oxygenates 259
 platelets 214
 relation to agglomerate 216–17

- size restriction 73–4
- size via LII 187–8
- sphericity 215–16
- surface recession 80, 86
- turbostratic structure 214
- Stabilomers 70
- Sticking probability 139
- Sulphate particulate 36
 - ammonia 37
 - building damage 38–9
 - characterisation 237–8
 - climate 41
 - connection to nitrate particulate 125
 - definition 45–6
 - density, bulk 220
 - diesel particulate filter 303
 - extraction 172–4
 - gasoline engine 322
 - lubricant 284
 - manufacture by catalyst 123, 294–5, 317–18
 - storage by catalysts 125–6, 297–8, 318
- Sulphur
 - carbonaceous fraction 229
 - combustion chemistry 123, 252–3
 - demography 253–4
 - in fuel 252
 - organic particulate 252, 253
- Sulphur dioxide
 - conversion to acid in atmosphere 36, 124
 - conversion to acid in exhaust 53, 122–3
 - inhalation 39
 - oxidation on buildings 38
 - volcanism 30
- Sulphur trioxide
 - acid dew point 125
 - exhaust gas recirculation 271
- Sulphuric acid
 - animal exposures 379–80, 381
 - decomposition 170
 - dilution tunnel filter 152
 - exhaust system corrosion 349
 - formation in exhaust 53
 - metal sulphation 97
 - nucleation 126–8, 393
 - quantification of water 174
 - relation to sulphate particulate 45
 - scrubbing effect 253
- Surface area
 - active surface 194
 - BET method 222–3
 - diesel particulate filter 302
 - diffusion charging 195
 - photoelectric effect 193–4
- Surface tension 18, 219
- Tapered element oscillating microbalance (TEOM) 198–200
- Thermionic emission 225
- Thermoelectric effect 228
- Thermogravimetry 168
 - falsifications 169
 - protocols for 168, 169
- Thermophoresis 16
 - in catalysts 140
 - in dilution tunnel 148
 - in EGR circuit 274
 - in engine 92
 - in transfer line 146
- Threshold sooting index 65
- Two-stroke engines
 - demography 337
 - emission mechanisms 335
 - mutagenicity 337
 - oil-fuel ratio 335
 - oil reformulation 336
 - storage in exhaust 336
- Tyre wear
 - nanoparticles 347
 - particle composition 347
 - quantity lost 346
- Ultrafine particles 26
- van der Waals forces 18, 44
- Vapour pressure 18
- Viruses 27
- Volatile organic fraction (VOF) 45, 168
- Volcanism 29–30
- Water
 - atmospheric aerosol 23, 41
 - deposition 26
 - distinction from particulate 6, 44
 - in exhaust 52
 - nitrates 46
 - sulphate extraction 274
 - sulphuric acid 45, 174
- Wet deposition 26
- Wind-blown dust 30, 41
- Wind tunnels 142
- Work function 193
- XAD-2 165

