

Index

• Symbols •

- & (ampersand), 280, 291
 - * (asterisk)
 - precedence of, 82
 - used in AutoFilter, 214
 - used with Find and Replace, 67
 - used in formulas, 74, 76
 - :(colon)
 - used in cell ranges, 15
 - used in formulas, 74
 - , (comma) used in formulas, 75
 - & (concatenation)
 - precedence of, 82
 - as a text operator, 138
 - used in formulas, 74
 - /(division)
 - precedence of, 82
 - used in formulas, 76
 - \$(dollar sign) used in formulas, 19
 - = (equal to)
 - used on data forms, 206
 - used in formulas, 73–74
 - ^ (exponentiation)
 - precedence of, 82
 - used in formulas, 74, 76
 - > (greater than)
 - precedence of, 82
 - used on data forms, 206
 - used in formulas, 74
 - >= (greater than or equal to)
 - precedence of, 82
 - used on data forms, 206
 - used in formulas, 74
 - < (less than)
 - precedence of, 82
 - used on data forms, 206
 - used in formulas, 74
 - <= (less than or equal to)
 - precedence of, 82
 - used on data forms, 206
 - used in formulas, 74
 - (minus sign/negation)
 - precedence of, 82
 - used in formulas, 74, 76
 - <> (not equal to)
 - precedence of, 82
 - used on data forms, 206
 - used in formulas, 74
 - % (percent)
 - precedence of, 82
 - used in formulas, 74
 - + (plus sign)
 - precedence of, 82
 - used in formulas, 74
 - ### (pound sign) displayed in cells, 24
 - ? (question mark)
 - used in AutoFilter, 214
 - used with Find and Replace, 67
- ## • A •
- ABS function, 127–128
 - absolute cell references for copying formulas, 91–92
 - accounting number format, 28
 - active worksheet printing, 44
 - Add Constraint dialog box (Solver), 243
 - add-in
 - programs, 110, 241–243
 - saving a custom function as an Excel, 303–305
 - Solver program, 241–243
 - Add-Ins dialog box
 - activating add-in programs with the, 110–112
 - activating Analysis ToolPak on the, 139
 - using to add Solver, 242
 - Add Scenario dialog box, 238
 - addition operator (+)
 - in formulas, 74
 - precedence of, 82
 - Adjust To option, 43
 - Advanced tab on the File Search dialog box, 51
 - alignment
 - button, 26
 - default, 16
 - tab on the Format Cells dialog box, 28, 30–31
 - Alt key. *See also* key combinations
 - shortcut key combinations using the, 317, 319, 323
 - alternate calculations
 - building formulas that perform, 154–155
 - IF function and, 153–155

alternate values, 151–153
 ampersand (&), 280, 291
 Analysis ToolPak
 date functions added with the, 110–111
 financial functions in the, 115–116
 overview, 109–111
 using statistical functions in the, 139–140
 AND function, 149
 Apply Names dialog box, 98, 311
 arithmetic formulas, 76
 arithmetic operators, 74
 array constant, 99
 array formulas
 advantages of, 100
 building, 99–101
 defined, 313
 key combination for, 101
 versus normal formulas, 313–314
 array range, 99
 arrays (one-/two-dimensional), 99
 arrow keys
 as data entry shortcut keys, 317
 moving the cell cursor with the, 12
 used to enter data, 16
 Assign Macro dialog box, 291
 asterisk (*)
 precedence of, 82
 used in AutoFilter, 214
 used with Find and Replace, 67
 used in formulas, 74, 76
 attached text, 173
 attributes modification on custom headers/
 footers, 41
 Auto Outline, 181
 AutoFill
 copying data with, 19
 copying a formula with, 20
 creating a data series with, 310–311
 feature, 18–19
 AutoFilter, 213–216
 AutoFit
 modifying row height with, 25–26
 overview, 25
 resizing columns with, 24
 AutoFormat
 formatting a table with, 32–33
 overview, 31
 AutoFormat dialog box, 32–33, 246–247
 automatic launch (Excel), 10
 AutoSelect, 56–57
 AutoShapes, 195
 AutoSum
 building formulas with, 80–81
 button on Standard toolbar, 128

AVERAGE function
 building formulas with the, 136
 types of number values and the, 136
 used to compute averages, 135–136
 used when subtotaling in data lists, 211–212
 versus SUM/COUNT function, 135
 averages calculations, 135–136
 axis (horizontal/vertical), 173

• B •

Backspace key, 321
 Basic tab on the File Search dialog box, 51
 bold button, 26
 BONUS icon, 5
 book
 how to use this, 1–2
 organization of this, 3–4
 borders
 button, 26
 cell, 27
 of text boxes, 197
 built-in functions combined with handmade
 formulas, 80

• C •

calculated field added to a pivot table, 253–254
 calculations (alternate), 153–155
 callouts
 and AutoShape, 195
 inserting, 195
 capitalization, 164–167
 CD
 copying Excel Workbook folder from the, 5
 customer care information for, 328
 Excel Workbook folder on the, 4–5
 installing, 325–326
 license agreement for the, 326
 practice files on the, 327–328
 system requirements, 325
 third-party add-ins on, 326. *See also* installing
 CD files
 third-party software on, 326–327. *See also*
 installing CD files
 troubleshooting, 328
 using the practice material on the, 4–5
 cell cursor
 manipulation of the, 16
 moving to a new area of the worksheet, 12–13
 moving within the displayed area, 12
 saving the position of the, 20

- cell entries
 - creating, 15–20
 - hiding, 34
- cell range
 - defined, 14–15
 - entering data in the, 18–20
 - printing a, 44–45
 - selecting a, 14–15
 - selecting from different worksheets, 15
 - selecting for editing a, 56–57
- cell reference
 - absolute, 91
 - converting to other types of references, 92–93
 - as a destination for a hyperlink, 273
- cell selection moving and copying techniques, 61–62
- cells
 - borders and, 27
 - changing the definition of, 242
 - conditional formatting of, 33–34
 - counting, 137–139
 - deleting/inserting data, 60–61
 - entering data in a single, 16–18
 - formatting with the Format Cells dialog box, 27–31
 - formatting with the Format Painter, 32–33
 - formatting with the formatting toolbar, 26–27
 - formatting techniques of, 26–34
 - hidden/unhidden format, 224
 - locked/unlocked format, 224
 - moving/copying in the spreadsheet, 61–64
 - selecting, 13
- chart
 - changing the location of an existing, 174–176
 - clustered column, 172, 174
 - creating a new embedded, 176–179
 - creating a web page with an interactive, 268–269
 - data series, 172
 - default printing of a, 45
 - definition, 172
 - editing, 182–183
 - elements of a, 172–173
 - embedded, 173
 - embedded cluster bar, 179
 - formatting a, 180–182
 - menu, 175
 - printing a, 46
 - selecting a, 182
 - text, 173
 - understanding a, 171–176
- Chart Options dialog box, 176, 178
- chart sheet, 173
- Chart Source Data dialog box, 176, 178
- Chart toolbar, 172, 180
- Chart Type dialog box, 176–177
- Chart Wizard, 176, 182, 314
- Choose Columns dialog box, 218
- circular references, 104–105
- clip art
 - adding to a spreadsheet, 190–191
 - button, 190
 - inserting, 189–191
- Close Side by Side button, 314–315
- Close Window button, 11
- clustered column chart, 172, 174
- Code Window, 295, 302
- codes in a custom header/footer, 40
- col_index_num argument, 142, 151
- colon (:)
 - used in cell ranges, 15
 - used in formulas, 75
- color-coding
 - worksheet tabs, 310
 - worksheets, 14
- Column Width dialog box, 24, 25
- columns
 - deleting/inserting, 60
 - freezing headings, 312
 - hiding, 34–35
 - methods of resizing, 24–25
 - modifying width of in a spreadsheet, 24–25
 - orientation of headings of, 30–31
 - overriding default width of, 23
 - redisplaying hidden, 34
 - resizing overview, 23
 - selecting, 15
 - sorting in a data list, 209–211
 - turning on headings of, 43
- comma style button, 26
- comma (,) used in formulas, 75
- commands
 - goal seeking, 240–241
 - Insert Cells, 60
 - scenario, 238–240
- Commands and Options dialog box, 265–266
- comment
 - attaching to a spreadsheet, 64–66
 - hiding a, 66
 - indicator, 65
 - versus text boxes, 197
- comparative formulas, 76
- comparative operators
 - precedence of, 82
 - search criteria and, 206
- Compare Side by Side toolbar, 314–315
- CONCATENATE function, 164–167

- concatenation operator (&)
 - precedence of, 82
 - as a text operator, 138
 - use of in formulas, 74
- conditional formatting
 - of cells, 33–34
 - using to flag all error-trapping formulas, 312
- Conditional Sum Wizard
 - dialog box, 134
 - using the, 133–134
- constraints, 242
- Context optional argument (InputBox), 297–298
- conventions used in this book, 1–2
- copy-and-paste, 315
- copying
 - data with AutoFill, 19
 - data and cells, 61–64
 - data between open workbooks, 315
 - Excel Workbook folder from the CD, 5
 - formatting to multiple cells with Format Painter, 32
 - a formula with AutoFill, 20
 - formulas with absolute cell references, 91–92
 - formulas with mixed cell references, 92–96
 - formulas with relative cell references, 90–91
 - formulas using the Fill handle, 19–20
 - techniques for cell selection, 61–62
- cost
 - issues. *See* depreciation
 - used to calculate depreciation, 121
- COUNT function
 - building formulas with the, 138–139
 - counting cells with the, 137
 - subtotaling in data lists with the, 211–212
 - versus AVERAGE function, 135
- COUNT NUMS function, 253
- COUNTA function
 - building formulas with the, 138–139
 - counting cells with the, 137
- COUNTBLANK function
 - building formulas with the, 138–139
 - counting cells with the, 137
- COUNTIF function
 - building formulas with the, 138–139
 - counting cells with the, 138–139
 - criteria argument of the, 139
- counting cells and functions, 137–139
- Create Names dialog box, 311
- criteria button, 206
- Crystal Xcelsius Professional (Business Objects), 4, 326. *See also* installing CD files
- Ctrl key. *See also* key combinations
 - Fill handle and the, 19
 - moving graphic objects with the, 186
 - moving between ranges of data with the, 13
 - selecting cell ranges with the, 15
- Ctrl+~ (tilde) keys, 78
- Ctrl+arrow keys, 13
- Ctrl+Enter keys, 18
- Ctrl+Home keys
 - entering data with the, 16
 - moving between cells with the, 13
- Ctrl+Page commands, 14
- Ctrl+Tab keys, 11
- Ctrl+Y redo button, 34
- Ctrl+Z
 - for editing, 57
 - for removing table formatting, 33
- currency
 - button, 26
 - as a number format, 28
- cursor. *See* cell cursor
- Custom AutoFilter dialog box, 213–214
- Custom AutoFilter operators, 214
- custom button deletion, 281
- custom function. *See also* user-defined function
 - building spreadsheet formulas with a, 302–303
 - creating in the Visual Basic Editor, 301–302
 - saving as an Excel add-in, 303–305
- custom menu. *See also* menu
 - assigning hyperlinks to a, 279–281
 - assigning macros to a, 290–291
 - deleting an item from a, 281
- custom spreadsheet function. *See* user-defined functions
- Custom Views dialog box, 55, 312
- custom views and editing worksheets, 54–55, 312
- customer care for CD, 328
- Customize dialog box, 27, 280, 281, 290–291
- customizing headers/footers, 40–41
- cut-and-paste, 61–62



- data
 - deleting/inserting, 60–61
 - moving/copying, 61–64
 - moving/copying between open workbooks, 315
- Data Analysis dialog box, 140
- data entries
 - building simple text formulas that join, 162–164
 - editing, 57–58
 - into a cell range, 18–20
 - into a single cell, 16–18

- preventing errors in with data validation, 312
- in a protected worksheet, 227–228
- restricting, 312
- shortcut keys for, 317
- verifying with Text to Speech, 58–59
- data form
 - constructing a new data list and adding records with the, 204–206
 - criteria button on the, 206
 - editing field entries on data lists with the, 205–206
 - finding and editing records with the, 206–207
- data list. *See also* database table
 - client, 203–204
 - constructing new and adding records with the data form on the, 204–205
 - creating a, 203–207
 - creating a Web page with an interactive, 266–267
 - editing field entries on (using the data form), 205–206
 - filtering a, 213–216
 - filtering the records in a, 214–216
 - sort order, 207
 - sorting, 207–211
 - sorting on the records in a data list on more than three keys, 209
 - subtotaling the records in a, 211–212
 - using AutoFilter in a, 213–216
- data marker, 172
- data series creation with AutoFill, 310–311
- data table
 - creating a one-variable, 233–235
 - creating a two-variable, 236–237
 - creating a Web page with an interactive, 265–266
 - outlining to control display of data, 314
 - overview, 233
 - placement of formulas in a two-variable, 236
 - querying an external, 216–220
- data validation
 - for a cell, 312
 - defined, 152
 - preventing data entry errors with, 312
- Data Validation dialog box, 312
- database table. *See also* data list
 - querying an external, 216–220
 - selecting a driver for a, 216
- date formulas
 - building, 107–109
 - overview, 107
- date functions
 - building formulas with in the Analysis ToolPak, 111–112
 - building formulas with, 109–110
 - working with, 109–111
- date number format, 28
- DB function (declining balance), 121–123
- DDB function (double-declining balance), 121–123
- decimal buttons, 26
- decimal places versus rounding functions, 125
- decision-making formulas
 - alternate calculations in, 153–155
 - alternate values in, 150–153
 - building, 150–156
 - types of, 150
- default
 - alignment in worksheets, 16
 - of number formats, 28
 - print settings, 42
 - printing of charts, 45
- Default optional argument (InputBox), 297
- Define Name dialog box, 77–78, 311
- Delete key, 60, 321
- deleting
 - custom button, 281
 - custom menu item, 281
 - data and cells, 60–61
 - a hyperlink, 279
- dependents, 102
- depreciation, 121–123
- desktop Microsoft Excel icon, 9
- dialog box. *See also specific dialog box*
 - making a recorded macro interactive by adding an input, 297–299
 - selections, 1
- digital photo insertion, 193
- direct precedents, 102
- display controlled by outlining data tables, 314
- #DIV/0! error value, 73, 77, 156, 313
- division operator (/)
 - precedence of, 82
 - used in formulas, 74, 76
- docking a floating toolbar, 65
- dollar sign (\$) used in formulas, 19
- downloading templates from Microsoft Office Templates Home Page, 309
- drag-and-drop
 - method, 315
 - to move/copy data, 61
- Drawing toolbar
 - creating text boxes with the, 196–198
 - drawing/adding graphic shapes with, 194–196
 - overview, 186, 189
 - WordArt and the, 198–200

• E •

E-mail address
 adding hyperlinks to a, 277–278
 as a destination for a hyperlink, 274

EDATE function, 110

Edit Hyperlink dialog box, 279

Edit mode, 57

Edit Web Query dialog box, 272

Edit WordArt Text dialog box, 198–199

editing
 actions in the Protect Sheet dialog box, 224–225
 charts, 182–183
 data entries, 57–58
 data lists using a data form, 205–206
 with the Esc key, 57, 321
 features for aiding in, 54–55
 with Find and Replace and Spell Checking, 66–68
 group, 68–69
 hyperlinks, 279
 multiple worksheets as a group, 69
 a recorded macro in the Visual Basic Editor, 295–297
 records with the data form, 206–207
 selecting ranges for, 56–57
 shortcut keys, 321

embedded chart
 cluster bar, 179
 creating a new, 176–179
 definition, 173
 versus chart sheet, 173

Enter key, 16, 227, 317, 321

entering
 data into a cell range, 18–20
 data into a single cell, 16–18

EOMONTH function, 110

equal to operator (=)
 importance of using the, 73
 precedence of, 82
 used on data forms, 206
 used in formulas, 73–74

Error Checking dialog box, 103

error-trapping formulas, 156–159

error values
 #DIV/0!, 77, 156
 #NAME?, 77, 162
 building formulas that trap, 157–159
 finding the source of in formulas, 102–104
 with formulas, 73–74
 listed, 73–74
 suppressing with the IF function, 156–157

errors
 finding with Text to Speech, 58–59
 locating and eliminating formula, 101–104
 preventing with data validation, 312
 trapping, 313

Esc key
 clearing characters in a cell with the, 16
 as a data entry shortcut key, 317
 editing with the, 57, 321

ESQuotes (Gilmore Software), 326. *See also*
 installing CD files

EXAMPLE icon, 5

Excel
 copying Workbook Folder to My Documents, 5
 launching, 9–10
 versions supported in this book, 2
Excel All-In-One Desk Reference For Dummies
 (Harvey), 6
Excel For Dummies (Harvey), 6

exponentiation operator (^)
 precedence of, 82
 used in formulas, 74, 76

exporting a Web page to Excel, 269–270

external data table query, 216–220

External Data toolbar, 220, 271

External Range Properties dialog box, 271

external reference link
 creating a, 85
 using a, 84–86

• F •

F2 (Insertion point) for editing, 57

F10 for activating menus, 1

F12 and Save As dialog box, 25

FALSE function, 149–150

fields (columns) sorting in a data list, 209–211

file installation, 325–326

File Search dialog box
 Advanced tab on the, 59
 searching for workbook files with the, 51–52
 tabs on the, 51

file search feature, 51

filename
 as a destination for a hyperlink, 274
 temporary, 10

filename extension
 .iqy (Internet Query), 272
 of template files, 11
 of workbook files, 11
 .xls, 11
 .xlt, 11
 .xml (Extensible Markup Language), 269

- fill color button, 26
- Fill handle
 - copying a formula with the, 19–20
 - creating data series with the, 310–311
 - entering data with the, 18–19
- Filter Data dialog box, 218–219
- filtering records in a data list, 214–216
- financial functions, 115–116
- Find (Ctrl+F), 66
- Find and Replace (Ctrl+H), 66
 - editing with, 66–68
- finding records with the data form, 206–207
- Fit To Scaling option, 43
- floating toolbar, 65
- font
 - color button, 26
 - customizing settings for headers/footers, 41
 - drop-down buttons, 26
 - tab on the Format Cells dialog box, 28
- Font dialog box for headers/footers, 41
- Footer dialog box, 41
- footers/headers
 - adding custom, 39–41
 - inserting codes in, 40–41
- Format Cells dialog box
 - alignment tab on the, 30–31
 - applying number formats with the, 28–30
 - conditional formatting and the, 33–34
 - formatting cells with the, 26–31
 - number tab on the, 29
 - opening with Ctrl+1, 28
 - options on the, 27–28
- Format menu
 - hiding columns/rows using the, 34–35
 - resizing columns with the, 24
 - resizing rows with the, 25
- Format Painter
 - copying formatting to multiple cells with, 32
 - formatting cells with the, 32–33
 - overview, 31
- Format Tab Color dialog box, 14
- formatting
 - cells with the alignment tab, 30–31
 - cells with the Format Cells dialog box, 27–31
 - cells with the Format Painter, 32–33
 - cells with the Number tab, 29–30
 - charts, 180–182
 - conditional, 33–34, 312
 - hypertext, 279
 - modifying in a pivot table, 250–251
 - removing with Ctrl+Z, 33
 - shortcut keys, 319
 - a table with AutoFormat, 32–33
 - techniques, 26–34
- Formatting toolbar
 - displaying, 27
 - formatting cells with the, 26–27
- Formula Auditing toolbar, 102, 102–104
- Formula bar for data entry, 16
- formula errors, 101–104
- formulas
 - alternate calculations in, 153–155
 - alternate values in, 150–153
 - array, 313–314
 - building arithmetic, 75–76
 - building array, 99–101
 - building with built-in functions, 78–81
 - building with common date functions, 109–111
 - building with common time functions, 112–113
 - building comparative, 76–77
 - building with a custom function, 302–303
 - building with date functions in the Analysis ToolPak, 111–112
 - building with external links, 84–86
 - building by hand, 74–78
 - building with nested IF functions, 155–156
 - building overview, 73–74
 - building using summing functions, 129–131
 - circular references in, 104–105
 - copying with absolute cell references, 91–92
 - copying with AutoFill, 20
 - copying with mixed cell references, 92–96
 - copying with relative cell references, 89–91
 - copying using the Fill handle, 19–20
 - creating range names in, 96–99
 - date, 107–112
 - decision-making, 149, 150–156
 - displaying with the Options dialog box, 47
 - editing, 81–82
 - error-trapping, 156–159
 - finding the source of error values in, 102–104
 - modifying the recalculation mode of, 86–87
 - operator precedence in, 82
 - overriding with the \$ sign, 19
 - overriding calculation order in, 82–84
 - placement of in a two-variable data table, 236
 - printing spreadsheet, 46–47
 - text, 161–164
 - with text functions that join data entries and change their case, 165–167
 - text that join data entries, 162–164
 - that perform horizontal lookups in a table, 143–144
 - that perform vertical lookup in a table, 145–146
 - time, 107–109, 112–113
 - using the Lookup Wizard to build ones that perform two-way lookups in a table, 147–148
 - versus array formulas, 313–314

formulas (financial/investment)

- building with the FV, PV, PMT, RATE, and NPER functions, 117–118
- building with the IRR and NPV functions, 118–121
- building with the SLN, SYD, DB, and DDB depreciation functions, 121–123

formulas (logical), building by using the IF function that will select alternate values, 151–153

formulas (math)

- ABS function and, 127–128
- building with the PRODUCT, POWER, and SQRT functions, 127–128
- building with the ROUND, ROUNDUP, and ROUNDDOWN functions, 125–126
- building with the SUMPRODUCT, SUMSQ, and SUMX2PY2 functions, 129–131

formulas (statistical)

- building with the COUNT, COUNTBLANK, COUNTA, and COUNTIF functions, 138–139
- building with the MAX and MIN functions, 137
- building using the AVERAGE and MEDIAN functions, 136

formulas (trig). *See* formulas (math)

fraction number format, 28

Freeware programs, 326. *See also* installing CD files

Freeze Panes, 54–55

freezing column/row headings, 312

function

- AVERAGE, 135–136, 211–212
- CONCATENATE, 164–167
- COUNT, 211–212
- COUNTIF, 138–139
- counting, 137–139
- custom, 302–303, 303–305
- date and time, 107–109
- depreciation, 121–123
- financial, 115–116
- finding product, power, and square roots with a, 127–129
- HLOOKUP, 141–142
- InputBox, 297–299
- investment, 116–121
- ISERR, 157
- ISERROR, 157–159
- logical (overview), 149–150
- lookup and reference, 141
- math, 125–134
- MAX/MIN, 136–137
- MAXIMUM, 211–212
- MEDIAN, 136
- MINIMUM, 211–212

- NA, 158
- PRODUCT, 211–212
- rounding off values with a, 125–126
- statistical, 139–140
- SUM, 128, 211–212
- SUMIF, 131–133
- summary, 252–253
- SUMPRODUCT, 128–129
- TABLE, 235, 237
- UPPER/LOWER/PROPER, 164–167
- use of parentheses with a, 79
- user-defined, 300–305
- VLOOKUP, 141–142

Function Arguments dialog box, 79, 94, 95, 132

function names and case sensitivity, 78–79

Future value. *See* FV (future value)

FV (future value)

- building formulas with, 117–118
- as a financial function, 115–116
- as an investment function, 116

• G •

GNU software, 326. *See also* installing CD files

Go To feature for printing, 44

Goal Seek dialog box, 240–241

goal seeking, 240–241

Gookin, Dan (*PCs For Dummies*), 325

graphic objects

- drawing/adding with Drawing toolbar, 194–196
- grouping/ungrouping, 186–187
- moving/nudging, 186
- overview, 185–189
- resizing and grouping, 187–189
- selecting, 185

graphics files

- importing, 192–194
- importing images from into a spreadsheet, 193–194
- manipulating, 192

greater than or equal to operator (>=)

- precedence of, 82
- used on data forms, 206
- used in formulas, 74

greater than operator (>)

- precedence of, 82
- used on data forms, 206
- used in formulas, 74

gridlines

- definition of, 173
- turning on, 43

Group Edit mode, 68
 group editing, 68–69
 grouping graphic objects, 187–189

• H •

handmade formulas and built-in functions, 80
 hardware requirements for this book, 2
 Harvey, Greg
 contact information for, 278, 280–281
 Excel All-In-One Desk Reference For Dummies, 6
 Excel For Dummies, 6
 Header dialog box
 for creating custom headers/footers, 40–41
 sections of the, 39–40
 headers/footers
 adding custom, 39–41
 inserting codes in, 40–41
 Helpfile optional argument (InputBox), 297
 hiding columns and rows, 34–35
 HINT icon, 6
 HLOOKUP function (horizontal lookup). *See also*
 horizontal lookup
 arguments of, 142
 overview, 141–142
 Home cell, 12
 horizontal lookup. *See also* HLOOKUP function
 (horizontal lookup)
 building formulas that perform, 143–144
 performing a, 142–144
 horizontal scroll bar and the Shift key, 12–13
 hyperlinks
 adding to other documents, 275–277, 276–277
 adding to other sheets in a workbook, 274–275
 adding to Web pages and e-mail addresses,
 277–278
 assigning to custom menus and toolbars,
 279–281
 creating, 273–278
 deleting, 279
 destinations for, 273–274
 editing, 279
 overview, 273
 hypertext, 279

• I •

I-beam cursor, 57
 icons
 listed, 5–6
 Microsoft Excel, 9

IF function
 building formulas with nested, 155–156
 building formulas that perform alternate
 calculations with the, 154–155
 building formulas that select alternate values
 with the, 151–153
 suppressing error values with the, 156–157
 Import Data dialog box, 271
 importing
 graphics files, 192–194
 images from graphics files into a spreadsheet,
 193–194
 Web data into Excel with a Web query, 271–272
 indent buttons, 26
 ink text entry, 16
 InputBox function
 arguments of, 297–298
 using to add interactivity to macros, 297–299
 Insert Calculated Field dialog box, 254
 Insert Cells command, 60
 Insert Function dialog box, 79
 Insert Hyperlink dialog box, 274, 279
 Insert Picture dialog box, 192, 276, 277
 Insert Worksheet command, 14
 inserting
 callouts, 195
 clip art, 189–191
 codes in a custom header/footer, 40
 data and cells, 60–61
 a scanned image/digital photo, 193
 WordArt, 198–200
 Insertion point (F2), 57
 installing CD files, 325–327
 interactive chart. *See* chart
 interactive data list. *See* data list
 interactive data table. *See* data table
 interactive pivot table. *See* pivot table
 interactive toolbar restoration, 266
 interactive Web pages. *See* Web page
 interest rate (Rate), 115
 internet query (.iqy) file extension, 272
 internet requirement for this book, 2
 investment functions, 116–121
 .iqy (internet query) file extension, 272
 IRR function (Internal Rate of Return)
 building formulas with the, 118–121
 overview, 118
 ISERR function, 157
 ISERROR function, 157–159, 313
 italic button, 26

• K •

key combinations
 Alt, 317, 319, 323
 for array formulas, 101
 Ctrl, 78, 317, 319, 321, 323. *See also* Ctrl key
 data entry, 317
 editing, 321
 formatting, 319
 miscellaneous, 323
 using to enter data, 16

• L •

landscape. *See* orientation
 launching Excel, 9–10
 legend, 173
 less than or equal to operator (<=)
 precedence of, 82
 used on data forms, 206
 used in formulas, 74
 less than operator (<)
 precedence of, 82
 used on data forms, 206
 used in formulas, 74
 license agreement for CD, 326
 life as a depreciation calculation, 121
 links. *See* hyperlinks
 list
 filtering a, 213–216
 sort order, 207
 sorting, 207–211
 subtotaling a, 211–212
 loan table with mixed cell references, 93–96
 logical functions
 overview, 149
 working with, 149–150
 Lookup functions, 141
 lookup table
 horizontal lookup on, 142–144
 searching, 141–146
 vertical lookup on, 144–146
 Lookup Wizard
 reasons for using the, 146–148
 using to build formulas that perform two-way
 lookups in a table, 147–148
 lookups (two-way), 146–148
 lookup_value argument, 142, 151
 LOWER function, 164–167

• M •

Macro dialog box, 287–288
 macro recorder, 285–286
 macros
 adding an input dialog box to, 297–299
 assigning to custom menus and toolbars,
 290–291
 creating, 285–290
 editing a recorded in the visual Basic Editor,
 295–297
 recording a new, 286–288
 recording using relative cell references, 288–290
 magnification. *See* zoom
 margins in print preview window, 38
 math functions, 125–134
 Max summary function, 253
 MAXIMUM function
 building formulas with the, 136–137
 subtotaling in data lists with the, 211–212
 MEDIAN function, 136
 memory and array formulas, 313–314
 menu. *See also* custom menu
 assigning hyperlinks to a, 279–281
 assigning macros to a, 290–291
 commands, 1
 Menu bar, 20
 Microsoft Office Templates Home Page, 309
 Microsoft Office Web Components installation,
 263
 Microsoft Templates
 file, 5
 folder, 10
 Microsoft Windows ME Millennium Edition
 For Dummies (Rathbone), 325
 Microsoft Windows requirement for this book, 2
 Min summary function, 253
 Mind Over Media Web site, 278, 280–281
 MINIMUM function
 building formulas with the, 136–137
 using when subtotaling in data lists, 211–212
 minus sign (-)
 precedence of, 82
 used in formulas, 74
 mixed cell references
 copying formulas with, 92–96
 creating a loan table with, 93–96
 module renaming in the Visual Basic Editor, 295
 mouse scrolling through a worksheet, 13
 moving
 data and cells, 61–64
 between ranges of data, 13

- between sheets in workbook, 14
 - a text box, 65
- multi-sheet layout, 310
- multiplication operator (*)
 - in formulas, 74, 76
 - precedence of, 82
- MZ Tools VBA Add-Ins (MZ Tools Software), 326.
 - See also* installing CD files

• N •

- #N/A error value, 74
- NA function, 158
- Name Box, 12
- #NAME? error value, 74, 77, 162
- negation/subtraction operator(-)
 - precedence of, 82
 - used in formulas, 74
- nested IF function and formula building, 155–156
- NETWORKDAYS function, 111
- New button on Standard toolbar, 10
- New dialog box, 10
- New Web Query dialog box, 270–272
- New Workbook task pane, 10
- not equal to operator (<>)
 - precedence of, 82
 - used on data forms, 206
 - used in formulas, 74
- NOT function, 149
- note attachment to a spreadsheet, 64–66
- NOW function, 79, 112–113
- NPER function (number of periods)
 - building formulas with the, 117–118
 - as a financial function, 115
 - as an investment function, 116
- NPV function (net present value)
 - assumptions of the, 118
 - building formulas with the, 118–121
 - overview, 116
- #NULL! error value, 73
- #NUM! error value, 74
- number format
 - applying the, 28–30
 - default, 28
 - overriding the, 16
- Number tab
 - on the Format Cells dialog box, 27–28
 - formatting cells with the, 29–30
 - importance of the, 28
- numeric cell entries, 15–16

• O •

- ON THE CD icon, 6
- one-dimensional arrays, 99
- one-variable data table, 233–235
- Open dialog box, 11, 51
- opening
 - Excel, 9–10
 - a new workbook, 10–11
- operands, 74
- operators
 - comparative, 206
 - in Custom AutoFilter, 214
 - precedence of in formulas, 82
 - type of used in formulas, 74–75
- optional range_lookup argument, 142
- Options dialog box
 - circular references and the, 105
 - Comment & Indicator option button on the, 65
 - controlling when formulas are calculated with the, 86
 - creating custom lists with the, 311
 - displaying formulas with the, 47
 - moving to a different sheet using the, 14
- OR function, 149
- orientation
 - of column headings, 30–31
 - default print setting of, 42
- outlining, 314
- overriding formulas with the \$ sign, 19

• P •

- Page Break Preview dialog box, 38–39
- page breaks adjustment, 38–39
- Page Down
 - entering data with the, 16
 - scrolling through a worksheet with the, 12
- Page Settings dialog box, 42
- Page Setup dialog box
 - centering printing with the, 39
 - Chart tab on the, 46
 - Fit To Scaling/Adjust To options on, 43
 - header/footer tab on the, 40–41
 - print preview and the, 38
 - print titles and the, 41–42
- Page Up
 - entering data with the, 16
 - scrolling through worksheet with the, 12

- paging a report with Page Break Preview, 38–39
 - parameters (Solver), 242
- password
 - assigning for opening and editing a workbook, 222–223
 - removing from a file, 223
 - Save Options dialog box and, 222
- password–protecting the workbook, 221–223
- Paste Name dialog box, 132, 311
- Paste Special dialog box, 62
- Patterns tab on the Format Cells dialog box, 28
- payment periods (Nper), 115
- payment (Pmt), 115
- PCs For Dummies* (Gookin), 325
- percent
 - button, 26
 - as a number format, 28
- percent operator (%)
 - precedence of, 82
 - used in formulas, 74
- period for depreciation calculation, 121
- Personal Macro Workbook viewing, 295
- Picture toolbar, 193
- pivot chart
 - changing the type of, 255
 - creating a, 254–257
 - overview, 254–255
- pivot table
 - adding a calculated field to a, 252–254
 - areas of a, 248–249
 - changing the default summary functions in a, 252
 - creating a new, 247–250
 - creating a Web page with an interactive, 267–268
 - flexibility of a, 245
 - hiding a calculated field in a, 252–253
 - modifying a, 250–254
 - modifying an existing, 245–247
 - modifying the formatting in a, 250–251
 - modifying the structure of a, 251–252
 - modifying the summary function and adding a calculated field to a, 253–254
 - overview, 245
 - removing fields from a, 252
 - versus Subtotals feature, 245
- PivotTable Field List dialog box, 246–247, 249–250, 252–254, 256, 268
- PivotTable and PivotChart Wizard, 247, 254–257
- PivotTable and PivotTable Chart, 249–250
- PivotTable toolbar
 - changing the table summary functions with the, 252–254
 - creating a new pivot table with the, 249–250
 - viewing the, 246–247
- Planning Templates Free Sampler (Planning Templates, Inc.), 327. *See also* installing CD files
- plot area, 173
- plus sign operator (+)
 - precedence of, 82
 - used in formulas, 74
- PMT function (payment)
 - building formulas with the, 117–118
 - computing monthly payments with the, 93–96
 - as a financial function, 115
 - as an investment function, 116
- portrait. *See* orientation
- pound sign (###) displayed in cells, 24
- POWER function
 - building formulas with the, 127–128
 - as a math function, 127
- Power Utility Pak (JWalk and Associates), 327. *See also* installing CD files
- practice files
 - on the CD, 327–328
 - copying from the CD, 327–328
- precedence of operators, 82
- Present value. *See* PV (present value)
- primary sort key, 207–208
- print area, 37, 44
- Print dialog box
 - opening, 38, 311
 - printing a cell range from the, 44–45
 - printing a workbook from the, 45–46
- print preview, 37–38
- Print Preview toolbar Setup button, 38
- Print Preview window, 38
- print settings
 - default, 42
 - modifying, 42–44
- print titles, 41–42
- printing
 - active worksheet, 44
 - chart default, 45
 - a chart in a report, 46
 - entire workbook, 45–46
 - multiple worksheet data, 45
 - a range of cells, 44–45
 - spreadsheet formulas, 46–47
- PRODUCT function
 - building formulas with the, 127–128
 - as a math function, 127
 - pivot tables and the, 253
 - subtotaling in data lists with the, 211–212
- programs
 - Analysis ToolPak add-in, 109–111
 - on the CD, 326–327

Project Explorer Window, 295
 Prompt (InputBox), 297
 PROPER function, 164–167
 Properties dialog box, 49–50, 304
 Protect Sheet dialog box, 224–226
 Protect Workbook dialog box, 228–230
 protecting
 entire workbook, 228–230
 a worksheet, 224–226
 protection
 enabling/disabling workbook, 229
 format in a worksheet, 224
 Protection tab on the Format Cells dialog box, 28
 Publish As Web Page dialog box, 265–266, 267, 268–269
 PV (present value)
 building formulas with, 117–118
 as a financial function, 115
 as an investment function, 116

• Q •

query
 saving a, 219
 Web, 270
 Query Wizard, 218–219
 querying
 the database, 213
 an external data table, 216–220
 question mark (?)
 used in AutoFilter, 214
 used with Find and Replace, 67
 Quick Launch toolbar
 adding Excel to the, 10
 Microsoft Excel icon on the, 9
 quotation marks (double) used in logical functions, 150

• R •

RIC1 Reference Style, 90–91
 range name
 creating in formulas, 96–99
 as a destination for a hyperlink, 273
 using a, 311
 range operator (:), 74
 RATE function
 building formulas with, 117–118
 as a financial function, 115
 as an investment function, 116

Rathbone, Andy
 Microsoft Windows ME Millennium Edition For Dummies, 325
 Windows 98 For Dummies, 325
 Windows 2000 Professional For Dummies, 325
 Read-Only workbooks, 53
 recalculation mode
 changing the, 86–87
 saving changes in the, 87
 Record Macro dialog box, 286–287, 288–289
 records
 filtering in a data list, 214–216
 sorting in a data list, 208–209
 sorting on more than three keys, 209
 subtotaling in a data list, 211–212
 redo button, 34
 #REF! error value, 73
 reference
 functions, 141
 operators, 74–75
 relative cell addresses, 89
 relative cell references
 copying formulas with, 90–91
 recording a macro using, 288–290
 REMEMBER icon, 6
 renaming
 a module in the Visual Basic Editor, 295
 sheets, 14
 Repairing workbooks, 53
 Replace All button, 68
 report
 adding print titles to a, 41–42
 creating custom headers/footers for a, 39–41
 modifying print settings of a, 42–44
 paging with Page Break Preview on a, 38–39
 print previewing a, 37–38
 printing a chart in a, 46
 resizing
 columns and rows, 23–26
 graphic objects, 187–189
 a text box, 65
 Reviewing toolbar, 64–66
 ROUND function
 building formulas with the, 125–126
 as a rounding function, 125
 ROUNDDOWN function
 building formulas with the, 125–126
 as a rounding function, 125
 rounding
 functions versus controlling decimal places, 125
 off values, 125–126

- ROUNDUP function
 - building formulas with the, 125–126
 - as a rounding function, 125
 - row headings
 - freezing, 312
 - turning on, 43
 - Row Height dialog box, 25
 - row_index_num argument, 142
 - rows
 - deleting/inserting, 60
 - hiding, 34–35
 - modifying height of using AutoFit, 25–26
 - overriding default height, 23
 - redisplaying hidden, 34
 - resizing height of, 25
 - resizing overview, 23
 - selecting, 15
- S •**
- salvage for depreciation calculation, 121
 - Save As dialog box
 - creating a new folder in the, 51
 - opening with F12, 25
 - for saving spreadsheet as a static web page, 262–263
 - saving a spreadsheet with the, 20
 - saving templates with the, 309
 - Save command, 20
 - Save Options dialog box, 222
 - Save Preview Picture check box, 50
 - Save Scenario dialog box, 243
 - saving
 - Ctrl+S for, 25
 - a custom function as an Excel add-in, 303–305
 - memory by using array formulas, 313–314
 - recalculation mode, 87
 - scenarios, 243
 - a spreadsheet as a static Web page, 262–263
 - a spreadsheet in a Workbook File, 20–21
 - from the Standard toolbar, 25
 - templates with the Save As dialog box, 309
 - scanned image, 193
 - Scenario Manager dialog box, 238–239
 - Scenario Manager (Solver), 242
 - Scenario Values dialog box, 238
 - scenarios
 - command, 238–240
 - constructing for a spreadsheet, 238–240
 - overview, 238
 - saving, 243
 - scientific number format, 28
 - ScreenTip, 276
 - scrolling, 12–13
 - search options within Find and Replace, 66
 - searching for workbook files, 51–53
 - secondary sort key, 207–208
 - Select Data Source dialog box, 272
 - selecting
 - adjacent worksheets, 69
 - a cell range, 14–15
 - a cell range for editing, 56–57
 - cells, 13
 - a worksheet, 14
 - series formulas, 172
 - Shareware programs, 326. *See also* installing CD files
 - Shift key
 - dragging a cell selection with the, 63
 - horizontal/vertical scroll bar and the, 12–13
 - selecting cells/cell ranges with the, 15
 - shortcut keys
 - data entry, 317
 - editing, 321
 - formatting, 319
 - miscellaneous, 323
 - single-variable data table, 233–235
 - SLN function (straight-line)
 - arguments of the, 119
 - building formulas with the, 121–123
 - as a depreciation function, 121
 - software. *See also* installing CD files
 - requirements for using this book, 2
 - trial/demo/evaluation versions of, 326
 - Solver
 - Add Constraint dialog box and, 243
 - complex problems and, 241–243
 - modifying multiple input values in a spreadsheet with, 242–243
 - parameters used in, 242
 - Scenario Manager and, 242
 - Solver Parameters dialog box, 242
 - Solver Results dialog box, 243
 - Sort dialog box, 208
 - Sort Options dialog box, 210
 - sorting
 - the fields (columns) in a data list, 209–211
 - keys, 207–208
 - lists, 207–211
 - records in a data list, 208–209
 - the records in a data list on more than three keys, 209
 - text entries, 163

- special number format, 28
- Spell-Checking, 66–68
- spreadsheet. *See also* worksheet
 - adding clip art to a, 190–191
 - adding a text box to a, 196–198
 - building formulas with a custom function in, 302–303
 - constructing scenarios for a, 238–240
 - constructing WordArt in a, 198–200
 - creating a one-variable data table in a, 233–235
 - creating a two-variable data table in a, 236–237
 - deleting/inserting cells in a, 60–61
 - finding the source of error values in formulas in a, 102–104
 - goal seeking in a, 240–241
 - importing images from graphics files into a, 193–194
 - modifying column widths in a, 24–25
 - modifying row height using AutoFit in a, 25–26
 - moving/copying data and cells in a, 61–64
 - organization of data on different worksheets, 310
 - organizing data on different worksheets in a, 310
 - printing formulas from a, 46–47
 - saving as a static Web page, 262–263
 - saving in a workbook file, 20–21
 - setting up protection on templates, 224–226
 - using a custom function in a, 302–303
 - using Solver to modify multiple input values in a, 242–243
 - viewing in HTML file format, 261
- Spreadsheet Assistant, 327. *See also* installing CD files
- Spreadsheet Solutions templates, 309
- SQRT function
 - building formulas with the, 127–128
 - as a math function, 127
- square brackets, 116
- Standard toolbar
 - AutoSum button on the, 128
 - displaying the, 27
 - Format painter button on the, 31
 - New button on the, 10
 - print preview button on the, 37–38
 - printing active worksheet with the, 44
 - saving from the, 25
 - Undo button on for editing, 57
 - using the Save button on the, 20
 - in the Visual Basic Editor window, 295
 - zoom drop-down list on the, 38
- Standard Width dialog box, 24
- Start menu
 - adding Excel to the, 10
 - Microsoft Excel icon on the, 9
- starting Excel, 9–10
- static Web pages. *See* Web page
- statistical functions on the Analysis ToolPak
 - add-in, 139–140
- STDDEVP function, 253
- structure modification in a pivot table, 251–252
- Style dialog box, 279
- subtotal
 - feature and data lists, 211–212
 - feature versus pivot tables, 245
 - the records in a data list, 211–212
- subtraction/negation operator (–)
 - in formulas, 74, 76
 - precedence of, 82
- SUM function
 - importance of, 128
 - overview, 78
 - pivot tables and the, 252
 - subtotaling in data lists with the, 211–212
 - versus the AVERAGE function, 135
- SUMIF function
 - problems with the, 133
 - using the, 131–133
- summary
 - functions, 252–253
 - information added to workbooks, 49–51
 - tab on the Properties dialog box, 50
- SUMPRODUCT function
 - building formulas with the, 129–131
 - overview, 128–129
- SUMSQ function
 - building formulas with the, 129–131
 - as a summing function, 129–131
- SUMX2MY2 function, 129
- SUMX2PY2 function
 - building formulas with the, 129–131
 - overview, 129
- SUMXMY2 function, 129
- super-cell, 31
- SYD function (sum-of-years-digits)
 - building formulas with the, 121–123
 - as a depreciation function, 121
- system requirements (CD), 325

• T •

Tab key, 16, 227

table

- building formulas that perform horizontal

- lookups in a, 143–144

- building formulas that perform vertical lookups

- in a, 145–146

- formatting with AutoFormat, 32–33

- using the Lookup Wizard to build formulas that

- perform two-way lookups in a, 147–148

Table dialog box, 234

TABLE function, 235, 237

table_array argument, 142, 151

target cell, 242

template

- creating a, 309

- description of a, 11

Template dialog box, 309

templates

- creating, 11

- filename extensions of, 11

- generating new workbooks from, 309

- Microsoft Office Home Page, 309

- opening a new workbook from a, 10–11

- on Spreadsheet Solutions, 309

Templates dialog box, 309

Templates folder, 10

text

- number format, 28

- operators, 74

text box

- adding to a spreadsheet, 196–198

- border patterns of a, 197

- creating a, 196–198

- manipulating a, 65

- versus comments, 197

Text Control options in Format Cells dialog box,

- 30–31

text entry

- changing the capitalization of a, 164–167

- ink, 16

- voice, 16

text formulas

- building, 161–164

- caveats to, 161

- that join data entries, 162–164

- uses for, 162

text functions

- that join date entries and change their case,

- 165–167

- using, 164–167

Text Import Wizard, 165

Text to Speech

- Speak on Enter feature, 59

- verifying data entries with, 58–59

third-party add-ins/utilities, 326. *See also*

- installing CD files

third-party software, on CD, 326–327. *See also*

- installing CD files

tick mark, 173

time

- building formulas with common functions,

- 112–113

- number format, 28

time formulas

- building, 107–109

- overview, 107

TIME function, 112–113

TIMEVALUE function, 112–113

TIP icon, 6

tips for using Excel like a pro, 309–315

Title optional argument (Input Box), 297

toolbar

- assigning hyperlinks to a, 279–281

- assigning macros to a, 290–291

- chart, 180

- docking/undocking a floating, 65

- Drawing, 186, 189, 194–196, 196–198, 198–200

- External Data, 220, 271

- formatting, 26–27

- Formula Auditing, 102

- Picture, 193

- PivotTable, 246, 249–250, 252–254

- restoring the interactive, 266

- Reviewing, 64

- Standard, 25

- using the customize dialog box to display a, 27

- Visual Basic, 294

- Web, 275

- WordArt, 200

Trace Precedents/Dependents buttons, 102

transpose check box, 62

troubleshooting, CD, 328

TRUE function, 149–150

two-dimensional arrays, 99

two-variable data table

- creating a, 236–237

- placement of a formula in a, 236

two-way lookups

- using the Lookup Wizard to build formulas that

- perform, 147–148

- using the Lookup Wizard for, 146–148

• U •

unattached text, 173
 underline button, 26
 Undo button, 57
 undocking a floating toolbar, 65
 union operator (.), 75
 unmerge a super-cell, 31
 UPPER function, 164–167
 URL address
 capturing for a Web query, 270
 as a destination for a hyperlink, 274
 user-defined function, creating a, 300–305.
 See also custom function

• V •

#VALUE! error value, 73
 values
 alternate, 151–153
 replacing in a cell, 53
 rounding off, 125–126
 VAR function, 253
 VARP function, 253
 VBA (Visual Basic for Applications), 293
 VBE (Visual Basic Editor)
 constructing a custom function in the, 301–302
 editing a recorded macro in the, 296–297
 overview, 293–295
 Standard toolbar in the, 295
 vertical lookup. *See also* VLOOKUP function
 (vertical lookup)
 building formulas that perform a, 145–146
 performing a, 144–146
 vertical scroll bar, 12–13
 Visual Basic Editor. *See* VBE (Visual Basic Editor)
 Visual Basic toolbar, 294
 VLOOKUP function (vertical lookup). *See also*
 vertical lookup
 arguments of the, 142
 overview, 141–142
 voice text entry, 16

• W •

WARNING icon, 6
 Web data imported into Excel with a Web query,
 271–272
 Web page
 adding hyperlinks to a, 277–278
 creating an interactive, 263–264
 creating with an interactive chart, 268–269

 creating with an interactive data list, 266–267
 creating with an interactive data table, 265–266
 creating with interactive pivot tables, 267–268
 creating a static, 262–263
 exporting to Excel, 269–270
 saving a spreadsheet as a static, 262–263
 saving worksheets as a, 261
 Web query
 capturing URL address for a, 270
 importing web data into Excel with a, 271–272
 overview, 270
 Web toolbar, 275
 WEEKNUM function, 110
 white-cross mouse pointer
 editing with the, 57
 moving the cell cursor with the, 12
 Width display indicator, 43
 Wiley Product Technical Support contact
 information, 328
Windows 98 For Dummies (Rathbone), 325
Windows 2000 Professional For Dummies
 (Rathbone), 325
 Windows taskbar
 launching Excel from the, 9
 switching between books from the, 11
 windows (vertical), 314
 WordArt, 198–200
 WordArt Gallery dialog box, 198
 workbook. *See also* workbook file
 adding hyperlinks to other sheets in a, 274–275
 adding summary information to a, 49–51
 adding worksheets to a, 310
 assigning a password for opening and editing a,
 222–223
 blank, 10
 Close Window button on the, 11
 customizing templates in a, 309
 generating new from templates, 309
 making active, 11, 315
 moving between sheets in a, 14
 moving in the, 12–14
 multi-sheet layout of a, 310
 opening a new, 10–11
 opening options of a, 53–54
 password-protecting the, 221–223
 printing entire, 45–46
 protecting entire, 228–230
 working with two, 314–315
 workbook file. *See also* workbook
 filename extensions of the, 11
 opening/closing the, 11
 saving a spreadsheet in a, 20–21
 searching for a, 51–53

- workbook protection (enabling/disabling), 229
- WORKDAY function, 111
- worksheet. *See also* spreadsheet
 - adding a, 14
 - alignment in a, 16
 - color-coding tabs on a, 310
 - custom view of a, 312
 - data entry in a protected, 227–228
 - default alignment of a, 16
 - editing multiples as a group, 69
 - hiding columns and rows in a, 35
 - manually modifying row height in a, 25
 - moving to a new area of a, 12–13
 - protecting a, 224–226
 - saving as Web pages overview, 261
 - scrolling through a, 12–13
 - selecting a, 14
 - using to organize spreadsheet data, 310
- worksheet protection, 224–226
- Wrap Cell control, 30

• X •

- .xls, extension, 11
- .xlt, extension, 11
- .xml extension (Extensible Markup Language), 269
- Xpos optional argument (InputBox), 297

• Y •

- YEARFRAC function, 111
- ypos optional argument (InputBox), 297

• Z •

- zoom
 - default for Page Break Preview, 38
 - editing worksheets and, 54–55
 - increasing the, 38
 - in print preview window, 38
 - range of settings of, 54