

Index

• *Numbers & Symbols* •

- @stake (at stake) Web site, 75, 151
 - 3Com Network Director software, 287
 - 3G Americas (organization), 342
 - 3GPP (3rd Generation Partnership Project), 343
 - 5ivenetworks Web site, 370
 - 802.1d IEEE standard, 258
 - 802.1x IEEE standard, 58, 205–206, 347
 - 802.3 IEEE standard, 13
 - 802.3af IEEE standard, 244
 - 802.11 IEEE standard, 15, 49, 186, 348, 360
 - 802.11a IEEE standard
 - channel capacity, 30, 31, 359
 - encoding, 348
 - equipment cost, 27, 31
 - frequency, 53, 348, 355, 359, 360
 - hardware support, verifying, 49
 - interference, 30, 31
 - introduced, 16
 - security features, 186, 193–194
 - throughput, 29, 30, 348
 - USB support, 107
 - 802.11b IEEE standard
 - AES support, 31
 - Bluetooth device, using alongside, 68
 - channel capacity, 30, 357, 359
 - compatibility, backward, 349
 - EAP support, 31
 - encryption, 31
 - equipment cost, 27, 31
 - frequency, 53, 348, 355, 359, 360
 - hardware support, verifying, 49
 - interference, 30, 63, 177
 - introduced, 16
 - range, 29
 - throughput, 29, 348
 - WEP support, 31
 - WPA support, 31
 - 802.11c IEEE standard, 349
 - 802.11d IEEE standard, 349
 - 802.11e IEEE standard, 349
 - 802.11f IEEE standard, 349
 - 802.11g IEEE standard
 - Bluetooth device, using alongside, 68
 - channel capacity, 30
 - equipment cost, 27
 - frequency, 53, 355, 356, 359, 360
 - hardware support, verifying, 49
 - interference, 30, 63, 177
 - introduced, 16
 - range, 30, 31
 - throughput, 29, 30, 44
 - USB support, 107
 - 802.11h IEEE standard, 342, 350
 - 802.11i IEEE standard, 164, 178, 202, 204, 350
 - 802.11j IEEE standard, 350
 - 802.11k IEEE standard, 351
 - 802.11n IEEE standard, 351
 - 802.15 IEEE standard, 16, 69, 351
 - 802.15.4 IEEE standard, 13
 - 802.15.1 IEEE standard, 13
 - 802.15.3 IEEE standard, 13
 - 802.16 IEEE standard, 13, 15, 24, 352
 - 802.20 IEEE standard, 16
 - 1100 AP, Aironet, 85
 - 1200 AP, Aironet, 27, 30, 43, 85, 99–102
 - 1394 IEEE standard, 13
 - 1400 Series Wireless Bridge, Aironet, 251
- ## • *A* •
- AbsoluteValue Systems Web site, 119
 - access point. *See* AP
 - ACK (acknowledge) transmission frame, 241
 - ACO (Authentication Ciphering Offset), 79
 - ad hoc network, 51–52, 67, 133–134, 250, 317
 - AdRem Software NetCrunch, 287
 - AeroLAN AL1511 PCMCIA adapter card, 105
 - AES (Advanced Encryption Standard), 31, 203, 314

- AES-CCMP (Advanced Encryption Standard-Counter Mode-Cipher Block Chaining MAC Protocol), 204, 314–315
- Affix software, 71
- Agere Systems, 164
- AGN100 chipset, 238
- Air Premier product line, 131, 222
- AirBeam software, 288
- AirDefense software, 158, 181, 298, 308
- Airespace
 - P802 Handoff Study Group
 - participation, 123
 - site survey product line, 36
 - switch product line, 262
 - WIDS software, 298
- Airgo Networks AGN100 chipset, 238
- AirMagnet
 - Distributed product line, 158
 - Handheld software, 267
 - vulnerability scanning software, 289
 - war driving software, 285
 - WIDS software, 298
- Aironet product line
 - 1100 AP, 85
 - 1400 Series Wireless Bridge, 251
 - 1200 AP, 27, 30, 43, 85, 99–102
- AiroPeek software, 267, 287, 294–298, 301, 312
- airport connectivity, 24, 135–136, 331–332
- Airsnarf software, 316
- AirSnort software, 285, 309
- AirTouch Network Security System War
 - Driving Kit, 285
- Alcatel signal testing solution, 36
- Alert Guru Web site, 338
- AL1511 PCMCIA adapter card, 105
- Allstream Web site, 144
- Alvarion
 - PC cards, 105
 - Web site, 370
- antenna
 - amplifier, 131
 - AP, 85
 - bridge, 252–253, 259, 260
 - building, 370
 - Centrino chipset, 17
 - choosing appropriate, 54–56
 - container, plastic, 259
 - cost, 27
 - directional, 253, 320–321
 - dish, 54, 56
 - diversity, 237, 253
 - eavesdropping, for, 166
 - gain, 43, 360
 - installing, 35, 85
 - isotropic, 365
 - length, 367–368
 - LOS, 42, 62, 66, 125, 236
 - omni-directional, 54
 - parabolic, 54, 56
 - patch, 54
 - permit, 35
 - placement, physical, 35
 - power, maximum, 243
 - radome housing, 34
 - receiver, 43, 105
 - RF, 353, 360, 365, 366, 367–368
 - rod, 54, 56
 - sectorized, 54, 56
 - security, physical, 35
 - semi-directional, 253
 - Tecom Omni, 27, 43
 - transmitter, 43
 - upgrading, 17
 - USB port, connecting to, 71, 106
 - war driving, for, 152
 - Yagi, 54, 55, 56
- AP (access point). *See also specific brand*
 - antenna, 85
 - authentication, 89, 178–179, 187–188
 - bridge AP functionality, 253, 255
 - channel setup, 93
 - clients per AP, maximum, 30
 - connection, 84–86, 87–88, 100
 - cost, 26–27
 - encryption, 27, 96–98
 - Ethernet, 85
 - firmware, 94
 - frequency, 53
 - hardening, 326
 - idle time, maximum, 91
 - IP address, 87, 91–92, 100–101
 - LAN, maximum number of APs per, 129
 - logging in, 88–89
 - MAC address, 50, 100
 - management, remote, 90

- naming, 92–93, 95–96
 - password, 89–90, 91, 95, 100
 - placement, physical, 177
 - power output, variable, 40
 - resetting, 177
 - rogue, 279–280, 294–298, 300, 311–312, 315–316
 - router, using as, 84–86
 - security, 86, 90, 96–98, 177–178, 180
 - SSID, 92–93, 95–96, 100–101, 129
 - subnet, 87, 321–325
 - time zone, configuring, 89
 - transmission rate, specifying, 93
 - virtual server setup, 98–99
 - WEP, 96–98, 164
 - Wi-Fi compliance, 27
 - APRS (Automatic Position Reporting System), 153
 - Arpwatch software, 298–299
 - arstechnica Web site, 154, 313
 - Aruba Wireless Networks
 - switch product line, 262
 - WIDS software, 298
 - Asanté FriendlyNet AeroLAN AL1511
 - PCMCIA adapter card, 105
 - Ash-Tec Systems Web site, 370
 - ASLEAP software, 28, 206
 - association, 123, 129–131, 165, 187
 - at stake (@stake) Web site, 75, 151
 - auditing, 300–302
 - authentication. *See also specific authentication mechanism*
 - AP, 89, 178–179, 187–188
 - Bluetooth, 76, 77–78, 79, 80, 81
 - described, 186
 - e-mail, 143–144
 - importance of, 161–162
 - nonce, 188
 - open system, 187–188
 - planning, 172
 - port-based, 204–206
 - router, wireless, 89
 - shared-key, 187–189
 - state, 187–189
 - two-factor, 143
 - VPN, 213, 217, 219
 - Authentication Ciphering Offset (ACO), 79
 - Automatic Position Reporting System (APRS), 153
- B •**
- Baka Wireless Web site, 335
 - Basic Service Set (BSS), 50, 129
 - Basic Service Set ID (BSSID), 50
 - beacon frame, 50
 - BeaconWorks product line, 181
 - beam divergence, 238
 - Beamcrack software, 67
 - Beekelaar, Ronald (*Firewalls For Dummies*), 167
 - “Beginner’s Guide To Tooothing,” 78
 - Bell Mobility, 124
 - Bellomo, Michael (*Network and System Integration For Dummies*), 34
 - Berkeley Varitronics software, 286, 287
 - BesserNet Web site, 364
 - Binary Phase Shifting Key (BPSK), 355
 - Black Sheep Networks Web site, 287
 - Blackice software, 305, 326
 - BlueGear software, 71–73
 - bluejacking, 78
 - bluesnarfing, 74, 75
 - Bluesniff software, 75
 - bluestumbling, 74, 75
 - Bluetooth
 - address, 77, 79
 - antenna, 71
 - authentication, 76, 77–78, 79, 80, 81
 - authorization, 75, 80–81
 - bandwidth, 68
 - bonding, 74, 77
 - cell phone, Bluetooth-enabled, 14, 78, 334–335
 - channel support, 68
 - claimant, 77
 - client, 71
 - confidentiality, 75, 76, 79–80
 - connection, 69–70, 78
 - device support, 69
 - discovering Bluetooth network, 74–75, 78, 151
 - 802.11 device, using alongside, 68
 - encryption, 76, 77, 79–80, 81
 - infrared compared, 82
 - interference, 63, 68
 - laptop, 151
 - link key, 76, 77, 79
 - Linux environment, in, 71

- Bluetooth (*continued*)
 - MAC address, 76
 - modem, 14
 - name, origin of, 75
 - network topology, 70
 - pairing, 78
 - power management, 69
 - radio mode, 68
 - range, 13, 69
 - security, 73, 74–78, 79–81
 - signal, 13, 62
 - throughput, 13, 68
 - toothing, 78
 - trust, 80
 - verifier, 77
 - Windows environment, in, 71–73
 - Bluetooth SIG (Special Interest Group), 343–344, 351
 - Bluewatch software, 298
 - BlueZ software, 71
 - Boingo software, 19, 116–117, 129, 136
 - BPSK (Binary Phase Shifting Key), 355
 - BridgeLINK-11a Wireless Bridge, 251
 - bridging
 - antenna, 252–253, 259, 260
 - AP (access point) functionality, 253, 255
 - cablings, 253
 - channel, 259, 260
 - cost, 26, 258
 - described, 250–251
 - 802.1d support, 258
 - encryption, 260, 263
 - filtering, 250–251, 253
 - firmware, 260
 - hardware, 258–259
 - IP addressing, 260
 - MAC address, 259
 - mode, 253–255, 260
 - multipoint, 17–18
 - outdoor, 257
 - output power, 253
 - radio card, modular, 253
 - range, 257–258
 - repeater configuration, 255
 - root, 254
 - security, 258, 260, 263
 - site survey, 250
 - Spanning Tree Protocol support, 255, 258
 - SSID, 259
 - troubleshooting, 260, 262
 - VLAN support, 263
 - WGB, 255–257
 - Windows environment, in, 260–262
 - BROADbeam Web site, 263
 - BSS (Basic Service Set), 50, 129
 - BSSID (Basic Service Set) ID, 50
- C •
- Cain & Abel software, 301
 - Callback Control Protocol (CBCP), 219
 - CAN (Car Area Network), 334
 - Canadian Radio-television and Telecommunications Commission (CRTC), 341
 - capwap (Control and Provisioning of Wireless Access Points) working group, 132
 - Carrier Sense Multiple Access with Collision Avoidance (CSMA/CA), 240
 - Carrier Sense Multiple Access with Collision Detection (CSMA/CD), 240
 - Castle Rock Computing SNMPC software, 287
 - CBC-MAC (Cipher Block Chaining-Message Authentication Code), 314
 - CBCP (Callback Control Protocol), 219
 - CC Get MAC Address software, 310–311
 - CCA (clear channel assessment) algorithm, 240
 - CCI (co-channel interference), 357, 359
 - CCK (Complementary Code Keying), 30, 355
 - CDP (Cisco Discovery Protocol), 177, 246, 319
 - CENiffer software, 286
 - Centrino chipset, 17, 118
 - CERBERUS ISC Web site, 120
 - Certified Wireless Network Professional Web site, 345, 370
 - CFA (CompactFlash Association), 346
 - Chantry
 - BeaconWorks product line, 181
 - switch product line, 263
 - CHAP (Challenge-Handshake Authentication Protocol), 207, 219
 - Cheops software, 33
 - Cheshire Web site, 337

- Cipher Block Chaining-Message Authentication Code (CBC-MAC), 314
 - CIRT Web site, 200, 315
 - Cisco
 - Aironet 1100 AP, 85
 - Aironet 1400 Series Wireless Bridge, 251
 - Aironet 1200 AP, 27, 30, 43, 85, 99–102
 - CiscoWorks software, 288
 - P802 Handoff Study Group participation, 123
 - security advisory page, 300
 - switch product line, 263
 - Cisco Discovery Protocol (CDP), 177, 246, 319
 - Citel surge protection, 246
 - clear channel assessment (CCA)
 - algorithm, 240
 - Clear to Send (CTS), 241
 - coax cable loss, 43–44, 368
 - coaxicom Web site, 320
 - Cobb, Chey (*Cryptography For Dummies*), 164
 - co-channel interference (CCI), 357, 359
 - Community Wireless Project: Norfolk Web site, 370
 - CommunityWireless (organization), 344
 - CommView for WiFi software, 267–270, 272–276, 279–281, 287, 306
 - CompactFlash Association (CFA), 346
 - Complementary Code Keying (CCK), 30, 355
 - Computer Associates Unicenter product line, 181, 288
 - Computer Science and Mathematics Division (CSM) Web site, 266–272
 - ConceptDraw software, 34
 - conference room, wireless, 329–331
 - ConfigFree software, 118
 - Control and Provisioning of Wireless Access Points (capwap) working group, 132
 - Cooperative Association for Internet Data Analysis Web site, 266
 - Cqire software
 - AP, 301
 - WaveStumbler, 286, 308
 - cracker, 291
 - CRC (Cyclic Redundancy Check), 190, 194–195, 197
 - CRTC (Canadian Radio-television and Telecommunications Commission), 341
 - Cryptography For Dummies* (Wiley), 164
 - CSM (Computer Science and Mathematics Division) Web site, 266
 - CSMA/CA (Carrier Sense Multiple Access with Collision Avoidance), 240
 - CSMA/CD (Carrier Sense Multiple Access with Collision Detection), 240
 - CTS (Clear to Send), 241
 - CyberSummit taskforce (“Report on Technical Standards”), 163
 - Cyclic Redundancy Check (CRC), 190, 194–195, 197
- D •
- Daily Wireless Web site, 13
 - database functionality, 331, 336
 - dB (decibel), 363–366
 - dBi (dB gain over isotropic antenna), 365
 - DBPSK (Differential Binary Phase Shifting Key), 355
 - DCF (Distributed Coordination Function), 240
 - DCF Interframe Space (DIFS), 240
 - Defense Information Systems Agency (DISA), 175
 - delay spread, 237
 - Demilitarized Zone (DMZ), 99, 180, 322–324
 - denial of service (DoS) attack, 291, 300
 - Department of Defense Web site, 175
 - Destumbler software, 198
 - DHCP (Dynamic Host Configuration Protocol), 87, 91–92, 100, 260
 - Differential Binary Phase Shifting Key (DBPSK), 355
 - Differential Quadrature Phase Shifting Key (DQPSK), 355
 - DIFS (DCF Interframe Space), 240
 - Direct Sequence Spread Spectrum (DSSS), 49, 238, 355
 - DISA (Defense Information Systems Agency), 175
 - Distributed Coordination Function (DCF), 240
 - D-Link
 - Air Premier, 131, 222
 - D-News security advisory, 300

D-Link (*continued*)

DP-311P print server, 108

DWL-G810 Wireless Bridge, 251

key length, 164

DMZ (Demilitarized Zone), 99, 180, 322–324

DoS (denial of service) attack, 291, 300

DP-311P print server, 108

DQPSK (Differential Quadrature Phase Shifting Key), 355

Drizzle Web site, 309

DSSS (Direct Sequence Spread Spectrum), 49, 238, 355

dstumbler software, 286

Dummies Web site, 6

Dummysnet software, 267

DWL-G810 Wireless Bridge, 251

Dynamic Host Configuration Protocol (DHCP), 87, 91–92, 100, 260

• E •

EAP (Extensible Authentication Protocol), 31, 114, 204–205, 206–208

EAP-FAST (Extensible Authentication Protocol - Flexible Authentication via Secure Tunneling), 207

EAP-MD5 (Extensible Authentication Protocol - Message Digest 5), 207

EAP-SIM (Extensible Authentication Protocol - Subscriber Identity Module), 207

EAP-SRP (Extensible Authentication Protocol - Secure Remote Password), 207

EAP-TLS (Extensible Authentication Protocol - Transport-Level Security), 207

EAP-TTLS (Extensible Authentication Protocol - Tunneled Transport Layer Security), 207

eavesdropping, 165–166, 258

eEye software, 289

802.11 IEEE standard, 15, 49, 186, 348, 360

802.11a IEEE standard

channel capacity, 30, 31, 359

encoding, 348

equipment cost, 27, 31

frequency, 53, 348, 355, 359, 360

hardware support, verifying, 49

interference, 30, 31

introduced, 16

security features, 186, 193–194

throughput, 29, 30, 348

USB support, 107

802.11b IEEE standard

AES support, 31

Bluetooth device, using alongside, 68

channel capacity, 30, 357, 359

compatibility, backward, 349

EAP support, 31

encryption, 31

equipment cost, 27, 31

frequency, 53, 348, 355, 359, 360

hardware support, verifying, 49

interference, 30, 63, 177

introduced, 16

range, 29

throughput, 29, 348

WEP support, 31

WPA support, 31

802.11c IEEE standard, 349

802.11d IEEE standard, 349

802.11e IEEE standard, 349

802.11f IEEE standard, 349

802.11g IEEE standard

Bluetooth device, using alongside, 68

channel capacity, 30

equipment cost, 27

frequency, 53, 355, 356, 359, 360

hardware support, verifying, 49

interference, 30, 63, 177

introduced, 16

range, 30, 31

throughput, 29, 30, 44

USB support, 107

802.11h IEEE standard, 342, 350

802.11i IEEE standard, 164, 178, 202, 204, 350

802.11j IEEE standard, 350

802.11k IEEE standard, 351

802.11n IEEE standard, 351

802.15 IEEE standard, 16, 69, 351

802.15.4 IEEE standard, 13

802.15.1 IEEE standard, 13

802.15.3 IEEE standard, 13

802.1d IEEE standard, 258

- 802.1x IEEE standard, 58, 205–206, 347
 - 802.16 IEEE standard, 13, 15, 24, 352
 - 802.3 IEEE standard, 13
 - 802.3af IEEE standard, 244
 - 802.20 IEEE standard, 16
 - Electromagnetic Spectrum Web site, 370
 - 1100 AP, Aironet, 85
 - e-mail, 19, 137–144, 212, 329
 - encryption. *See also* WEP (Wireless Equivalent Privacy)
 - AES, 31, 203, 314
 - AP (access point), 27, 96–98
 - authentication, shared-key, 187–189
 - Bluetooth, 76, 77, 79–80, 81
 - bridge, 260, 263
 - CBC-MAC, 314
 - Certification Server, 114–115, 228
 - CRC, 190, 194–195, 197
 - 802.11b, 31
 - introduced, 22
 - IPSec, 225–226
 - IV, 164, 194–195, 196–197, 198–199, 203
 - key distribution, 176
 - key generation, 201
 - key length, 164, 176, 179, 189–190, 196
 - key management, 199, 214
 - key protection, 173, 200–204, 309
 - key refresh, 176, 179
 - key stream, 189
 - level, using highest, 179, 314–315
 - message privacy, importance to, 172
 - nonce, 188
 - OCB, 314
 - OSI layer, 58
 - PKI, 204, 228
 - RC4, 188, 194–195, 197, 202, 309
 - Rijndael algorithm, 314
 - standard, developing, 176
 - TKIP, 202–203
 - VPN, 214–215, 219, 225–226, 228
 - Enterasys, 158, 181, 288
 - ESS (Extended Service Set), 50, 51
 - ESSID (Extended SSID), 92, 295
 - Ethereal software, 286, 287, 305–306
 - etherspoof utility, 192
 - ETSI (European Telecommunications Standards Institute), 342
 - ettercap software, 301
 - Extensible Authentication Protocol (EAP), 31, 114, 204–205, 206–208
 - Extensible Authentication Protocol - Flexible Authentication via Secure Tunneling (EAP-FAST), 207
 - Extensible Authentication Protocol - Message Digest 5 (EAP-MD5), 207
 - Extensible Authentication Protocol - Secure Remote Password (EAP-SRP), 207
 - Extensible Authentication Protocol - Subscriber Identity Module (EAP-SIM), 207
 - Extensible Authentication Protocol - Transport-Level Security (EAP-TLS), 207
 - Extensible Authentication Protocol - Tunneled Transport Layer Security (EAP-TTLS), 207
 - Extranet VPN, 213
 - Extreme Networks Web site, 263
 - EZGoal Web site, 56, 336
- **F** ●
- FakeAP software, 311–312
 - Faraday cage, 330
 - FAST (Flexible Authentication via Secure Tunneling), 207
 - FCAPS (Fault, Configuration, Accounting, Performance, Security), 288
 - FCC (Federal Communications Commission), 341, 354
 - FH (Frequency Hopping), 49
 - FHSS (Frequency Hopping Spread Spectrum), 68, 238, 355
 - Fido Microcell Solutions, 124
 - fingerprinting, 160
 - firewall, 99, 180, 305, 321–325, 326
 - Firewalls For Dummies* (Wiley), 167
 - First Mile Wireless Web site, 258
 - 5ivenetworks Web site, 370
 - flashing, firmware, 110
 - Flexible Authentication via Secure Tunneling (FAST), 207

Fluhrer, Scott (“Weaknesses in the Key Scheduling Algorithm of RC4”), 309

Fluke Networks software

- OptiView Series II Network Analyzer, 267
- WaveRunner, 286

1400 Series Wireless Bridge, Aironet, 251

Fred e-Zone WMAN, 130

free space loss, 238–239, 362

FreeAntennas Web site, 370

FreeBSD client setup, 119–120

TheFreeDictionary Web site, 241

Freenetworks Web site, 44, 344

frequency. *See also* RF (radio frequency)

- AP (access point), 53
- DSSS, 49, 238, 355
- 802.11, 360
- 802.11a, 53, 348, 355, 359, 360
- 802.11b, 53, 348, 355, 359, 360
- 802.11g, 53, 355, 356, 359, 360
- introduced, 53
- modulation, 68, 355–356
- OFDM, 30, 49, 238, 344
- phase shifting, 68, 355–356
- shift keying, 355

Frequency Hopping (FH), 49

Frequency Hopping Spread Spectrum (FHSS), 68, 238, 355

Fresnel zone, 35, 234–236, 258, 362, 368–370

FriendlyNet AeroLAN AL1511 PCMCIA adapter card, 105

• G •

GameSpot Web site, 56

Gateway Inc. Web site, 263

Geekzone Web site, 150

General Packet Radio Service (GPRS), 126, 128

GFI software, 289

GFSK (Gaussian Phase Shifting Key), 68, 355

Global Gadget Web site, 158

Global Internet Terminals Web site, 332

Goodlink software, 139, 140

GoToMyPC remote access solution, 214

GPRS (General Packet Radio Service), 126, 128

Gramm-Leach-Bliley Act (GLBA), 170

Grasshopper software, 286, 287

Guerrilla Web site, 145

Gulpit software, 286

• H •

Hacking For Dummies (Wiley), 38

Handheld software, 267

Harris software, 289

Hermes chipset, 120

HighTech Traveler Web site, 336

hijacking, 166–167

HIPAA (Health Insurance Portability and Accountability Act), 33, 170

HIPERACCESS standard, 342

HiPerLAN/2 standard, 342

HIPERMAN standard, 342

holtmann Web site, 71

HostAP software, 301, 316

hotel connectivity, 136–137, 158, 335–338

Hotspot Locations-The Wireless Directory Web site, 336

HotSpotList Web site, 336

hub, 180, 251, 325

• I •

IAPP (Inter-Access Point Protocol), 131

IBM Tivoli software, 288

IBSS (Independent Basic Service Set), 50, 52, 129, 317

ICMP (Internet Control Message Protocol), 193

ICV (integrity check value), 190

identity theft, 22, 146, 160–161

IEEE (Institute of Electrical and Electronics Engineers), 13, 56, 123, 191, 343.

See also specific IEEE standard

IETF (Internet Engineering Task Force), 132, 207, 227

ifconfig utility, 192

Imagine the Universe! Web site, 370

Independent Basic Service Set (IBSS), 50, 52, 129, 317

Industrial, Scientific, and Medical (ISM) RF band, 354, 359

infrared, 61–67, 82

Infrared Data Association (IrDA), 61, 344

infrastructure mode, 52, 250

- initialization vector (IV), 164, 194–195, 196–197, 198–199, 203
- Institute of Electrical and Electronics Engineers (IEEE), 56, 123, 191, 343. *See also specific IEEE standard*
- integrity check value (ICV), 190
- integrity, data, 171, 172, 190, 193
- Intel Web site, 118
- Inter-Access Point Protocol (IAPP), 131
- interference
- Bluetooth, 63, 68
 - CCI, 357, 359
 - delay spread, 237
 - 802.11a device, 30, 31
 - 802.11b device, 30, 63, 177
 - 802.11g device, 30, 63, 177
 - infrared, 63
 - ISI, 237
 - multipathing, 26, 236–238
 - RF, 42
 - site survey, 41, 42
- International Telecommunications Union (ITU), 343
- Internet Control Message Protocol (ICMP), 193
- Internet Engineering Task Force (IETF), 132, 207, 227
- Internet Protocol Detail Record Organization Web site, 124
- Internet Protocol Security (IPSec), 216, 225–226
- Internet telephony, 99
- Internet Thailand Web site, 56
- interoperability, 49
- Intersil chipset, 119, 152
- intersymbol interference (ISI), 237
- intrusion detection, 99, 291–299, 325
- ioctl function, 192
- IPSec (Internet Protocol Security), 216, 225–226
- Ipswitch software
- WhatsUp Gold, 33, 278, 288
 - WS_Ping ProPack, 302
- IrDA (Infrared Data Association), 61, 344
- ISI (intersymbol interference), 237
- ISM (Industrial, Scientific, and Medical) RF band, 354, 359
- ISS Wireless Scanner software, 289–290
- iStumbler software, 308
- ITU (International Telecommunications Union), 343
- IV (initialization vector), 164, 194–195, 196–197, 198–199, 203
- **I** •
- jamming, 157–158
- Jiwire Web site, 336
- **K** •
- KarlNet TurboCell AP, 242
- Kensington Wi-Fi Finder device, 332
- KisMAC software, 286, 308
- kismet software, 286, 308
- Komar, Brian (*Firewalls For Dummies*), 167
- Konhauser, Walter (*Third Generation Mobile Communication Systems*), 241
- **L** •
- Laboratory of Networking and Information Systems Web site, 242
- Layer 2 Tunneling Protocol (L2TP), 208, 216, 225
- LCP (Link Control Protocol), 218–219
- LEAP (Lightweight Extensible Authentication Protocol), 28, 110, 206
- LED (light-emitting diode), 62
- Legra Systems Web site, 263
- Leiden, Candace (*TCP/IP For Dummies*, 5th Edition), 274
- LFSR (linear feedback shift register), 79
- lightweight wireless access point protocol (LWAPP), 263
- line of sight (LOS), 42, 62, 66, 125, 236
- Link Control Protocol (LCP), 218–219
- Linksys
- WAP-11 802.11b AP, 27
 - WET11 Ethernet Client Adapter, 106
 - WET11 Wireless Ethernet Bridge, 251
 - WET54G Wireless G Ethernet Bridge, 251
- LLC (logical link control), 104
- load balancing, 131–132
- LocustWorld Web site, 130
- Look@Lan software, 167
- LOS (line of sight), 42, 62, 66, 125, 236

loud-fat-bloke Web site, 313
 L2CAP (Logical Link Control and Adaptation Protocol), 76
 L2TP (Layer 2 Tunneling Protocol), 208, 216, 225
 Lucent product line, 120, 301
 LWAPP (lightweight wireless access point protocol), 263

• **M** •

MAC (Media Access Control)
 AP address, 50, 100
 authentication, address, 178–179
 Bluetooth device address, 76
 bridge address, 259
 collision detection, 240
 cracking address, 310–311
 CRC, 197
 filtering, 23, 99, 162, 191–193
 OSI layer, 58, 104
 spoofing address, 192, 311
 Mac OS X client setup, 117–118
 MacStumbler software, 286, 307
 Managed Security Service Provider (MSSP), 294
 management information base (MIB), 317–318
 man-in-the-middle attack, 166, 300
 Mantin, Itsik (“Weaknesses in the Key Scheduling Algorithm of RC4”), 309
 Marchetti, James (*Network and System Integration For Dummies*), 34
 Maximum Transmission Unit (MTU), 91
 McGill University Web site, 56
 Media Access Control. *See* MAC
 Memory Stick (MS), 106
 MeshNetworks Web site, 130, 335
 Methodware Enterprise Risk Assessor Web site, 184
 MIB (management information base), 317–318
 MIC (Message Integrity Check), 203
 Microcell Solutions, 124
 Microsoft Challenge-Handshake Authentication Protocol (MS-CHAP), 219

mikezilla Web site, 97
 MiniStumbler software, 153, 286, 307
 Mobile Manager product line, 181
 MobileIP Web site, 130
 Mobilian Web site, 68
 mode, 51–52
 Modeler software, 266
 Mohr, Werner (*Third Generation Mobile Communication Systems*), 241
 monitoring network, 279–281, 285
 Monzune Web site, 122
 MS (Memory Stick), 106
 MS-CHAP (Microsoft Challenge-Handshake Authentication Protocol), 219
 MSSP (Managed Security Service Provider), 294
 MTU (Maximum Transmission Unit), 91
 MUD (Multiple User Dungeon), 28
 Multimedia Mobile Access Communication Systems group, 122
 multipathing, 26, 236–238

• **N** •

NakedWireless.ca Web site, 154, 290
 NAT (Network Address Translation), 98
 NAV (network allocation vector), 241
 NCSP (National Cyber Security Partnership) CyberSummit taskforce, 163
 Near/Far condition, 243
 NEMA (National Electrical Manufacturers Association), 252–253
 Nessus software, 167
 Netcat software, 167
 NetCrunch software, 287
 NetGear AP, 200
 Netintact PacketLogic software, 287, 288
 NetMotion software, 129
 Netplex Technologies SNIPS software, 288
 NetScanTools Pro software, 301
 Netscum Web site, 370
 NetSight Atlas software, 288
 NetStumbler software, 41, 152, 153–154, 290, 306–308
 Network Address Translation (NAT), 98
 network allocation vector (NAV), 241

Network and System Integration

For Dummies (Wiley), 34
Network Associates Sniffer Wireless software, 287
Network Browser software, 318
Network Chemistry software, 287, 298
Network Director software, 287
Network Instruments Network Observer software, 287
network management, outsourcing, 278–279
network management system (NMS), 288
Network Security For Dummies (Wiley), 38
network stumbling, 31, 41, 151, 152, 153–154
NetworkWorldFusion Web site, 263
Neutrino software, 287, 298
NIDS (network-based intrusion detection system), 292, 293–294
NMAP software, 167
NMS (network management system), 288
NoCatAuth Web site, 337
NoCatSplash Web site, 337
node, hidden, 241–243
noise floor, 40
nonce, 188
non-repudiation, 172
NPower Web site, 313
NTT DoCoMo Web site, 122

● 0 ●

Oak Ridge National Laboratory (ORNL) Web site, 266
OCB (Offset Codebook), 314
Ofcom (Office of Communications), 342
OFDM (Orthogonal Frequency Division Multiplexing), 30, 49, 238, 344
OmniGraffle software, 34
Online Journey Through Astronomy Web site, 370
OpalisRobot software, 288
Open Systems Interconnection (OSI) layer model, 57–58, 104
OpenAP Web site, 337
OpenBT software, 71
OpenView software, 288

OptiView Series II Network Analyzer software, 267
O'REILLY NETWORK Web site, 370
Orinoco PC cards, 43, 105, 114, 284, 285
ORNL (Oak Ridge National Laboratory) Web site, 266
Orthogonal Frequency Division Multiplexing (OFDM), 30, 49, 238, 344
OSI (Open Systems Interconnection) layer model, 57–58, 104
OUI (organizationally unique identifier), 191
Outdoor PoE device, 247
Outlook software, 141–144
ownership, network, 172

● p ●

packet sniffing, 272–276, 286–287, 312
packet storm Web site, 310
PacketLogic software, 287, 288
Packetyzer software, 287
PAN (Personal Area Network), 13, 14
PAP (Password Authentication Protocol), 219
Pasadena Networks Web site, 243
password
 administrator, 89
 AP, 89–90, 91, 95, 100
 changing default, importance of, 95, 162–163
 changing regularly, 178
 choosing, 102
 clear text, 139
 cracking software, 301–302, 306
 hard-coded, 163
 POP, 138, 139
 standard, developing, 176
 storing securely, 162
 strength, 178
 VPN, 219, 223
Password Authentication Protocol (PAP), 219
Patras Wireless Network Web site, 242
payload, 215
PCF (Point Coordination Function), 240
PCI (Peripheral Component Interconnect), 105–106, 107

- PCMCIA (Personal Computer Memory Card International Association), 105, 346
- PCTEL SoftAP software, 302
- PCU (Proxim Client Utility), 110, 114–115
- pdaconsulting Web site, 120, 298
- PEAP (Protected Extensible Authentication Protocol), 114, 115, 207
- P802 Handoff Study Group, 123
- performance, estimating, 266–272
- Peripheral Component Interconnect (PCI), 105–106, 107
- Personal Area Network (PAN), 13, 14
- Personal Computer Memory Card International Association (PCMCIA), 105, 346
- Personal Telco Project Web site, 243, 287, 312
- phreaking, 309
- piconet, 69–70
- PKI (Public Key Infrastructure), 204, 228
- planning
 - bandwidth requirement, 37
 - budget, 26–27, 37
 - business case, 36–37
 - file transfer capacity, 29
 - growth, for, 28
 - importance of, 20
 - installation, 20–21
 - need, evaluating, 25–32, 171–172
 - range, 29–30, 31–32, 34–36
 - roaming analysis, 37
 - security, 31, 38, 171–176
 - throughput, 29–30
- PlatformAirWave Management product line, 181
- Plotpath Web site, 257
- PoE (Power over Ethernet), 244–245, 246–247, 253
- Point Coordination Function (PCF), 240
- point-to-multipoint (P2MP), 252, 253
- Point-to-Point Protocol over Ethernet (PPPoE), 90–91
- Point-to-Point Protocol (PPP), 218–219
- point-to-point (P2P), 17–18, 252
- Point-to-Point Tunneling Protocol (PPTP), 91, 208, 216, 218–224
- POP (Post Office Protocol), 138–140
- portal, captive, 336–337
- power
 - budget, 245
 - management, 29, 69, 243–247
- Power Internet Terminals Web site, 332
- Power over Ethernet (PoE), 244–245, 246–247, 253
- Power Sourcing Equipment (PSE), 244, 246
- PPP (Point-to-Point Protocol), 218–219
- PPPoE (Point-to-Point Protocol over Ethernet), 90–91
- PPTP (Point-to-Point Tunneling Protocol), 91, 208, 216, 218–224
- Practically Networked Web site, 345
- Prasad, Ramjee (*Third Generation Mobile Communication Systems*), 241
- Pre-Shared Key (PSK), 115
- print server, 108
- Prism chipset, 119, 152
- prismdump software, 301
- PRNG (pseudo-random number generator), 79, 81
- profiling, 160
- Protected Extensible Authentication Protocol (PEAP), 114, 115, 207
- protocol filtering, 193
- Proxim Client Utility (PCU), 110, 114–115
- Proxim network cards, 152
- PSE (Power Sourcing Equipment), 244, 246
- pseudo-random number generator (PRNG), 79, 81
- PSK (Pre-Shared Key), 115
- P2MP (point-to-multipoint), 252, 253
- P2P (point-to-point), 17–18, 252
- Public Key Infrastructure (PKI), 204, 228

• Q •

- QAM (Quadrature Amplitude Modulation), 355, 356
- QPSK (Quadrature Phase Shifting Key), 355

• R •

- RAD Data Communications Web site, 195
- radio frequency (RF). *See* RF
- RadioLAN BridgeLINK-11a Wireless Bridge, 251
- Radioplan signal testing solution, 36

- RC4 (Ron's Code 4) encryption, 188, 194–195, 197, 202, 309
- Reach Wireless, 130
- RealSecure software, 308
- Received Signal Strength Indication (RSSI), 240, 287
- Red Fang software, 74–75
- Red-M software, 298
- reflection, 361
- Registry Crack software, 301
- replay prevention, 172
- “Report on Technical Standards” (CyberSummit taskforce), 163
- Request to Send (RTS), 241
- Return on Security Investment (ROSI), 183–184
- RF (radio frequency)
- antenna, 353, 360, 365, 366, 367–368
 - attenuation, 356–357, 358
 - blockage, 33
 - channel capacity, 357–359
 - coverage, surveying, 32
 - dB, 363–366
 - directionalizing signal, 320
 - FCC regulation, 354
 - FM, commercial, 53
 - gain, 360
 - interference, 42
 - ISM band, 354, 359
 - LOS, 260
 - measurement unit, 362–365
 - modulation, 355–356
 - prediction, 35, 330
 - shift keying, 355
 - spectrum table, 354
 - strength of signal, measuring, 240
 - U-NII band, 342, 354, 359
- Rijndael algorithm, 314
- Risk Services & Technology RiskTrak software, 184
- RoamAD Web site, 130
- roaming, 37, 122–129
- Rogers AT&T Wireless, 124
- Ron's Code 4 (RC4) encryption, 188, 194–195, 197, 202, 309
- ROSI (Return on Security Investment), 183–184
- Rovenet Portable Forms template, 35
- RSN (robust security network), 202
- RSSI (Received Signal Strength Indication), 240, 287
- RTS (Request to Send), 241
- S ●
- SAFER+ algorithm, 78
- SANS (SysAdmin, Audit, Network, Security) Institute, 175, 300
- Sarbanes-Oxley Act (SOX), 170
- scatternet, 70
- SD (Secure Digital) flash memory, 106
- SeattleWireless Web site, 55, 150
- Secure Shell (SSH), 102, 226–227
- Secure Sockets Layer (SSL), 139
- Securid software, 143
- security. *See also specific security mechanism and attack type*
- accountability, 171, 173
 - AP (access point), 86, 90, 96–98, 177–178, 180
 - assessing periodically, 180
 - auditing, 300–302
 - Bluetooth, 73, 74–78, 79–81
 - bridge, 258, 260, 263
 - cable-based network compared, 10
 - camera, 12
 - client, 178–180
 - confidentiality, 171, 172, 189–190, 194
 - cost of doing business, as, 170–171, 183–184
 - data loss, 22, 163, 171
 - educating user, 172
 - 802.11 security features, 186, 193–194
 - incident response, 299–300
 - infrared device, 66–67
 - infrastructure, protecting existing, 172
 - integrity, data, 171, 172, 190, 193
 - Internet telephony, 99
 - introduced, 10–11
 - intrusion detection, 99, 291–299, 325
 - layer model, 182
 - ownership, network, 172
 - physical, 35
 - planning, 31, 38, 171–176
 - policy, 173–175, 181
 - privacy, 172, 189–190, 194
 - procedure, 174
 - public area wired access, disabling, 325

- security (*continued*)
 - requirement overview, 186
 - risk analysis, 182–184
 - ROSI, 183–184
 - site survey, 38
 - SSID, 95–96, 178
 - standard, developing, 174, 175–176
 - video conferencing, 99
 - virus protection, 144
 - VPN, 209–210
 - vulnerability scanning, 289–291
 - WEP, provided by, 162, 196–199
 - WPA, 31
- Segue Roaming Client software, 126–129
- sensor, 292
- service level agreement (SLA), 278–279
- Service Set Identifier. *See* SSID
- ServiceProvider Guru software, 266–267
- Set MAC (SMAC) Address software, 192, 311
- Seven software, 139
- Shamir, Adi (“Weaknesses in the Key Scheduling Algorithm of RC4”), 309
- shift keying, 355
- SIFS (Short Interframe Space), 241
- signal. *See also* interference
 - absorption, 362
 - attenuation, 159, 239, 356–357, 358
 - beam divergence, 238
 - Bluetooth, 13, 62
 - delay spread, 237
 - diffraction, 26
 - directionalizing, 320
 - gain, 43, 360
 - LOS, 42, 62, 66, 125, 236
 - loss, 158–159, 238–239, 360–362, 367, 368
 - multipathing, 26, 236–238
 - obstacle, effect on, 29, 33, 159, 234–235, 362
 - phase, 234, 237
 - plotting, 35–36
 - range, 29–30, 31–32, 34–36, 62
 - receiver signal strength, 44
 - reflection, 361
 - refraction, 361
 - RF, 27, 35, 53
 - RSSI, 240, 287
 - scattering, 361–362
 - spectrum, 53, 284, 354
 - strength, turning down, 319–321
 - testing, 36, 41, 102
 - weather, effect on, 34
- signal-to-noise ratio (SNR), 29, 41
- SIM (Subscriber Identity Module), 207
- Simple Network Management Protocol (SNMP), 100–101, 180, 193, 243, 317–319
- Sintelli Web site, 300
- Site Security Handbook, 299
- site survey
 - area coverage, 34–36
 - bandwidth requirement, 37
 - bridging, 250
 - business requirement, 36–37
 - checklist, 38–39
 - equipment, specialized, 39–41
 - facility analysis, 33
 - indoor, 42
 - infrastructure, existing, 33–34
 - interference, 41, 42
 - introduced, 32
 - link budget, 42–45
 - outdoor, 42
 - post-implementation, 283–291
 - report, 45–46
 - resource, analyzing current, 37
 - roaming analysis, 37
 - security, 38
- SLA (service level agreement), 278–279
- SMAC (Set MAC) Address software, 192, 311
- smartBridges Outdoor PoE device, 247
- SmartDraw software, 34
- SMC Wireless Router, 84
- SnapperMail software, 139
- Sniffer Wireless software, 287
- SNIPS software, 288
- SNMP (Simple Network Management Protocol), 100–101, 180, 193, 243, 317–319
- SNMPC software, 287
- SNMPUTIL.EXE software, 33
- snmpwalk software, 33
- Snort-Wireless software, 298
- SNR (signal-to-noise ratio), 29, 41
- SNScan software, 167
- SoftAP software, 302
- Solarwinds software, 33, 278, 288, 318
- SOX (Sarbanes-Oxley Act), 170

- Spanning Tree Protocol, 255, 258
Spread Spectrum Scene (SSS) Web site, 241, 370
Sputnik Web site, 337
Squid Web site, 337
SSH (Secure Shell), 102, 226–227
SSID (Service Set Identifier)
 AP (access point), 92–93, 95–96, 100–101, 129
 bridge, 259
 broadcast, 92, 156–157, 178, 191
 BSSID versus, 50
 changing default, 95–96, 178, 315
 client, 112–113, 114, 116, 118
 detecting improper, 292
 disabling, 157
 filtering, 191
 network card, 51
 security, 95–96, 178
SSL (Secure Sockets Layer), 139
SSS (Spread Spectrum Scene) Web site, 241, 370
Stock Smart Web site, 338
stumbling, network, 31, 41, 151, 152, 153–154
Subscriber Identity Module (SIM), 207
Superscan software, 167
surge protection, 246
switch, 251, 262–263
Sygate product line, 181
Symantec software, 289
Symbol Technologies
 AirBeam software, 288
 P802 Handoff Study Group
 participation, 123
 switch product line, 263
SysAdmin, Audit, Network, Security (SANS) Institute, 175, 300
- T ●
- Tablet PC, 327–328
Tamosoft CommView for WiFi software, 267–270, 272–276, 279–281, 287, 306
TAPR (Tucson Amateur Packet Radio) Web site, 362
target profiling, 160
Tatara Systems, Inc., 124
TCP/IP For Dummies, 5th Edition (Leiden and Wilensky), 274
Telecommunications Industry Association (TIA), 343
telephony, Internet, 99
TELUS Mobility, 124
Temporal Key Integrity Protocol (TKIP), 202–203
Terrain Navigator Web site, 257
TerraWave site survey equipment, 40
THC-RUT software, 309–310
TheFreeDictionary Web site, 241
Third Generation Mobile Communication Systems (Konhauser, Mohr, and Prasad), 241
1394 IEEE standard, 13
3Com Network Director software, 287
3G Americas (organization), 342
3GPP (3rd Generation Partnership Project), 343
throughput. *See also* traffic
 AP transmission rate, specifying, 93
 Bluetooth, 13, 68
 802.11a, 29, 30, 348
 802.11b, 29, 348
 802.11g, 29, 30, 44
 Ethernet, 29
 infrared, 62
 Internet connection, 29
 planning, 29–30
 VPN, 214
 wireless router transmission rate, specifying, 93
 WMAN, 16
TIA (Telecommunications Industry Association), 343
TickTac Web site, 338
Times Microwave Web site, 43
Tivoli software, 288
TKIP (Temporal Key Integrity Protocol), 202–203
TLS (Transport-Level Security), 114–115, 207
T-Mobile wireless service, 333–334
Topo USA Web site, 257
TOPO! Web site, 257
TopoZone Web site, 257

TorWUG (Toronto Wireless User Group)
Web site, 37

traffic

analysis, 277–278, 286–287, 306
load, estimating, 266–267
management, 277–278, 286–287
sniffing, 272–276, 286–287, 312
statistics, generating, 266, 268–271

Transport-Level Security (TLS),
114–115, 207

Trapeze Networks switch product line, 263

troubleshooting

bridge, 260, 262
steps, 231–234

TTLS (Tunneled Transport Layer
Security), 207

Tucson Amateur Packet Radio (TAPR)
Web site, 362

tunneling, 210, 214–216, 218–225. *See also*
specific tunneling mechanism

TurboCell AP, 242

turnpoint Web site, 370

1200 AP, Aironet, 27, 30, 43, 85, 99–102

• U •

unconscious connectivity, 69

Unicenter product line, 181, 288

U-NII (Unlicensed National Information
Infrastructure) RF band, 342, 354, 359

University of Iowa Libraries Web site, 56

University of Maryland Department of
Computer Science Web site, 206

URL (Uniform Resource Locator)
blocking, 99

USB (Universal Serial Bus), 13, 71, 106,
107, 346

US-CERT Web site, 300

• V •

vehicle, wireless networking from,
16, 18–19, 334–335

VeriLAN Inc., 16

Vernier System 6500 security solution, 181
“VHF/UHF/Microwave Radio Propagation: A
Primer for Digital Experimenters,” 362

virtual server, 98–99

virus protection, 144

Visio software, 34

VLAN (Virtual Local Area Network),
217–218, 263

VoIP (Voice over IP), 24, 145

VPN (Virtual Private Network)

access, remote, 212

authentication, 213, 217, 219

cost, 210, 214

described, 211–212

e-mail, 19, 212

encryption, 214–215, 219, 225–226, 228

Extranet, 213

identification, 213

IP addressing, 213, 221, 222

key management, 214

one-way, 211

OSI layer, 58

password, 219, 223

protocol support, 214

security, 209–210

throughput, 214

tunneling, 210, 214–216, 218–225

wired network, 210

• W •

W (watt), 363

WAP (wireless access point). *See* AP
(access point)

WAP-11 802.11b AP, 27

wap.wi-fizone Web site, 56, 122

war chalking, 155

war driving, 22, 151–154, 285–286

war flying, 22, 146, 154

war nibbling, 75, 150–151

watt (W), 363

Wavelink Corporation, 181, 278

WaveRunner software, 286

WaveSecurity Wavescanner software, 289

WaveStumbler software, 286, 308

Wayport Web site, 336–338

WDMZ (wireless demilitarized zone),
322–324

WDS (Wireless Distribution System),
254, 325

- “Weaknesses in the Key Scheduling Algorithm of RC4” (Fluhrer, Mantin, and Shamir), 309
- Web Serve Pro Web site, 263
- Wellenreiter software, 308–309
- WEP (Wireless Equivalent Privacy)
 - AP (access point), 96–98, 164
 - attack against, 198–199, 309, 310
 - CRC, 194–195, 197
 - dynamic, 218
 - 802.11b support, 31
 - encryption process, 194–195, 314
 - key default, importance of changing, 200
 - key length, 164, 189–190, 196
 - key management, 199
 - key protection, 200–204, 309
 - monitoring, 199
 - OSI layer, 58
 - security provided by, 162, 196–199
 - static, 218
- WEPCrack software, 302, 310
- WEPWedgie software, 198
- WET11 Ethernet Client Adapter, 106
- WET11 Wireless Ethernet Bridge, 251
- Wettern, Joern (*Firewalls For Dummies*), 167
- WGB (wireless workgroup bridge), 255–257
- WhatsUp Gold software, 33, 278, 288
- Wiana (Wireless Internet Assigned Numbers Authority), 344–345
- WiCCP (Wireless Central Coordinated Protocol), 242
- WIDS (wireless intrusion detection system), 292–293, 298, 325
- WIDZ software, 298
- Wi-Fi Alliance, 49, 104, 122, 345
- Wi-Fi Certified seal, 104
- Wi-Fi Finder device, 332
- WiFi 411 Web site, 336
- Wi-Fi Free Spot Web site, 336
- Wi-Fi Networking News Web site, 336
- Wi-Fi Planet Web site, 263
- Wi-Fi Protected Access (WPA), 31, 115, 202–203, 314
- Wi-Fi Zone Web site, 290
- WiFinder Web site, 144, 290, 336
- WiGLE Web site, 165, 290
- WildPackets AiroPeek software, 267, 287, 294–298, 301, 312
- Wilensky, Marshall (*TCP/IP For Dummies*, 5th Edition), 274
- Wiley
 - Cryptography For Dummies*, 164
 - Firewalls For Dummies*, 167
 - Hacking For Dummies*, 38
 - Network and System Integration For Dummies*, 34
 - Network Security For Dummies*, 38
 - TCP/IP For Dummies*, 5th Edition, 274
- WiMAX Forum Web site, 125, 126
- Wi-Max (Worldwide Interoperability for Microwave Access), 15, 124–126
- Win Sniffer software, 302
- Winc Manager software, 129, 181
- Windows NT Magazine Web site, 267
- wireless access point (WAP). *See* AP (access point)
- Wireless Central Coordinated Protocol (WiCCP), 242
- wireless demilitarized zone (WDMZ), 322–324
- Wireless Developer Network Web site, 14
- Wireless Distribution System (WDS), 254
- Wireless Equivalent Privacy. *See* WEP
- Wireless Internet Assigned Numbers Authority (Wiana), 344–345
- wireless Internet service provider (WISP), 116
- wireless intrusion detection system (WIDS), 292–293, 298, 325
- Wireless LAN Association (WLANA), 345
- Wireless LAN resources for Linux Web site, 118
- Wireless LAN Solution Engine (WLSE), 162
- Wireless Local Area Networking (WLAN), 14–15
- Wireless Metropolitan Area Network (WMAN), 15–16, 130
- Wireless Node Database Project Web site, 336
- Wireless Personal Area Network (WPAN), 13–14
- Wireless Robust Authenticated Protocol (WRAP), 204, 314
- Wireless Scanner software, 289
- wireless workgroup bridge (WGB), 255–257
- Wireless Zero Configuration, 112, 114
- WirelessAnarchy Web site, 345, 370

WirelessCommunities Web site, 345

WirelessMan network, 15

WirelessNetworkProducts Web site, 258

WISP (wireless Internet service provider), 116

Wisp-Router Web site, 258

WLAN (Wireless Local Area Networking), 14–15

WLANA (Wireless LAN Association), 345

WLANAS (WLAN Accounting and Settlement), 124

wlanswitch Web site, 263

WLSE (Wireless LAN Solution Engine), 162

WMAN (Wireless Metropolitan Area Network), 15–16, 130

Worldwide Interoperability for Microwave Access (Wi-Max), 15, 124–126

WPA (Wi-Fi Protected Access), 31, 115, 202–203, 314

WPAN (Wireless Personal Area Network), 13–14

WRAP (Wireless Robust Authenticated Protocol), 204, 314

WS_Ping ProPack software, 302



xnu utility, 192



Yagi antenna, 54, 55, 56

Yellowjacket software, 286



zone, 56, 122, 131–132

ZoneAlarm software, 326

ZyTrax Web site, 235, 245