

## Index

### a

- aberrant result *see* atypical result
- acceptance criteria 15 ff, 77 ff, 197, 246, 250, 253, 256, 259, 261, 263, 264, 338
  - analytical transfer 6, 291 ff
  - and analytical variability 265 ff
  - statistical test 12
- acceptance limit 327
  - absolute 12, 33, 69, 93
  - precision 10 f, 35 ff
  - specification 10, 107, 274 ff
  - validation 9 ff
- accreditation 241
- accuracy 63 ff, 205 ff, 248, 251
  - drug product 67 ff
  - drug substance 64 ff
  - NIR 70
- acoustic signal 393
- adjustments 177, 350 f
- alpha-error *see* error probability
- analysis of variances 32 f, 35, 50, 160, 292
  - equation 33
- analytical development *see* method development
- ANOVA *see* analysis of variances
- ANOVA lack-of fit 91
- appearance of solution 308
- area normalisation 8, 72, 81, 99
- artefacts 59, 71, 100
- assay 248, 293 ff, 326 ff
- atomic absorption spectrometry 171, 312 ff
- atypical result 355 ff
- automation systems 394

### b

- basic limit 10, 274 f
- bias 328
- blank 54, 101, 108 ff, 171, 190, 312, 337
- bracketing 366 ff

### c

- calibration 32, 72, 79, 88, 171, 231, 238 f, 312 f, 394
  - mode / model 8, 11, 17, 63, 80, 98
  - multiple point 17 f, 81, 195
  - multi-variate 97, 392
  - predetermined parameters 6
  - single-point 17 f, 81, 85, 92, 95 f, 100
  - universal 64
- calibration and preventive maintenance 349 f
- capillary electrophoresis 318
- case study 195 ff
- certification 241
- change 239, 283, 350 f, 352
- change control 348 ff
- check standard 11
- checklist 3, 5, 7
- chromatography modelling software 127 ff
- cleaning limit 75
- cleaning method 6, 8, 10, 54, 74 ff
- coefficient, correlation 17, 83, 88 f, 249
  - quadratic 90
- co-elution 57 ff, 62, 71
- collaborative trial 192
- column screening 128
- column selection 178 ff
- comparative studies 286, 290, 291 ff
- comparison, with a reference 16
  - with an independent procedure 15 ff
- concentration dependency, precision 38 ff, 49, 362
  - recovery 69, 76
  - residuals 95
- confidence interval 16, 27 ff, 65 f, 162 f, 268, 276, 295
  - intercept 83, 93
  - quadratic coefficient 90
  - recovery 68 f
  - slope 83

content uniformity 248, 297  
 control charts 344 ff, 378 ff  
 control sample 339 ff  
 corrective action and preventive action (CAPA) 341  
 correlation matrix 153  
 cumulative sum (CUSUM) chart 344, 380 ff

**d**

DAD *see* diode array detection  
 1<sup>st</sup> derivative 57  
 design, analytical procedure 5, 9, 11  
 – factorial 34, 125, 142 ff  
 – of experiments 125, 127, 142 ff  
 – Plackett-Burman 125, 142 ff, 149, 153  
 – validation studies 5, 7 ff, 8, 14  
 detection limit *see* quantitation limit  
 determination of water 319 ff  
 deviation *see* difference  
 difference, acceptable 12 f, 25, 65, 78  
 – between means 16, 33, 65, 295, 297  
 DIN 32645 115  
 diode array detection 59  
 dissolution 259 ff, 276, 297  
 distribution, of data 22 ff, 363  
 – normal 22 ff, 266  
 – of standard deviations 25 f  
 – upper limit 35, 43 ff, 79  
 Dixon's Q test 374 ff  
 DL (detection limit) *see* quantitation limit  
 documentation 233  
 DOE *see* design of experiments  
 DPhG *see* German Pharmaceutical Society  
 DQ *see* qualification, design  
 drift 102, 108  
 drug product 38, 43 ff  
 drug substance 38  
 DryLab 129 ff  
 dwell volume 185 ff

**e**

early development candidate (EDC) 127  
 early drug development 244 ff  
 equivalence test 12 f, 16 ff, 65 ff, 69, 93, 293  
 error,  $\alpha$ ,  $\beta$  109 f  
 – contribution 31, 40, 45, 273 f, 275, 276  
 – probability 28, 65, 84, 266  
 – propagation 27, 55, 269 ff  
 ESD *see* extreme studentised deviate test  
 – *see also* Grubbs-test  
 extra-column volume 183 f  
 extrapolation 100, 112  
 – intercept 93  
 extreme studentised deviate test 372

**f**

factors, levels 147 ff  
 – qualitative 148  
 – quantitative 147  
 failure investigation 355 ff  
 filter check 261  
 fit for purpose 229, 302, 360, 387  
 F-test 64, 91, 292  
 fuzzy logic 395

**g**

gas chromatography 318  
 Gaussian distribution *see* distribution, normal  
 German Pharmaceutical Society (DPhG) 265  
 gradient elution 183 ff  
 graph *see* plot  
 graphical presentation *see* plot  
 Grubb's test 372 ff

**h**

Hampel test 375  
 heavy metal test 171  
 heteroscedasticity 86, 91, 94 f, 99  
 histogram 22 ff  
 homogeneity of variances 33, 81, 110  
 homoscedasticity *see* homogeneity of variances  
 Horwitz 38 f, 49, 362  
 Hsu Nielsen source 394

**i**

identification 304 ff  
 impurities 277, 298  
 information pyramid 6  
 infra-red spectrometry 170  
 injection precision *see* system precision  
 injection repeatability *see* system precision  
 injection sequence 367 f  
 instrument precision *see* system precision  
 integration error 39, 51, 194  
 integration mode 55, 72  
 intercept, confidence interval 92  
 – evaluation 18, 69, 92, 256  
 – standard deviation 113  
 interferences 312 f  
 intermediate precision 11, 32 ff, 45 ff, 70,  
 122, 209, 273, 292, 314, 361, 371  
 – equation 33  
 internal standards 41  
 IQ *see* qualification, installation  
 ISPE-Guide 291, 294

**k**

Karl Fischer titration 319 ff

**I**

laboratory readiness 287 ff  
 lack of fit test 90 f  
 least square regression *see* regression  
 level of significance *see* error probability  
 leverage 84, 116  
 limit of detection *see* quantitation limit  
 limit of quantitation *see* quantitation limit  
 limit test 308, 310 ff  
 linear regression *see* regression, linear  
 linearity 80 ff, 202 ff, 248, 251  
 linearity test, statistical 90 ff  
 liquid chromatography 315, 330 ff  
 log-books 234  
 loss on drying 319

**m**

maintenance 235  
 Maldener test 31  
 Mandel test 91  
 manufacturing variability 265, 295  
 Marfey's reagent 53  
 mass spectrometry 59  
 matrix 41, 52, 71, 80, 98, 118 f, 119, 145,  
 204 f, 275, 312  
 median 30, 97, 375  
 method capability index 11, 25, 362 ff  
 method development 122, 127 ff, 258, 268,  
 330, 365, 371  
 method selection 283 ff  
 method verification 258  
 100%-method, 100%-standard *see* area  
 normalisation  
 MLR *see* regression, multiple linear  
 MODDE 152 ff  
 model validity 154 ff  
 – *see also* validity  
 modification 177  
 monitoring 337 ff  
 monograph 302  
 MS *see* mass spectrometry  
 MVA (validation software) 123, 197

**n**

near infrared spectroscopy (NIR) 68, 70,  
 389 ff  
 noise 102 ff

**o**

one-factor-a-time 125  
 OOE *see* out-of expectation  
 OOS *see* out-of specification  
 OOT *see* out-of trend

optimisation 75, 129 ff  
 – pseudo 267 f  
 OQ *see* qualification, operational  
 out-of control 346  
 outlier tests 24, 84, 371  
 out-of expectation (OOE) 366 ff, 371 ff  
 out-of specification (OOS) 28, 357, 366 ff,  
 378 f  
 out-of trend (OOT) 366 ff

**p**

parameter, method 122 ff  
 – robust 30  
 peak asymmetry 59  
 peak homogeneity *see* peak purity  
 peak purity 52, 54, 57 ff, 62  
 peak shape analysis 57 ff, 62  
 peak-to-valley ratio 15, 55, 174  
 performance, analyst 341  
 – instrumental 342  
 – measurement 357 ff  
 pH measurement 308 f  
 pharmacopoeia 301 ff  
 plate number 172  
 plot, coefficient 161 ff  
 – contour 130, 166 ff  
 – dot 372  
 – effect 163  
 – Manhattan 383 f  
 – normal probability 151  
 – prediction 166  
 – relative uncertainty 117  
 – replicates 154 ff, 157  
 – residual 17, 86 f, 91  
 – sensitivity 17, 88  
 – SweetSpot 167  
 powder blend uniformity 391  
 PQ *see* qualification, performance  
 precision 21 ff, 126, 248, 251, 358  
 – acceptable 35 ff  
 – concentration dependency 38 ff, 49, 70,  
 362  
 – levels 30 ff, 51, 271  
 – results 36, 42 ff  
 – sources 49 f  
 – *see also* repeatability, intermediate precision,  
 reproducibility,  
 prediction 132 ff, 166 ff  
 prediction interval 84 ff, 108, 114 ff, 266  
 probability, density function 23  
 process capability index 294, 364  
 pure error 86, 91, 151, 154, 158 f  
 purity 307 ff

**q**

- QL *see* quantitation limit
- qualification 41
  - design 230, 234 ff
  - equipment 31, 229 ff
  - installation 230, 236 ff
  - operational 231, 237 ff, 339
  - performance 231, 237 ff, 339
- quality assurance, analytical 6, 49, 339
- quality by design 387 f
- quality control 337 ff
- quantitation limit 108, 210 ff, 251 f
  - actual 104
  - comparison of approaches 118
  - from linearity 110 ff
  - from precision 117 ff
  - from relative uncertainty 116 f
  - general 106

**r**

- range 99 f
- real time 389
- re-chromatography 59, 62, 72
- recovery 67 ff, 251
  - cleaning method 75 ff
  - factor 76
  - function 16, 69 f
  - impurities 71
  - percent 16, 68 ff, 206 ff
- reference standard 13, 45, 304, 314, 330 f
- refractive index 73
- regression, concentration range 82, 110, 119, 253 f
  - multiple-linear 144 ff
  - non-linear 18, 97
  - quadratic 91
  - robust 97
  - unweighted linear 16 ff, 81 ff, 110, 249
  - weighted linear 18, 82 f, 94 ff
- related substances 193
- relative standard deviation *see* standard deviation
- relevance, for routine application 14, 54, 62
  - practical 12 f, 33, 65, 69, 77, 90
  - routine conditions 57
- repeatability 11, 31 ff, 39 ff, 43 ff, 171, 180, 191, 208, 272 f, 292, 295, 311, 314, 327, 361
- reportable result 107, 359 ff
- reporting threshold 10, 19, 99 f, 106, 190
- reproducibility 32 ff, 45 ff, 122, 180, 273, 361
- re-qualification 239 ff
- requirement 229
  - calibration 81

- precision 191
- regulatory 4 f, 9 f, 284
- resolution 57, 62, 188
- safety 101
- residuals 81 f, 85 ff, 95, 145, 159, 313, 371, 377
- residual solvents 322 ff
- residual standard deviation 17, 50, 83, 88 f, 112, 249, 255
- resolution 55 ff, 173 ff, 181, 380
  - factors 52, 55 f
  - map 130 ff
- response, detector 102 ff
  - factors 72 ff, 181, 257, 316
  - function 8, 80
  - robustness 150, 162
- re-validation 286, 352 ff
- review 285
- RI *see* refractive index
- risk-based approach 299
- robustness 32, 57, 120 ff, 173, 350 f, 395
  - parameter 124 f, 142
  - study 131 ff, 151 ff
- Rosner's ESD test 373 f
- ruggedness 33, 121, 126, 337

**s**

- sample, preparation 8, 34, 39, 51, 53
  - pre-treatment 271
  - virtual 390
- sampling 75
- SD *see* standard deviation
- selectivity 52 ff, 172 ff, 260
- self-qualification 286, 290
- sensitivity 86 ff, 190
  - *see also* quantitation limit
- sensor 391
- Shewhart chart 278 ff
- signal-to-noise ratio 190
  - from the blank 108
- significance, of correlation coefficient 89
  - statistical 12, 66 f
  - tests 12 f, 29, 65, 77 f, 292 f
- simple comparison 291 f, 294
- SOP *see* standard operating procedure
- specific optical rotation 310
- specification 195, 265
  - functional 230, 234
  - internal 343
  - limit *see* acceptance limit, specification
  - operational 230, 235
  - out-of 28, 284, 366
- specificity 52 ff, 65, 201 f, 246, 249, 260, 304 f, 352

spectrophotometry 310  
 spiking 52, 67, 71, 75, 118  
 SRCL (specific residual cleaning limit) *see*  
 cleaning limit  
 SSC *see* system suitability check  
 SST *see* system suitability test  
 stability, cleaning method 77  
 – of test solutions 122, 249, 343  
 – as source of precision 49 ff  
 – studies 10, 276  
 standard addition 70, 312 f, 321 f  
 standard deviation 23, 25 ff, 36, 51, 68, 76,  
 78, 82, 107, 109, 160, 171, 191, 193, 249,  
 255, 266 ff, 277, 296 f, 321, 328, 358, 363,  
 381 f  
 – distribution of 26, 35  
 – equation 31, 33  
 – of means 11, 33  
 – residual 17, 50, 83, 88 f, 112, 249, 255  
 standard error, of prediction 70  
 – of the mean 28, 365  
 standard operating procedure (SOP) 234, 342  
 stationary phase 178 ff, 315  
 statistical confidence *see* error probability  
 statistical process control (SPC) 351 f, 364  
 stress studies 8, 54, 128  
 student-t-distribution 266  
 student-t-factor 28, 65  
 suitability 5, 8, 9 ff, 13, 50, 63, 70, 117, 201,  
 231, 243 f, 315, 388  
 – equipment 41  
 – lack of 41, 54, 88, 363  
 summary of fit 154, 157  
 swab 54, 75  
 symmetry 176  
 system precision 31 ff, 39, 41 ff, 49, 119,  
 191 ff, 208, 271  
 system suitability checking (SSC) 231, 238  
 system suitability test (SST) 31, 41, 49, 119,  
 151, 170 ff, 338 ff

**t**  
 target 36  
 target standard deviation 15 ff, 43, 78, 272 ff  
 thin-layer chromatography 318  
 titration 327 ff, 340  
 traceability 231, 238  
 training 286, 288 f

transfer 6  
 – method 43, 49, 188, 281 ff  
 – strategy 286 ff  
 trend, analysis 378 ff  
 – out-of 366  
 – trend test 123  
 trueness 359  
 TSD *see* target standard deviation  
 t-test 16, 64, 78, 92, 292

**u**  
 uncertainty 28, 30, 70, 73, 84 ff, 93, 148,  
 266 ff, 294, 363  
 – measurement 27, 241, 359  
 – relative 115 ff, 210  
 URS *see* user requirement specification  
 user requirement specification 231

**v**  
 validation 231  
 – analytically based control systems 394 ff  
 – characteristics 4, 303  
 – continuous 395 f  
 – during drug development 243 ff  
 – efficient 5, 247  
 – life-cycle 5 f, 14, 49, 396  
 – methodology 201 ff, 245  
 – pharmacopoeial methods 301 ff  
 – protocol 7, 54, 197 ff, 246  
 – simultaneous 7  
 – software 13, 197  
 – study 195 ff, 248 ff, 251 ff, 259 ff  
 validity 8, 119, 120, 395  
 p-value 65, 67  
 variability 361  
 – contribution 31 ff, 32, 45, 79, 92  
 – limit 25  
 – *see also* precision  
 variance *see* standard deviation  
 variation *see* precision

**w**  
 water determination 171  
 weighting factors 95 f

**z**  
 z scores 371 ff

