

# Index

---

**Note to the Reader:** Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

- 
- A**
- Absolute offset option, 327
  - Absolute Transform icon, 12
  - absolute value, 690
  - accuracy
    - caustic light, 513–514
    - Final Gathering, 515
    - global illumination, 507–509
    - motion blur, 504
    - scatter, 528
  - action analysis, 292
  - Action Safe line, 306
  - Activate Secondary Effector option, 281
  - active clips, 328
  - active follicles, **728**, 729, 745
  - active rigid bodies, 630, **646–650**, 647, 649–650
  - adaptive sampling, 461, 486–487
  - adaptive subdivisions, 530–531
  - Add Attributes For Current Render Type option, 665, 665
  - Add Cross Links option, 804
  - Add Floor Contact Plane option, 282
  - Add Full Body IK option, 280, 280
  - Add Keys tool, 84
  - Add New Toon Outline option, 538, 542, 546, 548–549
  - Add Renderable Camera option, 446–447
  - Add Secondary Effector option, 281
  - Add To Character Set option, 320
  - additive deformations, 210
  - Advanced Image Naming section, 459
  - Advanced Twist Controls, 754
  - Air Density setting, 796
  - air fields
    - cloth, 796–797, 809
    - creating, 670
  - Air Tightness setting, 803
  - Align Curves option, 171
  - Align Surfaces option, 171
  - All Absolute offset option, 327
  - All Relative offset option, 327
  - alpha channels, 459
  - Alpha Contrast setting, 488
  - Ambient lights, **349**, 349
  - Ambient Shade attribute, 349, 349
  - amplitude
    - atmosphere shading, 378
    - noise, 771, 783–784
    - textures, 713
  - Angle setting, 530
  - Angle Of View setting, 445
  - animated gobos, **368–370**, 369–370
  - animation, **53**, **237**
    - cameras, **440–444**
    - character. *See* character animation
    - cycled to curves, **254–256**, 255–257
    - Hammer and Nail project, **85–89**, 86–87
    - keyframe. *See* keyframe animation
    - lighting. *See* lights and lighting
    - materials, 72–77, 72–76
    - nonlinear. *See* nonlinear animation
    - objects
      - creating, **55–56**
      - modeling, **59–61**, 60–62
      - modes, **58–59**
      - node structure, **65–71**, 65–71
      - organization, **56–58**, 57–58
      - pivots and placement, **62–64**, 63–65
    - Paint Effects for, **615–617**
    - playback controls, 240–241, 241
    - project structure, **54–55**, 54
    - rendering frames, **91–94**, 91–92, 94
    - rigid body. *See* rigid body animation
    - types, **238**
  - Animation Clip option, 324–325
  - Animation menu set, 28
  - Animation Preferences dialog box, 298
  - Animation Start/End setting, 243
  - anti-aliasing settings
    - Maya Software, **460–461**
    - mental ray, **486–488**, 486, 493
  - anticipation pose, **301**, 301
  - appearances, tubes, **619–620**, 620
  - Append To Cache option, 749
  - Append To Polygon tool
    - head modeling, 191, 194–195, 195
    - joining arms to body, 132–133, 134
    - joining head to body, 211, 212
    - mouth modeling, 197, 197
  - application settings, 49
  - Approx Method setting, 529–531
  - Approx Style setting, **529–531**

- approximation, surface, **528–531**, 528, 531
  - Approximation Editor, 528–531, 528, 531
  - Area lights, 349
    - characteristics, **350**, 350
    - interactive placement, 348
    - mental ray, **492–495**, 492, 494
  - arms
    - Machismo character
      - cylindrical mapping, **411**, 412
      - polygonal modeling, **130–135**, 130–135
      - template for, **100–106**, 100–106
    - Mighty Muskrat character, **787–788**, 788
  - array variables, 567
  - aspect ratio, **448–450**
  - assembling characters, **211–213**, 212–213
  - Assign Fill Shader option, 537
  - Assign Hair Constraint option, 740
  - Assign Hair System option, 730
  - Assign Material Override option, 478, 478
  - Assign Material To Selection option, 376
  - Assign New Material option, 374
  - Assign Paint Effects Brush To Hair option, 751
  - Assign Paint Effects Brush To Toon Lines option, 545–546, 548, 550
  - asterisks (\*), MEL, 575
  - atmosphere shading, **374–379**, 376–379
  - Atmospheric fog type, 365
  - Attach Brush To Curves option, 543
  - Attach Curves option, 162
  - Attach Method setting, 162
  - Attach To Motion Path option, 550
  - attaching
    - curves and surfaces, 172, 172
    - engine to MacGizmo craft, **177–178**, 178–179
    - wing to MacGizmo craft, **179–180**, 180
  - Attenuation setting, 641–642
  - Attract To Matching Mesh constraint, 807
  - Attraction setting, 762
  - Attraction Damp setting, 744
  - attractors, fur, **772–776**, 773–775
  - Attribute Editor, 3, 12
    - animation, 243
    - anisotropic material, 394–395
    - anti-aliasing, 461
    - bump maps, 393
    - cameras, 441, 444–446, 449–451, 459
    - clips, 324, 327, 327
    - cloth, 808, 808
    - clouds, 378
    - compositing, 476
    - connected nodes, **29–31**, 30
    - fills, 537, 537
    - fluids, **705–714**, 705, 709, 712–713
    - fog, 362, 364–367
    - Full Body IK, 283
    - fur, 759, 761, 770–771, 771, 774
    - gaps, 614
    - goals, 674–675
    - hair, 733, 736, 746–747
    - IK solvers, 267–268, 270, 277
    - IPR, 472
    - keys, 239
    - lighting, 90, 351, 353, 355, 519
    - materials, 72–73, 77
    - mental ray, 492
    - motion blur, 454
    - multiple selections, 31
    - names, 56
    - nodes, 42, **70**, 71
    - Notes area, **32**
    - ocean effect, 718–719, 719
    - overrides, 479
    - parameterization, 146–147
    - particles, 665, 665, 667
    - Phong shader, 43, 43
    - pivot points, 64, 65
    - pond effects, 722
    - ramps, 382–383, 386
    - raytracing, 462–463
    - Rigid Body Solver, 634
    - scattering, 526
    - shaders, 399–400
    - shadows, 358, 360
    - stroke pressure, 614
    - surfaces, 164, 174
    - tessellation, 460
    - textures, 390
    - toon lines, 540
    - tubes, 618
    - view settings for, 16
  - Attribute Spread Sheet option, 454
  - attributes
    - array, **661**, 661–662
    - Channel Box, **15–16**
    - fur, **769–771**, 770–771
    - goal, **675–676**
    - keyable, 15
    - MEL, **558**, **560–562**
    - parent-child, 57
  - Auto Create Curve setting, 268
  - Auto Key option, 243, 253
  - Auto Keyframe animation, **81–82**, 81
  - Auto Load Selected Objects option, 314
  - Auto Render Clip Plane option, 459
  - automatic keyframing, 239
  - Automatic Mapping manipulator, 413, 413
  - Average Vertices option, 212, 234
  - Axial Dropoff setting, 366
  - Axis Rotation setting, 156
- 
- Back Shadow setting, 613
  - background
    - Final Gathering, 518
    - Hypergraph window, 36

- Bake Channel option, 254
- baking rigid body animation, **655**, 655
- balance
  - compression pose, 302
  - impact pose, 304
- baldness
  - fur, 762, 780, 780
  - hair, 752, 764–765
- ball animation, **242–243**
  - collision control, **638–641**, 639–641
  - creating balls for, **632–634**, 633
  - Dope Sheet, **245–246**, 245
  - keys, **247–251**, 247, 249–251
  - kinetic marbles, **651–654**, 651–654
  - leaning in, **252–253**
  - overview, **243–244**, 244
  - squash and stretch, **251–252**
- Barn Doors effect, 355–357, 356–357
- Base Ambient Color setting, 761
- Base Color setting, 761
- Base Curl setting, 762
- base objects, blend shapes, 210
- Base Opacity setting, 762
- Base Width setting, 762
- batch rendering, 93, **481**
- bend
  - cloth, 801–802
  - tubes, **625**
- biceps, Machismo character, 135, 136
- Billow texture, 714, 714
- binding
  - joints, **220–221**
  - Machismo character, **285–289**, 285–288
  - to skeletons, **261–262**, 262
- Bins tab, 40, 42
- Blend Shape option, 207–208
- blend shapes, **209**
  - assembling characters, **211–213**, 212–213
  - eyes, **225–227**, 226–227
  - full-head, **229–234**, 229–231, 233–234
  - lips, **223–225**, 224–225
  - modeling, **217–221**, 218
  - nose sneer, **222–223**, 222
  - overview, **210**
  - Paint Blend Shape Weights tool, 236, 236
  - smiles, **228**, 228
  - splitting head, **213–217**, 214–215, 217
  - weight blend, **235–236**, 236
- blended connections, 15
- blending
  - brushes, **600–601**, 600–601
  - clips, **329–333**, 330–331, 333
  - IK/FK, 271
- blinking, **225–227**, 226–227
- Blinn surface material, 72, 72
- blur
  - depth of field, 451–452
  - motion
    - adding, **453–455**, 455
    - mental ray, **500–504**, 501–502
    - shadows and raytracing, **501–504**
    - shadow map, 496
- Blur brush type, 590
- Blur By Frame setting, 454–455
- Blur Length setting, 454
- bodies
  - MacGizmo craft, **165–174**
  - Machismo character
    - mapping, **404–407**, 405–408
    - modeling, **106–113**, 106–113
    - rigid body animation
    - soft body dynamics, **676–680**, 679–680
- bones, rigging. *See* rigging
- Bookmark Current Objects option, 249
- Bookmark Selected Curves option, 249
- bookmarks
  - curves, 249
  - Hypergraph window, **36**
- books, illustrated, **294**
- boot, Machismo character, **412–416**, 413–416
- border toon lines, 540
- Both Fields option, 462
- Both Fields, Interlaced option, 462
- Both Fields, Separate option, 462
- bounce settings
  - cloth, 797, 800, 805
  - rigid bodies, 634
- bouncing ball. *See* ball animation
- Boundary setting for fluids, 706
- braces ({}), MEL, 581
- brackets ({}), MEL, 569, 572
- braids, **744**, 744
- branching
  - MEL, **571–574**, 571
  - tubes, **620–623**, 621–624
- Break Connections option, 15
- Break Light Links option, 354
- break statement, 573
- Break Tangent option, 176
- Break Tangents option, 250
- breakdown keys, **240**, **246**
- brightness
  - fills, 537
  - light, 346
- broken-bottle scar look, 207, 208
- Brush Attribute Editor, 608–609
- Brush Profile section, **598**
- Brush Type setting, 608
- brushes
  - in 2D, **596**, 596
  - blending, **600–601**, 600–601
  - Brush Profile section, **598**
  - Channels section, **597**, 597
  - Shading section, **599**
  - sharing and transferring, **605–606**, 606
  - tileable textures, **601**, 601

- Tubes section, **598–599**, 598
    - types, **596–597**
  - Paint Effects, **587–591**, 588, 590
- Buffer Curve Snapshot option, 250, 310, 310
- buffers, hardware render, **465–466**, 466, **666–667**, 667
- bullet animation, **643–646**, 643
- Bump Blur setting, 609
- Bump Intensity setting, 609
- bump maps, **392–393**
- buttons
  - creating, **577–578**
  - shelf, **151**
- By Character Map option, 335
- By Frame option, 458–459
- By Node Name option, 335

---

## C

- Cache Time Range options, 811
- caches
  - cloth, **810–811**, 811, **814–815**, **820**
  - hair, **749**, 749
  - particle, **672–673**
- Camera Aperture setting, 448
- Camera/Light Manipulator, 356, 356
- cameras
  - creating and animating, **440–444**
  - Final Gathering, 518
  - image planes and environment settings, **450**, 451
  - keyframe animation, 86, 86
  - movement terminology, 7
  - particles, 666
  - resolution, **447–450**, 448
  - setting, **446–447**, 446
  - in staging and posing, 305–306
  - undoing moves, **441**
  - video, **292–293**, 293
- canvas, **595–596**, 596
  - brushes. *See* brushes
  - Paint Effects, 591–592
  - wrapping, 601, 601
- Canvas Undo option, 596
- case sensitivity, 51
- case statement, 573
- Caustic And Global Illumination setting, 493, 512
- caustic light, **504–505**
  - adjusting, **513–514**
  - overrides, **514**, 514
  - overview, **511–512**, 512
- Caustics Accuracy setting, 514
- Caustics Override setting, 514
- center lines, 148, 302, 302
- center of gravity
  - compression pose, 302, 302
  - impact pose, 304, 304
  - moving hold pose, 303
- Center Of Interest/Origin mode, 356–357, 356
- Center Pivot setting, 160, 166, 737
- Center Shadow setting, 613, 613
- Center Zone, 27, 27
- chains, FK, 265–266, 265
- Chair\_mat material, 402
- Change Curve Color option, 248
- Channel Box, 3, 3, **12–14**, 14
  - animation, 243
  - attributes, **15–16**
  - cameras, 441–442
  - clips, 327–328
  - keys, 239
  - rigid bodies, 633
  - views, **16–17**, 16
- Channel Control window, 558
- channels
  - 2D canvas painting, 597, 597
  - dot notation for, 253
  - filters, **39**
  - keyframe animation, **80–81**
  - locking, **85**
  - Z-depth, **445**
- character animation, **291**
  - Joe Generic. *See* Joe Generic character
  - Machismo. *See* Machismo character
  - muskrat. *See* Mighty Muskrat character
  - nCloth. *See* Jack character
  - nonlinear, **320**
  - process, **295–296**
  - reference sources, **292–295**, 293
  - rigging. *See* rigging
- Character Set Selection menu, 19
- cheeks, Machismo character, 196, 196
- chest, Machismo character, 100–106, *100–106*, 135, *136*
- child objects
  - Outliner window, **31–32**
  - parent-child relationships, 57, 57
- Chord length parameterization, 381
- Circle Highlight setting, 538
- Circular Fillet tool, **155–158**, 157, 172, 177
- clamped tangents, 248
- Clean Topology option, 206–207
- Clear History option, 556
- Clip Final Shaded Color option, 464
- Clip Time feature, 329
- clipping planes, **444–445**, 445
- clips, **323–324**
  - blending, **329–333**, 330–331, 333
  - creating, **324–325**, 324, 326
  - editing, **326–329**, 326–329
  - sharing, **333–336**, 334–335
- Closest Distance bind method, 220
- cloth. *See* nCloth
- clouds
  - atmosphere shading, 378
  - disappearing, **723–726**, 723–726
  - eerie spectral cloud effect, **685–694**, 686–688, 693

- clumping settings
  - fur, 762
  - hair, 742–743, 743, 745–746
- cluster deformers, 262–263, 263
- cockpit, MacGizmo craft, 184–185, 185
- collisions
  - cloth, 795–799, 802–805
  - detecting, 645
  - hair, 735–737, 736–737, 747–748, 755, 755
  - particles, 671
  - rigid body animation, 637, 645, 649–650
  - Rigid Body Solver, 638–641, 639–641
- color, 49, 49
  - 2D brush, 599
  - animation curves, 248, 249
  - Channel Box attributes, 15
  - connections, 35
  - fills, 537
  - Final Gathering, 518
  - fluids, 699, 707, 711–712, 712
  - fog, 363
  - fur, 761, 768
  - hair, 750, 752–753
  - High Dynamic Range Images, 522, 524
  - IK/FK blending, 271
  - keys, 316–317, 316
  - light, 346, 351–352, 352, 509
  - metallic, 389–392, 390, 392
  - objects, 49, 49
  - particles, 666
  - ramp node, 383
  - rendering, 464
  - scattering, 528
  - shadows, 358, 358
  - skin, 287
  - sprites, 682
  - water, 720
- Color Based Transparency option, 363
- Color Chooser, 316–317, 316, 517
- Color Ramp setting, 351
- Colors window, 49, 49
- Combine option, 133, 137
- combing hair, 769, 769
- Command line, 19, 19, 47, 554
- commands
  - hot keys, 50–51, 50
  - MEL. *See* Maya Embedded Language (MEL)
- comments, MEL, 575–576
- Common Material Attributes section, 720
- Common tab, 456, 456, 467
- comparing renders, 471
- compiled programs, 554
- component mode, 9–10, 58–59
- Component To Component constraint, 807
- Composite And Keep Layers option, 480
- composition
  - light, 346
  - rendering, 472–480, 473, 475, 478
- compression pose, 302, 302
- Compression settings
  - animation, 310
  - cloth, 800
- Cone Angle setting, 350, 355
- Cone dropoff shape, 366, 366
- Cone Radius mode, 356–357, 356
- conflicts, name, 103
- Connected connections, 15
- connected nodes, 29–31
- Connected Only channel filter, 39
- connections and Connection Editor, 35, 35, 37, 38
  - Channel Box, 15
  - creating, 38
  - depth of field, 452, 453
  - editing, 38
  - filtering, 38–39
  - Hypergraph window, 33–35, 34–35
  - icons, 11
  - reflectivity, 386–387, 387
- Conserve setting, 664–666, 664–666
- constraints
  - attributes, 15
  - cloth, 795, 806–808, 807
  - collision, 735–737, 736–737
  - hair, 735–737, 736–737, 739–741, 740
  - rigid body animation, 651–654, 651–654
- construction history
  - icon, 11
  - NURBS, 164
  - polygons, 97
  - working with, 66–67, 66–67
- contact markers, 282, 282
- Contact Motion option, 636
- contact planes, 282
- contact pose, 304
- containers
  - fluids, 696–697, 697, 706
  - Hypergraph, 36, 37, 42, 374, 374
  - painting into, 714–716, 715–716
- Contents Details section, 709, 709
- Contents Method section, 706–707
- continuity
  - curves, 171–173, 171–173
  - surface, 170–173, 170–173
- contrast settings
  - anti-aliasing, 461
  - atmosphere shading, 378
  - mental ray, 487–488
- control curves, 606–607, 607
- control points, 188
- control vertices (CVs), 142–143
  - clusters, 262–263
  - rebuilding with, 167
  - skeletons, 261
- Convert Selection To Faces option, 214
- converting
  - 3D textures to file texture, 392, 392

- cycled animation to curves, **254–256**, 255–257
  - Paint Effects to 3D geometry, **626–627**
  - rigid body animation to keyframes, **655**, 655
- coordinates, NURBS curves, 142
- copying
  - clips, **334–335**, 334–335
  - follicles, 733
  - render layers, 474
- creases
  - subdivision surfaces for, 204, 205
  - toon lines, 540–541, 541
- Create/Bins panel, **40–41**
- Create Cache option, 749
- Create Character Set option, 320–321
- Create Clip Options box, 324–325, 324
- Create Constraint option, 740
- Create Container option, 374
- Create Curve On Surface option, 156
- Create Geometry Cache Options box, 337, 337
- Create Hair Options window, 731, 731, 772–773, 773
- Create Layer From Selected option, 475, 478–479
- Create Layer Override option, 477
- Create mental ray Nodes option, 492
- Create menu, 7, 55–56
- Create nCache Options box, 810–811, 811
- Create New Cache option, 337, 810
- Create New Material Override option, 479
- Create Physical Sun And Sky option, 520
- Create Polygon tool, 191, 193
- Create PSD Network Options box, 435, 435
- Create Reference option, 335
- Create Render Node window, 43, 43, 489
- Create tab, 40–41
- creation nodes, 30
- creation particle expressions, **662–663**
- Crossover Push setting, 805
- crumpling setting, 800
- cubes
  - collision, **640–641**, 640–641
  - dropoff shape, 366, 366
- Cubic decay rate, 353
- cubic NURBS curves, 142–144, 143–144
- Curl Frequency setting, 742
- curly braces ({}), MEL, 581
- curly hair, **742–743**, 743
- Current hair position, **728–729**, 741
- Current Time Indicator, 18, 241
- Current Tool Display icon, 14
- Curvature Based Width Scaling option, 544
- curvature (G2) continuity, **170–171**, 170
- Curve Attract setting, 607
- curve attractors, **772–776**, 773–775
- Curve Degree setting, 149, 273
- curve display mode, 586, 586, 594, 594
- curve flow effect, **681–683**, 682–683
- Curve Follow setting, 607
- Curve Indices setting, 736
- Curve Tolerance setting, 467

- curves
  - 3D Paint Effects, **606–607**, 607
  - attaching and detaching, **172**, 172
  - color, 248, 249
  - continuity, **171–173**, 171–173
  - converting cycled animation to, **254–256**, 255–257
  - Graph Editor, 45, **82–85**, 83–85
  - hair, 736, **742**, **751–752**, 752
  - NURBS, **142–144**, 142–144
    - linear, **98–100**, 100
    - parameterization, **144–147**, 146–147
  - proto-structure for skeleton, **272–274**, 273
  - rebuilding, 131–132, **131–132**, 146–147, 147, 149–151, 167
    - vector rendering, 467
- Curves Per Fur setting, 775
- Custom Equalizer setting, 762
- custom mental ray shaders, **489–492**, 489, 491
- Custom Polygon Display Options box, 96, 96
- customizing
  - interfaces, **47–52**, 48–52
  - menu sets, **28**, 29
- Cut Faces tool, 108, 116, 127
- CVs (control vertices), 142–143
  - clusters, 262–263
  - rebuilding with, 161–162, 167
  - skeletons, 261
- cycled animation, curves from, **254–256**, 255–257
- cycles
  - clips, 327
  - walk, **341–343**, 342–343
- cylinders, binding, 261, 261
- cylindrical mapping, 408–409, 409
  - arm, **411**, 412
  - boot, **412–416**, 413–416
  - glove, **416–421**, 416, 418–419, 421

**D**

- DAG nodes, 30, 33
- damping settings
  - cloth, 801–803
  - fluids, 708
  - hair, 747
  - rigid bodies, 634
- Dark Profile setting, 538
- debugging MEL scripts, **574–575**, 574
- Decay mode, Light Manipulator, 356–357, 356
- Decay Rate settings, lighting, 353, 353, 506
- Decay Regions effect, 355, 356
- declarations, variables, **567–569**
- Default In tangent, 298, 313
- Default Out tangent, 298, 313
- default statement, switch, 573
- defaults
  - lights, 460, 485
  - Maya screen, 2, 2
  - resetting, 2
  - setting, **47–49**, 48

- Deflection setting, 625
- Deform Resistance setting, 801
- deformers
  - cloth, 814
  - cluster, **262–263**, 263
  - lattice, **263–264**, 264
  - skeletons, **260–262**, 261–262
  - tubes, 623
  - wrap, **229–230**, 232
- Degree 1 Linear NURBS curves, 142–144, 143–144
- Degree 2 NURBS curves, 142–144, 143–144
- Degree 3 Cubic NURBS curves, 142–144, 143–144
- Delaunay option, 530
- Delete Edge/Vertex option, 128
- Denormalize function, 45
- density settings
  - fluids, 698, 706, 715, 716
  - fog, 366
  - fur, 761, 768
  - points, 515
- depth channels
  - 2D canvas painting, 597, 597
  - Z-depth, **445**
- depth compositing feature, 450
- depth-map shadows, **358**
  - color, **358**, 358
  - disk-based, **359–360**
  - fog, 364
  - hair, 753
  - Paint Effects, 612
  - size and resolution, **358–359**, 359
- depth of field, **451–453**, 453
- Depth Shadow setting, 613
- Depth Shadow Depth setting, 613
- Derive From Maya option, 496
- descriptions, fur, 758, **761–762**, 763
- detaching
  - curves and surfaces, 130, 155, 161, 161, **172**, 172
  - fur attribute maps, 771
  - skin, 262
- Detail Level Preset setting, 467
- Detail shadow map option, 496–499, 503–504
- details
  - Final Gathering, 515
  - Machismo character, **203–207**, 205–206, 208
- device aspect ratio, 448
- Diffuse setting, 475, 479
- digital video cameras, **292–293**, 293
- dimensions, UV maps, **408–409**, 409–410
- direct lighting, **510–511**, 511
- direction
  - fur, **769**, 769
  - NURBS curves, 142–143
  - surface, **96–97**, 96
- Directional lights, 89–90, 89–90, 349
  - characteristics, **350**, 350
  - interactive placement, 348
  - mental ray, 492
- Disable Collision constraint, 808
- Disable Evaluation option, 709
- Disable Solver Gravity option, 802
- disabling clips, 328, 330
- disappearing cloud effect, **723–726**, 723–726
- disk-based Dmaps, **359–360**
- displacement, tubes, **623**, 624
- displacement mapping
  - 3D Paint Effects, **608–609**, 608–609
  - mental ray, **531–532**, 531–532
- display
  - connection, **38–39**
  - fluids, **707–708**
  - layers, 17
  - settings, 47
  - shortcuts, 23
- Display Film Gate option, 449
- Display Key Ticks menu, 241
- display layers, 17
  - objects, **58**, 58
  - rendering, 477
- Display menu, 7
- Display Resolution option, 449
- Display Velocity option, 636
- distance settings
  - focus, 452
  - path, 614
  - rigid bodies, 642
  - surface approximation, 530
  - wrap deformers, 230
- Distance tool, 452
- distribution, light, 346
- divisions, tessellation, 608
- Dmap Bias setting, 753
- Dmap Filter Size setting, 753
- Dmap Resolution setting, 358
- do - while loops, 570
- dollar sign (\$) symbol for variables, 567
- dollying, 6
  - camera moves, 7
  - zoom technique, 445
- dome lights, 434
- Dope Sheet
  - ball animation, **245–246**, 245
  - character animation, 313–314
- dot notation (.), 253
- drag-and-drop fluids, **699–702**, 699–702
- Drag setting
  - cloth, 800
  - hair, 747
- Draw As Mesh setting, 594
- Draw Collide Width setting, 747
- drift, spline, 248
- drive wheels, **153–160**, 153–155, 157–160
- drop shadows, 612, 612
- Dropoff setting, 285, 350, 355
- dropoff shapes
  - fluids, 711
  - Volume Fog, 366, 366

Duplicate, Make Copy Soft option, 677  
 Duplicate, Make Original Soft option, 677  
 Duplicate Special option, 156, 163  
 Duplicate Surface Curves option, 171, 751  
 DVDs, 293  
 Dynamic Friction setting, 634  
 dynamic range, 523, 523  
 dynamics and Dynamic Relationships window
 

- animation, 238
- cloth, **800–802**, 801–802
- collisions, 639
- fluids, **708–709**
- hair, 730, **747**, **751–752**, 752
- particles, 670
- rigid bodies, 632–634, 633
- soft bodies, **676–680**, 679–680

 Dynamics menu set, 28

---

## E

ears
 

- Machismo character
  - creating, 201, 202
  - mapping, **426–427**, 426
- Mighty Muskrat character, **786**, 787

 Ease In blend option, 331  
 Ease In and Ease Out blend option, 331  
 Ease Out blend option, 331  
 East Zone, 26–27, 27  
 Echo All Commands option, 556  
 Edge Anti-Aliasing menu, 460–461  
 Edge Dropoff setting
 

- fluids, 711
- fog, 366

 Edge Loop tool, 114–116, 116, 407  
 edges
 

- fluids, 711
- fog, 366
- HUD for, 123
- softening and sharpening, 139, 150, 150, 213
- UV, 414, 414
- vector rendering, 468

 Edit menu, 7  
 edit points (EPs), 142, 145–147, 146  
 Edit Template Brush option, 592  
 editing
 

- in Channel Box, **15–16**
- clip blends, **332–333**, 333
- clips, **326–329**, 326–329
- connections, **38**
- fluids, **705**
- keys, **247–251**, 247, 249–251
- subdivision surfaces, 189

 effectors
 

- end, 265–266
- hik, 279
- pinning, **283**
- secondary, 281, 281

effects
 

- cloud
  - disappearing, **723–726**, 723–726
  - erie spectral, **685–694**, 686–688, 693
- fog, **362–366**, 362–366
- lighting, **355–357**, 356–357
- ocean, 696, 700–701, **700–701**, **717–721**, 717–721
- Optical FX shader, **367–368**, 367–368
- paint. *See* Paint Effects
- particles for, **659**
- pond, 701, **701**, **722**, 722

 Effects animation, 238  
 elbows, Machismo character, 135, 136  
 Elevation Max setting, 620  
 Elevation Min setting, 620  
 else statement, 572  
 else if statement, 572  
 Emit Light option, 524  
 Emit Photons option, 512, 518  
 emitters
 

- fluids, 702–703, 703–704
- mental ray, 495
- particles, 659

 Enable Clip option, 330  
 Enable Default Light option, 460  
 Enable Depth Maps option, 464  
 Enable Map Visualizer option, 509  
 Enable Stroke Rendering option, 465  
 end effectors, 265–266  
 End Frame setting, 457  
 End Length setting, 774–775  
 End Sweep Angle setting, 152  
 endoskeletons, 263  
 endVertexOffset setting, 129  
 engine, MacGizmo craft
 

- attaching, **177–178**, 178–179
- creating, **160–165**, 161–165
- engine cowl, **381–393**, 381–392

 Enter key, Script Editor, 557  
 envelopes, blend shapes, 210  
 environment camera settings, **450**, 451  
 Environment Fog, 362, **364–366**, 364, 463  
 environmental mapping reflection, **384–385**  
 EP Curve Tool, 100–101, 149, 273  
 EPs (edit points), 142, 145–147, 146  
 Erase brush type, 590  
 Evaluate Every Frame field, 811  
 Evaluation Order menu, 804  
 Exclude Collision Pairs constraint, 808  
 exoskeletons, 263  
 Exponential fog type, 362  
 exporting clips, **336**  
 exposure levels, HDRI images, **524–525**, 524  
 Expression Control connections, 15  
 Expression Editor
 

- ocean effect, 721
- particles, 661–663, 662

 Extend operations, 741

Extract option, 166, 214  
 extruding polygons, **123–126**, 124–127  
 Eye\_Closed blend shape, 225  
 Eye\_Wide\_Open blend shape, **226–227**, 227  
 Eyebrow\_Up blend shape, 227, 227  
 eyebrows, **198**, 199  
 eyelids  
   Machismo character, 199–200, 200  
   toon lines, 540–541  
 eyes, Machismo character  
   blinking, **225–227**, 226–227  
   cavity, 193–195, 193–194, **200**, 200

---

**F**

F Stop setting, 452  
 Face Normals option, 133  
 Facing Ratio Ramp technique, 388  
 fake shadows, 612–613  
 Fast Drop Off option, 363  
 FBIK (Full Body IK)  
   nonlinear animation, **338–344**, 338–344  
   setup, 270  
   skeleton, 274–277, 275, **279–284**, 280–282  
 feedback  
   fur settings, **759–761**, 760  
   Script Editor history, 47  
 Feedback line, 481, 574, 574  
 feet, Joe Generic character, **313–316**, 314–315  
 FG (Final Gathering)  
   global illumination, **517–519**, 518  
   indirect illumination, **505**, **514–519**, 515–516, 518  
   settings, **515–517**, 516  
 Field Options section, 462  
 fields  
   cloth, **808–810**, 808–809  
   Maya Software rendering, **461–462**  
   particles, **668–672**, 669, 672  
   rigid body animation, **641–646**, 642–643  
   television, **458**  
 Fields Use Selected As Source Of Field option, 809  
 file management for shaders, 375  
 File menu  
   main menu bar, 7  
   Render View window, 470  
 File Name Prefix field, 91, 456  
 Files/Projects settings, 48  
 fill lights, **347**, 348  
 Fillet Blend tool, 155, 169, 169, 171, 171  
 fills  
   toon shading, **536–540**, 537–539  
   vector rendering, 468  
 film  
   aspect ratio, 448  
   subdivision surfaces for, 188  
 Film Back, 447, 449  
 Film Gate, 447, 449

filters  
   connection display, **38–39**  
   depth-map shadows, 359, 753  
   Multilister, 40  
 Final Gathering (FG)  
   global illumination, **517–519**, 518  
   indirect illumination, **505**, **514–519**, 515–516, 518  
   settings, **515–517**, 516  
 Fine option, 530–531  
 Finite mode, image-based lighting, 519  
 first-degree NURBS curves, 142–144, 143–144  
 fixed tangents, 248  
 FK (Forward Kinematics)  
   overview, **264–265**, 265  
   switching with IK, **270–271**, 271  
 flag waving simulation, **793–796**, 794–796  
   nCloth properties, **798–806**, 799–804, 806  
   Nucleus Solver properties, **796–798**, 797  
 flags, MEL, 556, 560  
 Flare Col Spread setting, 368  
 Flare Color setting, 368  
 flat tangents, 248  
 flexibility, tube, 625  
 flicker, 461, 515  
 float variables, 567  
 floating menus, 8  
 floating objects, 720–721, 720  
 flow animation, **616**  
 Flow Speed clip, 616  
 flowers, **621–622**, 622–623  
 fluids, **695**  
   2D, **702–703**, 703  
   3D, **704**, 705  
   attribute sections  
     Color, **711–712**, 712  
     Container Properties, **706**  
     Contents Details, **709**, 709  
     Contents Method, **706–707**  
     Display, **707–708**  
     Dynamic Simulation, **708–709**  
     Grids Cache, 710  
     Incandescence, 712, 712  
     Lighting, **714**  
     Opacity, **712**  
     Shading, **710–711**, 712  
     Shading Quality, **712**  
     Surface, **710**, 711  
     Textures, **713–714**, 713–714  
   drag-and-drop, **699–702**, 699–702  
   editing, **705**  
   interactions, 698, **703**, 704  
   ocean effect, **717–721**, 717–721  
   overview, **696–699**, 697  
   painting into containers, **714–716**, 715–716  
   pond effects, **722**, 722  
 foam  
   ocean effect, 721  
   pond effects, 722

focal length setting, 445  
 focus, depth of field, 451–452  
 Focus Distance setting, 452  
 Focus Region Scale setting, 452  
 Fog Axis setting, 365  
 fog effects  
   Environment Fog, **364–366**, 364  
   Light Fog, **363–364**, 364  
   mental ray, **499–500**, 500  
 Fog Intensity setting, 362, 363  
 Fog Spread setting, 362, 362  
 folders, project, 54  
 follicles, hair  
   active and passive, **728**, 729, 745  
   creating, **734–735**, 734–735  
   painting, **731–732**, 732  
   positions, **728–729**  
 for - in loops, **569–570**, 570  
 Force Field constraint, 807  
 forces  
   cloth, 796  
   hair, **738**, 738  
   tubes, **624–625**, 625  
 forehead, Machismo character, **198**, 199  
 formats, image names, 456–457  
 Forward Kinematics (FK)  
   overview, **264–265**, 265  
   switching with IK, **270–271**, 271  
 forward slashes (*/*), MEL, 575  
 Forward Twist option, **604**  
 four-panel layout, 4, 5  
 Frame All option, 23  
 Frame/Animation Ext menu, 456–457  
 Frame Padding setting, 459  
 Frame Selection setting, 23  
 frames, rendering. *See* rendering  
 Free Tangent Weight option, 250  
 Freeform Fillet tool, 155  
 Freeze Transformations option, 647  
 frequency  
   hair, 747  
   and wavelength, **719**  
 friction settings  
   cloth, 800  
   fluids, 708  
   hair, 747  
   particles, 671  
   rigid bodies, 634, 650  
 front wheels, **149–153**, 150, 152  
 Fuel setting, 699, 709  
 Full Body IK (FBIK)  
   nonlinear animation, **338–344**, 338–344  
   setup, 270  
   skeleton, **274–277**, 275, **279–284**, 280–282  
 Full Crease Edge/Vertex option, 204, 205  
 full-head blend shapes, **229–234**, 229–231, 233–234  
 Full motion blur motion, 502  
 full-screen perspective, 4, 4

fur, 757  
   arms, **787–788**, 788  
   attractors, **772–776**, 773–775  
   attribute maps, **769–771**, 770–771  
   creating, **758**, 759  
   descriptions, 758, **761–762**, 763  
   direction, **769**, 769  
   ear, **786**, 787  
   feedback settings, **759–761**, 760  
   haircut, **764–769**, 765–769  
   head, **777–782**, 778–783  
   legs, **788**, 789  
   mental ray rendering, **784–785**, 785  
   motion, **771–776**, 773–775  
   shadows, **783–784**, 784  
   tail, **789**, 790

---

**G**

Gamma setting, 464  
 gaps, 3D Paint Effects, **614–615**, 615  
 garden gnome, **670–673**, 672  
 gel, hair, **744**  
 General tab  
   Color Chooser, 317  
   Multilister, 40  
 Geometric anti-aliasing, 460  
 geometry  
   hair, **751–752**, 752  
   nonlinear animation cache, **337–338**, 337–338  
   painting onto, **603**, 603  
   skeleton elements, 261  
 Geometry constraint, 219  
 Geometry Matte setting, 475  
 Get Brush option, 589, 592  
 Get Hair Example option, 732  
 getAttr statement, 560  
 Glass\_mat material, 402  
 global illumination (GI), **504–507**, 506–507, 509–511  
   with caustics, **513**  
   controlling, **507–508**, 508  
   direct lighting, **510–511**, 511  
   Final Gathering, **517–519**, 518  
   Map Visualizer and irradiance, **509**, 510  
   quality and mood, **508–509**  
 Global Scale setting, 761  
 Global Stitch option, 172  
 globe shading, **374–379**, 376–379  
 glove, **416–421**, 416, 418–419, 421  
 glow  
   3D Paint Effects, **611–612**, 611  
   Optical FX shader, 367–368, 367  
 Glow Linear effect, 367  
 Glow Star Level setting, 368  
 gnome, **670–673**, 672  
 Go To Bind Pose option, 220, 223, 225–226  
 Go To Stance Pose option, 288

- goals
    - particles, 669, 672, **673–676**
    - soft body objects, **678**, 679
  - gobos
    - animated, **368–370**, 369–370
    - creating, **352**, 352
  - Gradient settings, 707, 707
  - Graph Anim Curves option, 329, 332, 335
  - Graph Editor, **44–46**, 44–45
    - clips, 328–329, 329
    - cycled animation conversion, 254–256, 255–257
    - keyframe animation, **82–85**, 83–85, 242
    - keys, 239, **247–251**, 247, 249–251
    - timing, **308–310**, 309
  - Graph Materials On Selected Objects option, 372
  - graphical user interface (GUI) window, **576–580**, 577, 580
  - Grasses option, 598
  - gravity
    - cloth, 794, 797, 802, 809–810
    - compression pose, 302, 302
    - fluids, 708
    - hair, 747
    - impact pose, 304, 304
    - kinetic marbles, 653–654
    - moving hold pose, 303
    - particles, 669
    - rigid bodies, 632–633, 635, 644, 648, 650
    - tubes, 625
  - grid
    - fluids, 710
    - interface, 3, 3, 5
    - surface approximation, 530
  - Grid Interpolator, 709
  - Grids Cache section, 710
  - grooves, bump maps for, **392–393**
  - Ground Height setting, 747
  - groups
    - names, 103
    - Outliner window, 31
    - overview, 57
  - growth, tubes, **620**, 620
  - GUI (graphical user interface) window, **576–580**, 577, 580
- 
- ## H
- hair, **727–728**
    - braids, **744**, 744
    - caches, **749**, 749
    - collisions, **735–737**, 736–737, **747–748**, **755**, 755
    - constraints, **735–737**, 736–737, **739–741**, 740
    - creating, **729–731**, 731
    - curly and wavy, **742–743**, 743
    - curves, 736, **742**, **751–752**, 752
    - dynamics, **747**
    - follicles
      - active and passive, **728**, 729
      - creating, **734–735**, 734–735
      - painting, **731–732**, 732
      - positions, **728–729**
    - forces, **738**, 738
    - fur, **764–769**, 765–769, **771–776**, 773–775
    - geometry, **751–752**, 752
    - length, 732, **741**, 747
    - lighting and shadows, **752–753**
    - Machismo character, 201–202, 202
    - performance, **748**
    - presets and transplants, **732–733**, 733
    - rendering, **750–753**, 750, 752
    - simulation method, **748**
    - skeletal systems, 753–756, 754–756
    - styling, **737**
    - textures, **752**
    - thickness, **745–746**, 745–746
    - turbulence, **747**
    - visibility, **748**
  - Hair Bunch constraint, 739, 740
  - Hair Color Scale setting, 750
  - Hair-to-Hair constraint, 739, 740
  - Hairs Per Clump setting, 744–746
  - half frames, television, 458
  - Halo effect, 367, 367
  - Hammer and Nail project, 85
    - animating, **85–89**, 86–87
    - lighting, **90–91**, 90
    - materials, **76–77**, 76
    - objects
      - modeling, **59–61**, 60–62
      - node structure, **68–71**, 68–71
      - pivots, **63–64**, 64–65
    - rendering, **93–94**, 94
    - setup, 55
  - hand, Machismo character
    - glove, **416–421**, 416, 418–419, 421
    - preparing, **137–138**, 137–138
  - handle object, 60, 61
  - handle vectors, 265–266
  - handles, key tangent, 247
  - Hardware Render Buffer, **465–466**, 466, **666–667**, 667
  - Hardware Texturing option, 682
  - Harryhausen animation style, 453
  - HD (High Definition) video, 188
  - HDRI (High Dynamic Range Images), **521–525**, 522–524
  - head
    - hammer, 59, 60
    - Joe Generic character, **316–318**
    - Machismo character
      - blend shapes, **217–221**, 218, **229–234**, 229–231, 233–234
      - mapping, **422–427**, 423–426
      - modeling, **191–196**, 191–196
      - nose sneer, **222–223**, 222
      - splitting, **213–217**, 214–215
      - weight blends, **235–236**, 236
    - Mighty Muskrat character, **777–782**, 778–783

- head joint, 276
  - Heads Up Display (HUD)
    - information in, 123
    - Light Manipulator in, 356, 356
  - height settings
    - animation, 243
    - collision ground, 747
    - resolution, 448
    - waves, 718–719
  - help
    - curve parameterization, 145
    - MEL, 19, 19, 562–564, 564
    - tooltips, 47
  - Help menu, 8
  - Hidden channel filter, 39
  - hierarchies
    - scene, 56–57, 57
    - subdivision surfaces, 188
  - Hierarchy Mode icon, 10
  - High Definition (HD) video, 188
  - High Detail Solve option, 709
  - High Dynamic Range Images (HDRI), 521–525, 522–524
  - High Quality anti-aliasing, 461
  - High Sample Limit setting, 494–495
  - High Samples setting, 495
  - High Seas shader, 700–701, 700–701
  - Highest Quality anti-aliasing, 461
  - Highlight Selection Mode icon, 10
  - hik (human IK) solver, 270, 279
  - hinge joints, 261
  - hip joint, 276
  - Hip Translation Mode setting, 283
  - history
    - construction
      - icon, 11
      - NURBS, 164
      - polygons, 97
      - working with, 66–67, 66–67
    - Paint Effects, 627
    - Script Editor feedback, 47, 555–556, 555
  - holes in cloth, 802
  - hotbox, 26–27, 27
  - Hotkey Editor, 50–51, 50
  - hotkeys
    - display, 23
    - playback controls, 240
    - Sculpt Geometry tool, 207
    - settings, 50–51, 50
    - Subdiv Proxy option, 110
  - hubcaps, 153–154, 154
  - HUD (Heads Up Display)
    - information in, 123
    - Light Manipulator in, 356, 356
  - hulls, 142
  - human IK (hik) solver, 270, 279
  - Hypergraph window, 32, 33
    - bookmarks, 36
    - cloth, 792, 793
    - connections, 33–35, 34–35
    - containers, 36, 37
    - history pane for, 556–557
    - layout, 36, 36
    - nodes, 68–70, 68–70
    - surface approximation, 529
    - traversal depth, 36, 37
  - Hypershade window, 40, 41
    - Create/Bins panel, 40–41
    - fog effects, 362
    - materials, 72–77, 72–76
    - mental ray, 489
    - nodes, 40–43, 41–43, 72–75, 73–75
    - physical lighting, 521
    - render node display area, 42
    - textures, 372–374, 373–374, 402
    - work area, 42, 42
    - working with, 43, 43
- 
- IBL (image-based lighting), 519–520, 519–520
  - IBL Attribute Editor, 524
  - if statement, 571–572, 571
  - IFF format, 465
  - Ignition Temperature setting, 709
  - Ignore Film Gate option, 464
  - IK. *See* Inverse Kinematics (IK)
  - IK/FK blending, 271
  - IK handles, 265–267, 269
  - IK solvers, 265, 268, 268
  - ikBlend setting, 271
  - ikRP solver, 265–267, 266
  - ikSC solver, 267, 267
  - ikSpring Solver tool, 269–270, 269–270
  - Illuminates By Default option, 353, 518
  - illumination. *See* lights and lighting
  - illustrated books, 294
  - image-based lighting (IBL), 519–520, 519–520
  - Image File Output section, 91, 93
  - image planes, 450, 451
  - Image Size section, 91, 447, 460
  - images
    - aspect ratio, 448
    - HDRI, 521–525, 522–524
    - Maya Software quality, 460–461
    - textures, 73, 75, 75
  - impact pose, 304, 304
  - implicit UVs, 381
  - implicit variable declarations, 569
  - Implode setting, 713
  - Import Animation Clip option, 336
  - imported video aspect ratio, 450
  - importing
    - clips, 336
    - materials, 402
  - impulses, 641–646, 642–643
  - inbetweens, 247

- Incandescence settings
    - 2D brush, 599
    - fluids, 712, 712
  - Inclination setting, 762, 763
  - Incompressibility setting, 803
  - incremental saves, 54–55
  - Index Manipulator, 356
  - index of refraction (IOR) setting, 488
  - indirect illumination
    - caustic light, 504–505, 511–514, 512, 514
    - Final Gathering, 505, 514–519, 515–516, 518
    - global illumination, 504–511, 506–511
    - irradiance, 505
  - Infinite setting, image-based lighting, 519
  - Infinity option, curves, 249, 250
  - infrasampling, 487
  - initial timing process, 307–308, 308
  - initial velocity, 634, 645
  - Initial Weight Curve section, 331
  - initializing variables, 568
  - Input Attract Damp setting, 801
  - Input Box, 12
  - input connections icons, 11
  - Input Mesh Attract setting, 801
  - input pane, Script Editor, 555, 555, 557–558
  - Inputs Only channel filter, 39
  - Insert Edge Loop tool, 115, 196–197, 197
  - Insert Isoparms option, 179
  - Insert Knot option, 145
  - Insert Location option, 145
  - Insert Pose option, 322–323
  - instances
    - particles, 683–684, 684
    - Trax Editor, 323
  - int variables, 567
  - integer breakdown key values, 246
  - intensity
    - bump factor, 609
    - fog, 362, 363
    - hair, 747
    - light, 346, 352
  - interactions
    - fluids, 698, 703, 704
    - ramp shaders, 779
  - interactive display mode, 593–594
  - interactive light placement, 348, 348
  - interactive object creation, 58–59
  - Interactive Photorealistic Rendering (IPR), 93, 347, 471–472
  - Interactive Playback option, 738
  - interface, 1–2, 1
    - Attribute Editor window, 29–31, 30
    - Channel Box, 14–17, 14
    - Command line/Help line, 19, 19
    - Connection Editor, 37–39, 38
    - customizing, 47–52, 48–52
    - Graph Editor, 44–46, 44–45
    - GUI window, 576–580, 577, 580
    - Hypergraph window, 32–35, 33–37
    - Hypershade window, 40–43, 41–43
    - Layer Editor, 17–18, 17
    - menu bar, 6–8, 6, 8
    - Multilister, 39–40, 39
    - navigating, 6
    - Outliner window, 31–32, 32
    - overview, 2–3
    - polygonal modeling, 99
    - Script Editor, 46–47
    - shelf, 13, 13
    - Status line, 8–13, 9
    - tear-off menus, 8, 8
    - Time Slider/Range Slider, 18–19, 18
    - Tool Box, 13–14, 13
    - view panels. *See* view panels
    - workspace, 4–5, 4–5
  - interlacing, television, 458
  - interpolation
    - fluids, 709
    - keys, 247
    - turbulence, 626
  - interpreted programs, 554
  - Intersect Curves option, 161
  - Intersect Surfaces option, 181, 185
  - intersection toon lines, 540–542
  - Inverse Kinematics (IK), 264–265, 265
    - human IK solver, 270
    - IK Spline handle solver, 268, 268
    - ikRP solver, 265–267, 266
    - ikSC solver, 267, 267
    - ikSpring Solver, 269–270, 269–270
    - switching with FK, 270–271, 271
  - inverted joint orientation, 278, 278
  - IPR (Interactive Photorealistic Rendering), 93, 347, 471–472
  - IPR Options section, 465
  - IPR Render Current Frame option, 347
  - IPR Render Current View option, 12
  - irradiance
    - Final Gathering, 516
    - global illumination, 509, 510
    - indirect illumination, 505
  - isoparms, 148
  - isotropic materials, 72
  - Iterations setting, 747
- 
- Jack character, 812–813, 812
    - animation evaluation, 813–814
    - beauty cloth, 820–821
    - caching, 814–815, 820
    - cloth setup, 815–818, 817–818
    - settings, 819, 819
  - jiggling motion, 677–680, 679–680
  - jitter settings
    - Maya Software, 464
    - mental ray, 487–488

Joe Generic character, **296**, *297*

- anticipation pose, **301**, *301*
- compression pose, **302**, *302*
- contact pose, **304**
- feet, **313–316**, *314–315*
- head, **316–318**
- impact pose, **304**, *304*
- moving hold pose, **302–303**, *303*
- refining, **312–313**
- relax pose, **299–301**, *299*
- setup, **297–298**, *297*
- staging and posing, **305–306**
- stand pose, **304–305**
- timings, **306–312**, *308–309*, *311*
- top pose, **304**
- uncoil pose, **303**, *303*

jogging, *241*

joining polygons, **132–135**, *133–135*

joint chain planes, *266*

Joint tool, *218*, *260*

jointFlip script, *278*, *278*

joints

- blend shapes, **218–221**, *218*
- rigging. *See* rigging
- rotation axis, *273*

---

Keep CVs option, *149*, *161–162*

Keep Faces Together option, *124*, *214*

Keep Image In Render View option, *471*

Keep Layers option, *480*

Keep New Faces Planar option, *133*

Keep to CVs option, *147*

key lights, **347**, *348*

Key Selected option, *239*, *239*

key tangent handles, *247*

Key Ticks setting, *243*

keyable attributes, *15*

keyframe animation, **78**, *78*, **238**

- Auto Keyframe, **81–82**, *81*
- ball animation. *See* ball animation
- channels, **80–81**
- Graph Editor, *45*, **82–85**, *83–85*, *242*
- keys, **239–240**, *239*
- locking, **85**
- Range Slider, **242**
- from rigid body animation, **655**, *655*
- S approach, **79–80**, *79–80*
- Time Slider, **240–241**, *240–241*
- work flow, **242**

Keyframed attribute connections, *15*

keys

- creating and editing, **247–251**, *247*, *249–251*
- initial timing process, **307–308**
- keyframe animation. *See* keyframe animation
- scaling, **311**
- tangent, **247–248**, *250–251*

---

## K

kicker lights, *347*

Kill Pitch attribute controls, *284*

kinesthetic awareness, *294–295*

kinetic marbles, **651–654**, *651–654*

knee, Machismo character, **127–130**, *128–130*

knots, *142*, *145–147*, *146*

---

labels, joint, *277*

lags, animation, *313*, **316–318**, *317*

Lambert surface material, *72*, *72*

laser sword effect, **659**

- Conserve setting, **664–666**, *664–666*
- Hardware Render Buffer, **666–667**, *667*

Lasso Select icon, *14*

Lattice Deform Keys tool, *254*, *256*, *256*

lattice deformers, **167–168**, *168*, **263–264**, *264*

layers and Layer Editor, *3*, *3*, *14*, *14*, *17*, *17*

- animation, *243*
- collision, *798*
- display, *17*, **58**, *58*, *477*
- names, *103*
- render, **18**
- rendering, **472–480**, *473*, *475*, *478*

layout

- four-panel, *4*, *5*
- Hypergraph window, **36**, *36*
- MEL commands, *577*
- UV maps, **427–432**, *428–433*

Leaf Primitives setting, *464*

leaning in ball animation, **252–253**

Leave Keys In Timeline option, *324*

leaves, **621–622**, *622–623*

left mouse button, *6*

legs

- Machismo character, **123–126**, *124–127*
- Mighty Muskrat character, **788**, *789*

length

- clips, *326*
- fur, *762*, *766–767*
- hair, *732*, **741**, *747*
- surface approximation, *530*
- tubes, *619*

Lens Flares effect, **368**, *368*

libraries, clip, *336*

lifespan, particle, **660**, *661*

Lifespan Mode setting, *660*

Lifespan Random setting, *660*

Lift setting, *800*

Light Angle setting, *361*, *537*

Light-Centric option, *354*

Light Cone dropoff shape, *366*, *366*

Light Effects panel, *352*, **499–500**, *500*

Light Emission section, *524–525*, *524*

Light Fog effect, **362–364**, *364*

Light Linking menu, *464*

Light Manipulator, **356–357**, *356–357*

Light Model setting, 761  
 Light Profile setting, 493  
 Light Radius setting, 361, 496  
 lighted mode, 23  
 Lighting Based Width setting, 544, 544  
 lights and lighting, 89–91, 89–90, 345
 

- 3D Paint Effects, 611–612, 611
- animated gobos, 368–370, 369–370
- default, 460, 485
- direct, 510–511, 511
- fluids, 714
- fog effects, 362–366, 362–366
- functions, 346–347
- hair, 752–753
- image-based, 519–520, 519–520
- indirect. *See* indirect illumination
- Light Manipulator, 356–357, 356–357
- MEL scripts, 565–566, 566, 578–580, 580
- mental ray, 493–495, 494
- Optical FX shader effects, 367–368, 367–368
- physical, 520–521, 521
- properties, 351–355, 352–356
- qualities, 346
- shadows, 357–361, 357–358, 360
- for texture, 433–437, 435–436
- types, 349–351, 349–351
- work flow, 347–348, 348

 limits, raytracing, 488  
 Line brush type, 591  
 line numbers, Script Editor, 558, 574  
 Line Numbers In Errors option, 574  
 Line Resampling option, 549  
 Line Width Map setting, 544  
 Linear blend option, 331–332  
 Linear decay rate, 353  
 Linear fog type, 362  
 linear NURBS curves, 98–100, 100, 142–144, 143–144  
 linear tangents, 248  
 linear templates, 100–106, 100–106  
 lines, toon, 540–544, 541, 543–545  
 linking lighting, 353–355, 354  
 lips, Machismo character
 

- defining, 197–198, 198
- sneer, 223–225, 224–225

 Load Selected Characters option, 321  
 local occlusion, 542  
 Lock Selection icon, 10  
 Locked attribute connections, 15  
 locking
 

- cameras, 442
- channels, 85

 lofting
 

- arms, 130–131, 131–132
- wing, 174–177, 175–176

 Look At Selection option, 23  
 Look Through Selected option, 348, 357, 441  
 looping
 

- animation, 243
- in MEL scripts, 569–571, 570

Low Samples setting, 495, 525  
 Lower\_Lip\_Up blend shape, 223–224, 224  
 Luminance Depth setting, 475

---

**M**

MacGizmo craft, 148, 148
 

- body, 165–174
- cleanup, 185–186
- cockpit, 184–185, 185
- drive wheel, 153–160, 153–155, 157–160
- engine
  - attaching, 177–178, 178–179
  - creating, 160–165, 161–165
  - engine cowl, 381–393, 381–392
- front wheels, 149–153, 150, 152
- materials, 402
- shading, 379–402
- turbines and nose cone, 393–395, 395–396
- wheel wells, 181–184, 181–184
- wing, 174–177, 175–176, 179–180, 180

 Machismo character, 98
 

- arm
  - cylindrical mapping, 411, 412
  - polygonal modeling, 130–135, 130–135
  - template for, 100–106, 100–106
- assembling, 211–213, 212–213
- binding and weighting, 285–289, 285–288
- body
  - mapping, 404–407, 405–408
  - modeling, 106–113, 106–113
- boot, 412–416, 413–416
- cleaning up, 138–139, 139
- details, 135, 136, 203–207, 205–206, 208
- disappearing cloud effect for, 723–726, 723–726
- ears
  - creating, 201, 202
  - mapping, 426–427, 426
- eyes
  - blinking, 225–227, 226–227
  - cavity, 193–195, 193–194, 200, 200
  - eyebrows, 198, 199
  - eyelids, 199–200, 200
- flattop, 201–202, 201, 427
- forehead and eyebrows, 198, 199
- hand
  - glove, 416–421, 416, 418–419, 421
  - preparing, 137–138, 137–138
- head
  - blend shapes, 217–221, 218, 229–234, 229–231, 233–234
  - mapping, 422–427, 423–426
  - modeling, 191–196, 191–196
  - nose sneer, 222–223, 222
  - splitting, 213–217, 214–215
  - weight blends, 235–236, 236
- knee, 127–130, 128–130
- linear NURBS curves, 98–100, 100

- linear template, **100–106**, *100–106*
- lips
  - defining, 197–198, *198*
  - sneer, **223–225**, *224–225*
- mouth
  - defining, **197–198**, *197–198*
  - smile, **228**, *228*
- nonlinear animation, **338–344**, *338–344*
- nose
  - creating, 195–196, *195–196*
  - finishing up, **199–200**, *199*
  - fixing up, **424–425**, *425*
- plan, **98**, *98*
- scattering, **526–528**, *527*
- shading, **403–432**, *403–410, 412–416, 418–419, 421–426, 428–432*
- shoulder saddle and neck hole, **117–119**, *117–119*
- shoulders, **119–121**, *119–121*
- skeleton. *See* skeletons
- smile, **228**, *228*
- stomach, **121–122**, *122*
- templates, **189–191**, *189–191*
- textures, **433–437**, *435–436*
- torso, **421–422**, *421–422*
- VTOL craft for. *See* MacGizmo craft
- waist and leg, **123–126**, *124–127*
- magnet icons, 11
- Magnitude setting
  - particles, 669
  - rigid bodies, 641–642
- main lights, **347**, *348*
- main menu bar, 2, 3
- Maintain Max Influences After Bind option, 220
- Maintain Width/Height Ratio option, 448
- Make Light Links option, 354
- Make Paintable option, 603
- Make Selected Curves Dynamic option, 751
- Make Soft option, 677
- Make The Selected Object Live icon, 11
- makeBall procedure, 581
- mAlignCVs script, 172, *173*
- manipulators, **24–26**, *24–26*
- Manual Pressure Setting option, 802–803
- manuals, MEL, 564
- Map method setting, 610
- Map Multiplier setting, 771
- Map Offset setting, 771
- Map Visualizer, **509**, *510*
- Mapping Animation Between Characters option, 335
- maps
  - bump, **392–393**
  - cloth, 805–806, *806*
  - cylindrical, 408–409, *409*
    - arm, **411**, *412*
    - boot, **412–416**, *413–416*
    - glove, **416–421**, *416, 418–419, 421*
  - displacement
    - 3D Paint Effects, **608–609**, *608–609*
    - mental ray, **531–532**, *531–532*
  - environmental reflection, **384–385**
  - fur attribute, **769–771**, *770–771*
  - High Dynamic Range Images, 522
  - mental ray, 495
  - Paint Effects images, 589
  - reflectivity areas, **385–386**, *385–386*
  - shadow, 493, **496–499**, *496–497*
  - UV. *See* UV maps
- marble statue, **526–528**, *527*
- marbles, kinetic, **651–654**, *651–654*
- Marking Menu Editor window, 51–52, *51–52*
- marking menus, **27–28**
  - Hypershade, 42
  - settings, **51–52**, *51–52*
- masks
  - alpha, 459
  - selection, **10**
  - shadow, 352
- Mass setting
  - cloth, 800
  - rigid bodies, 634
- master layers, 477
- Match UV option, 733
- materials
  - assigning, **72–77**, *72–76*
  - importing, 402
- matrix variables, 567
- Matte Opacity setting, 712
- Max Clip setting, 595
- Max Collision Iterations setting, 797
- Max Distance setting
  - rigid bodies, 642
  - wrap deformers, 230
- Max Influences setting, 285
- Max Iterations setting, 803
- Max Radius setting, 515
- Max Sample Level setting, 486–488
- Max Subdivision setting, 530
- Max Trace Depth setting, 489, 517
- Maya Embedded Language (MEL), **553**
  - attributes, **558**, **560–562**
  - branching, **571–574**, *571*
  - Command line/Help line, **19**, *19*
  - comments, **575–576**
  - debugging, **574–575**, *574*
  - eerie spectral cloud effect script, **687–694**, *687–688, 693*
  - for GUI, **576–580**, *577, 580*
  - help, **19**, *19*, **562–564**, *564*
  - joint orientation script, 278, *278*
  - lights, **565–566**, *566, 578–580, 580*
  - looping, **569–571**, *570*
  - overview, **554**
  - procedures, **580–582**
  - Python support, 46, **559**
  - Script Editor, 19, **46–47**, **554–558**, *555*
    - batch rendering, 481
    - Python support, **559**
    - shelf buttons, 151
  - scripts vs. procedures, **582–584**

- shelves, **561**
- skeleton script, 274, 276
- variables, **567–569**
- Maya Fluid Effects package, 696
- Maya Hardware rendering, **465–466, 466**
- Maya Software rendering, 91, 91, **460, 461**
  - anti-aliasing and image quality, **460–461**
  - field rendering, **461–462**
  - Memory And Performance Options section, **464, 465**
  - miscellaneous options, **465**
  - raytracing, **462–463**
  - Render Options section, **463–464, 464**
- Mayatomr.mll option, 484
- MEL. *See* Maya Embedded Language (MEL)
- MEL Command Reference option, 564, 564
- .mel files, 582
- Memory And Performance Options section, **464, 465**
- mental ray rendering, **483**
  - custom shaders, **489–492, 489, 491**
  - displacement mapping, **531–532, 531–532**
  - fog, **499–500, 500**
  - fur, **784–785, 785**
  - hair, **753**
  - High Dynamic Range Images, **521–525, 522–524**
  - image-based lighting, **519–520, 519–520**
  - indirect illumination. *See* indirect illumination
  - lights, **493–495, 494**
  - motion blur, 486, **500–504, 501–502**
  - overview, **484, 484**
  - physical lighting, **520–521, 521**
- Render Settings window
  - Anti-Aliasing Quality section, **486–488, 486**
  - Raytracing section, **488–489, 488**
  - Rendering Features section, **485–486, 485**
  - sampling, **486–487, 494–495**
  - scattering, **525–528, 526–528**
  - shadows, 486, 489, **495–499, 496–497, 499**
  - surface approximation, **528–531, 528**
  - textures, **490–491, 491**
- menu bar, **6–8, 6, 8**
- menu commands
  - hotbox, **26–27, 27**
  - marking menus, **27–28**
- Menu Set editor, 28, 29
- menu sets, 7, **28, 28–29**
- Merge Edge tool, 137, 137
- Merge option, 216
- Merge To Center option, 119, 121, 135
- Mesh brush type, 591, **608–609, 608–609**
- mesh display mode, 586, 586, 594, 594
- Mesh Environment Reflections section, 609
- Mesh Quality Attributes option, 609–610
- metallic color, **389–392, 390, 392**
- mib\_amb\_occlusion option, 490
- middle mouse button, 6
- Midpoint option, 636
- Mighty Muskrat character, **776–777, 776–777**
  - arms, **787–788, 788**
  - ear, **786, 787**
  - fur, **783–784, 784**
  - head, **777–782, 778–783**
  - legs, **788, 789**
  - mental ray rendering, **784–785, 785**
  - tail, **789, 790**
- Min Clip setting, 595
- Min Radius setting, 515
- Min Sample Level setting, 486–488
- Min Subdivision setting, 530
- mirroring geometry, **427–432, 428–433**
- mirrors, **294–295**
- modes, object and component, **58–59**
- Modify menu, 7
- Modify Curves menu, **742**
- module settings, 49
- molding full-head blend shapes, **229–234, 229–231, 233–234**
- Momentum setting, 616
- monitors, **461–462**
- mood
  - global illumination, **508–509**
  - lighting, 347
- motion analysis, 292
- motion blur
  - adding, **453–455, 455**
  - mental ray, 486, **500–504, 501–502**
  - shadows and raytracing, **501–504**
- Motion Blur By setting, 501
- Motion Blur Shadow Maps option, 498
- Motion Capture animation, 238
- Motion Drag setting, 747
- Motion Steps setting, 501
- mouse
  - controls, **6**
  - Paint Effects, 586
- mouth, Machismo character
  - defining, **197–198, 197–198**
  - smile, **228, 228**
- move option, 560
- Move Seam option, 177
- Move tool, 24–25
- movement
  - camera, 7
  - light, 346
  - rigid bodies, 641
- moving clips, 328
- moving hold pose, **302–303, 303**
- Multi-Color Feedback option, 287, 289
- Multi-Pass Rendering option, 667
- Multi-Pixel Filtering section, 461, **487–488**
- Multi Processing option, 464
- Multi Streaks settings, 604, 750, 750
- Multilister, **39–40, 39**
- multipatch model, 529
- multiple Attribute Editor selections, 31
- Multiple Edge Loops setting, 115
- Multiple Knots setting, 162

multiple particle fields, **668–672**, 669, 672  
 MultiPoint option, 665–666  
 muscles, rigging. *See* rigging  
 mushrooms, **536**, 536  
   fills, **536–540**, 537–539  
   lines, **540–544**, 541, 543–545  
   toon shading, **545–547**, 546–547  
 muskrat character. *See* Mighty Muskrat character  
 muted animation connections, 15

---

## N

n-sided polygons  
   problems from, 97, 97  
   subdivision surfaces, 188  
 Nail constraints, 652–653, 652  
 nail object, 60–61, 61  
 Name#.ext numbering format, 457  
 names  
   cameras, 447  
   clips, 324  
   conflicts, 103  
   elements, **274**  
   images, 456–457  
   objects, **56**  
   shelf buttons, 151  
 Navier-Stokes equations, **697**, 709  
 navigating interface, **6**  
 nCloth, **791**  
   caches, **810–811**, 811, **814–815**, **820**  
   constraints, **806–808**, 807  
   fields, **808–810**, 808–809  
   Jack character. *See* Jack character  
   Nucleus Solver properties, **796–798**, 797  
   overview, **792–793**, 792–793  
   properties, **798–806**, 799–804, 806  
   simulation, **793–796**, 794–796  
 Nearest Point option, 733  
 neck hole, Machismo character, **117–119**, 117–119  
 neck joint, skeleton, 276  
 negative intensity, 352  
 networks, shading, **374–379**, 376–379  
 New Image option, 596  
 New Project window, 54, 54  
 New Scene icon, 9  
 Newton field  
   cloth, 809–810  
   rigid bodies, 644  
 No Deformations setting, 502  
 nodes, **65–66**, 65  
   Attribute Editor, **29–31**, **70**, 71  
   connections, **33–35**, 34–35  
   construction history, **66–67**, 66–67  
   Hypergraph, **68–70**, 68–70  
   Hypershade, **40–43**, 41–43, **72–75**, 73–75  
   Multilister, 40  
   Outliner, 31, **71**, 71

noise  
   fur, 771  
   glow, 367  
   hair, 742–743, 743  
 Non-Keyable channel filter, 39  
 Non-Uniform Rational B-Splines (NURBS) modeling, **141**  
   curves, **142–144**, 142–144  
     linear, **98–100**, 100  
     parameterization, **144–147**, 146–147  
   cylinder binding, 261, 261  
   objects, 20, 21  
   overview, **141**  
   surfaces, **147–148**, 148  
 noninteger values, breakdown keys, **246**  
 nonkeyable connections, 15  
 nonlinear animation, 238, **319**  
   characters, **320**  
   clips. *See* clips  
   FBIK rigging, **338–344**, 338–344  
   geometry cache, **337–338**, 337–338  
   poses, **321–323**, 322–323  
 Normal fog type, 362  
 Normal Map setting, 475  
 Normalize function, 45, 45  
 normalized curves, 254  
 North Zone, 26–27, 27  
 nose  
   MacGizmo craft  
     creating, 163–164, 164  
     shading, **393–395**, 395–396  
   Machismo character  
     creating, 195–196, 195–196  
     finishing up, **199–200**, 199  
     fixing up, **424–425**, 425  
 nose sneer, **222–223**, 222  
 Notes section  
   Attribute Editor, 31  
   fluids, 705  
 nucleus cloth. *See* nCloth  
 nucleus solver methodology, 658  
   cloth, 791–792, 794  
   properties, **796–798**, 797  
 Num Collide Neighbors setting, 747  
 Num Twig Clusters setting, 621  
 Number Of Copies setting, 156  
 Number Of Samples section, 461  
 Number Of Spans settings  
   IK solvers, 268  
   surfaces, 164, 165  
 NURBS. *See* Non-Uniform Rational B-Splines (NURBS)  
   modeling

---

Obeyes Light Linking option, 497  
 object based fields, 808–809  
 Object-Centric option, 354

- object mode, 9
  - Object Mode icon, 10
  - objects
    - creating, 55–56
    - display layers, 58, 58
    - modes, 58–59
    - names, 56
    - node structure, 65–71, 65–71
    - pivots and placement, 62–64, 63–65
    - scene hierarchies, 56–57, 57
  - Occlusion setting, 475
  - Occlusion texture, 490, 491
  - ocean effect, 696, 700–701, 700–701, 717–721, 717–721
  - Odd Fields and Even Fields option, 462
  - off-axis joint orientation, 278, 278
  - Offset Edge Loop tool, 122, 122, 128–129, 129–130, 135
  - Offset mesh, 540
  - offsets
    - clips, 326, 326
    - feet, 315–316
    - fur, 762
    - IK Spline handle solver, 268
    - particles, 671
    - toon lines, 540
  - One Geometry Per File option, 811
  - Only Render Strokes option, 465
  - Opacity settings, 287
    - cluster deformers, 263
    - fluids, 712
    - particles, 665–666
  - Opacity Gain setting, 712
  - Open/Close Surface option, 172
  - Open Render View option, 470
  - Open Scene icon, 9
  - Optical FX shader, 367–368, 367–368
  - Optimize Scene Size option, 139
  - option boxes, 8
  - Orient Joint tool, 278
  - orientation, joint, 278, 278
  - orthographic views, 4
  - Out Color setting
    - Final Gathering, 517
    - mental ray shaders, 490
  - outAlpha setting, 383
  - outColor setting
    - atmosphere shading, 376–378
    - ramp node, 383
  - Outliner window
    - nodes, 71, 71
    - objects, 31–32, 32
  - outlines, toon shading, 545–547, 546–547
  - output connections icons, 11
  - Outputs Only channel filter, 39
  - overlapping clips, 331–332, 331
  - overlapping UVs, 420
  - overrides, layer, 477–480, 478
  - Oversample option, 465
  - Oversample Post Filter option, 465
  - oversampling rigid bodies, 623
  - overshoots, character animation, 313, 316–318, 317
  - Overwrite Existing Dmap(s) option, 360
- 
- P**
- padding, frame, 459
  - Paint At Depth setting, 593–594, 603
  - Paint Blend Shape Weights tool, 235–236, 236
  - Paint brush type, 590
  - Paint Canvas option, 596
  - Paint Cluster Weights tool, 263
  - Paint Effects, 585
    - 2D canvas painting, 595–602, 596–598, 600–601
    - 3D. *See* 3D Paint Effects
    - animated gobos, 368–370, 369–370
    - animation, 615–617
    - brushes, 587–591, 588, 590
    - converting to 3D geometry, 626–627
    - experimenting with, 627
    - hair, 746, 750–751, 750
    - hair shadows, 753
    - overview, 586–587, 586
    - painting with, 591–592, 592
    - strokes
      - controlling, 593–595, 593–595
      - overview, 587–589, 588
    - toolbar, 592–593, 592
    - toons
      - fills, 540
      - lines, 540–544, 541, 543–545
      - outlines, 545–547, 546–547
      - tubes. *See* tubes
  - Paint Effects Brush Settings window, 596
  - Paint Effects Rendering Options section, 465
  - Paint Fur Attributes tool, 766–769, 766–768
  - Paint Hair Follicles Settings window, 731–732, 732, 735, 741
  - Paint Hair Follicles tool, 731, 732, 741, 745
  - Paint Hair Textures tool, 752
  - Paint Operation setting, 222
  - Paint Selection Tool icon, 14
  - Paint Skin Weights tool, 222, 224, 226, 286–287, 287
  - Paint Soft Body Weights tool, 678, 680
  - Paint Weights option, 222
  - painting
    - into containers, 714–716, 715–716
    - hair follicles, 731–732, 732
    - onto geometry, 603, 603
    - nCloth properties, 805–806, 806
    - Paint Effects, 591–592, 592
    - textures in real time, 602
  - panels. *See* view panels
  - panning, 6, 470
  - pants simulation. *See* Jack character
  - paper and pencil for character animation, 294

- Parallel evaluation order, 804
- parameterization
  - Chord length, 381
  - NURBS curves, **144–147**, 146–147
- parent objects
  - Outliner window, **31–32**
  - parent-child relationships, 57, 57
- parentheses (), MEL, 581
- Particle tool, 659
- particles, **657**
  - caches, **672–673**
  - cloth, 792–793
  - eerie spectral cloud effect, **685–694**, 686–688, 693
  - for effects, **659**
  - expressions, **661–663**, 662
  - vs. fluids, 698
  - goals, **673–676**
  - Hardware Render Buffer, **666–667**, 667
  - instancing, **683–684**, 684
  - lifespan, **660**, 661
  - multiple fields with, **668–672**, 669, 672
  - overview, **658**
  - per-particle attributes, **661**, 661–662, **675–676**
  - soft body dynamics, **676–680**, 679–680
  - sprites, **681–683**, 682–683
- passive follicles, **728**, 729, 745
- Passive hair setting, 730
- passive rigid bodies, 630, **646–650**, 647, 649–650
- pasting clips, **334–335**, 334–335
- patches, NURBS surfaces, 148, 148
- path animation, 238
- Path Distance option, 614
- paths, image folders, 456
- Peaking setting, 718
- Penumbra Angle setting, 350, 355
- Penumbra Radius mode, 356–357, 356
- per-particle attributes
  - array, **661**, 661–662
  - goal, **675–676**
- per-particle instancing, 684
- performance, hair, **748**
- perspective cameras, 306, 441, 446
- perspective view, 4, 4
- Phong shaders, 43, 43, 492
- Phong surface material, 72, 72
- Photon Color setting, 509
- Photoshop, rendering for, **480–481**
- physical fog, **365–366**
- physical lighting, **520–521**, 521
- Physical Sun And Sky node, 520
- pick-mask isoparms, 169
- pickwalk option, 212, 212
- pinning effectors, **283**
- Pivot mode, 356–357, 356
- Pivot Offset setting, 283
- pivot points, 62–64, 63–65
- pixel aspect ratio, 448
- placement of objects, **62–64**, 63–65
- planar mapping, Machismo character, 405–406, 411
  - glove, **416–421**, 416, 418–419, 421
  - head, **422–427**, 423–426
  - torso, **421–422**, 421–422
- Plane options, 162
- planet, bullet over, **643–646**, 643
- plateau tangents, 248
- Play Every Frame option, 632, 659
- playback controls, 240–241, 240–241
- Playback Looping menu, 241
- Playback Speed setting, 243
- Playback Start/End setting, 243
- Playblast, 241, 310–311
- Plugin Manager, **52**, 52, 484
- PO Weight setting, 267
- Point Density setting, 515
- Point Interpolation setting
  - Final Gathering, 516
  - High Dynamic Range Images, 522
- Point lights, 89, 89, 349
  - characteristics, **350**, 350
  - mental ray, 492–493, 495
- Point To Surface constraint, 807
- points
  - blend shapes, 210
  - modeling, 189
  - pivot, 62–64, 63–65
  - polygon, 96
- Points Per Hair setting, 730, 741
- Polar setting, 762, 763
- polyCube option, 556–557
- Polygon Count Heads Up Display, **123**
- polygon proxy mode, subdivision surfaces, 189
- Polygon Selection Constraint On Faces option box, 138–139, 139
- Polygon Selection Constraint On Vertices option box, 215, 215
- Polygonal Primitives menu, 8
- polygons, **95**
  - extruding, **123–126**, 124–127
  - fur, 758
  - HUD display, 123
  - joining, **132–135**, 133–135
  - Machismo character. *See* Machismo character
  - modeling principles, **97**, 97
  - overview, **96**, 96
  - splitting, 110, **114–117**, 114–117
  - surface direction, **96–97**, 96
- Polygons menu set, 28
- Polygons To Subdiv option, 203
- polySmoothProxy node, 108
- pond effects, 701, 701, **722**, 722
- pool table, **646–650**, 647, 649–650
- poses
  - in animation process, **295**
  - Joe Generic character, **299–306**, 299, 303–305
  - nonlinear animation, **321–323**, 322–323
- position of clips, 326

positional (G0) continuity, **170**, 170

Post Cycle setting, 327

Pre Cycle setting, 327

Preferences window, 2

- Channel Box/Layer Editor, 16, 16
- grids, 5
- mental ray, 484
- settings, **47–49**, 48
- Timeline, 242

preferred IK angle, 272

Premultiply Threshold setting, 464

Preset Blending window, 600–601

Preset Passes setting, 490

presets

- brushes, 589, 600–601
- hair, **732–733**, 733
- motion blur quality, 502
- overrides, 479–480
- selection modes, 9
- surface approximation, **529**

pressure mappings

- 3D Paint Effects, **614**
- strokes, 594

pressure-sensitive tablet, 586

pressure settings, 802–803, 803

Primary Visibility option, 352

primitives for nonlinear animation, 320

priorities

- collisions, 798–799
- ikSC solver, 267

procedural textures, 73, 75

Procedure Not Found error message, 584

procedures

- MEL, **580–582**
- vs. scripts, **582–584**

processors in batch rendering, 481

profile toon lines, 540

Profile Width Modulation setting, 544

programming. *See* Maya Embedded Language (MEL)

progressive scan, 458

project structure, **54–55**, 54

proxy objects

- stand-in, 645
- SubDiv, **108–110**, 108–110

Pull operation, 138

Pull sections, Full Body IK, 284

Pump Rate setting, 803

Push operation, 138

push out cloth settings, 805

Python support, 46, **559**

---

## Q

quad-based modeling

- in best practices, 97
- subdivision surfaces, 188

Quadratic decay rate, 353

quality

- cloth, 803, 803
- global illumination, **508–509**
- High Dynamic Range Images, 524
- Maya Software, **460–461**
- motion blur, **502–503**
- raytracing, 462, **486–487**
- rendering settings, 91

Quaternion Longest option, 332

Quaternion Shortest option, 332

---

## R

Radial field, 810

radius settings

- attractors, 774
- cloth, 805
- Final Gather, 515–516
- global illumination, 507–509
- Light Manipulator, 356–357, 356
- shadows, 361

ramps and ramp node

- hair, 764
- overview, **383**, 383
- particles, **691**, 691
- shading, **381–393**, 381–392, 779

randomness

- hair color, 750
- hair noise, 742–743, 743
- tubes, 625

Range Slider, 3, 3, **18–19**, 18, **242**, 325

Ratio setting, 378

Ray Depth Limit setting, 361, 494, 496

Raytrace/Scanline Quality section, **486–487**

raytracing

- Maya Software, **462–463**
- mental ray, **488–489**, 488
- motion blur, **501–504**
- shadows
  - area lights, 494, 494
  - mental ray, 495
  - overview, **360–361**, 361
  - soft, **496**

Raytracing Quality section, 462

Read This Depth File option, 465

Readable channel filter, 39

reading textures, **402**

Real Lights option, 612

real time, painting textures in, **602**

rebuilding

- curves, 131–132, 131–132, 146–147, 147, 149–151, 167
- photon maps, 513–514
- shadows, 498
- surfaces, 155, 164, 165

Recursion Depth setting, 464

recycling render layers, **477–478**

Reference Editor window, 336

- reference sources
  - character animation, **292–295**, 293
  - curves, 273
  - for sharing clips, **335–336**
  - texture, 391, 391
- refining character animation, **296**, **312–313**
- reflection axes, 207
- reflections
  - blur setting, 489
  - Final Gathering, 517
  - mapping, **384–385**
  - raytracing, 463, 488–489
- Reflective node, mental ray, 492
- reflectivity
  - mapping, **385–386**, 385–386
  - tweaking, **387–388**, 387–388
- refractions
  - blur settings, 489, 492
  - Final Gathering, 517
  - raytracing, 463, 488–489
- Region Of Effect option, 143
- regions, rendering, 470
- Regular shadow map algorithm, 497
- Relationship Editor, 354
- Relative offset option, 327
- Relative Transform icon, 12
- relax pose, **299–301**, 299
- Remove Influence option, 232
- Remove Reference option, 336
- Remove Temporary Files and Save To File option, 310
- Rename icon, 12
- renaming
  - clips, 324
  - objects, 56
- Render All Layers option, 480
- Render Current Frame option, 440
- Render Current View icon, 12
- Render Layer Editor, 473, 473
- Render Options section, 460, **463–464**, 464
- Render Pass Options section, 476
- Render Region tool, 551
- Render Settings window, 91–92, 91
  - Anti-Aliasing Quality section, **486–488**, 486
  - cameras, 446, 446
  - cloth, 811
  - compositing, 476
  - fog effects, 364
  - hair, 753
  - Maya Hardware, **465–466**, 466
  - Maya Software, **460–465**, 461, 464–465
  - mental ray, 484–485, 484
  - motion blur, 454–455
  - overview, **455–460**, 456
  - Raytracing section, **488–489**, 488
  - Rendering Features section, **485–486**, 485
  - resolution, 447, 448
  - shadows, 361
  - vector rendering, **467–469**, 467
- Render Using option, 456
- Render View window
  - settings, **469–472**, 469
  - test frames, 92–93, 92
- Renderable Cameras section, 91, 459
- rendered display mode, 586, 586
- rendering, **91**, **439**
  - animation, **93–94**, 94
  - batch, **481**
  - cameras for
    - creating and animating, **440–444**
    - setting, **446–450**, 446, 448, 451
  - checklists, **482**
  - clipping planes, **444–445**, 445
  - depth of field, **451–453**, 453
  - hair, **750–753**, 750, 752
  - housecleaning, **447**
  - Hypershade nodes, 40–42, 41–42
  - layers, **472–480**, 473, 475, 478
  - Maya Hardware, **465–466**, 466
  - Maya Software, **460–465**
  - mental ray. *See* mental ray rendering
  - motion blur, **453–455**, 455
  - overview, **440**
  - for Photoshop, **480–481**
  - Render Settings window. *See* Render Settings window
  - Render View window, 92–93, 92, **469–472**, 469
  - settings, **91–92**, 91
  - Show Manipulators tool, **443–444**, 443
  - Status line controls, **12**
  - test frames, **92–93**, 92
  - vector, **467–469**, 467–468
- Rendering menu set, 28
- ReNUMBER Frames section, 458–459
- repeating clips, 327
- Repulsion setting, 747
- Reset Lattice option, 168
- Reset Settings option, 298, 321
- Reset Template Brush option, 598
- Reset the Create Character Set Options tool, 320
- Resilience setting, 671
- resolution
  - cameras, **447–450**, 448
  - depth-map shadows, **358–359**, 359
  - fluids, 696, 706, 707
- Resolution Gate settings, 306, 449, 464
- Rest Length Scale setting, 802
- Rest position, **728–729**
- Restitution Angle setting, 801
- Restore Defaults offset option, 327
- result line, 557
- Reuse Existing Dmap(s) option, 360
- Reuse Existing Maps option, 498
- revelation of form function, 346
- Reverse normals option
  - arm, 133
  - fur, 788
  - secondary surfaces, 177

- Revolve tool, 149, 152, 152, 160–161
- rigging, 259
  - binding and weighting, 285–289, 285–288
  - deformers for, 260–264
  - FK, 264–265, 265
  - IK. *See* Inverse Kinematics (IK)
  - nonlinear animation, 338–344, 338–344
  - skeleton. *See* skeletons
- right mouse button, 6
- rigid binding, 261, 262
- rigid body animation, 629
  - active and passive modes, 646–650, 647, 649–650
  - baking, 655, 655
  - constraints, 651–654, 651–654
  - creating bodies, 631–634, 631, 633
  - fields and impulses, 641–646
  - overview, 629–630
  - process, 648–650
  - Rigid Body Solver
    - collision control, 638–641, 639–641
    - multiple solvers, 637–638
    - working with, 634–637
- Rigidity setting, 801
- Rim Light setting, 538
- Roll settings
  - Full Body IK, 284
  - fur, 762, 763
  - IK Spline handle solver, 268
- Root On Curve setting, 268
- Root Twist Mode setting, 268
- rose tree, 617
  - branches, 621, 621
  - creating, 617, 618, 620–621, 621
  - displacement, 623, 624
  - forces, 624–625, 625
  - leaves and flowers, 621–622, 622–623
  - spiral and bend, 625
  - turbulence, 626
- Rotate Plane solver, 265–267, 266
- Rotate tool, 14, 24–25
- rotation
  - in 3D space, 62
  - camera, 7
  - connections for, 35
  - joints, 273
- Rotation Blend section, 332
- Rubber Band constraint, 739, 740
- Runge Kutta Adaptive method, 636
- runtime particle expressions, 662–663
- motion blur, 504
  - reflectivity, 387
  - rigid bodies, 623
  - toon lines, 549
- Save Depth As Grayscale option, 596
- Save Every Evaluation field, 811
- Save Preset option, 480
- Save Scene icon, 9
- Save Script To Shelf option, 151
- saves, incremental, 54–55
- Scale Opacity setting, 366
- Scale tool, 14, 24–25
- scaling
  - clips, 326, 328
  - cloth, 798, 802
  - curvature width, 544
  - hair, 741, 750
  - keys, 311
  - ocean effect, 718
  - tubes, 619
  - velocity, 637
  - weights, 287
- scanline rendering, 462
  - motion blur, 501
  - ray shadows, 495
  - raytracing, 488
- scattering, mental ray, 525–528, 526–528
- scene file icons, 9
- scene menus, 3, 3
- scenes
  - hierarchies, 56–57, 57
  - Paint Effects, 591–592
  - sharing clips in, 334–335, 334–335
- Scraggle settings, 762
- screen overlap issues, 466
- screensaver issues, 466
- Script Editor, 19, 46–47, 554–558, 555
  - batch rendering, 481
  - Python support, 559
  - shelf buttons, 151
- scripting languages, 553–554. *See also* Maya Embedded Language (MEL)
- scrubbing, 241
- Sculpt Geometry tool, 124, 137–138, 179, 206–207, 212
- Seal Holes option, 802
- second-degree NURBS curves, 142–144, 143–144
- Secondary Diffuse Bounces option, 518
- secondary effectors, 281, 281
- Secondary Effects section, 485
- Segments setting
  - fur, 762
  - tubes, 619
- Segments shadow method, 497
- Select By Component Type option, 143, 145
- Select By Curve icon, 10
- Select By Deformations icon, 10
- Select By Dynamics icon, 10
- Select By Handles icon, 10

---

**S**

- S keyframe animation approach, 79–80, 79–80
- Safe Action option, 306
- Sample Lock setting, 487–488
- sampling
  - High Dynamic Range Images, 524–525
  - mental ray, 486–487, 494–495

- Select By Joints icon, 10
- Select By Miscellaneous icon, 10
- Select By Name icon, 12
- Select By Points option, 144
- Select By Rendering icon, 10
- Select By Surfaces icon, 10
- Select Camera option, 306
- Select Contiguous Edges option, 128
- Select Curves option, 249
- Select Lights Illuminating Object option, 355
- Select Objects Illuminated By Light option, 355
- Select Shell option, 214
- Select tool, 14, 24–25
- Select Using Constraints option, 138, 215
- Selected Object And Attribute field, 663
- selection masks, **10**
- selection modes, **9–10**
- selection order of blend shapes, 215
- Selection settings, 48
- selective visibility, 346
- self collision settings
  - cloth, 798–799, 804
  - hair, 747
- Self Crossover Push option, 805
- Self-Shadow option, 714
- Self Trapped Check option, 804
- semicolons (;), Script Editor, 556
- Separate Extracted Faces option, 166
- Sequential evaluation order, 804
- Set Active Key option, 648
- Set Background Image option, 36
- Set Breakdown option, 240
- Set Current Character Set option, 320
- Set Key option, 239, 298
- Set Object Selection Mask icon, 10
- Set Passive Key option, 648
- Set Preferred Angle option, 272
- Set Range To menu, 241
- Set Rigid Body Collision option, 639
- Set Rigid Body Interpenetration option, 639
- Set Stroke Control Curves option, 607
- setAttr statement, 560, 562–563
- Settings/Timeline setting, 243
- setToolTo option, 556
- Sew UV Edges option, 414, 414
- Shaded Brightness Three Tone option, 537
- Shaded Brightness Two Tone option, 537
- shaded mode, **20, 23**
- Shader Glow setting, 612
- Shader Library, 380
- shaders, **371**
  - building, **380**
  - High Seas, 700–701, 700–701
  - Hypershade. *See* Hypershade window
  - mental ray, **489–492**, 489, 491
  - Optical FX, **367–368**, 367–368
- shading
  - anti-aliasing, 461
  - fluids, **710–712**, 712
  - hair, 750
  - MacGizmo craft, **379–402**
  - Machismo character, **403–432**, 403–410, 412–416, 418–419, 421–426, 428–432
  - Multilister, 39
  - networks, **374–379**, 376–379
  - ramp node for, **381–393**, 381–392
  - toon. *See* toon shading
  - UV. *See* UV maps
- Shading Engine node, 492, 492
- Shadow Casting and Receiving option, 497
- Shadow Map Overrides controls, 496
- shadow maps, 493, **496–499**, 496–497
- shadow masks, 352
- shadows, **357**
  - 3D Paint Effects, **612–614**, 612–614
  - caustic, 513
  - depth-map. *See* depth-map shadows
  - fur, **783–784**, 784
  - hair, **752–753**
  - mental ray, 486, 489, **494–499**, 496–497, 499
  - motion blur, **503–504**
  - raytraced
    - area lights, 494, 494
    - mental ray, 495
    - overview, **360–361**, 361
    - soft, **496**
  - rendering, 475
- Shadows Obey Light Linking option, 464
- Shape Intensity field, 494
- shapes
  - blend. *See* blend shapes
  - nodes, 30, 65, 65, 658
- Share One Brush option, 543, 606
- sharing
  - brushes, 543, **605–606**, 606
  - clips, **333–336**, 334–335
- sharpening edges, 150, 150
- Shear Resistance setting, 801
- shelf and shelves, 2, 3, **13, 13**
  - buttons, **151**
  - MEL, **561**
  - settings, **49–50**, 50
- Shelf Editor, 151, 566
- Shelves window, 49–50, 50
- shirt simulation. *See* Jack character
- shortcut keys
  - display, **23**
  - playback controls, 240
  - Sculpt Geometry tool, **207**
  - settings, **50–51**, 50
  - Subdiv Proxy option, 110
- shoulders, Machismo character
  - defining, **119–121**, 119–121
  - saddle, **117–119**, 117–119
- Show Background Image option, 36
- Show Batch Render option, 481

- Show Buffer Curves option, 250, 310
- Show DAG Objects Only option, 324
- Show/Hide Attribute Editor icon, 13
- Show/Hide Channel Box/Layer Editor icon, 13
- Show/Hide Tool Settings icon, 13
- Show In Hypergraph option, 529
- Show Manipulators tool, 14, 266–267, 356, **443–444**, 443, 670
- Show Ornaments option, 310
- Show Storage Area Only option, 372
- Show The Channel Box icon, 17
- Show The Channel Box And The Layer Editor icon, 17
- Show The Layer Editor icon, 17
- Show Upstream And Downstream Connections option, 372, 380
- Show Work Area Only option, 372
- showWindow option, 576
- Shrink Surface option, 159
- Shutter Angle setting, 454
- Shutter Close setting, **501–503**
- Shutter Open setting, **501–503**
- sideburns, Machismo character, 202, 202
- simple fog, **365**, 365
- Simple shadow method, 497
- simulation method, **748**
- Simulation Rate Scale setting, 709
- simulators, fluid, 696
- Single Chain solver, **267**, 267
- single-node cameras, 440
- size
  - depth-map shadows, **358–359**, 359
  - fluids, 706
  - sprites, 682
- skeletons, **260–262**, 261–262, **272**
  - binding and weighting, **285–289**, 285–288
  - building, **274–279**, 275–279
  - curve proto-structure for, **272–274**, 273
  - Full Body IK, **279–284**, 280–282
  - hair for, 753–756, 754–756
- skin color, 287
- skinning, 261
- Sky fog type, 365
- Sky node, 520
- Slide On Surface constraint, 807
- sliders, creating, 577, 580
- Smear brush type, 590
- Smear setting, 547, 547
- smile, Machismo character, **228**, 228
- smoke effect, 725, 726
- smooth binding, 220, 261–262, 262
- Smooth operation, 138
- Smooth Profile option, 544
- smoothness, Maya Software, **460–461**
- Snap To Curve mode, 193–194
- Snap To Curves icon, 11
- Snap To Grids icon, 11
- Snap to Points icon, 11
- Snap To View Planes icon, 11
- snaps, **11**, 106, 106
- sneers, **222–225**, 222, 224–225
- soft body dynamics, **676–680**, 679–680
- Soft Edges setting, 378
- Soft Modification tool, 14, 25–26
- soft shadows, **496**
- softening edges, 139, 150, 150, 213
- Solid Color setting, 537
- Solver menu, 709
- solvers
  - ikBlend, 271
  - ikRP, **265–267**, 266
  - ikSC, **267**, 267
  - ikSpring, **269–270**, 269–270
  - Jack character settings, **819**, 819
  - Rigid Body Solver
    - collision control, **638–641**, 639–641
    - multiple solvers, **637–638**
    - working with, **634–637**
- Sort Stretch Links option, 804
- Sorted shadow method, 497
- Sound menu, 241
- sound recordings, **294**
- Source Script option, 274, 278
- South Zone, 26–27, 27
- Space Scale setting, cloth, 798
- space station, **548–551**, 548–549, 551
- spans
  - collisions, 645
  - IK solvers, 268
  - NURBS curves, 142–144
  - surfaces, 164, 165
- special manipulators, 24
- specular settings
  - directional lights, 350
  - fur, 761
  - hair, 752
  - layer rendering, 475
  - render override, 479
- speed
  - hair, 747
  - Joe Generic character, 312
- Sphere dropoff shape, 366, 366
- spheres
  - creating, **166**
  - NURBS, 148, 148
  - wireframe, 550
- spirals, **625**
- spline drift, 248
- spline tangents, 247–248
- Split Only From Edges option, 114
- Split Polygon tool, 114, 114, 116–119, 125–126, 133, 195–197, 195
- splitting
  - Machismo character head, **213–217**, 214–215, 217
  - polygons, 110, **114–117**, 114–117

- spokes, hubcap, 153–154, 154
- Spot lights, 89–90, 89–90, 349
  - characteristics, 350, 350
  - effects, 355, 356
  - interactive placement, 348
  - mental ray, 492
  - properties, 355, 355
- Spread setting, 367
- Spring Angle Bias pane, 270, 270
- springs
  - Paint Effects, 616–617
  - soft body, 679–680
- Sprite Wizard, 683
- sprites, 681–683, 682–683
- squash, ball animation, 251–252
- staging process, 305–306, 305
- stand-alone fields, 808
- stand-in proxy objects, 645
- Stand01 and Stand02 Poses, 304–305
- standard mode, subdivision surfaces, 189
- Start Curve Attract setting, 744
- Start/End field, 811
- Start Frame setting, 457–458
  - cloth, 798, 805
  - fluids, 709
  - hair, 747
- Start Length setting, 774–775
- Start position setting
  - follicles, 728
  - hair, 740, 745
- Start Pressure setting, 803
- Start Sweep Angle setting, 152
- Start Time setting, 637
- startVertexOffset setting, 129
- State option, 636
- Static Cling setting, 747
- Static Friction setting, 634
- Static hair setting, 730
- Status line, 2, 3, 8–9, 9
  - Channel Box/Layer Editor, 12–13
  - input and output connections, 11
  - Input Box, 12
  - render controls, 12
  - scene file icons, 9
  - selection masks, 10
  - selection modes, 9–10
  - snaps, 11
- Step Size setting, 637, 645
- stepped keys, 295, 308
- stepped tangents, 248
- Stick constraint, 739, 740
- stiffness
  - Full Body IK, 284
  - hair, 744, 747
- Stitch Edges tool, 172
- stomach, Machismo character, 121–122, 122
- stop-motion animation, 453
- stopwatches, 295
- stretch, ball animation, 251–252
- stretch maps, 806, 806
- Stretch Resistance setting, 800
- string variables, 567
- Stroke Attribute Editor, 607
- Stroke Refresh setting, 594
- Stroke Settings rollout, 593–595, 593
- Stroke Time option, 616
- strokes
  - Paint Effects
    - controlling, 593–595, 593–595
    - overview, 587–589, 588
    - pressure setting, 614
- styling
  - hair, 737
  - wheel wells, 181–184, 181–184
- Sub Clumping setting, 743, 743
- Sub Segments, 608
- Subdiv Proxy option, 108–110, 108–110, 133, 139
- Subdivision Power setting, 464
- subdivision surfaces, 187
  - for details, 203–207, 205–206, 208
  - hair, 730
  - head modeling, 191–196, 191–196
  - overview, 188–189, 188
  - templates, 189–191, 189–191
- Substeps setting, 797
- subsurface scattering, 525–528, 526–528
- Subtract Density setting, 366
- suffixes, name, 103
- sun, physical, 520
- surface approximation, 528–529, 528
  - method, 529
  - presets, 529
  - style, 530
- Surface Degree setting, 152
- Surface Depth option, 614
- surface direction, 96–97, 96
- surface materials, 72, 72
- surfaces
  - attaching and detaching, 172, 172
  - cloth, 798–800, 799–800
  - continuity, 170–173, 170–173
  - fluids, 710, 711
  - fur, 772
  - noise, 743, 743
  - NURBS, 147–148, 148
  - subdivision. *See* subdivision surfaces
- Surfaces menu set, 28
- Swap Buffer Curve option, 251, 310
- SWF format, 469
- Swirl setting, 709
- switch statement, 572–574
- sword effect, 659
  - Conserve setting, 664–666, 664–666
  - Hardware Render Buffer, 666–667, 667
- symmetrical poses, 313
- syntax, MEL, 560

- 
- T**
- tail, Mighty Muskrat character, **789**, 790
  - Take Settings From Maya option, 496
  - tangent (G1) continuity, **170**, 170
  - Tangent Tolerance setting, 177
  - Tangential Drag setting, 800
  - tangents, key, **247–248**, 250–251
  - Tangents setting, 243
  - tattered shirt and pants simulation. *See* Jack character
  - tear-off menus, **8**, 8
  - Tearable Surface constraint, 808
  - Technical animation, 238
  - television fields, **458**
  - Temperature setting, 699
  - Temperature Gradient settings, 707
  - Template Brush window, 592
  - Template Brush Settings window, 593, 595–598
  - templates
    - linear, **100–106**, 100–106
    - subdivision surfaces, **189–191**, 189–191
  - Tension setting, 801
  - tessellation
    - and collisions, 645
    - Maya Software, 460
    - Mesh brush, 608
    - NURBS surfaces, 147
    - particles, 671
    - subdivision surfaces, 188
    - surface approximation, 528–529
  - test frames, rendering, **92–93**, 92
  - texture reference objects (TROs), **391**, 391
  - textured mode, **23**
  - textures, **371**
    - 3D graphics, 73
    - 3D Paint Effects, **610**, 610
    - fluids, **713–714**, 713–714
    - hair, 752
    - Hypershade, **372–374**, 373–374, **402**
    - lighting, **433–437**, 435–436
    - mental ray, **490–491**, 491
    - overview, **372**
    - painting in real time, **602**
    - tileable, **601**, 601
  - themes, lighting, 347
  - thickness maps, 805–806, 806
  - thickness settings
    - cloth, 800, 805
    - collisions, 799, 799
    - hair, **745–746**, 745–746
  - Thin Line brush type, 591, **603–604**, 603, 605
  - third-degree NURBS curves, 142–144, 143–144
  - 3D Cast option, 613
  - 3D fluids
    - containers, 696–697, 697
    - creating, **704**, 705
    - motion effects, 698
  - 3D geometry from Paint Effects, **626–627**
  - 3D graphics, textures in, 73
  - 3D motion blur, 454
  - 3D Paint Effects, **602**
    - control curves, **606–607**, 607
    - gaps, **614–615**, 615
    - illumination and glow, **611–612**, 611
    - Mesh brush type and displacement mapping, **608–609**, 608–609
    - painting onto geometry, **603**, 603
    - shadows, **612–614**, 612–614
    - sharing and transferring brushes, **605–606**, 606
    - stroke pressure, **614**
    - texturing, **610**, 610
    - Thin Line brush type, **603–604**, 603, 605
  - 3D Paint Tool, 602
  - three-node cameras, 440
  - thrust for rigid bodies, 644
  - tick width for animation, 243
  - tickmarks for clips, 327
  - tileable textures, **601**, 601
  - Time Clip, 616
  - time-lapse look, **685–694**, 686–688, 693
  - Time Range settings
    - cameras, 443
    - clips, 325
  - Time Samples setting, 501
  - Time Slider, 3, 3
    - components, **18–19**, 18
    - keyframe animation, **240–241**, 240–241
    - tick color, 317
  - time warps, 328
  - Time Working Units setting, 243
  - Timeline
    - keyframe animation, 78, 78
    - settings, 48
    - setup, 242
  - timing
    - character animation, **295**
    - cloth, 798, 805
    - Dope Sheet for, **245–246**, 245
    - Joe Generic character, **306–312**, 308–309, 311
    - motion blur, 503
    - ocean effect, 718
    - stopwatches for, **295**
  - Tip settings, 761–762
  - Tire\_mat material, 402
  - Tool Box, 2, 3, 5, **13–14**, 13, 50
  - Tool Options window, 12
  - Tool Settings window
    - fur, 766–767, 766
    - joints, 287
    - view settings for, 16
  - toolbar, Paint Effects, **592–593**, 592
  - tooltips, 47, 592
  - toon shading, **535**
    - examples, **547**
    - fills, **536–540**, 537–539
    - lines, **540–544**, 541, 543–545
    - modifiers, **548–551**, 548–549, 551

- outlines, **545–547**, *546–547*
- overview, **536**, *536*
- vs. vector rendering, *467*
- top pose, **304**
- torso, Machismo character, **421–422**, *421–422*
- transferring brushes, **605–606**, *606*
- Transform constraint
  - cloth, *795*, *807*
  - hair, *739*, *740*
- transform nodes, *65*, *65*
- Translate Frame U field, *376*
- Translate Frame V field, *376*
- Translate (Move) icon, *14*
- translateX setting, *560*
- transparency settings
  - 2D brush, *599*
  - atmosphere shading, *378*
- transplanting hair, **732–733**, *733*
- Trapped Checked option, *804*
- Trash icon, *13*
- traversal depth, Hypergraph window, **36**, *37*
- Trax Editor. *See* clips
- Tree option, *530*
- trees. *See* rose tree
- triangles
  - HUD for, *123*
  - polygonal modeling, *97*
  - subdivision surfaces, *188*
- Trim tool, *154–155*, *159–160*, *159–160*, *181*
- trimming
  - clips, *326*
  - hair, *741*
  - process, *154–155*, *155*
  - wheel wells, **181–184**, *181–184*
- TROs (texture reference objects), **391**, *391*
- Truncate Cache option, *749*
- Tube Completion setting, *599*
- tubes, **617**
  - appearances, **619–620**, *620*
  - branching, **620–623**, *621–624*
  - displacement, **623**, *624*
  - forces, **624–625**, *625*
  - overview, **598–599**, *598–599*, **618**
  - as placeholders, *589*
  - spiral and bend, **625**
  - turbulence, **626**
  - twigs, **620–621**, *621*
- Tubes Per Step (TS) setting, *598–599*, *619*
- tumble camera moves, *7*
- turbines, MacGizmo craft, **393–395**, *395–396*
- turbulence
  - cloth, *796*, *810*
  - cloud effect, **685–694**, *686–688*, *693*
  - fluids, *709*, *710*
  - gobos, *369*
  - hair, **747**
  - ocean effect, *718–719*
  - tubes, **626**

- tweens, *247*
- twigs, tubes, **620–621**, *621*
- Twigs In Cluster setting, *621*
- twinning, *313*, *339*
- twist settings
  - IK Spline solver, *268*
  - ikRP, *266*
  - twigs, **604**
- 2D canvas painting, **595–596**, *596*
  - brushes. *See* brushes
  - Paint Effects, *591*
- 2D fluids
  - containers, *696–697*, *697*
  - creating, **702–703**, *703*
  - motion effects, *698*
- 2D motion blur, *454*
- two-node cameras, *440*
- Two Panes Side By Side layout, *190*

---

## U

- U direction, *165*
  - hair, *730*
  - NURBS surfaces, *147*
- U settings, *734–735*, *745–746*, *759*
- U spans, *645*
- UI Elements option, *47*, *243*
- uncoil pose, **303**, *303*
- undo feature
  - camera moves, **441**
  - canvas, *596*
  - settings, *48*
- Undoable Movements setting, *441*
- uniform fields
  - cloth, *810*
  - hair, *738*, *738*
- Uniform Fog type, *365*
- Uniform Options window, *738*
- units
  - animation, *243*
  - settings, **48**
- universal joints, *261*
- Universal Manipulator, *14*, *24–25*
- unpinned effectors, *283*
- Unshaded option, *132*
- Update PSD Network option, *436*
- Update View setting, *243*
- Upper\_Lip\_Up blend shape, **224–225**, *225*
- Use All Available Processors option, *481*
- Use Animation Curve Range option, *325*
- Use Depth Map option, *450*
- Use Depth Map Shadows option, *358*, *752*
- Use Light Shape option, *493–494*
- Use Max Distance setting
  - rigid bodies, *642*
  - wrap deformers, *230*
- Use Mid Dist Dmap option, *753*
- Use Radius Quality Control option, *515–516*

Use Ray Trace Shadows option, 361, 494, 496

UV maps, **404**, 404

- dimensions, **408–409**, 409–410
- Machismo character
  - arm, **411**, 412
  - body, **404–407**, 405–408
  - boot, **412–416**, 413–416
  - glove, **416–421**, 416, 418–419, 421
  - head, **422–427**, 423–426
  - torso, **421–422**, 421–422
- mirroring geometry in, **427–432**, 428–433

UV modeling space, **403**

UV Smudge tool, 424

UV Texture Editor, 214, 214, 403, 406–407

UVs

- fur, 758, 761
- hair, 730, 733
- HUD for, 123
- implicit, 381
- NURBS surfaces, 147
- winding order, **420**

Visible In Refractions option, 463

Visor

- brushes, 589, 590, 608
- clips in, 325
- copying and pasting clips, 334
- fluids, 699–700, 700
- imported clips, 336
- instances in, 323
- Paint Effects, 543, 545
- toon examples, 547

Volume Exclusion option, 808

volume fields, 808–810

Volume Fog effect, 362, **366**, 366

Volume lights, 349, **351**, 351

Volume Primitives menu, 366

Volume Shape setting, 642

Volume Tracking Method setting, 802

Vortex field, 810

voxels, 696

VTOL (vertical takeoff and landing) craft. *See* MacGizmo craft

---

## V

V direction, 165

- hair, 730
- NURBS surfaces, 147

V settings, 734–735, 745–746, 759

variables, MEL, **567–569**

vector connections, 35

vector rendering, **467–469**, 467–468

vector variables, 567

Velocity settings, 698, 706, 708–709, 708

vertical takeoff and landing (VTOL) craft. *See* MacGizmo craft

vertices

- blend shapes, 210
- HUD for, 123
- polygon, 111–113, 111–113
- skeletons, 261

video cameras, **292–293**, 293

video monitors, **461–462**

videotapes, **293**

View Compass, **6**, 7

view panels, **3–5**, 5, **19–20**, 21–22

- display shortcuts, **23**
- hotbox, **26–27**, 27
- manipulators, **24–26**, 24–26
- marking menus, **27–28**
- menu sets, **28**, 28–29
- shaded, textured, and lighted modes, **23**

View Sequence option, 481

views, Channel Box/Layer Editor, **16–17**, 16

virtual sliders, 6

Viscosity settings, 708, 708

visibility

- hair, **748**
- light, 346, 493

---

## W

waist, Machismo character, **123–126**, 124–127

wakes

- cloth, 809
- ocean effect, 721, 721
- pond effect, 722, 722

walk cycle, **341–343**, 342–343

water. *See* fluids

Water fog types, 365

wavelength, **719**

waves. *See* fluids

wavy hair, **742–743**, 743

weights and weighting

- blend shapes, 210, **235–236**, 236
- clip tracks, 328
- clips, 331
- cluster deformers, 263
- compression pose, 302
- impact pose, 304
- Machismo character, **285–289**, 285–288
- soft body objects, **678**, 679
- wrap deformers, 230

Weld Adjacent Borders constraint, 807

West Zone, 26–27, 27

wheels, MacGizmo craft

- drive wheels, **153–160**, 153–155, 157–160
- front wheels, **149–153**, 150, 152
- wheel wells, **181–184**, 181–184

WheelWell\_mats material, 402

while loops, 570

width settings

- hair, 747
- resolution, 448
- ticks, 243
- toon lines, 544, 544
- tubes, 619

- wind
    - animation, 369
    - cloth, 796, 797, 809
  - winding order, UVs, **420**
  - Window menu, 8
  - window option, 576
  - windows, **29**
    - Attribute Editor, **29–31**, 30
    - Connection Editor, **37–39**, 38
    - Graph Editor, **44–46**, 44–45
    - Hypergraph, **32–35**, 33–37
    - Hypershade, **40–43**, 41–43
    - Multilister, **39–40**, 39
    - Outliner, **31–32**, 32
    - Script Editor, **46–47**
  - windshield, **184–185**, 185
  - wing, MacGizmo craft
    - connecting, **179–180**, 180
    - lofting, **174–177**, 175–176
  - wireframe mode, 20, 22, 593
  - Wireframe On Shaded option, 169
  - wireframes
    - meshes, 20
    - spheres, 550
  - wooden floor object, 61
  - work area, Hypershade, **42**, 42
  - work flow, keyframe animation, **242**
  - Working Units setting, **48**
  - workspace, 3–5, 3–5, 242
  - wrap deformers
    - blend shapes, **229–230**, 232
    - cloth, **820–821**
  - wrapping canvas, 601, 601
  - Wrinkle setting, 800
- 
- X-Ray mode, 273
  - X-Ray view, 20, 22
  - X/Y aspect ratio, 448
- 
- Y/X aspect ratio, 448
- 
- Z-depth, 358, **445**, 459
  - zones, hotbox, 26–27, 27
  - zooming, 7, 470