

## Symbols and Numerics

{ } (curly braces), for ActionScript code block, 597  
# (hash mark), 288  
#include statement, 605  
<% and %> tags, 298–299  
; (semicolon), to end ActionScript statement, 597  
<?php and ?> tags, 298–299

## A

<a> tag (HTML), 102, 110, 116

Access, 300

Accordion widget, 230–231

action in behavior

basics, 212, 256, 594

changing, 213

changing order, 217

Event sounds triggered by, 548

removing, 216

Actions panel, 595, 600–603, 604

Actions toolbox, 600, 601

ActionScript. *See also* Behaviors panel

assigning to frames, 604–605

basics, 345, 458, 594–597

and behaviors, 590, 593, 615

and buttons, 582, 598, 610–611

code as external file, 605

editing, 606

errors in, 611

help for, 364–365

for sound, 541, 562–563

and mouse control, 625

syntax, 597, 603

testing, 611

versions, 594, 595, 612–613

active hyperlinks, 108

Add blend mode, 533

Add or Remove Programs window, 283

Adobe Bridge CS3, 56–57

Adobe Web site, 365

ADPCM file format, 541, 560

AIFF file format, 541

Align panel, 416

aligning

AP elements, 209

Flash objects, 416–417

images and text, 91, 92–93, 424–425

paragraphs and headings, 73

SWF file in browser window, 635

tables, 126

Alpha setting, 447, 514

anchor icons, hiding, 107

Angular blend, for shape tween, 516

animated buttons, 584–587

animated GIF file, 251

animated mask, converting movie clip to, 622–623

animation

basics, 345, 468–469, 470

creating by dragging path, 250–251

curved-line, 248

dimensions and frame rate, 472–473

frame-by-frame, 482–485

history, 469

layered, 448

onion skinning, 486–489

preview, 490–491

saving as movie clip, 496–497

saving sequences, 485

scene creation, 494–495

speed of, 247, 251, 254–255

straight-line, 246–247

of symbols along path, 510–513

synchronizing sound with, 554–555

Timelines for, 244

triggering with behavior, 256–257

anonymous account, for MySQL, 307

anti-aliasing, 621, 634

AP Div

adding content to, 204

converting to table, 211

creating, 202–203

property changes in timelines, 252–253

for straight-line animation, 246

AP (Absolutely Positioned) Elements

adding background color, 205

aligning, 209

basics, 189, 202–203

changing stacking order, 210

moving, 206

position and size, 207

visibility, 208

Apache Web server

basics, 275

configuring for PHP, 288–289

- installing, 280–281
- obtaining, 278–279
- verifying software, 279
- Appear/Fade dialog box, 240
- application servers, 274, 276–277, 301
- arguments in ActionScript, 597
- Arrow tool (Flash), 368
- .as file extension, 605
- ASF file format, 567
- ASP (Active Server Pages)
  - basics, 277
  - connecting to database, 301
  - cookies for storing information, 329
  - and form information use, 323
  - and IIS, 282
  - session variables in, 333
  - URL variables in, 327
- .asp file extension, 297
- ASP.NET application server, 277
- asset, 172
- Assets panel, 173, 180
- Attributes, 65, 410–411, 425
- audio. *See* sounds
- audio channels in Flash, 558
- authoring environment for Flash, 490
- authoring file, 628
- Auto rotation, 504
- autostretch table cells, 142
- AVI (Audio Video Interleaved) file format, 567, 638

## B

- background
  - of AP element, 205
  - image for, 97
  - of tables, 138–139
- background color, for Flash stage, 355
- Background File Activity window, 21, 43, 50
- background image, for frames in browser window, 270
- bandwidth for movie, testing, 642–645
- behaviors
  - and ActionScript, 590, 593, 615
  - animation triggered with, 256–257
  - assigning, 614–615
  - basics, 212–213, 562
  - for buttons, 578, 590–593

- Embedded Video behaviors
  - Forward, 575
  - Hide, 571
  - Pause, 574
  - Play, 573
  - Rewind, 575
  - Show, 572
  - Stop, 570
- Event sounds triggered by, 548
- Go to Web Page behavior, 591
- Goto and Stop behavior, 609
- to load sounds, 562–563
- removing, 216
- testing, 593
- Behaviors panel
  - basics, 212, 216, 588–589
  - displaying, 562
  - and Spry effects, 226
- Bindings panel
  - for inserting data from form, 322
  - inserting URL variable from, 326
  - recordsets in, 314, 315
- bit rate, of sound file, 540
- bitmap graphics
  - basics, 344
  - converting to fill, 394–395
  - converting to vector graphics, 384–385
  - filling object with, 379
  - locking, 407
- blank cells, in table, 121
- \_blank, for opening Web page, 591
- blank keyframes, 476
- blend mode, 532–533
- block of cells, selecting, 123
- blue data item, on Web page, 316
- blue outline, for repeating region, 183
- <body> tag (HTML), 12, 82, 109
- bold text, 78, 422
- border
  - for frames in browser window, 270, 271
  - for images, 94
  - for input text box, 618
  - for tables, 119, 133
- bounding box for Flash object, 381
- Break Apart command, 394, 430, 431, 448, 516
- Bridge (Adobe), 56–57
- brightness, tweened animation, 515

broken links, 100, 111, 117

browser

- compatibility, 18–19
- cookie acceptance or rejection, 330
- CSS and, 189
- frames in window, 258–259
- opening customized window, 222–223
- testing movie in, 491
- for Web pages preview, 15

browsing, to locate file, 56–57

Brush Mode modifier, 377

Brush tool (Flash), 368, 376–377, 395, 403

bulleted items in lists, 86–87

button symbols, 453

buttons

- assigning behavior to, 588, 590–593
- assigning play action to, 610–611
- assigning sound to, 546–547
- assigning Video Stop behavior to, 570
- basics, 35, 458, 578–579
- creating, 580–583
- event handlers, 598
- preview of, 581
- selecting enabled, 583
- shape-changing or animated, 584–587
- stages, 578

## C

Cap option for Flash strokes, 390, 391

Cascading Style Sheets (CSS)

- advantages, 189
- basics, 14, 188
- class style, 190–191, 192, 193
- creating AP Div, 202–203
- creating style for HTML tag, 196–197
- external style sheet, 198–199, 200
- file for Spry widget, 226
- moving style sheets, 201
- for Spry widgets, 242–243
- for Timelines, 244
- for typeface, 80

categories, on Insert toolbar, 36

CCW option for object rotation, 504–505

cells in tables

- basics, 118
- blank, 121

formatting, 136

merging, 132

moving content, 137

padding and spacing, 136

selecting, 122

splitting, 130–131

celluloid (cel), 469

Center alignment

for images, 91

for paragraphs and headings, 73

for tables, 126

for text, 424

center point

of Flash object, 397

of radial gradient, 405

<cfcookie> tag, 329

.cfm file extension, 297

<cfoutput> tag, 299

<cfset> tag, 333

Change Link Sitewide dialog box, 112

character embedding, 619

characters. *See* special characters

Characters button menu, 35

check boxes, adding to form, 152–153

check-out system, 23, 24–25

Choose local root folder for site dialog box, 5

class style, 188, 190–191, 192, 193

classes in Actions toolbox, 602

classes in Flash, 596

Clear Keyframe command, 480–481

clearing history list, 418

click stage for button, 578

clockwise rotation, 504–505

code hints for ActionScript, 602, 603

Code view

basics, 12, 30, 32–33

changing style in, 195

pasting code in, 68

Code Window, 18

Coder layout, 27

Coding toolbar, 34

ColdFusion application server

basics, 277

connecting to database, 301

cookies for storing information, 329

and form information use, 323

installing, 292–293

- obtaining, 290–291
- session variables in, 333
- stopping and starting server, 293
- tag examples, 298
- URL variables in, 327

collapse code feature, 33

Collapsible Panel widget, 228–229

collapsing layer folder, 443

color

- of all text on page, 82–83
- of AP element background, 205
- in CSS, 243
- for Flash stage background, 355
- of frame background in browser, 270
- of frame border, 271
- of horizontal rule, 98
- of hyperlinks, 108
- for layer outline, 436, 437
- of selected text, 81
- and shape tweens, 517
- of table border, 134–135
- Transform effect for, 537
- tweened animation, 515

Color dialog box, 81

Color field in Property inspector, 514–515

color markers, 404

Color palette in Flash, 378, 404

color picker, 63, 138

color threshold, 385

Color tools (Flash), 369

column in table

- inserting, 124
- removing, 125
- resizing, 128–129

Command Prompt window, 310

commands, 46

Commands menu, 38–39

Comments, 33, 175

common library, 455

Compiler Errors panel, 623

components, adding to movie, 616–617

composite image, blend mode for, 532–533

compression, of sound file, 540, 541, 561

connection, between Dreamweaver site and database, 312–313

content of tag, searches for, 67

Control Panel, for installing IIS, 282–283

Controller, 491

conversion

- bitmap to Flash fill, 394–395
- bitmap to vector graphic, 384–385
- movie clip to animated mask, 622–623

Convert to Keyframes command, 481

Convert to Symbol command, 452, 485

Convert to Symbol dialog box, 459

Cookie Variable dialog box, 330

cookies, 328–329, 330–331

copying

- attributes of Flash objects, 410–411
- attributes of Flash text boxes, 425
- Dreamweaver site, 22
- filters in Flash, 531
- Flash objects, 408–409
- folders from Remote site, 5
- frames for animation, 492–493
- graphics from other programs, 383
- layer contents, 441
- motion tween information, 526–527
- recordsets between Web pages, 315
- scenes in Flash movie, 495
- symbols, 459
- Web pages to Remote site, 20

counter, for text area typing, 239

counterclockwise rotation, 504–505

Create New Symbol dialog box, 458, 497, 580

Create Table dialog box, 127

cropping

- images, 95
- video, 568

.csn file extension, 168

CSS Rule definition dialog box, 190, 193, 196

curly braces ({}), for ActionScript code block, 597

current date, inserting, 77

curve bar, 372

curved-line animation, 248

curves in Flash, drawing, 372–373

custom commands, creating, 38

Custom Ease In/Ease Out dialog box, 522, 523

Customize Favorite Objects dialog box, 37

cutting Flash objects, 408

CW option for object rotation, 504–505

## D

Darken blend mode, 533

data entry, creating form for, 321

data retrieval, for use in Web page, 314–315

databases

- adding data to, 320–321

- basics, 274, 300–301

- connecting Dreamweaver site to, 312–313

- data display data on Web pages, 316–317

- data retrieval for Web page, 314–315

- hidden fields in, 321

- master/detail page set, 340–341

- use with PHP, 285

Databases panel, 312

date, inserting current, 77

DBMS (Database Management System), 300

Debugger, 631

default frame rate, 470

default images folder, 7

default panel set, in Flash, 356, 357

default target, 596

deleting

- behaviors, 589

- blend mode, 533

- custom gradient, 405

- Dreamweaver site, 9

- filters in Flash, 531

- frames for animation, 476, 480–481

- frames in browser window, 263

- hyperlinks, 110

- instance of symbol, 461

- layer folders, 443

- layers in Flash, 435, 443

- menu item from menu bar, 235

- panels from Tabbed Panel widget, 233

- range of frames, 481

- row or column in table, 125

- scenes in Flash movie, 495

- shape hints, 519

- site information, 9

- sound behavior, 563

- sounds from Timeline, 549

- Stop sounds, 557

- symbols from Library, 457

- tables, 140

- Timeline effect, 535

- transform effects, 537

delimiter, 144

Dependent Files dialog box, 24

Design view, 30, 31, 65

Designer layout, 26, 27

Developer Edition of ColdFusion, 290

device fonts, 423

Difference blend mode, 533

digital sampling, 540

digital sound, 540

dimensions

- of AP Div, changing, 252

- of movie, 472–473

dimmed content, for onion skinning display, 486

Distort modifier in Free Transform tool, 396, 398

distorting text, 431

Distribute buttons (Align panel), 417

Distribute to Layers command, 448–449

distribution, of projector files, 637

Distributive blend, for shape tween, 516

docking

- panels in Flash, 356

- timeline, 451

Document Properties dialog box (Flash), 354, 427, 472–473

Document toolbar, 26, 34

document type definition (DTD), 12

Document window

- basics, 26, 28

- resizing, 29

- views, 30

dot syntax in ActionScript, 597

Down frame for button, 578, 579

Down state for button, 580, 582

download, progressive, of video, 564–565

drag-and-drop

- to copy frames, 493

- for movie clips, 624–625

Dreamweaver

- application server support by, 277

- and databases, 285, 301

- and dynamic Web sites, 275

- predefined framesets, 262

- workspace, 26

Dreamweaver site

- connecting to database, 312–313

- copying, 22

- creating, 4–7

- moving, 10–11

- preview of, 15

- publishing, 20–21

- removing, 9
- site information, 8
- DTD (document type definition), 12
- duplicating. *See* copying
- Dynamic Table dialog box, 319
- dynamic tables, text formatting in, 319
- dynamic text boxes, 620–621
- Dynamic Text dialog box, 319, 339
- dynamic text, in Flash, 420
- dynamic Web pages
  - basics, 274–275
  - creating, 296–297
  - Live Data window for viewing, 339
  - testing, 298–299
- dynamic Web sites
  - application servers, 276–277
  - code, 276
  - directly accessing from browser, 299
  - setup, 275, 294–295

## E

- e-mail, hyperlink for, 116
- Ease control, 513, 522–523
- Edit Envelope dialog box, 555, 558–559
- Edit Object dialog box, 375
- editable regions
  - in table cells, 185
  - on template, 176–177, 179, 187
- editing
  - ActionScript, 606
  - snippets, 171
  - source code, 62–63
  - symbols, 464–465
  - tags in Design view, 65
  - Web pages, 58
- Effect Duration field, 538
- embedded style sheet, 188
- embedded video in Flash file
  - creating, 566–569
  - Forward behavior, 575
  - Hide Behavior, 571
  - Pause behavior, 574
  - Play behavior, 573
  - playing, 569
  - Rewind behavior, 575
  - Show behavior, 572
  - Stop behavior, 570

- Encoding Profiles tab for Import Video Wizard, 568
- Encoding screen, when importing, 565
- Enterprise Edition of ColdFusion, 290
- entities, 74–75
- Envelope modifier in Free Transform tool, 396, 398, 399, 431
- Erase blend mode, 533
- Eraser tool (Flash), 368, 400–401
- error messages
  - from Check Target Browsers, 19
  - from Validator, 16, 17
- event driven sound, 540
- event handlers, 596, 598, 599
- event in behavior, 212, 214, 256, 590
- Event sounds
  - basics, 548–549
  - converting to Start sound, 550
  - export settings, 560
  - looping, 556
- events in Flash, 596
- Excel document, importing, 144–145
- executable file, publishing movie as, 636–637
- expanding layer folder, 443
- Export Image dialog box, 639
- Export Site dialog box, 10
- exporting
  - Flash movie to other format, 638–639
  - movies in Flash, vs. publishing, 629
  - settings for audio output, 560–561
- Exporting Site dialog box, 10
- expressions in ActionScript, 597
- extending text boxes, in Flash, 420, 421
- external Script window, 595
- external style sheet, 188, 198–199, 200
- external target, 596
- Extract dialog box, 286
- Eyedropper tool, 368, 394, 410–411

## F

- fades
  - for Flash object, 537, 538
  - for sounds, 558–559
- Favorites category, on Insert toolbar, 37
- fields
  - on form, validating, 224
  - for file upload, on form, 156–157
  - in database, 300

file formats, for images, 89

file name extensions, 297

file size

- embedding video and, 566

- minimizing for movie, 561

- of sound file, 540

File Transfer Protocol (FTP), 6

file uploading field, on form, 156–157

files

- automatically updating links to moved, 112

- finding, 54–55

- for framed Web page, 260

- transfer troubleshooting, 69

Files panel

- basics, 20, 43, 297

- file status in, 24

- to find files, 54–55

- for Site Map, 48

Fill Color palette (Flash), 375, 392, 402

fills in Flash

- basics, 366, 368, 392–393

- converting bitmap to, 394–395

- Eyedropper tool for attributes, 410

filter in Flash, 530–531

filter for recordset, 314

Filters panel in Flash, 359

Find and Replace dialog box, 60, 66–67

finding files, 54–55

finding text, 60–61

Fit in Window zoom command, 360

fixed text boxes, in Flash, 420, 421

fixed width table cells, 142

FLA file format, 350, 491

Flash

- authoring environment, 490

- basics, 344–345

- drawing models, 366

- Free Transform tool edits, 396–399

- help for, 364–365

- importing graphics, 367

- navigating the window, 346–347

- opening file, 348–349

- panels, 356–357

- playing movie, 485

- Property inspector in, 358–359

- rulers and grids, 362–363

- saving and closing file, 350–351

- templates in, 352–353

- zooming out or in, 360–361

Flash Bandwidth Profiler, 642–645

Flash buttons. *See* buttons

Flash Communication Server, 565

Flash documents

- basics, 344

- adding text to, 420–421

Flash Library

- basics, 454–457, 459

- deleting unused items, 457

- folders in, 456

- importing graphic to, 382

- for sounds, 547

- for storing symbols, 367

- Timeline effects added to, 534

Flash objects

- aligning, 416–417

- basics, 366–367, 596

- Brush tool for drawing, 376–377

- center point of, 397

- distributing to layers, 448–449

- erasing, 400–401

- fade in effect for, 537

- filling with Paint Bucket, 378–379

- flipping, 399

- moving and copying, 408–409

- selecting, 386–389

- setting to specific size, 399

- transform effects, 536–537

- transition effects, 538–539

Flash Player application

- and ActionScript, 594

- basics, 469

- for filters, 530

- HTML file detection of version, 633

- playing movie without browser, 636–637

- versions, 613

Flash projector, creating, 636–637

Flash Video Encoding Progress box, 569

Flip Horizontal command, 506

Flip Vertical command, 506

flipping

- instance of symbol, 462

- objects, 399

folders

- in Flash Library, 456

- images in, 6

- for organizing layers, 441, 442–443
    - on remote server, 21
  - font rendering, 621
  - <font> tag (HTML), 79, 80, 81
  - fonts, 78, 79, 80, 423
  - <form> tag (HTML), 322
  - Form Variable dialog box, 322
  - Format Options dialog box, 426
  - formatting. *See also* text
    - dates, 77
    - frame borders, 271
    - strokes in Flash, 390–391
    - table borders, 134–135
    - table cells, 136
    - text hyperlinks, 108–109
  - forms
    - adding check boxes, 152–153
    - adding file uploading field, 156–157
    - adding hidden information, 158
    - adding list of options, 154–155
    - adding radio buttons, 150–151
    - adding Reset button, 160–161
    - adding Submit button, 159
    - adding text field or text area, 148–149
    - basics, 146–147
    - for data entry to database, 320–321
    - multiple Submit buttons on, 162–163
    - using information from, 322–323
    - validating, 224–225
    - Validation Text Field widget, 236–237
  - Forward behavior, for embedded video, 575
  - fps (frames per second), 470, 472–473
  - frame-by-frame animation, 469, 482–485
  - Frame By Frame Graph mode, for Flash Bandwidth Profiler, 644
  - frame rate
    - basics, 254–255, 355, 470
    - display of, 473
    - setting, 472–473
    - and sounds, 555
    - video vs. Flash document, 566, 567
  - Frame Tag Accessibility Attributes dialog box, 262
  - frames for animation
    - adding, 474–477
    - assigning ActionScript to, 604–605
    - assigning sound to, 544–545, 557
    - basics, 244, 468, 470–471
    - for button sound, 547
    - changing type, 477
    - deleting, 249, 480–481
    - inserting multiple, 476, 477
    - moving and copying, 492–493
    - moving in motion tween, 527
    - printing, 640–641
    - Property inspector, 479
    - reverse, 520–521
    - selecting, 478
    - size in timeline, 451
  - frames in browser window
    - adding content, 264–265
    - basics, 258–259
    - control resizing of, 267
    - formatting borders, 271
    - hyperlinks to, 269
    - name for, 268
    - removing, 263
    - resizing, 266
    - saving Web page with, 260–261
    - turning off borders, 270
  - Frames panel, 264
  - frameset, 258, 262
  - Free Transform tool (Flash)
    - basics, 368
    - editing objects with, 396–399
    - to grow or shrink object, 508
    - for instance of symbol, 462
    - and shape tweens, 517
    - for text boxes, 428–429
  - freeform line, drawing, 371
  - FTP (File Transfer Protocol), 6
  - Fully justified alignment, for text, 424
  - Future Flash, 344
- ## G
- Gap Size modifier, 379
  - GET method, 322
  - GIF files, 89, 99, 344
  - Go to URL dialog box, 591
  - Go to Web Page behavior, 591
  - Goto and Stop behavior, 609
  - gotoAndPlay action, 597
  - Gradient Transform tool (Flash), 406–407
  - gradients, 379, , 402–405, 407, 423
  - graphic symbols, 453

graphics. *See also* bitmap graphics  
basics, 458  
converting text to, 430  
importing to Flash, 367, 382–383  
raster, 367  
vector-based, 344

grids in Flash, 362–363, 371

Gripper area of timeline, 451

grouping objects, 381, 411, 412–413

guide layers, 437, 444–445

guides in Flash, 363

## H

Hand tool (Flash), 369

handles

- for images, 88
- for text boxes, 428

handset templates, 353

Hard Light blend mode, 533

hash mark (#), 288

<head> tag (HTML), 12

headers in tables, 118

headings, 72, 73

height, of sound layer, 551

help

- for Coldfusion, 291
- for Flash, 364–365
- for MySQL, 305

hexadecimal codes for colors, 81, 83, 369

hidden fields, in database, 321

hidden information, adding to form, 158

hidden video, 571, 572

Hide Behavior, for embedded video, 571

hiding

- layer folders, 443
- layers in Flash, 436, 437, 439
- timeline, 451

Highlight Invalid Code button, 33

Hint window, 32–33

History list, 38, 39, 40

History panel, 46–47, 418–419

Hit state for button

- basics, 578, 579, 580
- creating, 583
- shape for, 584, 585, 587

horizontal lines in Flash, 371

horizontal rule, 98

horizontal space, for images, 94

hotspot, 114

.hqx file extension, 636–637

HTML

- creating style for tag, 196–197
- from Dreamweaver, 31
- format for publishing movies, 632–635
- rendering text as, 621
- validating code, 16–17
- tables in, 14. *See also* tables

HTML template, for Flash SWF file, 633

httpd.conf file, 288

Hyperlink dialog box, 100, 102, 107

hyperlinks

- basics, 100–101
- changing, 111, 112–113
- converting image to, 104–105
- for e-mail, 116
- formatting text, 108–109
- to frames in browser window, 269
- multiple on one image, 114–115
- removing, 110
- in site map, 103
- to specific place in Web page, 106–107
- validity checking, 117

## I

ID for Web page element, 241

IIS. *See* Internet Information Services (IIS)

image map, 114–115

Image Tag Accessibility Attributes dialog box, 88, 120

images

- adding rollover image to, 218–219
- adding space around, 94
- aligning, 91
- aligning with text, 92–93
- background, 97
- for buttons, 161, 163
- converting to hyperlink, 104–105
- cropping, 95
- file formats, 89
- folder for, 6, 7
- inserting, 88–89
- inserting placeholder, 96
- resizing in Property inspector, 90
- sizing, 88–89
- spacer image, 99

[<img> tag \(HTML\), 91, 96](#)  
[Import Site dialog box, 11](#)  
[Import to Library dialog box, 542](#)  
[Import Video Wizard, 564–565, 566](#)  
[importing](#)  
     [embedded video vs. movie clip, 567](#)  
     [graphics to Flash, 367, 382–383](#)  
     [site to new computer, 11](#)  
     [sounds, 542–543, 545](#)  
     [tables, 144–145](#)  
[inactive stage for button, 578](#)  
[#include statement, 605](#)  
[indents, in text boxes, 426–427](#)  
[InetPub/wwwroot folder, 283](#)  
[information](#)  
     [adding hidden, to form, 158](#)  
     [cookie for storing, 328–329](#)  
[informational messages](#)  
     [from Check Target Browsers, 19](#)  
     [from Validator, 17](#)  
[Ink Bottle tool \(Flash\), 368, 393, 411](#)  
[Ink mode for Pencil tool, 370](#)  
[inline styles, 188](#)  
[Input Tag Accessibility Attributes dialog box, 156](#)  
[<input> tag \(HTML\), 158, 160](#)  
[input text, in Flash, 420](#)  
[Insert Date dialog box, 58, 77](#)  
[Insert Master-Detail Page Set dialog box, 340](#)  
[Insert Other Characters dialog box, 75](#)  
[Insert Repeating Table dialog box, 184](#)  
[Insert Rollover Image dialog box, 220](#)  
[insert snippet, 168](#)  
[Insert toolbar, 26, 34, 35, 36–37](#)  
[inserting](#)  
     [comments, 33](#)  
     [current date, 77](#)  
     [images, 88–89](#)  
     [instance of symbol, 460–461](#)  
     [layers in Flash, 434, 435](#)  
     [library item, 173](#)  
     [line break, 76](#)  
     [placeholder image, 96](#)  
     [rollover image link, 220–221](#)  
     [row or column in table, 124](#)  
     [snippets, 170](#)  
     [special characters, 74–75](#)  
     [table content, 120–121](#)  
[inspectors, 40–41](#)

[installing](#)  
     [Apache Web server, 280–281](#)  
     [ColdFusion application server, 292–293](#)  
     [Internet Information Services \(IIS\), 282–283](#)  
     [MySQL, 304–305](#)  
     [PHP application server, 286–287](#)  
[instance](#)  
     [naming, 607](#)  
     [of symbol](#)  
         [basics, 452](#)  
         [deleting, 461](#)  
         [inserting, 460–461](#)  
         [modifying, 462–463](#)  
         [for sounds, 542](#)  
[interactivity in Flash, 345](#)  
[internal style sheet, 188](#)  
[Internet Information Services \(IIS\)](#)  
     [basics, 275](#)  
     [configuring to process PHP code, 289](#)  
     [installing, 282–283](#)  
[invalid code, highlighting, 33](#)  
[Invert blend mode, 533](#)  
[invisible links, 109](#)  
[italic text, 78, 422](#)

## J

[J2EE server, and ColdFusion, 292](#)  
[JavaScript. \*See also\* Spry framework](#)  
     [basics, 212, 219](#)  
     [for Timelines, 244](#)  
[Join option for Flash strokes, 390, 391](#)  
[JPEG \(Joint Photographic Experts Group\) files, 89, 344](#)  
[JSP \(JavaServer Pages\), 277](#)  
[.jsp file extension, 297](#)  
[Justify alignment, for paragraphs and headings, 73](#)

## K

[kerning text in Flash, 424–425](#)  
[keyboard shortcuts, for changing stacking order, 415](#)  
[keyframes](#)  
     [ActionScript attached to, 595](#)  
     [adding, 474](#)  
     [basics, 244, 471](#)  
     [changing status, 480–481](#)

*continued*

## keyframes *(continued)*

- for curved-line animation, 248
- for motion tween, 500
- placing sounds in, 542, 544–545, 553, 554
- removing, 249
- for straight-line animation, 246
- in tweened animation, 469

## L

### labels

- for check boxes, 152
- for frames, 479
- pop-up, 253
- for printed frames, 641
- for radio buttons, 150
- for sound frames, 545

### Lasso tool (Flash), 368, 388

### Layer blend mode, 533

### Layer Properties dialog box, 436–437

### layers in Flash

- for actions, 605
- adding and deleting, 434–435
- for buttons, 583
- distributing objects to, 448–449
- folders for organizing, 437, 441, 442–443
- properties, 436–437
- selecting all on, 387
- for sounds, 541, 543, 551, 557
- stacking, 440–441
- on timeline, 438–439

### layout of pages, tables for, 118, 119, 142–143

### layout of workspace, 26

### Left alignment, 91, 126, 424

### libmysql.dll file, 309

### library in Dreamweaver, 166–167, 172, 173, 174–175

### library in Flash. *See* Flash Library

### Library panel

- assigning sound from, 544
- basics, 452, 454
- sound files in, 543
- transition effect in, 539

### license, for projector files, 637

### Lighten blend mode, 533

### line break, inserting, 76

### line spacing, in text boxes, 427

### Line tool (Flash), 366, 368, 370–371

### linear gradient, 402, 407

### lines. *See* strokes in Flash

### lines (horizontal rule), 98

### <link> tag, 200

### linkage ID, for sounds, 563

### links. *See* hyperlinks

### List Values dialog box, 154

### lists, 86–87, 154–155

### Live Data window, 317, 339

### Load Sound behavior, 562–563

### Local site

- basics, 4
- for dynamic Web site, 275, 294
- saving file to, 13
- synchronizing with Remote, 52–53
- viewing side-by-side with Remote site, 51

### localhost, 6, 299

### <localinfo> tag (XML), 11

### locating files, browsing for, 56–57

### lock file, 25

### Lock Fill modifier, 407

### locking

- groups, 413
- layer folders, 443
- layers in Flash, 436, 437, 439
- regions on template, 176, 178

### Loop Playback option for movie, 490

### looping sounds

- basics, 551, 556–557
- and overlap, 548

## M

### Mac computers

- Apache on, 278
- MySQL on, 305
- PHP for, 285

### Macintosh projector file, 636–637

### Macromedia, 344

### Magic Wand modifier, 389

### mailto keyword, 116

### Manage Saved Commands dialog box, 419

### Manage Sites dialog box

- for copying site settings, 22
- for dynamic site, 294
- exporting site with, 10
- for site creation, 4, 7

- for site information changes, 8
  - for site removal, 9
- <map> tag, 114–115
- margins, in text boxes, 426–427
- markers, for shape hints, 519
- marquee, 386
- mask layer
  - animated, from movie clip, 622–623
  - animation, 524–525
  - basics, 437
  - creating, 446–447
- master/detail page set, for database record display, 340–341
- master template, 186
- Match Size buttons (Align panel), 417
- menu bar
  - in Dreamweaver, 26, 34
  - in Flash window, 346
- Menu Bar widget, 234–235
- menu type of list, 154
- Merge Drawing model, 366
- merging cells in tables, 132
- messages
  - Check Target Browsers display of, 19
  - Validator display of, 17
- methods in ActionScript, 596
- Microsoft Installer file, for Apache, 278, 279
- Microsoft SQL Server, 300
- mobile devices, handset templates for content to, 353
- Modern Photo Slideshow template, 353
- Modify Onion Markers pop-up menu, 487
- morphing between shapes, 516–519
- motion guide layer, 444, 445, 510
- motion tweens
  - to animate filter, 530
  - basics, 469, 471
  - copying information, 526–527
  - creating, 500–503
  - for mask, 524–525
  - moving frames in, 527
  - reversing, 520–521
  - rotating, 504–505
  - vs. shape tweens, 517
  - speed of, 522–523
- mouse pointer, 167, 218–219
- MOV file format, 567
- movie elements
  - analysis with Movie Explorer, 498
  - storing, 452
- Movie Explorer, 498–499
- Movie Explorer Settings dialog box, 499
- movie symbols, 453, 457, 458, 496–497
- movies in Flash
  - adding component, 616–617
  - bandwidth testing, 642–645
  - basics, 344
  - for button animation, 586
  - converting to animated mask, 622–623
  - dragging clip, 624–625
  - event handlers for, 599
  - exporting to different format, 638
  - playing, 485
  - publishing, 628–631
  - publishing in HTML format, 632–635
  - scene creation, 494–495
  - stop action for, 608–609
- moving
  - AP Elements, 206
  - Dreamweaver site, 10–11
  - files to Remote site, 6
  - Flash objects, 408–409
  - frames for animation, 492–493
  - frames in motion tween, 527
  - instance of symbol, 462
  - layer folders, 443
  - onion skin markers, 487
  - Panel groups, 42
  - style sheets, 201
  - table cell content, 137
  - text boxes, 428–429
  - timeline, 451
  - toolbars, 34
- MP3 file format, 540, 541, 560
- MPEG/MPG file format, 567
- multiple Flash objects, selecting, 387
- Multiply blend mode, 533
- Mute Sounds option for movie, 490
- MySQL
  - administration software, 303
  - basics, 277, 300
  - configuring, 306–307
  - installing, 304–305
  - obtaining, 302–303
  - PHP setup to communicate with, 308–309
  - versions, 302, 310–311
- MySQL Connection dialog box, 313
- mysql text client, opening, 311

## N

### name

- for browser window, 223
- for Flash layer, 436, 442, 443
- for frames, 268
- for instance, 607
- of library item, 455
- for sounds, changing, 549
- for video instance, 570

name/value pairs, 324, 328

named anchor, 106

Narrow Library view, 455

### nesting

- AP Div, 189, 204
- frames, 262
- layout tables, 142
- lists, 86
- tables, 140
- templates, 186–187

New CSS Rule dialog box, 190, 198

New Document dialog box, 12, 14, 166, 180

New Editable Region dialog box, 177

New From Template dialog box, 352

New Repeating Region dialog box, 182

nonbreaking space, 75, 121

normal layer, 437

## O

### Object Drawing model

- basics, 366, 380–381
- and stacking, 415

objects. *See* Flash objects

<ol> tag (HTML), 86

OLD\_PASSWORD function (MySQL), 311

On Drag Out event, 592

On Drag Over event, 592

On Key Press event, 592

On Press event, 592

On Release event, 592

On Release Outside event, 592

On Roll Out event, 592

On Roll Over event, 592

onBlur event, 225

onData event handler, 599

onDbClick event, 257

onDragOut event handler, 598, 599

onDragOver event handler, 598, 599

onEnterFrame event handler, 599

onion skinning animation

- basics, 486–489

- for motion tween, 503

- for symbols on path, 510–511

onKeyDown event handler, 598, 599

onKeyUp event handler, 598, 599

onKillFocus event handler, 598, 599

onLoad event handler, 599

onMouseDown event handler, 599

onMouseMove event handler, 599

onMouseOver event, 257

onMouseUp event handler, 599

onPress event handler, 598, 599

onRelease event handler, 598, 599

onReleaseOutside event handler, 598, 599

onRollOut event handler, 598, 599

onRollOver event handler, 598, 599

onSetFocus event handler, 598, 599

onSubmit event, 225

onUnload event handler, 599

opacity, 514, 517

Open As Library dialog box, 545

Open dialog box, 28

open-source software, 284

### opening

- customized browser window, 222–223

- Flash file, 348–349

- Flash panels, 356

- Flash template, 352–353

Oracle, 300

ordered lists, 86–87

Orient to path option, for symbols on path, 513

outline color for layer, 436, 437

Outline view in Flash, 439

outlined content, for onion skinning display, 486

Oval Primitive tool (Flash), 374

Oval tool (Flash), 374

Over frame for button, 578, 579

Over state for button, 580, 581

overlapping movie clips, 532–533

overlapping sounds, 548, 550

Overlay blend mode, 533

- P**
- <p> tag (HTML), 72, 91
  - Page Properties dialog box, 83, 97, 108
  - Page Setup dialog box, 640
  - paging, for displaying multiple records, 336–337
  - Paint Bucket tool (Flash), 368, 378–379
  - Panel groups, 26, 40, 42
  - Panel menu, to customize Timeline, 450
  - Panels in Dreamweaver, 26, 40–41
  - panels in Flash, 356–357
  - panning for sound channel, 558
  - paragraphs, 72, 73
  - parameters in ActionScript, 597
  - Parameters panel in Flash, 359
  - `_parent`, for opening Web page, 591
  - password
    - for Coldfusion, 293
    - for MySQL, 304, 311
    - for user input text box, 619
  - Pasteboard in Flash, 346, 428
  - path for animation, 250–251, 510–513
  - Pause behavior, for embedded video, 574
  - Pen tool (Flash), 368, 372–373
  - Pencil tool (Flash), 366, 368, 370–371
  - percentages, for setting frame size, 266
  - Personal Web Server (PWS), 283
  - photos, as Flash fill, 394
  - PHP
    - and Apache, 278, 288–289
    - application servers, 277
    - code example, 276
    - connecting to database, 301
    - installing application server, 286–287
    - MySQL versions 4.1 and newer with, 310–311
    - obtaining application server, 284–285
    - setup to communicate with MySQL, 308–309
  - `.php` file extension, 297
  - `phpinfo()` function, 298–299, 309
  - phpMyAdmin, 303
  - `php_mysql.dll` file, 309
  - Picture Expert Group (MPG) video, 567
  - pixel, 266
  - placeholder frames, 471, 474
  - placeholder image, inserting, 96
  - plain guide layer, 444
  - play action, assigning to button, 610–611
  - Play All Scenes option for movie, 490
  - Play behavior, for embedded video, 573
  - Play Sound behavior, 563
  - Play Timeline dialog box, 256
  - PNG files, 89
  - Pointer Hotspot tool, 114
  - Pointer tool (Flash), 368
  - Polygon Hotspot tool, 115
  - Polygon Mode option, of Lasso tool, 389
  - PolyStar tool (Flash), 374
  - port, for Coldfusion, 293
  - positioning
    - AP Elements, 207
      - with CSS, 189
  - POST method, 322
  - PostgreSQL, 300
  - Preferences dialog box (Dreamweaver), 49, 59
  - Preferences dialog box (Flash), 367
  - pressure-sensitive tablet, Brush tool and, 377
  - preview
    - of animation, 490–491
    - of buttons, 581, 587
    - Custom Ease In/Ease Out, 523
    - of movie before publishing, 629
    - in timeline frames, 451
    - of Web site, 15
  - Preview in Context, in timeline frames, 451
  - Print dialog box, 641
  - printer, matching stage size to, 354–355
  - printing movie frames, 640–641
  - progressive download, of video clips, 564–565
  - properties
    - of Flash layers, 436–437
    - of Flash objects, ActionScript to change, 596
  - Property inspector
    - basics, 26, 44–45
    - Color field, 514–515
    - Ease control, 513, 522–523
    - for field properties, 148–149
    - in Flash, 346, 358–359
    - for frames for animation, 479
    - H Space, 94
    - for image conversion to link, 104
    - for instance of symbol, 462
    - resizing images in, 90
    - for rotating motion tween, 504
    - for row or column size, 129

## Property inspector (*continued*)

- Snap option for path animation, 512
- for sounds, 541, 545, 554
- for splitting table cell, 130–131
- for stroke formatting, 390
- Sync field, 550
- for table cell formatting, 136
- for table size, 127
- for text, 84–85, 425
- V Space, 94

## protoframe, 471

## Publish Settings dialog box

- and ActionScript version, 595, 612–613
- Flash tab, 560, 631
- Formats tab, 628, 632, 636
- HTML tab, 633, 635

## publishing

- Dreamweaver site, 20–21
- movies, 628–629, 630–631

## put command (FTP), 20

## PWS (Personal Web Server), 283

## Q

### query string in URL, 324, 325, 326–327

### QuickTime file format, 541, 565, 567, 638

## R

### radial gradient, 402

### radio buttons, adding to form, 150–151

### raster graphics, 367

### RAW file format, 541, 560

### RDBMS (Relational Database Management System), 300

### Record Insertion Form dialog box, 321

### Record Insertion Wizard, 320

### recorded command, playing, 40

### records in database

- basics, 300
- creating Search results page set, 338–339
- displaying multiple
  - with paging, 336–337
  - on Web page, 318–319

### Recordset dialog box, 314–315

### Recordset Navigation Bar dialog box, 336

### recordsets, 314, 339

### Rectangle Primitive tool (Flash), 374

### Rectangle tool (Flash), 368, 374

### redoing changes, 59, 418

### Reference panel, 68

### registration point, 465

### regular frames, 471, 474, 475

### related tables in database, 300

### relative sizes, for setting frame size, 266

### release stage for button, 578

### Remote site

- basics, 4
- copying folders from, 5
- copying pages to, 6, 20
- for dynamic Web site, 275, 294
- synchronizing with Local, 52–53
- viewing side-by-side with Local site, 51

### <remote> tag (XML), 11

### Remove Frames command, 480

### removing. *See* deleting

### rendering text as HTML, 621

### Repeat property, of sound, 556

### repeating animation, 247

### repeating region, 182, 183

### repeating table, 184–185, 318–319

### replacing text, 60–61

### Reset button, adding to form, 160–161

### resize handles for browser window, 223

### resizing. *See* size

### Results panel, FTP log, 69

### Reverse Frames feature, 520–521

### Rewind behavior, for embedded video, 575

### Right alignment, 73, 91, 126, 424

### rollover buttons, 453, 578

### rollover image, 218–219, 220–221

### rollover stage for button, 578

### root account, for MySQL, 306

### Rotate and Skew modifier in Free Transform tool, 396, 429, 506–507, 508

### rotating motion tweens, creating, 504–505

### rounded corners for rectangle, 375

### row in table

- inserting, 124
- removing, 125
- resizing, 128–129
- selecting, 123

### rulers in Flash, 362–363, 371

### rules in CSS, 188, 191

## S

- sampling rate, 540
- Save As dialog box, 13, 47
- Save As Preset dialog box, for filters, 531
- Save As Template dialog box, 176, 353
- Save Style Sheet File As dialog box, 198
- Save Workspace Layout dialog box, 357
- saving
  - animation as movie clip, 496–497
  - edited filters, 531
  - Flash file, 350–351
  - Flash template, 352–353
  - gradients, 405
  - Web pages, 13, 21, 260–261
  - wrap snippet, 169
- Scale modifier in Free Transform tool, 396, 397, 429, 506, 509
- Scale option, for publishing movie, 635
- scenes in Flash movie, 470, 494–495
- Screen blend mode, 533
- Script Assist mode, 345, 595, 602, 603
- Script Navigator, 600
- Script pane, 600
- Script window, external, 595
- scripting language. *See* ActionScript; PHP
- scroll bars for Flash Stage, 347
- search engines, frames and, 259
- searching
  - database for text string, 338–339
  - for movie element, 499
  - for tags, 66–67
- security
  - forms and, 147
  - and query string in URL, 325, 327
- Select File dialog box, 100
- Select HTML File dialog box, 265
- Select Image Source dialog box, 120, 139
- Select Publish Destination dialog box, 629
- Select Recently Modified dialog box, 54
- SELECT statement (SQL), 301, 338
- selecting
  - all strokes on Stage, 391
  - enabled buttons, 583
  - Flash objects, 386–389
  - frames for animation, 478
  - text, 85
- Selection tool (Flash), 368, 386–389
- `_self`, for opening Web page, 591
- semicolon (;), to end ActionScript statement, 597
- Server Behaviors panel, 321, 341
- service, installing Apache as, 281
- session ID, 334, 335
- session variables, 332–333, 334–335
- shape-changing buttons, 584–587
- shape hints, assigning, 518–519
- shape tweens, 469, 471, 516–517, 518–519
- shapes
  - drawing, 374–375
  - recognition in Flash, 367
- shopping cart application, cookies for, 328
- Show behavior, for embedded video, 572
- Show/Hide button, 26
- Site Definition dialog box, Advanced tab, 5, 6, 294
- site information, 8, 9, 22
- Site Map, 48, 103
- `<site>` tag (XML), 11
- size
  - of AP element, 207
  - of Document window, 29
  - of fonts, 79
  - of frames in browser window
    - basics, 266
    - user control of, 267
  - Free Transform tool to change, 508
  - of images, 88–89, 90
  - of row or column in table, 128–129
  - of sound file, 543
  - of tables, 127
  - of text, 423
  - of text boxes, 428–429
  - of Timeline, 477
  - of video, 568
  - of video-viewing window, 569
- skewing objects, 396–397, 508
- skin for video, 564
- slideshow of photos, template for, 353
- Smooth mode for Pencil tool, 370
- Snap to Objects option (Flash), 371, 485
- Snap tool (Flash), 363
- Snippet dialog box, 171
- snippets, 166–167, 168–169, 170, 171
- Sort Table dialog box, 141

## sorting

- radio buttons, 151
- recordset, 319
- tables, 141

## sound effects, 558–559

### Sound Settings dialog box, 561

### sound waveforms, viewing in layer, 437

## sounds

- adding to Flash movie, 541
- assigning Start, 550–551
- assigning to button, 546–547
- assigning to frames, 544–545
- basics, 345, 457, 540–541
- Event, 548–549
- importing, 542–543
- loading with behavior, 562–563
- looping, 556–557
- Property inspector, 541
- settings for export, 560–561
- Stop, 552–553
- streamed, 540–541, 549, 554–555
- types, 540–541
- volume of, 558

## source code

- basics, 30
- Dreamweaver creation in Design view, 31
- editing, 62–63

## space, adding around image, 94

## Space buttons (Align panel), 417

## spacer image, 99, 142

## spaces, adding, 75

## <span> tag (HTML), 80, 81

## special characters, inserting, 74–75

## speed

- of animation, 247, 251, 254–255, 483
- for tweens, 522–523

## Split Cell dialog box, 131

## splitting cells in tables, 130–131

## Spry effects, 226, 240–241

## Spry framework

- Accordion widget, 230–231
- adding widget, 227
- basics, 226
- Collapsible Panel widget, 228–229
- Menu Bar widget, 234–235
- styles for widgets, 242–243
- Tabbed Panels widget, 232–233

## Validation Text Area widget, 238–239

## Validation Text Field widget, 236–237

## SpryAssets folder, 226

## SQL (Sequential Query Language), 301

## SQL statement, for data retrieval, 314

## stacking

- layers in Flash, 440–441
- order for AP element, 210

## stacking objects

- basics, 414–415
- vs. grouping, 413

## Stage in Flash

- basics, 346
- controls, 347
- moving everything on, 527
- properties, 359
- size changes, 354–355
- zooming out or in, 360–361

## Standard Edition of ColdFusion, 290

## Standard toolbar, 26, 34

## Start, All Programs, Accessories, Command Prompt, 310

## Start sounds, 550–551, 556

## starting Apache Web server, 280

## stateless Web pages, 324, 326

## statements in ActionScript, 597

## static frames, 471, 474, 475

## static text in Flash, 420

## static Web pages, 274

## Status bar, 26

## Step Backward option for movie, 490

## Step Forward option for movie, 490

## stop action for movies, 608–609

## Stop All Sounds behavior, 553

## Stop behavior, for embedded video, 570

## Stop Sound behavior, 563

## Stop sounds, 552–553, 556, 557

## stopAll Sounds action, 553

## stored commands, 38

## storing information in cookie, 328–329

## storyboards, printing, 640

## straight-line animation, 246–247

## Straighten mode for Pencil tool, 370

## streamed sound

- assigning, 554–555
- basics, 540–541, 549
- export settings, 560
- looping, 556

Streaming Graph mode, for Flash Bandwidth Profiler, 644

Stroke palette, gradients in, 402

Stroke Style dialog box, 391

strokes in Flash

- basics, 366, 368

- drawing, 370–371

- Eyedropper tool to copy attributes, 410

- formatting, 390–391

`<strong>` tag (HTML), 78

style of fonts, 78

styles, 188. *See also* Cascading Style Sheets (CSS)

Styles panel, 194–195

Submit button, 159, 162–163

subscript characters, 427

Subselection tool (Flash), 368, 373, 393

Subtract blend mode, 533

superscript characters, 427

Swap Images dialog box, 219

Swap Symbol dialog box, 461

SWF file format, 423, 491, 564, 630–631

symbols

- animation along path, 510–513

- basics, 452, 453

- buttons as, 578

- creating, 458–459

- editing, 464–465, 483

- Flash Library for storing, 367

- imported sounds as, 541

- inserting instance, 460–461

Sync type for sound, 551

synchronizing

- Local and Remote sites, 52–53

- sound with animation, 554–555

System 7 Sounds, 541

## T

tab delimited file, 144

tab for repeating region, 183

Tabbed Panels widget, 232–233

Table dialog box, 119, 140

tables. *See also* cells in tables

- aligning, 126

- background changes, 138–139

- basics, 118–119

- border, 133, 134–135

- converting AP Div to, 211

- importing, 144–145

- inserting content, 120–121

- nesting, 140

- for page layout, 118, 119, 142–143

- repeating, in template, 184–185

- resizing, 127

- selecting element, 122–123

- sorting, 141

- spacer image in, 99

tables in database, 300

Tag Chooser dialog box, 62

Tag Inspector, 64

tags, 65, 66–67, 196–197

tangent handles, 398

target, 596

Target Browsers dialog box, 19

templates

- adding repeating region to, 182

- basics, 166–167

- connecting Web page with, 181

- creating, 176–177

- creating repeating table, 184–185

- creating Web pages from, 178–179

- for Flash, 352–353

- nesting, 186–187

- updating, 180–181

test environment, for movie, 490, 491

testing

- ActionScript, 611

- behaviors, 593, 615

- buttons, 583

- dynamic Web pages, 298–299

- movie bandwidth, 642–645

- movie sound, 563

testing site, 7, 294, 295

text

- aligning and kerning, 424–425

- aligning image with, 92–93

- assigning behavior to, 589

- Break Apart command for, 430

- changing multiple properties, 84–85

- color of, on page, 82–83

- distorting, 431

- finding and replacing, 60–61

- formatting for hyperlinks, 108–109

- formatting in Flash, 422–423

- removing format, 85

- rendering as HTML, 621

- selecting, 85

text area, adding to form, 148–149

## text boxes

- copying attributes, 425
- dynamic, 620–621
- in Flash, 420
- margins and indents, 426–427
- moving and resizing, 428–429
- for user input, 618–619

text field, adding to form, 148–149

Text tool (Flash), 368, 420–421

thickness of lines in Flash, 371

tiled pattern, 97, 395, 406

## Timeline

- in Dreamweaver, 244
- in Flash. *See also* frames for animation
  - adding actions, 605
  - assigning effects, 534–535
  - basics, 346, 470
  - for buttons, 580
  - controls, 347
  - customizing, 450–451
  - enlarging view, 361
  - hiding, 451
  - keyframes with content on, 471
  - layers, 434–435, 438–439
- removing animation from, 249
- size of, 477

Timelines inspector, 245

title bar, of Flash window, 346

Title field, for hyperlink, 101

Tool modifiers (Flash), 369

toolbars, 34

Tools panel (Flash), 346, 368–369

\_top, for opening Web page, 591

trace actions, 631

Trace Bitmap command, 384–385

transferring files, troubleshooting, 69

Transform dialog box, 536–537

Transform panel, 399

transforming. *See also* Free Transform tool (Flash)

- gradient fill, 406–407

Transition dialog box, 538–539

transition effects, 538–539

transparent image, 139, 462, 514, 517

transparent objects, alpha value for, 447

trial version of ColdFusion, converting to licensed version, 291

## troubleshooting

- Apache install, 281
- file transfers, 69
- mask effect, 447
- PHP application server install, 287
- streaming sound, 555

## tweened animation

- basics, 469
- speed setting, 522–523
- Transform options to create, 506–509

tweened frames, 471, 475

typeface of fonts, 80

## U

<ul> tag (HTML), 86

### undoing changes

- in Dreamweaver, 59
- in Flash, 418
- from Reverse Frames, 521

ungrouping Flash objects, 381, 413, 414

unit of measurement, 355, 363, 427

unordered lists, 86–87

unvisited hyperlinks, 108

Up frame for button, 578, 579

Up state for button, 580, 581

Update Files dialog box, 113

Update Template Files dialog box, 181

### updating

- library item, 174–175
- templates, 180–181
- Web sites, 50

uploading files, field on form for, 156–157

## URL

- adding information to, 324–325. *See also* query string in URL
- for Go to Web Page behavior, 591

URL Variable dialog box, 326

use counts of Library items, 455

### user input

- to form, Validation Text Field widget for, 236–237
- text boxes for, 618–619

users, hiding video from, 571

## V

### validating

- forms, 224–225
- Web pages, 16–17

Validation Text Area widget, 238–239  
 Validation Text Field widget, 236–237  
 vector-based graphics, 344, 384–385  
 velocity curve, 523  
 verifying Apache software, 279  
 vertical lines in Flash, 371  
 vertical space, for images, 94  
 vertical text, 425  
 video. *See also* embedded video in Flash file  
     progressive download to play, 564–565  
 View tools (Flash), 369  
 visibility of AP element, 208, 252  
 visited hyperlinks, 108, 109  
 volume, of sounds, 558

## W

warning messages  
     from Check Target Browsers, 19  
     from Validator, 17  
 WAV file format, 541  
 waveforms, 540, 544  
 Web browser. *See* browser  
 Web pages  
     adding paragraphs and headings, 72  
     animating elements, 244  
     background image, 97  
     browser for preview, 15  
     creating, 12, 178–179  
     displaying data item on, 316–317  
     displaying multiple database records on, 318–319  
     dynamic vs. static, 274  
     editing, 58  
     element ID, 241  
     linking to specific place in, 106–107  
     opening, 28  
     predefined, 14  
     saving, 13, 21, 260–261  
     text color, 82–83  
     validating, 16–17  
 Web-safe colors, 81, 83  
 Web servers, 274, 276  
 Web sites. *See also* Dreamweaver site  
     updating, 50  
 Web space, 274, 283, 295  
 Welcome Screen in Flash, 348  
 white fill, vs. erasing, 401

Wide Library view, 454–455  
 widgets  
     Accordion, 230–231  
     adding, 227  
     basics, 226  
     Collapsible Panel, 228–229  
     Menu Bar, 234–235  
     styles for, 242–243  
     Tabbed Panels, 232–233  
     Validation Text Area, 238–239  
     Validation Text Field, 236–237

## width

of AP element, 209  
 of form field, 149  
 of list, 155  
 window for browser, opening customized, 222–223  
 Windows (Microsoft), for Apache, 279  
 Windows Components Wizard, 283  
 Windows Media, importing, 567  
 WinZip, 286  
 wipes, 538  
 WMV file format, 567  
 Word document  
     copying table into Dreamweaver, 145  
     importing, 144–145  
 workspace layout, change, 27  
 World Wide Web, making Web pages available on, 20  
 World Wide Web Consortium (W3C), 18, 189  
 Wrap setting, for multiline text field, 149  
 wrap snippet, 168, 169  
 wrapping text, 93  
 WYSIWYG (What You See Is What You Get), 12

## X

XML file format, for site settings, 11

## Y

yellow outline, for templates, 167

## Z

z-index, 210, 252, 253  
 zip files, extracting, 286  
 zoom feature, 360–361, 486  
 Zoom tool (Flash), 369