

INDEX

- 0-junction, 53, 55
 - causality, 60
- 1-junction, 54, 55
 - causality, 60
- 1-port, 18
 - compliance, 37
 - inertia, 40
 - resistor, 35
- 2-port, 18
 - gyrator, 48
 - transformer, 46
- Accumulator, thermodynamic, 508–511
- Acoustic approximation, 114, 506
- Acoustic muffler, 127
- Acoustic system variables, 22
- Active bond, 26, 30, 325, 327
- Actuators, 331
- Air motor, bond graph, 543
- Air motor simulation, 542
- Air spring, 524
- Algebraic loop, 175, 530
 - nonlinear, 531
- A-matrix, 160
- Amplifiers, 311, 324, 330, 331
- Angular momentum, 352
- Augmenting the bond graph, 161
- Automated simulation, 11, 193, 540
- Automotive cornering forces, 386, 403
- Automotive cornering stiffness 386
- Automotive shock absorber, 148
- Bar, vibrating, 406–408, 417–426, 446, 449
- Beam:
 - Bernoulli-Euler, 414, 415
 - Timoshenko, 411, 413, 414
 - transverse motion, 411–416, 426–433, 447, 450
- Bernoulli resistor, 500, 521
- Bernoulli's equation, 498
- Bernoulli-Euler beam, 414, 415
- Bicycle car model, 403, 404
- Block diagrams, 28, 62, 250, 331, 334, 347
- B-matrix, 161
- Bode plot, 237
- Body fixed coordinates, 109
 - modulated gyrator, 110
- Bond, 24
 - active, 26
- Bond graph, 5, 26
 - air motor, 543
 - algebraic loop, 175
 - augmentation, 161
 - co-energy variables, 167
 - derivative causality, 180
 - equation formulation problems, 175
 - output variables, 188
 - output vector, 188
 - reducible loop, 90
 - state variable, 163

- Break frequency, 238
- Bulk modulus, 119, 314, 497, 555
- C.g., 99
- Capacitance:
 - elastic pipe, 118, 120
 - rigid pipe, 118, 120
 - water storage tank, 119
- Capacitor, 37
 - moveable plate, 320, 339
- Cardan angles, 355
- Casimir form, 292, 293, 298
- Causality, 29
 - compliance, 59
 - gyrator, 60
 - inertia, 59
 - resistor, 58
 - sources, 58
 - transformer, 60
- Causality assignment procedure, 163
- Causal stroke, 29
- C-element, 37
 - causality, 59
 - energy, 39
 - linear, 37
 - nonlinear, 39
- Center of mass, 99
- C-field causality, 274, 275, 487
- Characteristic equation, 220, 221, 232
- Characteristic value, 220
- Co-energy variables, 167
- Common effort junction, 53
- Common flow junction, 54
- Compliance, 37
 - causality 59
 - fluid, 314
 - thermal, 65
- Compliance matrix, 271
- Compressible gas dynamics, 507
- Compression, isentropic, 504, 511, 512
- Conductance causality, 291
- Conduction heat transfer, 487
- Constant coefficient linear systems, 211
- Constitutive relations:
 - compliance, 38
 - gyrator, 48
 - inertia, 41
 - resistance, 36
 - transformer, 47
- Constitutive relationship, 35
- Control volume, 499
- Coordinate transformations, 354
- Coordinates, body-fixed, 351, 352
- Cramer's rule, 220, 240
- Critically damped 227, 228
- DAE, 530
- DAE solvers, 539
- Damped natural frequency, 228, 229, 230, 253
- Damper, semi-active, 333
- Damping ratio, 227, 228, 230, 253
- D-C motor, 133, 314, 316, 337
- Delta function, 410
- Derivative causality, 180
 - implicit equations, 534
- Descriptor form of equations, 372, 374
- Differential algebraic equations, 530
- Differential equations, partial, 405
- Displacement variable, 19
- Distributed parameter systems, 405
- Drive train model, 386
- Dynamic system, 3
- e , effort variable, 18
- Effort junction, 54
- Effort source, 45
 - causality, 58
- Effort variable, 18
- Eigenvalue, 220, 232
- Electrical alternators, 316, 340
- Electrical circuits, 74
- Electrical circuit construction procedure, 75
- Electrical circuit power convention, 75
- Electrical circuit reference voltage, 78
- Electrical networks, 79
 - controlled source, 81
- Electrical systems, 74
 - D-C motor, 133, 314, 316, 337
 - Pi network, 82
 - Tee network, 83
 - voice coil, 147
- Electrical system variables, 23
- Electrical transformer, 80
- Electrically linear, 321, 323
- Electrohydraulic valve, 8
- Electromechanical transducers, 131

- Energy, 19
 - C-element, 39
 - Gibbs, 483
 - Helmholtz, 483
 - internal, 482
- Energy variables, 19
- Enthalpy, 483, 503
- Entropy, 482, 488, 510
- Equation derivation, 167
 - algebraic loop, 175
 - derivative causality, 180
- Equation formulation problems, 175
- Equations, sorting, 538
- Euler angles, 354
- Euler's equations, 352
- Euler's formula, 213, 258
- Eulerian description, 499, 507
- Explicit equations, 527
 - example, 528
- f , flow variable, 18
- Faraday' law, 295, 318
- Ferromagnetic material:
 - hard, 454, 460 477, 478
 - soft, 454, 459
- Fields, 267
 - C , 267, 268, 273, 466, 468, 483, 484, 487, 505, 510
 - dissipative, 290
 - energy storing, 267, 275
 - explicit, 269, 275, 282
 - I , 267, 281, 377
 - IC , 289, 322, 324, 377, 380, 381, 468
 - implicit, 269, 275, 282
 - R , 290
- Field strength, 455, 457, 459
- Finite lump, 406
- First order system, 213, 214
- Flow junction, 53
- Flow source, 45
 - causality, 58
- Flow variable, 18
- Fluid capacitance, 117
- Fluid circuit construction procedure, 124
- Fluid dynamic systems, 494
- Fluid inertia, 122
- Fluid line, 495
- Fluid resistance, 114
- Fluid system, acoustic muffler, 127
- Flux, 453, 454
- Flux linkage variable, 22, 43, 316, 454
- Forced response, 213, 234
- Force-free boundaries, 427
- Force-free modes, 429
- Forcing frequency, 235
- Free response, 213, 222, 232
- Frequency, damped natural, 228, 229, 230, 253
 - undamped natural, 223
- Frequency equation, 419
- Frequency response, 234, 435
 - normalization, 244
- Friction, dry, 312, 313
- Gear set, 47
- Generator, a-c, 316, 317, 340, 342
- Generator, d-c, 312, 314, 342
- Geometric quantities, 364
- Gibbs equation, 482
- Gibbs free energy, 483
- Gyrator, 48
 - causality, 60
 - modulated, 50, 294, 353, 354, 399
- Gyrator transducers, 131
- Gyroscope, 48
- Half car model, 396
- Hamiltonian form, 378, 380
- Hamiltonian IC field, 377, 379, 382
- Heat conduction, 487
- Heat transfer, 63, 487–494
- Heave-pitch vehicle model, 101
- Helmholtz free energy, 483
- High frequency asymptote, 238, 243
- Hydraulic and acoustic circuits, 114
- Hydraulic models, acoustic
 - approximation, 114
- Hydraulic motor, 130
- Hydraulic pump, 130
- Hydraulic ram, 47, 129, 148, 313
- Hydraulic shock absorber, 148
- Hydraulic system:
 - acoustic muffler, 127
 - bulk modulus, 119
 - fluid capacitance, 117
 - fluid circuit construction, 124
 - fluid inertia, 122
 - fluid resistance, 114

- Hydraulic system (*continued*)
 - nonlinear capacitance, 121
 - variables, 22
 - water storage tank, 118
- Hydraulic transformer, 129
- Hydraulic valve, 329, 330, 346
- Hydrostatic system, 114
- I*-element, 40
 - causality, 59
 - linear, 40
 - nonlinear, 43
- I*-field causality, 285, 287
- Imaginary part of, 226
- Implicit equations, 534
 - derivative causality, 534
 - nonlinear example, 535
- Inductance matrix, 286, 307
- Inertia, 40
 - causality, 59
- Inertia matrix, 352
- Initial condition problem, 212
- Initial conditions, 213, 223
- Input/output concept, 28
- Instruments, 311, 324
- Internal energy, 66, 482
- Irreversible thermodynamics, 481
- Isentropic nozzle, 543
- Isentropic process, 122, 512
- Isothermal models, 481
- Junctions, 52
 - 0-junction, 53, 55
 - 1-junction, 54, 55
 - causality, 60
- Junction structure, 267, 283, 298, 368, 369
- Karnopp-Margolis method, 531, 533, 537
- Kinematic constraints, 103, 105, 108, 359
- Kinematic linkages, 51, 303, 371, 381
- Kinetic energy of rigid body, 99
- Kirchoff's laws, 55
- Ladder network, 82
- Lagrange multipliers, 373
- Lagrange's equations, 377
- Lagrangian description, 499, 506, 507
- Lagrangian *IC* field, 377, 380–382
- Laplace transforms, 210
- Legendre transformation, 483, 484
- Lever, 47
- Linear system, 10
- Lorentz force law, 296, 318
- Loudspeaker, 320, 339
- Low frequency asymptote, 238, 242
- Lumped models, 406
- Lumped parameter systems, 405, 406
- Magnetic bond graph variables, 458
- Magnetic circuits, 462–465
- Magnetic energy, 458
- Magnetic flux, 453
 - density, 453, 459
- Magnetic induction, 453
- Magnetic saturation, 455
- Magnetizing force, 455, 457
- Magnetomechanical elements, 465–468
- Magnetomotive force, 454, 462
- Mass controlled region, 435
- Mass density, 555
- Mathematical model, 4
- Maxwell reciprocity, 272, 282, 290, 292, 321, 323, 467, 483, 484, 505
- Mechanical lever, 93
- Mechanical rotation variable, 22
- Mechanical systems, 85
 - in rotation, 94
 - rotation construction procedure, 94
 - in translation, 85
 - translation construction procedure, 87
- Mechanical translation variables, 21
- Mechatronic system, 1
- MGY, 50, 294, 353, 354, 399
- Microphone, 320, 339
- Modal analysis, 417–445
- Modal bond graph causality, 438
- Modal bond graph systems, 443
- Modal damping, 437
- Modal inertia, 422, 431
- Modal mass, 422, 431
- Modal matrix, 256
- Modal stiffness, 423, 431
- Model, 4
- Mode shapes, 420, 429
- Modulated gyrator, 50, 294, 353, 354, 399

- Modulated transformer, 50, 51, 294, 391, 357, 359, 362, 368, 374, 376, 503
- Modulus of elasticity, 555
- Momentum variable, 19
- Motor, a-c, 316, 341
- Motor, d-c, 312, 314, 315, 341
- Motors, synchronous, 470
- Moveable plate capacitor 267
- MTF, 50, 51, 294, 391, 357, 359, 362, 368, 374, 376, 503
- Multibody systems, 371, 383
- Multi-energy-domain models, 128
- Multiport, 16

- Nonlinear pendulum, 528
- Nonlinear simulation, example, 541
- Nonlinear system, 10
 - simulation, 190, 526
- Normal modes, 420
- Nozzle, 500
 - isentropic, 512–515

- One-junction, 54, 55
- Onsager reciprocity, 292, 293, 298
- Orthogonality, 420, 430
- Output variables, 188, 210
- Output vector, 188
- Output/input, concept, 28
- Overdamped, 227, 228

- p , momentum variable, 19
- Parasitic elements, 531, 537
- Pendulum, nonlinear, 528
- Perfect gas, 485–487, 509–511
- Permanent magnet, 460
 - d-c motor, 133
- Permeability, 455, 457
- Permeance, 456, 457
- Phase angle, 225, 236
- Phasor, 224, 227, 243
- Pi network, 82
- Plane motion, 99
- Pneumatic actuator, 522
- Pneumatic systems, 502
- Pneumatic tires, 385
- Ports, 18
 - 1-port, 18, 34
 - 2-port, 18, 46

- Power, 19
 - hydrostatic, 503
- Power convention, 24
- Power port, 18
- Power variables, 18
- Pressure:
 - dynamic, 500, 503
 - static, 500, 503
- Pressure momentum, 22
- Pseudo-bond graphs, 63, 507–517
- Pump, 319, 343, 344

- q , displacement variable, 19
- Quarter car model, 88
- Quarter car, simulation, 190

- Real part of, 226, 235
- R -element:
 - causality, 58
 - linear, 35
 - nonlinear, 36
- Reluctance, 456, 457
- Residual compliance, 435, 436
- Resistance:
 - controlled, 328
 - electrothermal, 492–494
 - modulated, 386
- Resistance causality, 58, 291
- Resistor, 35
 - Bernoulli, 501
 - causality, 58
 - thermal, 65
- R -field, 290
 - causality, 290
- Rigid-body motion, 350, 353
- Rotating frame, 351

- Second order system, 217
- Semi-active damper, 332
- Sensor, 331
- Separation of variables, 417–433
- Sequential causality assignment, 163
- Servo-valve, hydraulic, 329
- Shock absorber, 148
- SI units, 21
- Signals, 28
 - input, 28
 - output, 28

- Simulation, 526
 - air motor, 542
 - automated, 11, 193, 540
 - nonlinear, 190
 - example, 541
 - of state equations, 190
- Sinusoidal forcing, 234
- Slider-crank mechanism, 542
- Slip angle, 385, 403
- Solenoid, 322, 341
- Sorting of equations, 193, 538
- Source:
 - causality, 58
 - controlled, 326
- Source element:
 - effort, 45
 - flow, 45
- Specific heats, 66, 485, 486, 509, 556
- Speed of sound, 556
- Stable systems, 231
- State determined systems, 8, 212
- State equations, 155, 159, 210, 215, 218
 - algebraic loop, 175
 - canonical, 256
 - derivation, 167
 - explicit, 527
 - implicit, 534
 - linear, 160
 - linear, matrix form, 160
 - sorting, 193
 - standard form, 159
- State variables, 8, 163, 210
 - alternatives, 255
 - choosing, 163
 - vector, 160
- Steady state response, 235
- Stiffness controlled region, 435
- Stiffness matrix, 271
- String, vibrating, 447, 448, 451
- Superposition, 213
- Suspension, automotive, 332, 345, 384
- Suspension, controlled, 332, 345
- Symmetry of matrix, 272
- Synchronous motors, 470
- System, 1
 - models, 4, 73
- Systems viewpoint, 2
- Tee network, 83
- Tetrahedron of state, 20, 44
- Thermal compliance, 65
- Thermal energy, 66
- Thermal resistance, 65, 487
- Thermal systems, 63
- Thermodynamic accumulator, 508–511, 543
- Time constant, 217
- Timoshenko beam, 411, 413, 414
- Transducers, 128
 - energy-storing, 311, 320, 466–568
 - gyrator type, 131
 - magnetic, 469–477, 479
 - power, 311, 312
 - transformer, 129
- Transfer functions, 249–251
- Transformation:
 - coordinate, 354, 356, 358
 - Legendre, 483, 484
 - power-conserving, 301, 357, 363
 - similarity, 256
 - velocity, 366
- Transformation matrix, 301, 356, 357
- Transformer, 46
 - causality, 60
 - displacement modulated, 295, 304, 371, 374, 381
 - modulated, 50, 51, 294, 391, 357, 359, 362, 368, 374, 376, 503
 - multiport, 299
- Transformer transducers, 129
- Trivial solution, 216, 220, 232
- Undamped natural frequency, 223
- Undamped oscillator, 222
- Underdamped system, 227, 228
- Unstable systems, 231
- Valve:
 - four-way, 330
 - hydraulic, 329, 330, 346
- Variable:
 - acoustic systems, 22
 - displacement, 19
 - effort, 18
 - electrical systems, 23
 - energy, 19
 - flow, 18

- hydraulic systems, 22
- mechanical rotation, 22
- mechanical translation, 21
- momentum, 19
- Vector matrix form, 211
- Vehicle dynamics, 383
- Vibration of a bar, 406–410, 417–422
- Vibration of a beam, 426–431
- Viscosity, 556
- Voice coil, 48, 49
 - actuator, 147
- Wankel compressor or engine, 515–518
- Wave equation, 410, 416
- Wheatstone bridge, 78
- Word bond graph, 24, 25, 26
- Zero-junction, 53, 55