

## Index

### **a**

- adaptive control 3
- Advanced Process Control 5, 24
- ANN, state observer 240
- Artificial Neural Network (ANN) 37, 128

### **b**

- balance
  - energy 149, 248, 253
  - heat 84, 217
  - mass 216, 234, 247
  - momentum 218
  - voltage 248, 253
- batch reactor 73–74
- biomass 119
- bioreactor 118
- brain surgeon 133
- brine electrolysis 244
  - model predictive control 255

### **c**

- catalyst circulation lines 219
- chlorine 244
- coefficient
  - heat transfer 85
  - mass transfer 121
- computer control scheme 4
- concentration 173
  - profile 165
- condenser 147
- constraint 9, 22
- continuous-stirred tank 119
- continuously stirred tank reactor (CSTR) 247
- control
  - relevant model 30
  - scheme selection 221
  - structure 16

controller 4

conversion 81, 90

CSTR 214, 251

### **d**

- De Nora mercury cell 247
- deadtime 8
- discrete convolution 18
- distillate 147
- distillation 145, 192
  - ANN model 186, 208
  - azeotropic 208
  - dynamic modeling 146
  - experimental equipment 192
  - LMPC 184
  - NMPC 158, 206
- disturbance 6
  - rejection control 26
- drying 233
  - artificial neural networks-based MPC 238
  - electric insulators 233
  - model 233
  - MPC 236
- Dynamic Matrix Control 20
- dynamic sensitivity 63, 235, 238, 241

### **e**

- electrolysis 244
- enthalpie 149
- estimation
  - parameter 32
  - stte 32
- expert systems based control 12
- Extended Kalman Filter (EKF) 170

### **f**

- FCCU (fluid catalytic cracking unit)
  - constrained MPC 221, 227

- dynamic model 214
- model scheduling 227
- feedback control system 3
- feedback filter 63
- first-principles, models 30
  - model-based NMPC 32
- fluid catalytic cracking unit (FCCU) 213
- fractionator 218

**g**

- genetic algorithm 94
  - robust optimization for NMPC 180
- glucose 119

**h**

- Hoechst-Uhde BM cell 250
- horizon
  - control 32, 62
  - input 20
  - model 61
  - output 20
  - prediction 32, 61
  - receding 20, 22

**i**

- IMC, stability 17
- impulse response model 18
- initiator 73
- Internal Model 16
- Internal Model Control, philosophy 15
- ion-exchange membrane cell (IEM) 250, 255

**j**

- jacket
  - cooling 74, 85
  - heating 74

**k**

- $K_w$  73
- Kalman filter 170
- kinetics 77

**l**

- laplace transform 6
- linear model predictive control (LMPC)
  - concept 17
  - constraints 21
  - objective function 20
- linear quadratic, controller 7
- linear-quadratic, model 164
- linearization 104
- lumped parameter systems 5, 9

**m**

- measurement 11
- mercury 245–246
  - all XXX MPC 259
- Michaelis-Menten 118
- MIMO, models 23
- MIMO systems 7
- model 74, 118, 200, 215, 233, 245
- molecular weight distribution (MWD) 73
- Monod 118
- monomer 81
- morphological model 86
- MPC (model predictive control) 20
  - IEM 261
- MUSCOD 163

**n**

- nonlinear model predictive control (NMPC) 23

**o**

- optimal
  - control 3, 12
  - experimental design 31
- optimization 11, 23
- overpotential
  - anodic 249
  - cathodic 249

**p**

- particle size distribution 73
- plug flow reactor 214
- polymer 81
- polyvinyl chlorid (PVC) 73
- potential
  - anodic 249
  - cathodic 249
- prediction 20, 22
- process 4
- process identification 3, 5
- PVC batch reactor
  - dynamic model 74
  - NMPC 101

**q**

- quadratic programming 162

**r**

- reactor 215
- reboiler 147
- rectification 147
- reflux 147
- regenerator 218

relative gain array (RGA) 222  
relative volatility 151  
riser 217

**s**

sampling time 62  
sequential quadratic programming (SQP)  
161  
setpoint tracking 26  
SISO systems 7  
stability, NMPC 35  
state estimation 3  
state estimator 4  
state space 6  
step response model 19  
stripper 217  
stripping 146  
substrate 121  
suspension 73

**t**

thermal resistances 85  
transfer function 16  
tray 146  
tuning 61, 174

**v**

valve 192, 219, 233  
vapor pressure 149  
variables  
– controlled 2  
– input 2  
– manipulated 6  
– output 2  
– states 6  
vinyl chloride 75

**w**

weight matrices 62  
weighting matrix  
– input 21  
– output 21

**y**

yeast fermentation bioreactor  
– ANN model 128  
– ANN model NMPC 137  
– LMPC 125  
– model 118

