

# Index

- AAPC (area age-period-cohort) models 407–13  
 abortion attitude data, latent class and trait analysis 438–9  
 accelerated failure time (AFT) model 464–6, 479  
 accelerated hazard parametric models 464–6  
 additive nonparametric regression 350–9  
 additive skew model 73  
 adenocarcinoma and exposure to DES in utero 78–9  
 ADS *see* augmented data sampling  
 AFT (accelerated failure time) model 464–6, 479  
 age-area-period data 409–10  
 age-area models for London borough mortality 412–13  
 age-period-cohort (APC) models 407–10  
 age-period data 408–9  
 agricultural subsistence and road access 300–2  
 AIC (Akaike information criterion) 29, 50–2, 187  
 AIDS antibodies, tests for detecting 94–5  
 AIDS deaths prediction model 261  
 AIDS study of sexual behaviour 522–4  
 AIDS tests, latent class analysis 440  
 Akaike information criterion (AIC) 29, 50–2, 187  
 alcohol use and medical advice 553–4  
 alienation through time 431–3  
 animal movements, nonlinear state-space model 406–7  
 anisotropy 323  
 APC (age-period-cohort) models 407–10  
 AR1 (first-order autoregression) model 242–9  
   error model 253–5  
 AR2 (second-order autoregression) model 247–8  
 ARCH (autoregressive conditional heteroscedastic) model 274–7  
 ARDL (autoregressive distributed lag model) 244  
 area age-period-cohort (AAPC) models 407–13  
 area mortality comparisons 81–2  
 area-time data 409  
 ARMA (autoregressive moving average) models 250–3  
   error scheme 253–4  
 augmented data sampling (ADS) 142, 172, 173, 232, 260, 398–9, 435  
 autocorrelated errors  
   panel data models 390–1, 397  
   time series models 259–61  
 autocorrelation 17, 253–5, 259–60  
 autoregressive distributed lag (ARDL) model 244  
 autoregressive errors 253–5  
 autoregressive models, observation-driven 242–8  
 autoregressive moving average (ARMA) models 250–3  
 autoregressive (AR) lags 391  
 average logarithm of the pseudomarginal likelihood (ALPML) 44  
 averaging model inferences 25–8  
 baseline hazard priors 470–2  
 basic structural model (BSM) 264–5, 269–70  
 Bayes factor 26–7, 67, 426–7  
   approximation 28–9, 36–8  
   posterior 50  
   pseudo 44, 126, 301, 337  
 Bayes information criterion (BIC) 28–30, 51, 115, 194–5, 413  
 Bayes theorem 2, 67  
 Bayesian inference, principles of 2–5  
 Bayesian method, advantages of 1–2  
 Bayesian model choice and comparison 25–56  
 Bayesian regression methods 109–43  
 Bayesian ridge priors 121–3  
 Bayesian updating 2–5, 63  
 benchmark priors 41–2  
 Bernoulli density 75, 495  
 Bernoulli indicators 116, 281, 344, 348  
 Bernoulli likelihood 141, 394, 441, 483–4  
 beta-binomial mixture 162–3, 168  
 beta-binomial model 525  
 BIC *see* Bayes information criterion

- binary adjacency 300–1, 304–5, 311, 319
- binary data 74–9, 142
  - crime rates in Columbus 302–3
  - factor analysis 444–5
  - misclassification 541–2
  - multivariate responses 140–3
  - simultaneous equations 546
  - time series models 257–8
- binary panel data 393–4, 398–9
- binary regression 123–4
  - failure probability 127–8
  - latent data sampling 129–32
  - model checks 126
  - relative risk estimation 126–7
  - setting priors 124–6
- binary selection, model averaging 41–3
- binomial data
  - categorical distributions 74–9
  - conjugate approaches 374–5
  - with excess zeros 195–6, 198
  - measurement error 537
  - non-conjugate analysis 164–5
  - random effects regression 165–9
- binomial outcomes 162–5
- binomial probability 93, 515
- binomial regression 123–8, 168
- bivariate normal (BVN) data
  - density 85, 88–91
  - partial missingness 88–9
  - random missingness 505–6
- bivariate screening 89–91
- blood pressure readings 68, 402–3
- Box-Cox transformations 338–42
- breast cancer survival times 466
- bridge sampling method 33
- British Election study 376–7
- Brooks-Gelman-Rubin (BGR) statistic 16
- BSM (basic structural model) 264–5, 269–70
  
- cancer deaths
  - fixed effects model 160–1
  - non-conjugate analysis 164–5
  - Poisson model 375–6
  - see also* endometrial cancer; lung cancer
- cancer survival times 70–1
  - breast cancer 466
  - gastric cancer 470, 473, 474
  - head and neck cancer 484–5
  - lung cancer 462–3, 479–82
- car ownership
  - MNL model 223–4
  - MNP model 226–7
  
- CAR (conditional autoregressive) priors 300, 306–7, 314
- carcinoma survival times 70–1
- categorical data
  - applications 219–21
  - hierarchical models 506–9
  - with missing values 516–18
  - multinomial and Dirichlet densities 82–5
  - panel data 397–8
  - regression models 510–13
- categorical distributions 74–9
- censoring 457, 459–60, 470–1, 476, 482, 483
- central limit theorem, Bayesian version of 64
- change point models 278
- child cancer rates, smoothing of 160–1
- Choleski decomposition 226
- city store use, binary regression 131–2
- classification rules, epidemiology 91–8
- cluster effects, multilevel data 369–76
- clustered data 200–8, 367–9
- Cobb-Douglas production function 392
- Cochrane-Orcutt transformation 254
- coefficients of income inequality 84–5
- Columbus crime data, binary response 302–3
- common factor models 499–500, 501, 502–3, 525
- commuter delay 463–4
- commuting route choice 229–30
- competing risk-continuous time models 475–7
- computer disk errors 197
- conditional autoregressive (CAR) priors 300, 306–7, 317
- conditional means prior (CMP) 110, 127, 133
- conditional predictive ordinate (CPO) 43–6, 301, 337, 340–1
- conditional probability 94, 176, 441, 482, 507
- conditional variance 166, 243, 266, 275, 283, 304–5
- conjugate mixing 152–3, 168, 374–5, 404–5
- conjugate Poisson-gamma model 13–14, 79–80, 200–1
- conjugate prior 77, 85–6, 125, 133–4, 158, 159, 162, 190
- conjugate prior density 75, 83
- consumption expenditure and disposable income 549–50
- contextual effects 367–8, 381
- contingency tables
  - missing cells in 518–26
  - Poisson regression 134–8
  - scores for ordered factors 235–7
- continuous data
  - factor analysis and SEMs 427–33
  - missingness in 516–18
  - multivariate normal and t densities 85–91
  - multivariate responses 140–3
- continuous predictor space prior 351–3

- continuous selection indicators, model averaging 41–3  
 continuous space modelling in regression and interpolation 321–5  
 continuous time, parametric survival models 458–64  
 contraceptive use 139–40  
 control data, simulation of 76–7  
 convolution model 298, 303–4, 306, 311, 313, 317–18, 320  
 coronary heart disease and dietary fibre 540–1  
 count data  
   Bayesian hierarchical estimation 160–1  
   forecasting and smoothing 406–7  
   models for repeated 395–7  
   multivariate responses 140–3  
   overdispersion 165–9  
 counting process models, survival data 466–9  
 covariate impact on survival 461–2  
 crime rates, spatial dependencies 302–3  
 cross-tabulations with missing data 519–22  
 cross-validation methods 43–6, 132  
 crossed factors, random effects for 381–7  
 cumulative distribution function 470  
 cumulative hazard, gamma process prior 472–3  
 cumulative incidence function 458–9  
 cumulative odds logit model 231, 232
- data augmentation 130, 188, 205, 235, 334, 428, 504, 537  
 data-generating process (DGP) 63–4  
 dental health in children, ZIP regression 199–200  
 deviance information criterion (DIC) 48–9  
 diabetes control 126–7  
 diabetic hospitalisation 210–12  
 differential item functioning (DIF) 443  
 Dirichlet-multinomial model 176–7, 374–5, 396  
 Dirichlet density 82–5  
 Dirichlet mixture 43, 234, 318, 374  
 Dirichlet priors 95, 99, 176, 188, 190, 197, 233, 274, 282, 374, 384, 435, 521  
 Dirichlet process prior (DPP) 201–7, 283, 481–2, 551–2  
 discontinuous data, robust models 317–21  
 discrete change point models 278  
 discrete data  
   conjugate approaches 374–5  
   factor analysis and SEMs 441–7  
   missingness 516–18  
   nonlinear regression methods 339  
   panel data 393–400  
   time series models 241–2  
 discrete mixtures 187–8, 318  
   combined with parametric random effects 200–1  
   hurdle and zero-inflated models 195–7  
   identifiability constraints 191–5  
   of parametric densities 188–91  
   regression subpopulations 197–200  
 discrete predictor space priors 353–4  
 discrete priors 3, 75, 121, 153, 162, 164, 166, 178  
 discrete spatial regression 303–10  
   for metric data 298–303  
 discrete time survival models 482–6  
 discrete variables, endogenous regression 550–4  
 discriminant analysis 98–100  
 disease incidence testing 76, 91–8  
 distributed lag model 243  
 disturbed dreams in boys 236–7  
 drinking and physician advice 553–4  
 dropout from mathematics courses 486  
 dynamic generalised linear models (DGLMs) 263–4  
 dynamic linear models (DLMs)  
   for longitudinal data 403–7  
   and time varying coefficients 261–73
- ecological inference (EI) 519–22  
 educational attainment, missing predictor data 502–3  
 emergency hospital admissions, avoiding 383–4, 385  
 empirical identifiability 372, 411, 426, 431, 442, 448  
 endogenous regression 550–4  
 endogenous treatment models 551  
 endogenous variables  
   estimated instruments 548–9  
   simultaneous equations 546–8  
 endometrial cancer 341–2  
 event history analysis 457–86  
 exchangeable models 157–61  
 extreme value (EV) 469, 482  
 eye-tracking data 193, 203, 205–6
- factor analysis 427–9  
   identifiability constraints 429–31  
   Introductory statistics course 444–5  
   for multivariate discrete data 441–7  
   for ordinal variables 446–7  
 fibre in the diet and coronary heart disease 540–1  
 firm investments 392–3  
 first-order autoregressive (AR1) model 242–4  
   error models for 253–5  
 fixed effects analysis 160–1  
 forecasting economic trends 249–50  
 fractional polynomial (FP) models 338–9, 401  
 frailty models 477–82
- galaxy velocities 206–7  
 gamma process prior on cumulative hazard 472–3  
 GARCH (generalised autoregressive conditional heteroscedasticity) model 275–7  
 gastric cancer survival times 470, 473, 474

- Gelman-Rubin diagnostics 19, 310, 400, 413, 433  
 general additive models (GAMs) 334, 350–9  
 general linear factor models 441  
 general linear mixed models (GLMMs) 370–2, 396, 496–7, 498  
 general linear models (GLMs) 70, 109, 115, 123, 126  
     DP mixing 204  
     measurement error 537–8  
     prior specification 315  
     regression 151–2  
 generalised exponential decay model 324  
 generalised logit model 339, 437  
 generalised partial credit model 500  
 generalised ridge regression 122  
 geostatistical models 321–4  
 Gibbs sampling 12–14, 159, 226, 251, 264, 428–9  
 Gibbs updating 371, 435  
 Gibbs variable sampling (GVS) method 119  
 Gini coefficient of inequality 63, 84–5  
 Gompertz model 336–7  
 grades in high schools 177  
 growth curve models 400–3  
  
 Hald data, variable selection 120  
 harmonic mean, marginal likelihood 32, 194–5  
 hazard function 457–8, 459, 465, 469, 476, 484  
 hazard rate 457, 459, 460–2, 463, 467, 472, 478  
 head and neck cancer, survival times 484–5  
 heart surgery survival rates, meta-analysis 156–7  
 heavy tailed density 71–4  
 heteroscedasticity 73, 118, 274–7, 302, 345  
     multilevel models 379–81  
 hidden Markov models (HMMs) 279, 282, 391, 482–3  
 hierarchical models  
     random effects 39, 49, 69  
     for response and non-response 506–9  
 hierarchical priors 18  
     choosing 158–9  
     conjugate and non-conjugate mixing 152–3  
     for multinomial data 176–9  
     for normal data 153–7  
     for pooling strength 151–2, 157–61  
 high school grades, multinomial data 177  
 histogram method 3  
 histogram smoothing 177–9  
 homogenous effects model 316  
 homoscedastic errors 110, 254, 298, 300, 343  
 hospital admissions, avoiding unnecessary 383–4, 385  
 HPV (human papillomavirus) infection 544–5  
 hurdle model for discrete data 195  
 hypertension trial data 402–3  
 hypothesis testing on normal parameters 66–8  
  
 ICAR (intrinsic conditional autoregression) 304, 306–7, 314, 317–18, 320, 409–13  
 identifiability 16, 17, 110–11, 134–5, 141, 176–7, 428, 438, 441  
     age-period data 408  
     empirical 372, 411, 426, 431, 442, 448  
     MCMC estimation 371, 400  
     repeated counts 396  
 identifiability constraints 191–5, 429–31  
 identifiability problems 4, 254, 298, 410, 525  
 ignorability in missing data 493, 509, 512  
 illness rates, spatial discontinuities 320–1  
 INAR (integer-valued autoregressive) models 258–9  
 index of multiple deprivation (IMD) 375  
 individual level ordinal regression 230–5  
 inequality index 63, 84–5  
 inference on univariate normal parameters 69–71  
 informative priors 4, 5, 539, 543, 544–5  
 interaction effects, modelling 346–7  
 interaction priors 410–12  
 interdependent choices 224–7  
 intrinsic conditional autoregression (ICAR) 304, 306–7, 314, 317–18, 320, 409–13  
 isotropy 323  
 item response theory (IRT) model 442–3, 444  
 iterative proportional fitting (IPF) 494, 518, 522  
  
 Jeffreys' prior 4, 29, 133  
 job mobility, competing risks in 476–7  
 joint density 304–5, 319, 494–8, 500–2, 512, 551  
 joint space model selection, Hald data 120  
 joint space search methods 38–41, 336–7  
  
 Kleins model for a national economy 548–9  
 knot locations 343–4  
  
 labelling issues 425–6, 432, 438, 444  
 lamb fetal movements 282  
 Langevin random walk scheme 11  
 language score variability by gender 380–1  
 Laplace approximation 28–30  
 Laplace prior 221, 304, 317  
 latent class analysis (LCA) 425–6, 433–40  
 latent class models 433–40  
 latent data sampling 129–32  
 latent trait analysis 425–7, 444, 447–9  
 latent trait models, identifiability constraints 429–31  
 latent variable models for multivariate data 425–50  
 left skewed extreme value (LSEV) 231, 233  
 leukaemia case-control study 78  
 leukaemia remissions 468–9  
 likelihoods, comparisons of 50–2  
 linear regression 41–2

- general models 123
  - hierarchical priors 152
  - normal model 111–21
- LISREL (linear structural relationships) model 427
- liver disease drug trial 473–5
- local dependence, latent class analysis 437–8
- log-likelihood 26, 30, 49, 50, 64, 68, 341, 464
- log-linear fixed effects model 161
- log-linear model 136, 169, 235–6, 436, 438, 468–9
  - missing data 501, 510, 514
  - selection 139–40
- log-linear random effects model 382–3
- log-linear regression 158, 513, 518–19
- log-logistic AFT model 466, 479–80
- log-logistic density 461
- logistic model 336–7, 479–82
- logit-linear model 524
- logit link 99, 124, 129–32, 220–3, 233–4
- logit regression 110, 125, 127–8, 131–2
- logit transformation 507
- lognormal priors 70
- long-term illness in London 320–1
- longitudinal data
  - dynamic linear models for 403–7
  - pattern mixture approach to 497–8
- loss functions 6, 26, 93
- lung cancer
  - cytology, discriminant analysis 100
  - survival times 462–3, 479–82
- lynx data
  - AR mixtures 283–5
  - ARMA model 252–3
- malaria risk, predicting 538
- MAR (missingness at random) 493, 495, 503, 505, 510, 513
- marginal homogeneity 135
- marginal likelihood 26–7
  - approximations 28–9
  - approximations from MCMC output 30–6
  - harmonic mean estimate 194–5
- marine animal movements, effect of temperature 406–7
- market share of consumer products 271–3
- Markov Chain Monte Carlo (MCMC) 63
  - conjugate mixtures 153
  - convergence 14–18, 111, 335, 400
  - discrete mixture modelling 187–8
  - estimates of model probabilities 52–6
  - missing data generation 504
  - non-conjugate analysis 153
  - output 30–6
  - regression models 109, 116, 129
  - sampling algorithms 9–14
  - sampling methods 8–9
  - sampling-based estimation 5–7
  - time series shifts 278
- Markov mixtures 279–80, 282
- maximum likelihood 4, 10
  - analysis 236–7
  - estimate 28–9, 64, 75, 132, 159
  - model 536
- MCAR (missingness completely at random) 493, 495, 510
- MCMC *see* Markov Chain Monte Carlo
- measurement error, normal linear regression 533–41
- mental health status 233–4
- meta-analysis
  - animal movements 406–7
  - heart attack magnesium trials 174–6
  - hierarchical priors 153–7
- metric data
  - nonlinear models 335–7
  - regression models 111, 123, 298–303
- Metropolis-Gibbs sampling 372
- Metropolis-Hastings (M-H) algorithm 9–10
  - Gibbs sampler 12–14
- Metropolis-Hastings (M-H) updates 31, 448, 520
- Metropolis step 13, 115, 226
- Michigan road accidents 357–9
- migration data
  - crossed factors 384–7
  - missing values in 522, 523
- misclassification of categorical variables 541–5
- missing data models
  - contingency tables 518–26
  - hierarchical 506–9
  - missing predictor data 500–3
  - mixtures of continuous and discrete data 516–18
  - multiple imputation 503–6
  - pattern mixture 496–8
  - regression 510–16
  - selection 494–6
  - shared common factor 499–500
  - shared random effect 498–9
  - types of missingness 493–4
- missingness
  - bivariate normal model 88–9
  - non-ignorable 499–500, 502, 508–10, 517
  - types of 493–4
- missingness at random (MAR) 493, 495, 503, 505, 510, 513
- missingness completely at random (MCAR) 493, 495, 510
- missingness not at random (MNAR) 493, 495, 500, 501
- mixed Dirichlet process 202
- mixed multinomial logit (MMNL) models 223, 228–30

- MNAR (missingness not at random) 493, 495, 500, 501
- MNL (multinomial logit) choice models 221–4
- model averaging 25–8, 41–3, 345, 352
- model-checking procedures 46–8
- model choice 25–56
- model probabilities
- approximating 36–8
  - MCMC estimates 52–6
- model search methods 38–41, 118–19
- model selection 120–1
- monotone missingness 494, 496, 504
- Moran's I statistic 300–1
- mortality
- age-area models 412–13
  - comparisons between areas 81–2
  - heart transplant patients 201
  - in London electoral wards 198–9
  - see also* cancer deaths
- moving average priors 311–13
- multicollinearity 111, 121–3
- multilevel data 367–8
- language score variability by gender 380–1
  - multinomial logit model for voting 376–8
  - small area cancer deaths 375–6
  - US interregional migration 384–7
- multilevel educational attainment 502–3
- multilevel models
- heteroscedasticity in 379–81
  - nested data structures 367–9
  - random effects for crossed factors 381–7
  - structures of 369–78
- multilevel structures
- conjugate approaches, discrete data 374–5
  - GLMM for discrete outcomes 370–2
  - multinomial models 372–3
  - normal linear model 369–70
  - ordinal models 373
  - robustness of cluster effects 373–4
- multinomial data, hierarchical priors for 176–9
- multinomial density 82–5
- multinomial logit (MNL) choice models 221–4
- multinomial probit (MNP) models 223, 224–7
- multiple comparisons with the best (MCB) 389, 391–2
- multiple imputation, missing data 503–6
- multivariate conditionally autoregressive (MCAR) prior 314, 401
- multivariate continuous data 85–91
- multivariate discrete data, factor analysis and SEMs 441–7
- multivariate discrimination 98–100
- multivariate normal (MVN) density 87–8, 112
- multivariate normal (MVN) distribution 85
- multivariate normal (MVN) prior 70, 87–8, 114, 124, 133, 225–6
- multivariate responses, regression models 140–3
- multivariate series 255–7
- multivariate spatial priors 313–16
- multivariate  $t$  density 88, 374
- Nelson-Plosser velocity series 249–50
- nested data structures 367–9
- noisy data, reconstructing signal from 270–1, 272
- non-conjugate analysis, binomial data 164–5
- non-conjugate logistic-normal random effects model 164
- non-conjugate mixing 152–3, 159, 166, 168
- non-conjugate Poisson-lognormal mixture model 200
- non-ignorable missingness 499–500, 502, 508–10, 517
- non-informative priors 4, 5, 75, 256
- non-monotonic hazard 461, 463
- non-parametric mixture modelling 201–7
- non-parametric priors 207–12
- non-proportional regression effects 469, 483, 486
- non-random missingness, categorical response data 506–18
- non-response *see* missingness
- non-standard errors, spatial discontinuities 317–21
- non-stationarity 243, 245, 246–7, 248–50, 254
- nonlinear factor models 447–50
- nonlinear regression 41, 333–7, 347–9, 354–6
- nonlinear state-space models 268–9, 406–7
- nonparametric regression 333–4, 342–3, 345, 356–7
- normal-normal hierarchical model 173–4
- normal distribution 64
- normal errors model 262
- normal linear factor model 428, 441
- normal linear model 115, 333
- multilevel 369–70
- normal linear regression 109–11
- measurement error 533–41
  - model 111–16
  - outlier detection 116–18, 120–1
  - variable selection 117–22
- O-ring failures by temperature, binary regression 127–8
- obesity in children, missing data 513–14
- observation-driven autodependence 257–8
- observation-driven dependencies 391
- observation-driven models 241, 242–61
- occupational mobility, competing risks 476–7
- occupational prestige in Canada 354–6
- odds ratio 76, 78, 125, 127, 135–40, 143, 154, 156–7, 232, 395
- one-step-ahead predictions 244–5, 249–50, 284
- onion bulb growth, nonlinear growth curve model 336–7

- opinion polls 77, 514–15
- ordinal data
  - applications 219–21
  - contingency tables 235–7
  - factor analysis 446–7
  - working mothers survey 234–5
- ordinal regression 230–5
- outlier detection 116–18, 120–1, 125–6, 131
- out-of-sample predictions 18, 44, 244, 401–2
- overdispersion
  - and measurement error 537
  - normal regression 169–73
  - random effects regression 165–9
- pain exposure response times 340–1
- panel data 367–9
  - binary respiratory status clinical trial 398–9
  - British Election Study 376–8
  - with missing values 495–6
  - patent applications 399–400
  - shared effects model 499
  - subject to attrition 495
- panel data models
  - for binary panel data 393–5
  - for categorical data 397–8
  - discrete observations 393–400
  - nomal mixed models 387–93
  - for repeated counts 395–8
- parameter sampling 159–61
- parametric densities 188–91
- parametric hazards 460–1
- parametric random effects and discrete mixtures 200–1
- parametric survival analysis in continuous time 458–64
- partial missingness, bivariate normal data 88–9
- partitioning multivariate priors 87–8
- patent applications 399–400
- patient risk, meta-analysis 173–6
- pattern mixture models 496–8, 500, 503
- pediatric coping response 340–1
- penalised likelihoods 51–2, 345–6, 349–50
- 'perfect mobility' model 136
- pig weight gain data 178–9
- pleural thickening 545
- Poisson distribution for event counts 79–82
- Poisson-gamma mixture 169, 200–1
- Poisson-gamma model 13–14, 79–80, 161, 166
- Poisson lognormal model 56, 79, 79–80, 200, 400
- Poisson model
  - AIDS deaths 261
  - small area cancer deaths 375–6
- Poisson outcomes, exchangeable models 157–61
- Poisson regression 132–40, 169, 197–8, 307
- Polya Tree (PT) priors 207–12
- polynomial functions 343–4, 346
- pooling strength 151, 157–61, 403–7
- posterior mean 6–7, 9
- posterior model probabilities 26, 27–8, 36, 42, 52–6, 116–17, 140
- posterior predictive checks 9, 46–8, 126
- posterior predictive density 9, 18, 47, 48, 63–4
- posterior probability 7, 27–8, 41, 44, 169–70, 337, 348, 434
- posterior probability distribution 25–6
- posterior probability ratio 79
- pound-dollar exchange rate 276–7
- predictive fit criteria 46–8
- predictive model comparison 43–6
- predictor data
  - measurement error in 533–41
  - missing values 500–3
- predictor selection 117–19, 120–1, 125–6, 133
- presidential actions, morality of 77
- price variations in consumer products 271–3
- prior density, choosing 2–3
- prior information 4–5, 535–7, 543, 544–5
- prior model probabilities 26, 27, 39, 54, 120
- prior uncertainty 2–5
- probit link 124, 129–31, 222
- probit models 219, 224–7, 232, 234–5, 444
- probit regression 129
- proneess, variations in 477–82
- proper CAR priors 306–7
- proportional data 82–5
- proportional hazards 461–2, 465, 467–8, 469
- prosecution success, nonparametric regression 356–7
- pseudo-priors 39–41, 118–19, 120
- pseudomarginal likelihood (PsML) 44, 126
- psychological symptoms in children 517–18
- psychotic drug trial, pattern mixture model 497–8
- pure spatial smoothing model 305, 320–1
- 'quasi-perfect mobility' (QPM) model 137
- quasi-symmetry model (QSM) 135, 137, 138
- radial basis functions 342–50
- rainfall prediction 115–16
- random effects
  - for crossed factors 381–7
  - and discrete mixtures 200–1
  - discrete spatial regression 303–10
  - missingness 498–500
  - moving average priors 311–13
  - overdispersed regression 165–73

- random effects models 4, 35, 42
  - averaging 43
  - for discrete data 382–3
  - hierarchical 5, 39, 49, 151, 187
  - likelihoods 35
  - for meta-analysis 154
  - single population 188
  - slow convergence in 17–18
  - for voting behaviour 378
- random walk 484–5
  - first-order 265, 281, 353
  - Metropolis scheme 10–11
  - non-stationary 248, 276
  - priors 248, 264, 266–7, 270, 353, 404–5, 482–3
  - second-order 265, 353
  - Student 334
- recurrent events 457, 466–9
- recursive models
  - discrete variables 550–1
  - endogenous variables 546
- regime shifts, models allowing for changes in 278–9
- regression effects, spatially varying 313–16
- regression mixtures for heterogeneous subpopulations 197–200
- regression models 510–13
  - Bayesian approach 109–11
  - binary 123–32
  - general linear 123
  - missing data 510–13
  - multinomial 221–30
  - multivariate responses 140–3
  - nonlinear 335–6
  - nonparametric 333–4, 342–3, 356–7
  - normal linear regression 111–21
  - ordinal responses 230–7
  - Poisson regression 132–40
  - ridge regression 121–3
  - selection of 41–2, 116–21
- relative risks 124–7, 210–12, 303–6, 313, 317, 341–2
- repeated observations *see* panel data
- respiratory status, binary panel data 398–9
- respiratory symptoms in miners 142–3
- reverse mutagenicity assay, overdispersed count data 168–9, 170
- reversible jump Markov Chain Monte Carlo (RJCMCMC) method 34, 38–9, 188, 191
- ridge regression approach 121–3
- right skewed extreme value (RSEV) 231, 233
- road accident data 357–9
- robustness
  - and cluster effects 373–4
  - in general linear models 126
  - latent trait analysis 444
  - models for spatial discontinuities 317–21
  - multilevel models 376, 379
  - nonlinear models 283, 342
  - to outliers 159, 248, 304, 433
  - in regression 110–11, 131–2
  - scale mixing 353–4
- SAR (spatial autoregressive error) model 298, 299, 303
- SAT scores, binary regression 131
- scale-mixture Student t model 88, 169–72, 275, 317, 394–5
- scram rates at US nuclear plants 405–6
- seasonal effects 242, 256, 265, 269–70, 357–8
- second-order interactions 139, 411
- second-order moving average (MA2) 251
- second-order random walk 265, 353, 354
- seeds and extracts data 209–10
- selection model for missing data 494–5
- self-exciting threshold autoregression (SETAR) model 280–1
- semiparametric hazard models 469–75
- SEMs *see* structural equation models
- sexual attitudes, SEMs 445–6
- sexual behaviour study, missing cells 522–4
- share prices, heavy tailed and skew density 74
- shared random effects, missingness models 498–500
- shifted asymmetry additive model 73–4
- shrinkage 151–2, 155, 158–9, 345–6
- shrinkage prior 347, 354, 356
- SIMs (spatial interaction models) 297, 299–303
- simulated Gaussian mixture 194–5
- simultaneous equations 546–50
- single predictor regression with asymmetric true X 538–9
- skew density 71–4
- Slovenian independence survey, missing data 515–16
- small area mortality, regression mixture 198–9
- smoothing 155, 305, 343, 346, 351, 358, 405–6
- social mobility 136–7
- spatial autoregressive error (SAR) model 298, 299, 303
- spatial dependencies 297–8
  - continuous space modelling 321–5
  - discrete space regression
    - for metric data 298–303
    - with random effects 303–10
  - moving average priors 311–13
  - multivariate spatial priors 313–16
  - robust models 317–21
- spatial heterogeneity 297, 298
- spatial interaction models (SIMs) 297, 299–303
- spatial interpolation 323–5
- spatial kriging 324–5
- spatial prediction 316, 325

- spatiotemporal models 407–13
- spline functions 342–50
- spline smoothing 343, 351, 357
- stack loss data, outlier detection 120–1
- standard densities, applications of 91–100
- state space priors 350–9
- stationarity 242–3
  - testing for 244–5
  - trend stationarity 248–50
- stochastic search variable selection (SSVS) strategy 117, 118, 119, 122
- stochastic volatility (SV) models 275–6
- stomach cancer death rates 164–5
- strongyloides infection, testing for 95–8
- structural equation models (SEMs) 425–7
  - continuous data 427–33
  - discrete data 441–7
  - latent class analysis 436
  - nonlinear factor effects 447–50
  - sexual attitudes data 445–6
- structural shifts in time series, models for 277–82
- Student *t* density 72–4, 88, 98, 159, 171, 266, 275, 394
- Student *t* regression 110, 118
- study design, allowing for heterogeneity in 173
- subpopulations, discrete mixture models 187–8, 189–91, 197–200
- subsistence rates, models for 300–2
- suicide
  - multiple membership prior 312–13
  - spatial dependencies 307–10
  - spatial effects 310
  - spatial kriging 324–5
  - spatially varying regressor effects 315–16
- survival curves 460–1, 474
- survival models 457–8
  - competing risks 475–7
  - continuous time 458–64, 475–7
  - discrete time 482–6
  - frailty models 477–82
  - parametric 458–64
    - AFT (accelerated failure time) 464–6
    - recurrent events 466–9
    - semiparametric 469–75
- SV (stochastic volatility) models 275–6
- t* density 71–3
  - multivariate 88
  - see also* Student *t* density
- time-varying autoregression (TVAR) model 282–3
- time-varying coefficients, dynamic linear models 261–73
- time series models
  - alternative approaches 241–2
  - ARMA models 250–3
  - autoregressive errors 253–5
  - autoregressive models 242–8
    - for discrete outcomes 257–61
  - dynamic linear models 261–73
  - multivariate series 255–7
  - other nonlinear models 282–5
  - structural shifts 277–82
  - trend stationarity 248–50
    - for variance changes 273–7
- toenail infection 349–50
- total probability 92, 97, 507, 517–18, 543
- toxoplasmosis data 347–9
- transition function models 280–1
- trend stationarity, ARI model 248–50
- Troy voting 142, 173
- truncated BVN (TBVN) 520–1
- truncated Dirichlet process (TDP) 202–3
- TVAR (time-varying autoregression) model 282–3
- UK gas consumption 269–70
- univariate normal density with known variance 64–8
- univariate normal parameters 69–71
- univariate outcomes 171
- US consumption and income 122–3, 257
- US interregional migration data 384–7
- US unemployment 247–8
- VAR models 255–6
- variable selection methods 117–22
- variance evolution models 273–7
- variations in proneness, frailty models 477–82
- variogram analysis and isotropy 323
- veterans lung cancer survival 462–3, 479, 480
- volatility clustering 273, 276
- voting studies
  - voter registration in Louisiana 524–6
  - voting in Britain, panel data 376–8
  - voting intentions surveys, missing data 514–16
- Weibull survival models 460–5, 468–9, 476–7
- WINBUGS 19, 561–3
- Wishart density 85–7
- Wishart prior 89, 177, 375, 549
- working mothers survey, augmented data model 234–5
- York rainfall prediction 115–16
- Zellner *g*-prior 42, 115, 539–40
- zero-inflated Poisson (ZIP) model 195–7, 199–200