

Index

A

accounting. See auditing

Action Menu

- K2 Web Designer for SharePoint, 508
- Worklist, 705

action policies, Event Bus, 750

actions

- adding delegation to InfoPath forms, 379–381
- batch actions, 705–706
- as building block of processes, 27–28
- configuring in InfoPath, 360–362
- context grids and, 225
- events separated from, 748
- Finish and Update, 268
- getting list of actions and users executed in a process instance, 860–861
- mapping to outcomes, 363
- multiple slots and, 233
- process instances and, 541
- setting user actions, 224–226
- Task Action field, of InfoPath Client Event Wizard, 357–359
- task items, 548
- worklist items and, 704–706

actions, advanced

- overview of, 782
- rights and, 786–788
- when actions and outcomes do not have one-to-one match, 783–786

Active Directory

- integration with, 74–75
- Kerberos requirements and, 79

Active Directory security provider, 610–614

- ADUM settings, 610–612
- configuring support for multiple domains, 612–614
- overview of, 610

Active Directory SmartObject Service

- creating Active Directory SmartObjects, 131–133
- GetDetails method, 133–140
- GetManagerDetails method, 140–141
- GetUserInGroup method, 141–144
- overview of, 117

Active Directory User Manager (ADUM)

- configuring support for multiple domains, 612–614
- security settings, 610–612

Active Directory Users and Groups

- roles and, 260
- User Browser and, 253

Active Directory-based authentication, 593

activities

- adding to workflows, 262–265
- assigning, 271–273
- coding ASP.NET form activities, 411–414
- Destination Users based on repeating XML element, 828–832
- escalations and, 240
- helper classes for getting/setting activity XML fields, 866–867
- instances of, 223
- Line Rules for connecting workflow activities, 273–275
- mouse gestures for creating, 865
- overview of, 207–208
- viewing ASP.NET form activities, 418–420
- Workflow Context Browser and, 255
- workflow implementation and, 259

activity data fields, 261, 709

activity plans, 781–782

Activity Rules

- Destination Rule, 230–237
- Escalation Rule, 237
- the “How” and, 226–227
- Preceding Rule, 227–229
- Start Rule, 229–230
- Succeeding Rule, 237

activity slots, 232–233

activity wizards

- Default Activity, 262–263
- K2 Toolbox, 256

actors, identifying in process design, 203

Add Custom Event Wizard, 741

Add Notification Event Wizard, 738–741

administration, of Event Bus, 755

administration, of servers and components

- archiving, 549–550
- BDC applications, 562
- Configuration Manager, 564–565
- Environment Library and String Table, 532–536
- license management, 530–532
- Management Console and, 528
- overview of, 525
- process error management, 543–547

administration, of servers and components (*continued*)

- process instance management, 540–541
- process version management, 541–543
- report data sources, 556–558
- reports, 553–556
- roles, 536–538
- Runtime Services, 552–553
- server architecture, 525–527
- SharePoint components, 558–561
- SharePoint events, 451
- SmartObject service, 548–549
- summary, 564–565
- Tasklist Web part, 563–564
- workflow server, 528–530
- working hours, 538–540
- worklists, 547–548
- Workspace application pools, 553
- Workspace logging, 553
- Workspace Web Applications, 550–552

administration event wizards

- overview of, 466
- SharePoint Lists and Libraries Event wizard, 467
- SharePoint Sites and Workspaces Event wizard, 466–467
- SharePoint User Management Event wizard, 468–469

Administrators group, 607

ADO.NET providers, 40

ADUM (Active Directory User Manager)

- configuring support for multiple domains, 612–614
- security settings, 610–612

Advanced Mode, Destination Rule wizard, 232

advanced process design. See process design, advanced

advanced security tools, 607

advanced settings

- InfoPath Integration Wizard, 355
- workflow servers, 530

advanced SmartObjects. See SmartObjects, advanced

advanced workflows, SharePoint, 461

alerts, 700

“Allow Any User to Finish This Client Event”, 833–834

Amazing K2 SmartObject tool, 859–860

APIs (application programming interfaces)

- client API, 99
- creating SmartObjects instances and, 173–175
- Event Bus, 748
- extending K2 platform, 42
- namespaces and classes in K2 API, 414
- process definitions, 498
- Security Provider API. See Security Provider API

Application Access Request process

- overview of, 775–777
- rights on actions, 787–788

- SmartObjects in destinations, 777–779

- “split and merge” scenarios, 792

- when actions and outcomes do not have one-to-one match, 783–786

- XML nodes in destinations, 779–781

application pool, managing, 553

application programming interfaces. See APIs (application programming interfaces)

ApplicationLevelLogSettings section, of logging configuration file, 680

applications

- advantages of K2 blackpearl for developing, 16

- design review process and LOB integration scenario, 22

- dynamic business applications, 17–18

- history of business application development, 4–5

- process-aware. See process-aware applications

- process-driven design, 20

- role of IT department and business user in

- design and development of, 18–19

- SOX compliance scenario, 22

- summary, 23

- traditional design, 14–15

- appSettings, of logging configuration file,

- 675–677

architecture

- choosing architecture template, 64

- client components, 52–53

- core servers, 57

- Environment Library, 298–299

- Event Bus, 750–751

- hosted servers, 56–57

- K2 connect, 806–808

- large-scale, 69–71

- medium-scale, 66–69

- server, 525–527

- server components, 53–55

- small-scale, 64–66

architecture, K2 platform, 52, 55

architecture, SmartObject

- advantages of, 114–116

- overview of, 112–114

Archive extension, Logging Framework, 690

archiving

- databases, 549–550

- InfoPath forms, 381–385

ASP.NET forms

- code-base management of K2 server, 414–418

- coding activities, 411–414

- coding workflows, 399–404

- cons, 341–342

- customizing web pages, 404–407

- displaying custom web page, 407–411

- examples, 431–432

InfoPath forms compared with, 342–344
 overview of, 334, 398–399
 pros, 340–341
 retrieving currently running processes, 426
 viewing activities for process definition, 418–420
 viewing currently running processes, 420–425
 worklist for current user, 426–431

assemblies, version management and, 834–836

Association Wizard, 124

associations

automated vs. manual types, 126–127
 composite SmartObjects compared with, 146
 creating, 123–126
 mapping, 127–128
 Process SmartObjects, 165–168
 Process/Activity Browser, 254

asynchronous IPC events, 221–222

asynchronous server code events, 843–848

example using, 845–848
 making an event asynchronous, 844–845
 overview of, 843

Audit Policy

configuring logging and, 580
 file and registry auditing, 605

auditing

evaluating potential processes and, 37
 files and registry, 605
 intangible benefits of K2 blackpearl, 45
 overview of, 572

authentication. See also Kerberos

Active Directory and, 74
 confidentiality and, 569
 deployment planning and, 76
 Kerberos and, 77–78
 multi-factor, 571
 overview of, 571
 providers, 592–593
 user, 623–624

authorization

Active Directory and, 74
 confidentiality and, 569
 deployment planning and, 76
 overview of, 571

automation

of associations, 126
 backing up databases, 658–662
 of builds, 102
 evaluating processes for, 37
 key considerations in automating business processes, 195
 quick wins and, 47
 selecting candidates for, 194
 of testing, 98–102

availability, 570–571

B

back-end systems, K2 Server, 86

backing up/restoring. See also DRP (disaster recovery plan)

automatic backup, 658–662
 database recovery options, 653–654
 K2 blackpearl databases, 654–655
 K2 blackpearl server(s), 664–666
 K2 for Reporting Services, 666
 K2 for SharePoint, 666–667
 K2 Web Components, 663
 manual backup, 656–658
 restoring a database, 663
 SQL Server, 653, 655–656
 Windows servers, 653

bandwidth requirements, 73

baselines, setting for disaster recovery, 650–651

basic large-scale architecture, 69–70

basic medium-scale architectures, 67

basic small-scale architecture, 65–66

batch actions

overview of, 705–706
 updating InfoPath forms and, 836–837

BCP (Business Continuity Plan), 650. See also DRP (disaster recovery plan)

BDC (Business Data Catalog)

configuring K2 BDC applications, 485–486
 creating BDC definitions, 459
 integrating SmartObjects with, 484–485
 managing K2 BDC applications, 562
 MOSS features, 438
 scenario using customer information in SharePoint, 486–489
 SharePoint and, 483–484
 testing BDC applications, 487

BI (Business Intelligence), MOSS, 438

big bang approach, to development, 30

BizTalk, 115

BLACKPEARL data source, 556

block diagrams, 196–197

challenges with, 197
 overview of, 196–197

Boolean logic, Preceding Rule and, 228

BPD (Business Process Discovery), 17

BPIO (Business Productivity Infrastructure Optimization), 17

BPM (business process management)

advantages of K2 blackpearl for, 15–16
 common mistakes when introducing, 15
 defined, 5
 history of business application development, 4–5
 K2 and, 6–8

BPM (business process management) (continued)

- overview of, 3–4
- process-driven applications, 9–10
- summary, 10–11
- traditional applications, 14–15
- what it is, 13–14
- workflows and, 5–6

BPML (Business Process Modeling Notation), 197

BPMS (business process management system), 5

BPR (Business Process Reengineering), 17

browser-based forms

- deploying, 397–398
- design considerations, 395
- form options in InfoPath, 333, 338–339
- starting and actioning workflows, 457

build tools, 94

built-in event handlers, 748

business activity monitoring, 14

business analysts

- K2 Web Designer for SharePoint and, 505
- K2 Web Designer for Visio and, 501
- process design roles, 495–496
- project roles, 32

Business Continuity Plan (BCP), 650. See also DRP (disaster recovery plan)

Business Data Catalog. See BDC (Business Data Catalog)

business intelligence, benefits of K2 blackpearl, 45

Business Intelligence (BI), MOSS, 438

business layer, 112–114

Business Owner role, 32

business ownership, application design and, 16

Business Process Discovery (BPD), 17

business process management. See BPM (business process management)

business process management system (BPMS), 5

Business Process Modeling Notation (BPMN), 197

Business Process Reengineering (BPR), 17

Business Productivity Infrastructure Optimization (BPIO), 17

business requirements, 35–36

- entity-related questions, 36
- overview of, 35
- people-related questions, 35
- process-related questions, 35
- time needed for gathering, 17

business users. See users

C

cache, SmartObjects not cached, 172–173

CAML (Collaborative Application Markup Language), 473, 477

catalog, of process definitions, 415–417

categories database, 58

Category section, of logging configuration file, 681–682

Category server, 57

Central Administration, MOSS, 397

Central Administration, SharePoint, 440

change management

- dynamic business applications built to accommodate change, 18
- project roles, 33

charts, 699

checkpoints, for deliverables, 34

CIA triad, 569–571

- availability, 570–571
- confidentiality, 569
- integrity, 568–569

classes, in K2 API, 414

client API, 99

client components, 52–53

- K2 Designer for Visio and K2 Studio, 53
- K2 Designer for Visual Studio, 52

Client Event Wizard, 407

client events. See also InfoPath Client Event Wizard

- activities and, 207
- “Allow Any User to Finish This Client Event”, 833–834
- default outcomes in escalations, 842–843
- dynamic escalations, 848–849
- forms, 332–333
- InfoPath, 356–357
- overview of, 208–209
- Plan per destination and, 861–862
- SharePoint, 451
- types of, 209–211
- URL for SharePoint Workflow Integration Client Event, 859

client tier systems, 87

clients, InfoPath, 351

clusters

- large-scale architectures and, 70
- load balancing compared with, 72
- SQL Server 2005 disaster recovery options, 654

code

- benefits of ASPNET forms, 340
- creating ASPNET form activities, 411–414
- for custom security providers, 640–641
- deployment with, 325–329
- Forms Generation Client Event as code generator, 335
- initiating ASPNET form workflows, 399–404
- managing K2 server, 414–418
- source control and, 519–521

code behind, InfoPath, 338

cold standby, 664

collaboration

- business users and IT department in application development, 18
- collaborative designers, 40–41
- communication and, 521
- creating mechanism for, 34
- example scenarios, 518–519
- identifying roles and plan for, 519
- K2 Designer for Visio, 503
- K2 Designer for Visual Studio, 515
- K2 Web Designer for SharePoint, 512
- managing against project plan, 519
- overview of, 518
- source code control, 519–521

Collaborative Application Markup Language (CAML), 473, 477

Collective Response approval, Destination Rules, 234–235

communication

- anatomy of K2 platform and, 7
- collaboration and, 521
- security of, 591–592

companies, organizational structure, 26–27

competitive differentiation, benefits of K2 blackpearl, 46

compiled models, vs. declarative, 292–293

components

- administration of SharePoint, 558–561
- debugging K2 blackpearl, 107–108
- deployment planning and, 61
- of development environment, 94

composite applications, 16

composite SmartObjects

- creating, 145–146
- ORM compared with, 144–145
- overview of, 115
- SmartBox support for, 130

conditional policies, Event Bus, 749–750

confidentiality, 569

configuration, production environment and, 104

Configuration Manager, 564–565, 619

Configure Actions step, InfoPath Client Event Wizard, 360–362

Connection object, 838

connection strings, 401

connections, Host Server, 838–841

- opening/closing multiple connections, 839
- overview of, 838
- session management and, 840–841
- single connection performing multiple operations, 840

consistency, 37

Console mode

- logging and, 606
- running server in, 107, 685–687

constrained delegation, Kerberos, 78

content management event wizards

overview of, 469

SharePoint Documents Event wizard, 470–471

SharePoint List Items Event wizard, 469–470

SharePoint Publishing Event wizard, 473–474

SharePoint Records Management Event wizard, 471–472

SharePoint Search Event wizard, 472–473

content management events, SharePoint, 451–452

content types

- associating workflows with, 463
- SharePoint, 351, 435–436

Context Browser

- adding data fields and, 267
- creating associations and, 124

context grids, 225

continuity planning, 650, 651–652

core servers, deployment planning, 57

cost-benefit analysis, 36

counters

- adding to performance monitors, 698–699
- K2 blackpearl specific, 696–698
- K2 blackpearl specific performance, 696–698

Create Deploy Package, 102

Create Report Wizard, 723

CreateWorkspace() methods, 854–856

CRM (Customer Relationship Management)

- scenario using customer information in SharePoint, 486–489
- workflow solutions, 5

cross-functional teams, for application design, 17

CruiseControl.NET, 102

culture, organizational, 29

Custom Event Recorder, 738

Custom Events, 741–742

custom forms, 869

custom logs, 690–691

custom security provider, 640–647

- code organization, 640–641
- configuring, 642–645
- debugging, 645–646
- installing, 641–642
- overview of, 640
- testing, 647

custom wizards, 40

Customer Relationship Management (CRM)

- scenario using customer information in SharePoint, 486–489
- workflow solutions, 5

customer service, benefits of K2 blackpearl, 46

D

DACL (Discretionary Access Control List), 579

dashboard, design review process and, 22

data

- determining source of data for processes, 61
- K2 blackpearl for managing, 7
- key considerations in automating business processes, 195
- maintaining business data in SharePoint, 457–458
- real-time data flows as key feature of K2 platform, 8
- requirements in evaluating potential processes, 36
- retrieving process instance data from reports, 825–828
- security of, 104
- storing, 61, 393
- working with InfoPath data, 375–377

data access layer

- application architecture and, 112–114
- decoupling, 114–115
- SmartObjects and, 114

data connections, InfoPath form deployment, 395–396

Data Fields

- adding, 267
- adding to workflow, 261–262
- levels of, 709
- Process/Activity Browser, 254

data flows, Event Bus, 751–752

data integrity, 568–569

data providers. See .NET Framework Data Provider for K2 SmartObjects

Data Security Standards (DSS), 574

data sources

- InfoPath, 393
- reports, 556–558

data types, for SmartObjects, 121–122

databases

- archiving, 549–550
- automatic backup, 658–662
- backing up/restoring K2 blackpearl databases, 654–655
- clustering and mirroring, 654
- configuring connections for workflow server, 529
- deployment planning, 58–60
- in Event Store, 755
- integrating K2 into existing environment and, 73
- list of K2 blackpearl databases, 655
- manual backup, 656–658
- recovery options, 653–654
- restoring, 663
- sizing when working with InfoPath forms, 378
- SmartBox compared with traditional approaches to design, 130
- SQL Server system, 655
- storing InfoPath data in, 393

DC (domain controller), 74–75

debug tool, 94

debugging

- ASP.NET forms, 340
- Console mode and, 107, 606, 685–687
- custom security provider, 645–646
- error reporting from inside the process, 106
- error reporting from the workspace, 104–105
- K2 blackpearl components, 107–108
- servers, 604
- Visual Studio, 796–798

declarative model, vs. compiled models, 292–293

decoupling data access layer, SmartObjects and, 114–115

Default Client Event, 209

Default Server Event, 212–213

Defense Information System Agency (DISA), 574

definitions, basic, 199–200

- parallel process definition, 199–200
- serial process definition, 199

delegation

- adding to InfoPath forms, 379–381
- constrained delegation in Kerberos, 78
- users and, 205
- worklist items, 708

deliverables, 34

dependencies

- deployment and, 293
- environments and String Tables, 317
- security providers, 642

dependencies database, 58

dependency infrastructure, 94

Dependency server, 57

Dependency services, 58

Deploy Project Wizard, 96–97, 275–276

deployment, 287–329

- changing names and, 296
- changing process definitions and, 295–296
- code for, 325–329
- declarative vs. compiled models and, 292–293
- dependencies and, 293
- Environment Library and. See Environment Library
- errors, 296–297
- InfoPath forms, 350–351, 395–398
- MSBuild package and. See MSBuild
- overview of, 287–288
- quick deployment, 288–292
- security of. See secure deployment
- Service Objects, 817
- simple process deployment, 288
- SmartObject and Process projects, 296
- SmartObject services, 317–323
- SmartObjects, 323–325
- summary, 329
- verifying, 293–294
- versioning and, 96–97
- workflows, 275–276

deployment package

- deploying, 313–314
- files in, 312–313
- generating, 312–313

deployment planning, 51–88

- Active Directory integration, 74–75
- architecture of K2 platform and, 55
- authorization and authentication and, 76
- building plan for, 60–63
- choosing architecture template, 64
- client components, 52–53
- core servers, 57
- databases, 58–60
- DNS and, 75
- hosted servers, 56–57
- hosted services, 57–58
- integrating K2 into existing environment, 72–74
- Kerberos and. See Kerberos
- large-scale architectures, 69–71
- medium-scale architectures, 66–69
- overview of, 51–52
- server components, 53–55
- small-scale architectures, 64–66
- summary, 88

Deployment Wizard, 288–292

`DescribeSchema()` method, 187–189

design

- people-oriented, 18
- process-driven. See process-driven design
- review process in application development, 22
- SmartObjects, 117–118

design, InfoPath forms, 393–395

- browser-enabled vs. client-based forms, 395
- data source structure, 393
- data storage, 393
- mixed mode for processes, 395
- multiple forms, 394
- required fields, 394
- views, 394–395

Design Canvas, K2, 257, 262**Design Checker task pane, InfoPath, 351****design review process, workflows, 22****designers**

- choices for, 499
- code for process design, 498
- collaboration between. See collaboration
- creating own design surface, 497
- export/import capabilities and, 498
- future options, 516
- InfoPath designer, 336
- K2 Designer for Visio. See K2 Designer for Visio
- K2 Designer for Visual Studio. See K2 Designer for Visual Studio
- K2 Studio. See K2 Studio
- K2 Web Designer 2.0, 517–518

- K2 Web Designer for SharePoint. See K2 Web Designer for SharePoint
- overview of, 493
- process design and, 493–494
- roles, 495–496
- sharing processes, 496–497
- summary, 521
- types of process designers, 495

design-time data, in K2ServerLog database, 60**Destination Plans, InfoPath XML, 379****destination queues, resolving, 636–637****Destination Rule wizard, 232****Destination Rules**

- activity slots and, 232–233
- additional information regarding, 236–237
- advanced destinations, 232
- defining who will receive events defined in an activity, 230–237
- Destination Users based on repeating XML element, 828–832
- Dynamic, 231–232
- example scenarios, 234–236
- favorites, 511
- InfoPath forms, 365–366
- Plan per destination, 861–862
- populating destination set with SmartObjects, 863–865
- setting while adding activities, 265
- SmartObjects, 156–160
- static, 230–231
- Workflow Context Browser, 255

Destination Rules, advanced

- activity plans and Destination Rule options, 781–782
- overview of, 777
- SmartObjects in destinations, 777–779
- XML nodes in destinations, 779–781

Destination Users

- adding, 263–264
- based on repeating XML element, 828–832
- InfoPath Client Event Wizard and, 365–366
- run-time activities and, 861–862

developers

- K2 Web Designer for Visual Studio and, 515
- process design roles, 495–496
- project roles, 33

development, secure, 604**development environment, 93–97**

- defined, 92
- isolated or shared infrastructure, 94–95
- overview of, 93
- separating testing environment from, 98
- source control and, 95–96
- versioning and, 96–97

development projects, reasons for failure of, 29**development teams, 520**

Diagnostics, MSBuild, 297

diagrams

- block, 196–197
- human-centric, 198–199
- pawn, 197–198
- Visio, 500

Differential backup, SQL Server, 656

DISA (Defense Information System Agency), 574

disaster recovery plan. See DRP (disaster recovery plan)

Discovery service

- hosted services, 57
- security and, 591

Discretionary Access Control List (DACL), 579

DNS (domain name system)

- Kerberos requirements, 79
- role of, 75

document library, 443–445

documentation

- secure deployment and, 576–577
- workflow implementation, 283–285

Documentation Designer, 283–285

documents

- handling multiple documents in SharePoint
 - Document Template, 837–838
- moving into Approved area, 443–445
- SharePoint for managing, 470–471

domain controller (DC), 74–75

domain name system (DNS)

- Kerberos requirements, 79
- role of, 75

domains

- configuring security for multiple, 612–614
- integrating K2 into existing environment and, 73

“double-hop” authentication problem, 76

DRP (disaster recovery plan), 649–668

- automatic backup, 658–662
- backing up/restoring K2 blackpearl databases, 654–655
- backing up/restoring Windows servers, 653
- baselines, 650–651
- continuity planning, 651–652
- database recovery options, 653–654
- high availability planning, 667–668
- K2 blackpearl server(s), 664–666
- K2 for Reporting Services, 666
- K2 for SharePoint, 666–667
- K2 Web Components, 663
- manual backup, 656–658
- overview of, 649–650
- pre-planning/mitigation planning, 651
- recovery planning, 652
- restoring a database, 663

SQL Server backup options, 655–656

summary, 668

testing plan, 652

DSS (Data Security Standards), 574

dynamic business applications, 17–18. See also applications

Dynamic Destination Rules, 231–232

dynamic escalations, 848–849

Dynamic SmartObject Service, 117

Dynamic SmartObject Services Service, 117

Dynamic SQL Stored Procedures Service, 117

Dynamic Web Service Service, 117

E

EAI (Enterprise Application Integration)

- history of business application development, 5
- technologies supporting dynamic business applications, 17

ECS (Excel Calculation Services), MOSS, 438

E-Government Act of 2002, 575

e-mail

- escalations and, 240
- notifications, 242, 446–447

e-mail rule, SmartObjects, 156–160

encryption

- confidentiality and, 569
- production environment and, 104

Enterprise Application Integration (EAI)

- history of business application development, 5
- technologies supporting dynamic business applications, 17

enterprises, organizational structure of, 26–27

Entity utility, ORM, 145

entity-related questions, business requirements, 36

Environment Browser, K2 Object Browser, 252–253

Environment Library, 297–312

- architecture of, 298–299
- creating templates, fields, and environments, 299–303
- Field Types, 533
- managing, 532
- overview of, 297–298
- Plugin Types, 533
- string tables and, 309–312
- Template Security, 599–600
- Templates section, 534–535
- using environments, 303–309

Environment Library server, 56

environment settings, 58

environment variables

- assigning values to, 536

- Environment Library and, 297–298
- Workflow Server variable, 355
- environments**
 - creating, 299–303
 - creating fields, 306–309
 - deploying to, 276
 - deployment planning and, 61
 - in Environment Library, 298
 - securing, 577–578
 - selecting, 303–304
 - String Tables and, 311–312, 317
 - templates for, 305
 - working with, 303–309
- environments, configuring, 89–108**
 - debugging K2 blackpearl components, 107–108
 - development environment. See development environment
 - error reporting from inside the process, 106
 - error reporting from the workspace, 104–105
 - four common configurations, 91–93
 - functional requirements and, 91
 - impact of methodologies, 90
 - overview of, 89–90
 - running server in console mode, 107
 - staging and production, 103–104
 - summary, 108
 - testing environment. See testing environment
- Error Profiles interface, 543–545, 798**
- errors**
 - deployment, 296–297
 - InfoPath form submission failure, 868–869
 - managing process errors, 543–547
 - repairing, 798–802
 - reporting from inside the process, 106
 - reporting from the workspace, 104–105
- Escalate After, 240**
- Escalate On, 240**
- Escalation Rule**
 - escalations and, 239
 - overview of, 237
 - types of, 240
- escalations, 239–241**
 - default outcomes in, 842–843
 - dynamic, 848–849
 - overview of, 239–240
 - types of, 240–241
 - when to use, 241
- estimation, time management and, 33–34**
- Event Administration, 755**
- Event Bus, 747–773**
 - architecture of, 750–751
 - configuration settings, 761–763
 - data flow, 751–752
 - database, description and notes, 58
 - Event Bus Engine, 754–755
 - Event Bus Scheduler, 759–761
 - Event Bus server, 752–753
 - Event Recorder, 753–754
 - exposing process information with SmartObjects, 758
 - key features of, 748–750
 - overview of, 41, 747
 - security, 603
 - SMTP example, 764–772
 - summary, 773
 - troubleshooting, 763
- Event Bus Engine**
 - components of, 754–755
 - overview of, 753
- Event Bus Management server**
 - hosted servers, 56
 - overview of, 750
- Event Bus Scheduler, 58, 759–761**
- Event Bus Scheduler server**
 - hosted servers, 56
 - overview of, 750
- Event Bus server**
 - hosted servers, 56
 - overview of, 750, 752–753
- Event Bus Store, 753**
- event handlers, built-in, 748**
- event instances, 224**
- event monitoring, 27–28**
- Event Notification Settings step, InfoPath Client Event Wizard, 359–360**
- Event Queue, 754–755**
- Event Recorder, 753–754**
 - Generic Client Event Recorder, 754
 - overview of, 753
 - System Event Recorder, 754
- Event Store, 755**
- event wizards**
 - administration event wizards, 466
 - content management event wizards, 469
 - K2 Toolbox, 256–257
 - SharePoint, 465
 - SharePoint Documents Event wizard, 470–471
 - SharePoint List Items Event wizard, 469–470
 - SharePoint Lists and Libraries Event wizard, 467
 - SharePoint Publishing Event wizard, 473–474
 - SharePoint Records Management Event wizard, 471–472
 - SharePoint Search Event wizard, 472–473
 - SharePoint Sites and Workspaces Event wizard, 466–467
 - SharePoint User Management Event wizard, 468–469
 - SharePoint Workflow Integration Client Event wizard. See SharePoint Workflow Integration Client Event wizard

events

- activities as containers for, 207
 - adding to workflow, 266–273
 - client events, 208–211
 - Custom Events, 741–742
 - IPC events, 220–222
 - Mail Event, 156–157
 - mouse gestures for creating, 865
 - notifications. *See* notifications
 - separating from actions, 748
 - server events, 211–220
 - SharePoint Events Process Wizard, 463–465
 - SmartObject events, 147–150
 - types of, 208
 - Workflow Context Browser, 255
- Excel Calculation Services (ECS), MOSS, 438**
- exception dates, working hours, 242**
- exception handling**
- error reporting from inside the process, 106
 - process error management, 543
- Exception Rule property, 106**
- Exchange forms, 334**
- `Execute()` method, 189–190
- expectations, process-driven design and, 34–35**
- Expire Activity, 240**
- export**
- designers and, 498
 - exporting reports to SQL Server Reporting Services, 731–732
 - exporting Visio processes, 503
 - K2 toolbar button for, 503
 - permissions, 603–604
- `Extend()` method, 191
- extending process design, 245**
- extensibility**
- Event Bus and, 748
 - K2 Designer for Visio, 503
 - K2 Designer for Visual Studio, 515
 - K2 Web Designer for SharePoint, 512–513
 - security programming and, 593
- Extensible Markup Language. *See* XML (Extensible Markup Language)**
- extensions, logging, 793**
- `Extensions` section, of logging configuration file, 677–679
-
- ## F
- favorites (destinations), K2 Web Designer for SharePoint, 511**
- Favorites Folder, adding reports to, 730**
- Federal Information Security Act of 2002 (FISMA), 575**
- fields**
- creating, 299–303

- in Environment Library, 298
 - helper classes for getting/setting process and activity XML fields, 866–867
 - promoted fields on InfoPath forms, 397
 - working with required fields on InfoPath forms, 394
- file and folder permissions, 584–587**
- file attachments, InfoPath forms, 378**
- files**
- auditing, 605
 - deployment package, 312–313
 - MSBuild, 314–315
 - project file system, 496
 - target files for MSBuild deployment, 316
- filters**
- reports, 718–719
 - SharePoint searches, 473
 - SmartObject instances, 179–181
 - worklists, 712–714
- Finish action, 268**
- First Response approval, Destination Rules and, 234**
- FISMA (Federal Information Security Act of 2002), 575**
- Folio field, InfoPath Integration Wizard, 356–357**
- fonts, custom, 704**
- footprint, reducing in secure deployment, 579–580**
- form libraries**
- InfoPath form deployment and, 351, 395
 - saving XML to, 381–385
- form technologies**
- ASPRNET. *See* ASPRNET forms
 - criteria for choosing, 336
 - Exchange forms, 334
 - InfoPath. *See* InfoPath forms
 - K2 Forms Generation Client, 334–335
 - mobile forms, 335
 - summary, 432
 - WinForms, 335–336
- Form Template field, InfoPath Integration Wizard, 356**
- forms**
- actions and outcomes defined in process, not in forms, 225
 - anatomy of K2 platform and, 8
 - building blocks of processes, 27–28
 - client event forms, 332–333
 - key considerations in automating business processes, 195
 - requirements in evaluating potential processes, 36
 - same forms can go against multiple versions of process, 226
- Forms Generation Client Event**
- adding events to workflow, 266
 - ASPRNET for customizing web page created with, 404–407
 - Kerberos setup and, 83
 - overview of, 209, 334–335

FQDN (fully qualified domain names), 79
Full backup, SQL Server backup options, 656
fully qualified domain names (FQDN), 79
functional requirements, environment configuration, 91

G

GAC (Global Assembly Cache), 173
GC (Global Catalog), 74–75
Generic Client Event Recorder, 751, 754
Generic Client Recorder, 738
geographic dispersal, criteria for selecting candidates for process automation, 194
 GetConfigSection() method, SmartObjects, 186–187
 GetDetails method, SmartObjects, 133–140
 GetList service, Service Objects, 812–816
 GetManagerDetails method, SmartObjects, 140–141
Getting Started Guide, 73
 GetUserInGroup method, SmartObjects, 141–144
Global Assembly Cache (GAC), 173
Global Catalog (GC), 74–75
Goto Activity, escalations and, 240
Gramm-Leach-Bliley Act, 575
groups
 K2 Web Designer for SharePoint, 512
 managing, 468–469
 retrieving, 631–632
 searching for, 632–633, 634–635
 User Browser and, 254

H

happy path, 200–201
hard coding, 155
hardening installation, 577
Health Insurance Portability and Accountability Act (HIPPA), 575
helper classes, for getting/setting process and activity XML fields, 866–867
Hibernate utility, ORM, 145
high availability planning, 667–668
HIPPA (Health Insurance Portability and Accountability Act), 575
Host Server
 Configuration Manager, 619
 connections, 838–841
 database, 59, 611–612
 logger, 620–621
 Security Manager, 620
 staging configuration settings, 642

hosted servers
 deployment planning, 56–57
 services, 526–527
hosted services
 deployment planning, 57–58
 list of, 526–527
 HostServerLogging.config. **See Logging Framework configuration files**
hot standby
 restoring K2 blackpearl server, 664–665
 restoring K2 blackpearl server components, 665–666
the “How”
 Destination Rule, 230–237
 Escalation Rule, 237
 Line Rules, 237–239
 overview of, 226–227
 Preceding Rule, 227–229
 Start Rule, 229–230
 Succeeding Rule, 237
HTML, 292
HTML task pane setup, InfoPath Integration Wizard, 352–353
human-centric diagrams, 198–199

I

IAuthenticationProvider
 authenticating users, 623–624
 Security Provider API, 622–623
IDE (integrated development environment)
 source control and, 95
 Visual Studio. **See** K2 Designer for Visual Studio
 IGroup, **Security Provider API, 629–631**
 IGroupCollection, **Security Provider API, 629–631**
 IHostableSecurityProvider, **Security Provider API, 621**
 IHostableType interface, **Security Provider API, 618–619**
IIS (Internet Information Services)
 integrating K2 into existing environment and, 73
 K2 blackpearl server and, 525
 SharePoint and, 434
impersonation, Kerberos and, 77
implementation phase, BPM, 15
import
 designers and, 498
 importing reports from SQL Server Reporting Services, 737
 K2 toolbar button for, 502
incremental approach, process-driven design, 20
“in-flight changes”, 10, 295–296
InfoPath Client event, 210

InfoPath Client Event Wizard

- adding delegation to InfoPath forms, 379–381
- Configure Actions step, 360–362
- Configure Outcomes step, 362–364
- Destination Users, 365–366
- Event Notification Settings step, 359–360
- Task Action field, 357–359

InfoPath forms

- archiving, 381–385
- ASP.NET compared with, 342–344
- background of, 345
- changes to, 370–373
- changes to K2 process caused by, 374–375
- cons, 338–339
- deployment, 395–398
- design considerations, 392–395
- designer, 336
- Destination Users based on repeating XML element in, 828–832
- displaying name of process instance originator, 857–858
- InfoPath integration wizard, 207
- integration details, 367–369
- integration with K2. *See* InfoPath Integration Wizard
- K2 enabling, 346
- modifying form process, 379–381
- multiple forms, 394
- notes history field, 824
- overview of, 333
- pros, 336–338
- SmartObjects and, 115, 385–392
- submission failure due to generic error, 868–869
- updating batch actions/outcome results back into, 836–837
- using, 344–345
- versioning, 369–370
- views, 346–347
- Web service, 81
- working with InfoPath data, 375–377
- XML and, 377–379

InfoPath forms, advanced

- multiple forms, 788–791
- overview of, 788
- “split and merge” scenarios, 792

InfoPath Forms Services (IPFS)

- MOSS features, 438
- Office Forms Server compared with, 333
- overview of, 338, 490

InfoPath Integration Wizard, 348–367

- Add an InfoPath Form Template, 349–350
- adding SmartObject methods with, 385–387
- Advanced Settings step, 355
- client event settings. *See* InfoPath Client Event Wizard
- completed process, 367
- deploying forms, 350–351

- Finish page, 356
- HTML task pane setup, 352–353
- InfoPath client events, 357–358
- multiple forms, 789–791
- Process Start Details step, 353–354
- SmartObject integration, 352
- Workflow Form Templates step, 348–349

InfoPath XML

- Destination Plans and, 379
- file attachments and database sizing, 378
- overview of, 377

information, as building block of processes, 27–28

Information Owner, project roles, 32

information security, 568

infrastructure, development components, 94

initialization settings, ADUM, 611–612

Installation Guide, 576

installation log file, 670–672

installation privileges, 581–582

instances, process

- activity instances, 223
- automating process that include large number of instances to track, 194
- displaying name of process instance originator on InfoPath forms, 857–858
- event instances, 224
- getting list of actions and users executed in, 860–861
- managing, 540–541
- overview of, 223

instances, SmartObject

- creating with .NET Data Provider for K2 SmartObjects, 175–177
- creating with SmartObject API, 173–175
- getting, 178–179
- getting with filters, 179–181
- getting with .NET Data Provider, 181–182

intangible benefits, 45–46

integrated development environment (IDE)

- source control and, 95
- Visual Studio. *See* K2 Designer for Visual Studio

integration

- with Active Directory, 74–75
- with BPM, 14
- custom forms and, 869
- with existing environments, 72–74
- K2 Integration with SQL Reporting Services, 55
- K2 platform and, 8
- with Microsoft Office, 41

integration with InfoPath forms. *See also* InfoPath Integration Wizard

- details, 367–369
- overview of, 337
- SmartObjects and, 352, 385–392

integration with SharePoint

benefits of, 458–459
 overview of, 440–442
 wizards, 451–452

integrity, 568–569**Internet Information Services. See IIS (Internet Information Services)****IPC events, 220–222**

activities and, 207
 adding to process from different solution file, 843
 asynchronous, 221–222
 synchronous, 220–221
 types of server events, 213–214

IPFS (InfoPath Forms Services)

MOSS features, 438
 Office Forms Server compared with, 333
 overview of, 338, 490

IPSec, 591–592

IRoleProvider, **Security Provider API, 624–625**

isolated infrastructure, development environments, 94–95**IT department**

advantages of K2 blackpearl for application development, 16
 role in design and development of applications, 18–19

iterative approach, to development, 30

IUser, **Security Provider API, 625–629**

IUserCollection, **Security Provider API, 625–629**

K**K2 BDC. See BDC (Business Data Catalog)****K2 blackpearl**

anatomy of K2 platform, 7–8
 history of K2 platform, 6
 key features, 6–7

K2 connect for SAP, 805–822

configuring *GetList* service, 812–816
 configuring service object project, 811–812
 creating *SmartObject* based on service object, 818–822
 deploying service object, 817
 K2 blackpearl and, 806–807
 K2 Service Object Designer and, 808–811
 overview of, 647, 805
 SAP and, 806
SmartObjects and, 807–808
 summary, 818–822

K2 Design Canvas, 257, 262**K2 Designer for Visio, 499–504**

client components of K2 architecture, 53

collaboration, 503
 export/import capabilities, 498
 exporting with, 503
 extensibility, 503
 importing with, 502
 intended audience, 501
 overview of, 499–501
 process designers and, 495
 when to use/when not to use, 504
 working with, 501–502

K2 Designer for Visual Studio, 513–516

adding activities to workflow, 262–265
 adding data fields to workflow, 261–262
 adding events to workflow, 266–273
 adding roles to workflow, 259–260
 building/deploying workflow, 275–276
 as client components, 52
 Client Event Wizard, 407
 collaboration and, 515
 completing workflow tasks, 279–283
 connecting workflow activities using Line Rules, 273–275
 creating deployment package with, 102
 creating *SmartObjects*, 118–123
 creating workflows, 247
 documenting workflow implementation, 283–285
 Environment Browser, 252–253
 export/import capabilities, 498
 extensibility, 515
 getting started with, 248–249
 importing process from, 502
 initiating workflow, 279
 integration of InfoPath with K2, 337
 intended audience, 515
 introduction to, 249–250
 K2 Design Canvas, 257
 K2 Object Browser, 251–252
 K2 Studio Designer toolbar, 250–251
 K2 Toolbox, 256–257
 managing values in Environment Library, 298
 overview of, 513–515
 process designers and, 495
 Process/Activity Browser, 254–255
 setting Process Rights, 276–278
 summary, 283–285
 testing workflows, 261
 User Browser, 253–254
 when to use/when not to use, 516
 wizards and, 40
 Workflow Context Browser, 255
 workflow overview, 258–259
 working with, 515

K2 Environment Library. See Environment Library**K2 Event Bus. See Event Bus**

K2 Events Integration link, on Site Administration page, 464

K2 for Reporting Services, 666

K2 for SharePoint, 558–561

- administration with, 558
- ASP.NET Page content types, 561
- BDC application management, 562
- Configuration Manager, 564–565
- DRP (disaster recovery plan), 666–667
- feature management, 559
- general settings, 559
- list of features, 440
- server components, 54–55
- Site Administration Integration, 560
- SmartObject Integration, 560
- Tasklist Web part management, 563–564
- Web Designer Integration, 561

K2 Management Console. See Management Console

K2 Object Browser. See Object Browser

K2 Process Management utility, 545–546

K2 Security Framework, 592–593

K2 Service Object Designer

- K2 Service Object Design Canvas, 810–811
- K2 Service Object Designer, 808–811
- opening and areas of functionality, 809–810
- overview of, 808

K2 Site Administration Integration, K2 for SharePoint, 440, 560

K2 SmartObject Integration, K2 for SharePoint, 440, 560

K2 Studio

- client components of K2 architecture, 53
- creating SmartObjects, 118
- Designer toolbar, 250–251
- integration of InfoPath with K2, 337
- key features, 517
- managing values in Environment Library, 298
- overview of, 516
- wizards and, 40

K2 toolbar

- Export button, 503
- Import button, 502

K2 Toolbox, 256–257, 517

K2 Underground Web site (www.k2underground.com), 117

K2 Web Components, 663

K2 Web Designer, 82

K2 Web Designer 2.0, 517–518

K2 Web Designer Build Process Wizard, 449

K2 Web Designer for SharePoint, 451, 504–513

- Action Menu, 508
- collaboration, 512
- export/import capabilities, 498
- extensibility, 512–513

- favorites (destinations), 511
- intended audience, 505–506
- outcome templates, 509
- overview of, 504–505
- process templates, 511
- types of K2 process designers, 495
- users and groups, 512
- when to use/when not to use, 513
- wizards, 509–511
- working with, 506–508

K2 Web Designer Integration, K2 for SharePoint, 440, 561

K2 Workflow Integration ASP.NET Page

Content Types, K2 for SharePoint, 440, 561

K2 Workflow Integration link, Site Collection Administration, 464

K2 Workspace. See Workspace K2.net

- destination queues, 636–637
- history of, 6
- SmartObjects and, 112
- String Tables and, 311

K2QLUM database, 59

Kerberos, 76–88

- checklist for delegation setup, 85–87
- checklist for troubleshooting, 87–88
- integrating K2 into existing environment, 73
- K2 components and, 82–83
- logs/logging, 691–693
- overview of, 76–79
- reports and, 81–82
- requirements for, 79–81
- SPNs for, 83–85
- Web services and, 81

Key Performance Indicators (KPIs), 42–43

KPIs (Key Performance Indicators), 42–43

L

large-scale architectures

- basic, 69–70
- with maximum redundancy using fewest servers, 70–72

layer separation/isolation, 70

least privilege, principle of, 578–579

legal compliance issues, 574–575

libraries

- associating workflows with, 463
- creating/managing with SharePoint, 467
- integration of SharePoint with library events, 464
- security provider library, 642
- SharePoint, 436
- SharePoint for managing list items, 469–470
- SharePoint searches, 472–473

license management, 530–532**Line Rules**

- connecting activities using, 273–275
- implementing SmartObject Line Rule, 151–155
- multiple slots and, 233
- overview of, 237–239

Line Wizards, 256, 273**linear process, vs. nonlinear processes, 31–32****line-of-business. See LOB (line-of-business)****lines, Workflow Context Browser, 255****LINQ utility, ORM, 145****lists**

- associating workflows with, 463
- creating/managing, 467
- integration of SharePoint with list events, 464
- looping through activities for SmartObject list items, 850–854
- managing list items, 469–470
- searching, 472–473
- SharePoint, 436

load balancing

- clustering compared with, 72
- large-scale architectures and, 70
- NLB (Network Load Balanced), 62, 72
- staging environment and, 103

LOB (line-of-business)

- application development, 4
- benefits of SharePoint integration, 459
- data access layer and, 114
- design review process and, 22
- evaluating potential processes, 36
- SmartObjects and, 40, 111

Local Security Policy, 605**Log Shipping, 653****logger, Security Provider API, 620–621****logging extensions, 673****Logging Framework**

- Archive extension, 690
- configuration file, 673–675
- configuring multiple log output locations, 793–794
- extending, 690
- messages, 683–684
- MSMQ extension, 690
- overview of, 672–673

Logging Framework configuration files

- ApplicationLevelLogSettings section of, 680
- appSettings, 675–677
- Category section of, 681–682
- Extensions section of, 677–679
- overview of, 673–675
- predefined and parameterized messages of, 683

logical filters, 180**logs/logging**

- ApplicationLevelLogSettings section, of logging configuration file, 680
 - appSettings, of logging configuration file, 675–677
 - Category section, of logging configuration file, 681–682
 - configuring, 580–581
 - Console mode and, 685–687
 - customizing, 690–691
 - deployment errors and, 297
 - enabling, 684–685
 - extending logging framework, 690
 - Extensions section, of logging configuration file, 677–679
 - installation log file, 670–672
 - Kerberos and, 691–693
 - Logging Framework, 672–673
 - Logging Framework configuration file, 673–675
 - logging to K2 blackpearl Server log file, 687
 - logging to SQL Server, 690
 - logging to Windows Event Log, 689
 - messages, 683–684
 - modifying logging on K2 server, 794–795
 - MSMQ extension and, 690
 - overview of, 669
 - predefined and parameterized messages, of logging configuration file, 683
 - server modules and, 670
 - summary, 691–693
 - system reporting, 700
 - troubleshooting, 793–794
 - troubleshooting security issues and, 606
 - viewing K2 blackpearl Server log file, 688
 - workspace logging, 553
- long-running process, 195**
- loops, SmartObject list items, 850–854**

M**Mail Event, 156–157, 213****managed code, deploying InfoPath forms with, 397–398****Management Console, 528–558**

- archiving, 549–550
- comparing start, stop, and sleep, 833
- creating templates, fields, and environments, 299–303
- DRP (disaster recovery plan), 663
- Environment Library and String Table management, 532–536
- error repair and, 798
- general workflow server settings, 528–530
- in K2 Workspace, 702
- license management, 530–532
- managing roles, 259

Management Console (continued)

- overview of, 528
- Process Action Rights, 597
- process error management, 543–547
- process instance management, 540–541
- Process Rights, 596
- process version management, 541–543
- report administration, 553–556
- report data source administration, 556–558
- retrieving lost projects, 867–868
- role management, 536–538
- Runtime Services management, 552–553
- security, 595
- Server Rights, 595–596
- server roles, 597–598
- setting up roles, 203–204
- SmartObject service management, 548–549
- viewing managed users' worklists, 714–715
- working hours management, 538–540
- worklist administration, 547–548
- Workspace application pool, 553
- Workspace logging, 553
- Workspace Web Application management, 550–552
- Zones, 242

Management server

- hosted servers, 56
- SmartObjects, 115

manual backup, 656–658

medium-scale architectures, 67–69

- basic, 67
- with focus on page rendering, 67–68
- medium-scale, full architecture, 68–69

meetings, scheduling, 34

Merged Response approval, Destination Rules and, 235–236

messages

- anatomy of K2 platform, 7
- log, 683–684
- message queuing, 749

metadata

- adding to lists and libraries, 488
- storing list metadata, 464

methods, Smart Object

- adding to InfoPath forms, 385–387
- adding to SmartObjects, 119
- referencing, 169–172
- required method parameters, 182–185

Microsoft, integration of K2 platform with, 8

Microsoft Distributed Transaction Coordinator (MSDTC), 525

Microsoft Excel, 688

Microsoft Message Queuing. See MSMQ (Microsoft Message Queuing)

Microsoft Office, 41

Microsoft Office SharePoint Server. See MOSS (Microsoft Office SharePoint Server)

Microsoft Unit Testing Framework, 102

Microsoft Visio. See Visio

middle-tier systems, 86

mirroring, SQL Server 2005 disaster recovery options, 654

mitigation planning, 651

mobile forms, 335

modular design, 106

monitoring

- business activities, 14
- events, 27–28
- performance. See performance monitoring

MOSS (Microsoft Office SharePoint Server)

- BDC (Business Data Catalog), 483–484
- deploying InfoPath forms and, 397
- features, 438–439
- integrating business information with Microsoft Office applications, 489
- IPFS (InfoPath Forms Services), 490
- K2 integration with SharePoint and, 433
- K2 Web Designer for SharePoint and, 505
- Office Forms Server compared with, 333
- Records Center, 480–483
- SharePoint searches, 477
- Solutions and Features, 436
- Standard vs. Enterprise license, 438
- WSS compared with, 437–438

mouse gestures

- creating activities and events with, 865
- overview of, 262

MSBuild

- adding pre- and post-deployment tasks, 315–316
- deploying a package, 313–314
- deployment with, 102
- Diagnostics, 297
- environments and string table dependencies, 317
- excluding items from deployment, 317
- generating deployment package with, 312–313
- MSBuild file, 314–315
- overview of, 312

MSBUILD command, 313–314

MSBuild file, 314–315

MSDTC (Microsoft Distributed Transaction Coordinator), 525

MSMQ (Microsoft Message Queuing)

- Event Bus and, 749
- Event Bus data flows and, 751
- event notifications and, 738
- K2 blackpearl Server and, 525
- logs/logging and, 690
- permissions, 590–591

multi-factor authentication, 571
multiple documents, 837–838
multiple forms, InfoPath, 394, 788–791

N

namespaces

deployment and, 296
 in K2 API, 414

naming conventions

changing names of processes or
 SmartObjects, 296
 creating SmartObjects and, 119

navigation, K2 Workspace, 703

.NET Framework 3.0

integration of K2 with .NET platform, 398
 K2 blackpearl Server and, 525
 WF (Workflow Foundation). See WF (Workflow
 Foundation)

.NET Framework Data Provider for K2 SmartObjects

creating instances of SmartObjects, 175–177
 getting SmartObject instances with, 181–182
 overview of, 40
 SmartObjects required method parameters and,
 183–185

.NET managed code, 397–398

NetWeaver, 806

networks

network latency, 73
 physical configuration of, 73

NLB (Network Load Balancing). See also load balancing

clustering compared with, 72
 support for NLB farms, 62

nonlinear processes, 31–32

notes history field, InfoPath forms, 824

Notification Designer, 242

Notification Event Designer

creating notification events with, 738–741
 DRP (disaster recovery plan), 663

Notification Events tab, K2 Workspace, 738–741

notifications

adding e-mail notification, 446–447
 creating notification events, 738–741
 InfoPath forms, 359–360
 overview of, 241–242

nUnit, 102

O

Object Browser

adding Data Fields from, 261
 changing Environment Library with, 303

creating environment fields, 306–309
 Environment Browser, 252–253
 overview of, 251–252
 Process/Activity Browser, 254–255
 security and, 603
 User Browser, 253–254
 Visio and Visual Studio and, 499
 Workflow Context Browser, 255

object model, Security Provider API, 615–616

Object Relational Mapping (ORM) tool, 144–145

Office Communication Server Service, 117

Office Forms Server, 333

one-to-many relationships, SmartObject associations, 125

open architecture, Event Bus and, 748

Open Web Application Security Project (OWASP), 604

operating systems (OSs)

Kerberos requirements, 79
 privileges, 583–584

organizational structure, of typical enterprise, 26–27

ORM (Object Relational Mapping) tool, 144–145

OSs (operating systems)

Kerberos requirements, 79
 privileges, 583–584

outcomes

Configure Outcomes button, 269–270
 default outcomes in escalations, 842–843
 InfoPath forms, 362–364
 multiple slots and, 233
 process design and, 224–226
 templates, 509
 updating InfoPath forms and, 836–837

outcomes, advanced

overview of, 782
 when actions and outcomes do not have one-to-one
 match, 783–786

overload methods, 402

OWASP (Open Web Application Security Project), 604

P

page rendering, 67–68

PAIS (Process Aware Information Systems), 17

parallel process definition, 199–200

parameters, SmartObject, 182–185

paths, in process design

alternate paths, 201–202
 happy path, 200–201

pawn diagrams

- as human-centric diagrams, 198–199
- overview of, 197–198

PDD (Process Driven Development), 17

people, as building block of processes, 27–28

people-related questions, business requirements, 35

PerfMon

- charts, alerts, logs, and reports, 699–700
- opening, 694–695
- performance monitoring interfaces, 693

performance, associations an, 146

Performance Logs and Alerts

- opening, 694
- performance monitoring interfaces, 693

performance monitoring

- adding counters to performance monitors, 698–699
- interfaces, 693
- K2 blackpearl specific performance counters, 696–698
- opening performance monitors, 694–695
- permissions, 589–590
- working with performance monitors, 695–696

permissions

- exports, 603–604
- file and folder, 584–587
- MSMQ, 590–591
- overview of, 581
- performance monitoring, 589–590
- registry, 588
- roles and, 204–205
- setting Process Rights, 276–278
- SharePoint, 588
- SharePoint User Management Event wizard, 468–469
- SmartObject, 600–601
- SQL Reporting Services, 588
- SQL Server, 588–589
- Workspace, 589, 593–594

Personally Identifiable Information (PII), 591

PII (Personally Identifiable Information), 591

Plan per destination, Destination Rules, 861–862

platform, leveraging current, 20

plug-and-play, SmartObjects and, 146

pluggable architecture

- Event Bus, 748
- message queuing, 749
- Security Provider API as, 616–617

PM (Project Manager), 32

policies

- Audit Policy, 580
- building blocks of processes, 27–28
- environment configuration strategy and, 90
- Event Bus and, 749–750

- Security Policy, 573–574

Policy Engine, 755

ports, server settings, 529

post response activities, 272–273

post-deployment tasks, 315–316

power users, 505

Preceding Rule, 227–229

pre-deployment tasks, 315–316

pre-planning, disaster recovery, 650, 651

Privacy Act of 1974, 575

privileges. See also permissions

- installation privileges, 581–582
- operating system privileges, 583–584
- overview of, 581
- principle of least privilege, 578–579
- service account privileges, 582–583

Process Action Rights, 597

Process Aware Information Systems (PAIS), 17

process data fields, 261, 709

process definition files (.kprx), 96

process definitions

- basic, 199–200
- changing on server, 295–296
- K2 API and, 498
- loading catalog of, 415–417
- report, 554
- viewing activities for, 418–420

process design, 193–245

- actions and outcomes, 224–226
- activities, 207–208
- actors, 203
- alternate paths, 201–202
- automating business processes and, 194–195
- basic process definitions, 199–200
- block diagrams, 196–197
- client events, 208–211
- delegation, 205
- designers and, 493–494
- Destination Rule, 230–237
- Escalation Rule, 237
- escalations, 239–241
- events, 208
- happy path, 200–201
- the “How”, 226–227
- how to start, 194
- human-centric diagrams, 198–199
- IPC events, 220–222
- Line Rules, 237–239
- notifications, 241–242
- overview of, 193–194
- pawn diagrams, 197–198
- permissions, 204–205
- Preceding Rule, 227–229
- principles, 200
- process execution, 222–224

- process wizards, 207
- redirection, 206
- roles, 203–204
- server events, 211–220
- Start Rule, 229–230
- Succeeding Rule, 237
- summary, 245
- types of process designers, 495
- the “What”, 206
- the “When”, 239
- whiteboard approach, 196
- the “Who”, 202–203
- working hours, 242
- process design, advanced**
 - building a Spider Workflow, 243–244
 - example of Spider Workflow in action, 244–245
 - extending the design, 245
 - overview of, 243
 - Spider Workflow approach, 243
- process designers**
 - process design roles, 495–496
 - project roles, 32–33
 - security and, 603–604
- Process Driven Development (PDD), 17**
- process errors, 543–547**
- process execution, 222–224**
- Process Guides, 517**
- Process Helper, 517**
- Process Improvement department or team, 47**
- process instances**
 - activity instances, 223
 - automating processes and, 194
 - displaying name of process instance originator, 857–858
 - event instances, 224
 - getting list of actions and users executed in, 860–861
 - managing, 540–541
 - overview of, 223
- process management. See also BPM (business process management)**
 - benefits of SharePoint integration, 458
 - error repair, 799–802
 - utility, 545–546
- Process Overview report, 554–555**
- process references, SmartObjects, 169–172**
- Process Rights, 276–278, 596**
- Process SmartObjects, 161–168**
 - associations, 165–168
 - overview of, 161
 - Reporting SmartObjects, 163–165
 - Workflow SmartObjects, 162–163
- Process Start Details step, InfoPath Integration Wizard, 353–354**
- process wizards**
 - K2 Toolbox, 256
 - process design, 207
 - SharePoint, 451, 462
 - SharePoint Events Process Wizard, 463–465
 - SharePoint Workflow Integration Process Wizard, 462–463
- Process/Activity Browser, 254–255**
- process-aware applications, 39–48. See also BPM (business process management)**
 - benefits of K2 platform and, 39
 - collaborative designers, 40–41
 - Event Bus, 41
 - extending K2 platform API, 42
 - intangible benefits, 45–46
 - integration with Microsoft Office, 41
 - KPIs (Key Performance Indicators), 42–43
 - orientation to process improvement, 46–47
 - reporting, 41–42
 - ROI (return on investment), 43–45
 - SmartObjects and, 40
 - summary, 48
 - for today and tomorrow, 9–10
 - wizards and templates for, 40
- process-driven design, 25–38**
 - business requirements, 35–36
 - considerations in evaluating processes, 37–38
 - evaluating potential processes, 36–37
 - expectations or success criteria, 34–35
 - how to approach, 20
 - linear vs. nonlinear processes and, 31–32
 - methodologies and approaches to, 30
 - organization structure of typical enterprise, 26–27
 - overview of, 25
 - process building blocks, 27–29
 - project management and, 29–30
 - project roles, 32–33
 - summary, 38
 - time management and estimation, 33–34
 - user benefits and, 37
- processes**
 - application development and, 16
 - automation and, 195
 - building blocks of, 27–29
 - businesses running on, 3
 - change and, 155
 - creating InfoPath process, 346
 - declarative vs. compiled models and, 292–293
 - deploying process projects, 296
 - deployment planning and, 61
 - displaying process versions, 417–418
 - error management, 543–547
 - error reporting from inside, 106

processes (continued)

- escalations and, 240
- evaluating, 36–38
- helper classes for getting/setting process fields, 866–867
- improving, 46–47
- linear vs. nonlinear, 31–32
- managing instances of, 540–541
- modeling, 14
- names of, 296
- obtaining serial numbers, 858–859
- retrieving currently running, 426
- sharing, 496–497
- simple process deployment, 288
- SmartObject references added to, 169–172
- SmartObjects for agile processes, 115
- SmartObjects used in, 146–147
- templates, 511
- version management, 541–543
- viewing currently running in ASP.NET, 420–425
- Workflow Context Browser, 255

processors, server settings, 529

process-related questions, business requirements, 35

Product Manager role, 33

product quality, 46

production environment

- defined, 92
- environment configuration strategy, 103–104

programmers, 603–604

project files (.k2proj), 96

Project Manager (PM), 32

project plan

- collaboration and, 519
- managing against, 519

projects

- managing, 29–30
- retrieving lost, 867–868
- roles, 32–33

promoted fields, on InfoPath forms, 397

properties

- activity instances, 223
- adding to SmartObjects, 119–120, 122
- event instances, 224
- MSBuild, 313
- process instances, 223
- report, 555–556

protocol transition, Kerberos, 78

publishing

- press release scenario, 476–477
- reports, 715–716

publishing, SharePoint

- automating Web publishing, 457
- features for, 473–476

Publishing Wizard, InfoPath, 350

Q

QA (quality assurance), 261

qualitative risk analysis, 572–573

quality assurance (QA), 261

quantitative risk analysis, 572

queries, for SmartObjects, 182

quick deployment, 288–292

quick wins

- automation and, 47
- development methodologies and approaches, 30

R

RDL (Report Definition Language)

- benefits of K2 platform for application development, 41
- K2 blackpearl and, 6–7
- Report Designer and, 715
- SQL Server Reporting Services and, 731
- tools, 701

record holds, 471, 480, 482–483

records, SharePoint, 471–472

Records Center, 480–483

- overview of, 480
- scenario controlling sales department expenses, 480–483
- sending records to, 457
- using records and holds, 480

recovery planning, 650, 652. See also DRP (disaster recovery plan)

Redirect Activity, 240

redirection

- of actions, 206
- worklist items, 707

redundancy

- production environment and, 104
- servers, 70–72

reengineering, 46

references

- adding to K2 assembly, 400
- Process/Activity Browser, 254
- SmartObject process references added to processes, 169–172

refresh rates, roles, 538

registry

- auditing, 605
- permissions, 588

regulatory compliance, 574–575

release cycle, staging environment and, 93

Releaser role, project roles, 33

Remote Function Call (RFC), 806

Report Definition Language. See **RDL (Report Definition Language)**

Report Designer

- creating new reports, 721–731
- creating reports in Visual Studio 2005, 731–736
- DRP (disaster recovery plan) and, 663
- RDL (Report Definition Language) and, 715

Report Viewer, 715, 717–718

Reporting Service account, 583

Reporting Services, 666

Reporting SmartObjects, 163–165

reports. See also **system reporting**

- administration of, 553–556
 - application development and, 41–42
 - data sources for, 556–558
 - Kerberos, 81–82
 - key features of K2 blackpearl, 6–7
 - as process building block, 27–28
 - process definitions, 554
 - retrieving process instance data from, 825–828
 - SmartObjects and, 163–165
 - system reporting, 700
- Reports tab, K2 Workspace, 715–738**
- adding reports to Favorites Folder, 730–731
 - creating reports, 723–728
 - creating reports in Visual Studio 2005, 732–736
 - exporting reports to Reporting Services, 731–732
 - importing reports from Reporting Services, 737
 - overview of, 715
 - Report Designer, 721–723
 - saved and published reports, 715–716
 - Standard Reports, 716–717
 - viewing saved reports, 728–729
 - working with, 717–721

required fields, InfoPath forms, 394

response activities, 271–272

Retry option, Management Console, 798

return on investment. See **ROI (return on investment)**

reviewing processes, 36

RFC (Remote Function Call), 806

rich client forms

- design considerations, 395
- form options in InfoPath, 333, 338–339
- starting and actioning workflows, 457

rights. See also **permissions; privileges**

- actions and, 786–788
- Process Rights, 276–278, 596
- production environment and, 104

risks, 572–573

- K2 blackpearl reducing, 45
- qualitative analysis, 572–573
- quantitative analysis, 572
- testing environment mitigating, 97

ROI (return on investment)

- anatomy of K2 platform, 8
- calculating, 43–45
- measuring success with, 42

RoleItems, 259–260

roles, project

- adding to workflow, 259–260
- collaboration and, 519
- designers, 495–496
- managing, 536–538
- permissions and, 204–205
- separation of duties, 580
- setting up in process design, 203–204
- testing workflow using, 261
- User Browser and, 254

roles, security provider, 624–625

roles, server, 597–598

rules

- added to InfoPath forms, 372
- Destination Rule, 230–237
- Escalation Rule, 237
- the “How” and, 226–227
- Preceding Rule, 227–229
- Start Rule, 229–230
- Succeeding Rule, 237

run-time

- activities, 861–862
- data, 60
- logging messages, 683

Runtime Server, 115

Runtime Services, 552–553

S

Salesforce.com, 117

sandboxing

- development environment and, 93
- overview of, 92

SAP, 805. See also **K2 connect for SAP**

Sarbanes-Oxley Act of 2002 (SOX)

- compliance scenario, 21–22
- legal and regulatory compliance, 575

scalability

- K2 platform, 7
- production environment and, 104
- SmartObjects, 130

scenario testing, 99–102

scenarios, Destination Rule and, 234–236

scheduling events, 759–761

scheduling meetings, 34

searches

- example scenario, 478–480
- for groups, 634–635
- managing, 472–473
- search engines, 477
- for security providers, 635–636
- SharePoint, 477–480
- for users, 633–634
- for users and groups, 632–633
- worklists, 712

secure deployment

- environment security and, 577–578
- file and folder permissions, 584–587
- installation privileges, 581–582
- logging and, 580–581
- MSMQ permissions, 590–591
- operating system privileges, 583–584
- organizing, planning, testing, and documenting, 576–577
- overview of, 575
- performance monitoring permissions, 589–590
- permissions and privileges, 581
- principle of least privilege, 578–579
- reducing footprint and, 579–580
- registry permissions, 588
- separation of duties, 580
- service account privileges, 582–583
- SharePoint permissions, 588
- SQL Reporting Services permissions, 588
- SQL Server permissions, 588–589
- Workspace permissions, 589

secure development, 604

security, 567–608

- accounting, 572
- Administrators group and, 607
- advanced tools, 607
- authentication, 571
- authorization, 571
- availability, 570
- confidentiality, 569
- Console mode for logging, 606
- Discovery Service and, 591
- Environment Library Template Security, 599–600
- EventBus security, 603
- file and registry auditing, 605
- integrity, 568–569
- K2 platform and, 8
- list of K2 security features, 592
- log files, 606
- Management Console and, 595
- overview of, 567–568
- Process Action Rights, 597
- Process Rights, 596
- production environment and, 103

- programmers and process designers and, 603–604
- regulatory and legal compliance, 574–575
- risk analysis and, 572–573
- secure communication, 591–592
- secure deployment. *See* secure deployment
- secure development, 604
- Security Framework, 592–593
- Security Policy, 573–574
- Server Rights, 595–596
- Server Roles, 597–598
- SmartBox security, 601–602
- SmartObject permissions, 600–601
- summary, 607
- troubleshooting security issues, 605
- what it is, 568
- Workspace permissions, 593–594

Security Development Lifecycle, 604

Security Framework, K2, 592–593

Security Manager, Security Provider API, 620

Security Policy, 573–574

security programming, 593

Security Provider API, 614–639

- authenticating users, 623–624
- Configuration Manager, 619
- context and, 619
- `IAuthenticationProvider`, 622–623
- `IGroup` and `IGroupCollection`, 629–631
- `IHostableSecurityProvider`, 621
- `IHostableType` interface, 618–619
- `IRoleProvider`, 624–625
- `IUser` and `IUserCollection`, 625–629
- logger, 620–621
- object model, 615–616
- overview of, 614
- as pluggable architecture, 616–617
- remotely invoking, 637–639
- resolving destination queues, 636–637
- retrieving users and groups, 631–632
- searching for groups, 634–635
- searching for security providers, 635–636
- searching for users, 633–634
- searching for users and groups, 632–633
- Security Manager, 620

security providers, 609–647

- Active Directory. *See* Active Directory security provider
- custom. *See* custom security provider
- K2 connect, 647
- overview of, 609–610
- Security Provider API. *See* Security Provider API
- SQL, 614
- SSO (single sign-on), 639–640
- summary, 647

Security Technical Implementation Guides (STIGs), 574**separation of duties, 580****serial process definition, 199****server clusters. See clusters****server components, K2 architecture, 53–55**

K2 for SharePoint, 54–55

K2 Integration with SQL Reporting Services, 55

K2 Workspace and Web components, 53–54

overview of, 53

Server database, K2

archiving, 550

description and notes, 59

overview of, 60

server events, 211–220

activities and, 207

overview of, 211–212

types of, 212–220

server farms, 82**Server log file, K2 blackpearl, 687, 688****server modules, 670****Server Rights, 595–596****ServerLog database, K2**

archiving, 550

description and notes, 59

overview of, 60

servers

architecture, 525–527

Console mode, 107, 685

debugging, 604

DRP (disaster recovery plan), 664–666

Environment Browser, 253

Event Bus server, 750, 752–753

general workflow settings, 528–530

Kerberos delegation checklist, 86

location in business layer of architecture, 114

logging and, 684–685, 794–795

management from code, 414–418

process definition on, 295–296

redundancy, 70–72

Server Roles, 597–598

sharing, 63

SmartObject, 115

service accounts

file and folder permissions, 584–585

integrating K2 into existing environment, 73

privileges, 582–583

temporarily adding to Administrators group, 607

Workspace Service account, 583

Service Level Agreements (SLAs), 36**Service Object Broker, 806****Service Object Design Canvas, 810–811****Service Objects**configuring `GetList` service, 812–816

configuring service object project, 811–812

creating SmartObject based on, 818–822

deploying, 817

Service Object Design Canvas, 810–811

Service Principal Numbers. See SPNs**(Service Principal Numbers)****Service-Oriented Architecture (SOA), 5, 17****services, Environment Browser, 253****services, SmartObject**

deploying, 317–323

`DescribeSchema()` method, 187–189`Execute()` method, 189–190`Extend()` method, 191`GetConfigSection()` method, 186–187

list of, 115–116

overview of, 116–117

writing, 185–186

session management, 840–841**shared infrastructure, 94–95****SharePoint, 433–459. See also K2 for SharePoint; K2****Web Designer for SharePoint**

advanced workflows, 461

approval process example, 442–449

archiving InfoPath forms and, 381–385

BDC applications in, 483–484

benefits of integration with, 458–459

checking existence of sites or Workspaces, 854–856

content types and site columns, 435–436

deciding which to use, 63

Document Template, 837–838

DRP (disaster recovery plan), 666–667

events process, 207

example scenarios, 456–458

InfoPath and, 338

InfoPath forms as SharePoint content type, 351

integration with K2, 41, 440–442

integration with Microsoft Office applications, 489

IPFS (InfoPath Forms Services) and, 490

lists and libraries, 436

overview of, 433–434

permissions, 588

sites and site collections, 434–435

SmartObjects feature, 455–456

solutions and features, 436

starting new workflow, 450–451

starting workflows manually, 449–450

summary, 459, 490

Web Designer for, 451

Web service, 81

wizards for integration with, 451–452

workflow integration, 207

workflow solutions, 5

workflows, 437

Worklist Web part, 452–455

WSS vs. MOSS, 437–439

SharePoint Documents Event

archiving InfoPath forms and, 381–382
types of server events, 216
wizard, 470–471

SharePoint enterprise scenarios, 474–489

overview of, 474
Records Center, 480–483
Search Results, 477–480
SmartObjects with BDC (Business Data Catalog), 483–489
Web Content Management, 475–477

SharePoint Events Process Wizard, 463–465

SharePoint List Items Event wizard, 469–470

SharePoint Lists and Libraries Event

types of server events, 215
wizard, 467

SharePoint Lists Items Event, 215–216

SharePoint Publishing Event, 217–218

SharePoint Publishing Event wizard

overview of, 473–474
press release scenario, 476–477

SharePoint Records Center, 472

SharePoint Records Management Event, 217

SharePoint Records Management Event wizard

overview of, 471–472
scenario controlling sales department expenses, 481–483

SharePoint Search Event, 217–218

SharePoint Search Event wizard

overview of, 472–473
scenario managing accepted offers, 478–480

SharePoint service, 116

SharePoint service account, 583

SharePoint Sites and Workspaces Event, 214

SharePoint Sites and Workspaces Event wizard,

466–467, 855–856

SharePoint SmartObject service, 82, 130

SharePoint User Management Event, 219

SharePoint User Management Event wizard,

468–469

SharePoint Users in Groups ServiceObject, 117

SharePoint Web server, 587

SharePoint wizards

administration event wizards, 466
Advanced vs. Regular modes, 470
content management event wizards, 469
event wizards, 465
process wizards, 462
SharePoint Documents Event wizard, 470–471
SharePoint Events Process Wizard, 463–465
SharePoint List Items Event wizard, 469–470
SharePoint Lists and Libraries Event wizard, 467
SharePoint Publishing Event wizard, 473–474
SharePoint Records Management Event wizard, 471–472

SharePoint Search Event wizard, 472–473

SharePoint Sites and Workspaces Event wizard, 466–467

SharePoint User Management Event wizard, 468–469

SharePoint Workflow Integration Process Wizard, 462–463

SharePoint Workflow Integration Client Event, 859

SharePoint Workflow Integration Client Event wizard, 211

SharePoint Workflow Integration Process Wizard, 462–463

SharePoint Workflow Integration wizard, 869

sharing processes, 496. *See also* collaboration

simple process deployment, 288

single sign-on (SSO)

authorization and authentication and, 76
overview of, 639–640

Site Administration page, 464

Site Collection Administration, 464

site collections, SharePoint, 434–435

site columns, 435–436, 459

Site Content Type Gallery, 397

SLAs (Service Level Agreements), 36

sleep function

start and stop compared with, 833
for suspending worklist items, 706

slice approach, to development, 30

small-scale architectures, 64–66

basic, 65–66
with performance enhancement, 66
standalone, 64–65

Smart Properties windows, e-mail and destination rules, 157–160

SmartBox service, 128–130

advantages/disadvantages of, 129–130
database, 59
methods, 128–129
overview of, 116
security, 601–602
versioning and, 131

SmartBroker database, 59

SmartFunction server, 57

SmartFunctions database, 59

SmartObject definition files (.sodx), 96

SmartObject Designer, 517

SmartObject Event, 219–220

SmartObject Method Reference Wizard, 169–172

SmartObject Method Wizard

Add Service Object Method window, 137–140
Configure Method Parameters step, 135
Methods Details step, 134
Service Object Methods step, 136

SmartObject Service Provider for Oracle, 117

SmartObject Services

- deploying, 317–323
- managing, 548–549
- overview of, 40

SmartObject Wizard, 385–386**SmartObjects**

- Active Directory SmartObjects, 131–133
- agility of, 146
- Application Access Request process, 776–777
- architecture of, 112–116
- associations, 123–128
- asynchronous server code events and, 846
- background of, 112
- BDC and, 484–485
- BDC application, 485–486
- composite, 144–146
- creating, 118–123
- declarative vs. compiled models and, 292–293
- deploying, 323–325
- deploying SmartObject projects, 296
- DescribeSchema() method, 187–189
- designing, 117–118
- in destinations, 777–779
- disabling Workflow Reporting SmartObjects, 862–863
- e-mail and destination rule, 156–160
- events, 147–150
- Execute() method, 189–190
- exposing process information with, 755–758
- Extend() method, 191
- GetConfigSection() method, 186–187
- GetDetails method, 133–140
- GetManagerDetails method, 140–141
- getting a SmartObject instance, 178–179
- getting a SmartObject instance with a filter, 179–181
- getting a SmartObjects with .NET Data Provider, 181–182
- GetUserInGroup method, 141–144
- hosted servers and, 57
- instances of, 173–175
- integrating with InfoPath forms, 352, 385–392
- K2 connect and, 807–808
- Line Rule, 151–155
- looping through activities for SmartObject list items, 850–854
- modifying and deleting, 146
- names of, 296
- .NET Framework Data Provider for K2 SmartObjects, 175–177
- not cached, 172–173
- overview of, 40, 111–112
- permissions, 600–601
- populating destination set with, 863–865
- process associations, 165–168

- process references, 169–172
- process-generated, 161–163
- reporting SmartObjects, 163–165
- reports and, 723
- required method parameters and, 182–185
- retrieving process instance data from reports, 825–828
- servers, 115
- service object based on, 818–822
- services, 116–117
- SharePoint and, 455–456
- SharePoint SmartObject Service Instance, 82
- SmartBox Service and, 128–130
- “split and merge” scenarios, 792
- taking advantage of, 63
- testing, 859–860
- using in a process, 146–147
- versioning, 131
- Workflow SmartObjects, 162–163
- writing SmartObject service, 185–186

SmartObjects, advanced

- creating instances of SmartObjects, 173–175
- DescribeSchema() method, 187–189
- Execute() method, 189–190
- Extend() method, 191
- GetConfigSection() method, 186–187
- getting a SmartObject instance, 178–179
- getting a SmartObject instance with a filter, 179–181
- getting a SmartObjects with .NET Data Provider, 181–182
- .NET Framework Data Provider for K2 SmartObjects, 175–177
- overview of, 172
- required method parameters and, 182–185
- SmartObjects not cached, 172–173
- writing SmartObject services, 185–186

SMEs (Subject Matter Experts)

- assigning activities and, 271
- process design and, 195
- project roles, 32
- whiteboard approach to process design, 196

SMTM Event Bus Sample, 766–772**SOA (Service-Oriented Architecture), 5, 17**

SOCommand **class**, 175–177

SOConnection **class**, 175–177

software, reducing footprint and, 579–580

Solution Explorer, 517

solutions, SharePoint, 436

sorting worklists, 711–714

source control

- collaboration and, 519–521
- development components, 94
- development environment, 95–96

source integrity, 568–569

- SourceCode.EventBus.ClientRecorder.dll.config file, 763**
- SourceCode.EventBus.EventAdmin.dll.config file, 763**
- SourceCode.EventBus.Mapping.dll.config file, 763**
- SourceCode.EventBus.Server.Config file, 762**
- SOX (Sarbanes-Oxley Act of 2002)**
 - compliance scenario, 21–22
 - legal and regulatory compliance, 575
- special dates, working hours, 242**
- Spider Workflow approach**
 - building a Spider Workflow, 243–244
 - example of Spider Workflow in action, 244–245
 - overview of, 243
- “split and merge” scenarios, 792**
- SPNs (Service Principal Numbers)**
 - Kerberos requirements, 79
 - overview of, 78, 81
 - setting, 83–85
- spreadsheet analogy, for business application development, 19**
- SQL query, 182**
- SQL Reporting Services**
 - K2 blackpearl Server and, 525
 - permissions, 587, 588
- SQL Role Provider, 614**
- SQL security provider, 614**
- SQL Server**
 - automatic backup, 659–662
 - backup options, 655–656
 - for blackpearl, 82
 - K2 blackpearl Server and, 525
 - logging to, 690
 - manual backup, 656–658
 - permissions, 588–589
 - restoring a database, 663
 - SQL Role Provider, 614
 - system databases, 655
- SQL Server Reporting Services**
 - creating reports in Visual Studio 2005, 732–736
 - exporting reports to, 731–732
 - importing reports from, 737
 - K2 Reporting and, 701
 - publishing reports and, 716
 - report feature of K2 blackpearl and, 6–7
- SQL statements, 180–181**
- SQL User Manager, 253**
- SSO (single sign-on)**
 - authorization and authentication and, 76
 - overview of, 639–640
- staging environment**
 - defined, 92
 - environment configuration strategy, 103–104
 - release cycle and, 93
- stakeholders, whiteboard approach to process design and, 196**
- standalone architecture, 64–65**
- Standard Reports, 716–717**
 - Configuration tab, 718
 - list of, 717
 - overview of, 716
 - Report Options page, 721
- Start Activity**
 - Line Rule for connecting, 273
 - stop and sleep compared with, 833
- Start Rule, 229–230**
- Static Destination Rules, 230–231**
- static predefined logging messages, 683**
- status fields, process instances, 540**
- STIGs (Security Technical Implementation Guides), 574**
- Stop Activity, 833**
- streamlining, benefits of K2 blackpearl, 46**
- String Tables**
 - environment values copied to, 309–310
 - environments not dependent on, 317
 - managing, 532
 - planning environments and, 311–312
 - updating values, 536
 - using, 310–311
- Subject Matter Experts. See SMEs (Subject Matter Experts)**
- subscription model, Event Bus, 750**
- subscriptions, report, 556**
- Succeeding Rule**
 - multiple slots and, 233
 - outcomes and, 362
 - overview of, 237
 - updating batch actions/outcome results
 - back into InfoPath forms, 836
- success criteria, process-driven design, 34–35**
- synchronous IPC events, 220–221**
- System Event Recorder, 754**
- system integration, components of BPM, 14**
- System Monitor, 693**
- system reporting**
 - adding counters to performance monitors, 698–699
 - alerts, 700
 - charts, 699
 - K2 blackpearl specific performance counters, 696–698
 - logs, 700
 - opening performance monitors, 694–695
 - overview of, 669, 693
 - performance monitoring interfaces, 693
 - reports, 700
 - working with performance monitors, 695–696

T**Task Action field, InfoPath Client Event Wizard, 357–359****tasks**

- actions, 548
- adding pre- and post-deployment tasks, 315–316
- completing workflow tasks, 279–283
- managing, 458–459
- “split and merge” scenarios, 792
- Worklist management and, 547

TCP/IP

- hosted services and, 58, 527
- Kerberos requirements, 79

teams, cross-functional, 17**technical users, 495****Template Management page, 300****Template Security, Environment Library, 599–600****templates**

- application development and, 40
- available for new projects, 248
- creating, 299–303
- in Environment Library, 298
- escalation activities, 240
- Form Template field, InfoPath Integration Wizard, 356
- InfoPath Integration Wizard and, 349–350
- outcome templates, 509
- process templates, 511
- SharePoint workflows, 437
- SmartObject Project Template, 118

Tester role, 33**testing**

- DRP (disaster recovery plan), 652
- secure deployment, 576–577
- security providers, 647
- workflows, 261

testing environment, 97–102

- automated builds, 102
- automated testing, 98–102
- defined, 92
- overview of, 97–98

Three “A”s of security, 571–572**time management**

- and estimation, 33–34
- evaluating potential processes and, 36

time services, Kerberos, 79**time zones, working hours management, 538–540****time-to-market, benefits of K2 blackpearl, 46****TLS/SSL, 591–592****Transaction Log backup, SQL Server backup options, 656****transparency, benefits to users, 37****troubleshooting**

- error repair, 798–802
- Event Bus, 763

- logging and, 793–794
- modifying logging on K2 server, 794–795
- overview of, 793
- security issues, 605
- Visual Studio debugging, 796–798

U**unit testing, 102****Update action, 268****URL, 859****URM (User Role Manager), 57****usability, SharePoint integration an, 458****User Browser, 253–254, 263–264****user interface layer, 112–114****user interfaces**

- ASP.NET. See ASP.NET forms
- available actions and, 225
- InfoPath. See InfoPath forms

User Role Manager (URM), 57**users**

- anatomy of K2 platform and, 8
- assigning to roles, 203–204
- authentication, 623–624
- automation and, 194
- benefits to, 37
- BPM and, 15
- business user as process designers, 495
- business user involvement in design, 16
- business user roles, 18–19
- delegation and, 205–206
- deployment planning and, 60–61
- K2 Web Designer for SharePoint and, 512
- list of users executed in a process instance, 860–861
- locations of, 73
- managing, 468–469
- Process Rights, 276–278
- redirection of actions and, 206
- retrieving, 631–632
- searching for, 632–634
- server settings, 530
- User Browser and, 254
- worklists of current users, 426–431
- worklists of managed users, 714–715

V**Van Wyk, Adriaan, 6****verifying deployment, 293–294****version management**

- benefits of SharePoint integration, 458
- custom assemblies, 834–836

version management (*continued*)

- deployment versioning, 96–97
- development and, 95–96
- displaying process versions, 417–418
- “in-flight changes” and, 295–296
- InfoPath forms, 369–370
- mismatches during development and, 94
- process version management, 541–543
- retrieving lost projects and, 867–868
- SmartObjects and, 131
- source code control, 519–521

View Flow

- key features of K2 blackpearl, 6–7
- overview of, 709–711

views, InfoPath forms

- ease of creating, 336
- overview of, 346–347
- working with, 394–395

views, report, 555

virtual development, 93

visibility, process evaluation and, 37

Visio, 337. See also K2 Designer for Visio

Visual Process Designer, 517

Visual Studio. See also K2 Designer for

Visual Studio

- binary project source file for retrieving lost projects, 867–868
- creating reports in, 732–736
- debugging, 796–798
- Process Management for error repair, 799–802

Visual Studio Team System, 102

W

WANs (wide area networks), 73–74

warm standby

- restoring K2 blackpearl server, 664–665
- restoring K2 blackpearl server components, 665–666

WCF (Windows Communication Foundation)

- integration of K2 with .NET platform, 398
- SmartObjects and, 40, 115

Web applications, SharePoint, 434

Web browsers, 351. See also browser-based forms

Web components

- DRP (disaster recovery plan), 663
- K2, 663
- K2 server, 53–54

Web Content Management, SharePoint, 475–477

Web controls, ASP.NET, 340, 398

Web integration components, BPM, 14

Web pages

- ASP.NET for customizing, 404–407

- displaying custom, 407–411
- interacting with K2 processes, 398

Web parts

- Tasklist Web part, 563–564
- Worklist Web part, 453–455

Web publishing, 457

Web services

- adding to InfoPath forms, 378
- calling SmartObject methods on InfoPath forms, 389–391
- Kerberos and, 81
- permissions, 586–587
- technologies supporting dynamic business applications, 17
- Workflow Web services, 355

Web sites

- checking existence of sites, 854–856
- creating/managing with SharePoint, 457, 466–467
- SharePoint and, 434–435
- site collections, 434–435

WebWorkflow database, 59

WF (Workflow Foundation), 4

- building vs. buying workflow applications, 9
- integration of K2 with .NET platform, 398
- K2 blackpearl built on, 6
- mechanics of creating XML documents in K2, 376
- SharePoint built-in workflows, 433–434

WFM (Workflow Management), 17

the “What”

- actions and outcomes, 224–226
- activities, 207–208
- client events, 208–211
- events, 208
- IPC events, 220–222
- overview of, 206
- process execution, 222–224
- process wizards, 207
- server events, 211–220

what you see is what you get (WYSIWYG), 344

the “When”

- escalations, 239–241
- notifications, 241–242
- overview of, 239
- working hours, 242

whiteboard approach, to process design, 196

the “Who”

- actors, 203
- delegation, 205
- overview of, 202–203
- permissions, 204–205
- redirection, 206
- roles, 203–204

wide area networks (WANs), 73–74

Windows Communication Foundation (WCF)

integration of K2 with .NET platform, 398
SmartObjects and, 40, 115

Windows Event Log, 689**Windows Presentation Foundation (WPF), 398****Windows servers, backing up/restoring, 653****Windows SharePoint Services. See WSS (Windows SharePoint Services)****WinForms, 335–336****wizard chaining, 356****wizards. See also by individual wizard**

application development and, 40
integration with SharePoint, 451–452
K2 Designer for Visio, 500
K2 Toolbox, 256
K2 Web Designer for SharePoint, 509–511

Work document library, 442**Workflow Context Browser, 255****Workflow Designer, 407****Workflow Form Templates, 348–349, 789–790****Workflow Foundation. See WF (Workflow Foundation)****workflow implementation, 247–285**

adding activities, 262–265
adding data fields, 261–262
adding events, 266–273
adding roles, 259–260
building/deploying workflow, 275–276
completing workflow tasks, 279–283
connecting workflow activities using Line Rules, 273–275
documenting process of, 283–285
initiating workflow, 279
overview of, 247
setting Process Rights, 276–278
summary, 283–285
testing workflow using roles, 261
workflow overview, 258–259

Workflow Log server, 56**Workflow Management server, 56****Workflow Management (WFM), 17****Workflow Reporting SmartObjects, 862–863****workflow servers**

environment variables, 355
general settings, 528–530
hosted servers, 56

Workflow SmartObjects, 162–163**Workflow Web services, 355****workflows**

ad hoc, 243
ASP.NET forms, 399–404
building vs. buying workflow applications, 9
building/deploying, 275–276
clarifying definition of, 5–6
completing workflow tasks, 279–283

design review process and LOB integration
scenario, 22

designers and, 497

initiating, 279

news solutions, 5

overview, 258–259

process management compared with, 4

scenarios for evolving, 20–21

SmartObjects and, 162–163

SOX compliance scenario, 21–22

Spider Workflow approach. See Spider Workflow approach

storing attachments and, 61

workflows, SharePoint

approval process for assets, 448

built-in, 433–434

designing, 443–445

history reporting, 458

setting up environment for, 443

SharePoint Workflow Integration Process Wizard, 462–463

starting and actioning, 457

starting manually, 449–450

starting new, 450–451

templates for, 437

working hours

managing, 538–540

overview of, 242

Worklist, 704–715

actioning worklist items, 704–706

administration of, 547–548

ASP.NET forms, 426–431

delegating worklist items, 708

DRP (disaster recovery plan), 663

obtaining serial number for Worklist items, 858–859

redirecting worklist items, 707

releasing worklist items, 707

sorting, 711–714

suspending worklist items, 706–707

viewing managed users' worklists, 714–715

viewing process-related data, 709–711

Worklist Web part, 452–455

inserting on SharePoint page, 453–455

installing, 452

Kerberos setup and, 83

overview of, 452

Workspace

accessing remotely, 82

application pool, 553

binary project source file, 867–868

checking existence of Workspaces when calling `CreateWorkspace()` methods, 854–856

creating templates, fields, and environments, 299–303, 306

Workspace (continued)

- creating/managing with SharePoint, 466–467
- Custom Events, 741–742
- database, 59
- error reporting, 104–105
- K2 server components, 53–54
- logging, 553
- Management Console. See Management Console
- managing values in Environment Library, 298
- Notification Events, 738–741
- overview of, 701–703
- permissions, 589, 593–594
- reporting. See Reports tab, K2 Workspace
- searching for security providers, 635–636
- server farms and, 82
- Service account, 583
- summary, 741–742
- viewing String Table, 309
- Web server, 586
- worklists. See Worklist

Workspace Web application, 550–552

WPF (Windows Presentation Foundation), 398

WSS (Windows SharePoint Services)

- features, 439
- K2 integration with SharePoint and, 433
- K2 Web Designer for SharePoint available to, 505

- vs. MOSS, 437–438
- Solutions and Features, 436

WYSIWYG (what you see is what you get), 344

X

XML (Extensible Markup Language)

- Destination Users based on repeating XML element, 828–832
- dynamic business applications and, 17
- fields, 254
- helper classes for getting/setting process and activity XML fields, 866–867
- InfoPath Integration Wizard and, 374–375
- InfoPath XML integration with K2, 377–379
- mechanics of creating XML documents in K2, 376
- nodes in destinations, 779–781
- retrieving value from XML field element, 823
- saving to form library, 381–385

XSD schema, 374–375

Z

Zones, time, 242