
CONTENTS

| | |
|------------------------|--------------|
| List of Figures | xvii |
| List of Tables | xxv |
| Preface | xxvii |
| Acknowledgments | xxxv |

PART 1 THEORY **1**

Chapter 1 Basic Concepts in Wireless Communications **3**

| | |
|--|----|
| 1.1 Overview | 3 |
| 1.2 Wireless Channel Models | 3 |
| 1.2.1 AWGN Channel Model | 4 |
| 1.2.2 Linear Time-Varying Deterministic Spatial Channel | 4 |
| 1.2.3 The Random Channels | 12 |
| 1.2.4 Frequency-Flat Fading Channels | 17 |
| 1.2.5 Frequency-Selective Fading Channels | 18 |
| 1.3 Equivalence of Continuous-Time and Discrete-Time Models | 19 |
| 1.3.1 Concepts of Signal Space | 20 |
| 1.3.2 Sufficient Statistics | 20 |
| 1.3.3 Discrete-Time Signal Model—Flat Fading | 20 |
| 1.3.4 Discrete-Time Channel Model—Frequency-Selective Fading | 28 |
| 1.4 Fundamentals of Information Theory | 30 |
| 1.4.1 Entropy and Mutual Information | 31 |
| 1.4.2 Shannon’s Channel Coding Theorem | 36 |
| 1.4.3 Examples of Channel Capacity | 46 |
| 1.5 Summary | 54 |
| Exercises | 54 |

| | |
|---|------------|
| Chapter 2 MIMO Link with Perfect Channel State Information | 59 |
| 2.1 Overview | 59 |
| 2.2 Mathematical Model of the MIMO Link | 60 |
| 2.2.1 Probabilistic Channels with States | 61 |
| 2.2.2 General Transmission and CSI Feedback Model | 64 |
| 2.2.3 Adaptive-Channel Encoding and Decoding | 65 |
| 2.2.4 Transmit Power Constraint | 66 |
| 2.2.5 Causal Feedback Constraint | 67 |
| 2.3 Ergodic and Outage Channel Capacity | 67 |
| 2.3.1 Ergodic Capacity | 68 |
| 2.3.2 Outage Capacity | 68 |
| 2.4 Channel Capacity with No CSIT and No CSIR | 69 |
| 2.4.1 Fast Flat Fading MIMO Channels | 70 |
| 2.4.2 Block Fading Channels | 70 |
| 2.5 Channel Capacity with Perfect CSIR | 72 |
| 2.5.1 Block Fading Channels | 73 |
| 2.5.2 Fast Flat Fading MIMO Channels | 76 |
| 2.5.3 Effect of Antenna Correlation on Ergodic MIMO Capacity | 81 |
| 2.5.4 Slow Flat Fading MIMO Channels | 87 |
| 2.6 Channel Capacity with Perfect CSIT Only | 89 |
| 2.6.1 Discrete Block Fading Channels | 91 |
| 2.6.2 Discrete Channel with Three States | 93 |
| 2.6.3 Fast Flat Fading MIMO Channels | 94 |
| 2.6.4 Slow Flat Fading MIMO Channels | 94 |
| 2.7 Channel Capacity with Perfect CSIR and Perfect CSIT | 95 |
| 2.7.1 Fast Flat Fading MIMO Channels | 96 |
| 2.7.2 Slow Flat Fading MIMO Channels | 100 |
| 2.8 Summary | 101 |
| Exercises | 103 |
| | |
| Chapter 3 MIMO Link with Imperfect Channel State Information | 107 |
| 3.1 Overview | 107 |
| 3.2 Effect of Imperfect CSI Estimation | 108 |
| 3.2.1 CSI Estimation for MIMO Channels | 108 |
| 3.2.2 Capacity Bounds of MIMO Link | 109 |
| 3.3 Effect of Limited Feedback—Optimizing for SNR | 111 |
| 3.3.1 Introduction to Optimizing Effective SNR | 112 |
| 3.3.2 Grassmannian Line Packing | 112 |

| | | |
|-------|--|-----|
| 3.3.3 | Grassmannian Precoding for MIMO Systems—Spatial Diversity | 115 |
| 3.3.4 | Grassmannian Precoding for MIMO Systems—Spatial Multiplexing | 119 |
| 3.4 | Effect of Limited Feedback—Optimizing for Ergodic Capacity | 124 |
| 3.4.1 | Channel Capacity with Partial CSIT | 124 |
| 3.4.2 | Coding Theorem with Partial CSIT | 125 |
| 3.4.3 | Equivalence with Vector Quantization Problem | 130 |
| 3.4.4 | Fast Flat Fading MIMO Channels | 130 |
| 3.4.5 | Lloyd’s Algorithm | 132 |
| 3.4.6 | Approximate Closed-Form Solution for Step 1 | 133 |
| 3.4.7 | Complexity of the Online Adaptation Strategy | 134 |
| 3.4.8 | MMSE-SIC Receiver Structure | 135 |
| 3.4.9 | Numerical Results and Discussion | 136 |
| 3.5 | Summary | 138 |
| | Exercises | 140 |

Chapter 4 Spacetime Coding and Layered Spacetime Coding for MIMO with Perfect Channel State Information **143**

| | | |
|-------|---|-----|
| 4.1 | Overview | 143 |
| 4.2 | Design of MIMO Links with Perfect CSIR | 144 |
| 4.2.1 | Spacetime Coding—Spatial Diversity | 147 |
| 4.2.2 | Layered Spacetime Coding—Spatial Multiplexing | 154 |
| 4.2.3 | Receiver Designs for Layered Spacetime Codes | 159 |
| 4.2.4 | Optimal Architecture for Fast Flat Fading Channels | 166 |
| 4.2.5 | Optimal Architecture for Slow Flat Fading Channels | 168 |
| 4.2.6 | Fundamental Tradeoff between Spatial Diversity and Spatial Multiplexing | 170 |
| 4.3 | Switching Threshold Design for MIMO Adaptation with Perfect CSIT and Perfect CSIR | 175 |
| 4.3.1 | MIMO Transmitter and Adaptation Designs | 176 |
| 4.3.2 | Optimization Problem—Quasistatic Fading Channels | 178 |
| 4.3.3 | Equivalence to the Classical Vector Quantization Problem | 179 |
| 4.3.4 | Results and Discussion | 180 |
| 4.4 | Summary | 183 |
| | Exercises | 184 |

Chapter 5 MIMO Constellation Design with Imperfect Channel State Information **189**

| | | |
|-------|--|-----|
| 5.1 | Overview | 189 |
| 5.2 | Constellation Design for MIMO Channels with Imperfect CSIR | 191 |
| 5.2.1 | System Model | 191 |
| 5.2.2 | Design Criteria Based on Kullback–Leibler Distance | 191 |

- 5.2.3 Constellation Design Optimization 195
- 5.2.4 Single-Transmit Antenna Example 197
- 5.2.5 Multitransmit Antenna Example 200
- 5.3 Spacetime Coding for MIMO Channels with Imperfect CSIR 200
 - 5.3.1 Overview of Coded Modulation in AWGN Channels 203
 - 5.3.2 Coded Modulation Design for MIMO Channels with Imperfect CSIR 207
- 5.4 Summary 211

Chapter 6 Cross-Layer Scheduling for Multiuser Systems with Multiple Antennas

- 6.1 Overview 215
- 6.2 Multiuser System Performance 217
 - 6.2.1 Examples of System Utility 218
 - 6.2.2 Definition of Network Capacity 220
 - 6.2.3 Definition of Network Coverage 220
- 6.3 System Models 222
 - 6.3.1 Multiuser MIMO Channel Model 223
 - 6.3.2 Multiuser Downlink Physical Layer Model 224
 - 6.3.3 MAC Layer Model 229
- 6.4 Cross-Layer Optimization with Perfect CSIT 229
 - 6.4.1 Capacity-Optimized Scheduler Design 229
 - 6.4.2 Coverage-Optimized Scheduler Design 231
 - 6.4.3 Common Framework for Both Capacity-Optimized and Coverage-Optimized Scheduling 231
 - 6.4.4 Optimal Solution—Single-Antenna Systems 232
 - 6.4.5 Optimal Solution—Multiple-Antenna Systems with OTBF Processing 234
- 6.5 Low-Complexity Scheduling Algorithms 236
 - 6.5.1 Suboptimal Solution A—Greedy Algorithm 236
 - 6.5.2 Suboptimal Solution B—Genetic Algorithm 237
- 6.6 Results and Discussion 239
 - 6.6.1 System Capacity Performance 239
 - 6.6.2 Proportional Fairness Performance 241
 - 6.6.3 Coverage Performance 242
 - 6.6.4 Tradeoff between Capacity and Coverage 243
 - 6.6.5 Efficiency of Multiuser Diversity 244
 - 6.6.6 Efficiency of Spatial Multiplexing 244
 - 6.6.7 Complexity Comparisons of Various Cross-Layer Algorithms 245
- 6.7 Cross-Layer Scheduling with Imperfect Channel State Information 245

| | | |
|--------------|---|-----|
| 6.7.1 | Multiuser Physical Layer Model with Imperfect CSIT | 247 |
| 6.7.2 | System Utility Function | 248 |
| 6.7.3 | The Scheduling Problem Formulation | 249 |
| 6.7.4 | The Optimal Scheduling Solution | 249 |
| 6.7.5 | Suboptimal Solution | 251 |
| 6.7.6 | Numerical Results | 253 |
| 6.8 | Summary | 253 |
| Appendix 6A: | Proof of Lemma 6.2 | 257 |
| Appendix 6B: | Calculation of Weights | 257 |
| Appendix 6C: | Proof of Lemma 6.3 | 258 |
| Appendix 6D: | Proof of Lemma 6.4 | 259 |
| Appendix 6E: | Proof of Lemma 1.10 | 259 |
| Appendix 6F: | Proof of Lemma 6.5 | 259 |
| Appendix 6G: | Optimal Power Allocation for Network Capacity Utility | 261 |
| Appendix 6H: | Asymptotic Distribution of S_k | 262 |
| Exercises | | 264 |

PART 2 DESIGN EXAMPLES AND APPLICATIONS 267

Chapter 7 Review of MAC Layer Design for Wireless Systems 269

| | | |
|-----------|---|-----|
| 7.1 | Overview | 269 |
| 7.2 | TDMA-Based MAC Layer Design | 272 |
| 7.2.1 | ALOHA | 272 |
| 7.2.2 | Slotted ALOHA | 272 |
| 7.2.3 | PRMA | 273 |
| 7.2.4 | TDMA with Request Subframe | 273 |
| 7.3 | CDMA-Based MAC Layer Design | 275 |
| 7.4 | Issues in Request Scheduling | 277 |
| 7.5 | Design Example—a Jointly Adaptive TDMA MAC Protocol | 279 |
| 7.5.1 | Overview of TDMA MAC Protocol Design | 279 |
| 7.5.2 | Synergistic Channel-Adaptive Multiple Access | 280 |
| 7.6 | Design Example—a Jointly Adaptive CDMA MAC Protocol | 290 |
| 7.6.1 | Channel Adaptation in CDMA Systems | 290 |
| 7.6.2 | Optimal and Near-Optimal Approaches | 291 |
| 7.6.3 | Approaches that Maintain Fairness | 293 |
| 7.6.4 | User-Oriented Heuristics | 294 |
| 7.7 | Performance Comparisons | 295 |
| 7.8 | Summary | 303 |
| Exercises | | 303 |

| | |
|--|------------|
| Chapter 8 Channel-Adaptive Wireless Fair Scheduling | 307 |
| 8.1 Overview | 307 |
| 8.2 Scheduling Model | 308 |
| 8.2.1 Fluid Fair Queueing | 308 |
| 8.2.2 Service Model | 308 |
| 8.2.3 A Motivating Example | 309 |
| 8.3 Design Framework | 310 |
| 8.3.1 Error-Free Service Model | 310 |
| 8.3.2 Lead-Lag Model | 310 |
| 8.3.3 Compensation Model | 311 |
| 8.3.4 Slot Queue and Packet Queue | 312 |
| 8.4 Fairness Notions | 312 |
| 8.4.1 Effort Fair and Outcome Fair | 312 |
| 8.4.2 Fairness Notions for Wireline Networks | 313 |
| 8.4.3 Fairness Notions for Wireless Networks | 314 |
| 8.4.4 Channel-Adaptive Fairness | 318 |
| 8.4.5 Comparison with Other Fairness Notions | 319 |
| 8.5 Wireless Packet Scheduling Algorithms | 319 |
| 8.5.1 Idealized Wireless Fair Queueing (IWFQ) | 319 |
| 8.5.2 Channel-Condition-Independent Fair Queueing (CIFQ) | 320 |
| 8.5.3 Server-Based Fairness Approach (SBFA) | 320 |
| 8.5.4 Wireless Fair Service (WFS) | 321 |
| 8.5.5 Utility-Based Opportunistic Scheduling | 321 |
| 8.5.6 Channel-Adaptive Fair Queueing | 322 |
| 8.6 Numerical Examples | 328 |
| 8.6.1 Parameters | 328 |
| 8.6.2 Scenario 1 | 329 |
| 8.6.3 Scenario 2 | 331 |
| 8.6.4 Scenario 3 | 332 |
| 8.6.5 Scenario 4 | 332 |
| 8.7 Channel-Adaptive Scheduling for CDMA Systems | 334 |
| 8.7.1 Code Allocation in Multicode CDMA Systems | 335 |
| 8.7.2 CAFQ for CDMA Systems | 335 |
| 8.8 Summary | 337 |
| Exercises | 338 |
| | |
| Chapter 9 Packet-Switched Data Services in W-CDMA Systems | 341 |
| 9.1 Overview | 341 |
| 9.2 UMTS Architecture | 343 |
| 9.2.1 Radio Interface | 345 |
| 9.2.2 PHY Layer | 347 |

| | | |
|-------|--|-----|
| 9.2.3 | MAC Layer | 356 |
| 9.2.4 | RLC Layer | 357 |
| 9.2.5 | RRC Layer | 360 |
| 9.3 | Packet-Switched Connections in UMTS (Rel 99) | 363 |
| 9.3.1 | Radio Bearer for Packet-Switched Users | 364 |
| 9.3.2 | Setup of Packet-Switched Connection | 365 |
| 9.3.3 | Scheduling Algorithms | 367 |
| 9.3.4 | Performance | 369 |
| 9.4 | Packet Scheduling in HSDPA (Rel 5) | 370 |
| 9.4.1 | Key Enabling Technologies in HSDPA | 370 |
| 9.4.2 | Scheduling Algorithms and Performance | 374 |
| 9.4.3 | Continued Evolution | 376 |
| 9.5 | Summary | 376 |
| | Exercises | 377 |

PART 3 ADVANCED TOPICS **379**

Chapter 10 Cross-Layer Scheduling for Wideband Systems **381**

| | | |
|--------|---|-----|
| 10.1 | Overview | 381 |
| 10.2 | Overview of DS-CDMA/MISO and OFDM/MISO Systems | 383 |
| 10.2.1 | Multiuser Physical Layer Model of DS-CDMA/MISO Systems | 384 |
| 10.2.2 | Physical Layer Model of OFDMA/MISO Systems | 390 |
| 10.3 | Cross-Layer Scheduling Design for DS-CDMA/MISO and OFDMA/MISO Systems | 397 |
| 10.3.1 | Cross-Layer Design for DS-CDMA/MISO Systems | 398 |
| 10.3.2 | Cross-Layer Design for OFDMA/MISO Systems | 398 |
| 10.4 | Performance Comparisons of DS-CDMA- and OFDM-Based Systems | 400 |
| 10.4.1 | Performance of DS-CDMA/MISO Systems | 401 |
| 10.4.2 | Performance of OFDMA/MISO Systems | 401 |
| 10.4.3 | Comparisons of DS-CDMA/MISO and OFDMA/MISO Systems | 404 |
| 10.5 | Implementation Issues of OFDMA System | 405 |
| 10.5.1 | Downlink versus Uplink | 405 |
| 10.5.2 | Signal Model | 406 |
| 10.5.3 | Effect of Timing Offsets | 409 |
| 10.5.4 | Effect of Frequency Offsets | 410 |
| 10.6 | Summary | 411 |
| | Exercises | 413 |

| | | |
|-------------------|--|------------|
| Chapter 11 | Cross-Layer Scheduling Design Based on Queueing Theory and Information Theory | 417 |
| 11.1 | Overview | 417 |
| 11.1.1 | Cross-Layer Scheduling Model | 420 |
| 11.2 | Multiuser Physical Layer Model | 423 |
| 11.2.1 | Graph Model | 424 |
| 11.2.2 | ON/OFF Channel Model | 427 |
| 11.2.3 | Information-Theoretic Model | 429 |
| 11.3 | Motivations for Cross-Layer Scheduling in Multiuser Wireless Networks | 431 |
| 11.4 | Stability Region | 434 |
| 11.4.1 | Stability Region of Time-Invariant Physical Layer | 435 |
| 11.4.2 | Stability Region of Stochastic Physical Layer | 437 |
| 11.4.3 | Scheduling Design for Stability | 441 |
| 11.5 | Cross-Layer Scheduler Design for Delay Minimization | 444 |
| 11.5.1 | Problem Formulation | 445 |
| 11.5.2 | Optimal Solution | 447 |
| 11.5.3 | Description of LQHPR Policy | 451 |
| 11.5.4 | Performance of an Example System | 452 |
| 11.6 | Summary | 454 |
| Appendix 11A: | Proof of Theorem 11.1 on Stability Region of Deterministic Physical Layer | 455 |
| Appendix 11B: | Proof of Theorem 11.2 on Stability Region of Stochastic Physical layer | 456 |
| Appendix 11C: | Proof of Theorem 11.3 on Throughput Optimality of MW Scheduling | 457 |
| Appendix 11D: | Proof of Theorem 11.5 on Throughput Optimality of EXP Scheduling | 458 |
| Appendix 11E: | Conditions for Stability of a Stochastic Process | 460 |
| Appendix 11F: | Proof of Theorem 11.6 on Throughput Optimality of Tse–Hanly Policy | 461 |
| | Exercises | 462 |
| Chapter 12 | Channel-Adaptive Ad Hoc Routing | 465 |
| 12.1 | Overview | 465 |
| 12.2 | Background | 465 |
| 12.3 | Overview of Ad Hoc Routing Protocols | 467 |
| 12.3.1 | AODV Protocol | 467 |
| 12.3.2 | DSDV Protocol | 467 |
| 12.3.3 | DSR Protocol | 468 |
| 12.3.4 | ABR Protocol | 469 |
| 12.3.5 | Link State Routing Protocol | 469 |

| | | |
|--------|--|------------|
| 12.4 | Receiver-Initiated Channel-Adaptive (RICA) Routing | 470 |
| 12.4.1 | Channel Model | 470 |
| 12.4.2 | Route Discovery | 471 |
| 12.4.3 | Broadcast of CSI Checking Packets | 473 |
| 12.4.4 | Route Maintenance | 475 |
| 12.4.5 | Route Updating | 476 |
| 12.4.6 | Comparison with Other Protocols | 479 |
| 12.5 | Performance Results | 479 |
| 12.5.1 | Simulation Environment | 479 |
| 12.5.2 | Average End-to-End Delay | 482 |
| 12.5.3 | Successful Percentage of Packet Delivery | 483 |
| 12.5.4 | Routing Control Overhead | 485 |
| 12.5.5 | Scalability | 486 |
| 12.5.6 | Varying Offered Traffic Load | 486 |
| 12.5.7 | Quality of Routes | 487 |
| 12.5.8 | Observations in the Simulations | 488 |
| 12.5.9 | Critiques on the Four Protocols | 490 |
| 12.6 | Summary | 491 |
| | Exercises | 491 |
| | References | 493 |
| | Topic Index | 503 |

