

INDEX

- Absorbed energy, 478, 483
- Adverse health effects, 453
- Ampere's law, 12
- Analytical methods, 4
- Antenna
 - centre-fed, 76
 - dipole, 172
 - linear, 75–78
 - parameters, 71–75
- Boundary conditions, 26–32
 - Cauchy, 41
 - Dirichlet, 41, 81
 - incorporation of, 95
 - mixed, 81
 - Neumann, 41, 81, 94
- Boundary element method (BEM), 4, 82, 84, 109–122
 - computational example, 121, 122
 - discretization, 114–121
- Boundary elements
 - constant, 115–118, 158
 - curvilinear, 118, 178
 - isoparametric, 118
 - linear, 119, 159
 - quadratic, 119
- Buried cables, *see* Transmission lines – below ground
- Circuit theory model, 7
- Conducted
 - emission, 8
 - susceptibility, 8
- Conformal mapping, 82
- Conservation law, 21–24
- Continuity equation, 17–19
- Continuous wave (CW), 7
- Coulomb gauge, 36
- Detection, 213
- Differential operator, linear, 81
- Diffraction, 151
- Diffusion gauge, 37
- Direct approach, 85
- Direction finding systems, 191
- Directivity, 72
- Distributed parameters, 338

- Eddy currents, 136
 - analytical solution, 144–146
 - boundary element solution, 146–150
- Electric field integral equation, 204
- Electromagnetic, 3
 - interference (EMI), 5
 - pulse (EMP), 250, 251
 - wave equations, 24–26, 151–154
- Electrosmog, 454
- Electrostatic fields, 123
- Faraday's law, 11
- Field
 - approach, 80
 - coupling, 55
- Finite difference method (FDM), 4, 82, 85–91
 - one-dimensional, 86
 - backward scheme, 86
 - central scheme, 86
 - computational example, 87
 - forward scheme, 86
 - two-dimensional, 88–90
 - computational example, 90
- Finite element integral equation method (FEIEM), 174, 265
- Finite element method (FEM), 4, 82, 84, 91–109
 - one-dimensional, 92–98
 - computational example, 96–98
 - strong formulation, 93
 - two-dimensional, 98–109
 - computational example, 105–109
 - weak formulation, 93, 100–102
- Flux density, 102, 103
- Fourier transform, 83
- Frequency domain modeling, 82–84, 165
- Full-wave approach, 7
- Gain, 74
- Galerkin Bubnov
 - indirect boundary element method (GB-IBEM), 168, 174, 204, 265
 - procedure, 94
- Gauss's flux law, 14
- Geophysical exploration, 213
- Grounding
 - grids, 405
 - systems, 405–451
- Grounding horizontal electrode, 405, 418–437
 - computational examples, 428–437
 - formulation, 420–425
 - boundary conditions, 424
 - reflection coefficient, 423
 - Sommerfeld integral, 421, 422
 - input impedance, 425–427
 - numerical solution, 427, 428
 - transient impedance, 428
 - transmission line method (TLM), 438
 - computational examples, 439–443
- Grounding vertical electrode, 405
 - computational examples, 416–418
 - formulation, 407–411
 - reflection coefficient, 410
 - boundary conditions, 411
 - Sommerfeld integral, 408
 - input impedance, 411–413
 - numerical solution, 413, 414
 - transient impedance, 414
- Hallen integral equation, 166, 251, 255
- Hamilton variational principle, 43–51
- Heating, 456
- Helmholtz equation, 100–102, 140–143
- Hertzian dipole, 4, 69–71
- High frequency fields, effects of, 456
- Human body
 - parasitic antenna representation, 460–465
 - computational examples, 465–467
 - realistic model (BEM), 467–473
 - computational examples, 473–478
 - time domain model, 479
 - computational example, 486–489
 - transient current
 - average value, 480
 - root-mean-square value, 481
 - transient radiation, 478
- Human exposure, 453
 - assessment of, 458
- Indirect approach, 85
- Induced currents, 455
- Input impedance, 73, 180
- Instantaneous power, 478, 482

- Integral
 - approach, 80
 - equation formulation, 109–114
 - equation in electrostatics, 126–129
 - transform, 82
- Lagrange's polynomials, 177
- Lagrangian formulation, 42–51
- Laplace equation, 110
- Lightning
 - effects, 250
 - protection, 257
- Lightning rod, modeling of, 129–134.
 - See also* Grounding
- Lorentz gauge, 38
- Loss resistance, 73
- Low frequency fields, effects of, 455
- Magnetostatic fields, 124
- Matrix
 - banded, 84
 - dense, 85
 - finite element, 94
 - global system, 94
 - local system, 94
 - symmetric, 84
- Maxwell equations, 3
 - differential form, 10, 11
 - integral form, 11–14
 - moving media, 14–17
- Method of moments (MoM), 4, 82
- Microwave hyperthermia, 183
- Modified image theory (MIT), 406
- Oceanography, 213
- Ohm's law, 19, 20
- Overhead lines, *see* Transmission lines –
 - above ground
- Phasor, complex, 51, 154
- Pocklington integral equation, 4, 166, 172
- Point-matching technique, 166
- Poisson equation, 110
- Potential
 - electric scalar, 32
 - magnetic scalar, 32
 - magnetic vector, 32
 - retarded, 40, 54
 - wave equations, 35
- Poynting theorem, 52
- Propagation, 66–68
- Quasistatic
 - computational example, 143–150
 - formulation, 137–139
- Radiated
 - emission, 8
 - field, 180
 - susceptibility, 8
- Radiation, 68, 73
 - efficiency, 74
 - intensity, 72
 - ionizing, 454
 - nonionizing, 454
 - pollution, 454
 - power density, 72
- Radio base station antennas, 201
- Scattering, 151, 154
 - computational example, 159–161
- Separation of variables, 82
- Series expansion, 82
- Shape functions, 177
- Short-pulse radar, 250
- Singularity, 112
- Skin effect, 136
- Soil ionization, 405
- Sommerfeld
 - approach, 167
 - integrals, 167, 213, 227–229
- Source(s)
 - computation, 104
 - element method (SEM), 85
 - integration method (SIM), 85
- Specific absorption (SA), 483
- Specific absorption rate (SAR),
 - 456
- Step-function, 83
- Subdomain collocation, 168
- Submarine communication, 213
- Telegrapher's equation, 56
 - finitely conducting wire, 60
 - first, 57
 - lossy media, 61
 - second, 58
- Temperature control mechanism, 456

- Thin wire, 165
 - frequency domain (FD), 165, 166
 - time domain (TD), 166, 167
- Thin wire – free space (FD), 171–213
 - coated wire, 181–185
 - BEM solution, 187–190
 - computational example, 190
 - near field, 186
 - horizontal array, 196–201
 - BEM solution, 199–201
 - computational example, 201
 - isoparametric, 200
 - linear, 199
 - loop antenna, 191–196
 - BEM solution, 193–196
 - computational example, 196
 - single wire, 172–174
 - BEM solution, 174–180
 - isoparametric, 178–180
 - linear, 175–178
 - computational examples, 180
 - vertical array, 201–213
 - BEM solution, 207–209
 - computational example, 209–213
- Thin wire – free space (TD), 252–290
 - computational examples, 275–290
 - energy measures, 263–265
 - numerical solution, 272
 - single wire, 252–259
 - electric field, 256, 270
 - nonlinear loading, 258
 - numerical solution, 271
 - numerical solution, 265–270
 - resistive loading, 257
 - numerical solution, 271
 - two coupled wires, 259–263
 - numerical solution, 273–275
- Thin wire – lossy half-space (FD), 213–246
 - loaded antenna, 220–222
 - multiple wire, 237–246
 - BEM solution, 240
 - computational examples, 242–246
 - electric field, 239, 241
 - single wire, 214–220
 - BEM solution, 224–227
 - computational examples, 233–237
 - electric field, 222–224, 229–233
 - input impedance, 222–224, 229–233
 - reflection coefficient approach, 218–220
 - Sommerfeld integral approach, 214–218
- Thin wire – lossy half-space (TD), 290–332
 - array, 304–307
 - numerical solution, 314–317
 - computational examples, 317–332
 - single wire, 290–300
 - electric field, 294–296, 310
 - nonlinear loading, 298, 311
 - numerical solution, 307–310
 - resistive loading, 296, 311
 - two coupled wires, 300–304
 - numerical solution, 312–314
- Time domain modeling, 82–84, 166
- Transient
 - phenomena, 7
 - response, 83, 443–445
 - computational example, 445–451
- Transmission line, 7, 54–66, 337–342, 406
- Transmission lines – above ground
 - (FD), 341
 - computational examples, 351–359
 - telegrapher's equations, 345–351
- Transmission lines – above ground
 - (TD), 341
 - computational examples, 359–372
- Transmission lines – below ground
 - (FD), 341
 - computational examples, 381–384
 - formulation, 374–378
 - numerical solution, 378–381
- Transmission lines – below ground
 - (TD), 341
 - computational examples, 395–402
 - energy measures, 391
 - formulation, 384–391
 - numerical solution, 392–395
- Triangular elements, 98
- UHF communications, 191
- Weighted residual approach, 101, 111
- Wire
 - antenna, 165
 - scatterer, 165
- Yagi-Uda array, 196