

# Index

COPYRIGHTED MATERIAL



# Index

## SYMBOLS

**%20**, indicating spaces in HTTP-GET parameters, 3

**&** (ampersand), separating HTTP-GET parameters, 3

## A

**access key, UPS API, 170**

**Access (Microsoft), used in Customer Relations Management (CRM) application, 228–230**

**AddItem method, eBay API, 125, 133–136**

**AddRecordToDataset procedure, CRM application, 252**

**addresses. See also directions, obtaining with MapPoint API**

finding nearby places to, with MapPoint API, 80–82

querying, with MapPoint API, 60–61

**AddToItemDescription method, eBay API, 125**

**Alexa Internet, Inc., 88**

**Alexa Web Information Service (AWIS) Web API**

documentation and examples for, 96

features of, 91

query syntax, 102–103

subscription ID, 91–96

uses of, 112

**All Consuming, 114**

**Amazon Lite, 113**

**Amazon.com APIs**

Alexa Web Information Service (AWIS) Web API

documentation and examples for, 96

features of, 91

query syntax, 102–103

subscription ID for, 91–96

uses of, 112

associate ID for, 92

developer token for, 91

E-Commerce Service (ECS) Web API

customer queries, 98–99

documentation and examples for, 96

features of, 90–91

list queries, 99

product queries, 97–98

query syntax, 97–102

remote shopping cart queries, 99–101, 111

seller queries, 101–102

subscription ID for, 91–96

third-party extensions for, 113–114

transaction queries, 102

uses of, 110–111, 112

protocols supported, 90

query

executing from Pocket PC, 189–192

executing using HTTP-GET (REST), 3, 104–106

### Amazon.com APIs (continued)

- executing using SOAP, 8–14, 106–109
- executing using Visual Studio .NET, 107–109
- looping through results of, 109–110
- Simple Queue Service Web API
  - features of, 91
  - query syntax, 103–104
  - uses of, 112–113
- used in Executive Dashboard application,
  - 266, 268, 273, 278
- uses of, 110–113

### Amazon.com, features of, 88–90

### Amazon.pl XML, 113

### Amount property

- MassPay method, 149, 159
- RefundTransaction method, 158
- TransactionSearch method, 159

### ampersand (&), separating HTTP-GET parameters, 3

### A9.com search engine, 89–90

### Apptera Locator software, MapPoint API used by, 85

### .asmx file, 215

### associate ID, Amazon, 92

### AssociateTag parameter, ECS, 97

### AuctionItemNumber property,

- TransactionSearch method, 159

### auctions for seller, retrieving, in eBay API, 138–140

### AWIS (Alexa Web Information Service) Web API

- documentation and examples for, 96
- features of, 91
- query syntax, 102–103
- subscription ID, 91–96
- uses of, 112

## B

### Banana Slug search engine, 46

### BindingPoint directory, 179–180

### blogging API, 176–177

### Bloglines API, 176–177

### Bloglines Web Services (BWS), 176

### blogs using Google API, 48

### body text, limiting search to, with Google, 18

### btnAddNew\_Click event, CRM application, 246

### btnDelete\_Click event, CRM application, 246–247

### btnDirections\_Click event, CRM application, 256–257

### btnGetMap\_Click event, CRM application, 255–256

### btnMoveLast\_Click event, CRM application, 243

### btnMoveNext\_Click event, CRM application, 244–245

### btnMovePrevious\_Click event, CRM application, 243–244

### btnSave\_Click event, CRM application, 245–246

### btnSearch\_Click event, CRM application, 247–248

### btnSearch\_Click event, Executive Dashboard application, 272–273

### BuildGoogleBar procedure, CRM application, 252–254

### BWS (Bloglines Web Services), 176

## C

### cache: option, Google, 16–17

### cache, retrieving pages from, with Google, 16–17, 25, 42–45

### CalculateRoute method, RouteServiceSoap service, 62, 72–74

### CalculateSimpleRoute method, RouteServiceSoap service, 62

### CapeMail service (Capescience), 46

### Capescience CapeMail service, 46

### CartAdd operation, ECS, 99

### CartClear operation, ECS, 100

### CartCreate operation, ECS, 100, 111

### CartGet operation, ECS, 100

### CartModify operation, ECS, 100–101

**case studies**

## Customer Relations Management (CRM)

- application
- database for, building, 228–230
- downloading, 228
- features of, 226–227
- Google API used in, 226, 237–238, 252–254, 260
- MapPoint API used in, 226, 238, 255–259, 260–262
- modules for, AddRecordToDataset procedure, 252
- modules for, btnAddNew\_Click event, 246
- modules for, btnDelete\_Click event, 246–247
- modules for, btnDirections\_Click event, 256–257
- modules for, btnGetMap\_Click event, 255–256
- modules for, btnMoveLast\_Click event, 243
- modules for, btnMoveNext\_Click event, 244–245
- modules for, btnMovePrevious\_Click event, 243–244
- modules for, btnSave\_Click event, 245–246
- modules for, btnSearch\_Click event, 247–248
- modules for, BuildGoogleBar procedure, 252–254
- modules for, ClearForm procedure, 251
- modules for, declarations, 239
- modules for, frmContacts\_Load event, 239–240
- modules for, GetCoordinates procedure, 257–258
- modules for, GetDrivingDirections procedure, 259
- modules for, Google API references, 237–238
- modules for, imports statements, 239
- modules for,
  - lnklblGoogleResults\_LinkClicked event, 254

- modules for, MapPoint API references, 238
  - modules for, PopulateControlsOnForm procedure, 240–242
  - modules for, PopulateDataSet procedure, 240
  - modules for, UpdateDatabaseAdds procedure, 249
  - modules for, UpdateDatabaseChanges procedure, 248–249
  - modules for, UpdateDatabaseDeletions procedure, 249–250
  - modules for, UpdateDataSet procedure, 242
  - modules for, UpdateDatasetValues procedure, 250–251
  - running, 260–263
  - user interface for, building, 230–237
- Executive Dashboard application
- Amazon.com APIs used in, 266, 268, 273, 278
  - downloading, 267
  - eBay API used in, 266, 268–269, 274–275, 278
  - features of, 265–267
  - Google API used in, 266, 268, 274, 278
  - modules for, btnSearch\_Click event, 272–273
  - modules for, imports statements, 272
  - modules for, SearchAmazon procedure, 273
  - modules for, SearchEbay procedure, 274–276
  - modules for, SearchGoogle procedure, 274
  - modules for,
    - WritePageContentsToBrowser procedure, 276
  - running, 276–279
  - user interface for, building, 267–272

**categories**

- retrieving in eBay API, 137–138
- retrieving subcategories for in AWIS, 102
- category **operation, AWIS, 102**
- .CER **file, 157**
- certificate.pem **file, 157**
- ClearForm **procedure, CRM application, 251**

## **CommonServiceSoap service, MapPoint API, 62–63**

ConfigureQueue **operation, Simple Queue Service, 104**

ContentType **parameter, ECS, 97**

ConvertToLatLng **method, RenderServiceSoap service, 61**

ConvertToPoint **method, RenderServiceSoap service, 61**

crawl **operation, AWIS, 103**

CreateQueue **operation, Simple Queue Service, 104**

**CRM application. See Customer Relations Management (CRM) application**

CurrencyCode **property, TransactionSearch method, 159**

**customer queries, ECS, 98–99**

**Customer Relations Management (CRM) application**

database for, building, 228–230

downloading, 228

features of, 226–227

Google API used in, 226, 237–238, 252–254, 260

MapPoint API used in, 226, 238, 255–259, 260–262

modules for

AddRecordToDataset procedure, 252

btnAddNew\_Click event, 246

btnDelete\_Click event, 246–247

btnDirections\_Click event, 256–257

btnGetMap\_Click event, 255–256

btnMoveLast\_Click event, 243

btnMoveNext\_Click event, 244–245

btnMovePrevious\_Click event, 243–244

btnSave\_Click event, 245–246

btnSearch\_Click event, 247–248

BuildGoogleBar procedure, 252–254

ClearForm procedure, 251

declarations, 239

frmContacts\_Load event, 239–240

GetCoordinates procedure, 257–258

GetDrivingDirections procedure, 259

Google API references, 237–238

imports statements, 239

InkIblGoogleResults\_LinkClicked event, 254

MapPoint API references, 238

PopulateControlsOnForm procedure, 240–242

PopulateDataSet procedure, 240

UpdateDatabaseAdds procedure, 249

UpdateDatabaseChanges procedure, 248–249

UpdateDatabaseDeletions procedure, 249–250

UpdateDataSet procedure, 242

UpdateDatasetValues procedure, 250–251

running, 260–263

user interface for, building, 230–237

CustomerContentLookup **operation, ECS, 98**

CustomerContentSearch **operation, ECS, 98–99**

## **D**

**dashboard application. See Executive Dashboard application**

**database**

for Customer Relations Management (CRM) application, 228–230, 248–250

for MapPoint API, 49, 50

**date range, limiting search to, with Google, 17**

daterange: **option, Google, 17**

**declarations, CRM application, 239**

DeleteQueue **operation, Simple Queue Service, 104**

Dequeue **operation, Simple Queue Service, 104**

**developer account**

eBay API, 119–123

FedEx APIs, 173–175

InterFax API, 164–165

PayPal API, 149–151

UPS API, 168–170

**developer registration key, Google API, 19–23**

**developer token**

Amazon.com APIs, 91  
definition of, 2

**directions, obtaining with MapPoint API, 72–74, 184–189**

`doGetCachedPage` method, Google API, 25

`doGoogleSearch` method, Google API, 24

**domain, limiting search to, with Google, 19**

`doSpellingSuggestion` method, Google API, 25

**driving directions, obtaining with MapPoint API, 72–74, 184–189****E****eBay API**

categories, retrieving, 137–138  
developer account, obtaining, 119–123  
documentation for, 124  
features of, 119  
feedback about seller  
  leaving, 126  
  retrieving, 126, 142–144  
licensing for, 119  
listing an item for sale, 133–136  
pending auctions for seller, retrieving, 138–140  
protocols supported, 118–119  
query  
  executing using HTTP-POST, 127–129  
  executing using SOAP, 130–132  
  executing using Visual Studio .NET, 127–129, 130–132  
  syntax for, 125–127  
SDK (Software Developer's Kit), 124  
third-party extensions for, 145–146  
token for test user, 120–123  
used in Executive Dashboard application, 266, 268–269, 274–275, 278  
uses of, 144–145  
winning bidders, retrieving, 141–142

**eBay, features of, 118****ECS (E-Commerce Service) Web API**

customer queries, 98–99  
documentation and examples for, 96

features of, 90–91  
list queries, 99  
parameters for, 97  
product queries, 97–98  
query syntax, 97–102  
remote shopping cart queries, 99–101, 111  
seller queries, 101–102  
subscription ID, 91–96  
third-party extensions for, 113–114  
transaction queries, 102  
uses of, 112

**e-mail**

Google queries through, 46  
searching for Amazon customer by, 98  
searching for Amazon wish list by, 99  
searching for PayPal transactions by, 159  
sending PayPal mass payments to, 159  
virtual, for Sandbox test environment, 149

`EmailSubject` property, MassPay method, 159

**embedded devices supporting Web APIs, 181–183****eMbedded Visual Tools (Microsoft), 183**

`EndDate` property, TransactionSearch method, 158

`EndItem` method, eBay API, 126

`Enqueue` operation, Simple Queue Service, 104

**errors. See troubleshooting**

**evaluation account, MapPoint API, 52–56**

**example applications. See case studies**

**Executive Dashboard application**

Amazon.com APIs used in, 266, 268, 273, 278  
downloading, 267  
eBay API used in, 266, 268–269, 274–275, 278  
features of, 265–267  
Google API used in, 266, 268, 274, 278  
modules for  
  `btnSearch_Click` event, 272–273  
  imports statements, 272  
  `SearchAmazon` procedure, 273  
  `SearchEbay` procedure, 274–276  
  `SearchGoogle` procedure, 274  
  `WritePageContentsToBrowser` procedure, 276

### **Executive Dashboard application (continued)**

- running, 276–279
- user interface for, building, 267–272

### **eXtensible Markup Language (XML)**

- definition of, 2–3
- submitting to eBay API, 133, 136, 138, 140, 142, 144
- submitting to Ship Manager Direct, FedEx API, 173, 175–176
- submitting to UPS API, 170–172

### **extensions, third-party**

- for eBay API, 145–146
- for ECS (E-Commerce Service) Web API, 113–114
- for Google API, 46–48
- for MapPoint API, 85
- for PayPal API, 162

## **F**

### **faxing APIs, 163–168**

#### **FedEx APIs**

- developer account for, 173–175
- features of, 172–173
- meter number for, 174
- submitting transactions with Ship Manager Direct, 175–176

#### **feedback**

- leaving, with eBay API, 126
- retrieving, with eBay API, 126, 142–144

#### **Feedburner, 114**

#### **fees**

- for custom Web APIs, 215
- for MapPoint API, 52

#### **file type, limiting search based on, with Google, 17–18**

filetype: option, Google, 17–18

Find method, FindServiceSoap service, 60

FindAddress method, FindServiceSoap service, 60, 77–80

FindById method, FindServiceSoap service, 60

FindByProperty method, FindServiceSoap service, 61, 82–84

FindNearby method, FindServiceSoap service, 61, 80–82

FindNearRoute method, FindServiceSoap service, 61

FindServiceSoap service, MapPoint API, 60–61 forms

- for Customer Relations Management (CRM) application, 230–237
  - for Executive Dashboard application, 267–272
- frmContacts\_Load event, CRM application, 239–240

## **G**

geocode lookups, with MapPoint API, 77–80

GetAccount method, eBay API, 126

GetAdFormatLeads method, eBay API, 126

GetAPIAccessRules method, eBay API, 126

GetBestMapView method, RenderServiceSoap service, 62

GetBidderList method, eBay API, 126

GetCategories method, eBay API, 126

GetCategory2DomainMap method, eBay API, 126

GetCategoryListings method, eBay API, 126

GetCoordinates procedure, CRM application, 257–258

GetCountryRegionInfo method, CommonServiceSoap service, 62

GetDataSourceInfo method, CommonServiceSoap service, 62–63

GetDescriptionTemplates method, eBay API, 126

GetDomains method, eBay API, 126

GetDrivingDirections procedure, CRM application, 259

GeteBayOfficialTime method, eBay API, 126

GetEntityTypeTypes method, CommonServiceSoap service, 63

GetFeedback method, eBay API, 126

GetGreatCircleDistances method, CommonServiceSoap service, 63

GetHighBidders method, eBay API, 126, 141–142

GetItem method, eBay API, 126

GetItemTransactions method, eBay API, 126

`GetLocationInfo` **method, FindServiceSoap service, 61**

`GetLogoURL` **method, eBay API, 126**

`GetMap` **method, RenderServiceSoap service, 62, 75–77**

`GetSearchResults` **method, eBay API, 126**

`GetSellerEvents` **method, eBay API, 126**

`GetSellerList` **method, eBay API, 126, 138–140**

`GetSellerTransactions` **method, eBay API, 126**

`GetStoreDetails` **method, eBay API, 126**

`GetTransactionDetails` **method, PayPal API, 149, 159**

`GetUser` **method, eBay API, 126**

`GetVersionInfoMethod` **method, CommonServiceSoap service, 63**

`GetWatchList` **method, eBay API, 126**

## Google

- body text, limiting search to, 18
- cache, retrieving pages from, 16–17
- date range, limiting search to, 17
- domain, limiting search to, 19
- features of, 15–19
- file type, limiting search based on, 17–18
- information about URL, retrieving links to, 18
- links
  - descriptive text of, searching, 18
  - related to URL, listing, 19
  - to URL, listing, 19
- phone number, looking up, 19
- site, limiting search to, 19
- title, limiting search to, 18
- URL, limiting search to, 18

## Google account, creating, 21–22

### Google API

- cache, retrieving pages from, 25, 42–45
- developer registration key, obtaining, 19–23
- developer's kit, downloading, 20–21
- protocols supported, 19
- query
  - executing using .NET Framework, 29–31
  - executing using Visual Studio .NET, 25–29
  - looping through results of, 31–32

- syntax for, 23–25
  - using e-mail, 46
- retrieving random pages, 36–37
- search feature, adding to Web application, 33–35
- search request, 24
- search results, 24, 37–40
- spell checking search terms, 25, 40–42
- third-party extensions for, 46–48
- used in Customer Relations Management (CRM) application, 226, 237–238, 252–254, 260
- used in Executive Dashboard application, 266, 268, 274, 278
- uses of, 45

## Googlematic tool, 48

## graphing tools using Google API, 46

## H

### Help operation, ECS, 102

### HTTP-GET (REST)

- Amazon.com APIs supporting, 90, 104–106
- calling Web APIs from Microsoft Office using, 194–196
- calling Web APIs from Pocket PC using, 189–192
- calling Web APIs using, 3–4, 223
- limitations of, 4
- when to use, 4, 214

### HTTP-POST

- calling Web APIs using, 5, 223
- eBay API supporting, 118, 127–129
- Ship Manager Direct, FedEx API supporting, 175–176
- UPS API supporting, 170–172
- when to use, 214

## I

### imports statements, CRM application, 239

### imports statements, Executive Dashboard application, 272

### inanchor: option, Google, 18

### info: option, Google, 18

## InterFax API

- developer account for, 164–165
- features of, 163–164
- sending test fax, 165–168

`intext`: **option, Google, 18**

`intitle`: **option, Google, 18**

`inurl`: **option, Google, 18**

`InvoiceId` **property, TransactionSearch method, 159**

`ItemLookup` **operation, ECS, 97**

`ItemSearch` **operation, ECS, 98, 109, 110**

## J

**Java Web Services Developer Pack, 216**

## L

**latitude, finding, with MapPoint API, 77–80**

`LeaveFeedback` **method, eBay API, 126**

`link`: **option, Google, 19**

### links

- descriptive text of, searching in Google, 18
- related to URL, listing with Google, 19
- to URL, listing with Google, 19

**list queries, ECS, 99, 110–111**

**listing an item for sale, eBay, 133–136**

`ListLookup` **operation, ECS, 99, 110–111**

`ListMyQueues` **operation, Simple Queue Service, 104**

`ListSearch` **operation, ECS, 99, 110–111**

`InklblGoogleResults_LinkClicked` **event, CRM application, 254**

**longitude, finding, with MapPoint API, 77–80**

## M

### MapPoint API

- driving directions, obtaining, 72–74, 184–189
- errors from
  - methods not recognized, 58
  - operation not authorized, 58, 64
- evaluation account for, obtaining, 52–56
- fees for, 52

- geocode lookups, 77–80

### maps

- querying, 60–63
  - retrieving, 75–77
- nearby places, finding, 80–82
- object model for, viewing, 59–60
- points of interest, finding, 82–84
- production environment, 63
- protocols supported, 51
- query
  - executing from Pocket PC, 184–189
  - executing using .NET Framework, 68–71
  - executing using Visual Studio .NET, 64–67
  - services for, 59–63
  - specifying credentials for, 63–64
- SDK
  - configuring, 58–59
  - downloading, 56–58
- test environment, 63
- third-party extensions for, 85
- used in Customer Relations Management (CRM)
  - application, 226, 238, 255–259, 260–262
- uses of, 84–85

**MapPoint (Microsoft), features of, 50–51**

**MapPoint Web service Web site, 52**

### maps

- querying with MapPoint API, 60–63
- retrieving with MapPoint API, 75–77

**mass payments, with PayPal API, 149, 159**

`MassPay` **method, PayPal API, 149, 159**

`Memo` **property, RefundTransaction method, 158**

**meter number, FedEx APIs, 174**

**Microsoft Access, used in Customer Relations Management (CRM) application, 228–230**

**Microsoft eMbedded Visual Tools, 183**

### Microsoft MapPoint API

- driving directions, obtaining, 72–74, 184–189
- errors from
  - methods not recognized, 58
  - operation not authorized, 58, 64
- evaluation account for, obtaining, 52–56
- geocode lookups, 77–80

maps

- querying, 60–63
- retrieving, 75–77

nearby places, finding, 80–82

object model for, viewing, 59–60

points of interest, finding, 82–84

production environment, 63

protocols supported, 51

query

- executing from Pocket PC, 184–189
- executing using .NET Framework, 68–71
- executing using Visual Studio .NET, 64–67
- services for, 59–63
- specifying credentials for, 63–64

SDK

- configuring, 58–59
- downloading, 56–58

test environment, 63

third-party extensions for, 85

used in Customer Relations Management (CRM)

- application, 226, 238, 255–259, 260–262

uses of, 84–85

### Microsoft MapPoint, features of, 50–51

#### Microsoft Office

- calling Web APIs from .NET
  - requirements for, 202–205
  - using SOAP, 205–211
- calling Web APIs from VBA code
  - requirements for, 193–194
  - using HTTP-GET (REST), 194–196
  - using SOAP, 196–202

### Microsoft Streets and Trips, 49, 50

#### mobile devices

- calling Amazon.com API from, 189–192
- calling MapPoint API from, 184–189
- devices supporting Web APIs, 181–183

### MSN Search, 50

## N

nearby places to an address, finding with  
MapPoint API, 80–82

### .NET Compact Framework, 182–183

### .NET Framework

- calling XML Web services using SOAP in, 8
- executing Google API query in, 29–31
- executing MapPoint API query in, 68–71
- SOAP support, 6

### news feed API, 176–177

Note **property**, **MassPay method**, 159

## O

### Office (Microsoft)

- calling Web APIs from .NET
  - requirements for, 202–205
  - using SOAP, 205–211
- calling Web APIs from VBA code
  - requirements for, 193–194
  - using HTTP-GET (REST), 194–196
  - using SOAP, 196–202

### OpenSSL, 157

Operation **parameter**, **ECS**, 97

## P

.p12 **file**, 157–158

### Palm devices, 183

ParseAddress **method**, **FindServiceSoap service**, 61

Payer **property**, **TransactionSearch method**, 159

PayerName **property**, **TransactionSearch method**, 159

### payment distributions, with PayPal API, 159

#### PayPal API

- developer account for, 149–151
- features of, 149
- mass payments, 149, 159
- protocols supported, 148
- query
  - executing using SOAP, 160–161
  - syntax for, 158–159
- refunds, requesting, 158
- security certificate for, 156–158
- test accounts for, 151–154

### PayPal API (continued)

- test transactions for, 155–156
- third-party extensions for, 162
- transactions, retrieving information about, 158–159
- uses of, 162

**PayPal, features of, 148**

**PDA(s) (personal digital assistants). See mobile devices**

**pending auctions for seller, retrieving, in eBay API, 138–140**

**%20, indicating spaces in HTTP-GET parameters, 3**

**personal digital assistants (PDAs). See mobile devices**

**phone number, looking up with Google, 19**

`phonebook`: **option, Google, 19**

**PKCS12 certificate file, 157**

`pkcs12` **command, 157**

**platform-neutral Web services. See XML Web services**

**Pocket PCs**

- calling Amazon.com API using HTTP-GET, 189–192
- calling MapPoint API using SOAP, 184–189
- support for Web APIs, 182–183

**points of interest, finding with MapPoint API, 82–84**

`PopulateControlsOnForm` **procedure, CRM application, 240–242**

`PopulateDataSet` **procedure, CRM application, 240**

`privatekey.pem` **file, 157**

**product queries, ECS, 97–98, 110**

**protocols**

- choosing when creating Web API, 4, 214
- HTTP-GET (REST)
  - Amazon.com APIs supporting, 90, 104–106
  - calling Web APIs from Microsoft Office using, 194–196
  - calling Web APIs from Pocket PC using, 189–192
  - calling Web APIs using, 3–4, 223

- limitations of, 4
- when to use, 4, 214

**HTTP-POST**

- calling Web APIs using, 5, 223
- eBay API supporting, 118, 127–129
- Ship Manager Direct, FedEx API supporting, 175–176
- UPS API supporting, 170–172
- when to use, 214

security affected by, 4, 214

**SOAP (Simple Object Access Protocol)**

- Amazon.com APIs supporting, 8–14, 90, 106–109
- calling Web APIs from Microsoft Office using, 196–202, 205–211
- calling Web APIs from Pocket PC using, 184–189
- calling Web APIs using, 5–8, 223
- eBay API supporting, 119, 130–132
- example using, 8–14
- Google API supporting, 19
- MapPoint API supporting, 51, 63–71
- PayPal API supporting, 148, 160–161
- when to use, 5, 214
- WSDL used by, 6

specifying when creating Web API, 214–215

supported by Amazon.com APIs, 90

supported by eBay API, 118–119

supported by Google API, 19

supported by MapPoint API, 51

supported by PayPal API, 148

## Q

### queries

- Amazon.com APIs
  - executing from Pocket PC, 189–192
  - executing using HTTP-GET (REST), 104–106
  - executing using SOAP, 106–109
  - looping through results of, 109–110
- AWIS (Alexa Web Information Service) Web API,
  - syntax for, 102–103
- eBay API, syntax for, 125–127

ECS (E-Commerce Service) Web API, Amazon,  
syntax for, 97–102

Google API

executing using .NET Framework, 29–31  
executing using Visual Studio .NET, 25–29  
looping through results of, 31–32  
syntax for, 23–25  
using e-mail, 46

MapPoint API

executing using SOAP, 63–71  
syntax for, 60–63

PayPal API

executing using SOAP, 160–161  
syntax for, 158–159

Simple Queue Service Web API, syntax for,  
103–104

**queue services. See Simple Queue Service  
Web API**

## R

Read **operation, Simple Queue Service, 104**

ReceiptId **property, TransactionSearch  
method, 159**

Receiver **property, TransactionSearch  
method, 159**

ReceiverEmail **property, MassPay method, 159**

**refunds, requesting, with PayPal API, 158**

RefundTransaction **method, PayPal API,  
149, 158**

RefundType **property, RefundTransaction  
method, 158**

related: **option, Google, 19**

RelistItem **method, eBay API, 126**

**remote shopping cart queries, ECS, 99–101, 111**

**RenderServiceSoap service, MapPoint API,  
61–62**

**Representational State Transfer (REST)**

Amazon.com APIs supporting, 90, 104–106  
calling Web APIs from Microsoft Office using,  
194–196

calling Web APIs from Pocket PC using, 189–192  
calling Web APIs using, 3–4, 223

limitations of, 4

when to use, 4, 214

**resources. See Web site resources**

ResponseGroup **parameter, ECS, 97**

**REST (Representational State Transfer)**

Amazon.com APIs supporting, 90, 104–106  
calling Web APIs from Microsoft Office using,  
194–196

calling Web APIs from Pocket PC using, 189–192

calling Web APIs using, 3–4, 223

limitations of, 4

when to use, 4, 214

resultElements **list, Google API, 24**

**Return Manager API, FedEx, 172**

ReviseCheckoutStatus **method, eBay API, 126**

ReviseCheckoutTransactionDetails  
**method, eBay API, 126**

ReviseItem **method, eBay API, 127**

**root certificates, MapPoint API, 52–54**

**RouteServiceSoap service, MapPoint API, 62**

**RSS feeds using Google API, 48**

## S

**Sandbox test environment**

eBay, 120–122

PayPal, 149, 151–153

**SDK (Software Developer's Kit)**

eBay, 124

MapPoint API, 56–59

**SDP (Smart Device Programmability), 183**

**search engines, 46, 89–90**

**search operation, AWIS, 103**

SearchAmazon **procedure, Executive Dashboard  
application, 273**

SearchEbay **procedure, Executive Dashboard  
application, 274–276**

SearchGoogle **procedure, Executive Dashboard  
application, 274**

**searching. See also queries**

with Amazon.com APIs, 98, 99, 101, 109,  
110–111

with AWIS, 103

### searching (continued)

- with eBay API, 126
- with Google API
  - adding to Web application, 33–35
  - features for, 15–19
  - request for, 24
  - results of, 24, 37–40
- with PayPal API, for transactions, 159
- security certificate, PayPal API, 156–158**
- security, choice of protocol affecting, 4, 214**
- seller queries, ECS, 101–102, 110**
- SellerEngine, 113**
- `SellerListingLookup` operation, ECS, 101
- `SellerListingSearch` operation, ECS, 101
- `SellerLookup` operation, ECS, 101, 110
- `SendFax` method, InterFax API, 167–168
- `Service` parameter, ECS, 97
- `SetSellerPaymentAddress` method, eBay API, 127
- Ship Manager API, FedEx, 172, 175**
- Ship Manager Direct, FedEx, 172–173, 175–176**
- shopping cart queries, ECS, 99–101, 111**
- `SimilarityLookup` operation, ECS, 98
- Simple Object Access Protocol (SOAP)**
  - Amazon.com APIs supporting, 8–14, 90, 106–109
  - calling Web APIs from Microsoft Office using, 196–202, 205–211
  - calling Web APIs using, 5–14, 223
  - eBay API supporting, 119, 130–132
  - Google API supporting, 19
  - MapPoint API supporting, 51, 63–71
  - PayPal API supporting, 148, 160–161
  - using from Pocket PC, 184–189
  - when to use, 5, 214
  - WSDL used by, 6
- Simple Queue Service Web API**
  - features of, 91
  - query syntax, 103–104
  - uses of, 112–113
- site: option, Google, 19
- Smart Device Programmability (SDP), 183**
- Smartphones, 182–183**

### SOAP (Simple Object Access Protocol)

- Amazon.com APIs supporting, 8–14, 90, 106–109
- calling Web APIs from Microsoft Office using, 196–202, 205–211
- calling Web APIs from Pocket PC using, 184–189
- calling Web APIs using, 5–14, 223
- eBay API supporting, 119, 130–132
- Google API supporting, 19
- MapPoint API supporting, 51, 63–71
- PayPal API supporting, 148, 160–161
- when to use, 5, 214
- WSDL used by, 6

### Software Developer's Kit (SDI)

- eBay API, 124
- MapPoint API, 56–59

### spaces in HTTP-GET parameters, 3

### spell checking search terms, Google API, 25, 40–42

### `StartDate` property, `TransactionSearch` method, 158

### `Status` property, `TransactionSearch` method, 159

### Streets and Trips (Microsoft), 49, 50

### `Style` parameter, ECS, 97

### subscription ID, Amazon.com APIs, 91–96

### `SubscriptionId` parameter, ECS, 97

### Symbian devices, 183

## T

### TerraServer Web service, 198–202

### test accounts, PayPal API, 151–154

### test environment, MapPoint API, 63

### test transactions, PayPal API, 155–156

### test users, eBay API, 120–123

### third-party extensions

- for eBay API, 145–146
- for ECS (E-Commerce Service) Web API, 113–114
- for Google API, 46–48
- for MapPoint API, 85
- for PayPal API, 162

**title, limiting search to, with Google, 18**

**token for test user, eBay API, 120–123**

**tokens**

developer tokens, 2, 91

for eBay test user, 120–123

**Touch Graph utility, 46**

**transaction queries, ECS, 102**

TransactionClass **property,**

TransactionSearch **method, 159**

TransactionId **property**

GetTransactionDetails **method, 159**

RefundTransaction **method, 158**

TransactionSearch **method, 159**

TransactionLookup **operation, ECS, 102**

**transactions**

retrieving information about with eBay API, 126

retrieving information about with ECS, 102

retrieving information about with PayPal API,  
149, 158–159

submitting with Ship Manager Direct, 175–176

test transactions, PayPal API, 155–156

TransactionSearch **method, PayPal API,  
149, 158–159**

**troubleshooting**

methods not recognized, MapPoint API, 58

operation not authorized, MapPoint API, 58, 64

problem in Amazon.com WSDL file, 109, 210

WSDL.EXE file not found, 31, 71

## U

**UDDI (Universal Description, Discovery, and  
Integration) directory, 178–179**

UniqueId **property, MassPay method, 159**

**Universal Description, Discovery, and Integration  
(UDDI) directory, 178–179**

UpdateDatabaseAdds **procedure, CRM  
application, 249**

UpdateDatabaseChanges **procedure, CRM  
application, 248–249**

UpdateDatabaseDeletions **procedure, CRM  
application, 249–250**

UpdateDataSet **procedure, CRM application,  
242**

UpdateDatasetValues **procedure, CRM  
application, 250–251**

**UPS API**

access key for, 170

developer account for, 168–170

features of, 168

submitting requests to, 170–172

**URL, limiting search to, with Google, 18**

urlinfo **operation, AWIS, 103, 112**

**user interface**

for Customer Relations Management (CRM)  
application, 230–237

for Executive Dashboard application, 267–272

## V

Validate **parameter, ECS, 97**

ValidateTestUserRegistration **method,  
eBay API, 127**

**VBA (Visual Basic for Applications), calling Web  
APIs from**

requirements for, 193–194

using HTTP-GET (REST), 194–196

using SOAP, 196–202

VerifyAddItem **method, eBay API, 127**

Version **parameter, ECS, 97**

Version **property, GetTransactionDetails  
method, 159**

**virtual e-mail, for Sandbox test environment, 149**

**Visual Basic for Applications (VBA), calling Web  
APIs from**

requirements for, 193–194

using HTTP-GET (REST), 194–196

using SOAP, 196–202

**Visual Studio .NET**

calling Web APIs from Microsoft Office using  
requirements for, 202–205

using SOAP, 205–211

calling XML Web services using SOAP in, 8–14  
creating Web API using, 215–221

executing Amazon.com API query in, 107–109

executing eBay API query in, 127–129, 130–132

executing Google API query in, 25–29

executing MapPoint API query in, 64–67

## Visual Studio .NET (continued)

- for mobile devices, 182–183
- SOAP support, 6

## Visual Studio Tools, calling Web APIs from

### Microsoft Office using

- requirements for, 202–205
- using SOAP, 205–211

# W

## Web APIs

- Amazon.com APIs

- associate ID for, 92
- developer token for, 91
- protocols supported, 90
- query, executing from Pocket PC, 189–192
- query, executing using HTTP-GET (REST), 3, 104–106
- query, executing using SOAP, 8–14, 106–109
- query, executing using Visual Studio .NET, 107–109
- query, looping through results of, 109–110
- used in Executive Dashboard application, 266, 268, 273, 278
- uses of, 110–113

- Amazon.com APIs, Alexa Web Information Service

- (AWIS) Web API

- documentation and examples for, 96
- features of, 91
- query syntax, 102–103
- subscription ID for, 91–96
- uses of, 112

- Amazon.com APIs, E-Commerce Service (ECS)

- Web API

- customer queries, 98–99
- documentation and examples for, 96
- features of, 90–91
- list queries, 99
- product queries, 97–98
- query syntax, 97–102
- remote shopping cart queries, 99–101, 111
- seller queries, 101–102
- subscription ID for, 91–96
- third-party extensions for, 113–114

- transaction queries, 102

- uses of, 110–111, 112

- Amazon.com APIs, Simple Queue Service

- Web API

- features of, 91
- query syntax, 103–104
- uses of, 112–113

- Bloglines API, 176–177

- calling from Microsoft Office

- from .NET, 202–211

- from VBA code, 193–202

- calling from mobile devices

- Amazon.com API, 189–192

- devices supporting Web APIs, 181–183

- MapPoint API, 184–189

- creating

- advertising, 215

- charging fees for, 215

- features of, 213–214

- from other programs or services, 224

- protocols supported, 214–215

- testing, 222–223

- with Visual Studio .NET, 215–221

- eBay API

- categories, retrieving, 137–138

- developer account, obtaining, 119–123

- documentation for, 124

- features of, 119

- feedback about seller, leaving, 126

- feedback about seller, retrieving, 126, 142–144

- licensing for, 119

- listing an item for sale, 133–136

- pending auctions for seller, retrieving, 138–140

- protocols supported, 118–119

- query, executing using HTTP-POST, 127–129

- query, executing using SOAP, 130–132

- query, executing using Visual Studio .NET, 127–129, 130–132

- query, syntax for, 125–127

- SDK (Software Developer's Kit), 124

- third-party extensions for, 145–146

- token for test user, 120–123

- used in Executive Dashboard application, 266, 268–269, 274–275, 278

- uses of, 144–145
- winning bidders, retrieving, 141–142
- FedEx APIs, 172–176
- finding other Web APIs, 178–180
- Google API
  - cache, retrieving pages from, 25, 42–45
  - developer registration key, obtaining, 19–23
  - developer's kit, downloading, 20–21
  - protocols supported, 19
  - query, executing using .NET Framework, 29–31
  - query, executing using Visual Studio .NET, 25–29
  - query, looping through results of, 31–32
  - query, syntax for, 23–25
  - query, using e-mail, 46
  - retrieving random pages, 36–37
  - search feature, adding to Web application, 33–35
  - search request, 24
  - search results, 24, 37–40
  - spell checking search terms, 25, 40–42
  - third-party extensions for, 46–48
  - used in Customer Relations Management (CRM) application, 226, 237–238, 252–254, 260
  - used in Executive Dashboard application, 266, 268, 274, 278
  - uses of, 45
- InterFax API, 163–168
- MapPoint API
  - driving directions, obtaining, 72–74, 184–189
  - errors from, methods not recognized, 58
  - errors from, operation not authorized, 58, 64
  - evaluation account for, obtaining, 52–56
  - geocode lookups, 77–80
  - maps, querying, 60–63
  - maps, retrieving, 75–77
  - nearby places, finding, 80–82
  - object model for, viewing, 59–60
  - points of interest, finding, 82–84
  - production environment, 63
  - protocols supported, 51
  - query, executing from Pocket PC, 184–189
  - query, executing using .NET Framework, 68–71
  - query, executing using Visual Studio .NET, 64–67
  - query, services for, 59–63
  - query, specifying credentials for, 63–64
  - SDK, configuring, 58–59
  - SDK, downloading, 56–58
  - test environment, 63
  - third-party extensions for, 85
  - used in Customer Relations Management (CRM) application, 226, 238, 255–259, 260–262
  - uses of, 84–85
- PayPal API
  - developer account for, 149–151
  - features of, 149
  - mass payments, 149, 159
  - protocols supported, 148
  - query, executing using SOAP, 160–161
  - query, syntax for, 158–159
  - refunds, requesting, 158
  - security certificate for, 156–158
  - test accounts for, 151–154
  - test transactions for, 155–156
  - third-party extensions for, 162
  - transactions, retrieving information about, 158–159
  - uses of, 162
- UPS API, 168–172
- Web crawling services. See Alexa Web Information Service (AWIS) Web API**
- Web logs (blogs) using Google API, 48**
- Web search services. See Alexa Web Information Service (AWIS) Web API; Google API**
- Web Service Proxy Class DLL, .NET Framework, 8**
- Web services, 1–2**
- Web Services Description Language (WSDL) file**
  - for Amazon.com APIs, 106–107, 109, 207, 210
  - for custom Web APIs, 219
  - for eBay API, 130
  - for Google API, 25–26, 30–31
  - for MapPoint API, 63, 71, 186
  - for PayPal API, 160, 166
  - SOAP using, 6, 8–14
- Web Services for Palm (WSP) program, 183**

## **Web Services Tool Kit for Mobile Devices, 183**

### **Web site, limiting search to, with Google, 19**

#### **Web site resources**

A9.com search engine, 89–90  
Alexa Internet, Inc., 88–89  
All Consuming, 114  
Amazon Lite, 113  
Amazon.com API, WSDL file, 6  
Apptera Locator software, 85  
AWIS (Alexa Web Information Service) Web API, 91  
Banana Slug search engine, 46  
BindingPoint directory, 179  
Bloglines API, 176  
CapeMail service (Capescience), 46  
eBay API, 119  
ECS (E-Commerce Service) Web API, Amazon, 91  
eMbedded Visual Tools (Microsoft), 183  
FedEx APIs, 173  
Feedburner, 114  
Google, 15, 19  
Googlematic tool, 48  
InterFax API, 163  
Java Web Services Developer Pack, 216  
MapPoint Web service, 52  
.NET Compact Framework, 183  
OpenSSL, 157  
PayPal API developer sign up, 149  
Sandbox test environment, eBay, 122  
SellerEngine, 113  
Simple Queue Service Web API, 91  
Touch Graph utility, 46  
UDDI (Universal Description, Discovery, and Integration) directory, 178  
UPS API, 168  
Web Services Tool Kit for Mobile Devices, 183  
WebserviceX.Net, 168  
Windows Mobile operating systems, 182  
WSDD (WebSphere Studio Device Developer), 183  
WSP (Web Services for Palm) program, 183  
WWWinkazon, 114  
Zone Alarm security products, 85  
`web.config` file, **214, 222**

`webmap` operation, AWIS, 103

`WebMethod` attribute, 215

**WebserviceX.Net, 168**

**WebSphere Studio Device Developer (WSDD), 183**

**Windows Mobile operating systems, 182**

**winning bidders, retrieving, in eBay API, 141–142**

`WritePageContentsToBrowser` procedure, **Executive Dashboard application, 276**

**WSDD (WebSphere Studio Device Developer), 183**

**WSDL (Web Services Description Language) file**

for Amazon.com APIs, 106–107, 109, 207, 210

for custom Web APIs, 219

for eBay API, 130

for Google API, 25–26, 30–31

for MapPoint API, 63, 71, 186

for PayPal API, 160, 166

SOAP using, 6, 8–14

**WSDL.EXE command line tool, .NET Framework, 8, 30–31, 71**

**WSP (Web Services for Palm) program, 183**

**WWWinkazon, 114**

## **X**

**XML (eXtensible Markup Language)**

definition of, 2–3

submitting to eBay API, 133, 136, 138, 140, 142, 144

submitting to Ship Manager Direct, FedEx API, 173, 175–176

submitting to UPS API, 170–172

**XML Web services. See also Web APIs**

calling using HTTP-POST, 5

calling using REST (HTTP-GET), 3–4

calling using SOAP, 5–8

definition of, 2

`XMLEscaping` parameter, ECS, 97

## **Z**

**Zone Alarm security products, MapPoint API used by, 85**



















