

Index

Note to the reader: Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

A

- A (Address) resource record, 139
 - creating, 153–154
- AAS file extension, 438
- access control entry (ACE), 338
- access control list (ACL), 338
- account lockout policies, 512–514
- Account Operators group, 333
- account policies, 509
- ACE (access control entry), 338
- ACL (access control list), 338
- Active Directory, 120, 734. *See also* security in
 - Active Directory
 - auditing, 361–367
 - authorizing DHCP for, 77–78
 - components and mechanisms, 211–213
 - exam essentials, 246–247, 311–312
 - LDAP to access, 219
 - linking Group Policy objects to, 397–399
 - logical structure, 206–215
 - domains, 206–208
 - multiple domains, 209–210
 - object names, 214–215
 - overview, 205–206
 - physical structure, 215–219
 - server roles, 216–219
 - purpose, 204
 - real world scenarios, 213–214
 - replication, 219–245, 734
 - configuration, 221–239
 - latency, 243–244
 - monitoring and troubleshooting, 239–244
 - sites, 22, 220–221
 - traffic analysis, 244–245
 - searching, 308–311
 - Active Directory objects, 286–300
 - characteristics, 207–208
 - creating, 288–292
 - delegating control of, 345–347
 - finding, 309–311
 - moving, 298–300
 - names, 214–215
 - OUs to group, 263
 - permissions, 338
 - properties, 293–297
 - publishing, 301–311
 - Printer objects, 302–305
 - Shared Folder objects, 306–308
 - resetting computer account, 300
 - types, 286–288
 - Active Directory services database, 543
 - Active Directory Services Interface (ADSI), 734
 - Active Directory Sites and Services tool
 - for changes, 239
 - to create Connection objects, 230
 - to create GPOs, 392
 - for troubleshooting, 242, 243
 - Active Directory Users and Computers tool, 271, 734
 - Advanced Options, 297–298
 - to create Active Directory objects, 288
 - to create GPOs, 392
 - Find command, 309, 309–310, 310
 - to link GPOs to Active Directory, 397–398
 - to manage objects, 297–298
 - to manage permissions, 337
 - to modify OU properties, 278
 - to reestablish connection, 300
 - for security implementation, 340–347
 - active partition, troubleshooting, 528
 - Add Exclusion dialog box, 87, 87
 - Add Printer Wizard, 302, 303
 - Add Remote Access Policy Wizard, 578, 645–646
 - Conditions page, 579
 - Policy Name page, 578
 - Add/Remove Hardware, 482
 - Add/Remove Programs, 75–76, 734
 - categories, 454
 - to install DNS server, 140
 - to install Internet Information Services (IIS), 712–713
 - to install Terminal Services, 704–705
 - installing published applications in, 447
 - to remove Windows 2000 service, 526
 - Add Reservations dialog box, 675

750 Address Leases view (DHCP snap-in) – BIND (Berkeley Internet Name Domain)

- Address Leases view (DHCP snap-in), 76, 97
 - address pool in DHCP, 75, 734
 - Address Pool view (DHCP snap-in), 76
 - Address Resolution Protocol (ARP), 36–38
 - addressing component (NAT), 667, 734
 - .adm files, 399–400
 - administrative control, delegating for organizational units, 269–270
 - administrative templates, 399–401, 734
 - for Group Policy, 385–386
 - Administrator account, 334
 - Administrator Properties dialog box, Dial-In tab, 584
 - Administrators group, 333
 - ADSI (Active Directory Services Interface), 734
 - Advanced Attributes dialog box, 498, 500
 - Advanced Research Projects Agency (ARPA), 7
 - Advanced Security Settings dialog box, 606, 606–607
 - Advanced TCP/IP Settings dialog box
 - DNS tab, 25, 26
 - IP Settings tab, 24, 24–25
 - Options tab, 26
 - WINS tab, 26
 - advertising
 - assigning applications and, 439
 - Windows Installer support for, 437
 - all-zone transfer (AXFR), 136
 - AllUsers Properties dialog box, 295
 - ANI (Automatic Number Identification), RRAS
 - server acceptance or rejection of calls based on, 563
 - anonymous access by users, 334
 - to IIS, 722
 - IUSR_*computername* account for web access, 717
 - APIPA (Automatic Private IP Addressing), 44
 - AppleTalk, 5
 - for remote access clients, 568, 574
 - application assignment scripts, 438, 734
 - Application log, 520
 - application server mode, 734
 - for Terminal Services, 701
 - applications. *See also* software deployment categories for, 453–454
 - Group Policy to prevent running, 396
 - removing, 455–456
 - Task Manager to end, 518
 - Windows Installer support for repair of corrupted, 436
 - ARP (Address Resolution Protocol), 36–38
 - ARPA (Advanced Research Projects Agency), 7
 - assigning applications, 439, 442–445, 734
 - ATTRIB command (Recovery Console), 537
 - attributes, in Active Directory, 211
 - Audit Directory object, 363–364
 - Audit Directory Service Access option, 362
 - auditing, 329, 734
 - overview, 361–362
 - policy implementation, 361–367
 - viewing information, 366–367
 - authentication
 - certificate-based, 607
 - configuring protocols, 595
 - between domains, 332
 - providers for RRAS server, 568
 - of user in remote access connection, 561–563
 - verifying scenarios in replication trouble-shooting, 242
 - Authentication Methods dialog box, 594, 594, 717, 717
 - authenticator, 562
 - authority, delegating in DNS zones, 132, 133
 - authorization for Active Directory, in DHCP, 77–78
 - Automatic Number Identification (ANI), RRAS
 - server acceptance or rejection of calls based on, 563
 - Automatic Private IP Addressing (APIPA), 44
 - AXFR (all-zone transfer), 136
-
- ## B
- backup
 - of DHCP database file, 99, 100
 - mirrored volume for, 492, 492
 - restoring, 544–545
 - restoring operating system from, 540–545
 - system state data, 543–544
 - Backup Operators group, 333
 - Backup Wizard, 542–543
 - Bandwidth Allocation Control Protocol (BACP), 569
 - Bandwidth Allocation Protocol (BAP), 569
 - and multilink, 587
 - baseline report, 517, 519, 734
 - basic storage, 489, 490, 734
 - BATCH command (Recovery Console), 537
 - binary address notation, 9
 - BIND (Berkeley Internet Name Domain), 159

Bindings test with Netdiag, 47
 BIOS, system checks by, 527
 .biz domain, 124
 Block Policy Inheritance option, for Group Policy settings, 389, 408, 408
 blocking installation of unsigned file, 485
 boot logging, 532, 533
 Boot Normally option, 534
 boot process, 526–531
 boot sequence, 528–529
 kernel initialization sequence, 530
 kernel load sequence, 529–530
 logon sequence, 530–531
 preboot sequence, 527–528
 Boot Threshold, for DHCP relay agent, 619
 BOOT.INI file, 528
 corrupted or missing, 529
 BootP (Bootstrap Protocol), 616
 BootP forwarding, router support for, 71
 BootP Vendor Information Extensions, for DHCP, 102
 BOOTSECT.DOS file, corrupted or missing, 529
 Bootstrap Protocol (BootP), 616
 bottleneck in system, 517, 745
 bridgehead servers, 235, 236, 734
 broadcast address, 11
 Browser test with Netdiag, 45
 bug fixes
 service packs for, 514
 and software maintenance, 433
 updates for, 445–447
 Built-In container, 286–287
 built-in local groups, 333–334

C

caching for DNS, 131
 and troubleshooting, 164
 caching-only DNS server, 135, 735, 736
 Callback Control Protocol (CBCP), 563
 callback, for remote access clients, 576
 Caller ID, for RRAS user verification, 563, 576
 capture buffer, 735
 capture filter, 735
 categories, 458, 735
 creating for applications, 453–454, 454
 CBCP (Callback Control Protocol), 563
 CCP (Compression Control Protocol), 569
 CD command (Recovery Console), 538
 CDFS (Compact Disk File System), 489, 735
 Cert Publishers group, 335
 certificate-based authentication, 607
 certificate for SSL, 718
 Certificate Services database, as system state data, 543
 CHAP (Challenge Handshake Authentication Protocol), 561, 735
 EAP version, 562
 requirements for, 594
 CHDIR command (Recovery Console), 538
 child domain, 132, 735
 children of superscope, 92
 CHKDSK command (Recovery Console), 538
 class options for DHCP, 89
 classes, in Active Directory, 211
 classes of network addresses, 10–11
 client
 DHCP options for, 89–90
 of DNS, troubleshooting, 163–171
 for Terminal Services, 701
 disk creation, 707–708
 Client Access License, Windows 2000, 702
 client-based model, 461
 Client for Microsoft Networks, 28
 CLS command (Recovery Console), 538
 CNAME (Canonical Name) resource record, 139
 COM+ Class Registration database, as system state data, 543
 .com domain, 124
 Comma-Separated-Value Directory Exchange (CSVDE), 735
 command prompt
 to run nslookup, 167
 safe mode for Windows 2000 startup with, 532
 comments, in Hosts file, 171
 Common.adm template, 399
 Compact Disk File System (CDFS), 489, 735
 Compression Control Protocol (CCP), 569
 compression of data, 497–499
 computer accounts
 assigning applications to, 439
 Group Policy settings, 386–387
 resetting, 300
 as security principals, 329
 Computer object Properties dialog box, 295–296, 296
 Computer objects, 287, 735
 OUs to contain, 263

752 Computers container – Dfs root

- Computers container, 287
- Configure Device dialog box, 643
- Configure DNS Server Wizard, 141–145
 - Forward Lookup Zone page, 142
 - Zone File page, 144
 - Zone Type page, 143
- Connect action in Terminal Services Manager menu, 710
- Connection dialog box, phone number display in, 604
- connection objects, 230–233, 231, 735
- Contact objects, 287, 735
- Control Access permission, 338
- Control Panel
 - Add/Remove Hardware, 482
 - Add/Remove Programs, 75–76, 734
 - categories, 454
 - to install DNS server, 140
 - installing published applications in, 447
 - to manage hardware devices, 483
- CONVERT command, 488
- copied files, NTFS permissions for, 497
- COPY command (Recovery Console), 538
- copying files, in Recovery Console, 537
- corrupted applications, Windows Installer support for repair, 436
- Counter Log, for baseline creation, 517
- CRC (cyclic redundancy check), 5
- Create A New Dfs Link dialog box, 504
- Create Child permission, 338
- CSVDE (Comma-Separated-Value Directory Exchange), 735
- cyclic redundancy check (CRC), 5

D

- data compression, 497–499
- data encryption, 499–501
- data in packet, 4
- data store
 - for Active Directory, 211
 - domain controllers for, 216
- database files
 - for DHCP, 99–100
 - for security, 354
- database for DNS, scavenging, 148
- DcList test with Netdiag, 46
- Debugging Mode, 534
- decimal, subnet mask conversion to, 15
- default gateway, 735
- default operating system, 534
- default subnet mask, 13, 735
- Default Web Site Properties dialog box
 - Directory Security tab, 716, 716–718
 - Home Directory tab, 714, 714–715
- DefGw test with Netdiag, 45
- delegating
 - authority for zone, 156–157
 - control of Active Directory objects, 345–347
 - control of Group Policy objects, 406–407
 - control of organizational units, 269–270, 280–284
 - and troubleshooting, 286
 - real world scenarios, 284–285
- delegation, 735
- Delegation of Control Wizard, 280–284, 308, 736
 - Active Directory Object Type page, 283
 - Completing The Delegation of Control Wizard, 281
 - for custom tasks, 282–284
 - for Group Policy objects, 406
 - Permissions page, 283
 - Tasks to Delegate page, 281, 407
- Delete Child permission, 338
- DELETE command (Recovery Console), 538
- Delete Tree permission, 338
- deleting. *See also* uninstalling applications
 - Active Directory objects, 300
 - client DHCP lease, 97
 - organizational units, 276–278
 - remote access policies, 582
 - reservations in DHCP, 88
 - security principals, 329
 - superscope, 92
- Demand Dial Interface Wizard, 648, 650
- dependencies of Windows 2000 service, 525
- deployment. *See* software deployment
- destination address in packet, 4
- device driver, 483–484, 736
 - signing, 484–486
- Device Manager, 482, 482–483
 - resource allocation in, 481
- Dfs links, 501
 - creating, 502
- Dfs root, 501
 - creating, 502

- Dfs shared folders, 501
- DHCP (Dynamic Host Configuration Protocol)
 - BootP Vendor Information Extensions, 102
 - decision not to use, 23–24
 - DNS interoperation with, 160–163, 161
 - exam essentials, 103
 - installation, 75–78
 - authorization for Active Directory, 77–78
 - integrating RRAS with, 616–620
 - monitoring and troubleshooting, 96–102
 - database files, 99–100
 - Ipconfig to renew and release lease, 98–99
 - monitoring leases, 97–99
 - reconciling DHCP scopes, 100–101
 - overview, 68–75
 - advantages, 69
 - disadvantages, 70
 - how it works, 70–73
 - terminology, 74–75
 - scope creation and management, 79–96
 - activation and deactivation, 91
 - changes, 85–86
 - creating plain, 79–85
 - multicast scopes, 93–95
 - reservations and exclusions, 86–88
 - setting options for new scope, 88–90
 - superscope, 91–92
 - as TCP/IP default, 21
 - TCP/IP settings for, 23
- DHCP allocator, 660, 736
- DHCP authorization, 736
- DHCP discover message, 71
- DHCP drift, 100
- DHCP integration, 736
- DHCP relay agent, 616, 736
 - configuration, 617–620
 - assignment to specific interfaces, 618
 - interface properties, 619–620
 - installation, 616
- DHCP Relay Agent Properties dialog box, 617
- DHCP snap-in, 76, 77
- DHCPACK message, 72
- DHCPNACK message, 72
- dial-in/dial-out credentials, for VPN, 650
- dial-up connection, configuring for NAT, 667–668
- Dial-Up Connection Properties dialog box, 601–609
 - General tab, 601, 602
 - Networking tab, 608, 608–609
 - Options tab, 602–604, 603
 - Security tab, 604–607, 605
 - Sharing tab, 609
- Dial-Up Networking client configuration, 596–609
 - connection properties, 601–609
 - new connections, 596–600
- dialing rules, for Dial-Up Networking, 598, 601
- DIR command (Recovery Console), 538
- directory, 205
- directory services, 204
- Directory Services Restore Mode, 534
- DISABLE command (Recovery Console), 538
- Disconnect action in Terminal Services Manager
 - menu, 710
- discovery stage in DHCP, 71
- disk configuration, 489–494
 - basic storage, 489, 490
 - dynamic storage, 489, 490–492
- disk duplexing, 492, 492
- Disk Management utility, 493, 493–494
- disk quotas, 494–495, 742
- DISKPART command (Recovery Console), 538
- distinguished name, 215, 736
- Distributed File System (Dfs), 501–505, 502
- distribution groups, 329, 330, 736
- DLLs (dynamic link libraries), conflicts, 435, 436
- DNS (Domain Name System), 120, 737
 - exam essentials, 186–187
 - implementation for multiple mail servers, 154–155
 - namespace, 121–126, 736
 - anatomy, 122–123
 - parent and child names, 125–126
 - root, 123–125
 - optimizing performance, 135–136
 - overview, 121
 - troubleshooting, 163–173
 - clients, 163–171
 - zones, 126–140, 127
 - delegating authority in, 132, 133
 - name resolution, 127–132, 128
 - resource records management, 138–140
 - server roles, 133–135
 - zone transfers, 136–138
- DNS client, Netdiag to fix configuration errors, 44
- DNS database, scavenging, 148
- DNS notify, 138, 138
- DNS Server
 - caching-only, 736
 - computer settings for, 25

754 DNS Server Properties dialog box – exam essentials

- installation and configuration, 140–155
 - adding zones, 141–145
 - configuring zone properties, 146–148
 - options configuration, 148–152
 - resource records creation, 152–154
- management, 155–163
 - interoperability, 159–160
 - interoperability with DHCP, 160–163
 - replication, 157–159
 - zone configuration for automatic updates, 155–156
 - zone delegations, 156–157
- master, 736
- monitoring, 172–173
- primary, 736
- roles, 133–135
- secondary, 736
- troubleshooting, 171–172

DNS Server Properties dialog box

- Advanced tab, 150, 151
- Forwarders tab, 150
- Interfaces tab, 149, 150
- Logging tab, 152
- Monitoring tab, 152
- Root Hints tab, 150, 151

DNS test with Netdiag, 45

Domain Admins group, 335

Domain Computers group, 335

Domain Controller Security Policy tool, 363

domain controllers, 736

- for Active Directory, 216
- placement, 236–237
- restoring system state data on, 543

Domain Controllers container, 287

Domain Controllers group, 335

Domain Guests group, 335

domain local groups, 331, 736

Domain Name System. *See* DNS (Domain Name System)

Domain Naming Master, 217

domain server, for Terminal Services licensing, 702

Domain Users group, 335

domains, 206–208, 736

- GPOs configuration for, 388
- multiple, 209–210

dotted-decimal notation, 9

driver signing, 484–486

Driver Signing Options dialog box, 485, 486

- DsGetDc test with Netdiag, 46
- duplexing disks, 492, 492
- duplicate objects, and replication, 244
- duration for account lockout, 512
- dynamic link libraries (DLLs), conflicts, 435, 436
- dynamic routing, 18–19, 19
- dynamic storage, 489, 490–492, 737

E

- EAP (Extensible Authentication Protocol), 562, 607, 737
- EAP type, 562, 737
- Edit Dial-In Profile Properties dialog box
 - Advanced tab, 590, 591
 - Authentication tab, 587, 588
 - Dial-In Constraints tab, 584, 585
 - Encryption tab, 588, 589
 - IP tab, 585, 586
 - Multilink tab, 585, 586, 587
- .edu domain, 124
- effective permission, 497, 737
- EFS (Encrypting File System), 499–501
- elevated privileges, for Windows Installer, 456
- Emergency Repair Disk (ERD), 540–542
- ENABLE command (Recovery Console), 538
- Encrypting File System (EFS), 499–501
- encryption of data, 499–501
 - in network connections, 607
 - for remote access clients, 588
- End Process action in Terminal Services Manager menu, 711
- Enterprise Admins group, 335
- enterprise server, for Terminal Services licensing, 702
- ERD (Emergency Repair Disk), 540–542
- Error event type, 522
- Event Viewer, 520–524, 521, 737
 - for audit logs, 366, 367
 - event types in, 521–522
 - exercise, 523–524
 - managing log files, 522–523
 - for replication troubleshooting, 240, 241
 - for troubleshooting DNS servers, 171
- Everyone group, 506
- exam essentials
 - Active Directory, 246–247, 311–312

- DHCP (Dynamic Host Configuration Protocol), 103
 - DNS (Domain Name System), 186–187
 - Group Policy, 419
 - hardware, 546–547
 - Internet Connection Sharing (ICS), 684
 - Internet Information Services (IIS), 724–725
 - Lmhosts file, 187
 - nbtstat command, 187
 - Network Address Translation (NAT), 685
 - organizational units, 311–312
 - protocols, 48–50
 - Routing and Remote Access Service (RRAS), 621–622
 - security in Active Directory, 368–369
 - software deployment, 463–464
 - Terminal Services, 723–724
 - virtual private networks (VPN), 684
 - Windows 2000, 546–547
 - WINS (Windows Internet Name Service), 187
 - Exclude Reserved Addresses dialog box, 680
 - excluded addresses in DHCP, 74
 - adding and removing, 87
 - Exclusion, 737
 - exclusions to DHCP scope, 80
 - EXIT command (Recovery Console), 538
 - EXPAND command (Recovery Console), 538
 - Explorer (Windows), web sharing, 719–720
 - exporting settings to security template, 356
 - extended partitions, 490
 - Extensible Authentication Protocol (EAP), 562, 607, 737
-
- F**
- factory-assigned address, 36
 - Failure Audit event type, 522
 - FAT16, 737
 - FAT32, 737
 - fault tolerance
 - domain controller for, 219
 - secondary DNS server for, 134
 - File Allocation Table (FAT), 488, 737
 - File and Print Sharing for Microsoft Networks, 28
 - file extension, 737
 - managing mappings, 451–452
 - File Replication Service (FRS), 503
 - file signature, verifying, 485
 - file systems, 488–489
 - File Transfer Protocol (FTP)
 - IIS support, 712
 - NAT editor for, 658
 - site configuration, 720–721
 - file types, for Windows Installer, 437–438
 - files
 - compressed, 497–499
 - encrypting and decrypting, 500–501
 - Filter Options dialog box, 297, 297
 - filtering, 738
 - Group Policy, 402–406
 - finding objects in Active Directory, 309–311
 - firewall, in replication troubleshooting, 240
 - FIXBOOT command (Recovery Console), 538
 - FIXMBR command (Recovery Console), 538
 - flat addressing scheme, 9
 - Flexible Operations master servers, 217
 - folder Properties dialog box
 - Security tab, 496
 - Sharing tab, 306, 442, 506
 - folders
 - compressed, 497–499
 - encrypting and decrypting, 500–501
 - inherited permissions, 496–497
 - sharing, 505–508
 - Force Policy Inheritance option, for Group Policy settings, 389
 - foreign security principals, 287, 336, 738
 - forests in Active Directory, 206, 210, 210, 738
 - FORMAT command (Recovery Console), 539
 - forward lookup zone, 738
 - configuration, 142, 146
 - forwarding, 738
 - in DNS name resolution, 130, 131
 - FQDN (fully-qualified domain name), 122
 - FRS (File Replication Service), 503
 - FTP (File Transfer Protocol)
 - IIS support, 712
 - NAT editor for, 658
 - site configuration, 720–721
 - Full Control permission (NTFS), 495, 506
 - fully-qualified domain name (FQDN), 122

G

gateway

- clearing entries from routing table, 39
- computer settings for, 25
- default, 735
- vs. router, 17

Global Catalog (GC), 212, 332, 738

- server placement, 237

Global Catalog server, 738

global groups, 331, 738

- predefined, 335–336

.gov domain, 124

GPOs. *See* Group Policy objects (GPOs)

group memberships, 218

Group objects, OUs to contain, 263

Group Policy, 384–391, 738

- for Active Directory domain object, 207
- administrative templates for, 385–386
- application in organizational unit planning, 270–271
- configuration options, 387
- exam essentials, 419
- implementation, 391–401
 - using administrative templates, 399–401
- inheritance, 389–390
- management, 401–415
 - filtering, 402–406
- for network configuration, 413–415, 414
- to publish and assign application, 443–445
- for security, 347–351
- troubleshooting, 415–418
 - user and computer settings, 386–387

Group Policy Creator owners group, 335

Group Policy object link, 738

Group Policy object Properties dialog box, 402–403

- Security tab, 403, 403

Group Policy objects (GPOs), 384, 388–389, 458, 738

- creating, 392–397
 - delegating administrative control, 406–407
 - inheritance, 408–411
 - linking to Active Directory, 397–399
 - management, 402
 - removing software package from, 455

groups, 287

- creating and managing, 341–343
- predefined global, 335–336
- real world scenarios, 339–340

- scope, 331–332
 - as security principals, 329
- types, 330–331

Guest account, 334

Guests group, 333

H

hardware

- exam essentials, 546–547
- GPOs to control addition, 487
- installation, 480–487
- management and troubleshooting, 482–487
- storage configuration, 488–505
 - data compression, 497–499
 - data encryption, 499–501
 - disk configuration, 489–494
 - disk quotas, 494–495
 - Distributed File System (Dfs), 501–505, 502
 - file systems, 488–489
 - NTFS permissions, 495–497
- Hardware Compatibility List (HCL), 480
- header of packet, 4
- HELP command (Recovery Console), 539
- hexadecimal address notation, 9
- hidden shares, for application installation files, 441
- hierarchical address, 738
 - IP addressing scheme, 9–11
- hierarchy
 - for DNS names, 125
 - organizational unit relationships in, 268
- Highly Secure Template, 416
- HKEY_LOCAL_MACHINE\HARDWARE, 530
- HKEY_LOCAL_MACHINE\SYSTEM\
 - CurrentControlSet\Services\
 - DHCP\Parameters, 100
- home directory, 714, 738
- Hop-Count Threshold, for DHCP relay agent, 619
- hostname in DNS name, 122
- Hosts file, 169–171, 738
- HTTP, IIS support, 712

I

IAS (Internet Authentication Service) format, 613

iasparsed utility, 614, 739

- ICMP (Internet control Message Protocol), 40, 739
 - NAT editor for, 658
- ICS. *See also* Internet Connection Sharing (ICS)
- idle time before hang up, for Dial-Up Networking, 604
- IIS. *See* Internet Information Services (IIS)
- inbound connections configuration, 568–574
 - exercise, 572–573
- inbound port mapping, 662, 739
- Inetres.adm template, 399
- .info domain, 124
- Information event type, 521
- Infrastructure Master, 218
- inheritance, 739
 - for Group Policy, 389–390
 - by organizational units, 268, 269–270
 - and troubleshooting, 285
- inherited permissions, 496–497, 739
- Initial Master, 503
- initialization files, 438, 739
- installation. *See also* software deployment
 - device driver, signing and, 485
 - DHCP (Dynamic Host Configuration Protocol), 75–78
 - authorization for Active Directory, 77–78
 - DNS Server, 140–155
 - adding zones, 141–145
 - configuring zone properties, 146–148
 - options configuration, 148–152
 - resource records creation, 152–154
 - Internet Connection Sharing (ICS), 659–662
 - Internet Information Services (IIS), 712–713
 - Network Address Translation (NAT), 666–670
 - non-Plug and Play hardware, 481–482
 - Plug and Play hardware, 481
 - problems of earlier processes, 434–435
 - RRAS (Routing and Remote Service), 564–566
 - Terminal Services, 704–711
 - client disk creation, 707–708
 - of license server, 705–706
 - on server, 704–705
 - user properties configuration, 707
 - virtual private networks (VPN), 640–642
 - of Windows 2000, parallel installation, 539–540
- .int domain, 124
- interactive mode for nslookup, 165
- Internet
 - Network Connection Wizard for, 597
 - origins, 7–8
 - Internet Authentication Service (IAS), 579, 613
 - Internet Connection Sharing (ICS), 599, 653, 739
 - configuration, 662–665
 - exam essentials, 684
 - installation, 659–662
 - ipconfig and ping to troubleshooting, 665–666
 - vs. NAT, 658
 - Internet Connection Sharing Application dialog box, 663
 - Internet Connection Sharing Settings dialog box
 - Applications tab, 662–663, 663
 - Services tab, 664, 664–665
 - Internet control Message Protocol (ICMP), 40, 739
 - NAT editor for, 658
 - Internet Explorer, policy options for configuring, 399
 - Internet Information Services (IIS), 711–712, 739
 - configuration, 713–721
 - default web site, 714–718
 - FTP site, 720–721
 - virtual directory, 718–720
 - exam essentials, 724–725
 - installation, 712–713
 - troubleshooting, 721–723
 - Internet protocol (IP). *See* IP (Internet Protocol)
 - Internet Protocol (TCP/IP) Properties dialog box, 22, 22
 - Internet Services Manager, 713, 739
 - to create virtual directory, 719
 - internetwork, 648
 - interrupt requests, documentation of, 487
 - intersite replication, 222, 223–235, 743
 - intranets, 716
 - intrasite replication, 222–223, 743
 - invalid logon, specifying for account lockout, 512–514
 - IP (Internet protocol), 7, 739
 - for remote access clients, 568
 - for RRAS connections, 570–573
 - IP Address and Domain Name Restrictions dialog box, 718
 - IP addressing, 9–15
 - in DHCP, 74. *See also* DHCP (Dynamic Host Configuration Protocol)
 - for DHCP scope, 80
 - hierarchical addressing scheme, 9–11
 - private addresses, 654–655
 - for remote access clients, 571–572

758 IP discovery in DHCP – logs

- special addresses, 11
- subnetting network, 11–15
- IP discovery in DHCP, 71
- IP v6, 683
- ipconfig, 739
 - for protocol troubleshooting, 34, 34–36
 - to renew and release DHCP lease, 98–99
 - for troubleshooting ICS, 665–666
 - to view DNS client settings, 168–169
- IPLoopBk test with Netdiag, 45
- IPSec, 607
- IPSec test with Netdiag, 47
- IPX for remote access clients, 568
 - configuration, 573–574
- IPX/SPX protocol stack, 6–7
- IPX test with Netdiag, 47
- iteration, 739
 - in DNS name resolution, 130
- IXFR (incremental zone transfer), 137

J

- JavaScript, 412
- JScript, 412

K

- KCC (Knowledge Consistency Checker), 225
- Kerberos test with Netdiag, 46
- kernel initialization sequence, in boot process, 530
- kernel load sequence, in boot process, 529–530
- keyboard shortcuts, for object creation, 272
- Knowledge Consistency Checker (KCC), 225

L

- L2TP (Layer 2 Tunneling Protocol), 639, 649, 739
- laptop computers, file synchronization, 414
- Last Known Good Configuration, 530, 533–534
- latency, in replication, 243–244
- Layer 2 Tunneling Protocol (L2TP), 639, 649, 739
- LCP (Link Control Protocol), 569
- LDAP (Lightweight Directory Access Protocol), 219, 740
- LDAP test with Netdiag, 46
- _ldap._tcp. resource records, 152–153

- LDIF Directory Exchange (LDIFDE), 740
- lease in DHCP, 68
 - acknowledgement, 72–73
 - changes in settings, 85
 - duration, 81
 - monitoring, 97–99
 - offer stage, 71–72
 - permanent, 74
 - release, 73
 - renewal, 73
 - selection, 72
- licenses for software, 433
- licensing, Terminal Services, 702–703
- Lightweight Directory Access Protocol (LDAP), 219, 740
- Link Control Protocol (LCP), 569
- links (Dfs), 501
 - creating, 502
- List Contents permission, 338
- List Folder Contents permission (NTFS), 496
- List Object permission, 338
- LISTSVC command (Recovery Console), 539
- Lmhosts file, 179–183, 740
 - editing, 182–183
 - exam essentials, 187
- Local Area Connection Properties dialog box, 19, 20
 - opening, 21
- Local Computer Policy snap-in, 509, 511–512
- Log Off action in Terminal Services Manager menu, 711
- logon account, for services, 525
- LOGON command (Recovery Console), 539
- logon/logoff
 - scripts for, 412
 - troubleshooting performance problems, 417–418
- logon sequence, in boot process, 530–531
- logs
 - for auditing, 366
 - of DNS operations, 152
 - for incoming connections, 568
 - management, 522–523
 - from NAT, 677
 - properties, 523–524
 - Properties dialog box, 612
 - Local File tab, 613, 613
 - Settings tab, 612
 - for remote access server, 609–615
 - controlling, 610–614

- in replication troubleshooting, 240
- Startup, 532, 533
- for system information, 520–524
- loopback tests, network address for, 11
- LostAndFound container, 243–244, 740

M

- MAC address, 36
- Macintosh computers, AppleTalk for, 5, 568, 574
- Macintosh Guest Authentication page, for RRAS installation, 565
- MADCAP (Multicast Address Dynamic Client Allocation Protocol), 93, 740
- mail servers, DNS implementation for multiple, 154–155
- mainframes, 460
- Manage Documents print permission, 508
- Manage Printers print permission, 508
- mandatory upgrade, 446
- MAP command (Recovery Console), 539
- mapping file extensions, 451–452
- Master Boot Record (MBR), 527
 - Recovery Console to repair, 535
- master DNS server, 135, 736
- masters, for replication, 217–218
- MBR (Master Boot Record), 527
- MD command (Recovery Console), 539
- MD5-CHAP, 561
- member servers, 216, 740
- Microsoft CHAP (MS-CHAP), 562
- Microsoft Installer packages, 459–460
- Microsoft Management Console
 - Add Standalone snap-in, 393
 - Group Policy snap-in, 392–397
- .mil domain, 124
- mirrored volumes, 492, 492, 740
- mixed-mode domains, limitations on group functionality, 332
- MKDIR command (Recovery Console), 539
- modem, specifying for dial-up connection, 601
- Modem test with Netdiag, 47
- Modify permission (NTFS), 496
- MORE command (Recovery Console), 539
- moved files, NTFS permissions for, 497
- moving
 - Active Directory objects, 298–300
 - organizational units, 276–278

- MSI file extension, 437
- msiexec.exe command, 458
- MSP file extension, 437–438
- MST file extension, 437
- multi-master replication, 216
- Multicast Address Dynamic Client Allocation Protocol (MADCAP), 93, 740
- Multicast Scope Properties dialog box, 95
 - Lifetime tab, 95
- multicast scopes, 93–95, 740
- multilink connections
 - for RAS clients, 568
 - server handling of, 585
- multilink extensions to Point-to-Point Protocol, 564
- MX (Mail Exchanger) resource record, 139

N

- name registration in WINS, 176
- name release in WINS, 177
- name renewal in WINS, 176–177
- name resolution, 173–179
 - in DNS zones, 127–132, 128
 - Lmhosts file, 179–183
 - using Nbtstat command, 183–185
 - WINS (Windows Internet Name Service), 174–178
- name resolution component (NAT), 667, 740
- names for organizational units, 267–268
 - changing, 276–278
- namespace, 121–126
 - for Active Directory domain object, 207
 - anatomy, 122–123
 - parent and child names, 125–126
 - root, 123–125
- NAT. *See* Network Address Translation (NAT)
- NAT editor, 658, 740
- NAT interface, 671–676, 740
 - adding, 671–672
 - properties, 672–676
 - Address Pool tab, 673–675, 674
 - General tab, 672–673, 673
 - Special Ports tab, 675–676, 676
 - removing, 672
- NAT Properties dialog box
 - Address Assignment tab, 679–680, 680
 - exercise, 682
 - General tab, 677, 678

760 NAT proxying – NTFS permissions

- Name Resolution tab, 681, 681
- Translation tab, 678, 679
- NAT proxying, 658
- native-mode domains, possible group scope changes, 332
- NbgTm test with Netdiag, 45
- NBT (NetBIOS over TCP/IP), 6, 8, 173, 740
 - NAT editor for, 658
- nbtstat command, 183–185, 740
 - exam essentials, 187
- NDIS (Network Driver Interface Specification), 28
- .net domain, 124
- NetBEUI (NetBIOS Enhanced User Interface), 5–6, 740
 - installation, 27–28
 - for remote access clients, 568, 574
- NetBEUI over TCP/IP, turning off, 28
- NetBIOS (Network Basic Input Output System), 3, 5
 - Lmhosts file to map names to IP addresses, 179–183
 - name resolution, 173–179
 - Lmhosts file, 179–183
 - using Nbtstat command, 183–185
 - WINS (Windows Internet Name Service), 174–178
 - and Windows 2000, 178–179
 - and Windows NT 4 shares and printer accessibility, 302
- NetBIOS Frame (NBF) transport protocol, 5
- NetBIOS over TCP/IP (NBT), 6, 8, 173, 740
 - NAT editor for, 658
- Netdiag tool, for protocol troubleshooting, 43–47
- NetStat test with Netdiag, 46
- NetWare, 6
- NetWare test with Netdiag, 47
- network address, 741
 - in IP address, 10
- Network Address Translation (NAT), 653–682, 741
 - and DHCP relay agent, 616
 - exam essentials, 685
 - fundamentals, 653–654, 654
 - how it works, 655–658
 - inbound packets, 657, 657
 - multiple interfaces, 655
 - outbound packets, 656, 656
 - vs. ICS, 658
 - installation, 666–670
 - private addresses, 654–655
 - real world scenarios, 682–683
- Network and Dial-Up Connections folder, 21, 596
- Network and Dial-Up Connections window, 660
- network cards, MAC address, 36
- network configuration, Group Policy for, 413–415, 414
- network, configuration settings in Group Policy, 396
- Network Connection Wizard, 596–600
 - Internet Connection Sharing page, 599, 599
 - name for connection, 600
 - Network Connection Type page, 597
 - Phone Number To Dial page, 598, 598
- network connectivity, in replication troubleshooting, 240
- Network Driver Interface Specification (NDIS), 28
- New Delegation Wizard, 156–157, 157
- New Dfs Root Wizard, 503–504
- New Multicast Scope Wizard, 94
- New Object - Organizational Unit dialog box, 273, 273
- New Remote Access Policy command, 578
- New Reservation dialog box, 88
- New Scope Wizard, 79
 - Add Exclusions page, 80, 81
 - Configure DHCP Options page, 81–85
 - Domain Name And DNS Servers page, 82, 83
 - IP Address Range page, 80, 80
 - Lease Duration page, 81
 - Router (Default Gateway) page, 82, 82
 - WINS Servers page, 83, 83
- New Superscope Wizard, 92
- New Technology File System (NTFS), 488, 741
- NNTP, IIS support, 712
- No Override option, for Group Policy, 409, 410
- node address, in IP address, 10
- non-Plug and Play hardware, 480, 741
 - installation, 481–482
- nonmandatory upgrade, 447
- normal boot process. *See* boot process
- Notepad
 - to edit Hosts file, 170
 - to edit Lmhosts file, 182–183
- Novell, IPX/SPX protocol stack, 6
- NS (Name Server) resource record, 139
- nslookup tool, 164–168
- NTDETECT.COM file, 529
- Ntdsutil.exe command, 543
- NTFS (New Technology File System), 488, 741
- NTFS permissions, 495–497, 741

NTFS volume Properties dialog box, Quotas tab, 494
 NTLDR file, 527
 corrupted or missing, 528, 529
 NTOSKRNL.EXE file, corrupted or missing, 529
 NWLink, 5, 6–7
 NWLink IPX/SPX/NetBIOS Compatible Trans port, 741

O

objects. *See* Active Directory objects
 octets, 9
 offer message in DHCP, 71–72
 on-demand installation, 437
 Open Shortest Path First (OSPF) protocol, 18
 operating system
 default, 534
 loading at startup, 528
 restoring from backup, 540–545
 .org domain, 124
 organizational unit Properties dialog box
 General tab, 279
 Group Policy tab, 348
 Managed By tab, 279
 organizational units (OUs), 207–208, 262, 741
 as Active Directory object, 287
 benefits, 265
 creating, 271–276
 exercise, 273–275
 enabling auditing, 365
 exam essentials, 311–312
 GPOs configuration for, 388
 groups within, 337
 management, 276–285
 delegating control of, 280–284
 moving, deleting, renaming, 276–278
 properties, 278–279
 overview, 263–265
 planning structure, 266–271
 delegating administrative control, 269–270
 Group Policy, 270–271
 inheritance, 268
 logical grouping of resources, 266–268
 purpose, 264–265, 265
 and security principals, 329–330
 troubleshooting, 285–286

OSPF (Open Shortest Path First) protocol, 18
 OUs. *See* organizational units
 outbound port mappings, 662, 741
 ownership of files, and disk quotas, 494

P

packages for Windows Installer, 437
 packets, 4–5
 PAP (Password Authentication Protocol), 561, 607, 741
 parent-child relationships, in OU hierarchy, 269
 parent domain, 132, 741
 partitions, 489, 490, 741
 Recovery Console to create and format, 536
 troubleshooting, 528
 Password Authentication Protocol (PAP), 561, 607, 741
 password, for Dial-Up Networking, 605–607
 password policies, 509–512
 settings, 511–512
 Password Policy object, 356
 patches, 437–438, 741
 Pathping tool, for protocol troubleshooting, 42–43, 43
 payload of packet, 4
 peer-to-peer connection, Network Connection Wizard for, 597
 performance
 of logons, GPOs configuration and, 415
 monitoring for DNS, 172–173
 optimizing for DNS, 135–136
 optimizing for Windows 2000, 514–526
 real world scenarios, 519–520
 system, 517
 troubleshooting logon problems, 417–418
 Performance Logs and Alerts, 514, 517
 permissions, 327, 337–338, 741. *See also* Group Policy
 for default web site, 715
 inherited, 496–497
 for installing software, 435–436
 NTFS, 495–497, 741
 print, 508
 for shared folder, 506–507
 persistent routes, 38

762 phone number – push replication in zone transfers

- phone number
 - displaying in Connection dialog box, 604
 - for network connection, 598
 - specifying for dial-up connection, 601
- physical connectivity, troubleshooting, 33
- ping command, 722, 742
 - for ICS troubleshooting, 665–666
 - for protocol troubleshooting, 40–41
- ping packet, 40
- Plug and Play hardware, 480, 742
 - installation, 481
- plug-in module, for EAP type, 562
- Point-to-Point Protocol, multilink extensions to, 564
- Point-to-Point Tunneling Protocol (PPTP), 639, 742
 - NAT editor for, 658
 - for VPN, 649
- policies. *See also* Group Policy
 - account lockout, 512–514
 - to control security, 595–596
 - indicator in Remote Access event log, 614
 - password, 509–512
 - settings, 511–512
 - remote access, 563
 - script, 412–413
 - for VPN, troubleshooting, 652
- policy-based networking, real world scenarios, 390–391
- port mappings, 675–676, 742
 - in IIS, 711
- Port Status dialog box, 615, 615
- ports
 - configuration for VPN, 642–644
 - monitoring from RRAS snap-in, 615
 - specifying alternate for IIS, 722
- Ports Properties dialog box, 642, 643
- POST (power-on self-test), 527
- PPTP (Point-to-Point Tunneling Protocol), 639, 742
 - NAT editor for, 658
 - for VPN, 649
- preboot sequence, in boot process, 527–528
- predefined options for DHCP, 89
- primary DNS server, 134, 736
 - designating for zone, 147
- Primary Domain Controller (PDC) Emulator, 218
- primary partitions, 490
- Print Operators group, 333
- print permissions, 508
 - Print print permission, 508
- Printer objects, 288, 742
 - publishing, 301–302, 302–305
- printer Properties dialog box
 - Security tab, 508
 - Sharing tab, 304, 508
- printer sharing, 508, 742
- private addresses, 654–655, 742
- private network, Network Connection Wizard
 - for, 597
- problem solving. *See* troubleshooting
- profile Properties dialog box, Multilink tab, 585, 586, 587
- programs. *See* software deployment
- promiscuous mode, 742
- properties
 - of Active Directory objects, 293–297
 - of logs, 523–524
 - of organizational units, 278–279
- protocols
 - exam essentials, 48–50
 - how they work, 3–5
 - installation, 19–28
 - basics, 19–20
 - NetBEUI, 27–28
 - TCP/IP, 21–27
 - interoperability, 29
 - for remote access clients, 568
 - troubleshooting, 29–47
 - with ARP, 36–38
 - breaking down problem, 31–33
 - evaluating, 30–31
 - with ipconfig, 34, 34–36
 - with Netdiag tool, 43–47
 - with Pathping tool, 42–43, 43
 - physical connectivity, 33
 - with Ping tool, 40–41
 - with route command, 38–39
 - with Tracert tool, 41–42
 - and Windows 2000, 5–19. *See also* TCP/IP
 - NetBEUI, 5–6
 - NWLink, 6–7
- PTR (Pointer) resource record, 139
- publishing, 742
 - applications, 440, 442–445
- pull replication in zone transfers, 137
- push replication in zone transfers, 138, 138

Q

quads, 9
 quota, disk, 494–495, 742

R

RADIUS (Remote Authentication for Dial-In User, 563, 593, 743
 configuration, 590
 RAID-5 volumes, 492, 493, 742
 RARP (Reverse Address Resolution Protocol), 36
 RAS (Remote Access Services), 743
 RD command (Recovery Console), 539
 Read & Execute permission (NTFS), 496
 Read permission
 for Active Directory object, 338
 for NTFS, 496
 real world scenarios
 Active Directory
 administrative advantages, 213–214
 replication traffic analysis, 244–245
 changing environment, 238–239
 consistent security policies enforcement, 359–360
 delegation, 284–285
 DHCP implementation in static IP environment, 96
 DHCP options, 101–102
 DNS implementation for multiple mail servers, 154–155
 groups, 339–340
 multiple protocols, 28–29
 network devices, 487
 optimizing DNS performance, 135–136
 performance, 519–520
 policy-based networking, 390–391
 remote access, 591–592
 software deployment, 448–449
 software rollbacks, 460–462
 VPN security planning, 647
 Windows naming services, 178–179
 Recovery Console, 535–539
 to access system resources, 537
 starting, 536
 recovery of Windows 2000 service, 525
 recursion, 742
 in DNS name resolution, 128–130, 129

redial attempts, for Dial-Up Networking, 604
 refresh Group Policy, 416
 refresh interval
 and secondary zone, 147
 specifying, 149
 for zone transfers, 137
 RegEdit command, 351
 registering domain names, 124
 registration of name, in WINS, 176
 Registry, 351
 backup on ERD, 541
 DHCP lease information, 100
 and Group Policy, 385
 as system state data, 543
 relative distinguished name, 215
 Relative ID Master, 218
 release of name, in WINS, 177
 releasing DHCP lease, 73, 98
 Remote Access event log, 614–615
 remote access policies, 563, 577–582, 742
 attributes, 580–581
 deleting, 582
 reordering, 582
 for virtual private network, 644–646
 remote access profiles, 577–590, 743
 Remote Access Services (RAS), 414, 743
 real world scenarios, 591–592
 security for, 592–596
 remote administration mode, 743
 for Terminal Services, 701
 Remote Authentication for Dial-In Use (RADIUS), 743
 Remote Control action in Terminal Services Manager menu, 711
 Remote Procedure Call (RPC) protocol, 222, 658, 743
 removable media, preventing installation of software from, 457
 removing programs, 433, 455–456
 RENAME command (Recovery Console), 539
 renewal of name, in WINS, 176–177
 renewing DHCP lease, 73, 98
 replicas (Dfs), 501
 configuration, 502–505
 replication, 743
 of Active Directory, 213, 219–245
 configuration, 221–239
 latency, 243–244

764 replication latency – RRAS snap-in, Server Status node

- monitoring and troubleshooting, 239–244
 - sites, 22, 220–221
 - traffic analysis, 244–245
 - in DNS, 157–159
 - replication latency, 743
 - Replicator group, 334
 - reservations in DHCP, 74, 743
 - adding and removing, 87–88
 - reservations in NAT, 674–675
 - Reservations view (DHCP snap-in), 76
 - Reset action in Terminal Services Manager
 - menu, 711
 - resetting computer account, 300
 - resource records, 126, 743
 - creating, 152–154
 - filtering, 168
 - management, 138–140
 - types, 139
 - verifying, 168
 - resource sharing, 505–508
 - folders, 505–508
 - resources. *See* Active Directory objects
 - responsible person, for DNS server, 147
 - Restore Wizard, 544–545
 - Reverse Address Resolution Protocol (RARP), 36
 - reverse lookup zone, 132, 743
 - creation, 144–145
 - RFC 1497, 102
 - RFC 1542, 616
 - RFC 1597, 655
 - RIP (Routing Information Protocol), 18
 - RMDIR command (Recovery Console), 539
 - roles for servers, 216–219
 - rollback
 - real world scenarios, 460–462
 - in Windows Installer, 456
 - root (Dfs), 501
 - creating, 502
 - root domain, 123–125, 743
 - route command, for protocol troubleshooting, 38–39
 - Route test with Netdiag, 46
 - router
 - DHCP scope configuration, 82
 - gateway vs., 17
 - in replication troubleshooting, 240
 - router discovery, 18
 - routing, 15–17
 - dynamic routing, 18–19, 19
 - static routing, 17–18
 - Routing and Remote Access Server Setup Wizard, 564–566, 668–669
 - Internet Connection page, 669
 - Remote Client Protocols page, 565
 - Routing and Remote Access Service (RRAS), 743.
 - See also* virtual private networks (VPN)
 - activating, 668–670
 - basics, 560–564
 - access control, 563
 - connection security, 563
 - multilink, 564
 - user authentication, 561–563
 - configuration, 566–596
 - general options, 567, 567–568
 - inbound connections, 568–574
 - security, 592–596
 - user access, 575–592
 - Dial-Up Networking client configuration, 596–609
 - connection properties, 601–609
 - new connections, 596–600
 - exam essentials, 621–622
 - installation, 564–566
 - installing DHCP relay agent on server, 618
 - server management, 609–620
 - integration with DHCP, 616–620
 - monitoring activity, 609–615
- Routing Information Protocol (RIP), 18
- routing table, 17
 - dumping, 38
- RP (Responsible Person) resource record, 139
- RPC over Internet Protocol, 223
- RPC (Remote Procedure Call) protocol, 222, 658, 743
- RRAS. *See* Routing and Remote Access Service (RRAS)
- RRAS server Properties dialog box, 566
 - General tab, 567, 567–568
 - IP tab, 570–573, 571
 - IPX tab, 573, 573–574
 - PPP tab, 568–570, 569
 - Security tab, 592–595, 593
- RRAS Setup Wizard, and VPN configuration, 640–641
- RRAS snap-in, Server Status node, 610

S

-
- safe mode for Windows 2000 startup, 531–532, 532
 - scavenging DNS database, 148
 - schedule for replication, 226
 - schema, 206
 - for Active Directory, 211–212
 - Schema Admins group, 336
 - Schema Master, 217
 - scope, 743
 - scope in DHCP, 74
 - creation and management, 79–96
 - activation and deactivation, 91
 - changes, 85–86
 - creating plain, 79–85
 - exercise, 84–85
 - multicast scopes, 93–95
 - reservations and exclusions, 86–88
 - setting options for new scope, 88–90
 - superscope, 91–92
 - Scope Options dialog box, 90, 90
 - Scope options for DHCP, 89
 - Scope Options view (DHCP snap-in), 76
 - Scope Properties dialog box, 85–86, 86
 - script policies, 412–413, 743
 - scripts, settings in Group Policy, 396
 - search engine, for Active Directory, 212
 - search order, for Windows Installer, 456
 - searching Active Directory, 308–311
 - seccedit.exe command, 357–359
 - second-level domains, 125
 - secondary DNS server, 134, 736
 - Secure Socket Layer (SSL), 718
 - Secure Template, 416
 - secured password, for Dial-Up Networking, 606
 - security
 - for Dial-Up Networking, 604–607
 - for remote access, 592–596
 - policies to control, 595–596
 - settings in Group Policy, 394
 - virtual private networks and, 647
 - Security Configuration and Analysis utility, 351–361, 743
 - exercise, 353–357
 - process for working with, 352
 - real world scenarios, 360
 - seccedit.exe command, 357–359
 - security groups, 329, 330, 744
 - security identifier (SID), 328–329
 - for Active Directory object, 300
 - security in Active Directory, 327
 - audit policy, 361–367
 - implementation, 362–365
 - overview, 361–362
 - viewing information, 366–367
 - consistent policy enforcement, 359–360
 - exam essentials, 368–369
 - Group Policy, 347–351
 - implementation, 340–347
 - delegating control of Active Directory objects, 345–347
 - with user templates, 344–345
 - users and groups creation, 341–343
 - local vs. global control, 360
 - overview, 328–340, 330–336
 - ACLs and ACEs, 338
 - groups, 330–336
 - management, 336–338, 337
 - security principals, 328–330
 - Security log, 520, 521
 - security permissions, for Active Directory domain object, 207
 - security principals, 264, 328–330, 744
 - security templates, 351, 744
 - exporting settings to, 356
 - Select Attribute dialog box, 579, 579
 - Select Network Component Type dialog box, 21
 - Select Network Protocol dialog box, 21
 - Send Message action in Terminal Services Manager menu, 710
 - server certificate for SSL, 718
 - server objects, moving between sites, 233–234
 - Server Operators group, 334
 - Server options for DHCP, 89
 - server Properties dialog box
 - DNS tab, 162, 162
 - Event Logging tab, 610–611, 611
 - server roles, in Active Directory, 216–219
 - servers
 - for Terminal Services, 701
 - VPN connections between, 648–650
 - service packs, 514, 516, 744
 - service Properties dialog box
 - Dependencies tab, 525
 - General tab, 524

766 services in Windows 2000 – storage configuration

- Log On tab, 525
- Recovery tab, 525
- services in Windows 2000, 524–526
 - enabling or disabling loading, 535
 - redirecting in inbound ICS, 664
- share, 744
 - specifying default for installation file, 450
- share permissions, 505, 744
- Share Permissions dialog box, 506, 507
- shared components, and uninstalling software, 433
- Shared Folder objects, 288, 744
 - publishing, 301–302, 306–308
- shared folders (Dfs), 501
- Shared Folders, OUs to contain, 263–264
- sharing. *See also* Internet Connection Sharing (ICS)
- sharing resources, 505–508
- Shiva Password Authentication Protocol (SPAP), 561, 607
- shutdown, scripts for, 412
- SID (security identifier), 328–329
 - for Active Directory object, 300
- signing device drivers, 484–486
- Simple Mail Transfer Protocol (SMTP), 223, 744
- simple volumes, 490, 490, 744
- single-master operations, 217
- site link bridges, 744
 - creating, 225, 234–30
 - exercise, 226–230
- site links, 224–230, 225
 - creating
 - exercise, 226–230
 - factors in, 225–226
 - verifying, 242
- sites for Active Directory, 220–221, 221, 744
 - GPOs configuration for, 388
 - moving server objects between, 233–234
- slipstream, 516
- smart cards, 562
 - for Dial-Up Networking, 605–607
- SMTP (Simple Mail Transfer Protocol), 223, 744
 - IIS support, 712
- SOA (Start of Authority) resource record, 139
- software deployment
 - assigning applications, 439, 442–445
 - configuration, 449–457
 - categories, 453–454
 - file extension mappings, 451–452
 - removing programs, 455–456
 - exam essentials, 463–464
 - implementation, 440–449
 - preparation, 440–442
 - overview, 432–440
 - publishing applications, 440, 442–445
 - real world scenarios, 448–449, 460–462
 - troubleshooting, 457–462
 - updates, 445–447
 - verifying installation, 447–448
 - Windows Installer, 434–438
 - settings, 456–457
- Software Installation Properties dialog box, General tab, 450, 450–451
- software management life cycle, 433–434
- software Properties dialog box
 - Deployment tab, 444
 - Upgrades tab, 445
- software rollbacks, real world scenarios, 460–462
- source address in packet, 4
- spanned volumes, 490–491, 491, 744
- SPAP (Shiva Password Authentication Protocol), 561, 607
- Special Ports tab, 744
- SRV (Service) resource record, 139
- SSL (Secure Socket Layer), 718
- stand-alone servers, 216
- Startup And Recovery dialog box, 534, 535
- Startup log, 532, 533
- startup of Windows 2000
 - scripts for, 412
 - troubleshooting, 526–540
 - advanced options, 531–534
 - normal boot process, 526–531
 - Startup and Recovery options, 534, 535
 - using Recovery Console, 535–539
- Startup Properties dialog box, 413, 413
- static IP addressing, for remote access clients, 576
- static routing, 17–18
 - in NAT, 655
- Status action in Terminal Services Manager menu, 711
- storage configuration, 488–505
 - data compression, 497–499
 - data encryption, 499–501
 - disk configuration, 489–494
 - disk quotas, 494–495
 - Distributed File System (Dfs), 501–505, 502

- file systems, 488–489
 - NTFS permissions, 495–497
- striped volumes, 491, 491, 744
- subnet, 745
- subnet address, 745
- subnet masks, 12–15, 745
- subnetting network, 11–15
- Success Audit event type, 522
- superscope, 74, 91–92, 745
 - children, 92
- synchronization
 - of offline files, 414
 - verifying in replication troubleshooting, 242
- system boot files, 543
- system bottleneck, 517, 745
- System folder in Active Directory, 297–298, 298
- System log, 520
- System Monitor, 172–173, 514
- System Policies, 384
- system state data, 543–544
- System.adm template, 399
- SYSTEMROOT command (Recovery Console), 539
- SYSVOL directory, 543

T

- Task Manager, 514, 517–519, 745
 - Applications tab, 518
 - Processes tab, 518, 518
- TCP (Transmission Control Protocol), 7, 746
- TCP/IP, 5, 7–19
 - advantages, 8
 - disadvantages, 8–9
 - installation, 21–27
 - advanced settings, 24–26
 - basic configuration, 22–24
 - exercise, 27
 - IP addressing, 9–15
 - routing, 15–17
 - dynamic routing, 18–19, 19
 - static routing, 17–18
 - settings for remote connection, 608–609
- TDI (Transport Data Interface), 28
- templates
 - security, 351
 - for user accounts, 344–345
- Terminal Services, 700–702, 745
 - application server mode, 701–702
 - connection to server, 708–709
 - exam essentials, 723–724
 - installation and configuration, 704–711
 - client disk creation, 707–708
 - of license server, 705–706
 - on server, 704–705
 - user properties configuration, 707
 - licensing, 702–703, 745
 - remote administration mode, 701
 - session management, 709–711
- Terminal Services Client Creator, 705, 745
 - disk creation, 707–708
- Terminal Services Configuration, 705, 745
- Terminal Services Manager, 705, 709–711, 710, 745
- test environment
 - for application installation, 449
 - before software deployment, 457
- thin client, 700, 745
- threshold for account lockout, 512
- top-level domains, 124
- Trace log, for baseline creation, 517
- tracert, 41–42, 745
- trailer of packet, 5
- transformation files, 437, 746
- translation component (NAT), 666
- Transmission Control Protocol (TCP), 7, 746
- Transport Data Interface (TDI), 28
- Transport Level Security, for EAP, 562
- trees in Active Directory, 206, 209, 209, 746
- troubleshooting
 - Active Directory replication, 239–244
 - DHCP (Dynamic Host Configuration Protocol), 96–102
 - database files, 99–100
 - Ipconfig to renew and release lease, 98–99
 - monitoring leases, 97–99
 - reconciling DHCP scopes, 100–101
 - DNS (Domain Name System), 163–173
 - clients, 163–171
 - DNS Server, 171–172
 - Group Policy, 415–418
 - hardware, 486
 - Internet Information Services (IIS), 721–723
 - organizational units, 285–286
 - protocols, 29–47
 - with ARP, 36–38

768 Troubleshooting Wizard – web sharing

- breaking down problem, 31–33
- evaluating, 30–31
- with ipconfig, 34, 34–36
- with Netdiag tool, 43–47
- with Pathping tool, 42–43, 43
- physical connectivity, 33
- with Ping tool, 40–41
- with route command, 38–39
- with Tracert tool, 41–42
- software deployment, 457–462
- virtual private networks (VPN), 650–652
- Windows 2000 startup, 526–540
 - advanced options, 531–534
 - normal boot process, 526–531
 - Startup and Recovery options, 534, 535
 - using Recovery Console, 535–539
- Troubleshooting Wizard, 486
- trust relationships, 746
 - in domains, 208
- Trust test with Netdiag, 46
- TTL (time to live), 41
 - for WINS record, 176
- TYPE command (Recovery Console), 539

U

- UDP ports for DHCP, 71
- Unicast scope, 746
- uninstalling applications, 433, 455–456
 - based on management scope changes, 451
- uninstalling service pack, 516
- universal groups, 331–332, 746
- unlocking user account, 514
- updates
 - to device drivers, 483–484
 - to software, 445–447
- Upgrade Device Driver Wizard, 484
- user account Properties dialog box, 293–294, 294
- user accounts
 - account lockout policies, 512–514
 - assigning applications to, 439
 - creating and managing, 341–343
 - granting VPN access to, 644
 - Group Policy settings, 386–387
 - properties for logon process, 509
 - remote access profiles, 575–592
 - as security principals, 329
 - templates for, 344–345

- user authentication, in remote access connection, 561–563
- User objects, 288, 746
 - OUs to contain, 263
- user Properties dialog box, Dial-In tab, 575, 575–577
- users
 - Active Directory objects availability to, 301–302
 - disk quotas for, 494–495
 - troubleshooting changes by, 32
- Users container, 287
- Users group, 334

V

- VBScript, 412
- VGA mode, for Windows 2000 startup, 533
- videoconferencing, 658
- views, in DHCP snap-in, 76
- virtual directory, 746
 - IIS support, 718–720
- virtual private networks (VPN), 638–652, 746
 - configuration, 642–646
 - ports, 642–644
 - remote access policy, 644–646
 - exam essentials, 684
 - installation, 640–642
 - Network Connection Wizard for, 597
 - PPTP vs. L2TP, 639
 - real world scenarios, 647, 647
 - server to server connections, 648–650
 - troubleshooting, 650–652
- volumes, 489, 490–492, 746
 - mirrored, 492, 492
 - RAID-5, 492, 493
 - simple, 490, 490
 - spanned, 490–491, 491
 - striped, 491, 491

W

- WAN test with Netdiag, 47
- Warning event type, 521
- warning message, about unsigned driver, 485
- Web Server Certificate Wizard, 718
- web sharing, 719–720, 746

web site, configuring default in IIS, 714–718
 authentication and SSL, 716–718
 Home Directory options, 714–716

Windows 95/98/NT, DHCP server update of DNS, 161, 161

Windows 2000
 Client Access License, 702
 exam essentials, 546–547
 optimizing, 514–526
 determining system performance, 517
 with updates, 514–516
 using Event Viewer, 520–524, 521
 using Task Manager, 517–519
 parallel installation, 539–540
 protocols and, 5–19. *See also* TCP/IP
 NetBEUI, 5–6
 NWLink, 6–7
 restoring from backup, 540–545
 services, 524–526
 startup troubleshooting, 526–540
 advanced options, 531–534
 normal boot process, 526–531
 Startup and Recovery options, 534, 535
 using Recovery Console, 535–539
 system state data, 543–544
 WINS and, 175

Windows 2000 clients, DHCP/DNS integration, 160–161, 161

Windows 2000 Components Wizard, 141

Windows 2000 Server
 domain controllers in, 217
 Hardware Compatibility List (HCL), 480

Windows authentication, 593

Windows Component Wizard, for DHCP Service install, 75

Windows Explorer, web sharing, 719–720

Windows Installer, 434–438, 746
 benefits, 435–437
 file types, 437–438
 settings, 456–457

Windows Installer packages, 746

Windows Internet Name Service (WINS), 747. *See* WINS (Windows Internet Name Service)

Windows NT, and remote access policies, 563

Windows Professional, client configuration for Dial-Up networking, 600

Windows Script Host (WSH), 412, 747

Windows settings, 387

Windows Update, 514, 515, 747

Windows.adm template, 399

winipcfg command, 34

Winnt.adm template, 399

WINS (Windows Internet Name Service), 26, 173, 174–178, 747
 DNS configuration for, 83
 exam essentials, 187

WINS test with Netdiag, 45

Winsock test with Netdiag, 45

winver command, 516

Write permission
 of Active Directory objects, 338
 in NTFS, 496

WSH (Windows Script Host), 412, 747

Z

ZAP files, 438

zone Properties dialog box
 General tab, 146, 146
 Name Servers tab, 148
 Start Of Authority (SOA) tab, 147, 147
 WINS tab, 148
 Zone Transfers tab, 148, 158

zone transfers, 747

zones in DNS, 126–140, 127, 747
 adding, 141–145
 configuration for automatic updates, 155–156
 configuring properties, 146–148
 delegating authority in, 132, 133
 delegations, 156–157
 name resolution, 127–132, 128
 resource records management, 138–140
 server roles, 133–135
 zone transfers, 136–138