

Index

- == (equal comparison operator) 66
- = (assignment operator) 66–7
- >= (greater-than-or-equal-to comparison operator) 66
- <= (less-than-or-equal-to comparison operator) 66
- != (not equal comparison operator) 66
- > (greater-than comparison operator) 66
- >> (input operator) 135–7, 140
- < (less-than comparison operator) 66
- << (output operator) 136–7, 149, 150
- 1G networks 1, 3, 5–6, 9
- 2G networks 1, 3–4, 7, 9–11, 14
 - concepts 3–4, 7, 9–11, 14
 - dual-mode mobile phones 14
 - GPRS 11, 14
 - GSM 7, 9–13
 - historical background 9, 11, 14
 - inter-system handovers 3–4
 - TDMA 7
- 2.5G networks 11
- 3D libraries 29
- 3G networks 1, 3–4, 7, 11–16
 - CDMA 7, 11, 13–14
 - concepts 3–4, 7, 11–16
 - data-oriented aspects 3–4, 7, 11, 15–16
 - frequency bands 13–14
 - historical background 11–16
 - inter-system handovers 3–4
 - rural areas 14
- a (function arguments) prefixes 24–6
- abld 37–8
- Accept 222
- AcceptVisitor 217
- accreditation, web resources 251
- ACS Export tool 240
- ACS Publisher IDs 62, 237–42
- ActivateL 70
- ActivateLocalViewL 155, 158, 160, 162
- active objects 21, 187–230
 - see also asynchronous functions
 - concepts 187–90, 205–11
 - priorities 189, 205–6
- active scheduler, concepts 188–90, 205–11
- Add 189, 205
- AddAddresseeL 194
- AddL 142

- AddMenuItem 164–6, 170–1
- AddNameView 160
- AddTextL 80, 82
- AddToStackL 158
- Adobe image-editing programs 31–2
- advanced graphics 153, 163–73
- advertising-service means, Bluetooth connectivity 211–13
- aif directory 59, 60–3
- Alloc... 65–6
- allowed_input_modes 130
- analog systems, digital contrasts 9
- animation 122–3
- APIs *see* Application Programming Interfaces
- app files, concepts 34, 60–3
- AppDllUid 58
- Append 64–5, 67–8, 162, 170–1
- appendices 251–88
- AppendL 170–1
- application classes, concepts 58–9, 96–7, 101, 106, 110–11, 201–2
- Application Programming Interfaces (APIs) 28, 29–30, 59–60, 134, 137, 190–2, 236
- ApplicationRect 69–70
- applications 17–18, 21–3, 33–56, 57–102, 106, 110–11, 153–62, 198–230, 231–49
 - see also* executables; software
 - Bluetooth example 198–230
 - concepts 33–56, 57–102, 231–49
 - console applications 33–56
 - design issues 41–2, 128–9, 233–4, 243–4
 - directories 34–7, 59–63
 - DRM 34, 247–9
 - engine concepts 33–56, 201–10, 213–15, 228–9
 - examples 33–56, 96–102, 143–51, 173–85, 198–230
 - GUI applications 57–102
 - header files 35–6, 47–50, 60–3, 68, 69, 75, 78, 100, 119, 123, 135, 154, 180, 225
 - ‘Hello World’ applications 33–56, 120
 - installation 60, 62, 183–5, 238–40, 242–3
 - marketing 243–5
 - multiple views 153–62
 - names 104–5, 114–15
 - portals 245–7
 - project definition files 34–6, 48–9, 60–3, 88–9
 - quality issues 14–17, 231–2, 233–5
 - resource files 103–7
 - security issues 20, 31, 34, 62, 221–3, 232, 234–43, 247–9, 251
 - simple-card-game example 46–56
 - structure 57–63, 201–4
 - Symbian Signed 31, 34, 62, 232, 233, 234–43, 251
 - tests 31, 39, 98, 101–2, 176, 183–4, 198, 201, 231–7, 241–3
 - title changes 114–15
 - UIDs 35–6, 48, 58–9, 60–3, 138–40, 154–7, 160–2, 184–5, 211–13
 - usability concepts 153, 231–2
- AppUi 58–9, 70, 95–9, 101, 106, 110–11, 149, 150–1, 156, 158–62, 164, 168, 172–5, 198–9, 201–4, 210, 228
- ARMI 183–4
- ARRAY 127–8
- arrays 52–5, 106–7, 110, 111–14, 127–8, 166–73, 206–7, 219
 - dynamic arrays 52–5, 166–73
 - resource files 110
- artificial intelligence 179–80
- _ASSERT_ALWAYS 52–3
- AssignL 138
- asynchronous functions 88–92, 187–230
 - see also* active objects
- At 139–40
- AttributeRequest... 214–15, 217–18
- authorization parameters, Bluetooth connectivity 223
- automated tests 31, 233
- automatic variables 24–5
- Avkon enumerations 105

- AVKON_DATA_QUERY 126
- avkon_flags 128
- avkon.hrh 106, 111–12, 115, 116, 121, 126
- avkon.loc 105–6
- avkon.mbg 105–6, 123
- AVKON_NOTE 121
- avkon.rh 105–6, 116
- avkon.rsg 105–6, 115, 123
- AVKON_VIEW 159

- BackBuffer 164–8
- barsread.h 75
- base stations, functions 3, 4–5, 12, 14–15
- BaseConstruct 159–60
- bat files 37–8
- BenQ–Siemens 21, 23
- Binary Runtime Environment of Wireless (BREW) 19
- BitBltMasked 87–8
- bitgdi.lib 166
- BITMAP 85–6
- bitmapRect 84
- bitmaps 57, 60, 83–4, 85–92, 97–9, 108–10, 123–5, 130–3, 163–73
 - concepts 85–8, 108–10, 123–5, 163–4
 - masks 85–8, 110, 117–18, 125, 130
 - mixin classes 88–92, 162–3, 181–3
- Blackjack worked example 46–56, 96–102, 143–51, 173–85, 198–230
- bld.inf 33–7, 59–60
- bldmake 37
- blocks 190–1
- Bluetooth connectivity 32, 61–2, 93, 185, 187, 189–90, 195–230, 254–88
 - advertising services 211–13
 - client classes 225–8
 - concepts 187, 195–230
 - device discovery 197–200, 204–11
 - engine class 201–10, 213–15, 228–9
 - examples 198–230
 - ranges 196–7
 - server classes 220–30
 - service discovery 197–200, 213–20, 226
 - sockets 198, 207–11, 220–30
 - stack 197–8
 - state machine model 198–202
 - UUIDs 211–18
- bmp files 85–6, 108–10, 125, 130
- Booleans 27, 79–81, 83, 89–91, 228–9
- break 46, 96–7, 100–1, 111, 151, 160, 172–3, 182–3, 203–4, 217, 224, 227–8
- BREW *see* Binary Runtime Environment of Wireless
- browsing 11, 15, 254–88
 - see also* Internet
 - specifications 254–88
- brushes 73, 168–9
- BTDeviceDiscovery 205–11
- BTEngine 201–2, 209–10
- BTExample 201, 211–13
- btsdp.h 215
- BTServiceDiscoveryObserver 214–15
- buffer descriptors
 - see also* TBuf...
 - concepts 63–8
- build 37–8
- buttons 105–7, 111–16, 125, 127–9, 159–60

- C++ 21, 26, 32, 36–8, 62, 68, 133
- C (heap-allocated) classes
 - see also* heap
 - concepts 27–8, 38, 41
- C suffixes, concepts 25, 63
- CActive 188–90, 205–11, 221–2, 225–6
 - see also* active objects
- CActiveScheduler 188–90, 205–11
- CAknAppUi 110–11, 134
- CAknConfirmationNote 119–24
- CAknDialog 116–27, 145–8
- CAknErrorNote 119–24
- CAknForm 131–3
- CAknInformationNote 119–24, 229–30

- CAknNoteDialog 119–24
- CAknNoteDWrapper 119–24
- CAknProgressDialog 124
- CAknQueryDialog 125–6
- CAknResourceDialog 119–24
- CAknView 110, 157–9
- CAknViewAppUi 155
- CAknWaitDialog 123–4
- CAknWaitNote 123
- CAknWaitNoteWrapper 123–4
- CAknWarningNote 119–24
- calendars 154
- callback interfaces 28, 202–3, 209–10, 213–15, 218, 220–1, 224–6, 229
- cameras 40, 196, 254–88
- Cancel 205–11, 215–16, 222–3, 226
- CancelRead 195–6
- CancelRecv 196
- CancelSend 195–6
- capabilities 62, 210, 236–7
- CAPABILITY 62, 210
- CapGemini 237
- capital letters 108
- capitalization conventions 24, 25–6
- Capitalize 67
- CAPTION_DATA 114–15
- Carbide.C++ 30–1, 36–8, 62, 68
- card games 46–56, 57, 96–102, 143–51, 173–85, 198–230
- CardGame... 96–102, 184
- CArrayFixFlat 166–73
- cascade, menus 109–10, 143–4
- case construct 46, 96, 100–1, 111, 160, 171–3, 176–7, 182–3, 203–4, 217, 224, 227–8
- catch 40
- CBA (Control Button Array) 106–7, 111–14, 159
 - see also* softkeys
- CBA_BUTTON 113–14
- CBase, concepts 27, 38, 39–42, 47, 164–6, 201–2, 213–14
- CBasicGUIAppUi 173–9, 182–3
- CBluetoothClient 189
- CBluetoothDeviceSearcher 206
- CBooktestAppUi 172–3
- CBTClient 225–8
- CBTDeviceDiscovery 198, 204–11
- CBTEngine 201–2, 210, 213, 218–19, 228–30
- CBTExampleAppUi 204, 228
- CBTExampleContainer 203–4
- CBTMessenger 198–230
- CBTServer 221–5
- CBTServiceAdvertiser 211–13
- CBTServiceDiscovery 198, 213–15, 218–20
- CCards 46–55, 99–102
- CClass 44–5
- CClientMtmRegistry 193–4
- CCoeControl 69, 71, 93–8, 118, 148
- CCoeEnv 76, 134
- CDbColSet 141–2
- CDisplayView 163
- CDMA *see* code-division multiple access
- CDMA2000 14
- cdmaOne 11, 14
- CEditableText::ELineBreak 80–1
- CEditorPicture 83–4
- CEikAppUi 95
- CEikEdwin 118, 132–3, 147–8
- CEikLabel 118–19
- CEikMenuPane 204
- CEikonEnv 168–9
- CEikRichTextEditor 77–8
- cellular systems, concepts 2–4
- Centrino technology 1
- certification 34, 62, 236–42, 251
- CFbsBitGc 166
- CFbsBitmap 86–8, 89–91, 97–8, 166–8
- CFbsBitmapDevice 166
- CFileStore 139, 140–1
- ChangeL 194
- characters, concepts 27
- charges, packet-switching systems 11–12
- CImageEncoder 88–9
- circuit-switching systems 10–11, 16
- CLabel 165–6, 170–1

- classes
 - see also* C...; M...; R...; T...
 - application structure 58–9, 201–4
 - concepts 24–6, 27–8, 38, 41–3, 58–9, 116, 165–6, 201–11
 - engine classes 33–56, 201–10, 213–15, 228–9
 - naming conventions 24–6, 40–1
- clean 37
- cleanup, concepts 27–8
- cleanup stack 21, 25, 38–40, 43–5, 47–55, 134–7
- CleanupClosePushL 134–7, 223
- CleanupStack 39–43, 47–55, 76, 84, 170–1
- Clear 142, 169–70, 174–5, 180–1
- ClientRect 69–70, 158
- client–server framework 190–2, 195–6, 201, 220–30
 - Bluetooth connectivity 220–30
 - concepts 228–30
- Close 28, 134, 136–7, 143, 149–51, 207–8, 222–3
- CMainView 157–8
- CMdaImageFileToBitmapUtility 88–92
- CMenu 164–73
- CMsvEntry 193–4
- CMsvEntrySelection 194–5
- CMsvOperation 194–5
- CMsvSession 193–4
- CMyActiveObject 188–9
- CMyForm 131–3
- code *see* source code
- code-division multiple access (CDMA) 7, 11, 13–14
- CodeWarrior, IDEs 30
- coecontrol.h 69
- colors 71–2, 81–2, 87–8, 166–9, 243
- combined-delivery method, DRM 249
- command, menus 109–11
- CommandID 165–6, 170–1
- CommitL 136–7, 141, 143, 149–50
- communications
 - see also* connectivity
 - active objects 21, 187–230
 - Bluetooth connectivity 32, 61–2, 93, 185, 187, 189–90, 195–230, 254–88
 - concepts 187–230
 - infrared connectivity 93, 187, 196, 254–88
 - serial communications 187, 190–2, 196
 - server classes 220–30
 - sockets 187–90, 195–6, 198, 207–11, 220–30
 - text messaging 103, 187, 192–5, 233
- Compare... 65–6
- compilation 38, 45, 104, 183–4
- CompleteConstructL 53–4
- complex interfaces 153–85
- CONE (Control Environment) Framework 134
- cone.lib 69
- Config 192
- Connect 134, 189–90
- connectivity
 - see also* communications
 - specifications 254–88
- ConnectL 225–6
- console applications, concepts 33–56
- const 24, 51, 63, 134, 162, 176–7
- constants, concepts 24–6, 51, 63–7, 134, 162, 176–7, 221
- ConstructL 39–40, 42, 47–53, 69–70, 89–90, 97–8, 150, 158, 166, 188–9, 201–2, 205–8, 211–16, 221, 225–6
- constructors 39–56, 69–70, 89–90, 97–8, 150, 158, 166
 - concepts 28, 40–56
 - default constructors 42–3
 - leaves 41–3
 - two-phase construction process 41–56, 201–7, 211–12
- container classes, concepts 59, 76, 96–9, 119, 147–8, 157–8, 161, 201–3
- Content ID 238, 242–3
- content site providers, portals 245–7
- control 69, 71, 93–8, 118–33

- control buttons 105–7, 111–16
- control objects 69, 116
- ConvertL 90–2
- Copy 67–8
- Corel image-editing programs 31–2
- CPermanentFileStore 140–1
- CPersistentStore 139
- CPicture 82–4
- cpp files, concepts 33–6, 47–8, 60, 68, 104, 119, 123, 134, 145–7, 157, 161, 201–2
- Create 28
- CreateAppUiL 58
- CreateDocumentL 58
- CreateL 140–1, 194
- CreateLC 138
- CreateResourceReaderLC 76
- CreateWindowL 70, 97–8
- CRichText 80–2, 194
- CRichTextEditor 77–84
- CSD network protocol 268–80
- CSdp... 214–15
- CSetNameDialog 117, 145–7
- CSmsClientMtm 193–4
- CSmsSettings 193–4
- csr files 62
- CStreamDictionary 138–9
- CStreamStore 137–43
- cursor 78–80, 93–6
- custom softkeys 113–14
- CWindowGc 70–1, 174–5

- D suffixes, concepts 25, 117–18
- d32comm.h 190
- data directories, concepts 59–60
- data input methods 17–18, 55–6, 57, 92–102, 254–88
 - see also* key presses
 - concepts 92–102
 - specifications 254–88
 - types 92–6
- data query dialogs 126–7
 - see also* dialogs
- data storage
 - see also* resource files; saved data
 - concepts 103–51, 206–7
- data transfer rates, traveling constraints 2
- data types, concepts 26–8
- data-oriented aspects, 3G networks 3–4, 7, 11, 15–16
- data-sharing methods, views 161–2
- databases, stores 137–51
- DBMS 141
- DealFromDeck 100, 173–7, 182–3
- debugging 29, 30, 37–8, 115, 120, 160–1, 168–9, 172–3, 183–4
- default constructors 42–3
 - see also* constructors
- #define 24, 47, 105, 145–6, 154, 165–6, 181–2
- Delete 39–40, 43–5, 49, 52, 67–8, 98, 135, 142, 159, 167, 207, 215–16, 227
- DeleteL 81–2
- Deque 190
- descriptors 21, 57, 63–8, 135–7
 - see also* HBuf...; TBuf...; TDes...; TPtr...
 - concepts 63–8
 - definition 63
 - hierarchy 63–4
 - modifiable descriptors 65, 67–8
 - non-modifiable descriptors 65–7
- design issues 41–2, 128–9, 233–4, 243–4
- destructors
 - concepts 27, 38, 41–56, 167–8, 190, 206–7
 - leaves 41–3
- developer certificates 62, 236–42
- developer forums, web resources 251
- development tools, Symbian OS 20, 28–32, 36–8
- device discovery, Bluetooth connectivity 197–200, 204–11
- DeviceDataList 218
- DIALOG 105, 115–33
- dialogs 103–5, 107, 110, 115–28, 144–51
 - see also* forms

- concepts 103–5, 115–28, 144–51
- examples 115–16, 120, 122, 124, 126, 128, 144–8
- formats 115
- information notes 119–24, 229–30
- multipage dialogs 127–8
- note dialogs 119–24
- query dialogs 124–7
- required fields 115–16
- softkeys 107, 115–18, 119, 127, 145–8
- standard dialogs 115–19, 126
- uses 107
- wait notes 122–4
- Digital AMPS (D-AMPS) 9–10
- Digital Rights Management (DRM) 34, 247–9
- digital signal processors (DSPs) 18
- digital signatures
 - see also* Symbian Signed
 - concepts 234–5
- Digital Subscriber Line (DSL) 16
- digital systems, analog contrasts 9
- direct file stores, concepts 137–40
- directories 34–7, 59–63, 134–5, 185
- Disconnect 225–8
- DiscoverDevicesL 209–10, 228–30
- DiscoverIfDeviceHasServiceL 214–15
- DiscoverServicesL 218–19
- disk usage, tests 232
- DLG_LINE 115–27, 128–33, 145–8
- DLLs *see* dynamic link libraries
- DNS addresses 208
- DoActivateL 155–6, 158, 160–2
- DoCancel 188–90, 205, 209, 221, 225–6
- document classes, concepts 58–9, 96–7, 201–2
- DocumentLength 80
- DoDeactivateL 155–6, 158–9
- double buffering 153, 163–73
- double colons 119
- downlink traffic 7, 12–14
- Draw... 58, 69–73, 82–4, 86–7, 91–2, 98–101, 169–72, 174–7, 180–1, 201–4
- DrawBitmap 86–7, 98, 176, 180–1
- DrawEllipse 73
- DrawLine 169–70
- DrawNow 71, 91–2, 177
- DrawPolygon 73
- DrawRect 73
- DrawText 71–2, 169–70, 175–6, 180–1, 203–4
- DRM *see* Digital Rights Management
- DSL *see* Digital Subscriber Line
- DSPs *see* digital signal processors
- Dual-band GSM 282
- dual-mode mobile phones 14
- duplex 3–4, 7, 13–14, 196–7, 200
- dynamic arrays 52–5, 166–73
 - see also* arrays
- dynamic link libraries (DLLs), concepts 34, 36, 60–3
- dynamic memory, concepts 52–5
- dynamic menus 107–8, 131–2, 153, 162–4, 173–85
- DynInitMenuBarL 131–2, 162–3, 181–3
- E (enumeration members) prefixes 25
- e32base.h 36, 62, 165–6, 189
- e32cons.h 36
- e32def.h 26
- e32des8.g 68
- E32Main 36, 52–3
- e32Math.h 49–50
- e32std.h 26, 68
- EAddNameView 160–1
- EAKnCmdExit 181
- EAKnCtQuery 125
- EAKnEditorFlagNoEditIndicators 128
- EAKnSoftkeyBack 96, 100–1, 111, 114, 172–3, 182–3
- EAKnSoftkeyExit 228
- EAKnSoftkeyPause 113
- EAKnWaitNoteFlags 122–3
- EBasic... 182–3

- EBT... 198–201, 210, 218–25, 228–30
- EDGE 14
- Edwin resource 73–7, 82, 115–33, 145–8
- EEikCmdExit 96, 100–1, 111, 172–3, 182–3, 228
- EEikCt... editor controls 130–1
- EEikDialog... 115–17, 129, 145–8
- EEikFlagCbaButtons 116
- EEikFlagNotifyEsc 126–7
- EEikForm... 129–33
- EFalse, concepts 27
- efficiency issues, graphics 153, 163–73
- efsrv.lib 134, 149
- EGeneralLayout 121–2
- EGeneralQueryFlags 124–5, 126–7
- EGPRS network protocol 254–86
- EIK_APP_INFO resource 106–7
- eikcoctl.lib 204
- eikedwin.h 75
- eikmenu.h 183
- eikon.rh 104–5, 108, 116, 168
- eikrted.h 78
- EKeyWasConsumed 94–5, 101–2, 171–2, 177
- EKeyWasNotConsumed 102, 172, 177
- ELeave 39–41, 76, 86, 97–8, 120, 123–4, 161, 167, 170–1, 229–30
- EMode... 173–6
- EMsvServer... 193–4
- emulator 29, 33–4, 38, 85, 98, 123, 164
- EMyAppCmd... 163, 181–3
- EMyCmdMenuOption... 172–3
- encryption 223, 249
- #endif 47
- EndListL 214–15
- engine concepts
 - applications 33–56, 201–10, 213–15, 228–9
 - Bluetooth example 201–10, 213–15, 228–9
 - simple-card-game example 46–56
- enum 173–4, 189, 201–2
- enumerations 25, 55–6, 72–3, 86, 105, 154, 173–85, 201–2
- EPOC 20, 36
- epoc32 35–7, 98, 184
- Ericsson 21
- errors 25, 29, 31, 39–46, 52–3, 88, 90–2, 97–8, 120, 134–7, 161, 216–18, 222–3, 229–30
 - concepts 40
 - leave/trap mechanism 25, 31, 39–46, 52–3, 88, 90–2, 97–8, 134–7, 161, 216–18, 222–3, 229–30
- esock.lib 207
- estor.lib 60, 68, 135, 137
- ETrue, concepts 27
- ETSI *see* European Telecommunications Standards Institute
- European mobile-telephony standards 9, 13
- European Telecommunications Standards Institute (ETSI) 1
- euser.lib 60, 68, 189
- EvaluateAll 142
- event handling 59, 110–11, 117–18, 119–24
- event-based programming, active objects 21
- exception handling, leave/trap mechanism 25, 31, 39–46, 52–3, 88, 90–2, 97–8, 134–7, 161, 216–18, 222–3, 229–30
- exe files, concepts 34–6, 48, 61–3
- executables
 - see also* applications
 - concepts 34–6, 48, 61–3
- ExecuteLD 25, 117, 120, 123, 125–6, 133, 147, 229–30
- Exit 96, 111, 151, 160, 172
- ExternalizeL 83–4, 139
- extreme-programming methodology 232
- f32file.h 134, 149
- fading 6, 7–9
- fbscli.lib 97, 166
- fbs.h library 97, 165
- FDD *see* frequency-division duplex
- FDMA *see* frequency-division multiple access
- feature packs, concepts 29–30

- file servers
 - see also RF . . .
 - concepts 133–5, 140–1, 149–51
- file stores see stores
- files
 - see also saved data
 - concepts 133–43, 232
 - tests 232
- Fill 67–8
- Find . . . 66–8
- fixed-point arithmetic 18
- flags 108–10, 115–33
- Flash Lite 21, 32
- floating-point arithmetic 18
- floating-point numbers, concepts 26, 136–7
- focus 76–7, 78–9
- for loop 24, 50, 53–6, 170–1, 175–6
- FORM 129–33
- Format 67–8, 170–1
- forms 103, 104, 128–33
 - see also dialogs
 - access modes 128
 - concepts 128–33
 - design factors 128–9
 - examples 130
 - modes 128
- forward-lock delivery method, DRM 248
- freeware 238
- frequency bands, 3G networks 13–14
- frequency re-use, cellular systems 2–3, 5–6
- frequency-division duplex (FDD) 7, 13–14
- frequency-division multiple access (FDMA) 5–7, 9
- frequency-selective fading 6, 7–9
- functions
 - leave/trap mechanism 25, 31, 39–46, 52–3, 88, 90–2, 97–8, 134–7, 161, 216–18, 222–3, 229–30
 - naming conventions 24–6, 40–1
 - virtual functions 82–3, 88–9, 95–6, 116–17, 162–3, 188–9, 202
- game states 173–85, 230
- games 15–16, 46–56, 57, 96–102, 143–51, 153, 173–85, 198–230, 244–5
- Gateway GPRS Support Node (GGSN) 12, 14–15
- gc 70–4, 98, 166–72, 175–85, 203–4
- General Packet Radio Service (GPRS) 11–16, 254–86
- generations, mobile phones 1–2, 3–4, 5–6, 9–11, 13–16
- GetByAddress 208–9
- Getch 55–6
- GetOpt 221–2
- GetProgressInfo 124
- GetText 118, 133
- GGSN see Gateway GPRS Support Node
- Gif images 85
- Global System for Mobile Communications (GSM)
 - 2G networks 7, 9–13
 - specifications 254–88
- globals.h 157–8
- GPRS see General Packet Radio Service
- graphical user interface (GUI)
 - see also S60 . . . ; Series . . . ; UIQ
 - applications 57–102
 - concepts 33, 57–102, 103
 - data input methods 17–18, 55–6, 57, 92–102, 254–88
 - examples 96–102, 143–51, 173–85
 - resource files 103–51
 - simple graphics 68–85
 - structure 57–63
- graphics
 - see also text
 - advanced graphics 153, 163–73
 - bitmaps 57, 60, 83–4, 85–92, 97–9, 108–10, 123–5, 130–3, 163–73
 - concepts 68–85, 153, 163–73
 - drawing shapes 72–3, 86
 - efficiency issues 153, 163–73
 - off-screen buffers 153, 163–73
 - simple graphics 68–85
 - writing text 71–2, 96–102

- graphics context (GC), concepts 70–4, 86, 98–102, 166–72, 175–85, 203–4
- group directories, concepts 59–60
- GSM see Global System for Mobile Communications
- GUI see graphical user interface

- h files 26, 35–6, 47–8, 61–2, 123, 134–5, 137, 145, 155, 157
- Handango 246
- HandleBTClient... 225–30
- HandleBTDeviceDiscoveryCompleteL 205, 209–10, 219
- HandleBTEngineStateChange 202, 210, 219–20
- HandleBTServer... 220–5, 229–30
- HandleBTServiceDiscoveryCompleteL 213–18
- HandleCommandL 58, 95–6, 106, 110–11, 156, 160–1, 168–9, 172–3, 182–3, 210, 228
- HandleKeyEventL 101, 176–7
- Handler 88
- HandleSessionEventL 193–4
- HandleTextChangedL 80
- handover processes, cellular systems 2–4
- hardware constraints, mobile phones 17–18, 20–1, 38–9, 243
- HBuFC, concepts 63–8, 150, 162, 227
- HDD 279
- header files 35–6, 47–50, 60–3, 68, 69, 75, 78, 85, 100, 119, 123, 135, 154, 180, 225
- heap
 - concepts 18, 27–8, 38–9, 40, 42–3, 63–8
 - constraints 18
- heap descriptors
 - see also descriptors; HBuFC... concepts 63–8
- 'Hello World' applications 33–56, 120, 161
- HostResolver 195–6, 207–9

- Hotkeys 106–7, 159
- hrh files 75, 105–9, 115, 116, 121, 126, 168, 181
- HSCDS network protocol, specifications 254–88
- HTML 254–88
- <http://developer.symbian.com/main/academy/press/books/s60p>** 98
- <http://developer.symbian.com/main/tools/>** 251

- i (member variables) prefixes 24–6
- icons 85–8, 115, 129, 243–5
- Id 157–8
- IDEs see Integrated Development Environments
- if statements 45–7, 49–56, 78–9, 101–2, 111, 124, 147, 154, 167–83, 213, 218–19
- #ifndef 47, 145–6, 165–6
- image-editing packages 31–2
- imagefile 121–2
- imageid 121–3
- imagemask 121–2
- IMEI numbers 34, 62
- IMS see IP multimedia subsystem
- #include 35–6, 47–8, 61, 94, 104–5, 123, 131, 147–8, 165–6
 - concepts 35–6, 104–5, 131
 - resource files 104–5, 123, 131, 147–8, 165–6
- include directories, concepts 60–3
- InfoMsg 172, 201
- information notes 119–24, 229–30
 - see also dialogs
- infrared connectivity 93, 187, 196, 254–88
- inheritance 38, 88–9, 93–4, 110–11, 164
- initialization 38, 116–18, 173–4
- Initialize 28
- InPreparation 194
- input see data input methods
- InsertL 80, 84, 142–3
- install directories, concepts 60, 185

- installation 60, 62, 183–5, 238–40, 242–3
 - see also *sis* files
- instantiation 38, 42, 58–9, 99, 120, 193, 206–7
- integers, concepts 26, 135–7
- Integrated Development Environments (IDEs)
 - 28–9, 30–1, 34, 36–8
 - concepts 28–9, 30–1, 34, 36–8
 - types 30, 36–7
- Intel 1
- International Telecommunications Union (ITU) 1, 17–18, 21, 197–8
- Internet 11–12
 - see also *browsing*
- IP multimedia subsystem (IMS)
 - see also *Session Initiation Protocol*
 - concepts 16–17
 - layers 16
- IrDA standard 187, 196
 - see also *infrared...*
- items, dialogs 115–27, 144–51
- iterative processes, tests 232
- ITU see *International Telecommunications Union*

- Japanese mobile-telephony standards 13
- Java Platform, Micro Edition (Java ME) 19, 21
- Jpeg images 85, 88–92, 196

- K (constants) prefixes 24
- KAppUid 157
- KBT... 202–4, 219
- KDirectoryPath 134–5
- KErrAlreadyExists 135
- KErrArgument 141
- KErrDisconnected 224–5
- KErrNone 45–6, 86–8, 91, 135, 142–3, 149, 176, 180–1, 209, 216–18
- KErrNotFound 66
- KErrNotReady 135
- key presses 17–18, 21–3, 78–9, 92–102, 106–14, 159–85, 232–3, 254–88
 - see also *data input methods*; *softkeys*
 - concepts 92–6, 106–14, 232–3
 - constraints 17–18, 243
 - navigation keys 93–6, 107–11, 127–8
- keypads 17–18, 21–3, 92–102, 254–88
- KFileName 162
- KHost... 208–9
- KMaxLabelLength 165–6, 170–1
- KMbmFilename 86–7
- KParentFileName 135–6
- KPhoneStick 179–80
- KRgb... colors 71–2
- KTextEntryMaxLength 129–33

- _L 68
- L suffixes, concepts 25, 31, 40–1, 45
- L2CAP see *Logical Link Control and Adaptation Protocol*
- LANG 60–3
- latency rates 12
- LaunchDialogL 182–3
- LaunchSettingNameDialogL 147–8
- Layout 140–1
- leaks, memory 21, 39, 41–2, 44–5, 183–4, 202
- learning curve, Symbian OS 19–20, 232
- Leave 40–6
- leave/trap mechanism
 - concepts 25, 31, 39–46, 52–3, 76, 88, 90–2, 97–8, 134–7, 161, 216–18, 222–3, 229–30
 - constructors/destructors 41–3
 - examples 43–5
- LeaveIfError 40–1, 88, 97–8, 134–5, 142–3, 207–8, 212–13, 222–3, 226
- Leavescan tool 31, 45
- Left 66
- left softkeys 107, 111–14, 115–16
- Length 66
- Lenovo P930 282
- lib files 60–3
- libraries 21, 29–30, 34–6, 48, 60–3
 - feature packs 29–30

- LIBRARY 35–6, 48, 60–3
- LineBreakPossible 83
- _LIT 36, 48, 51–3, 64, 68, 71, 90, 120, 123, 127, 133–5, 142, 148, 162, 171, 175–6, 202–3, 211, 228
- literals 36, 48, 51–3, 64, 68, 120
- Load 86–8, 97–8
- loc files 61, 105, 114–15, 184
- LOCAL_C 36, 52
- LocalServices 210
- Locate... 66–7
- location-registering processes, mobile phones 5
- Logical Link Control and Adaptation Protocol (L2CAP) 197, 212–13
- logos 235, 243–4
- LowerCase 67

- M (interface) classes, concepts 28
- Machine-To-Machine (MTM) module 193–5
- Macromedia
 - Flash 8, 32
 - Freehand 31–2
- macros, naming conventions 26
- MainL 36, 48, 52–6
- MakeSIS 184–5, 240–1
- MAknBackgroundProcess 123
- manufacturers 9–11, 17–18, 19, 21–3, 34, 235–6
 - see also individual manufacturers*
- market routes 231–49
- marketing concepts 243–5
- Mash-A-Mate game 245
- masks, bitmaps 85–8, 110, 117–18, 125, 130
- MBluetoothObserver 206
- mbm files 85, 98–9, 121, 123, 174–5, 184–5
- MBTClientObserver 225–6
- MBTDeviceDiscoveryObserver 205
- MBTEngineObserver 202
- MBTServerObserver 220–1
- MBTServiceDiscoveryObserver 213–15

- MediaClientImage.lib 89
- MEikMenuObserver 181–3
- memory
 - see also heap; stack*
 - cleanup stack 21, 25, 38–40, 43–5, 47–55, 134–7
 - concepts 18, 21, 38–46, 232
 - constraints 18, 21, 38–9, 243
 - descriptors 21, 57, 63–8
 - leaks 21, 39, 41–2, 44–5, 183–4, 202
 - protection factors 38–46
 - specifications 18, 254–88
 - tests 232–3
- Menubar 106–7
- MENU_BAR 108
- MENU_ITEM 110, 144, 181–3
- MENU_PANE 108–10, 144, 162–3, 181–3
- menus 57–8, 93, 95–102, 104–5, 106–11, 143–51, 162–3, 164–85
 - cascade 109–10, 143–4
 - concepts 95–102, 104–5, 106–11, 143–51, 162–85
 - dynamic/static options 107–8, 131–2, 153, 162–4, 173–85
 - examples 106–7, 109, 143–51, 164, 173–85
 - hidden options 163
 - off-screen buffers 164–73
 - resource files 104–5, 106–11, 143–8, 162–3
 - settings menus 143–51
- MENU_TITLE 108
- MicroSD 258, 268–9
- Microsoft Internet Explorer 239
- Microsoft Visual Studio, IDEs 30–1
- microwave frequency range 7–9
- Mid 66
- MIDP *see* Mobile Information Device Profile
- Mini USB connectivity 258, 282
- MinimumSize 76–7
- MiniSD 271–2, 276, 278–80, 283–4
- MiuoConvertComplete 89–91
- MiuoCreateComplete 89–91
- MiuoOpenComplete 89–91

- mixin classes, concepts 28, 57, 88–92, 162–3, 181–3, 204–11, 214–15, 220–1
- Mkdir 134–5
- MkdirAll 134–5
- MMC storage media 254–88
- MMdaImageUtilObserver 89
- mmp files
 - see also* project definition files
 - concepts 33–5, 48–9, 60–3, 88–9, 114, 134, 210
- MMS 192, 233, 248
- MMSvSessionObserver 193–4
- Mobile Information Device Profile (MIDP) 19
- mobile phones 1–18, 21–3, 60, 62, 92–102, 183–5, 254–88
 - see also* Symbian...
 - 3G networks 1, 3–4, 7, 11–16
 - cellular systems 2–4
 - concepts 1–18
 - data transfer rates 2
 - definitions 1
 - elements 4–5
 - generations 1–2, 3–4, 5–6, 9–11, 13–16
 - GPRS 11–16, 254–86
 - handover processes 2–4
 - hardware constraints 17–18, 20–1, 38–9, 243
 - IMS 16–17
 - installation 60, 62, 183–5, 238–40, 242–3
 - introduction 1–18
 - keypads 17–18, 21–3, 92–102, 254–88
 - location-registering processes 5
 - motion effects 1–3, 7–9
 - multipath propagation 7–9
 - multiple-access methods 3–4, 5–7
 - operating systems 17, 19–20, 153
 - power-conservation needs 18, 233–4
 - rebooting actions 39
 - S60-based specifications 17–18, 21–3, 253–88
 - screens 18, 21–3, 68–85, 253–88
 - specifications 17–18, 21–3, 253–88
- MonsterMob 246
- Morris, Ben 20
- motion effects, mobile phones 1–3, 7–9
- Motorola 21, 23
- Move 98, 175–81
- MoveCursorL 78–80
- MoveDown 164–8
- MoveUp 164–8, 171
- Mphasis 237
- MSdpAttributeValueVisitor 214–15
- MTM (Machine-To-Machine) module 193–5
- multipage dialogs 127–8
 - see also* dialogs
- multipath propagation, concepts 7–9
- multiple bitmap files 85
- multiple views
 - architecture 155
 - concepts 153–62
 - data-sharing methods 161–2
 - switching 154–62
- multiple-access methods
 - see also* code-division...;
 - frequency-division...;
 - time-division...
 - cellular systems 3–4, 5–7
 - classes 5–7
 - concepts 3–4, 5–7
- multiplexing processes 5
- NAME 104
- name_caption.rss 60, 114
- names, resource files 104–5, 114–15, 117
- naming conventions, code 23–6, 35, 40–1, 108
- navigation keys 93–6, 107–11, 127–8
 - see also* key...
- network protocols, specifications 254–88
- new 27, 40–1, 76, 86–7, 120–4
- NewL 36, 42–55, 64–5, 99, 133, 141, 164–6, 201–2, 215, 225–6
- NewLC 25, 42–55, 64–5
- NextRecordRequestComplete 214–15, 216–17

- NextRecordRequestL 216–17
- Nokia 17–18, 21, 30–2, 140, 233–6, 246–7
 - see also S60...
 - 3230 254
 - 3250 269
 - 3600/3650 255
 - 3620/3660 256
 - 5500 Sport 268
 - 6260 257
 - 6290 258
 - 6600 259
 - 6620 260
 - 6630 261
 - 6670 262
 - 6680/6681/6682 263
 - 7610 83, 264
 - 7650 281
 - 9210 Communicator 20
 - E60 270
 - E61 271
 - E70 272
 - keypads 17–18, 21–3, 92–6
 - N-Gage 265
 - N-Gage QD 266
 - N70 273
 - N71 274
 - N72 275
 - N73 276
 - N75 277
 - N80 278
 - N90 21, 267
 - N91 279
 - N93 280
- NoneSelected 177
- note 120–1
- note dialogs
 - see also dialogs
 - class structure 119–20
 - concepts 119–24
 - examples 120, 122, 124, 126
 - types 119–20
- NSTL 237
- NULL 42, 52–3, 123, 159, 213–16
- objects 25, 38, 39–45
 - design problems 41–2
 - persistence 133, 137–43
- Observer 88
- observer classes 28, 88–92, 204–11, 220–1
- off-screen buffers, advanced graphics 153, 163–73
- OfferKeyEventL 77, 93–5, 171
- OkToExitL 116–19, 126–7, 131–3, 146–7
- OMA see Open Mobile Alliance
- Open 28, 135–6
- Open Mobile Alliance (OMA) 248
- open operating systems 17, 20–1
- OpenAsyncL 193–4
- OpenGL ES 29
- OpenL 90, 141
- OpenLC 143
- operating systems
 - see also mobile phones; Symbian OS
 - concepts 17, 19–20, 153
 - open systems 17, 20–1
- operational centers, functions 4–5
- operators 27, 66, 135–7, 140, 150–1
 - see also entries at start of index
- operators/service providers 9–11, 19, 245–7
- Orange 235
- over the air (OTA) 18
- overloaded operators 27, 66–8
- packet-switching systems 10–12, 16–17
- PAGE 127–8
- pages 127
- Palm programmers 30
- Panasonic 21, 283–4
 - X700 283
 - X800 284
- Panic 52–3, 64, 67, 228
- parameters, naming conventions 24–6
- passwords 62, 240–1
- PCS see Personal Communication System
- pens 72–3, 168–9
- permanent file stores 137, 138, 140–3

- persistence 133, 137–43
- Personal Communication System (PCS) 13
- pxf files 239–40
- pictures 82–4
- pkg files 60, 183–5, 240–3
- plain-text editor 73–7
- PlayStation 30
- plural_label 121
- pointer descriptors
 - see also descriptors; TPtr...
 - concepts 63–8
- pointers 39–45, 63–8, 206–7
- Pop 39–40, 42–3, 47, 84, 136–7, 170–1
- pop-up messages 119–24, 128
 - see also dialogs
- PopAndDestroy 39–40, 53, 76, 137, 149, 223–4
- portals 245–7
- ports 190–2, 217–30
- power-conservation needs, mobile phones
 - 18, 233–4
- PreDynInitMenuPaneL 203–4
- prefixes, naming conventions 24–7
- PreLayoutDynInitL 116–19, 131–2, 146–7
- Prepare 142
- PrepareLC 121–2
- PrepareMenu 165, 167–9
- Printf 36
- private 41–2, 47–54, 69, 89–90, 131, 165, 188–9, 201–6, 214, 221, 225–6
- private keys 240–1
- PRJ_MMPFILES 35–6
- ProcessCommandL 95–6, 110, 132
- ProcessFinishedL 124
- processor speeds, constraints 18
- product fact sheets, marketing 244–5
- project definition files
 - see also mmp files
 - concepts 34–6, 48–9, 60–3, 88–9
- prompt 129–30
- protected 131, 221, 225
- protocols 190–8, 222–30, 254–88
- prototyping utilities 31, 32
- Psion Software 17, 20
- public 41–2, 47–54, 69, 89–90, 97–8, 131, 165–6, 188–9, 201–2, 213–15, 221, 225–6
- public certificates 240–1
- publisher certifiers, Symbian Signed 237–8
- PushL, concepts 39–40, 44–5, 47–8, 53, 134–7, 170–1, 223
- PutL 143
- Python 21, 32
- quality issues 14–17, 231–2, 233–5
- Quality of Service (QoS) 14–17
- query dialogs 124–7
 - see also dialogs
- QueryReceiveBuffer 192
- QVGA displays 280
- R (resource) classes, concepts 28
- Radio Frequency Communication (RFCOMM)
 - 190, 197, 212–18, 221–2
- radio spectrum 2
- radio-network controller (RNC) 14–15
- Rand 50–1
- Rapid Application Development (RAD)
 - 30–1
- R_AVKON_SOFTKEYS... 112–13, 115–16, 125–6, 129, 145, 159
- RBTDeviceDataArray 206–7, 219
- RBTSecuritySettings 223–4
- RComm 190–2, 196
- RCommServ 190–2, 196
- RDbColWriteStream 143
- RDbStoreDatabase 141
- RDbView 142
- Read 192, 195
- ReadCancel 192
- ReadInt... 136
- Readme.txt files, Symbian Signed 243
- ReadReal... 136
- ReadUint... 135–6
- ReAllocL 64–5

- reallyclean 37
- rebooting actions 39
- rectangular shapes 69–70, 73, 84, 98, 166–7
- Recv 195
- RecvFrom 195
- RecvOneOrMore 195, 224–5
- reflected signals, multipath propagation 7–9
- reg resource script 61
- RegisterService 223–4
- regulators 9–11
- relational databases, stores 137–51
- Rename 135
- ReplaceL 140, 149–50
- Reset 28, 173–4, 182
- Resize 87, 98, 175
- RESOURCE 26, 60–3, 74–7, 106–10, 114–27, 144, 181–3
- resource classes, concepts 26, 28, 74–7
- resource files
 - see also* rss files
 - arrays 110
 - concepts 103–51
 - definitions 104
 - dialogs 103–5, 107, 110, 115–28, 144–8
 - forms 103, 104, 128–33
 - header section 104–7, 119
 - IDs 104–5, 110–11, 123, 162–3
 - include statements 104–5, 123, 131, 147–8, 165–6
 - main body 104, 107
 - menus 104–5, 106–11, 143–8, 162–3
 - names 104–5, 114–15, 117
 - sections 104, 107
 - softkeys 111–14
- resource signature 106
- return 42, 47–8, 51–2, 55, 79, 102, 117, 125–6, 143, 177–8
- RFCmm 190, 217–18, 221–2
- RFCOMM *see* Radio Frequency Communication
- RFile 133–5
 - see also* file servers
- RFileReadStream 135–7
- RFileWriteStream 136–7, 149–50
- RFs 134–5
- RHostResolver 195–6, 207–9
- rich-text editor 77–82, 194
- Right 66
- right softkeys 107, 111–14, 115–16, 119
- R_MAIN_VIEW 159–60
- RNC *see* radio-network controller
- RootL 139
- routes to market 231–49
- RPointerArray 166–73, 206–7
- R_QGN_RAF_WAIT_BAR_ANIM 123, 125
- RReadStream 135
- RS-MMC storage media 254–88
- RS232 190
- rsc files 184
- RSdp... 211–12
- rsg files 104, 115, 123, 133, 146–7, 159
- RSocket 195–6, 225–7
- RSocketServ 196, 207–8, 226–7
- rss files
 - see also* resource files
 - concepts 60, 104–7, 114–15, 127, 181–2
- RSS_SIGNATURE 106
- RStoreReadStream 139–40
- RStoreWriteStream 138–9
- RTXTED 77–8
- RunDlgLD 116–19, 127, 146–8
- RunError 188–90
- RunL 188–90, 205, 209, 221, 223–7
- RunLD 122
- rural areas, 3G networks 14
- RWriteStream 135
- R_YESNO_CONFIRMATION_QUERY 125
- s32file.h 135, 137–8, 148
- s32std.h 135, 148
- S60 mobile phones
 - see also* CAkn...; Nokia; user interfaces
 - App Wizard 57–8
 - application structure 57–63

- concepts 17–18, 21–3, 29–32, 33, 57–63, 73–4, 85, 106–7, 116, 125, 197
- feature packs 29–30
- historical background 17–18
- SDKs 28–9, 30–1, 57–8, 97–8
- specifications 17–18, 21–3, 253–88
- tools 29–32
- Samsung 21, 285
- saved data
 - see also* data storage
 - concepts 133–43, 148–51, 182–5, 206–7
 - methods 133
- SaveFormDataL 132–3
- screens 18, 21–3, 68–85, 243, 244–5, 253–88
 - constraints 18, 243
 - simple graphics 69–85
 - specifications 18, 21–3, 253–88
 - splash screens 244–5
- SDKs *see* Software Development Kits
- SDP *see* Service Discovery Protocol
- sdpagent.lib 215–17
- security issues 20, 31, 34, 62, 221–3, 232, 234–43, 247–9, 251
 - DRM 247–9
 - signed software 31, 34, 62, 232, 234–43, 251
- Select 164, 168–9, 171
- self-certifiers, Symbian Signed 237
- semi-colons 110
- Send 195–6
- SendL 221, 223–7, 228–9
- SendMessageL 228–9
- Sendo X 286
- SendTo 195–6
- separate-delivery method, DRM 249
- serial communications 187, 190–2, 196
- Series 60 *see* S60 mobile phones
- Series 80 21
- Series 90 21
- servers
 - see also* file . . . ; sockets
 - Bluetooth connectivity 220–30
 - client–server framework 190–2, 195–6, 201, 220–30
 - concepts 133–5, 190–200, 220–30
 - service discovery, Bluetooth connectivity 197–200, 213–20, 226
 - Service Discovery Protocol (SDP) 197, 211–15
 - ServiceDiscovery 226
 - Serving GPRS Support Node (SGSN) 12, 14–15
 - Session Initiation Protocol (SIP) 16–17
 - see also* IP multimedia subsystem
 - SetAction 208–9
 - SetActive 188–90, 222–3, 226–8
 - SetBrush. . . 73, 169–70
 - SetChannelSecurityL 221–3
 - SetClippingRect 84
 - SetColL 142–3
 - SetConfig 192
 - SetContainerWindowL 76
 - SetExtent 76
 - SetFocus 76–7, 78–9
 - SetItemDimmed 163, 183, 204
 - setname.cpp 145
 - SetPen. . . 169–70, 203–4
 - SetRect 70, 97–8, 180–1
 - SetRootL 139–41
 - SetSecurityL 222–3
 - SetSize 87
 - SetText 118–19, 123–4
 - settings menus, example 143–51
 - SetTypeL 138, 140–1
 - SetUnderlineOn 81, 82
 - SGSN *see* Serving GPRS Support Node
 - shapes, drawing methods 72, 86
 - Shrink 73
 - Shuffle 49–50, 54–5, 99–102
 - ShuffleDeck 101–2, 182–3
 - Siemens 20, 287
 - signed software 31, 34, 62, 232, 234–43, 251
 - SIM cards 233
 - simple graphics 68–85

- singular_label 121–2
- SIP *see* Session Initiation Protocol
- sis files 60, 62, 184–5, 238–43
 - see also* installation
- Size 66
- smartphones 21–3
 - see also* mobile phones
- SMS messages 103, 192–5, 233
- sockets 187–90, 195–6, 198, 207–11, 220–30
 - see also* servers
 - Bluetooth connectivity 198, 201–11
- softkeys 92–6, 100–1, 106–14, 116–20, 127–9, 145–8, 159–85, 228–30
 - see also* key . . .
 - concepts 92–6, 100–1, 107–14, 116–18, 119, 128–9, 145–8, 159–60, 228–30
 - custom softkeys 113–14
 - dialogs 107, 115–18, 119, 127
 - list 111–14
 - uses 107, 111–14, 115, 119, 127
- software 14–17, 28–32, 39, 57–62, 67, 97–8, 101–2, 176, 183–5, 198, 201, 231–4, 251
 - see also* applications; source code
 - design issues 41–2, 128–9, 233–4, 243–4
 - digital signatures 234–5
 - installation 60, 62, 183–5, 238–40, 242–3
 - quality issues 14–17, 231–2, 233–5
 - Symbian Signed 31, 34, 62, 232, 233, 234–43, 251
 - tests 31, 39, 98, 101–2, 176, 183–4, 198, 201, 231–7, 241–3
- Software Development Kits (SDKs)
 - concepts 28–32, 57–8, 67, 97–8
 - web resources 251
- Sony Ericsson 20, 23, 235
- SOURCE 35–6, 48, 60–3, 85
- source code 29, 31, 34–56, 60–3, 98, 101–4, 183–4, 198, 201, 231–7, 241–3
 - see also* software
 - concepts 23–8, 38, 101–2, 183–4
 - naming conventions 23–6, 35, 40–1, 108
 - tests 31, 39, 98, 101–2, 183–4, 198, 201, 231–7, 241–3
- source directories, concepts 60
- SOURCEPATH 35–6, 48, 60–3, 85
- specifications, mobile phones 17–18, 21–3, 253–88
- speech-activated applications 93
- splash screens 244–5
- SQL 142
- stack
 - constraints 38–9
 - descriptors 63–8
- standard applications 21
- standard dialogs
 - see also* dialogs
 - concepts 115–19, 126
- StartAdvertisingL 211–13
- StartDeviceDiscoveryL 207–11
- StartGame 99, 150–1
- StartL 221–5
- StartListL 214–15
- states
 - Bluetooth example 198–202, 220–30
 - game states 173–85, 230
- static 41–2, 134, 168–9, 225
- static classes, concepts 28, 41–2
- Stick 176–83
- Stop 221, 222–3
- StopAdvertisingL 211–13, 228
- storage data 103–51
 - see also* resource files
 - concepts 103–51
- storage media 254–88
- stores
 - see also* saved data
 - concepts 133, 137–43, 161–2
 - direct file stores 137–40
 - permanent file stores 137, 138, 140–3
- streaming services 3, 15–16
 - see also* video calls
- streams
 - see also* saved data

- benefits 133
 - concepts 133, 135–7, 149–51
 - strings 36, 51–2, 63–8, 105
 - see also descriptors
 - structs 28
 - subdirectories 34–7, 59–63
 - suffixes, naming conventions 25–7, 40–1, 45
 - switch 46, 96, 100–2, 111, 154, 160, 171–2, 176–7, 203–4, 217, 224, 227–8
 - swizzles 84
 - Symbian Developer Library 61
 - Symbian OS
 - see also operating systems
 - benefits 19–20, 153
 - complexity factors 19–20, 232
 - concepts 17–18, 19–32, 133, 153, 190–2, 196, 198, 232–43
 - data types 26–8
 - design issues 41–2, 128–9, 233–4, 243–4
 - development tools 20, 28–32, 36–8
 - historical background 17–18, 20–1
 - IDEs 28–9, 30–1, 36–8
 - learning curve 19–20, 232
 - mobile phone specifications 253–88
 - naming conventions 24–6, 35, 40–1, 108
 - open aspects 17, 20–1
 - quality assurance 231, 233–5
 - saved data 133
 - SDKs 28–9, 30–1, 57–8, 67, 97–8
 - tools 20, 28–32
 - user interfaces 21–3
 - v6.0 20
 - v6.1 163, 255–6, 265–6, 281, 287–8
 - v7.0s 74, 88–9, 254, 257, 259–60, 262, 264, 283–6
 - v8.0 261, 263, 282
 - v8.1 273, 275
 - v8.1a 267
 - v9.0 20–1, 30, 34, 59–63, 210, 235–6, 240–1
 - v9.1 62, 268–72, 274, 276–80
 - v9.2 258
 - Symbian OS Architecture* (Morris) 20
 - Symbian Signed 31, 34, 62, 232, 233, 234–43, 251
 - ACS Publisher ID 62, 237–42
 - capabilities 236–7
 - concepts 234–43
 - developer certificates 62, 236–42
 - industry demands 235–6
 - logo 235
 - objectives 234–5
 - routes available 237–9
 - Symbian OS v9 235–6
 - tests 235, 237, 241–3
 - ZIP files 242–3
 - SymbianGear 246
 - SysOpen Digia 31
 - system 61, 134
 - SystemGc 70–1, 174–5
 - SYSTEMINCLUDE 35–6, 48, 60–3
-
- T (data type) classes, concepts 27–8
 - T prefixes 25–6
 - TARGET 35–6, 48, 60–3
 - TARGETPATH 85
 - TARGETTYPE 35–6, 48, 60–3
 - task list, uses 232–3
 - TBasicGUICommandIds 181–2
 - TBool, concepts 27, 88, 118, 131, 133, 147
 - TBrushStyle 73
 - TBTDevAddr 206, 215, 226
 - TBTDeviceData 209, 219
 - TBTServerState 220–1
 - TBTServiceSecurity 225–6
 - TBTSockAddr 222, 225–6
 - TBTState 201–2
 - TBuf, concepts 51–4, 63–8, 106, 119, 127, 148, 165–6, 221, 226, 229–30
 - TBufC, concepts 63–8
 - TChar 27
 - TCharFormat... 80–1
 - TCharFormatMask 78
 - TCommCaps 191–2
 - TCommConfig... 190–2

- TCursorPosition 79–80
- TDbCol 141–2
- TDD *see* time-division duplex
- TDes, concepts 63–8
- TDesC, concepts 63–8, 162, 228
- TDMA *see* time-division multiple access
- template projects 104
- test houses, Symbian Signed 237, 242
- tests 31, 39, 98, 101–2, 176, 183–4, 198, 201, 231–7, 241–3
 - automated tests 31, 233
 - concepts 231–7, 241–3
 - iterative processes 232
 - Symbian Signed 235, 237, 241–3
 - types 231–3
- text 51–2, 63–7, 68–85, 96–102, 127–8
 - see also* graphics
 - colors 71–2, 81–2, 87–8, 166–9
 - concepts 63–7, 68–85
 - editors 73–84
 - pictures 82–4
 - plain-text editor 73–7
 - rich-text editor 77–82, 194
 - writing text 71–2
- text messaging 103, 187, 192–5, 233
- text queries, dialogs 117
- TextPluralityL 122
- TFormData 131–3
- TFrameInfo 90–1
- THostName 206
- threads, active objects 187–90
- time-division duplex (TDD) 7, 14, 196–7
- time-division multiple access (TDMA) 6–7, 9
- TInquirySockAddr 207–8
- TInt..., concepts 24, 26, 39–40, 47–8, 52–5, 65–8, 88, 96, 101, 127, 134, 175, 178
- title changes, applications 114–15
- titles 108
- TKeyCode 55–6
- TKeyEvent... 94–6, 101–2, 171–2
- TKeyResponse 94–5, 101–2, 171–2, 176–7
- TModeSelected 173–4
- TMsvEntry 193–4
- TNameEntry 207–8
- tools 20, 28–32, 36–8, 251, 253
 - types 28–32
 - web resources 29, 31, 251, 253
- touch screens 23
- TPenStyle 72–3
- TPictureHeader 84
- TPoint 71–3, 76, 87–8, 169–71, 203–4
- TPriority 189–90
- TPtr, concepts 63–8
- TPtrC, concepts 63–8
- transmission rates 191–2
- TRAP 45–6, 52–3, 91, 216–18, 229–30
- trap harnesses, concepts 25, 40–1, 45–6, 52–3, 90–2, 216–18, 229–30
- TRAPD 45–6, 229–30
- TReal..., concepts 26
- TRect 69–70, 73, 84, 88, 98, 158, 165–7, 174–5
- TRequestStatus 189–90, 192
- TResourceReader 75–6, 78–9
- TRgb 71–2
- tri-band phones 13
- try 40
- TSize 36, 73, 87
- TSmsProgress 193–4
- TSockXfrLength 221–2, 226
- TSwizzle 84
- TText..., concepts 27
- TTextFormatAttribute 81–2
- TUId 154–5, 157–8
- TUint..., concepts 26, 206–7
- TUUID 212–18
- Twips 83
- Twist 176–83
- two-phase construction process 41–56, 201–7, 211–12
- txt, menus 108–10
- txtformat.h 78, 81–2
- typedef 28, 190

- udeb 37
- _UHEAP_MARK 52–3
- _UHEAP_MARKEND 52–3
- UI *see* user interfaces
- UIDs 35–6, 48, 58–9, 60–3, 138–40, 154–7, 160–2, 184–5, 211–13
- uids.h 156–7
- uikon.hrh 75, 116, 126–7
- uikon.rh 108, 116
- UIQ 21, 23, 30, 33, 233, 241
- underscores, naming conventions 25–6
- Underwater Attack Squad game 244
- Unicode 27
- UniversalTime 50
- uplink traffic 7, 12–14
- UPnP (Universal Plug and Play) 280
- UpperCase 67
- US mobile-telephony standards 9–14
- usability concepts 153, 231–2
- USB connectivity, specifications 254–88
- UseFont 169–70, 175
- User, concepts 28, 36
- user interfaces (UI) 17–18, 21–3, 57–102, 103–51, 153–85, 253–88
 - see also* graphical; S60...; Series...; UIQ
 - complex interfaces 153–85
 - concepts 21–3, 33, 57–102, 153–85
 - constraints 17–18
 - specifications 17–18, 21–3, 253–88
 - types 21
 - usability concepts 153
- User::After 36
- UserDraw 171–2
- User::Exit 160
- User::Free 39
- USERINCLUDE 35–6, 48, 60–3
- User::Leave 40–1, 46
- User::LeaveIfError 40–1, 88, 97–8, 134–5, 142–3, 207–8, 212–13, 222–3, 226
- User::Panic 52–3, 67
- users, types 21–3
- utilities, concepts 31
- UUID 211–18
- vector-drawing packages 31–2
- VeriSign 62, 238–9, 242
- VGA cameras 273–4
- video calls 3
 - see also* streaming services
- view 142–3
- views
 - concepts 59, 110, 142–3, 153–62
 - data-sharing methods 161–2
 - multiple views 153–62
 - switching 154–62
- viral distribution 249
- virtual destructors, concepts 27, 38
- virtual functions 82–3, 88–9, 95–6, 116–17, 162–3, 188–9, 202
- VisitAttributeValueL 214–15
- voice calls 11–12, 15–16
- void 24–5, 36, 42–55, 69, 100–1, 147, 163, 173–5, 188–9, 201–2, 205, 214, 225, 229–30
- vs_pkcs.exe 240
- W-CDMA *see* wideband CDMA
- wait notes 122–4
 - see also* dialogs
- WaitingToReceive 229
- WAP 197, 248, 254–88
- web resources 29, 31, 251, 253
 - see also* **www...**
- while loop 55–6, 179–80
- wideband CDMA (W-CDMA) 13–14, 258, 261, 263, 267, 270–86
- WiFi 16–17
- winscw 37–8
- wired telephone networks 4–5
- Wireless Local Area Network (WLAN) 1–2, 270–2, 278–80
- wireless technologies, concepts 1–2, 19, 270–2, 278–80
- wizards 29, 57–8
- WLAN *see* Wireless Local Area Network
- wrapper classes 165–6
- Write 192, 223–4

WriteCancel 192
WriteInt... 136–7, 149–50
writeStream 136–7, 143, 149–50
www.allaboutsymbian.com 251
www.forum.nokia.com 29, 140, 251
www.majinate.com 251
www.newlc.com 232, 251
www.s60.com 251
www.symbian.com 17, 62, 251
www.symbian.com/phones 253
www.symbiangear.com 246
www.symbianone.com 251

www.symbiansigned.com 31, 34, 62, 232,
233, 237, 241–2, 251

www.uiq.com 251

xHTML 254–88

XML 32

z: directory 85

ZIP files, Symbian Signed 242–3