

Index

• A •

- abuse, 47, 85
- acceptance
 - of help, 217
 - recovery stages, 184–186
 - therapy blocks, 94–95
- ACHE (American Council of Hypnotist Examiners), 157
- acupuncture, 152–153
- acupuncturist, 159–160
- addiction, 130, 135
- adoptive mother, 40
- affection, 276
- affirmations, 240, 254, 307
- agoraphobia, 46
- AK (applied kinesiology), 153
- alcohol, 202
- alprazolam, 134
- alternative treatment. *See also specific types*
 - bipolar disorder, 59
 - depression, 151
 - doctor's objectivity, 172, 174
 - insomnia, 151, 153
 - negative stigma, 147–148
 - overview, 24
 - popularity, 144–145
 - post-traumatic stress disorder, 149, 150
 - PPD plan, 322
 - practitioners, 158–160
 - search, 161
 - stress, 151
 - teenage mom, 151
 - terminology, 145–147
 - versus traditional treatment, 143, 165–168
 - treatment plan components, 165–168
 - treatment plan coordination, 172–173
 - treatment team, 174–177
- Ambien (medication), 135
- American Board of Medical Acupuncture, 160
- American Council of Hypnotist Examiners (ACHE), 157
- American Massage Therapy Association, 160
- amino acid, 200
- amitriptyline, 133, 135
- anger
 - assessment, 67
 - communication with partner, 265
 - intimacy with partner, 261–262
 - labor and delivery, 195–196
 - responses to others, 237–239
- antidepressant
 - PPD plan, 325–327
 - side effects, 140
 - types, 133–134
- antipsychotic medication, 136, 141
- anxiety
 - causes, 227–228
 - effects, 134
 - emotional outlet, 227–229
 - exercise, 209
 - herbal medicine, 155
 - medication, 134–135, 141
 - meditation obstacles, 152
 - nutrition, 201
 - OCD treatment, 55, 56
 - panic disorder, 43–46
 - recovery strategies, 190–192
 - regular breaks, 210
 - treatment research, 171
 - yoga, 158
- appearance, 214, 273, 278
- appetite
 - depression in pregnancy, 20
 - nutrition, 200–204
 - PPD symptoms, 73
 - warnings, 200
- applied kinesiology (AK), 153
- asking for help, 216–217
- aspirin, 167
- assertive behavior, 288

- assessment
 - diagnostic instruments, 78–83
 - doctor's role, 83–85
 - emotions, 66–68
 - initial needs, 115–116
 - medication treatment, 138
 - PPD symptoms, 73–75
 - self-esteem, 231–232
 - therapist, 104–105
 - Ativan (medication), 134
 - attachment problems, 85
 - atypical antipsychotic medication, 136
 - awareness, 17, 35
 - Ayurveda (alternative treatment), 154
- B •**
- baby
 - bonding with mother, 334
 - death, 37
 - depression in pregnancy, 21
 - effects of PPD, 85, 91
 - illness, 36–37
 - life changes, 333
 - medication effects, 326–327
 - motherhood fantasies, 336
 - mother's PPD risk, 36–38
 - PPD in father, 39
 - baby blues
 - incidence, 27, 28
 - overview, 28
 - versus PPD, 30–32
 - risk factors, 29
 - support system, 29–30
 - symptoms, 28
 - baby, caring for
 - anxiety relief, 229
 - control issues, 235–236
 - motherhood fantasies, 332–334
 - multiple births, 38
 - obsessive mom, 52–53
 - panic disorder, 44
 - partner's supportive action, 290
 - realities of motherhood, 11
 - regular breaks, 209–210
 - sleep plan, 205, 207
 - baby, harming
 - OCD symptoms, 53–54
 - postpartum psychosis symptoms, 60
 - postpartum psychosis treatment, 61
 - babysitter
 - date with partner, 273
 - sleep strategies, 206, 207
 - support network tasks, 291
 - support system member, 251
 - Baptiste, Sherri (*Yoga with Weights For Dummies*), 158
 - Behind the Smile: My Journey out of Postpartum Depression* (Osmond), 17
 - Bennett, Shoshana (*Beyond the Blues: A Guide to Understanding and Treating Prenatal and Postpartum Depression*), 345
 - benzodiazepine, 134, 140
 - biased therapist, 114
 - Bikram yoga, 158
 - biochemical imbalance. *See* chemical imbalance
 - bipolar disorder
 - medication, 58, 134, 136, 141
 - overview, 57, 61
 - subsequent pregnancies, 326
 - symptoms, 57–58
 - treatment overview, 58–59
 - birth control, 276
 - Birth of a Mother: How the Motherhood Experience Changes You Forever* (Stern and Bruschiweiler-Stern), 345
 - blame
 - communication with partner, 265
 - defensiveness of partner, 283
 - denial of PPD, 15
 - helpful truths, 340
 - hope, 26
 - therapy considerations, 94
 - blood pressure, 13
 - body image, 195
 - bonding, with baby, 334
 - book resources, 349
 - bottle feeding, 326–327
 - Bowden, Melanie (*Why Didn't Anyone Tell Me? True Stories of New Motherhood*), 345
 - breakfast, 201
 - breastfeeding
 - antipsychotic meds, 136
 - bad therapist, 113, 114
 - control issues, 236

- difficulties, 176
 - herbal medicine cautions, 154, 156
 - medication issues, 128, 131–132, 326
 - mood stabilizers, 136
 - motherhood fantasies, 335
 - sleep plan, 205, 206
 - water intake, 202
 - breathing technique, 24
 - Bruschweiler-Stern, Nadia (*Birth of a Mother: How the Motherhood Experience Changes You Forever*), 345
 - Buchanan, Andrea (*Mother Shock: Tales from the First Year and Beyond, Loving Every (Other) Minute of It*), 345
 - burnout, 209–210
 - business coach, 102
 - business meeting, 269
- C •
- cabin fever, 213
 - caffeine, 201, 293
 - calendar, 192
 - calm demeanor, 265
 - carbamazepine, 136
 - carbs, 73, 200, 201
 - career, 271, 336
 - caring for baby
 - anxiety relief, 229
 - control issues, 235–236
 - motherhood fantasies, 332–334
 - multiple births, 38
 - obsessive mom, 52–53
 - panic disorder, 44
 - partner's supportive action, 290
 - realities of motherhood, 11
 - regular breaks, 209–210
 - sleep plan, 205, 207
 - caring for self
 - cultural differences, 242
 - decreased workload, 220–222
 - environmental changes, 213–215
 - helpful truths, 338–339
 - limit setting, 215–217
 - nutrition, 200–204
 - OCD treatment, 57
 - overview, 199
 - PPD symptoms, 72
 - realities of motherhood, 12
 - recovery strategies, 193–196
 - recovery time, 23
 - regular breaks, 209–211, 332–333
 - routine, 218–220
 - social life, 211–212
 - treatment overview, 25–26
 - caring for support people, 283–285
 - case study, 167
 - CBT (cognitive-behavioral therapy), 117
 - celebration
 - emotional coping, 233
 - post-recovery, 304–305
 - recovery progress, 196–197
 - celebrity cause, 17
 - Celexa (medication), 133
 - certified midwife, 48, 101
 - charting progress, 192
 - chat room, 250–251
 - chemical imbalance
 - denial, 16
 - escapist fantasies, 71
 - medication benefits, 126
 - childhood issues, 47, 114
 - chiropractic therapy, 154
 - chiropractor, 159
 - Chopra, Deepak (doctor and author), 154
 - citalopram, 133
 - clergy, 101
 - clinical psychologist, 100
 - clinical trial, 167
 - clonazepam, 134
 - clothing, 214, 273
 - Codey, Mary Jo (former New Jersey First Lady), 17
 - cognitive-behavioral therapy (CBT), 117
 - communication
 - explanation of PPD, 252–256
 - need for solitude, 260–261
 - recovery time, 23
 - sensitivity of supportive people, 295–298
 - shared feelings, 212
 - communication, with partner
 - discreet behavior, 279
 - guidelines, 262–266
 - relationship nurturing tips, 272, 273
 - sex issues, 274–275
 - compassion, 48–49, 98

- Compassionate Friends support group, 37
 complementary medicine. *See also specific types*
 bipolar disorder, 59
 depression, 151
 doctor's objectivity, 172, 174
 insomnia, 151, 153
 negative stigma, 147–148
 overview, 24
 popularity, 144–145
 post-traumatic stress disorder, 149, 150
 PPD plan, 322
 practitioners, 158–160
 search, 161
 stress, 151
 teenage mom, 151
 terminology, 145–147
 versus traditional treatment, 143, 165–168
 treatment plan components, 165–168
 treatment plan coordination, 172–173
 treatment team, 174–177
 compliment, 296, 297
 compulsion, 51, 54, 55
 condescending practitioner, 198
 confidence
 baby blues versus PPD, 31
 effects of PPD, 230–231
 emotional assessment, 66
 negative self-talk, 69–70
 OCD treatment, 56–57
 recovery stages, 186–187
 responses to others, 236–239
 strategies for improvement, 232–234
 truths to repeat, 338
 control, 234–236
 conventional medicine, 146
 cooking, 222
 counselor, 100
 couples therapy, 266–267
 Cousins, Norman (newspaper editor), 147
 co-worker, 248
 criminal justice system, 78
 criticism, 235, 238, 295
 Cruise, Tom (celebrity), 17
 crying
 communication with kids, 256
 control issues, 236
 mother's instincts, 335
 PPD symptoms, 72
 therapy sessions, 116
 culture, 16
 cure, 283
- D •
- dad. *See* partner
 daily life
 anxiety relief, 228
 exercise, 208
 post-recovery, 308–311
 regular breaks, 209–211, 332–333
 routine, 218–220
 small talk, 212
 support versus self-sufficiency, 256
 truths to focus on, 337–340
 dating, 272–273
 death, of baby, 37
 debriefing time, 263–264
 decision making
 partner's role, 289
 post-recovery, 309–310
 PPD symptoms, 67
 trust of own decisions, 327–328
 deep breathing, 24
 defensive behavior
 mom's responses to others, 238–239
 partner's responses to mom, 282–283
 dehydration, 202
 denial
 celebrity awareness, 17
 clouded thinking, 17–18
 ethnic groups, 16
 immediate help, 75
 information from doctor, 18–19
 PPD facts, 14–15
 reaction to diagnosis, 86
 society's attitude, 15–16
 Depakote (medication), 136
 depression
 alternative therapy, 151
 effects of labor and delivery, 27
 emotional outlets, 229
 gender, 14
 risk of PPD, 35
 society's attitude, 15
 warning signs, 20–21, 72–73

- Depression Central (Web site), 341
 desipramine, 133
 Desyrel (medication), 135
 developmental delays, 85, 91
 diagnosis
 common reactions, 86–88
 difficulties, 78
 doctor's training, 83–84
 OCD versus postpartum psychosis, 53
 overview, 77
 self-test, 73–75
 timing, 82
Diagnostic and Statistical Manual of Mental Disorders (DSM-IV), 78
 diazepam, 134
 dieting, 195, 201
 dinner, 222
 disability, baby with, 36–37
 DO (Doctors of Osteopathy), 159
 doctor. *See also* therapist
 advance information about PPD, 18–19
 alternative treatment, 158–160
 condescending tone, 198
 diagnostic role, 84–85
 diagnostic training, 83–84
 emergency situations, 71–72
 frustration, 188
 medication needs, 129
 negative attitude, 86
 objectivity about alternative treatment, 172, 174
 pre-assessment discussion, 83
 self-treatment, 25
 therapist referral, 103
 treatment plan components, 165
 treatment plan coordination, 168–169, 173–174
 treatment team members, 174–177
 Doctor of Osteopathy (DO), 159
 DONA (Doula of North America), 251
 double-blind trial, 167
 doula
 post-traumatic stress disorder, 47, 48
 sleep plan, 205, 207
 support person, 251
 Doula of North America (DONA), 251
Down Came the Rain: My Journey Through Postpartum Depression (Shields), 17
 drug abuse
 antianxiety medication, 135
 depression during pregnancy, 21
 medication worries, 130
 DSM-IV (*Diagnostic and Statistical Manual of Mental Disorders*), 78
 dusting, 222
- **E** ●
- earplugs, 205, 208, 213
 eating disorder, 35
 Edinburgh Postnatal Depression Scale (EPDS), 78–83
 EFT (emotional freedom technique), 150
 Egyptian medicine, 167
 Elavil (medication), 133, 135
 electroconvulsive therapy (ECT), 136–137, 141
 EMDR (eye movement desensitization and reprocessing), 150
 emergency situation, 71–72
 emotion. *See also specific emotions*
 assessment, 66–68
 awareness, 66
 communication with partner, 263–265
 control issues, 234–236
 honest responses to others, 236–239
 invalidation by health professional, 198
 lack of clarity, 65–66
 outlet, 224–230
 partner's acknowledgment, 279
 PPD plan, 320–322
 reaction to diagnosis, 86–88
 reflection on past, 302–304
 shared feelings, 212
 waves of, 223–224
 emotional abuse, 47, 85
 emotional freedom technique (EFT), 150
 emotional health
 hope, 26
 negative self-talk, 69–70
 post-therapy, 122
 PPD plan, 325
 realities of motherhood, 10
 recovery time, 23
 risk of PPD, 35
 treatment plan components, 164–165

encouragement, 148
 endorphin, 208, 209
 energy level, 208
 energy work, 149–150
 environmental changes, 213–215, 228
 EPDS (Edinburgh Postnatal Depression Scale), 78–83
 epidemiological study, 167
 epidural, 29
 escapist fantasies, 70–72
 escitalopram, 133
 essential fatty acid, 152, 203–204
 estrogen, 157
 ethnic groups, 16
 exercise
 anxiety relief, 229
 benefits, 208
 guidelines, 208–209
 overview, 150
 eye movement desensitization and reprocessing (EMDR), 150

• F •

family. *See also* support system
 benefits of regular breaks, 211
 diverse support system, 245–246
 explanation of PPD, 252–256
 fun with kids, 221
 honest responses to, 236–239
 isolated mom, 211–212
 negative support, 268–269
 self-esteem improvement strategies, 232–233
 shared feelings, 212
 success celebrations, 196–197
 support during baby blues, 29–30
 family therapist, 100
 father. *See* partner
 fatigue, 20
 fear
 self-doubt about recovery, 186–187
 subsequent pregnancies, 320–321
 feelings
 assessment, 66–68
 awareness, 66
 communication with partner, 263–265
 control issues, 234–236

honest responses to others, 236–239
 invalidation by health professional, 198
 lack of clarity, 65–66
 outlet, 224–230
 partner's acknowledgment, 279
 PPD plan, 320–322
 reaction to diagnosis, 86–88
 reflection on past, 302–304
 shared feelings, 212
 waves of, 223–224
 Feuerstein, Georg (*Yoga For Dummies*), 158
 financial issues, 271, 289–290
 fluoxetine, 133
 fluvoxamine, 133
 focus, 191
 food cravings, 200
 forgetfulness, 68
 fraud, 166, 168
 friend, 246–247
 frustration, 188, 285–286
 furniture, 214

• G •

gender differences, 14, 99, 270
 gift, 291–292
 ginkgo biloba, 155
 grains, 201
 grief, 37, 247
 group therapy. *See also* therapy
 impatience during recovery, 188
 overview, 122–123, 249
 types, 249–250
 guided imagery, 150–151
 guilt
 depression in pregnancy, 21
 emotional assessment, 66
 escapist fantasies, 71
 ill baby, 36
 reaction to diagnosis, 87
 time with kids, 221
 gym, 208

• H •

habit, 292–293
 Haldol (medication), 136
 hallucination, 60

- haloperidol, 136
HAND (Helping After Neonatal Death)
 support group, 37
happiness
 acceptance of PPD, 186
 bipolar disorder symptoms, 57–58
 motherhood fantasies, 331–332
 recovery stages, 188–189
 risk of baby blues, 29
Hatha yoga, 158
heart disease, 13
help, asking for
 courage, 337–338
 importance, 216–217
Helping After Neonatal Death (HAND)
 support group, 37
helplines, 343
herbal medicine, 154–156
herbalist, 160
holistic treatment. *See* alternative treatment
homeopathy, 156–157
homework assignment, 120
honesty
 control issues, 234–235
 response to others, 236–239
hope
 cause for, 26
 partner's response, 287–288
 PPD plan, 322
 recovery progress, 188–189
hopelessness, 67, 296
hormone
 denial of PPD, 16
 effects on depression, 27
 PPD causes, 14
 pregnancy onset of PPD, 20–21
 risk of PPD, 34
 therapy, 157
hospital, 104
household chores
 control issues, 235–236
 decreased workload, 220–222
 list making, 218–220
 partner's responsibilities, 269–271
 partner's support, 289
 post-recovery, 310–311
 regular breaks, 210
 support people, 251
housekeeper, 251
humor, 67, 147, 240
hyperthyroidism, 34
hypnotherapy, 157
hypothyroidism, 34, 132–133
- 1 •
- identity
 continuous healing, 306–308
 financial issues, 271
 importance of sex, 274
 negative self-talk, 70
 post-recovery recognition, 311
 recovery stages, 189–190
 reflection on past, 302–304
 wellness plan, 119
ignoring PPD, 184–185
imipramine, 133
impatience, 187–188
inadequacy, feeling of, 87
infant. *See* baby
infertility, 40
insensitive therapist, 113
insomnia. *See also* sleep deprivation
 alternative treatment, 151, 153
 anxiety effects, 134
 depression in pregnancy, 21
 herbal medicine, 155
 medication, 135, 141
 PPD symptoms, 72
instinct, 227, 335
insurance, 61, 103
integrative medicine. *See also specific types*
 bipolar disorder, 59
 depression, 151
 doctor's objectivity, 172, 174
 insomnia, 151, 153
 negative stigma, 147–148
 overview, 24
 popularity, 144–145
 post-traumatic stress disorder, 149, 150
 PPD plan, 322
 practitioners, 158–160
 search, 161
 stress, 151
 teenage mom, 151
 terminology, 145–147

integrative medicine (*continued*)
 versus traditional treatment, 143, 165–168
 treatment plan components, 165–168
 treatment plan coordination, 172–173
 treatment team, 174–177

international organizations, 343–345

Internet
 news, 45, 229
 support groups, 250–251

interpersonal therapy (IPT), 117

intimacy, with partner
 need for solace, 259–262
 partner's supportive actions, 290–291
 sex issues, 273–276

isolation
 environmental changes, 213–214
 helpful truths, 340
 importance of support system, 242–243
 intimacy with partner, 259–262
 multiple births, 38
 overview, 241
 strategies for socializing, 211–212

• J •

Jolie, Angelina (celebrity), 17

journal, 23

• K •

Kava (herb), 155

Kesey, Ken (*One Flew Over the Cuckoo's Nest*), 137

Klonopin (medication), 134

knowledge
 advance information from doctor, 18
 celebrity awareness, 17
 importance, 9
 partner's role, 258–259, 280–281
 therapist selection, 98

• L •

labor and delivery
 anger, 195–196
 depression in pregnancy, 21
 effects on depression, 27
 post-traumatic stress disorder, 48

realities, 10
 sexual libido, 275

lactation consultant, 176

lactic acid, 209

laughter, 67, 147, 240

laundry, 222

legislation, 35

legumes, 201

leisure activities
 encouragement of healthy habits, 292–293
 PPD plan, 324
 realities of motherhood, 11
 regular breaks, 209–211, 332–333
 self-care for support people, 284

Lexapro (medication), 133

licensed therapist. *See* therapist

life change, 333

life coach, 102

light therapy, 151

listening, 263, 288–289

list-making system, 218–220

lithium, 136

lorazepam, 134

love, expressing, 276

low birth weight, 21

low-income mom, 12

loyalty, 298

Luvox (medication), 133

• M •

mania, 57–58, 59

mantra, 151

Marcé Society (postpartum international organization), 344

marriage
 nurturing tips, 272–276
 therapist, 100
 untreated PPD, 91, 259

massage
 overview, 151
 research studies, 148
 therapists, 160

medication. *See also specific types*
 anxiety, 134–135
 benefits, 126
 bipolar disorder, 58–59
 clinical trial, 167

- common worries, 129–133
 - discontinued use, 139
 - importance of psychiatrist, 127–129
 - obsessive-compulsive disorder, 54–55
 - overview, 24, 125
 - panic disorder treatment, 44, 46
 - postpartum psychosis, 136
 - PPD plan, 325–327
 - recovery time, 22
 - research issues, 128
 - St. John's Wort cautions, 156
 - timing, 141–142
 - treatment issues, 137–139
 - treatment plan coordination, 169, 171
 - medication side effects
 - alternative versus traditional treatment, 166
 - common types, 140–141
 - common worries, 131
 - overview, 140
 - meditation, 151–152
 - memory
 - herbal treatment, 155
 - post-traumatic stress disorder, 47
 - PPD symptoms, 68
 - reflection on difficult past, 302–304
 - men
 - depression incidence, 14
 - PPD sufferers, 39–40
 - therapists, 99
 - meridian, 158
 - midwife, 48, 101
 - minerals, 202–203
 - miscarriage, 37, 40
 - mood. *See* emotion
 - mood disorder, 41–42. *See also specific disorders*
 - mood stabilizer, 58, 136, 141
 - Mother Shock: Tales from the First Year and Beyond, Loving Every (Other) Minute of It* (Buchanan), 345
 - motherhood
 - fantasies, 331–336
 - overview, 9
 - realities, 10–12
 - Motherisk (hotline), 343
 - motivation, 185
 - movement, 45
 - multiple birth, 38
 - multivitamin, 204
 - myths
 - anxiety causes, 228
 - common, 331–336
 - denial effects, 17–18
- N •
- nanny, 251
 - nap, 204, 206
 - NASPOG (North American Society for Psychosocial Obstetrics and Gynecology), 344–345
 - National Center for Complementary and Alternative Medicine (NCCAM), 146
 - National Certification Board for Therapeutic Massage and Bodywork, 160
 - National Certification Commission for Acupuncture and Oriental Medicine (NCCAOM), 160
 - National Hopeline Network (hotline), 343
 - National Institute of Medical Herbalists, 160
 - naturopathic doctor (ND), 156–157, 159
 - naturopathic medicine. *See* alternative treatment
 - nausea, 22
 - NCCAM (National Center for Complementary and Alternative Medicine), 146
 - NCCAOM (National Certification Commission for Acupuncture and Oriental Medicine), 160
 - ND (naturopathic doctor), 156–157, 159
 - needs assessment, 115–116
 - negative thinking
 - acceptance of PPD, 186
 - cognitive-behavioral therapy, 117
 - OCD symptoms, 52–53
 - OCD treatment, 56
 - recovery strategies, 193–194
 - self-esteem improvement strategy, 233
 - thoughts of self, 69–70
 - neighbor, 247
 - new mom's group, 250
 - news, 45, 56, 229
 - NICU (Neonatal Intensive Care Unit), 36
 - noise, 213
 - norepinephrine, 133
 - Norpramin (medication), 133

North American Society for Psychosocial
Obstetrics and Gynecology (NASPOG),
344–345

nortriptyline, 133, 135

note taking, 23

nurse, 25, 100

nutrition

anxiety relief, 229

healthy options, 200–204

partner's role, 293

supplements, 152, 202–204

● O ●

obsession, 50

obsessive-compulsive disorder (OCD)

compulsive side, 54

obsessive side, 52–54

overview, 50–52

support system, 56–57

symptoms, 52–54

omega-3 fatty acid

overview, 152

sources, 203

supplement form, 204

One Flew Over the Cuckoo's Nest
(Kesey), 137

online chat room, 250–251

Online PPD Support Group (support
group), 342

open trial, 167

opinion, unsolicited, 11

organic food, 203

Osmond, Marie (*Behind the Smile:
My Journey out of Postpartum
Depression*), 17

osteopathic medicine, 159

outdoors time, 45

overeating, 73

overprotective mom, 52–54

overwhelmed feeling, 67

● P ●

Pacific Post Partum Support Society
(support group), 342–343

Pamelor (medication), 133, 135

panic disorder, 43–46, 135

parenting magazine, 215

paroxetine, 133

partner. *See also* support system

baby blues treatment, 29–30

common supportive actions, 289–291

communication strategies, 262–266,
272, 273

control issues, 235–236

defensive behavior, 282–283

expressions of hope, 287–288

expressions of love, 276

frustration, 285–286

healthy reactions to mom, 278–279

importance of response, 278

information seeking, 258–259, 280–281

listening skills, 288–289

negative attitude from support people,
268–269

OCD treatment, 57

overview, 257–258

patience, 286–287

PPD plan, 321

as PPD victim, 39–40

principles of recovery, 288

relationship nurturing tips, 272–276

responsibility for household chores,
269–271

role, 258–259

self-care, 283–285

sleep plan, 205, 207

support system member, 244–245

support system needs, 267

therapy obstacles, 95

therapy with, 266–267

partner, intimacy with

need for solace, 259–262

partner's supportive actions, 290–291

sex issues, 273–276

passion flower, 155

past, reflecting on, 302–304

pastoral counselor, 101

patience, 187–188, 286–287

Paxil (medication), 133

Payne, Larry (*Yoga For Dummies*), 158

PDSS (Postpartum Depression Screening
Scale), 78

pediatrician, 79, 85

perfectionism, 35, 226–227, 339

- personal coach, 102
- perspective
 - continuous healing, 306–308
 - negative self-talk, 70
 - post-recovery, 311
 - recovery stages, 189–190
 - reflection on past, 302–304
 - wellness plan, 119
- physical abuse, 47, 85
- physical health
 - baby blues, 28
 - bipolar disorder, 59
 - effects of PPD, 13
 - PPD plan, 324–325
 - realities of motherhood, 10
 - recovery strategies, 195–196
- pity party, 224–226
- pleasure, experiencing, 20
- PMDD (premenstrual dysphoric disorder), 34
- PMS, 34
- polarity therapy, 149
- positive reinforcement, 276
- positive thinking
 - recovery strategies, 193–194
 - therapy expectations, 110
 - treatment cautions, 16
- Postpartum Assistance for Mothers (support group), 342
- postpartum depression (PPD)
 - versus baby blues, 30–32
 - causes, 14–15, 283
 - incidence, 13, 14
 - overview, 12–13
 - versus postpartum psychosis, 60
 - pregnancy onset, 19–22
 - risk factors, 12, 33–38, 315
 - society's attitude, 14, 15
 - warning signs, 20–21
- Postpartum Depression Screening Scale (PDSS), 78
- postpartum psychosis
 - medication, 136, 141
 - misdiagnosed OCD, 53
 - versus PPD, 60
 - risk factors, 61
 - subsequence pregnancies, 317–318
 - symptoms, 60–61
 - treatment, 61
- Postpartum Stressline (hotline), 343
- Postpartum Support International, 35, 103, 344
- postpartum thyroiditis, 34, 132–133
- PostpartumDads (support group), 342
- Postpartumexperience.com (support group), 342
- post-traumatic stress disorder
 - alternative treatments, 149, 150
 - overview, 46
 - personal anecdote, 50
 - symptoms, 47
 - treatment, 48–49
- Power Yoga For Dummies* (Swenson), 158
- PPD. *See* postpartum depression
- pregnancy
 - beginning of PPD, 19–22
 - intentions, 314
 - massage therapy, 160
 - medication issues, 128, 325–326
 - miscarriage, 37
- pregnancy, subsequent
 - intentions, 314
 - overview, 313
 - PPD plan, 318–327
 - PPD risk, 315–318
 - trust in decision making, 327–328
- Pregnancyanddepression.com (Web site), 341
- premenstrual dysphoric disorder (PMDD), 34
- preschooler, 91
- present moment, 190–192
- preterm delivery, 21, 38
- priorities, 215, 216
- problem solving, 234
- progesterone, 157
- protein, 200
- Prozac (medication), 133
- psychiatric nurse, 100
- psychiatrist
 - medication prescriptions, 127–129
 - overview, 100
 - PPD plan, 322
 - treatment plan coordination, 169
- psychosis
 - medication, 136, 141
 - misdiagnosed OCD, 53
 - versus PPD, 60

psychosis (*continued*)

- risk factors, 61
- subsequence pregnancies, 317–318
- symptoms, 60–61
- treatment, 61

• R •

- reading, 215
- realistic expectation
 - perfection, 226–227
 - post-recovery life, 308–309
 - self-esteem improvement, 233
- recovery
 - celebrations, 304–305
 - continuous healing, 306–308
 - daily life after, 308–311
 - overview, 183
 - principles for partner, 288
 - reflection on past, 302–304
 - self-care, 25–26
 - stages, 183–190
 - strategies for fostering, 190–198
 - time, 22–23, 120–122
- referral, doctor, 103
- reflexology, 158
- Reiki therapy, 149
- rejection, 245
- religious community, 101, 248
- research
 - treatment plan coordination, 170–173
 - trials, 167
- respect for self, 233
- role model, 193, 196
- romance, 272–273
- routine, daily, 218–220
- Ruth Rhoden Craven Foundation, Inc., for Postpartum Depression Awareness (support group), 343

• S •

- SAD (seasonal affective disorder), 151
- S-adenosylmethionine (SAMe), 152
- scary thought, 60, 66
- Scientology religion, 17
- Scott, Megan (*Yoga with Weights For Dummies*), 158
- sedative, 135, 141
- selective serotonin reuptake inhibitor (SSRI), 133–134, 140
- self-care. *See* caring for self
- self-criticism, 69
- self-esteem
 - assessment, 231–232
 - depression in pregnancy, 21
 - effects of PPD, 230–231
 - emotional assessment, 66
 - strategies for improvement, 232–234
- self-fulfilling prophecy, 110
- self-help group, 249
- self-pity, 87
- self-sufficiency, 256, 332
- self-talk
 - critical thinking, 69–70
 - emotional awareness, 66
 - overview, 68–69
 - panic disorder, 45
 - recovery strategies, 193–194
 - suicidal thoughts, 70–72
 - therapy contemplation, 95
- self-test, 73–75
- sensitivity, 265–266
- separation anxiety, 251, 334
- serotonin
 - anxiety causes, 227
 - escapist fantasies, 71
 - exercise, 208
 - food cravings, 200
 - herbal treatment, 156
 - nutritional options, 200–201
 - OCD treatment, 54–55
 - sleep deprivation, 204
 - tricyclic medication, 133
- sertraline, 133
- sex, 273–276, 290
- sexual abuse, 47, 48
- shame, 70, 87
- Shields, Brooke (*Down Came the Rain: My Journey Through Postpartum Depression*), 17
- shock therapy, 136–137
- shopping, 59, 271
- side effects, medication
 - alternative versus traditional treatment, 166
 - common types, 140–141

- common worries, 131
- overview, 140
- sleep deprivation. *See also* insomnia
 - common complaints, 207–208
 - exercise guidelines, 208
 - medication, 135, 140
 - multiple births, 38
 - overview, 204
 - panic disorder, 43
 - PPD symptoms, 72
 - remedies, 205–208
- social life, 211–212
- social worker, 100
- Spears, Brittany (celebrity), 17
- spiritual coach, 102
- spouse. *See* partner
- SSRI (selective serotonin reuptake inhibitor), 133–134, 140
- St. John's Wort (herb), 155–156
- startle response, 21
- stay-at-home mom, 336
- Stern, Daniel (*Birth of a Mother: How the Motherhood Experience Changes You Forever*), 345
- stigma, of therapy, 93
- stress
 - alternative treatment, 151
 - escapist fantasies, 71
 - healthy response, 262
 - risk of PPD, 35
 - support people's communication, 296
- stretch marks, 195
- subclinical hypothyroidism, 132–133
- success
 - celebrations, 196–197
 - coach, 102
- suicidal thoughts
 - depression in pregnancy, 21
 - negative self-talk, 70–72
 - postpartum psychosis, 60–61
 - warning signs, 294
- sunlight, 214
- support system. *See also* family; partner
 - acceptance of PPD, 185
 - baby blues, 29–30
 - bipolar disorder, 59
 - cultural differences, 242
 - death of baby, 37
 - defensive behavior, 282–283
 - diversity of members, 244–251
 - emergency situations, 71
 - explanation of PPD, 252–256
 - expressions of hope, 287–288
 - frustrated feeling, 285–286
 - healthy habits, 292–293
 - healthy reactions to mom, 278–279
 - helpful tasks, 291–292
 - helplines, 343
 - importance, 242–243
 - membership, 243–244
 - negative support, 268–269
 - obsessive-compulsive disorder, 56–57
 - panic disorder, 46
 - parents of baby with disability, 37
 - for partner, 267
 - patience, 286–287
 - positive self-talk, 194
 - postpartum psychosis, 61–62
 - post-traumatic stress disorder, 49
 - PPD plan, 319, 323–324
 - recognition of PPD symptoms, 72
 - self-care, 283–285
 - versus self-sufficiency, 256
 - sensitive communication, 295–298
 - sleep plan, 207
 - suicide warning signs, 294
 - teenage mom, 38
 - Web sites, 342–343
- sweets, 73, 200
- Swenson, Doug (*Power Yoga For Dummies*), 158
- symptoms
 - baby blues, 28
 - bipolar disorder, 57–58
 - obsessive-compulsive disorder, 52–54
 - panic disorder, 44
 - physical signs of PPD, 72–73
 - postpartum psychosis, 60–61
 - post-traumatic stress disorder, 47
 - self-assessment, 73–75
 - therapy obstacles, 96
- symptoms, PPD
 - versus baby blues, 31–32
 - overview, 32–33
 - plan for subsequent children, 322–323
 - pregnancy onset, 20–21

• T •

- TCA (tricyclic), 133, 140
- teenage mom
- alternative treatments, 151
 - risk of PPD, 12, 38
 - support system, 38
- Tegretol (medication), 136
- therapeutic touch (TT), 150
- therapist. *See also* doctor
- assessment, 104–105
 - bad experiences, 94, 113–115
 - change of, 114–115
 - condescending tone, 198
 - frustration, 188
 - importance, 90–91
 - overview, 89–90
 - PPD plan, 322
 - relationship with, 110–112
 - selection, 97–102
 - sources, 96–97, 103–104
 - specialist, 169–170
 - support person's tasks, 294
 - treatment plan coordination, 169–170
 - treatment team members, 174–177
- therapy. *See also* group therapy
- acceptance of PPD, 185
 - contemplating, 92–93
 - continuous healing, 308
 - couples, 266–267
 - crisis intervention, 116–118, 121
 - duration, 112–113
 - expectations, 109–115
 - fear, 93
 - groups, 249–250
 - location, 112
 - mental blockades, 92–95, 96
 - needs assessment, 115–116
 - overview, 24
 - partner's information seeking, 280–281
 - payment, 102–103
 - postpartum psychosis, 62
 - postponed, 89–91
 - post-therapy health, 122
 - PPD in fathers, 40
 - quitting, 120, 121
 - recovery time, 23, 120–122
 - treatment plan components, 164–165
 - wellness plan, 118–120
- thyroid
- medication issues, 132–133
 - PPD risk, 34
- time
- baby blues versus PPD, 30–31
 - compulsive behaviors, 55
 - debriefings, 263–264
 - diagnosis, 82
 - fun with kids, 221
 - medication therapy, 141–142
 - postponed therapy, 89–90
 - realities of motherhood, 11
 - recovery, 22–23, 120–122
 - regular breaks, 209–210
 - slow-moving sensation, 218
 - therapy expectations, 112–113
 - travel to therapist, 98
- timeout, 237
- toddler, 91
- to-do list, 218–220
- Tofranil (medication), 133
- touch, 259, 260
- traditional medicine, 147, 165–168
- trance, 157
- travel time, 98
- trazodone, 135
- treatment. *See also specific treatments*
- acceptance of condition, 185–186
 - denial effects, 17–18
 - emergency situations, 71
 - hope, 26
 - importance, 15
 - main options, 24–25
 - obsessive-compulsive disorder, 54–56
 - overview, 22–24
 - panic disorder, 44–45
 - post-traumatic stress disorder, 48–49
 - PPD in pregnancy, 21–22
 - self-care, 25–26
 - self-treatment, 15–16
 - team, 174–177, 197–198
- treatment plan
- components, 164–165
 - coordination, 168–174
 - development, 118–120
 - importance, 25
 - overview, 163–164
 - progression, 188
- tricyclic (TCA), 133, 140

tryptophan, 200
TT (therapeutic touch), 150
TV viewing
 news, 45, 56
 self-care, 215

• U •

unsolicited opinion, 11, 238–239, 295
U.S. Department of Health and Human
 Services (Web site), 342

• V •

Valium (medication), 134
valproate, 136
volunteering, 221
vomiting, 22
vulnerability, 48, 49, 50

• W •

water intake, 202
weakness, 93–94, 130
Web sites
 acupuncturists, 160
 bereavement support, 37
 fathers with PPD, 40
 general information, 341–342
 hypnotherapy, 157
 legislative action, 35
 massage therapists, 160
 online support groups, 250
 support resources, 342–343
 therapist sources, 103
 treatment research, 170–171
weight gain, 195

well-baby doctor visit, 85
wellness plan
 components, 164–165
 coordination, 168–174
 development, 118–120
 importance, 25
 overview, 163–164
 progression, 188
whey protein shake, 200
*Why Didn't Anyone Tell Me? True Stories
 of New Motherhood* (Bowden), 345
work/life balance, 290
worry
 advance information from doctor, 18
 assessment, 67
 causes, 227–228
 emotional outlet, 227–229
 medication issues, 129–133
 recovery strategies, 190–192

• X •

Xanax (medication), 134

• Y •

Yates, Andrea (psychotic mother), 136, 318
yoga, 158
Yoga For Dummies (Feuerstein and
 Payne), 158
Yoga with Weights For Dummies (Baptiste
 and Scott), 158

• Z •

Zoloft (medication), 133
zolpidem, 135

