

# Index

## • A •

- abuse, 47, 85
- acceptance
  - of help, 217
  - recovery stages, 184–186
  - therapy blocks, 94–95
- ACHE (American Council of Hypnotist Examiners), 157
- acupuncture, 152–153
- acupuncturist, 159–160
- addiction, 130, 135
- adoptive mother, 40
- affection, 276
- affirmations, 240, 254, 307
- agoraphobia, 46
- AK (applied kinesiology), 153
- alcohol, 202
- alprazolam, 134
- alternative treatment. *See also specific types*
  - bipolar disorder, 59
  - depression, 151
  - doctor's objectivity, 172, 174
  - insomnia, 151, 153
  - negative stigma, 147–148
  - overview, 24
  - popularity, 144–145
  - post-traumatic stress disorder, 149, 150
  - PPD plan, 322
  - practitioners, 158–160
  - search, 161
  - stress, 151
  - teenage mom, 151
  - terminology, 145–147
  - versus traditional treatment, 143, 165–168
  - treatment plan components, 165–168
  - treatment plan coordination, 172–173
  - treatment team, 174–177
- Ambien (medication), 135
- American Board of Medical Acupuncture, 160
- American Council of Hypnotist Examiners (ACHE), 157
- American Massage Therapy Association, 160
- amino acid, 200
- amitriptyline, 133, 135
- anger
  - assessment, 67
  - communication with partner, 265
  - intimacy with partner, 261–262
  - labor and delivery, 195–196
  - responses to others, 237–239
- antidepressant
  - PPD plan, 325–327
  - side effects, 140
  - types, 133–134
- antipsychotic medication, 136, 141
- anxiety
  - causes, 227–228
  - effects, 134
  - emotional outlet, 227–229
  - exercise, 209
  - herbal medicine, 155
  - medication, 134–135, 141
  - meditation obstacles, 152
  - nutrition, 201
  - OCD treatment, 55, 56
  - panic disorder, 43–46
  - recovery strategies, 190–192
  - regular breaks, 210
  - treatment research, 171
  - yoga, 158
- appearance, 214, 273, 278
- appetite
  - depression in pregnancy, 20
  - nutrition, 200–204
  - PPD symptoms, 73
  - warnings, 200
- applied kinesiology (AK), 153
- asking for help, 216–217
- aspirin, 167
- assertive behavior, 288

- assessment
    - diagnostic instruments, 78–83
    - doctor's role, 83–85
    - emotions, 66–68
    - initial needs, 115–116
    - medication treatment, 138
    - PPD symptoms, 73–75
    - self-esteem, 231–232
    - therapist, 104–105
  - Ativan (medication), 134
  - attachment problems, 85
  - atypical antipsychotic medication, 136
  - awareness, 17, 35
  - Ayurveda (alternative treatment), 154
- B •**
- baby
    - bonding with mother, 334
    - death, 37
    - depression in pregnancy, 21
    - effects of PPD, 85, 91
    - illness, 36–37
    - life changes, 333
    - medication effects, 326–327
    - motherhood fantasies, 336
    - mother's PPD risk, 36–38
    - PPD in father, 39
  - baby blues
    - incidence, 27, 28
    - overview, 28
    - versus PPD, 30–32
    - risk factors, 29
    - support system, 29–30
    - symptoms, 28
  - baby, caring for
    - anxiety relief, 229
    - control issues, 235–236
    - motherhood fantasies, 332–334
    - multiple births, 38
    - obsessive mom, 52–53
    - panic disorder, 44
    - partner's supportive action, 290
    - realities of motherhood, 11
    - regular breaks, 209–210
    - sleep plan, 205, 207
  - baby, harming
    - OCD symptoms, 53–54
    - postpartum psychosis symptoms, 60
    - postpartum psychosis treatment, 61
  - babysitter
    - date with partner, 273
    - sleep strategies, 206, 207
    - support network tasks, 291
    - support system member, 251
  - Baptiste, Sherri (*Yoga with Weights For Dummies*), 158
  - Behind the Smile: My Journey out of Postpartum Depression* (Osmond), 17
  - Bennett, Shoshana (*Beyond the Blues: A Guide to Understanding and Treating Prenatal and Postpartum Depression*), 345
  - benzodiazepine, 134, 140
  - biased therapist, 114
  - Bikram yoga, 158
  - biochemical imbalance. *See* chemical imbalance
  - bipolar disorder
    - medication, 58, 134, 136, 141
    - overview, 57, 61
    - subsequent pregnancies, 326
    - symptoms, 57–58
    - treatment overview, 58–59
  - birth control, 276
  - Birth of a Mother: How the Motherhood Experience Changes You Forever* (Stern and Bruschiweiler-Stern), 345
  - blame
    - communication with partner, 265
    - defensiveness of partner, 283
    - denial of PPD, 15
    - helpful truths, 340
    - hope, 26
    - therapy considerations, 94
  - blood pressure, 13
  - body image, 195
  - bonding, with baby, 334
  - book resources, 349
  - bottle feeding, 326–327
  - Bowden, Melanie (*Why Didn't Anyone Tell Me? True Stories of New Motherhood*), 345
  - breakfast, 201
  - breastfeeding
    - antipsychotic meds, 136
    - bad therapist, 113, 114
    - control issues, 236

- difficulties, 176
  - herbal medicine cautions, 154, 156
  - medication issues, 128, 131–132, 326
  - mood stabilizers, 136
  - motherhood fantasies, 335
  - sleep plan, 205, 206
  - water intake, 202
  - breathing technique, 24
  - Bruschweiler-Stern, Nadia (*Birth of a Mother: How the Motherhood Experience Changes You Forever*), 345
  - Buchanan, Andrea (*Mother Shock: Tales from the First Year and Beyond, Loving Every (Other) Minute of It*), 345
  - burnout, 209–210
  - business coach, 102
  - business meeting, 269
- C •
- cabin fever, 213
  - caffeine, 201, 293
  - calendar, 192
  - calm demeanor, 265
  - carbamazepine, 136
  - carbs, 73, 200, 201
  - career, 271, 336
  - caring for baby
    - anxiety relief, 229
    - control issues, 235–236
    - motherhood fantasies, 332–334
    - multiple births, 38
    - obsessive mom, 52–53
    - panic disorder, 44
    - partner's supportive action, 290
    - realities of motherhood, 11
    - regular breaks, 209–210
    - sleep plan, 205, 207
  - caring for self
    - cultural differences, 242
    - decreased workload, 220–222
    - environmental changes, 213–215
    - helpful truths, 338–339
    - limit setting, 215–217
    - nutrition, 200–204
    - OCD treatment, 57
    - overview, 199
    - PPD symptoms, 72
    - realities of motherhood, 12
    - recovery strategies, 193–196
    - recovery time, 23
    - regular breaks, 209–211, 332–333
    - routine, 218–220
    - social life, 211–212
    - treatment overview, 25–26
  - caring for support people, 283–285
  - case study, 167
  - CBT (cognitive-behavioral therapy), 117
  - celebration
    - emotional coping, 233
    - post-recovery, 304–305
    - recovery progress, 196–197
  - celebrity cause, 17
  - Celexa (medication), 133
  - certified midwife, 48, 101
  - charting progress, 192
  - chat room, 250–251
  - chemical imbalance
    - denial, 16
    - escapist fantasies, 71
    - medication benefits, 126
  - childhood issues, 47, 114
  - chiropractic therapy, 154
  - chiropractor, 159
  - Chopra, Deepak (doctor and author), 154
  - citalopram, 133
  - clergy, 101
  - clinical psychologist, 100
  - clinical trial, 167
  - clonazepam, 134
  - clothing, 214, 273
  - Codey, Mary Jo (former New Jersey First Lady), 17
  - cognitive-behavioral therapy (CBT), 117
  - communication
    - explanation of PPD, 252–256
    - need for solitude, 260–261
    - recovery time, 23
    - sensitivity of supportive people, 295–298
    - shared feelings, 212
  - communication, with partner
    - discreet behavior, 279
    - guidelines, 262–266
    - relationship nurturing tips, 272, 273
    - sex issues, 274–275
  - compassion, 48–49, 98

- Compassionate Friends support group, 37  
 complementary medicine. *See also specific types*  
 bipolar disorder, 59  
 depression, 151  
 doctor's objectivity, 172, 174  
 insomnia, 151, 153  
 negative stigma, 147–148  
 overview, 24  
 popularity, 144–145  
 post-traumatic stress disorder, 149, 150  
 PPD plan, 322  
 practitioners, 158–160  
 search, 161  
 stress, 151  
 teenage mom, 151  
 terminology, 145–147  
 versus traditional treatment, 143, 165–168  
 treatment plan components, 165–168  
 treatment plan coordination, 172–173  
 treatment team, 174–177  
 compliment, 296, 297  
 compulsion, 51, 54, 55  
 condescending practitioner, 198  
 confidence  
 baby blues versus PPD, 31  
 effects of PPD, 230–231  
 emotional assessment, 66  
 negative self-talk, 69–70  
 OCD treatment, 56–57  
 recovery stages, 186–187  
 responses to others, 236–239  
 strategies for improvement, 232–234  
 truths to repeat, 338  
 control, 234–236  
 conventional medicine, 146  
 cooking, 222  
 counselor, 100  
 couples therapy, 266–267  
 Cousins, Norman (newspaper editor), 147  
 co-worker, 248  
 criminal justice system, 78  
 criticism, 235, 238, 295  
 Cruise, Tom (celebrity), 17  
 crying  
 communication with kids, 256  
 control issues, 236  
 mother's instincts, 335  
 PPD symptoms, 72  
 therapy sessions, 116  
 culture, 16  
 cure, 283
- D •
- dad. *See* partner  
 daily life  
 anxiety relief, 228  
 exercise, 208  
 post-recovery, 308–311  
 regular breaks, 209–211, 332–333  
 routine, 218–220  
 small talk, 212  
 support versus self-sufficiency, 256  
 truths to focus on, 337–340  
 dating, 272–273  
 death, of baby, 37  
 debriefing time, 263–264  
 decision making  
 partner's role, 289  
 post-recovery, 309–310  
 PPD symptoms, 67  
 trust of own decisions, 327–328  
 deep breathing, 24  
 defensive behavior  
 mom's responses to others, 238–239  
 partner's responses to mom, 282–283  
 dehydration, 202  
 denial  
 celebrity awareness, 17  
 clouded thinking, 17–18  
 ethnic groups, 16  
 immediate help, 75  
 information from doctor, 18–19  
 PPD facts, 14–15  
 reaction to diagnosis, 86  
 society's attitude, 15–16  
 Depakote (medication), 136  
 depression  
 alternative therapy, 151  
 effects of labor and delivery, 27  
 emotional outlets, 229  
 gender, 14  
 risk of PPD, 35  
 society's attitude, 15  
 warning signs, 20–21, 72–73

- Depression Central (Web site), 341  
 desipramine, 133  
 Desyrel (medication), 135  
 developmental delays, 85, 91  
 diagnosis  
   common reactions, 86–88  
   difficulties, 78  
   doctor's training, 83–84  
   OCD versus postpartum psychosis, 53  
   overview, 77  
   self-test, 73–75  
   timing, 82  
*Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*, 78  
 diazepam, 134  
 dieting, 195, 201  
 dinner, 222  
 disability, baby with, 36–37  
 DO (Doctors of Osteopathy), 159  
 doctor. *See also* therapist  
   advance information about PPD, 18–19  
   alternative treatment, 158–160  
   condescending tone, 198  
   diagnostic role, 84–85  
   diagnostic training, 83–84  
   emergency situations, 71–72  
   frustration, 188  
   medication needs, 129  
   negative attitude, 86  
   objectivity about alternative treatment, 172, 174  
   pre-assessment discussion, 83  
   self-treatment, 25  
   therapist referral, 103  
   treatment plan components, 165  
   treatment plan coordination, 168–169, 173–174  
   treatment team members, 174–177  
 Doctor of Osteopathy (DO), 159  
 DONA (Doula of North America), 251  
 double-blind trial, 167  
 doula  
   post-traumatic stress disorder, 47, 48  
   sleep plan, 205, 207  
   support person, 251  
 Doula of North America (DONA), 251  
*Down Came the Rain: My Journey Through Postpartum Depression* (Shields), 17  
 drug abuse  
   antianxiety medication, 135  
   depression during pregnancy, 21  
   medication worries, 130  
 DSM-IV (*Diagnostic and Statistical Manual of Mental Disorders*), 78  
 dusting, 222
- **E** ●
- earplugs, 205, 208, 213  
 eating disorder, 35  
 Edinburgh Postnatal Depression Scale (EPDS), 78–83  
 EFT (emotional freedom technique), 150  
 Egyptian medicine, 167  
 Elavil (medication), 133, 135  
 electroconvulsive therapy (ECT), 136–137, 141  
 EMDR (eye movement desensitization and reprocessing), 150  
 emergency situation, 71–72  
 emotion. *See also specific emotions*  
   assessment, 66–68  
   awareness, 66  
   communication with partner, 263–265  
   control issues, 234–236  
   honest responses to others, 236–239  
   invalidation by health professional, 198  
   lack of clarity, 65–66  
   outlet, 224–230  
   partner's acknowledgment, 279  
   PPD plan, 320–322  
   reaction to diagnosis, 86–88  
   reflection on past, 302–304  
   shared feelings, 212  
   waves of, 223–224  
 emotional abuse, 47, 85  
 emotional freedom technique (EFT), 150  
 emotional health  
   hope, 26  
   negative self-talk, 69–70  
   post-therapy, 122  
   PPD plan, 325  
   realities of motherhood, 10  
   recovery time, 23  
   risk of PPD, 35  
   treatment plan components, 164–165

encouragement, 148  
 endorphin, 208, 209  
 energy level, 208  
 energy work, 149–150  
 environmental changes, 213–215, 228  
 EPDS (Edinburgh Postnatal Depression Scale), 78–83  
 epidemiological study, 167  
 epidural, 29  
 escapist fantasies, 70–72  
 escitalopram, 133  
 essential fatty acid, 152, 203–204  
 estrogen, 157  
 ethnic groups, 16  
 exercise  
   anxiety relief, 229  
   benefits, 208  
   guidelines, 208–209  
   overview, 150  
 eye movement desensitization and reprocessing (EMDR), 150

## • F •

family. *See also* support system  
   benefits of regular breaks, 211  
   diverse support system, 245–246  
   explanation of PPD, 252–256  
   fun with kids, 221  
   honest responses to, 236–239  
   isolated mom, 211–212  
   negative support, 268–269  
   self-esteem improvement strategies, 232–233  
   shared feelings, 212  
   success celebrations, 196–197  
   support during baby blues, 29–30  
 family therapist, 100  
 father. *See* partner  
 fatigue, 20  
 fear  
   self-doubt about recovery, 186–187  
   subsequent pregnancies, 320–321  
 feelings  
   assessment, 66–68  
   awareness, 66  
   communication with partner, 263–265  
   control issues, 234–236

honest responses to others, 236–239  
 invalidation by health professional, 198  
 lack of clarity, 65–66  
 outlet, 224–230  
 partner's acknowledgment, 279  
 PPD plan, 320–322  
 reaction to diagnosis, 86–88  
 reflection on past, 302–304  
 shared feelings, 212  
 waves of, 223–224  
 Feuerstein, Georg (*Yoga For Dummies*), 158  
 financial issues, 271, 289–290  
 fluoxetine, 133  
 fluvoxamine, 133  
 focus, 191  
 food cravings, 200  
 forgetfulness, 68  
 fraud, 166, 168  
 friend, 246–247  
 frustration, 188, 285–286  
 furniture, 214

## • G •

gender differences, 14, 99, 270  
 gift, 291–292  
 ginkgo biloba, 155  
 grains, 201  
 grief, 37, 247  
 group therapy. *See also* therapy  
   impatience during recovery, 188  
   overview, 122–123, 249  
   types, 249–250  
 guided imagery, 150–151  
 guilt  
   depression in pregnancy, 21  
   emotional assessment, 66  
   escapist fantasies, 71  
   ill baby, 36  
   reaction to diagnosis, 87  
   time with kids, 221  
 gym, 208

## • H •

habit, 292–293  
 Haldol (medication), 136  
 hallucination, 60

- haloperidol, 136  
HAND (Helping After Neonatal Death)  
  support group, 37  
happiness  
  acceptance of PPD, 186  
  bipolar disorder symptoms, 57–58  
  motherhood fantasies, 331–332  
  recovery stages, 188–189  
  risk of baby blues, 29  
Hatha yoga, 158  
heart disease, 13  
help, asking for  
  courage, 337–338  
  importance, 216–217  
Helping After Neonatal Death (HAND)  
  support group, 37  
helplines, 343  
herbal medicine, 154–156  
herbalist, 160  
holistic treatment. *See* alternative treatment  
homeopathy, 156–157  
homework assignment, 120  
honesty  
  control issues, 234–235  
  response to others, 236–239  
hope  
  cause for, 26  
  partner's response, 287–288  
  PPD plan, 322  
  recovery progress, 188–189  
hopelessness, 67, 296  
hormone  
  denial of PPD, 16  
  effects on depression, 27  
  PPD causes, 14  
  pregnancy onset of PPD, 20–21  
  risk of PPD, 34  
  therapy, 157  
hospital, 104  
household chores  
  control issues, 235–236  
  decreased workload, 220–222  
  list making, 218–220  
  partner's responsibilities, 269–271  
  partner's support, 289  
  post-recovery, 310–311  
  regular breaks, 210  
  support people, 251  
housekeeper, 251  
humor, 67, 147, 240  
hyperthyroidism, 34  
hypnotherapy, 157  
hypothyroidism, 34, 132–133
- 1 •
- identity  
  continuous healing, 306–308  
  financial issues, 271  
  importance of sex, 274  
  negative self-talk, 70  
  post-recovery recognition, 311  
  recovery stages, 189–190  
  reflection on past, 302–304  
  wellness plan, 119  
ignoring PPD, 184–185  
imipramine, 133  
impatience, 187–188  
inadequacy, feeling of, 87  
infant. *See* baby  
infertility, 40  
insensitive therapist, 113  
insomnia. *See also* sleep deprivation  
  alternative treatment, 151, 153  
  anxiety effects, 134  
  depression in pregnancy, 21  
  herbal medicine, 155  
  medication, 135, 141  
  PPD symptoms, 72  
instinct, 227, 335  
insurance, 61, 103  
integrative medicine. *See also specific types*  
  bipolar disorder, 59  
  depression, 151  
  doctor's objectivity, 172, 174  
  insomnia, 151, 153  
  negative stigma, 147–148  
  overview, 24  
  popularity, 144–145  
  post-traumatic stress disorder, 149, 150  
  PPD plan, 322  
  practitioners, 158–160  
  search, 161  
  stress, 151  
  teenage mom, 151  
  terminology, 145–147

integrative medicine (*continued*)  
 versus traditional treatment, 143, 165–168  
 treatment plan components, 165–168  
 treatment plan coordination, 172–173  
 treatment team, 174–177

international organizations, 343–345

Internet  
 news, 45, 229  
 support groups, 250–251

interpersonal therapy (IPT), 117

intimacy, with partner  
 need for solace, 259–262  
 partner's supportive actions, 290–291  
 sex issues, 273–276

isolation  
 environmental changes, 213–214  
 helpful truths, 340  
 importance of support system, 242–243  
 intimacy with partner, 259–262  
 multiple births, 38  
 overview, 241  
 strategies for socializing, 211–212

## • J •

Jolie, Angelina (celebrity), 17  
 journal, 23

## • K •

Kava (herb), 155  
 Kesey, Ken (*One Flew Over the Cuckoo's Nest*), 137  
 Klonopin (medication), 134  
 knowledge  
 advance information from doctor, 18  
 celebrity awareness, 17  
 importance, 9  
 partner's role, 258–259, 280–281  
 therapist selection, 98

## • L •

labor and delivery  
 anger, 195–196  
 depression in pregnancy, 21  
 effects on depression, 27  
 post-traumatic stress disorder, 48

realities, 10  
 sexual libido, 275

lactation consultant, 176

lactic acid, 209

laughter, 67, 147, 240

laundry, 222

legislation, 35

legumes, 201

leisure activities  
 encouragement of healthy habits, 292–293  
 PPD plan, 324  
 realities of motherhood, 11  
 regular breaks, 209–211, 332–333  
 self-care for support people, 284

Lexapro (medication), 133

licensed therapist. *See* therapist

life change, 333

life coach, 102

light therapy, 151

listening, 263, 288–289

list-making system, 218–220

lithium, 136

lorazepam, 134

love, expressing, 276

low birth weight, 21

low-income mom, 12

loyalty, 298

Luvox (medication), 133

## • M •

mania, 57–58, 59

mantra, 151

Marcé Society (postpartum international organization), 344

marriage  
 nurturing tips, 272–276  
 therapist, 100  
 untreated PPD, 91, 259

massage  
 overview, 151  
 research studies, 148  
 therapists, 160

medication. *See also specific types*  
 anxiety, 134–135  
 benefits, 126  
 bipolar disorder, 58–59  
 clinical trial, 167

- common worries, 129–133
  - discontinued use, 139
  - importance of psychiatrist, 127–129
  - obsessive-compulsive disorder, 54–55
  - overview, 24, 125
  - panic disorder treatment, 44, 46
  - postpartum psychosis, 136
  - PPD plan, 325–327
  - recovery time, 22
  - research issues, 128
  - St. John's Wort cautions, 156
  - timing, 141–142
  - treatment issues, 137–139
  - treatment plan coordination, 169, 171
  - medication side effects
    - alternative versus traditional treatment, 166
    - common types, 140–141
    - common worries, 131
    - overview, 140
  - meditation, 151–152
  - memory
    - herbal treatment, 155
    - post-traumatic stress disorder, 47
    - PPD symptoms, 68
    - reflection on difficult past, 302–304
  - men
    - depression incidence, 14
    - PPD sufferers, 39–40
    - therapists, 99
  - meridian, 158
  - midwife, 48, 101
  - minerals, 202–203
  - miscarriage, 37, 40
  - mood. *See* emotion
  - mood disorder, 41–42. *See also specific disorders*
  - mood stabilizer, 58, 136, 141
  - Mother Shock: Tales from the First Year and Beyond, Loving Every (Other) Minute of It* (Buchanan), 345
  - motherhood
    - fantasies, 331–336
    - overview, 9
    - realities, 10–12
  - Motherisk (hotline), 343
  - motivation, 185
  - movement, 45
  - multiple birth, 38
  - multivitamin, 204
  - myths
    - anxiety causes, 228
    - common, 331–336
    - denial effects, 17–18
- N •
- nanny, 251
  - nap, 204, 206
  - NASPOG (North American Society for Psychosocial Obstetrics and Gynecology), 344–345
  - National Center for Complementary and Alternative Medicine (NCCAM), 146
  - National Certification Board for Therapeutic Massage and Bodywork, 160
  - National Certification Commission for Acupuncture and Oriental Medicine (NCCAOM), 160
  - National Hopeline Network (hotline), 343
  - National Institute of Medical Herbalists, 160
  - naturopathic doctor (ND), 156–157, 159
  - naturopathic medicine. *See* alternative treatment
  - nausea, 22
  - NCCAM (National Center for Complementary and Alternative Medicine), 146
  - NCCAOM (National Certification Commission for Acupuncture and Oriental Medicine), 160
  - ND (naturopathic doctor), 156–157, 159
  - needs assessment, 115–116
  - negative thinking
    - acceptance of PPD, 186
    - cognitive-behavioral therapy, 117
    - OCD symptoms, 52–53
    - OCD treatment, 56
    - recovery strategies, 193–194
    - self-esteem improvement strategy, 233
    - thoughts of self, 69–70
  - neighbor, 247
  - new mom's group, 250
  - news, 45, 56, 229
  - NICU (Neonatal Intensive Care Unit), 36
  - noise, 213
  - norepinephrine, 133
  - Norpramin (medication), 133

North American Society for Psychosocial  
Obstetrics and Gynecology (NASPOG),  
344–345

nortriptyline, 133, 135

note taking, 23

nurse, 25, 100

nutrition

anxiety relief, 229

healthy options, 200–204

partner's role, 293

supplements, 152, 202–204

## ● O ●

obsession, 50

obsessive-compulsive disorder (OCD)

compulsive side, 54

obsessive side, 52–54

overview, 50–52

support system, 56–57

symptoms, 52–54

omega-3 fatty acid

overview, 152

sources, 203

supplement form, 204

*One Flew Over the Cuckoo's Nest*  
(Kesey), 137

online chat room, 250–251

Online PPD Support Group (support  
group), 342

open trial, 167

opinion, unsolicited, 11

organic food, 203

Osmond, Marie (*Behind the Smile:  
My Journey out of Postpartum  
Depression*), 17

osteopathic medicine, 159

outdoors time, 45

overeating, 73

overprotective mom, 52–54

overwhelmed feeling, 67

## ● P ●

Pacific Post Partum Support Society  
(support group), 342–343

Pamelor (medication), 133, 135

panic disorder, 43–46, 135

parenting magazine, 215

paroxetine, 133

partner. *See also* support system

baby blues treatment, 29–30

common supportive actions, 289–291

communication strategies, 262–266,  
272, 273

control issues, 235–236

defensive behavior, 282–283

expressions of hope, 287–288

expressions of love, 276

frustration, 285–286

healthy reactions to mom, 278–279

importance of response, 278

information seeking, 258–259, 280–281

listening skills, 288–289

negative attitude from support people,  
268–269

OCD treatment, 57

overview, 257–258

patience, 286–287

PPD plan, 321

as PPD victim, 39–40

principles of recovery, 288

relationship nurturing tips, 272–276

responsibility for household chores,  
269–271

role, 258–259

self-care, 283–285

sleep plan, 205, 207

support system member, 244–245

support system needs, 267

therapy obstacles, 95

therapy with, 266–267

partner, intimacy with

need for solace, 259–262

partner's supportive actions, 290–291

sex issues, 273–276

passion flower, 155

past, reflecting on, 302–304

pastoral counselor, 101

patience, 187–188, 286–287

Paxil (medication), 133

Payne, Larry (*Yoga For Dummies*), 158

PDSS (Postpartum Depression Screening  
Scale), 78

pediatrician, 79, 85

perfectionism, 35, 226–227, 339

- personal coach, 102
- perspective
  - continuous healing, 306–308
  - negative self-talk, 70
  - post-recovery, 311
  - recovery stages, 189–190
  - reflection on past, 302–304
  - wellness plan, 119
- physical abuse, 47, 85
- physical health
  - baby blues, 28
  - bipolar disorder, 59
  - effects of PPD, 13
  - PPD plan, 324–325
  - realities of motherhood, 10
  - recovery strategies, 195–196
- pity party, 224–226
- pleasure, experiencing, 20
- PMDD (premenstrual dysphoric disorder), 34
- PMS, 34
- polarity therapy, 149
- positive reinforcement, 276
- positive thinking
  - recovery strategies, 193–194
  - therapy expectations, 110
  - treatment cautions, 16
- Postpartum Assistance for Mothers (support group), 342
- postpartum depression (PPD)
  - versus baby blues, 30–32
  - causes, 14–15, 283
  - incidence, 13, 14
  - overview, 12–13
  - versus postpartum psychosis, 60
  - pregnancy onset, 19–22
  - risk factors, 12, 33–38, 315
  - society's attitude, 14, 15
  - warning signs, 20–21
- Postpartum Depression Screening Scale (PDSS), 78
- postpartum psychosis
  - medication, 136, 141
  - misdiagnosed OCD, 53
  - versus PPD, 60
  - risk factors, 61
  - subsequence pregnancies, 317–318
  - symptoms, 60–61
  - treatment, 61
- Postpartum Stressline (hotline), 343
- Postpartum Support International, 35, 103, 344
- postpartum thyroiditis, 34, 132–133
- PostpartumDads (support group), 342
- Postpartumexperience.com (support group), 342
- post-traumatic stress disorder
  - alternative treatments, 149, 150
  - overview, 46
  - personal anecdote, 50
  - symptoms, 47
  - treatment, 48–49
- Power Yoga For Dummies* (Swenson), 158
- PPD. *See* postpartum depression
- pregnancy
  - beginning of PPD, 19–22
  - intentions, 314
  - massage therapy, 160
  - medication issues, 128, 325–326
  - miscarriage, 37
- pregnancy, subsequent
  - intentions, 314
  - overview, 313
  - PPD plan, 318–327
  - PPD risk, 315–318
  - trust in decision making, 327–328
- Pregnancyanddepression.com (Web site), 341
- premenstrual dysphoric disorder (PMDD), 34
- preschooler, 91
- present moment, 190–192
- preterm delivery, 21, 38
- priorities, 215, 216
- problem solving, 234
- progesterone, 157
- protein, 200
- Prozac (medication), 133
- psychiatric nurse, 100
- psychiatrist
  - medication prescriptions, 127–129
  - overview, 100
  - PPD plan, 322
  - treatment plan coordination, 169
- psychosis
  - medication, 136, 141
  - misdiagnosed OCD, 53
  - versus PPD, 60

psychosis (*continued*)

- risk factors, 61
- subsequence pregnancies, 317–318
- symptoms, 60–61
- treatment, 61

## • R •

- reading, 215
- realistic expectation
  - perfection, 226–227
  - post-recovery life, 308–309
  - self-esteem improvement, 233
- recovery
  - celebrations, 304–305
  - continuous healing, 306–308
  - daily life after, 308–311
  - overview, 183
  - principles for partner, 288
  - reflection on past, 302–304
  - self-care, 25–26
  - stages, 183–190
  - strategies for fostering, 190–198
  - time, 22–23, 120–122
- referral, doctor, 103
- reflexology, 158
- Reiki therapy, 149
- rejection, 245
- religious community, 101, 248
- research
  - treatment plan coordination, 170–173
  - trials, 167
- respect for self, 233
- role model, 193, 196
- romance, 272–273
- routine, daily, 218–220
- Ruth Rhoden Craven Foundation, Inc., for Postpartum Depression Awareness (support group), 343

## • S •

- SAD (seasonal affective disorder), 151
- S-adenosylmethionine (SAMe), 152
- scary thought, 60, 66
- Scientology religion, 17
- Scott, Megan (*Yoga with Weights For Dummies*), 158
- sedative, 135, 141
- selective serotonin reuptake inhibitor (SSRI), 133–134, 140
- self-care. *See* caring for self
- self-criticism, 69
- self-esteem
  - assessment, 231–232
  - depression in pregnancy, 21
  - effects of PPD, 230–231
  - emotional assessment, 66
  - strategies for improvement, 232–234
- self-fulfilling prophecy, 110
- self-help group, 249
- self-pity, 87
- self-sufficiency, 256, 332
- self-talk
  - critical thinking, 69–70
  - emotional awareness, 66
  - overview, 68–69
  - panic disorder, 45
  - recovery strategies, 193–194
  - suicidal thoughts, 70–72
  - therapy contemplation, 95
- self-test, 73–75
- sensitivity, 265–266
- separation anxiety, 251, 334
- serotonin
  - anxiety causes, 227
  - escapist fantasies, 71
  - exercise, 208
  - food cravings, 200
  - herbal treatment, 156
  - nutritional options, 200–201
  - OCD treatment, 54–55
  - sleep deprivation, 204
  - tricyclic medication, 133
- sertraline, 133
- sex, 273–276, 290
- sexual abuse, 47, 48
- shame, 70, 87
- Shields, Brooke (*Down Came the Rain: My Journey Through Postpartum Depression*), 17
- shock therapy, 136–137
- shopping, 59, 271
- side effects, medication
  - alternative versus traditional treatment, 166
  - common types, 140–141

- common worries, 131
- overview, 140
- sleep deprivation. *See also* insomnia
  - common complaints, 207–208
  - exercise guidelines, 208
  - medication, 135, 140
  - multiple births, 38
  - overview, 204
  - panic disorder, 43
  - PPD symptoms, 72
  - remedies, 205–208
- social life, 211–212
- social worker, 100
- Spears, Brittany (celebrity), 17
- spiritual coach, 102
- spouse. *See* partner
- SSRI (selective serotonin reuptake inhibitor), 133–134, 140
- St. John's Wort (herb), 155–156
- startle response, 21
- stay-at-home mom, 336
- Stern, Daniel (*Birth of a Mother: How the Motherhood Experience Changes You Forever*), 345
- stigma, of therapy, 93
- stress
  - alternative treatment, 151
  - escapist fantasies, 71
  - healthy response, 262
  - risk of PPD, 35
  - support people's communication, 296
- stretch marks, 195
- subclinical hypothyroidism, 132–133
- success
  - celebrations, 196–197
  - coach, 102
- suicidal thoughts
  - depression in pregnancy, 21
  - negative self-talk, 70–72
  - postpartum psychosis, 60–61
  - warning signs, 294
- sunlight, 214
- support system. *See also* family; partner
  - acceptance of PPD, 185
  - baby blues, 29–30
  - bipolar disorder, 59
  - cultural differences, 242
  - death of baby, 37
  - defensive behavior, 282–283
  - diversity of members, 244–251
  - emergency situations, 71
  - explanation of PPD, 252–256
  - expressions of hope, 287–288
  - frustrated feeling, 285–286
  - healthy habits, 292–293
  - healthy reactions to mom, 278–279
  - helpful tasks, 291–292
  - helplines, 343
  - importance, 242–243
  - membership, 243–244
  - negative support, 268–269
  - obsessive-compulsive disorder, 56–57
  - panic disorder, 46
  - parents of baby with disability, 37
  - for partner, 267
  - patience, 286–287
  - positive self-talk, 194
  - postpartum psychosis, 61–62
  - post-traumatic stress disorder, 49
  - PPD plan, 319, 323–324
  - recognition of PPD symptoms, 72
  - self-care, 283–285
  - versus self-sufficiency, 256
  - sensitive communication, 295–298
  - sleep plan, 207
  - suicide warning signs, 294
  - teenage mom, 38
  - Web sites, 342–343
- sweets, 73, 200
- Swenson, Doug (*Power Yoga For Dummies*), 158
- symptoms
  - baby blues, 28
  - bipolar disorder, 57–58
  - obsessive-compulsive disorder, 52–54
  - panic disorder, 44
  - physical signs of PPD, 72–73
  - postpartum psychosis, 60–61
  - post-traumatic stress disorder, 47
  - self-assessment, 73–75
  - therapy obstacles, 96
- symptoms, PPD
  - versus baby blues, 31–32
  - overview, 32–33
  - plan for subsequent children, 322–323
  - pregnancy onset, 20–21

## • T •

- TCA (tricyclic), 133, 140
- teenage mom
- alternative treatments, 151
  - risk of PPD, 12, 38
  - support system, 38
- Tegretol (medication), 136
- therapeutic touch (TT), 150
- therapist. *See also* doctor
- assessment, 104–105
  - bad experiences, 94, 113–115
  - change of, 114–115
  - condescending tone, 198
  - frustration, 188
  - importance, 90–91
  - overview, 89–90
  - PPD plan, 322
  - relationship with, 110–112
  - selection, 97–102
  - sources, 96–97, 103–104
  - specialist, 169–170
  - support person's tasks, 294
  - treatment plan coordination, 169–170
  - treatment team members, 174–177
- therapy. *See also* group therapy
- acceptance of PPD, 185
  - contemplating, 92–93
  - continuous healing, 308
  - couples, 266–267
  - crisis intervention, 116–118, 121
  - duration, 112–113
  - expectations, 109–115
  - fear, 93
  - groups, 249–250
  - location, 112
  - mental blockades, 92–95, 96
  - needs assessment, 115–116
  - overview, 24
  - partner's information seeking, 280–281
  - payment, 102–103
  - postpartum psychosis, 62
  - postponed, 89–91
  - post-therapy health, 122
  - PPD in fathers, 40
  - quitting, 120, 121
  - recovery time, 23, 120–122
  - treatment plan components, 164–165
  - wellness plan, 118–120
- thyroid
- medication issues, 132–133
  - PPD risk, 34
- time
- baby blues versus PPD, 30–31
  - compulsive behaviors, 55
  - debriefings, 263–264
  - diagnosis, 82
  - fun with kids, 221
  - medication therapy, 141–142
  - postponed therapy, 89–90
  - realities of motherhood, 11
  - recovery, 22–23, 120–122
  - regular breaks, 209–210
  - slow-moving sensation, 218
  - therapy expectations, 112–113
  - travel to therapist, 98
- timeout, 237
- toddler, 91
- to-do list, 218–220
- Tofranil (medication), 133
- touch, 259, 260
- traditional medicine, 147, 165–168
- trance, 157
- travel time, 98
- trazodone, 135
- treatment. *See also specific treatments*
- acceptance of condition, 185–186
  - denial effects, 17–18
  - emergency situations, 71
  - hope, 26
  - importance, 15
  - main options, 24–25
  - obsessive-compulsive disorder, 54–56
  - overview, 22–24
  - panic disorder, 44–45
  - post-traumatic stress disorder, 48–49
  - PPD in pregnancy, 21–22
  - self-care, 25–26
  - self-treatment, 15–16
  - team, 174–177, 197–198
- treatment plan
- components, 164–165
  - coordination, 168–174
  - development, 118–120
  - importance, 25
  - overview, 163–164
  - progression, 188
- tricyclic (TCA), 133, 140

tryptophan, 200  
TT (therapeutic touch), 150  
TV viewing  
  news, 45, 56  
  self-care, 215

## • U •

unsolicited opinion, 11, 238–239, 295  
U.S. Department of Health and Human  
  Services (Web site), 342

## • V •

Valium (medication), 134  
valproate, 136  
volunteering, 221  
vomiting, 22  
vulnerability, 48, 49, 50

## • W •

water intake, 202  
weakness, 93–94, 130  
Web sites  
  acupuncturists, 160  
  bereavement support, 37  
  fathers with PPD, 40  
  general information, 341–342  
  hypnotherapy, 157  
  legislative action, 35  
  massage therapists, 160  
  online support groups, 250  
  support resources, 342–343  
  therapist sources, 103  
  treatment research, 170–171  
weight gain, 195

well-baby doctor visit, 85  
wellness plan  
  components, 164–165  
  coordination, 168–174  
  development, 118–120  
  importance, 25  
  overview, 163–164  
  progression, 188  
whey protein shake, 200  
*Why Didn't Anyone Tell Me? True Stories  
  of New Motherhood* (Bowden), 345  
work/life balance, 290  
worry  
  advance information from doctor, 18  
  assessment, 67  
  causes, 227–228  
  emotional outlet, 227–229  
  medication issues, 129–133  
  recovery strategies, 190–192

## • X •

Xanax (medication), 134

## • Y •

Yates, Andrea (psychotic mother), 136, 318  
yoga, 158  
*Yoga For Dummies* (Feuerstein and  
  Payne), 158  
*Yoga with Weights For Dummies* (Baptiste  
  and Scott), 158

## • Z •

Zoloft (medication), 133  
zolpidem, 135

