

Index

Note to the Reader: Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

A

- access control
 - in change control, **540–542**, *540–541*
 - locked doors, 524
 - to services, **559–561**
- accessible data, 402
- accounts, service, **557–558**
 - auditing, **562**
 - level of privileges, **561**
 - lockouts, **562–563**, *562–563*
 - selecting, **558–559**
- Acquired lock event class, 133
- actions, documenting, **400**
- Active Temp Tables counter, 232
- ActiveX controls, 492
- ActiveX Script task, 373
- Activity Monitor utility
 - instance performance, **29–30**, *30*
 - locks, **132**, *132*
- Activity reports, 27
- ad hoc distributed queries, 471
- Add Counters dialog box, 7, 8, *13*, *13*
- Add Filter page, 483, 483
- administrators
 - auditing, **586–588**, *586–588*
 - workstations, 526
- Advanced Tuning Options dialog box, 74, 74
- AFTER DML triggers, **264–266**, *265*
- age of passwords, 577
- Agent History Clean Up job, 504
- Agent Profiles page, 509
- Agent Security page, 484–485, 484
- agents
 - monitoring, 500
 - profiles, **508–511**
 - replication, 175, **478–480**
- Aggregate transforms, 376
- alerts, **242**
 - condition, **250–253**, *251–252*
 - event, **246–250**, *246*, *248–250*
 - replication, **494–498**, *495–497*
 - SQL Server Agent for, **242–246**, *244–245*
 - WMI event, **253–262**, *254*, *258*
- alias data types, **443–444**
- All Blocking Transactions reports, 49
- ALL_CONSTRAINTS option, 300
- All Transactions reports, 48, 49
- ALLOCATION_UNIT resource, 127
- Allow inprocess option, 462
- ALTER DATABASE statement
 - DML triggers, 264
 - emergency mode repairs, 208
 - recovery model, 180
 - redundancy checks, 425
 - repair operations, 303
 - snapshot isolation, 125
 - statistic updates, 112
- ALTER INDEX statement, **105–108**, 110
- ALTER LOGIN statement, 581
- ALTER permission, 579
- ALTER TABLE statement, 493
- ALTER TRIGGER statement, 493–494
- Analysis Services Execute DDL task, 373
- Analysis Services Processing task, 373

Analysis Services subsystem, 560
 Analysis tools for quality data, 403
 ANSI transaction isolation levels, 124
 antivirus signatures, 531
 APPLICATION resource, locks
 for, 127
 application roles, 585
 approximate numeric data types, 441
 Article Issues page, 506, 506
 Article Properties dialog box,
 508, 508
 articles, replication, 174, 475, 483, 506,
 506, 508, 508
 Articles page, 483
 assessment, data, 400–401
 asymmetric encryption, 571–572
 attachable subscriptions, 492
 Audit transforms, 376
 auditing
 login events, 582, 582
 permissions, 557–559
 server administrators, 586–588,
 586–588
 server-level, 574
 service access, 559–561
 service accounts, 562
 authentication
 SQL Server, 575–578, 576
 Windows, 575, 577
 AUTO_CREATE_STATISTICS
 option, 88
 Auto-Param Attempts/sec counter, 234
 AUTO_UPDATE_STATISTICS
 option, 88
 AUTO_UPDATE_STATISTICS_ASYNC
 option, 114
 automatic operations
 monitoring requirements, 221
 SSRS, 336–338, 337
 updates, 566
 autonomy in replication, 480
 availability in replication, 480
 Available Bytes counter, 22

Available Mbytes counter
 baselines, 230
 thresholds, 236
 Average Latch Wait Time (ms)
 counter, 234
 Average Wait Time (ms) counter, 233
 Avg. Bytes Free per Page statistic, 313
 Avg. Disk Bytes/Read counter, 231
 Avg. Disk Bytes/Write counter, 231
 Avg. Disk Queue Length counter, 23,
 236–237
 Avg. Disk Read Queue Length
 counter, 230
 Avg. Disk Sec/Read counter, 23
 Avg. Disk Sec/Write counter, 23
 Avg. Disk Write Queue Length
 counter, 230
 Avg. Page Density (full) statistic, 313
 Avg. Pages per Extent statistic, 312

B

B-trees (balanced trees), 94, 95,
 102–103, 102
 Back Up Database Task dialog box,
 334, 334
 Backup and Restore Events
 reports, 48
 BACKUP DATABASE statement,
 190–193
 BACKUP LOG statement, 190–192
 BACKUP SERVICE MASTER KEY
 statement, 573
 backups
 BACKUP DATABASE statement,
 190–193
 differential, 185–187
 file and file group, 187–188
 full, 183
 maintenance plans, 326
 partial, 188–189
 restoring, 194–204

- in security, 525–526
- SSRS, 348–349, 348
- strategy planning, 179–180
- tail-log, 185
- transaction logs, 184–185
- balanced trees (B-trees), 94, 95, 102–103, 102
- baselines, 225–226
 - database engine, 231–234
 - disk I/O, 230–231
 - establishing, 226–227, 229
 - memory, 230
 - network I/O, 231
 - processors, 229
 - replication performance, 513
- Batch Requests/sec counter, 40, 234
- batch_size option, 308
- BatchCompleted event class, 242
- BatchStarting event class, 242
- BEGIN TRY/END TRY block
 - construct, 114–115
- benchmarks, 226
- BIDS (Business Intelligence Development Studio), 361, 363–364, 364, 379
- bigint data type, 440
- binary data type, 442
- binary strings, 442
- bit data type, 440
- BizTalk Server 2006 server, 404
- Blob Bytes Read counter, 386
- Blob Bytes Written counter, 386
- Blob Files in Use counter, 386
- Blocked Process Report event class, 240
- bookmark lookups, 87
- bottlenecks, 20, 23–24, 44–45
- breakpoints, 385, 385
- Browse for Objects dialog box, 497, 497
- Buffer Cache Hit Ratio counter
 - baselines, 231
 - thresholds, 43, 237
- Buffer Memory counter, 386

- buffers, removing, 309–310
- Buffers in Use counter, 386
- Buffers Spooled counter, 386
- Bulk Insert task, 373
- BULK_LOGGED recovery model, 181–182
- bulkadmin role, 580
- Business Intelligence Development Studio (BIDS), 361, 363–364, 364, 379
- business requirements
 - data assessment, 401
 - encryption, 570–574, 570
 - security, 526–527, 537–538
- Bytes Received/sec counter, 231
- Bytes Sent/sec counter, 231
- Bytes Total/sec counter, 237

C

- Cache Hit Ratio counter
 - baselines, 234
 - thresholds, 238
- Cache Object Counts counter, 234
- Cache Pages counter, 234
- CacheHit event class, 241
- CacheMiss event class, 241
- caching strategy, 344, 345
- Cancel lock event class, 133
- Cartesian products, 415
- CAs (Certificate Authorities), 572
- @catalog argument, 459
- catalogs
 - checking, 299–300
 - updating, 316–317
- CATCH/TRY construct, 114–115
- Certificate Authorities (CAs), 572
- certificates, 572
- change control
 - access control, 540–542, 540–541
 - DDL triggers, 542–545

620 Change Manager program – conflicts

- migration scripts, 545–546
 - object identification, 539
- Change Manager program, 539
- char data type, 441
- Character Map transforms, 376
- character strings, 441–442
- check constraints
 - checking, 300
 - purpose, 435
 - in replication, 493
- CHECKALLOC command, 297–299
- CHECKCATALOG command, 299–300
- CHECKCONSTRAINTS
 - command, 300
- CHECKDDB command, 50, 207–208, 301–304
- CHECKFILEGROUP command, 207, 305–306
- CHECKIDENT command, 304–305
- Checkpoint Pages/sec counter, 232
- checkpoints, SSIS packages, 380–382
- CheckPointUsage property, 381
- CHECKSUM option
 - BACKUP LOG, 193
 - data integrity, 424–425
 - RESTORE DATABASE, 197
- CHECKTABLE command, 207, 306–307
- CIM (Common Information Model)
 - initiative, 253
- cipher text, 570
- cleansing data, 426
- CLEANTABLE command, 51, 307–308
- client applications
 - monitoring, 228–229
 - in performance, 4
- client statistics, 77, 77
- CLR (common language runtime)
 - environment
 - DMVs, 33–34
 - user-defined types, 444–445
- clustered indexes, 97–98
- clustering, failover, 169–172, 170–171
- CNVT lock request state, 132
- cold standby solutions, 165
- Collation Compatible option, 463
- Collation Name option, 463
- command prompt for agent
 - profiles, 510
- Common Information Model (CIM)
 - initiative, 253
- common language runtime (CLR)
 - environment
 - DMVs, 33–34
 - user-defined types, 444–445
- compatibility, lock, 129–131
- compilations
 - recompiling, 89–90
 - troubleshooting, 39–40, 41
- complete data, 402
- Completed event class, 241
- concise and unique data
 - representation, 402
- concurrency, 116–118
 - latches, 118–122
 - locks. *See* locks
 - replication baselines, 513
- condition alerts, 250–253, 251–252
- Conditional Split transforms, 376
- Configuration Changes History
 - report, 25
- configuration settings, SQLH2 for, 323
- Configure Replication Alerts dialog
 - box, 499–500, 499
- conflict resolution policies, 431
- conflicts, 427
 - ETL master data approach, 434
 - job dependency diagrams for, 320–321
 - multiple copies, single maintenance approach, 427–428
 - multiple master approach
 - merge replication, 432–433, 432
 - peer-to-peer replication, 433–434, 433
 - plan design for, 505–508, 506–508

single copy approach, 427
 updatable copies, single master
 approach, 429–432, 429–431
 CONNECT permission, 579
 connection managers, 365
 Connection Timeout option, 464
 @@CONNECTIONS function, 32
 consistency, database. *See* database
 consistency checks
 consistent data, 402
 constraints
 checking, 300
 for integrity, 434–439, 434,
 436–437
 replication, 492–493
 vs. triggers, 445
 Context Switches/sec counter, 235
 CONTINUE_AFTER_ERROR option
 BACKUP LOG, 193
 RESTORE DATABASE, 197
 contract forms, Service Broker, 276
 control flow for SSIS packages, 365,
 368, 373–374
 CONTROL permission, 579
 Copy Column transforms, 376
 COPY_ONLY option, 192
 costs in query plans, 83–84
 counters. *See* performance
 object counters
 covering indexes, 100–101
 CPU resources in query plans, 83
 create, read, update, and destroy
 (CRUD) cycle, 404
 CREATE ASYMMETRIC KEY
 statement, 572
 CREATE CLUSTERED INDEX
 statement, 98
 CREATE DATABASE statement, 189
 CREATE EVENT NOTIFICATION
 statement, 274, 280
 CREATE INDEX statement, 95–96,
 101, 107–108, 111
 CREATE LOGIN statement, 205, 578

CREATE MASTER KEY
 statement, 573
 CREATE NONCLUSTERED INDEX
 statement, 99
 CREATE permission, 579
 CREATE QUEUE statement, 280
 CREATE SERVICE statement, 280
 CREATE SYMMETRIC KEY
 statement, 571
 CREATE TABLE statement, 100, 493
 Create the Publication Selection
 option, 485
 CREATE TRIGGER statement
 DDL triggers, 270, 544–545
 DML triggers, 264
 encryption, 494
 replication, 493
 CREATE XML INDEX statement,
 96–97
 Creating Publication page, 485, 485
 Creating Subscription(s) page, 489
 credentials, login, 579
 cross joins, 415–417, 416
 CRUD (create, read, update, and
 destroy) cycle, 404
 cursor data type, 443
 CURSOR entity, locks for, 127

D

DAC (dedicated administrator
 connection), 38
 damaged databases, salvaging,
 206–209
 Data Access option, 463
 Data Conversion transforms, 376
 Data File(s) Size (KB) counter, 232
 data flow for SIS packages, 365–368,
 365, 373, 375–376
 data management, 398–399, 400
 cleansing, 426
 data assessment, 400–401

- documenting actions, 400
- exam essentials, 446
- integrity. *See* integrity
- review questions, 447–453
- summary, 445–446
- validation
 - queries for. *See* joins
 - sets for. *See* sets
- verification, 402–404
- Data Mining Model Training
 - destination, 378
- Data Mining Query task, 374
- Data Mining Query transforms, 376
- data-mining solution tools, 403
- DATA_PURITY option, 302
- data recovery. *See* recovery
- data stewardship, 433, 477
- Data Transformation Services (DTS), 360–362
- data types, 439–440
 - alias, 443–444
 - CLR UDTs, 444–445
 - Transact-SQL, 440–443
- data viewers, 383–385, 384–385
- database consistency checks, 296–297
 - DBCC CHECKALLOC, 297–299
 - DBCC CHECKCATALOG, 299–300
 - DBCC CHECKCONSTRAINTS, 300
 - DBCC CHECKDB, 301–304
 - DBCC CHECKFILEGROUP, 305–306
 - DBCC CHECKIDENT, 304–305
 - DBCC CHECKTABLE, 306–307
 - DBCC CLEANABLE, 307–308
 - DBCC DBREINDEX, 309
 - DBCC DROPCLEANBUFFERS, 309–310
 - DBCC FREEPROCCACHE, 310
 - DBCC INDEXDEFRAG, 310–312
 - DBCC SHOWCONTIG, 312–314
 - DBCC SHRINKDATABASE, 314–315
 - DBCC SHRINKFILE, 315–316
 - DBCC UPDATEUSAGE, 316–317
 - running, 318–320
 - VLDB environment in, 317–318
- Database Consistency History
 - reports, 49
- database console commands (DBCCs). *See* database consistency checks
- database engine performance
 - object counters
 - baselines, 231–234
 - thresholds, 237–238
- Database Engine Tuning Advisor (DTA), 52
- database level DDL triggers, 542–543
- database level DMVs, 52–56
- database level replication, 512
- Database Mail, 532
- Database Maintenance Plan Wizard, 324–335, 326–335
- database master keys, 573
- DATABASE resource, locks for, 127
- database scope for DDL triggers, 270
- database snapshots, 189
- Database Tuning Advisor (DTA), 53, 71–76, 73–76
- databases
 - failures
 - backups. *See* backups
 - login configuration, 204–205
 - lost data, 205
 - recovery models, 180–182
 - restoring, 194–204, 203
 - salvaging, 206–209
 - scripts, 205–206, 206
 - lock options, 138
 - maintaining. *See* maintaining databases
 - mirroring, 172
 - in performance, 4
 - query performance options, 71
 - roles, 584–585

- security. *See* security
- shrinking, 314–315
- SSRS, 348–350, 348–349
- DataReader destination, 378
- @datasrc argument, 459
- date and time data types, 441
- datetime data type, 441
- db_ roles, 584–585
- DBCC CHECKALLOC command, 297–299
- DBCC CHECKCATALOG command, 299–300
- DBCC CHECKCONSTRAINTS command, 300
- DBCC CHECKDB command, 50, 207–208, 301–304
- DBCC CHECKFILEGROUP command, 207, 305–306
- DBCC CHECKIDENT command, 304–305
- DBCC CHECKTABLE command, 207, 306–307
- DBCC CLEANTABLE command, 51, 307–308
- DBCC DBREINDEX command, 107, 309
- DBCC DROPCLEANBUFFERS command, 51, 309–310
- DBCC FREEPROCCACHE command, 51, 310
- DBCC FREESYSTEMCACHE command, 51
- DBCC HELP command, 51
- DBCC INDEXDEFRAG command, 51, 106, 310–312
- DBCC LOGININFO command, 51
- DBCC MEMORYSTATUS command, 44
- DBCC OPENTRAN command, 51
- DBCC PROCCACHE command, 51
- DBCC SHOW_STATISTICS command, 51, 112
- DBCC SHOWCONTIG command, 51, 52, 312–314
- DBCC SHRINKDATABASE command, 314–315
- DBCC SHRINKFILE command, 315–316
- DBCC SQLPERF command, 117, 120
- DBCC TRACEOFF command, 33, 51
- DBCC TRACEON command, 33, 51
- DBCC TRACESTATUS command, 33
- DBCC UPDATEUSAGE command, 51, 316–317
- DBCC USEROPTIONS command, 51
- dbcreator role, 580
- DBREINDEX command, 107, 309
- DDL_APPLICATION_ROLE_EVENTS category, 254
- DDL_ASSEMBLY_EVENTS category, 254, 277
- DDL_AUTHORIZATION_DATABASE_EVENTS category, 254
- DDL_DATABASE_LEVEL_EVENTS category, 254, 271, 277
- DDL_DATABASE_SECURITY_EVENTS category, 254–255, 271, 277
- DDL_ENDPOINT_EVENTS category, 256, 277
- DDL_PARTITION_EVENTS category, 255, 271, 277
- DDL_SERVER_LEVEL_EVENTS category, 256, 276
- DDL_SERVER_SECURITY_EVENTS category, 256, 277
- DDL_SSB_EVENTS category, 255, 271–272, 278
- DDL_SYNONYM_EVENTS category, 255, 272, 278
- DDL_TABLE_VIEW_EVENTS category, 255, 272, 278
- DDL_TRIGGER_EVENTS category, 256, 272, 278

624 DDL triggers – distributors

- DDL triggers, 270–274, 542–545
- DDL_TYPE_EVENTS category, 256, 272, 278
- DDL_XML_SCHEMA_COLLECTION_EVENTS category, 256, 272, 278
- DDOS (distributed denial-of-service) attacks, 530
- Deadlock event class, 142, 241
- Deadlock Chain event class, 142, 240
- Deadlock Graph event class, 142, 150, 150, 240
- deadlocks, 141–142, 142
 - error logs for, 143–146
 - event classes for, 142–143, 143
 - Performance Logs and Alerts for, 12–18, 13–15, 17–18
 - priority, 146–147
 - troubleshooting, 147–151, 150
- debugging SSIS packages, 383–385, 384–385
- decimal data type, 440
- dedicated administrator connection (DAC), 38
- dedicated snapshot folders, 491
- DEFAULT definitions, 437–439
- default trace, 29
- defragmenting indexes, 310–312
- delays in transactional replication, 477
- delegation, linked servers for, 468–469, 468
- Delegation tab, 464, 465
- DeMorgan's Law, 412
- denial-of-service (DOS) attacks, 529–530
- DENY statement, 579
- dependency diagrams, 320–321
- deploying updates, 566
- Derived Column transforms, 376
- destinations for SSIS packages, 378
- development environments in security, 537
- development tools for quality data, 403
- differential backups, 185–187
- Dimension Processing destination, 378
- directories
 - permissions, 589
 - virtual, 338
- dirty reads, 123–124
- DISABLE TRIGGER statement, 263
- disabling
 - lock escalation, 139
 - logins, 581
 - row-level/page-level locks, 139
 - triggers, 263
- Disallow adhoc access option, 462
- Disconnect Users in the Database When Restoring Backups option, 173, 173
- Disk Bytes/sec counter, 237
- disk drives, fault tolerant, 165–169, 166–169
- disk I/O counters
 - baselines, 230–231
 - thresholds, 236–237
- % Disk Read Time counter, 230
- % Disk Time counter, 23, 237
- Disk Usage reports, 48, 48
- % Disk Write Time counter, 230
- diskadmin role, 580
- distrib.exe (Distribution Agent), 175, 479
- distributed denial-of-service (DDOS) attacks, 530
- Distributed Management Task Force (DMTF), 253
- distributed queries, 458, 469–474, 470, 472–473
- Distribution Agent (distrib.exe), 175, 479
- Distribution Agent Location page, 487
- Distribution Agent Security page, 488, 488
- Distribution Clean Up job, 504
- distributions, replication, 174
- Distributor page, 482
- distributors, replication, 174, 474, 475

DML triggers, 263–264
 AFTER, 264–266, 265
 execution order, 264
 INSTEAD OF, 266–269
 DMTF (Distributed Management Task Force), 253
 DMVs. *See* dynamic management views (DMVs)
 Do Not Save Sensitive option, 379
 documenting
 actions, 400
 changes, 539
 Domain user account, 558
 domains
 integrity, 434–436, 436–437
 permissions, 589
 doors, access codes for, 524
 DOS (denial-of-service) attacks, 529–530
 double hops, 468, 468
 doubly linked lists, 102, 102
 DROP_EXISTING clause, 107
 DROP INDEX command, 108
 DROPCLEANBUFFERS command, 51, 309–310
 dropping indexes, 108
 DTA (Database Tuning Advisor), 52, 71–76, 73–76
 DTS (Data Transformation Services), 360–362
 dtutil utility, 383
 duration of synchronization, baselines for, 513
 dynamic management views (DMVs), 19–20, 19
 common language runtime, 33–34
 database-level, 52–56
 full-text indexes, 34
 I/O, 35
 latches, 119–120
 locks, 134–137, 137
 for poorly performing queries, 79–81
 queries, 54–55

query notifications, 35
 replication, 35–36
 service broker, 36
 SQL operating system, 36–38
 transactions, 56
 Dynamic parameter option, 462

E

email systems
 Reporting Services Configuration Manager for, 339
 security, 532
 emergency mode repairs, 208–209
 EMPTYFILE option, 316
 Enable Package Configurations option, 387
 enabling
 logins, 581
 Replication Monitor alerts, 500
 Encrypt All with Password option, 379
 Encrypt All with User Key option, 379
 Encrypt Sensitive with Password option, 379
 Encrypt Sensitive with User Key option, 379
 encryption, 570–574, 570
 asymmetric, 571–572
 hierarchy, 572–573
 replication, 491
 strategy, 573–574
 symmetric, 570–571
 encryption keys, 570–572
 Reporting Services Configuration Manager for, 339
 SSRS, 348
 Enforce Password Expiration option, 576
 Enforce Password Policy option, 576
 entity integrity, 435
 equality predicates, missing indexes with, 79

error log files
 for deadlocks, 143–146
 instance performance, 27–28, 28

error messages
 memory-related, 43
 tempdb-related, 47

ERRORLOG.x file (SQL Server error log), 28

errors and warnings classes, 239–240

Escalation lock event class, 133, 241

ESTIMATEONLY option
 DBCC CHECKALLOC, 298
 DBCC CHECKDB, 301
 DBCC CHECKFILEGROUP, 305
 DBCC CHECKTABLE, 307

ETL (extraction, transformation, and load) platform
 master data approach to
 conflicts, 434
 tools, 403

event alerts, 246–250, 246, 248–250
 conditions, 250–253, 251–252
 WMI, 253–262, 254, 258

event classes
 errors and warnings, 239–240
 locks, 240–241
 SQL Server Profiler, 133,
 142–143, 143
 stored procedures, 241
 T-SQL, 242

events
 notifications, 274–280, 275
 trace, 256–257, 278–279

Events Selection tab, 148, 148

exact numeric data types, 440

Exceeding the specified latency
 warning, 500

Exceeding the specified synchronization
 time warning, 500

Excel destination, 378

EXCEPT operator, 419–422, 421–422

Exception event class, 240

exclusive locks, 129

EXCLUSIVE_TRANSACTION_WOR
 KSPACE entity, 127

EXECUTE AS statement, 585–586

Execute DTS2000 Package task, 374

Execute Package task, 374

Execute Package Utility dialog box,
 370–371, 371

Execute Process task, 374

execution order of DML triggers, 264

Execution Plan tab, 85

Execution Warnings event class, 240

EXPAND VIEW query hint, 91

expiration, password, 576

Expired Subscription Clean Up job, 504

EXPIREDATE option, 192

explicit constraints, 434–439, 434,
 436–437

Export Column transforms, 376

EXTENT resource, locks for, 127

Extent Scan Fragmentation statistic,
 312–313

Extent Switches statistic, 312

Extents Scanned statistic, 312

external fragmentation, 312

extraction, transformation, and load
 (ETL) platform
 master data approach to
 conflicts, 434
 tools, 403

F

failed packages, restarting, 380–382

failover clusters, 169–172, 170–171

FailPackageOnFailure property, 381

failures
 diagnosing, 164
 recovery. *See* recovery

Falling short of processing the specified
 number of rows in a given amount
 warning, 500

FAST option, 313

FAST table hint, 91
 FASTFIRSTROW table hint, 91
 fault tolerance, 164–165

- database mirroring, 172
- disk drives, 165–169, 166–169
- high-availability solutions, 169–172, 170–171
- log shipping, 172–173, 173
- replication, 174–177, 174, 177

 feature usage, SQLH2 for, 323
 file and file groups

- backups, 187–188
- checking, 305–306
- restores, 199–200

 FILE resource, locks for, 127
 File System task, 374
 FILLFACTOR option

- DBCC SHOWCONTIG, 312
- for indexes, 97

 Filter Table Rows page, 483–484
 filtering in query plans, 87
 fire suppression systems, 525
 firewalls, 531
 Flat Buffer Memory counter, 386
 Flat Buffers in Use counter, 386
 Flat File destination, 378
 float data type, 441
 fn_trace_system stored procedures, 239
 fn_trace_geteventinfo stored procedure, 18
 fn_trace_getfilterinfo stored procedure, 18
 fn_trace_getinfo stored procedure, 18
 fn_virtualfilestats function, 32
 folders, snapshot, 482, 491
 For loop containers, 373
 FORCE ORDER query hint, 91
 ForcedExecutionResult property, 381
 foreign key constraints

- checking, 300
- for integrity, 435–436, 436–437
- replication, 493

fragmentation, 102–103, 102–103, 108–111

- defragmenting, 310–312
- degree, 312–314
- detecting, 103–105

 Fragmentation page, 109–110, 109
 Free Megabytes counter, 231
 free of error criteria for data, 402
 Free Pages counter, 238
 % Free Space counter, 230
 Free System Page Table Entries (PTE) counter, 236
 freeing procedure cache, 310
 FREEPROCCACHE command, 51, 310
 FREESYSTEMCACHE command, 51
 FTP task, 374
 full database backups, 183
 full database restores, 196–197
 full outer joins, 412–415, 412, 414–415
 FULL recovery model, 180–181
 Full Scans/sec counter, 233
 full-text indexes, 34
 Full-Text Search subsystem, 560
 FULLSCAN option, 113
 fully compatible jobs, 321
 fuzzy grouping, 376, 426
 fuzzy lookups, 377, 426

G

globally unique identifiers (GUIDs)

- in replication, 505
- updatable copies, single master approach, 429

 GRANT lock request state, 132
 GRANT statement, 579
 granularity of locks, 122–123
 GROUP query hint, 91

H

Hanson, Ed, 112
 hardware
 monitoring, 227
 in performance, 3
 hash operations, 86
 Hash Warning event class, 240
 HASHED option, 205
 Health Insurance Portability and
 Accountability Act of 1996
 (HIPAA), 398
 heating, ventilation, and air
 conditioning (HVAC)
 systems, 525
 HELP command, 51
 high-availability solutions, 169–172,
 170–171
 hints
 locks, 139–140
 queries, 90–92
 history
 password, 577
 report, 341, 341
 HistoryVerboseLevel
 parameter, 509
 HOBT resource, locks for, 127
 HOLDLOCK hint, 140
 holistic monitoring approach, 223
 hot fixes, 564
 hot standby solutions, 165
 HVAC (heating, ventilation, and air
 conditioning) systems, 525

I

identities
 checking, 304–305
 in replication, 493
 service, 338
 IIS for SSRS, 343

immediate updating
 replication, 429, 505
 subscriptions, 176
 Imminent subscription expiration
 warning, 499
 IMPERSONATE permission, 579
 impersonation, 585–586
 Import Column transforms, 377
 included columns, missing indexes
 with, 79
 incompatible jobs, 321
 incremental backup strategies,
 184–185, 187
 Index as access path option, 462
 Index Properties window, 110, 110
 INDEX query hint, 91
 Index Tuning Wizard (ITW), 52
 Index Usage Statistics reports, 49
 INDEXDEFRAG command, 51, 106,
 310–312
 indexes
 architecture, 94–97, 95
 clustered, 97–98
 covering, 100–101
 DMVs, 34
 dropping, 108
 fragmentation, 102–103, 102–103,
 108–111
 defragmenting, 310–312
 degree, 312–314
 detecting, 103–105
 implementing, 88
 maintaining, 105–106
 missing, 79
 nonclustered, 98–99
 optimization, 101–105
 for query performance, 71
 rebuilding, 107–108, 309
 reorganizing, 106–107
 statistics for, 111–114
 inequality predicates, missing indexes
 with, 79
 infections, virus, 530–531

INIT option, 193
 initialization status, 339
 Initialize Subscriptions page,
 489, 489
 injection attacks, 528–529
 inner joins, 405–407, 405, 407
 inputs in job dependency
 diagrams, 320
 installing SSIS, 362–363, 363
 instance-aware services, 560
 instance-level DMVs, 33
 common language runtime,
 33–34
 full-text indexes, 34
 I/O, 35
 query notifications, 35
 replication, 35–36
 service broker, 36
 SQL operating system, 36–38
 instance-level information, SQLH2
 for, 323
 instance performance
 Activity Monitor, 29–30, 30
 dedicated administrator
 connection, 38
 default trace, 29
 DMVs. *See* instance-level DMVs
 error log files, 27–28, 28
 Summary Report pane, 25–27,
 25–26
 system functions, 32, 32
 System Monitor, 7
 system stored procedures,
 30–31, 31
 tools, 24
 trace flags, 33
 troubleshooting, 38–39
 I/O bottlenecks, 44–45
 memory, 42–44
 processors, 39–42, 41
 tempdb problems, 45–47
 INSTEAD OF triggers, 266–269
 int data type, 440

Integration Service. *See* SQL Server
 Integration Services (SSIS)
 Integration Services subsystem, 560
 integrity, 426–427
 checking, 301–304
 constraints vs. triggers, 445
 data conflicts, 427–434
 data types, 439–445
 entity, 435
 replication, 492–494
 interjob dependencies, 320
 internal attacks, 533–536, 534–536
 internal fragmentation, 312
 Internet Protocol Security
 (IPSEC), 491
 INTERSECT operator,
 422–424, 424
 I/O
 bottleneck troubleshooting, 23–24,
 44–45
 DMVs, 35
 performance object counters
 baselines, 230–231
 thresholds, 236–237
 in query plans, 83
 isolation levels
 locks, 138
 transactions, 123–126
 iterative processes, queries, 116
 ITW (Index Tuning Wizard), 52

J

job concurrency restrictions, 321
 job dependency diagrams, 320–321
 JOIN query hint, 91
 joins, 405
 cross, 415–417, 416
 full outer, 412–415, 412, 414–415
 inner, 405–407, 405, 407
 left outer, 407–409, 407, 409
 right outer, 410–412, 410–412

K

key constraints
 integrity, 435–436, 436–437
 replication, 493
 KEY resource, locks for, 128
 keys
 asymmetric encryption, 571–572
 hierarchy, 572–573
 Reporting Services Configuration
 Manager for, 339
 SSRS, 348
 symmetric encryption, 570–571
 knowledge workers for data
 assessment, 401

L

Latch Waits/sec counter, 234
 latches, 118–119
 monitoring, 119–121
 resolving issues, 121–122
 latency, replication, 480
 baselines, 513
 transactional, 477
 verifying, 501, 501
 Lazy Writes/sec counter, 232
 left outer joins, 407–409, 407, 409
 Lefter, Cristian, 114
 level of privileges, 561–563
 Level zero only option, 462
 linked lists, 102, 102
 linked servers, 456–458, 457
 for delegation, 468–469, 468
 distributed queries, 469–474, 470,
 472–473
 implementing, 458–464, 461, 463
 login mappings, 464–468
 on named instances, 467–468
 Local Service account, 558
 Local System account, 558

@locallogin parameter, 466
 @location argument, 459
 Lock Requests/sec counter, 233
 Lock Timeouts (timeout > 0)/sec
 counter, 233
 Lock Timeouts/sec counter, 233
 Lock Wait Time (ms) counter, 233
 Lock Waits/sec counter, 233
 locked doors with access codes, 524
 lockouts, service accounts, 562–563,
 562–563
 locks
 Activity Monitor for, 132, 132
 architecture, 122–123, 126–132
 compatibility, 129–131
 counters for, 133
 database options, 138
 deadlocks. *See* deadlocks
 DMVs, 134–137, 137
 escalation, disabling, 139
 event classes, 240–241
 hints, 139–140
 isolation levels, 123–126, 138
 issues, 137–138
 request modes, 128–129
 request status, 132
 system stored procedures, 134
 system tables, 137
 Locks by Object view, 29
 Locks by Process view, 29
 Log File Viewer, 28, 28
 log files. *See* logs
 Log Files tab, 14, 14
 Log Flush Wait Time counter, 238
 Log Flush Waits/sec counter, 232
 Log Reader Agent (logread.exe),
 175, 480
 log shipping, 172–173, 173
 logical integrity checks, 301–304
 logical operation of query plans, 83
 Logical Scan Fragmentation
 statistic, 312
 Login Properties dialog box, 576, 576

- LOGINFO command, 51
 logins
 authentication, 575–578, 576
 configuring, 204–205
 enabling or disabling, 581
 event auditing, 582, 582
 mappings, 464–468
 server, 578–580
 Logins/sec counter, 232
 Logon Total counter, 231
 Logouts/sec counter, 232
 logread.exe (Log Reader Agent),
 175, 480
 logs
 for deadlocks, 143–146
 in debugging, 385
 instance performance, 27–28, 28
 restoring, 200–201
 in security, 525, 533
 SSRS, 346–347
 stored procedures, 114–115
 transaction
 backups, 184–185, 191–193
 restoring, 200–201
 lookups, fuzzy, 377, 426
 lost data, recovering, 205
-
- M**
 mail system security, 532
 maintaining databases
 database consistency checks. *See*
 database consistency checks
 database maintenance plans,
 324–335, 325–335
 exam essentials, 351
 job dependency diagrams, 320–321
 multiserver administration,
 321–322, 322
 Reporting Services. *See* SQL Server
 Reporting Services (SSRS)
 review questions, 352–358
 SQL Server Health and History tool,
 322–324
 summary, 350–351
 tasks, 294–296
 maintenance plans
 Replication Monitor for, 504–505
 SSIS packages, 375
 management personnel for data
 assessment, 401
 manual updates, 566
 mappings, login, 464–468
 Mars Deadlocks counter, 232
 master servers (MSX), 322
 MaxBCPThreads parameter, 509
 MAXDOP query hint, 91
 MBSA (Microsoft Baseline Security
 Analyzer), 565
 MEDIAPASSWORD option,
 192–193
 memory
 for locks, 123
 performance object counters
 baselines, 230
 thresholds, 236
 troubleshooting, 22–23, 42–44
 Memory Consumption report, 25, 26
 Memory Grants Pending counter, 238
 Memory Subsystem for baselines, 230
 MEMORYSTATUS command, 44
 Merge Agent (replmerge.exe), 175,
 479–480
 Merge Join transforms, 377
 merge replication, 175, 478
 conflicts, 506–508, 507–508
 multiple master approach,
 432–433, 432
 Merge transforms, 377
 Message Queue task, 374
 message types in Service Broker, 276
 METADATA resource, locks
 for, 128
 Microsoft Baseline Security Analyzer
 (MBSA), 565

632 Microsoft.Jet.OLEDB.4.0 provider – node IDs in query plans

Microsoft.Jet.OLEDB.4.0 provider, 462

Microsoft Update, 566

migration scripts, 545–546

MIRROR TO clause

- BACKUP DATABASE, 190
- BACKUP LOG, 191

mirroring

- database, 172
- RAID, 166–168, 167–168

Missing Column Statistics event

- class, 240

missing indexes, 79

Missing Join Predicate event

- class, 240

missing updates, 565

Mobius Management Systems, Inc., 399

money data type, 441

monitoring, 222

- automatic, 221
- component selection for, 222
- latches, 119–121
- physical servers. *See* physical server monitoring
- for quality data, 403
- replication. *See* Replication Monitor
- in security, 533
- tools, 222–224

MOVE option, 197

moving

- reportserver database, 349, 349
- SSIS packages, 382–383

MSDAORA provider, 462

MSDASQL provider, 462

MSrepl_commands table, 479

MSrepl_transactions table, 479

MSRS 2005 Web Service object, 343

MSRS 2005 Windows Service object, 343

MSSQLServer service, 559

MSX (master servers), 322

multi-instance clusters, 171, 171

Multicast transforms, 377

multiple copies, single maintenance approach, 427–428

multiple master approach

- merge replication, 432–433, 432
- peer-to-peer replication, 433–434, 433

multiple package versions, 361

multiserver administration, 321–322, 322

N

N+1 clusters, 171

named instances, linked servers on, 467–468

NAT (network address translation), 531

natural primary keys, 435

nchar data type, 442

Nested queries option, 462

nested triggers, 263

NetValidatePasswordPolicy call, 576

network address translation (NAT), 531

network I/O performance object counters, 237

Network Monitor Agent, 6

Network Service account, 558

networks

- access limitations, 557
- monitoring, 227
- in performance, 3

New Alert window, 248–252, 248–250, 252

New Job Schedule dialog box, 331, 331

New Operator window, 249, 249, 253

New Publication Wizard, 429, 429, 482, 482

New Subscription Wizard, 486, 486

N+M clusters, 171–172

NO_TRUNCATE option, 193

node IDs in query plans, 84

NOINDEX option, 307
 NOLOCK hint, 140
 Non transacted updates option, 462
 nonclustered indexes, 98–99
 nonrepeatable reads, 123
 NORECOMPUTE option, 114
 NORECOVERY option and mode
 BACKUP LOG, 193
 log shipping, 173
 RESTORE DATABASE, 197
 NOT FOR REPLICATION constraint,
 492–493
 Notification Services subsystem, 560
 notifications, event, 274–280, 275
 Notify Operators option, 249, 253
 NOTRUNCATE option
 DBCC SHRINKFILE, 316
 SHRINKDATABASE, 315
 NOWAIT hint, 140
 Number of Deadlocks/sec
 counter, 233
 numeric data type, 441
 nvarchar data type, 442

O

object counters. *See* performance
 object counters
 Object Execution Statistics reports, 49
 OBJECT plan guides, 92
 OBJECT resource, locks for, 128
 objective data, 402
 Office SharePoint Server 2007
 server, 404
 OLE DB Command transforms, 377
 OLE DB destination, 378
 OLE DB providers, 457–458
 configuring, 461–464
 for distributed queries, 469–470, 470
 OPENDATASOURCE statement, 471
 OPENQUERY statement, 469
 OPENROWSET statement, 471

OPENTRAN statement, 51
 operating system
 DMVs, 36–38
 monitoring, 227–228
 in performance, 3
 operators, SQL Server Agent for,
 245–246, 245
 OPTIMIZE FOR query hint, 91
 Optimizer Memory (KB) counter, 234
 optimizing. *See* performance
 Options page, 109, 109
 order
 DML trigger execution, 264
 in query plans, 84
 outputs
 job dependency diagrams, 320
 query plans, 84
 OutputVerboseLevel parameter, 509
 overhead, 222–223

P

@@PACK_SENT function, 32
 packages. *See* SQL Server Integration
 Services (SSIS)
 PAD_INDEX option, 97
 Page Faults/sec counter, 230–231
 page-level locks, disabling, 139
 Page Life Expectancy counter,
 43–44, 238
 PAGE resource, locks for, 128
 Page Splits/sec counter, 233
 pages, restoring, 207–208
 Pages Scanned statistic, 312
 Pages/sec counter
 baselines, 230
 thresholds, 236
 PAGLOCK hint, 140
 parameters, agent profiles, 509
 partial database backups, 188–189
 partial database restores, 197–198
 PARTIAL option, 197

634 partially compatible jobs – physical server monitoring

- partially compatible jobs, 321
- Partition Processing destination, 378
- pass-through tables, 458
- PASSWORD option, 192
- Password Safe mechanism, 573
- passwords, 532–534
 - changing, 558, 576–577
 - complexity, 557, 577
 - encrypting, 570
 - expiration, 576
 - for keys, 573
 - requirements, 576–577
- patches
 - importance, 531–532
 - service packs, 564
- peer-to-peer replication
 - multiple master approach, 433–434, 433
 - transactional, 176–177, 177
- Percent Log Used counter, 232
- Percentage Sampling transforms, 377
- performance
 - counters. *See* performance object counters
 - indexes, 101–105
 - instance. *See* instance performance
 - overhead, 222–223
 - queries. *See* queries
 - replication, 511–513
 - replication baselines, 513
 - SSIS for, 386
 - SSRS, 343
 - tools, 222–224
 - troubleshooting. *See* troubleshooting
- Performance Collector, 324
- Performance Counters Limit Dialog
 - window, 17, 17
- Performance Logs and Alerts tool, 6, 8–9, 12–18, 13–15, 17–18
- performance object counters
 - baselines
 - database engine, 231–234
 - disk I/O, 230–231
 - memory, 230
 - network I/O, 231
 - processors, 229
 - latches, 119
 - locks, 133
 - SQLH2, 323
 - System Monitor, 7
 - thresholds
 - database engine, 237–238
 - disk I/O, 236–237
 - memory, 236
 - network I/O, 237
 - processors, 235–236
- Performance reports, 27
- permissions
 - auditing, 557–559
 - domains and directory, 589
 - server, 578–580
 - verifying, 586–589, 586–588
- phantom values, 124
- physical integrity checks, 301–304
- PHYSICAL_ONLY option
 - DBCC CHECKDB, 302
 - DBCC CHECKTABLE, 307
- physical operation of query plans, 83
- physical server monitoring, 223–224
 - alerts. *See* alerts
 - baselines, 225–226, 229
 - database engine, 231–234
 - disk I/O, 230–231
 - memory, 230
 - network I/O, 231
 - processors, 229
 - benchmarks, 226
 - event notifications, 274–280, 275
 - exam essentials, 281–282
 - hardware, 227
 - networks, 227
 - operating systems, 227–228
 - performance, 20–24
 - proactive, 224–225
 - review questions, 283–291
 - solutions, 226–227

- sources, 228
 - summary, 281
 - thresholds, 234
 - database engine, 237–238
 - disk I/O, 236–237
 - memory, 236
 - network I/O, 237
 - processors, 235–236
 - traces, 238–242
 - triggers. *See* triggers
 - piecemeal restores, 197–198
 - Pivot transforms, 377
 - plain-text values, 570
 - Plan Cache counter, 234
 - plan guides, 92–94
 - plans
 - backup strategies, 179–180
 - query. *See* queries
 - plenum spaces, 525
 - point of sale (POS) applications, 481
 - Pool Non-Paged Bytes counter, 230
 - Pool Paged Bytes counter, 230
 - poorly performing queries, 76–77
 - DMVs, 79–81
 - plans for, 77–78, 77
 - traces for, 78
 - POS (point of sale) applications, 481
 - precision, data types, 441
 - predefined alerts, 494–498, 495–497
 - preproduction environments in security, 537–538
 - primary key constraints, 435
 - principle of least privilege, 533
 - priority, deadlocks, 146–147
 - Private Buffer Memory counter, 386
 - Private Buffers in Use counter, 386
 - Private Bytes counter, 231
 - private keys, 571
 - % Privileged Time counter, 229, 235
 - proactive monitoring, 224–225
 - proactive troubleshooting, 2
 - PROCCACHE command, 51
 - % Processor Time counter, 21–22, 229, 235
 - procedure cache, freeing, 310
 - Process Info page, 29, 132, 132
 - processadmin role, 580
 - Processes blocked counter, 232
 - Processor Queue Length counter, 21, 229, 236
 - processors
 - performance object counters
 - baselines, 229
 - thresholds, 235–236
 - troubleshooting, 21–22, 39–42, 41
 - production environments in security, 537
 - production support environment in security, 538
 - profiles, agents, 508–511
 - Project Configuration dialog box, 369
 - @provider argument, 459
 - Provider Options dialog box, 461, 461
 - @provstr argument, 459
 - public keys, 571
 - Publication page, 486, 486
 - Publication Database page, 482
 - Publication Type page, 483, 483
 - publications, replication, 175, 475, 512
 - publishers, replication, 175, 427, 474, 475
 - pull subscriptions, 475
 - push subscriptions, 475, 486–490, 486–490
-
- Q**
- qrdrsvc.exe (Queue Reader Agent), 175, 480
 - Quality assurance (QA), 537
 - quality management tools, 403–404

queries, 70–71

- concurrency issues, 116–118
 - latches, 118–122
 - locks. *See* locks
 - replication baselines, 513
- Database Tuning Advisor, 71–76, 73–76
- distributed, 469–474, 470, 472–473
- DMVs, 35, 54–55
- exam essentials, 152
- hints, 90–92
- indexes. *See* indexes
- iterative processes for, 116
- performance issues, 87–88
- plan guides for, 92–94
- plans, 81
 - analyzing, 86–87
 - generating, 81–86, 82–83, 85
 - troubleshooting, 41
- poorly performing, 76–77
 - DMVs, 79–81
 - plans for, 77–78, 77
 - traces for, 78
- for quality data, 403
- recompiling, 89–90
- review questions, 153–162
- summary, 151
- for validation. *See* joins

Query Timeout option, 464

Queue Length counter, 229, 235

Queue Reader Agent (qrdsvc.exe), 175, 480

queued updating subscriptions, 176, 429, 505

queues, Service Broker, 276

R

RAID (redundant arrays of inexpensive disks) technology, 165–166

- RAID-0, 166, 166
- RAID 0+1, 168–169, 169

- RAID-1, 166–167, 167
- RAID-5, 167–168, 167
- RAID-10 (1+0), 168, 168

RAISERROR statement, 247

Raw File destination, 378

RCA (root cause analysis), 164

reactive troubleshooting approach, 2

Read committed isolation, 124–125

Read committed snapshot isolation, 125, 138, 512

READ_ONLY option, 138

read operations, shared locks for, 129

Read uncommitted isolation, 124–125

Readahead Pages/sec counter, 232

READCOMMITTED hint, 140

READCOMMITTEDLOCK hint, 140

READPAST hint, 140

READUNCOMMITTED hint, 140

real data type, 441

real-time requirement, 222

rebinds in query plans, 84

REBUILD clause, 107–108

rebuilding indexes, 107–108, 309

Recommendations tab, 75, 75

recompilations

- queries, 89–90
- troubleshooting, 39–40, 41

Recompile event class, 90, 241

RECOMPILE option, 89

RECOMPILE query hint, 91

Recompile/SQL counter, 40

Recordset destination, 378

recovery, 164

- databases
 - backups. *See* backups
 - login configuration, 204–205
 - lost data, 205
 - models, 180–182
 - salvaging data, 206–209
 - scripts, 205–206, 206
- exam essentials, 209
- failure causes, 164
- fault tolerance. *See* fault tolerance

- review questions, 210–219
- SQL Server, 177–179
- steps, 177–179
- summary, 209
- RECOVERY option, 197
- redundancy checks, 424–425
- redundant arrays of inexpensive disks.
 - See* RAID (redundant arrays of inexpensive disks) technology
- referential integrity, 434
- regulatory requirements
 - in data assessment, 401
 - in security, 526–527
- Reinitialize Subscriptions Having Data Validation Failures job, 504
- Released lock event class, 133
- relevant data, 402
- Rely on Server Storage for Encryption option, 379
- remote objects in query plans, 84
- remote tables, 458
- REORGANIZE clause, 106–107
- reorganizing indexes, 106–107
- REPAIR_ALLOW_DATA_LOSS option
 - DBCC CHECKALLOC, 298
 - DBCC CHECKDB, 208, 302
- REPAIR_FAST option, 302
- REPAIR_REBUILD option, 303–304
- Repeatable Read isolation, 124, 126
- REPEATABLE_READ hint, 140
- replication, 174, 174, 427, 455–456
 - administering, 490–491
 - agents, 175, 478–480
 - monitoring, 500
 - profiles, 508–511
 - alerts, 494–498, 495–497
 - components, 174–175
 - conflicts. *See* conflicts
 - DMVs, 35–36
 - exam essentials, 514
 - factors, 480
 - integrity, 492–494
 - linked servers. *See* linked servers
 - merge, 175, 478
 - conflicts in, 506–508, 507–508
 - multiple master approach, 432–433, 432
 - performance baselines, 513
 - performance tuning, 511–513
 - push subscriptions, 486–490, 486–490
 - Replication Monitor. *See* Replication Monitor
 - review questions, 515–521
 - security issues, 491–492
 - in server-to-client environments, 481
 - in server-to-server environments, 480–481
 - summary, 514
 - terminology, 474–475, 475
 - transactional, 481–485, 482–485
 - types, 175–177, 177, 476–480
- Replication Agents Checkup job, 505
- Replication Monitor, 498–499, 498–499
 - agent profiles, 510
 - maintenance plans, 504–505
 - threshold warnings, 499–500
 - verifying replication, 500–504, 501–503
- Replication monitoring refresher for distribution job, 505
- replmerge.exe (Merge Agent), 175, 479–480
- Report Manager, 337–338, 337
- Reporting Services. *See* SQL Server Reporting Services (SSRS)
- Reporting Services Configuration Manager, 338–339, 340
- Reporting Services subsystem, 560
- reports
 - Database Tuning Advisor, 76, 76
 - Summary Report pane, 25–27, 25–26, 48–50, 48–50
- Reports tab, 76, 76

Reports tool, 324
 reportserver database
 backing up, 348
 capacity planning, 350
 moving, 349, 349
 reportservertempdb database
 backing up, 348
 capacity planning, 350
 representation criteria for data, 402
 reputation criteria for data, 402
 Resolver page, 432, 432, 508, 508
 resource consumption baselines, 513
 Resource Locking Statistics by Object reports, 49
 Response page, 497, 497
 restarting failed packages, 380–382
 RESTORE statement, 192, 195
 RESTORE DATABASE statement
 file and filegroup restores, 199–200
 full restores, 196–197
 partial restores, 197–198
 snapshots, 201–204, 203
 RESTORE LOG statement, 200–201
 restoring
 databases, 194–204, 203
 pages, 207–208
 Result Set of Policy (RSoP) tool, 589
 RETAIN_DAYS option, 192
 REVERT statement, 585
 review meetings for data
 assessment, 401
 REVOKE statement, 579
 rewinds in query plans, 84
 rewriting queries, 88
 RID resource, locks for, 128
 right outer joins, 410–412, 410–412
 risk evaluation in data
 assessment, 401
 RMO, 492
 @rmtpassword parameter, 466
 @rmtsrvname parameter, 465
 @rmtuser parameter, 466

roles
 adding users to, 540–542, 540–541
 database, 584–585
 server, 580–581
 root cause analysis (RCA), 164
 routes, Service Broker, 276
 Row Count transforms, 377
 row-level locks, disabling, 139
 Row Sampling transforms, 377
 ROWLOCK hint, 140
 rows in query plans, 83–84
 Rows Read counter, 386
 Rows Written counter, 386
 rowsets with OLE DB
 providers, 470
 Rpc option, 463
 Rpc Out option, 463
 rs utility, 340
 rsconfig utility, 340, 349
 rskeymgmt utility, 341
 RSoP (Result Set of Policy) tool, 589

S

salvaging data, 206–209
 SAMPLE option, 113
 SaveCheckPoint property, 381
 scalability in replication, 480
 scale, data types, 441
 Scan Density statistic, 312–313
 SCC (Source Code Control) systems, 538–539
 Schedule tab, 14
 Scheduler Health report, 25, 26
 schedules
 SQL Server Agent jobs, 243
 SSRS strategy, 345, 346
 Schema Changes History reports, 25, 50
 schemas, 585
 Script Component transforms, 377
 Script task, 374

- scripts
 - breakpoints, 385
 - migration, 545–546
 - server and database recovery, 205–206, 206
- secure data, 402
- Secure Sockets Layer (SSL), 491
- security
 - databases, 555–556
 - authentication, 575–578, 576
 - encryption, 570–574, 570
 - exam essentials, 590
 - implementing, 583–586, 583
 - level of privileges, 561–563
 - logins. *See* logins
 - permissions, 557–559, 578–581, 586–589, 586–588
 - review questions, 591–596
 - service access, 559–561
 - service packs, 564
 - summary, 589
 - surface area, 567–570, 568–569
 - updates, 565–566
 - replication, 491–492
- servers, 523–524
 - analyzing, 524–527
 - business and regulatory requirements, 526–527
 - change control. *See* change control
 - control strategies, 537–538
 - denial-of-service attacks, 529–530
 - design variations, 527
 - exam essentials, 547
 - injection attacks, 528–529
 - internal attacks, 533–536, 534–536
 - review questions, 548–553
 - summary, 546
 - version control systems, 538–539
 - worms and viruses, 530–532
- SSIS packages, 378–380, 380
- SSRS, 342–343
- Security Analysis and Configuration tool, 589
- security principals, 579
- Security Properties dialog box, 582, 582
- securityadmin role, 580
- self-mapping, 464–465
- Send Mail task, 374
- Sequence containers, 373
- SERIALIZABLE hint, 140
- Serializable isolation, 124–126
- server administrator auditing, 586–588, 586–588
- server and network level replication, 511–512
- @server argument, 459
- server-based reporting tools, 403
- Server Dashboard report, 25, 25
- server failures, scripts for, 205–206, 206
- server-level DDL triggers, 270, 542
- server-level information, 323
- server-to-client environment replication, 481
- serveradmin role, 580
- servers. *See also* SQL Server
 - audit checklist, 574
 - linked. *See* linked servers
 - logins, 578–580
 - monitoring. *See* physical server monitoring
 - performance, 20–24
 - roles, 580–581
 - security. *See* security
 - SSRS, 341–342
 - status, 338
- Service Accounts account, 558
- Service Broker service, 274–276, 275
- Service Broker Statistics report, 27
- service brokers, 36
- service master keys, 572
- service packs, 564
- services
 - access to, 559–561
 - accounts, 557–558

640 Services and Connections window – sp_addmessage stored procedure

- auditing, 562
- level of privileges, 561
- lockouts, 562–563, 562–563
- selecting, 558–559
- identities, 338
- Service Broker, 275
- Services and Connections window, 569
- SESSION entity, locks for, 127
- SET DEADLOCK_PRIORITY statement, 146–147
- SET SHOWPLAN_ALL statement, 81
- SET SHOWPLAN_TEXT statement, 81
- SET SHOWPLAN_XML statement, 81
- SET STATISTICS PROFILE statement, 82
- SET STATISTICS XML statement, 82
- SET TRANSACTION ISOLATION LEVEL statement, 126
- sets, 417
 - checksums, 424–425
 - EXCEPT operator, 419–422, 421–422
 - intersections, 422–424, 424
 - unions, 417–419, 418–419
- setupadmin role, 581
- shared locks, 129
- SHARED_TRANSACTION_WORKSP ACE entity, locks for, 127
- Show All Events option, 148
- SHOW_STATISTICS statement, 51, 112
- SHOWCONTIG statement, 51, 52, 312–314
- SHOWPLAN_ALL statement, 81
- SHOWPLAN_TEXT statement, 81
- SHOWPLAN_XML statement, 81
- SHRINKDATABASE command, 314–315
- SHRINKFILE command, 315–316
- shrinking
 - databases, 314–315
 - files, 315–316
- SI (snapshot isolation), 125–126
- Simple Mail Transport Protocol (SMTP), 339
- SIMPLE recovery model, 182
- single copy approach to conflicts, 427
- SINGLE_USER option, 138
- site autonomy in replication, 480
- SKIP option, 193
- Slammer worm, 530, 532
- Slowly Changing Dimension transforms, 377
- smalldatetime data type, 441
- smallint data type, 440
- smallmoney data type, 441
- SMTP (Simple Mail Transport Protocol), 339
- Snapshot Agent (snapshot.exe), 175, 478–479
- Snapshot Agent page, 484
- Snapshot Folder page, 482
- snapshot isolation (SI), 125–126
- snapshot replication, 176, 476, 477
 - performance tuning, 513
 - updating subscribers, 430–431, 431
- snapshots
 - database, 189
 - multiple copies, single maintenance approach, 428
 - Report Manager, 342, 342
 - restoring, 201–204, 203
 - SSRS for, 349
- sort transforms, 377
- Sort Warnings event class, 240
- sorting operations in query plans, 87
- Source Code Control (SCC) systems, 538–539
- SourceSafe system, 538
- sp_add_operator stored procedure, 245
- sp_addlinkedserver stored procedure, 458–459, 464
- sp_addlinkedsrvlogin stored procedure, 465–466, 469
- sp_addmessage stored procedure, 247

- sp_addpublication stored procedure, 430–431
- sp_addsrvrolemember stored procedure, 581
- sp_addsubscription stored procedure, 430–431
- sp_article_validation stored procedure, 504
- sp_blocker_pss80 stored procedure, 118
- sp_change_agent_profile stored procedure, 511
- sp_changereplicationserverpasswords stored procedure, 491
- sp_control_plan_guide stored procedure, 93
- SP_Counts template, 9
- sp_create_plan_guide stored procedure, 93
- sp_cycle_errorlog stored procedures, 28
- sp_drop_agent_profile stored procedure, 511
- sp_dropserver stored procedure, 459
- sp_dropsrvrolemember stored procedure, 581
- sp_help_agent_profile stored procedure, 511
- sp_helplinkedsvlogin stored procedure, 466
- sp_helpsrvrolemember stored procedure, 581
- sp_helpuser stored procedure, 588
- sp_indexoption stored procedure, 139
- sp_lock stored procedures, 31, 134
- sp_marksubscriptionvalidation stored procedure, 504
- sp_monitor stored procedures, 31, 31
- sp_publication_validation stored procedure, 504
- sp_setapprole stored procedure, 585
- sp_trace_ stored procedures, 239
- sp_trace_create stored procedure, 18
- sp_trace_generateevent stored procedure, 19
- sp_trace_setevent stored procedure, 18
- sp_trace_setfilter stored procedure, 19
- sp_trace_setstatus stored procedure, 19
- sp_updatestats stored procedure, 88
- sp_validatemergepublication stored procedure, 504
- sp_validatemergesubscription stored procedure, 504
- sp_who stored procedure, 31, 134, 135
- sp_who2 stored procedure, 134, 135
- space usage in SSRS databases, 350
- SQL Cache Memory (KB) counter, 234
- SQL command injection attacks, 528–529
- SQL Compare program, 539
- SQL Compilations/sec counter, 40, 234
- SQL Mail, 532
- SQL operating system (SQLOS)
 - DMVs, 36–38
 - monitoring, 227–228
 - in performance, 3
- SQL plan guides, 93
- SQL Re-Compilations/sec counter, 40
 - baselines, 234
 - thresholds, 238
- SQL Server
 - access to, 559
 - authentication, 575–578
 - destinations, 378
 - in performance, 3
 - uptime, 323
- SQL Server Active Directory Helper subsystem, 561
- SQL Server Agent, 478
 - access to, 559–560
 - alerts, 242–246, 244–245, 494
 - startup, 180
- SQL Server Agent error log (SQLAGENT.x), 28
- SQL Server Agent Mail, 532
- SQL Server Browser subsystem, 561

642 SQL Server error log (ERRORLOG.x) – StmtCompleted event class

- SQL Server error log (ERRORLOG.x), 28
- SQL Server Health and History (SQLH2) tool, 322–324
- SQL Server Integration Services (SSIS)
 - data-cleaning tools, 426
 - vs. DTS, 360–362
 - installing, 362–363, 363
 - packages
 - checkpoints and restarting, 380–382
 - configuring, 386–387, 387–388
 - control flow, 373–374
 - creating, 363–370, 364–369
 - data flow, 375–376
 - debugging, 383–385, 384–385
 - destinations, 378
 - exam essentials, 388–389
 - maintenance plan tasks, 375
 - moving, 382–383
 - performance monitoring, 386
 - review questions, 390–396
 - securing, 378–380, 380
 - summary, 388
 - transforms, 376–377
 - SSMS with, 370–372, 370–372
 - tools, 363
- SQL Server Management Studio (SSMS)
 - environment, 20
 - agent profiles, 509–510
 - alerts, 494–495
 - index fragmentation, 108–111
 - query plans, 81, 84–86
 - with SSIS, 370–372, 370–372
- SQL Server Mobile destination, 378
- SQL Server Profiler, 9–12, 10, 133, 142–143, 143
- SQL Server Reporting Services (SSRS), 336
 - automating operations, 336–338, 337
 - caching strategy, 344, 345
 - configuration tools, 338–341
 - databases, 348–350, 348–349
 - logs, 346–347
 - performance, 343
 - scheduling strategy, 345, 346
 - security, 342–343
 - servers, 341–342
 - subscriptions, 343
- SQL Server Surface Area Configuration tool, 568–570, 568–569
- SQL Traces, 18
- sql_variant data type, 443
- SQL Writer subsystem, 561
- SQLAGENT.x file (SQL Server Agent error log), 28
- SQLH2 (SQL Server Health and History) tool, 322–324
- SQLNCLI provider, 462
- SQLOS (SQL operating system)
 - DMVs, 36–38
 - monitoring, 227–228
 - in performance, 3
- SQLPERF command, 117, 120
- @srvproduct argument, 459
- SSIS. *See* SQL Server Integration Services (SSIS)
- SSIS Package Instances counter, 386
- SSIS Pipeline counter, 386
- SSIS Service counter, 386
- SSL (Secure Sockets Layer), 491
- SSMS. *See* SQL Server Management Studio (SSMS) environment
- SSRS. *See* SQL Server Reporting Services (SSRS)
- Standard template, 9–10
- STANDBY mode in log shipping, 173
- Starting event class, 241
- statement-level recompilation, 89–90
- statistics
 - indexes, 111–114
 - query performance, 71
- STATISTICS PROFILE statement, 82
- STATISTICS XML statement, 82
- StmtCompleted event class, 242

- StmtRecompile event class, 40, 242
 - StmtStarting event class, 242
 - STOP_ON_ERROR option, 193
 - STOPAT option, 201
 - STOPATMARK option, 201
 - STOPBEFOREMARK option, 201
 - storage tools for quality data, 403
 - stored procedures, 30–31, 31
 - event classes, 241
 - for injection attacks, 529
 - locks, 134
 - logging, 114–115
 - traces, 239
 - striped sets, 166–169, 166–168
 - strong passwords, 532, 577
 - Subscribers page, 487, 487
 - Subscription Validation Options dialog box, 503, 503
 - subscriptions
 - push, 486–490, 486–490
 - replication, 175, 475, 512
 - SSRS, 343, 344
 - subscribers, 175, 427, 475, 475
 - subtree costs in query plans, 84
 - Summary Report pane, 25–27, 25–26, 48–50, 48–50
 - Supports 'Like' operator option, 462
 - surface area in security, 567–570, 568–569
 - surrogate primary keys, 435
 - symmetric encryption, 570–571
 - Synchronization Schedule page, 488, 488
 - sys.database_permissions view, 588
 - sys.database_principals view, 588
 - sys.dm_broker_ DMVs, 36
 - sys.dm_clr_ DMVs, 34
 - sys.dm_db_ DMVs, 53–54
 - sys.dm_db_index DMVs, 79
 - sys.dm_db_index_physical_stats DMV, 103–104, 314
 - sys.dm_db_missing DMVs, 79
 - sys.dm_exec_ DMVs, 54–55
 - sys.dm_exec_query_stats DMV, 80
 - sys.dm_fts_ DMVs, 34
 - sys.dm_io_ DMVs, 35
 - sys.dm_os_ DMVs, 36–38
 - sys.dm_os_latch_stats DMV, 119–120
 - sys.dm_os_memory_objects DMV, 19, 19
 - sys.dm_os_wait_stats DMV, 80, 116–117, 120
 - sys.dm_qn_subscriptions DMVs, 35
 - sys.dm_repl_ DMVs, 35–36
 - sys.dm_tran_locks DMV, 80, 134, 136–137, 137
 - sys.server_triggers view, 263
 - sys.syslockinfo table, 137
 - sys.sysmessages catalog, 246
 - sys.sysprocesses table, 116, 137
 - sys.triggers view, 263
 - sysadmin role, 581
 - sysreplcatalog table, 495
 - system catalogs, checking, 299–300
 - system functions, 32, 32
 - System Monitor, 6–8, 7–8, 40
 - system stored procedures, 30–31, 31
 - event classes, 241
 - for injection attacks, 529
 - locks, 134
 - logging, 114–115
 - traces, 239
 - system table locks, 137
 - Systems Management Server, 566
-
- T**
- T-SQL
 - agent profiles, 510–511
 - data types, 440–443
 - event classes, 242
 - performance, 70
 - table data type, 443
 - Table Lock Escalations/sec counter, 233
 - TABLE resource, locks for, 128

644 table scans in query plans – Transfer Error Messages task

- table scans in query plans, 86
- tables
 - checking, 306–307
 - fragmentation, 102–105, 102–103, 108–111
 - hints, 139–140
- TABLOCK hint, 140
- TABLOCK option, 302
- TABLOCKX hint, 140
- tail-log backups, 185
- Target Server Memory (KB)
 - counter, 238
- target servers (TSX), 322
- Task Manager utility, 6, 23
- Temp Tables Creation Rate
 - counter, 232
- Temp Tables For Destruction
 - counter, 233
- tempdb database, troubleshooting, 45–47
- TEMPLATE plan guides, 93
- templates, SQL Server Profiler, 9–12
- temporary snapshots, 349
- Term Extraction transforms, 377
- Term Lookup transforms, 377
- test servers, 525
- thresholds, monitoring, 234
 - database engine, 237–238
 - disk I/O, 236–237
 - memory, 236
 - network I/O, 237
 - processors, 235–236
 - Replication Monitor, 499–500
- throughput baselines, 513
- timely data, 402
- Timeout event class, 133, 241
- timestamp data type, 443
- tinyint data type, 440
- Top Transactions reports, 27, 49
- TornPageDetection option, 424–425
- Total Latch Wait Time (ms)
 - counter, 234
- %Total Processor Time counter, 21
- @@TOTAL_READ function, 32
- _TOTAL resource, locks for, 127
- Total Server Memory (KB) counter, 238
- TRACEOFF command, 33, 51
- TRACEON command, 33, 51
- tracer tokens, 500–501, 501
- traces
 - default, 29
 - events, 256–257, 278–279
 - flags, 33, 143–144
 - logs, 346–347
 - Performance Logs and Alerts, 12–18, 13–15, 17–18
 - for poorly performing queries, 78
 - server monitoring, 238–242
 - SQL, 18–19
 - SQL Server Profiler, 9
- TRACESTATUS command, 33
- tracking changes, 539
- Transact-SQL
 - agent profiles, 510–511
 - data types, 440–443
 - event classes, 242
 - performance, 70
- TRANSACTION entity, locks for, 127
- Transaction Log Shipping Status
 - report, 27
- transaction logs
 - backups, 184–185, 191–193
 - restoring, 200–201
- transactional consistency, 480
- transactional replication, 175–176, 476–477
 - configuring, 481–485, 482–485
 - conflicts, 505–506, 506
 - with updating subscribers, 431–432
- transactions
 - DMVs, 56
 - isolation levels, 123–126
 - reports, 27, 49
- Transactions/sec counter, 232
- Transfer Database task, 374
- Transfer Error Messages task, 374

Transfer Jobs task, 374
 Transfer Logins task, 374
 Transfer Master Stored Procedures task, 374
 Transfer SQL Server Objects task, 374
 transforms, 376–377, 426
 Transition Faults/sec counter, 230
 TRC_ events, 256–257, 278–279
 trend analysis requirements, 222–223
 triggers, 262
 vs. constraints, 445
 DDL, 270–274, 542–545
 DML, 263–269, 265
 vs. event notifications, 276
 replication, 493–494
 troubleshooting, 2–4, 38–39, 47–48
 concurrency issues, 116–118
 latches, 118–122
 locks. *See* locks
 replication baselines, 513
 database-level DMVs for, 52–56
 DBCC commands for, 50–51, 52
 deadlocks, 147–151, 150
 DMVs for, 19–20, 19
 DTA for, 52
 exam essentials, 57–58
 instance. *See* instance performance
 I/O bottlenecks, 23–24, 44–45
 memory, 22–23, 42–44
 methodology, 4–5, 20–21
 physical servers, 20–24
 processors, 21–22, 39–42, 41
 review questions, 59–68
 SQL Server 2005 tools, 9–12, 10
 summary, 57
 Summary Report pane for, 48–50, 48–50
 tempdb problems, 45–47
 traces for, 18–19
 Windows tools, 6–9, 7–8, 12–18, 13–15, 17–18

TRUNCATEONLY option
 DBCC SHRINKFILE, 316
 SHRINKDATABASE, 315
 TRY/CATCH construct, 114–115
 TSQL template, 10
 TSQL_Duration template, 11
 TSQL_Grouped template, 11
 TSQL_Replay template, 11
 TSQL_SPs template, 12
 TSX (target servers), 322
 Tuning Options tab, 73, 73
 Tuning template, 12
 two-phase commits, 429

U

UDTs (user-defined types)
 CLR, 444–445
 Transact-SQL, 443
 unattended report execution, 343
 understandable data, 402
 Unicode character strings, 442
 UNION ALL operators, 417–419, 418–419
 Union All transforms, 377
 UNION hint, 91
 UNION operators, 417–419, 418–419
 unique constraints, 435
 uniqueidentifier data, 429, 430, 443
 Unpivot transforms, 377
 unrestricted joins, 415–417, 416
 updatable copies, single master approach, 429–432, 429–431
 updatable subscribers, conflicts with, 505–506, 506
 UPDATE STATISTICS statement, 88, 113
 updates
 catalogs, 316–317
 deploying, 566
 index statistics, 111–114

- security, 565–566
- subscribers
 - snapshot replication with, 430–431, 431
 - transactional replication with, 431–432
- UPDATEUSAGE command, 51, 316–317
- UPDLOCK hint, 140
- % Usage counter
 - baselines, 230
 - thresholds, 236
- USE PLAN hint, 91
- Use Remote Collation option, 463
- UseInprocLoader parameter, 509
- User Connections counter, 233
- user-defined integrity, 434
- user-defined roles, 584
- user-defined types (UDTs)
 - CLR, 444–445
 - Transact-SQL, 443
- user-level security
 - authentication, 575–578, 576
 - implementing, 583–586, 583
 - logins. *See* logins
 - permissions, 586–589, 586–588
- User Must Change Password at Next
 - Login option, 576–577
- User Settable counter, 225
- User Statistics reports, 50
- USEROPTIONS command, 51
- users, database, 583, 583
- @useself parameter, 466

V

- Validate Subscriptions dialog box, 502, 502
- validation
 - for injection attacks, 529
 - queries for. *See* joins; sets
 - replicated data, 502–504, 502–503

- varbinary data type, 442
- varchar data type, 441–442
- Vault system, 538
- VCSs (version control systems), 538–539
- Venn diagrams, 405, 405
- verification
 - data quality attributes, 402–403
 - permissions, 586–589, 586–588
 - quality management tools, 403–404
 - replication latency, 501, 501
- version control systems (VCSs), 538–539
- versions of packages, 361
- video surveillance, 525
- VIEW permission, 579
- Virtual Bytes counter, 237
- virtual directories, 338
- virtual memory architecture and management system, 22
- virtual private networks (VPNs), 491
- viruses, 530–532
- Visual Studio 2005 environment, 404
- VLDB environment, 317–318
- VPNs (virtual private networks), 491

W

- WAIT lock request state, 132
- wait types, 120–121
- warm standby solutions, 165
- Warnings and Agents tab, 498–500, 498
- WBEM (web-based enterprise management), 253
- Web Service task, 374
- WHERE clause
 - full outer joins, 414–415
 - left outer joins, 409
 - right outer joins, 411
- Windows authentication, 575, 577

Windows Management
Instrumentation (WMI), 253
Windows Server Update Services Server
(WSUS), 566
Windows troubleshooting tools, 6–9,
7–8, 12–18, 13–15, 17–18
wiring up SSIS packages, 366
WITH ENCRYPTION clause, 494
WITH GRANT option, 579
Wizard Actions page, 489
WMI (Windows Management
Instrumentation), 253
WMI Data Reader task, 374
WMI event alerts, 253–262, 254, 258
WMI Event Watcher task, 374
WMI Query Language (WQL), 254
Working Set counter, 23

Worktables Created/sec counter, 233
worms, 530–532
WQL (WMI Query Language), 254
Write a Report to a Text File
option, 332
WSUS (Windows Server Update
Services Server), 566

X

XLOCK hint, 140
xml data type, 443
XML indexes, 96–97
XML task, 374
xp_cmdshell procedure, 559
xp_regwrite procedure, 559