

INDEX

§() function, 468–470
* (asterisk), unsaved changes, 11

A

abstraction, imperative languages and, 312
Access Modifier option, 816
accessibility for users, 416–417
ACS (Access Control Service), 545–546
action methods
 Create, 457
 parameters, 456–459
ActionLink helper, 450
Actions Pane window (VSTO), 381, 386–387
ActivationKeyFile property, 957
activities (workflow), 703–704
 code, 715–719
 control flow, 704–705
 Flowchart, 704
 Sequence, 704
Activity class, 704
Activity Diagrams (UML), 1062, 1063
Add Area dialog, 459
Add button, 575–576
Add Controller dialog, 441
Add-in Manager dialog, 1011
Add-in Wizard, 1009–1012
add-ins
 Add-in Wizard, 1009–1012
 COM components, 1014
 Connect class, 1015
 deploying, 1022–1023
 disabled, 394
 extensibility and, 1002
 loading, 1011
 project structure, 1012–1013
 testing, 1013–1014
 unregistering, 392–393
 Visual Studio IDE, 1011
 Visual Studio Macros IDE, 1011
Add Reference dialog, 21
.AddIn file, 1014
address breakpoint, 847
AddSolutionFolder method, 1003
Administrative install, 970
ADO.NET. *See also* Sync Services
ADO.NET Entity Framework, 621
 associations, 623
 creating, 634
 modifying, 634
 navigating, 641–642
 change tracking, 639
 Empty Model option, 625
 entities, 623
 adding properties, 631–632
 business logic, 645
 complex types, 632
 creating, 630–633, 632–633
 inheritance, 635
 modifying, 630–633
 property names, 631
 Entity Data Model Wizard, 624–625
 Entity Framework designer, 626–630
 entity models, 623
 creating, 624–635
 CRUD operations, 637–641
 database updates, 644–645
 querying, 636–642
 updating with database changes, 635
 validation, 635

ADO.NET Entity Framework (*continued*)

- entity sets, 623
- LINQ and, 587
 - LINQ to Entities, 636–642
 - LINQ to SQL, 622–623
- LINQ to SQL and, 487
- mapping, 623
- POCO (Plain Old CLR Objects), 645
- reports, 649
- adornments in text, 1047–1048
- AfterInstall event handler, 970
- aggregates, reports, 661–663
- Agile Software Development. *See* MSF for Agile Development
- aliases
 - commands, Immediate window, 831
 - e (XML namespace), 605
- alignment, text controls, 342
- Allocation information, 1082
- AmbientValue attribute, 31–32
- anchoring controls, 349–350
- animated window closing, 41
- anonymous methods, 321–322
- anonymous type feature (LINQ), 591
- app.config file, 726, 774
- AppFabric, 533, 545–546
 - authentication, 533
- application add-ins, 388–392
 - VSTO, 388–392
- Application Events, 954
- Application Expiry, 950
- Application Framework, 100
 - security, 728
- application-level add-ins (Office), 381–382
- application-level errors, 877
- application-level tracing, 882
- application monitoring and management, 949–958
 - application expiry, 956–957
 - RI (Runtime Intelligence), 952–956
 - Tamper defense, 950–952
 - usage tracking, 957–958
- application pages, SharePoint, 522
- Application tab (Solution Explorer), 97–98
 - Application Framework, 100
 - Assembly Information, 98–99
 - User Account Control, 99–100
- Application Usage Tracking, 950
- ApplicationAttribute attribute, 953
- applicationHost.config file, 775
- ApplicationRoot class, 1035
 - import requirements, 1036
- applications. *See also* Windows Forms applications
 - ASP.NET Dynamic Data, 489–491
 - composable parts, 1034
 - debugging
 - multi-threaded, 897–899
 - parallelized, 897–899
 - running remote debugging, 894–895
 - running Web applications, 893–894
 - running Windows processes, 892–893
 - deploying, 394–396
 - occasionally connected, 746
 - resourcing, 811–813
 - settings, configuration files, 782–790
 - themes (Silverlight), 479
- ApplicationServices, 729
- ApplyResources method, 817
- appSettings section of configuration file, 782–783
- Architecture edition. *See* VSTS Architecture
- Architecture Explorer, 1068–1070
 - queries, 1070
- areas (MVC), 459–461
- arrays, literals, 323–324
- Ascending keyword, 595
- ASP (Active Server Pages), 437
- ASP.NET
 - applications, reports, 646
 - configuration in IIS, 434
 - debugging, 872–877
 - Edit and Continue, 876
 - error handling, 876–877
 - web applications, 874–876
 - RIA Services and, 758
 - Web site administration, 431–434
- ASP.NET AJAX
 - JavaScript, debugging, 879
 - Web Application projects, 427–429
 - control extenders, 429–431

- ASP.NET Application Services, 725
 - authentication, 729
 - client application services, 729
 - profiles, 729
 - role management, 729
- ASP.NET Dynamic Data, 485
 - applications, 489–491
 - Convention over Configuration, 486
 - data fields, customizing, 492–494
 - data models
 - adding, 487–489
 - customizing, 491–492
 - display format, 496–498
 - scaffolding tables, 491–494
 - validation rules, 494–496
 - enabling for existing projects, 511–512
 - Entities Dynamic Data project, 488
 - metadata classes, 492
 - presentation, 498
 - entity templates, 506–508
 - field templates, 502–506
 - filter templates, 509–511
 - page templates, 499–502
 - scaffolding, 486
 - web applications, creating, 486–491
- ASP.NET MVC, 437, 438
 - action methods, parameters, 456–459
 - areas, 459–461
 - Dynamic Data templates, 464
 - display templates, 465–468
 - edit templates, 468
 - files, 439
 - folders, structure, 439–440
 - jQuery, 468–470
 - model binders, 458–459
 - models, selecting, 440–441
 - partial views, 463
 - request life cycle, 438–439
 - routing, 451–455
 - views, custom view templates, 463–464
- ASP.NET Web Forms, 399, 437
- ASP.NET Web Parts, 524
- assemblies
 - caching, XML file and, 476
 - GAC, 933–934
 - naming, 929–932
 - signing, 934–936
 - strongly named, 933
 - obfuscation, 948–949
 - versions, consistency, 932–933
- assembly directive (T4), 276
- Assembly Information, 98–99
- AssemblyCleanup attribute, 207
- AssemblyInfo file, 932–933
- AssemblyInitialize attribute, 207
- Assert class, 203
- Assert method, 891
- Association connector, 179
- associations (Entity Framework), 634
- asterisk (*), unsaved changes, 11
- asynchronous methods, 698
- attached properties, XAML, 358
- attaching to Web applications, 893–894
- attaching to Windows processes, 892–893
- attributes
 - AmbientValue, 31–32
 - ApplicationAttribute, 953
 - Browseable, 28–29
 - Category, 30
 - CompilerGenerated, 1078
 - configuration, 780–781
 - DataContract, 686
 - DebuggerBrowsable, 859–860
 - DebuggerDisplay, 860–861
 - DebuggerHidden, 861–862
 - DebuggerNonUserCode, 862
 - DebuggerStepperBoundary, 862–863
 - DebuggerStepThrough, 862
 - DefaultValue, 30–31
 - Description, 29
 - DisplayName, 29
 - EnableClientAccess, 761
 - ExportAttribute, 1036
 - FeatureAttribute, 957–958
 - GeneratedCode, 1078
 - InsertShelfLifeAttribute, 956
 - InsertSignOfLifeAttribute, 956
 - InsertTamperCheckAttribute, 951
 - ObfuscationAssemblyAttribute, 945–946
 - ObfuscationAttribute, 946–948

attributes (*continued*)

- OperationContract, 684
- ServiceContract, 685
- SetupAttribute, 953–956
- TeardownAttribute, 953–956
- TestClass, 200
- testing and, 200–202
 - ExpectedException, 204–206
 - Ignore, 201
 - Owner, 201
 - Priority, 201
 - TestCategory, 201
 - Timeout, 201
 - WorkItem, 201
- TestMethod, 200
- xmlns, 356
- authentication, 107
 - AppFabric, 533
 - ASP.NET Application Services, 729
 - Forms, 726
 - forms-based, 731
 - NTLM, 113
 - RIA Services, 758
 - users, 731–733
 - Web controls, 418–420
 - Windows authentication, 726
- authorization, roles, 729–731
- automated tests, 1095–1096
- automatic properties, 322–323
- automation, T4 templates, 280–284
- automation model. *See* DTE (Development Tools Extensibility)
 - accessing, 1018–1020
- Autos window, 833
- Azure. *See* Windows Azure Platform

B

- background synchronization, 752–755
- BackgroundWorker, 752–755
- Bauer, Denis, 940–941
- BeforeExecute event, 1020
- best practices for databases, 1093–1094
- binary resources, 807–808
- binding data, data contracts, 690
- binding objects, LINQ to SQL, 614–617
- BindingNavigator, 569–570
- BindingSource, 567–569
 - chains, 579–581
- BindingSource property, 614
- bitmap loading, 816
- block comments, 220
- block selection, code editor, 60
- bookmarks, 133–135
 - workflow, 705
- Branch Visualization tool, 1127
- branches in Version Control, 1126–1127
- Break mode (debugging), 828, 845
- Breakpoint Hit Count dialog, 849
- breakpoints, 828, 845
 - break conditions, 848
 - conditional, 828
 - deleting, 850
 - disabling, 850
 - exporting, 851–852
 - filters, 849–850
 - hit counts, 849
 - importing, 851–852
 - JavaScript, 878
 - labeling, 851
 - location, changing, 850–851
 - setting
 - address, 847
 - function, 846–847
 - simple, 846
 - workflows, 718–719
- Breakpoints window, 828–829
 - breakpoint list, 829
 - toolbar, 829
- brokers (IntelliSense), 1049
- Browseable attribute, 28–29
- browsers, Silverlight, 481–484
- browsing data, 584–586
- Build and Run node, 49–50
- Build and Run options page, 912
- Build Configuration options, 912
- Build Events tab (Solution Explorer), 103, 917–919
- Build tab (Solution Explorer), 102–103
- building first application, 9–13
- builds

- C# build pages, 919–920
 - Compile page (VB), 915–919
 - Build Events, 917–919
 - compilation constants, 916–917
 - optimizations, 916
 - dependencies, manual, 914–915
 - general options, 911–914
 - MSBuild, 920–921
 - Items elements, 924
 - PropertyGroup nodes, 924
 - Target elements, 924
 - Tasks elements, 925–927
 - Visual Studio's use, 921–923
 - parallel project builds, 912
 - Business Application template, 757
 - business logic, Entity Framework, 645
- C**
- C#
 - build pages, 919–920
 - code snippets, 139–140
 - C/C++ Code Analysis tool, 1079
 - CAL (client access license), 514
 - Call Hierarchy window, 66–67
 - Call Stack window, 833, 839, 847
 - camel case searching, 82
 - catalogs (MEF), 1040–1041
 - Category attribute, 30
 - CEIP (Customer Experience Improvement Program), 958
 - certificates
 - deployment and, 977–979
 - Trusted Root Certification Authorities, 979
 - Changed event, 1042
 - Chart control, 658–659
 - charts
 - categories, 658
 - data, 658
 - drop zones, 658
 - series, 658
 - Check Comment Margin Highlighter, 1050–1057
 - CheckCommentGlyphFactory class, 1056
 - CheckCommentTagger class, 1054
 - CheckCommentTaggerProvider class, 1054
 - class associations, 179
 - class coupling, code metrics, 1077
 - Class Designer
 - Class Details, 180
 - class diagram
 - creating, 176–177
 - entities, 178–179
 - exporting, 182
 - code generation
 - drag-and-drop, 182–184
 - IntelliSense, 184–185
 - drag and drop and, 177
 - Implement Abstract Class function, 185
 - layout, 181
 - modeling and, 175
 - Override Members function, 185
 - Properties window, 181
 - refactoring with, 185
 - Toolbox, 178
 - Class Details window, 180
 - class diagrams
 - creating, 176–177
 - entities, 178–179
 - connectors, 179
 - exporting, 182
 - Class Diagrams (UML), 1062, 1066
 - Class Feature blocks (T4), 270–272
 - Class View, 8, 63–64
 - ClassCleanup attribute, 206–207
 - classes
 - Activity, 704
 - ApplicationRoot, 1035
 - Assert, 203
 - CheckCommentGlyphFactory, 1056
 - CheckCommentTagger, 1054
 - CheckCommentTaggerProvider, 1054
 - ClassificationTypeDefinition, 1046
 - CodeActivity, 704, 715
 - CollectionAssert, 204
 - CommandLineMessageService, 1038
 - ComponentResourceManager, 812
 - Connect, 1015
 - CustomAuthentication, 731
 - CustomerVisualizer, 866–867
 - Debug, 890–891

- classes (*continued*)
 - Debugger, 890
 - domain context, 764–765
 - DynamicActivity, 704
 - EventLog, 161
 - Installer, 172, 971
 - InstallerActions, 971
 - MembershipProvider, 732
 - metadata, 492
 - metadata proxy, 462
 - NativeActivity, 704
 - RegisteredEntities, 788
 - RoleProvider, 729
 - SaveOperation, 1038
 - SearchResult, 591
 - ServerSyncProviderProxy, 752
 - ServiceInstaller, 973–976
 - StatusNotificationService, 1036
 - StringAssert, 203–204
 - SubscriptionTest, 1103
 - Trace, 890–891
 - WorkflowApplication, 705, 717
 - WorkflowInvoker, 705
 - WorkflowServiceHost, 705
- Classification subsystem, 1043
- classification types (Editor), 1046–1047
- ClassificationTypeDefinition class, 1046
- classifier aggregators, 1046
- ClassInitialize attribute, 206–207
- Click event handler, 37
- ClickOnce, 110
 - deployment, 976–980
 - security, 111
 - updating, 980–982
- client application services, 725
 - application framework, security, 728
 - ASP.NET Application Services, 729
 - offline support, 740–742
 - users, validation, 727
- client changes in Sync Services, 755–756
- client services
 - authentication, 107
 - roles, 107
 - Web settings, 107
- client-side development, Web Application projects, 425–431
- ClientServices, creating, 725–728
- clipboard, code editor, 60
- Cloud Computing, 533
- Cloud Service project template (Azure), 534
- CloudFront project (Azure), 535
- CLR (Common Language Runtime), 394
- CMMI Process Improvement, MSF and, 1112
- code, linking with tests, 1103–1105
- code analysis, 112–113
 - C/C++ Code Analysis tool, 1079
 - Managed Code Analysis tool, 1078–1079
- Code Analysis Settings, 93
- Code Analysis tab (Solution Explorer), 112–113
- code assets, generating, 280–284
- code blocks
 - commenting/uncommenting, 59–60
 - surrounding with snippets, 141–142
 - Toolbox, 138
- Code Contracts, 214–216, 258–260
- Code Coverage, 1103–1104
- Code Definition window, 66
- code editor
 - block selection, 60
 - clipboard, 60
 - code blocks, commenting/uncommenting, 59–60
 - code formatting, 55–56
 - Find All References option, 61
 - floating windows, 58–59
 - full-screen view, 60
 - Go To Definition option, 61
 - line numbers, 57
 - multiline editing, 60
 - Navigate Backward, 57
 - Navigate Forward, 57
 - outlining, 55
 - reference highlighting, 57
 - regions, 54–55
 - split view, 58
 - tab groups, 59
 - tear away code windows, 58–59
 - threads, 897
 - window layout, 53–54
 - word wrap, 57
 - zooming, 57
- code execution windows, Call Stack, 833
- code formatting, code editor, 55–56

- code generation, 263–264
 - drag-and-drop, 182–184
 - IntelliSense, 184–185
- code metrics, 1075
 - class coupling, 1077
 - Cyclomatic Complexity, 1078
 - depth of inheritance, 1077
 - excluded code, 1078
 - lines of code, 1076–1077
 - maintainability index, 1078
- Code Metrics window, 1075–1076
- code modules, macros, 1026
- code snippets
 - C#, 139–140
 - code blocks, 138–139
 - surrounding, 141–142
 - creating, 143
 - IDE, 137
 - Insert Snippet, 139–140
 - inserting, 139
 - IntelliSense, 133
 - predefined, 139
 - reviewing, 144–147
 - shortcuts, 140
 - VB, 140–141
- Code Snippets Manager, 142–143
- code window
 - Break mode, 828
 - DataTips, 828
 - debugging, 827–828
- CodeActivity class, 704, 715–719
- Coded UI Tests, 1101–1102
- CodeRush Xpress, 137
 - refactoring, 149
- coding resource files, 817–819
- coding standards, FxCop, 254–257
- coding style, StyleCop, 258
- collection associations, 179
- CollectionAssert class, 204
- collections, initializers, 323–324
- colors, editor space, 43–44
- COM components
 - add-ins, 1014
 - registering, 1014
- Command window, 61–62
 - IntelliSense, 62
- CommandLineMessageService class, 1038
- commands
 - aliases, Immediate window, 831
 - DTE.Commands enumeration, 1006–1007
 - Find in Files, 78
 - groups, 61
 - Immediate window, 831
 - IntelliSense, 131
 - listing, 47, 61
 - Lock Controls, 345
 - Replace in Files, 78
 - Toggle Bookmark, 133–134
- commenting/uncommenting, code blocks, 59–60
- comments, 1046
 - block, 220
 - inline commenting, 220
 - single line, 220
 - Task List window, 241–243
 - text file resources, 806
 - XML comments, 220–221
- commit characters (IntelliSense), 123
- Common Controls, 23
- compile errors, 64
- Compile page (VB), 915–916
 - Build Events, 917–919
 - compilation constants, 916–917
 - optimizations, 916
- Compile tab (Solution Explorer), 100–102
- compiler debug option, enabling, 873
- compiler section of configuration schema, 780
- CompilerGenerated attribute, 1078
- compiling
 - decompilers, 939–941
 - just-in-time compiling, 937
 - PIAs (Primary Interop Assemblies), 315
 - transformation errors, 279
- completion mode (IntelliSense), 124–125
- complex expressions, 661
- complex properties (entities), 631
- Component Diagrams (UML), 1062, 1065–1066
- ComponentResourceManager class, 812, 816–817
- composable parts of application, 1034
- ComposeParts method, 1035

- composition containers, 1034
- CompositionContainer, 1034
- Condition property, 969
- conditional breakpoints, 828
- .config files
 - app.config file, 774
 - applicationHost.config file, 775
 - machine.config file, 773–774
 - security.config file, 775
 - web.config file, 774
- configuration, help system, 85–86
- configuration attributes, 780–781
- configuration files, 773. *See also* .config files
 - application settings, 782–790
 - appSettings section, 782–783
 - connectionStrings section, 798
 - custom sections, 785–790
 - dynamic properties, 784–785
 - IntelliSense, 789–790
 - project settings, 783–784
 - referenced projects with settings, 792–793
 - SCDL, 789
 - user settings, 790–791
- configuration schema
 - compiler section, 780
 - configurationSections block, 775–776
 - cryptographySettings section, 779
 - runtime block, 777–778
 - startup block, 777
 - system.diagnostics section, 779
 - system.net block, 778–779
 - system.runtime.remoting block, 778
 - system.web section, 779–780
- configuration settings, inherited, 774
- configurationSections block of configuration
 - schema, 775–776
- Connect class, 1015
- connection properties (SQL Server), 800–801
- connection strings, 562
 - encrypting, 803–804
 - in-code construction, 801–803
- Connection Strings Wizard, 795–801
- ConnectionString property, 801
- connectionStrings section of configuration
 - files, 798
- connectors to entities, 179
- container controls
 - composition container, 1034
 - FlowLayoutPanel, 348
 - Panel, 347–348
 - SplitContainer, 347–348
 - TableLayoutPanel, 348–349
- content controls (Word), 381
- content pages (SharePoint), 522
- content types
 - Editor, 1045–1046
 - SharePoint, 519
- ContentTypeDefinition contract, 1046
- context menus, Solution Explorer, 17
- contracts (MEF), 1037–1040
 - ContentTypeDefinition, 1046
 - IGlyphFactoryProvider, 1056
 - IMouseProcessorProvider, 1048
 - IWpfTextviewCreationListener, 1048
- contracts (WCF), 683
 - data contracts, 683, 685–687
 - message contracts, 683
 - service contracts, 683, 684–685
- contravariance, 317, 319–321
- control flow activities (WF), 704–705
 - Flowchart, 704
 - Sequence, 704
- control images, 813
- control themes (Silverlight), 479
- controllers, 441
 - classes, populating, 441
- Controllers folder, 441
- controllers (IntelliSense), 1049
- controls
 - Chart, 658–659
 - container controls
 - FlowLayoutPanel, 348
 - Panel, 347–348
 - SplitContainer, 347–348
 - TableLayoutPanel, 348–349
 - detective, 950
 - DomainDataSource, 765
 - drag and drop, 650
 - Gauge control, 659–660
 - Image control, 657

- Line, 652
- List, 657
- Matrix control, 655–657
- preventative, 950
- QueryableFilterRepeater, 510
- QueryExtender, 510
- Rectangle, 652
- Report Viewer, 645, 646
- Subreport control, 657
- Table control, 652–655
- Text Box, 650–652
- web forms
 - formatting, 411–412
 - positioning, 409–411
- Windows Forms
 - adding, 341
 - aligning text controls, 342
 - anchoring, 349–350
 - docking, 349–350
 - horizontal spacing, 343
 - layering, 344
 - locking design, 344–345
 - positioning multiple, 342–343
 - property setting, 345–346
 - tab order, 344
 - vertical spacing, 343
- WPF, layout controls, 358–360
- Convention over Configuration, 486
- covariance, 317, 318–319
- Create action method, 457
- CreateToolWindow method, 1016, 1018
- credentials provider, 738
- cross-assembly referencing, 816
- CRUD (Create, Read, Update, Delete), 485
 - contracts, 684
 - entity models, 637–641
- cryptographySettings section in
 - configuration schema, 779
- Crystal Reports, introduction, 645
- CSS (cascading style sheets), web forms, 412–415
- Ctrl key, temporary window, 40
- Ctrl+Tab window, 40
- culture resources, 813–814, 815
 - creating, 814
 - invariant cultures, 813
 - loading files, 814–815
 - neutral cultures, 813
 - specific cultures, 814
- CurrentChanged event, 748
- CurrentPrincipal, 728
- CurrentStatusTest, 1103
- CustomActionData property, 972
- CustomAuthentication class, 731
- Customer Experience Improvement Program (CEIP), 958
- CustomerBindingNavigator, 569–570
- CustomerBindingSource, 567–569
- CustomerTableAdapter, 563
- CustomerVisualizer class, 866–867
- customization, document-level, 381
- CustomReportingFunctions template, 665
- CVS, 246
- Cyclomatic Complexity, 1078

D

- dashboards (SharePoint), 1132–1133
- data
 - browsing, 584–586
 - editing, 556–557
 - previewing, 557
- data binding, 565–567
 - saving changes, 573–574
 - validation, 576–578
 - WPF, 367–370
- Data Binding Mode options, 570–571
- Data Compare, 1092–1093
- Data Connections node (Server Explorer), 549
- data contracts (WCF), 683, 685–687
- Data Generation Plan, 1089–1090
- Data Link Properties dialog, 562
- data models, ASP.NET Dynamic Data, 487–489
 - display format, 496–498
 - validation rules, 494–496
- data sets
 - customized, 578–579
 - Typed DataSets, 649
- Data Source Configuration Wizard, 561, 650, 798
- data sources, 581–586
 - adding, 561–563

- data sources (*continued*)
 - reports, 647
 - defining, 648–650
 - selecting, 570–573
 - Web Service Data Source, 583
- Data Sources window, 549, 556
- data types
 - F#, 330
 - resource files, 819
- data view controls, 422–423
- Database Diagram Editor, 549
- database diagrams, 555–556
- Database projects, 95
- database tools
 - Data Compare, 1092–1093
 - Data Generation Plan, 1089–1090
 - Offline Schema project, 1086–1089
 - refactoring, 1090–1091
 - Schema Compare, 1091–1092
 - SQL-CLR Database projects, 1086
 - static analysis, 1093
 - Transact-SQL editor, 1093
- Database Unit Tests, 1100–1101
- databases
 - best practices, 1093–1094
 - SQL Azure, 544
 - updating, entity models, 644–645
 - windows, 549–556
- DataColumns, 559–560
- DataContract attribute, 686
- DataGridView, 579–581
- DataRows, 559–560
- DataSet editor, 563–565
- DataSet object, 560
- DataSets
 - creating, 561–563
 - GeneratedCode attribute, 1078
 - overview, 559–560
- DataTables, 559–560
- DataTips, 828
 - floating, 858
 - pinned, 858
 - variables, 858
- DDD (domain-driven design), 645
- Debug class, 890–891
 - DEBUG constant, 102
 - Debug Source Files, 93
 - Debug tab (Solution Explorer), 103
 - enable debuggers, 104–105
 - debugger
 - DebuggerBrowsable attribute, 859–860
 - DebuggerDisplay attribute, 860–861
 - DebuggerHidden attribute, 861–862
 - DebuggerNonUserCode attribute, 862
 - DebuggerStepperBoundary attribute, 862–863
 - DebuggerStepThrough attribute, 862
 - DTE.Debugger, 1007
 - Debugger class, 890
 - Debugger interface, 1003
 - debugging
 - ASP.NET
 - Edit and Continue, 876
 - error handling, 876–877
 - web applications, 874–876
 - ASP.NET AJAX JavaScript, 879
 - Assert method, 891
 - Break mode, 828, 845
 - breakpoints, 828, 845
 - conditional, 828, 848–849
 - deleting, 850
 - disabling, 850
 - exporting, 851–852
 - importing, 851–852
 - labeling, 851
 - location, 850–851
 - setting, 846–847
 - Breakpoints window, 828–829
 - client-side JavaScript, 877–878
 - breakpoints, 878
 - with code, Debugger class, 890
 - code execution windows
 - Call Stack, 833
 - Modules, 834–835
 - Processes, 835
 - Threads, 834
 - code window, 827–828
- DataTips, 828
- Debug class, 890–891
- delayed signing and, 949

- dynamically-generated JavaScript, 878–879
- Edit and Continue, 855–856
- exceptions and, 841
 - unwinding, 845
- Exceptions window, 841
- execution control, 853
 - stepping through code, 853–855
- execution point, moving, 855
- first application, 9–13
- Immediate window, 830–831
- IntelliTrace, 837–838, 1075
- LINQ, 596–597
- macros, 1030
- memory windows, 835
 - 1-4, 836
 - Disassembly, 836
 - Registers, 836–837
- mixed-mode, 899
- multi-threaded applications, 897–899
- .NET Framework, 896–897
- Output window, 829–830
- Parallel Stacks window, 839–840
- Parallel Tasks window, 840
- parallel windows, 838–840
- parallelized applications, 897–899
- post-mortem
 - dump files debugging, 901–902
 - dump files generation, 900–901
- Raw View, 865
- rude edits, 855
- running applications
 - remote debugging, 894–895
 - Web applications, 893–894
 - Windows processes, 892–893
- saving changes to object, 867–869
- server-side ASP.NET code, 872–877
- SharePoint, remote computers, 521
- Silverlight, 477, 879–880
- start actions, 887–889
- Stop Applying Changes, 855
- stored procedures (SQL Server), 899
- Trace class, 890–891
- Trace Switches, 891
- tracepoints
 - creating, 852
 - macros, 852–853
 - printing, 852–853
- tracing, 880
 - application level, 882
 - page-level, 881
- type proxies, 863–865
- visualizers, 865–867
- Watch windows
 - 1-4, 832–833
 - Autos, 833
 - Locals, 833
 - QuickWatch, 831–832
- web applications, 874–876
- workflows, 718–719
- WPF Visualizer, 376–377
- declarative languages, 312
- decompilers, 939–941
- DefaultValue attribute, 30–31
- DELETE HTTP method, 455
- dependencies
 - builds, manual, 914–915
 - .NET applications, 968
- Dependency Graphs, 1070–1072
- deploying
 - add-ins, 1022–1023
 - applications, 394–396
 - first application, 9–13
 - macros, 1030–1031
 - reports, 677
 - Web applications, 983
 - web.config transformations, 989–990
 - Windows Azure applications, 540–543
- deployment
 - certificates, 977–979
 - ClickOnce, 976–980
 - outputs included, 963
- depth of inheritance, 1077
- Descending keyword, 595
- Description attribute, 29
- design-time errors, 278–279
- designer files, 810–811
- designing reports, 647–648
- detective controls, 950
- developer types, 4
- developing first application, 9–13

- developing macros, 1028–1030
- Development Fabric (Azure), 535–536
- Development Tools Extensibility. *See* DTE (Development Tools Extensibility)
- dialogs
 - Add Area, 459
 - Add Controller, 441
 - Add-in Manager, 1011
 - Add Reference, 21
 - Breakpoint Hit Count, 849
 - Data Link Properties, 562
 - Exception Assistant, 841
 - Exceptions, 47
 - Find and Replace, 74
 - Find in Files, 78, 79
 - Find Symbol, 81
 - Foreign Key Relationships, 553
 - Help Library Manager, 85
 - New Project, 95–96, 353
 - Preview Data, 557
 - Publish Web, 986–987
 - Quick Find, 73
 - Remove Parameters, 154
 - Rename, 154
 - Reorder Parameters, 153–154
 - Report Properties, 667
 - Service Reference Settings, 22
 - Solution Properties, 16
 - Surround With, 141–142
- directives, T4, 265
 - assembly, 276
 - import, 276–277
 - include, 277–278
 - output, 275–276
 - template, 275
- directories, virtual, 774
- disabled add-ins, 394
- disabled users, accessibility, 416–417
- disabling breakpoints, 850
- Disassembly window, 836
- Display Items list, Text Editor, 44
- DisplayFor helper, 466
- DisplayName attribute, 29
- docking, 41–43
 - controls, 349–350
- document-level customization, 381
- document libraries, SharePoint, 519
- Document Outline window, 364
 - controlling outlining, 69–70
 - HTML outlining, 68–69
- document windows, automation, 1006
- documentation. *See also* comments; XML
 - comments
 - GhostDoc and, 237–238
 - introduction, 219
 - Sandcastle and, 238–241
- documents as templates, 1132
- domain context class, 764–765
- domain operations, 762
 - delete operations, 763
 - insert operations, 763
 - invoke operation, 763
 - query operations, 762–763
 - update operations, 763
- Domain Service Class Wizard, 761
- domain services
 - consuming, Silverlight, 764–768
 - RIA Services, 760–762
- DomainDataSource control, 765
- Dotfuscator, 941–945
 - RI (Runtime Intelligence), 952
 - tamper defense, 950–952
- drag and drop
 - Class Designer, 177
 - code generation, 182–184
 - controls, 650
- drop handlers, 1048
- DTE (Development Tools Extensibility), 1002–1004
 - debugger, 1007
 - event handling, 1007
 - macros, 1025–1026
- DTE.Commands, enumeration, 1006–1007
- DTE.Debugger, 1007
- DTE.Events object, 1007
- DTE.Solutions object, 1004–1005
- dump files
 - debugging, 901–902
 - generating, 900–901
- Dynamic Data, templates, 464

display templates, 465–468
 edit templates, 468
 dynamic data. *See also* ASP.NET Dynamic Data
 dynamic languages, 312–313
 dynamic lookups, late binding and, 325–326
 dynamic properties of configuration files, 784–785
 DynamicActivity class, 704

E

Edit and Continue, 855–856
 ASP.NET debugging, 876
 editing, data, 556–557
 Editor
 adornments, 1047–1048
 Check Comment Margin Highlighter, 1050–1057
 Classification subsystem, 1043
 classification types, 1046–1047
 classifiers, 1043
 content types, 1045–1046
 drop handlers, 1048
 extending, 1044
 IntelliSense, 1049
 margins, 1047
 mouse processors, 1048
 Operations subsystem, 1043
 options, 1048–1049
 services, 1050
 tags, 1047
 Text Model subsystem, 1042
 Text View subsystem, 1042–1043
 editor space, 8
 colors, 43–44
 fonts, 43–44
 full-screen mode, 45
 tracking changes, 46
 visual guides, 44–45
 embedding files as resources, 808–809
 empty test cases, 193
 Empty Web Site project template, 402
 EnableClientAccess attribute, 761
 EnableDynamicData method, 511–512
 Encapsulate Field method of refactoring, 150–151
 Encode method, 450
 encryption, connection strings, 803–804
 endpoints (WCF), 688–691
 Entities Dynamic Data project, 488
 entities in class diagrams, 178–179
 connectors, 179
 display style, 181
 Entity Data Model Wizard, 624–625
 Entity Framework designer, 626–630
 entity templates, ASP.NET Dynamic Data, 506–508
 enumeration
 DTE.Commands, 1006–1007
 projects, 1004–1005
 windows, 1005–1006
 Environment settings, source code repository, 248
 environment settings, 6
 RSS feed, 7
 error handling, ASP.NET debugging, 876–877
 Error List, 64
 Error List window, 664
 ErrorMessage property, 813
 errors
 compile errors, 64
 compiling transformation, 279
 in conversion, 907
 design-time, 278–279
 executing transformation errors, 279–280
 generated code errors, 280
 event handlers
 AfterInstall, 970
 Click, 37
 XAML editor, 361
 event handling, 1020–1022
 event receivers (SharePoint), 519, 527–528
 EventLog class, 161
 events
 BeforeExecute, 1020
 Changed, 1042
 CurrentChanged, 748
 DTE.Events object, 1007
 IntelliTrace, 1085
 Post Build Event, 918
 SubreportProcessing, 670

- Excel
 - document-level customization, 381
 - Project integration, 1118–1119
 - smart tags, 381
 - work items, 1117–1118
 - Exception Assistant, customizing, 844–845
 - Exception Assistant dialog, 841
 - exception information, writing, 161
 - exceptions
 - debugger, 841
 - execution path, 841
 - IntelliTrace, 1085
 - unwinding, 845
 - Exceptions dialog, 47
 - Exceptions window, 841
 - excluded code, 1078
 - executing transformation errors, 279–280
 - execution control, 853
 - stepping through code, 853–854
 - step filtering, 854
 - Stepping Into, 854
 - Stepping Out, 854
 - Stepping Over, 854
 - execution point, moving, 855
 - ExpectedException attribute, 204–206
 - Experimental Instance, 1045
 - expiration date, 956–957
 - ExportAttribute attribute, 1036
 - exporting
 - breakpoints, 851–852
 - class diagrams, 182
 - composable parts and, 1034
 - contracts and, 1037–1040
 - settings, 51–52
 - Expression blocks (T4), 268
 - Expression Builder, 75–76, 662
 - fx button, 662
 - expression holes, 600–601
 - expressions, 705
 - complex, 661
 - Immediate window, 830–831
 - Lambda expressions, 589–590
 - reports, 661–663
 - simple, 661
 - extensibility, 1001. *See also* DTE (Development Tools Extensibility)
 - add-ins, 1002
 - macros, 1002, 1025–1026
 - MEF (Managed Extensibility Framework), 1002, 1033
 - options, 1001–1002
 - VSPackages, 1002
 - extension methods, LINQ, 110
 - Extract Interface method of refactoring, 151–153
 - Extract method of refactoring, 148–150
- ## F
- F#, 327–330
 - data types, 330
 - Interactive window, 329
 - lazy keyword, 331
 - for loop, 330
 - Pattern Matching, 330
 - Feature Designer, 529–530
 - FeatureAttribute attribute, 957–958
 - Features node (SharePoint), 521
 - features (SharePoint), 519, 529–530
 - field templates, ASP.NET Dynamic Data, 502–506
 - file extensions, toolbar associations, 39
 - files. *See also* .config files; configuration files
 - .AddIn, 1014
 - designer files, 810–811
 - dump files
 - debugging, 901–902
 - generating, 900–901
 - embedding as resources, 808–809
 - find and replace, 78–79
 - hidden, 91
 - JavaScript, 129–130
 - project, format, 96
 - replace in, 80–81
 - text file resources, 806–807
 - Fill method, 564
 - filter templates, ASP.NET Dynamic Data, 509–511
 - filters
 - breakpoints, 849–850
 - step filtering, 854
 - FinalQuery method, 596
 - find and replace
 - in files, 78–79

- Find Symbol search tool, 81
 - options, 77
 - Quick Find dialog, 73
 - regular expressions, 76–77
 - replace in files, 80–81
 - Replace With field, 75
 - wildcards, 75–76
- Find and Replace dialog, 74
- Find in Files command, 78
- Find in Files dialog, 78, 79
- Find Options, 75
- Find Results windows, 79–80
- Find Symbol dialog, 81
- Find Symbol search tool, 81
- flexibility, 311
- floating code editor windows, 58–59
- floating tool windows, 43
- Flowchart control flow activity (WF), 704
- FlowLayoutPanel control, 348
- folders, 90
 - ASP.NET MVC, 439–440
 - Controllers, 441
 - Open Containing Folder option, 40
 - SharePoint Mapped Folders, 523
 - solution folders, 90
- Font and Colors node, 43
- fonts, editor space, 43–44
- for loops, F#, 330
- Foreign Key Relationships dialog, 553
- formatting code, code editor, 55–56
- forms
 - login, 738–740
 - Outlook, 389–392
 - SnapLines, 339
 - Windows Forms Designer, 338–340
- Forms authentication, 726
- forms-based authentication, 731
- framework, versions, 19
- From statement, 591
- full-screen mode, editor space, 45
- full-screen view, code editor, 60
- function breakpoints, 846–847
- functional languages, 313–314
- functionality, Modeling Power Toys for Visual Studio 2010, 187

- functions
 - \$() , 468–470
 - GetStringName, 667
 - Implement Abstract Class, 185
 - Override Members, 185
 - refactoring functions, 185
 - Server Explorer window, 554–555
- fx button, 662
- FxCop, 245
 - code analysis, 254–257
 - Managed Code Analysis tool, 1078

G

- GAC (Global Assembly Cache), 26, 933–934
 - installers, 967
 - reports, 665
- gacutil.exe, 934
- garbage collection, 777
- Gauge control, 659–660
- generated code errors, 280
- GeneratedCode attribute, 1078
- GenerateMagicNumber method, 939
- generating reports, 674–675
- Generic Tests, 1102
- generic variance, 317
- Generics, inheritance, 316–318
- GET HTTP method, 455
- Get Started tab, 34
- GetCredentials method, 740
- GetData method, 564
- GetManifestResourceNames method, 809–810
- GetManifestResourceStream method, 809–810
- GetRolesForUser method, 729
- GetStringName function, 667
- GetTags method, 1054
- GhostDoc, 219, 237–238
- GlobalAssemblyInfo file, 932–933
- glyph factory, 1054
- glyphs, WPF designer, 362
- GroupBy statement, 593–594
- Guidance and Resources tab, 34

H

- Halstead volume, 1078
 - hard disabled add-ins, 394
 - HEAD HTTP method, 455
 - headers/footers in reports, 669
 - Health Monitoring, 884–886
 - Hello World, 9–13
 - Help Library Manager dialog, 85
 - help system, 83–84
 - configuration, 85–86
 - navigating, 84–85
 - online help system, 85
 - searching, 84–85
 - Service Unavailable message, 83
 - hidden files, 91
 - HideSolutionNode, 92
 - highlighting, code editor, 57
 - hit counts, 849
 - Hopper, Grace, 312
 - horizontal spacing, 343
 - HostApplication nodes, 1014
 - HTML Designer, 407–409
 - HTML elements, positioning in web
 - forms, 409–411
 - HTML outlining, 68–69
 - HTTP methods
 - DELETE, 455
 - GET, 455
 - HEAD, 455
 - POST, 455
-
- I
 - IClassifier, 1046
 - IClassifierAggregatorService, 1050, 1054
 - IClientFormsAuthenticationCredentials
 - Provider interface, 738
 - icons
 - loading, 816
 - projects, 16
 - IContentTypeRegistryService, 1050
 - ICustomerService interface, 684
 - IDE (integrated development environment)
 - code snippets, 137
 - configuration, 7
 - Start Page, 7
 - IDropHandler, 1048
 - IDropHandlerProvider, 1048
 - IDTCommandTarget interface, 1015
 - IDTExtensibility2 interface, 1015
 - IGlyphFactoryProvider contract, 1056
 - Ignore attribute, testing, 201
 - IIS (Internet Information Services), 401
 - IL Dasm, 938–939
 - Image control, 657
 - Image Library, 301
 - Image property, 813
 - images
 - control images, 813
 - as properties, 813
 - IMessageService, 1038
 - Immediate window, 62–63, 830–831
 - commands, 831
 - IntelliSense, 63, 831
 - IMouseProcessorProvider contract, 1048
 - imperative languages, 312
 - Implement Abstract Class function, 185
 - implicit line continuation, 322
 - ImplicitStyleManager (Silverlight), 480
 - Import and Export Settings Wizard, 51–52
 - import directive (T4), 276–277
 - importing
 - ApplicationRoot class and, 1036
 - breakpoints, 851–852
 - composable parts and, 1034
 - contracts and, 1037–1040
 - settings, 51–52
 - Imports command, 603
 - in keyword, 319–320
 - include directive (T4), 277–278
 - inconclusive statements, 197
 - incremental searches, 82–83
 - Incremental synchronization, 749
 - Index method, 441
 - results, 442
 - inheritance
 - configuration settings, 774
 - depth of inheritance, 1077
 - entities, 635

- Generics, 316–318
- Inheritance connector, 179
- InitialImage property, 813
- InitializeComponent method, 812
- inline commenting, 220
- Insert Snippet, 139–140
- InsertShelfLifeAttribute attribute, 956
- InsertSignOfLifeAttribute attribute, 956
- InsertTamperCheckAttribute attribute, 951
- installation. *See also* Windows Installer
 - Administrative install, 970
 - licensing terms, 4
 - SharePoint, 517–518
 - variables, 967
 - Visual Studio 2010, 3–5
 - stages, 3–4
- Installation URL property, 965
- installation wizard, 967
- Installed Templates hierarchy, 18
- Installer class, 172, 971
- Installer Class template, 970
- InstallerActions class, 971
 - SharedResources assembly, 971
- installers
 - building, 962–966
 - custom actions, 970–972
 - customization, 966–970
 - GAC and, 967
 - merge module, 962
 - Service Installer, 973–976
 - Web Application projects, 991
 - Web Platform Installer, 992–997
- IntelliSense
 - brokers, 1049
 - C#-specific options, 132
 - code generation, 184–185
 - code snippets, 133
 - Command window, 62
 - commands, 131
 - commit characters, 123
 - configuration files, 789–790
 - controllers, 1049
 - Editor, 1049
 - extended, 132–133
 - function breakpoints, 847
 - Immediate window, 63, 831
 - IntelliSense context, 129
 - JavaScript, 128–130
 - Options, 131–132
 - overview, 119–120
 - parameter information, 127–128
 - presenters, 1049
 - Quick Info, 128
 - schema definitions, 133
 - sessions, 1049
 - shortcut key, 121
 - sources, 1049
 - statement completion, 132
 - wavy lines, 120
 - word/phrase completion
 - completion mode, 124–125
 - in context, 121–123
 - Generate From Usage, 126–127
 - list members, 123–124
 - stub completion, 125–126
 - suggestion mode, 124–125
 - XAML editor, 361
 - XML comments, 133, 237
- IntelliTrace, 837–838, 1075, 1084
 - events, 1085
 - exceptions, 1085
 - IntelliTrace Events window, 837–838
- Interaction Use (Sequence diagrams), 1064
- Interactive window (F#), 329
- interfaces
 - Debugger, 1003
 - ICustomerService, 684
 - IDTCommandTarget, 1015
 - IDTExtensibility2, 1015
 - IWizard, 303–305
- invoke operation, 763
- IResourceReader, 817–819
- IResourceWriter, 817–819
- IsEnabled property, 357
- item templates, 291–295
- items, 89
- ITextBuffer, 1042, 1054
- ITextDocument, 1042
- ITextDocumentFactoryService, 1050
- ITextEdit, 1042

ITextSearchService, 1050
ITextSnapshot, 1042
ITextVersion, 1042
ITextView, 1043
IWizard interface, 303–305
IWpfKeyboardTrackingService, 1050
IWpfTextViewCreationListener
 contract, 1048
IWpfTextViewMargin, 1047

J

JavaScript
 ASP.NET AJAX, debugging, 879
 debugging
 breakpoints, 878
 client-side, 877–878
 dynamically-generated, 878–879
 IntelliSense, 128–130
 jQuery, 468–470
 referencing files, 129–130
 Web Application projects, 426–427
jQuery, 468–470
just-in-time compiling, 937

K

key files, 109–110
 strong-named, 935
keyboard mapping, 47
Keyboard node, 47, 61
keyboard shortcuts, 46–48
 IntelliSense, 121
 Quick Find, 74
keywords, 1046
 in, 319–320
 Ascending, 595
 Descending, 595
 lazy, 331
 out, 318
 var, 314
KPIs (Key Performance Indicators), 659

L

Lab Center, 1108–1109
labeling breakpoints, 851
labeling versions, 1124–1125
Lambda expressions, 589–590
lambdas, 321–322
languages
 declarative, 312
 dynamic, 312–313
 F#, 327–330
 functional, 313–314
 imperative, 312
 .NET Framework, 311
late binding, dynamic lookup, 325–326
Latest News tab, 34
Layer Diagrams (UML Model Explorer),
 1066–1068
layering controls, Windows Forms, 344
layers, adornments, 1048
layout, Class Designer, 181
Layout Diagram button, 181
layout of reports, 668–670
lazy keyword, 331
libraries, 21
licensing terms, 4
line continuation, implicit, 322
Line control, 652
line-level tracking, 46
line numbers, 45
 code editor, 57
Line Numbers checkbox, 45
lines of code (code metrics), 1076–1077
links
 Silverlight, 477
 Start Page, 34
LINQ (Language Integrated Query), 314
 anonymous type feature, 591
 debugging, 596–597
 expression holes, 600–601
 extension methods, 110
 FinalQuery method, 596
 GroupBy statement, 593–594
 OrderBy statement, 594–595
 properties, custom, 594
 providers, 588

- Select statement, 592
 - From statement, 591
 - Where statement, 592–593
 - XML creation, 600–602
 - LINQ to Entities, 636–642
 - LINQ to SQL, 587, 605
 - ADO.NET Entity Framework and, 487
 - ADO.NET Entity Framework comparison, 622–623
 - deletes, 610–611
 - inserts, 610–611
 - object binding, 614–617
 - object model, 606–607
 - querying, 608–610
 - stored procedures, 611–614
 - Stored Procedures node, 612
 - updates, 610–611
 - LINQ to XML, 587, 597–598, 600
 - LINQPAD, 618
 - List control, 657
 - list members, IntelliSense, 123–124
 - List template, 452
 - listing commands, 61
 - lists, SharePoint, 519–521
 - literals
 - array literals, 323–324
 - XML literals, 598
 - load pattern, 1099
 - Load Test Designer, 1099
 - Load Test Monitor, 1099
 - load tests, 1099–1100
 - test load agent, 1100
 - thresholds, 1100
 - local report engine, 648
 - Locals window, 833
 - Lock Controls command, 345
 - locking control design, Windows Forms, 344–345
 - login form, 738–740
 - as credential provider, 738–739
 - lookups, dynamic, late binding and, 325–326
- M**
- machine.config file, 773–774
 - Macro Explorer tool window, 1026
 - macros
 - code modules, 1026
 - debugging, 1030
 - deploying, 1030–1031
 - developing, 1028–1030
 - extensibility and, 1002
 - long-running, 1030
 - overview, 1025–1026
 - recording, 1028
 - running, 1030
 - temporary, 1028
 - tracepoints, 852–853
 - Macros IDE, 1026–1027
 - maintainability index, 1078
 - Managed Code Analysis, 1078–1079
 - Managed Extensibility Framework. *See* MEF (Managed Extensibility Framework)
 - management classes, Server Explorer, 162–164
 - Management Events, 164–167
 - manual dependencies between builds, 914–915
 - MapRoute method, overloading, 453
 - margins, 1047
 - master pages
 - SharePoint, 523
 - Web Application projects, 424–425
 - Matrix control, 655–657
 - MEF (Managed Extensibility Framework), 1002, 1033
 - advanced scenarios, 1041
 - catalogs, 1040–1041
 - CompositionContainer, 1034
 - contracts, 1037–1040
 - membership, providers, 727
 - membership management, enabling, 731
 - MembershipProvider class, 732
 - memory windows, 836
 - 1-4, 836
 - Disassembly window, 836
 - Registers window, 836–837
 - menus, 8. *See also* context menus
 - Windows, 40
 - merge module, 962
 - merges (Version Control), 1128
 - message contracts (WCF), 683
 - message queues, 167–169

- messages, 64
- metadata
 - classes, 492
 - text, 1043
 - WPF, 24
- metadata proxy class, 462
- method stubs, generating, 156
- methods
 - AddSolutionFolder, 1003
 - ApplyResources, 817
 - Assert, 891
 - asynchronous, 698
 - ComposeParts, 1035
 - CreateToolWindow, 1016, 1018
 - EnableDynamicData, 511–512
 - Encode, 450
 - extension, LINQ, 110
 - Fill, 564
 - FinalQuery, 596
 - GenerateMagicNumber, 939
 - GetCredentials, 740
 - GetData, 564
 - GetManifestResourceNames, 809–810
 - GetManifestResourceStream, 809–810
 - GetRolesForUser, 729
 - GetTags, 1054
 - IDTextensibility 2 interface, 1015
 - Index, 441
 - InitializeComponent, 812
 - MapRoute, 453
 - parameters, entering, 180
 - SaveChanges(), 639
 - Sync Services, 752
 - TakeThreadOwnership, 1042
 - TransformText(), 274
 - Validate, 576–577
 - ValidateUser, 727
 - Write(), 274
- Microsoft Code Contracts, 258–260
- Microsoft .NET Framework IL Disassembler (IL Dasm), 938–939
- Microsoft Synchronization Services for ADO.NET, 745. *See also* Sync Services
- Microsoft Visual SourceSafe, 246
 - checking in/out, 250
 - history, 253
 - merging changes, 252–253
 - offline support, 253–254
 - Pending Changes, 250–251
 - pinning files, 253
 - repository, creating, 249
 - solution, 249–250
 - Solution Explorer, 250
- Miscellaneous Files solution folder, 90
- mixed-mode debugging, 899
- model binders, 458–459
 - validation errors, 461
- Modeling Power Toys for Visual Studio 2010, 186
 - functionality, 187
 - visualization, 186–187
- Modeling Projects (Architecture edition), 1061
 - linking to Team Foundation Server, 1068
 - new diagrams, 1062
- Modules window, 834–835
- monitoring
 - applications, 949–958
 - Health Monitoring, 884–886
- Moonlight, 472
- mouse processors, 1048
- MouseProcessorBase, 1048
- MSBuild, 920–921
 - Items elements, 924
 - PropertyGroup nodes, 924
 - schema, 96
 - Target elements, 924
 - Tasks elements, 925
 - assembly versioning, 925–927
 - Visual Studio’s use, 921–923
- MSDataSetGenerator, 560
- MSF for Agile Development, 1112
 - dashboards, 1132
 - Word documents, 1132
 - work items, 1115–1116
 - adding, 1116
 - Excel, 1117–1118
 - state, 1116–1117
- MSF (Microsoft Solution Framework)
 - Agile Development, 1112
 - work items, 1115–1116
 - CMMI Process Improvement, 1112

MSIL (Microsoft Intermediary Language), 937
 disassembler, 938–939
 multi-threaded applications, debugging, 897–899
 MVC (Model-View-Controller)
 components, 438
 SmallTalk, 438
 URLs, 451
 validation, 461–462
 MVVM (Model-View-ViewModel), 352
 My Extensions tab (Solution Explorer), 110
 MyWizard, 301–305

N

n-tiers, Sync Services, 751–752
 named parameters, 326–327
 naming assemblies, 929–932
 strongly named, 933
 obfuscation, 948–949
 naming resources, 809
 NativeActivity class, 704
 Navigate To search tool, 82
 navigating
 associations (Entity Framework), 641–642
 code editor, 57
 help system, 84–85
 open items, 40–41
 navigation components, Web controls, 418
 Navigation Framework (Silverlight), 478
 navigation properties (entities), 631
 nested types, 187
 .NET developers, Visual Basic Development
 Settings option, 6
 .NET Framework
 applications, dependencies, 968
 assemblies, projects, 90
 debugging, 896–897
 languages, 311
 Silverlight and, 472
 upgrading to, 909–910
 .NET Framework IL Disassembler (IL Dasm),
 938–939
 .NET Reflector, 939–941
 assembly information, 929–930
 .NET Sequence Diagrams, generating, 1072–1073
 New Project dialog, 95–96, 353
 New Service Element Wizard, 689
 New Service Endpoint Wizard, 690–691
 nodes, 16
 NotesUserControl, 1016
 NTLM authentication, 113
 nullable optional parameters, 324–325

O

obfuscation, 941
 attributes
 ObfuscationAssemblyAttribute,
 945–946
 ObfuscationAttribute, 946–948
 delayed signing, debugging and, 949
 Dotfuscator, 941–945
 reflection model, 948
 smart obfuscation, 948
 strongly named assemblies, 948–949
 ObfuscationAssemblyAttribute attribute,
 945–946
 ObfuscationAttribute attribute, 946–948
 object binding, LINQ to SQL, 614–617
 Object Browser, 64–65
 Object Lifetime information, 1082
 object models, LINQ to SQL, 606–607
 Object Relational Designer, 488
 Object Relational Mapping, 621
 ObjectDumper, 596–597
 objects, serializing, 820
 occasionally connected applications, 746
 Office
 debugging applications, 392–394
 deploying applications, 394–396
 projects, 95
 office project types, 380–382
 Offline Schema project, 1086–1089
 offline support, 740–742
 online help, 85
 Online Templates, 19
 online templates, 308–309
 OperationContract attribute, 684
 Operations subsystem, 1043
 Option Strict, 50–51

- optional parameters, 326–327
 - nullable, 324–325
- Orca, installed components, 969
- OrderBy statement, 594–595
- Ordered Tests, 1102
- Organize Usings, 156–157
- ORM (Object Relational Mapper), 621
- out keyword, 318
- outlining
 - code editor, 55
 - controlling, 69–70
 - HTML outlining, 68–69
- Outlook
 - add-in creation, 388–392
 - form region creation, 389–392
- output directive (T4), 275–276
- output type, 97
- Output window, 829–830
- overloading methods, 453
- Override Members function, 185
- Owner attribute, testing, 201

P

- Package Files property, 964
- Package node (SharePoint), 521
- Package/Publish SQL tab (Solution Explorer), 116
- Package/Publish Web tab (Solution Explorer), 115
- packaging (SharePoint), 530–532
- packaging Web applications
 - configuring packages, 987–988
 - SQL Server data, 988–989
- page headers, reports, 668
- page-level errors, 876–877
- page-level tracing, 881
- page templates, ASP.NET Dynamic Data, 499–502
- Panel control, 347–348
- parallel debugging windows, 838–840
- Parallel Stacks window, 839–840
- Parallel Tasks window, 840
- parallelized applications, debugging, 897–899
- parameterizing web servers, 1096
- parameters
 - action methods, 456–459

- entering on method, 180
- IntelliSense, 127–128
- named, 326–327
- optional, 326–327
 - nullable, 324–325
 - subreports, 671
 - templates, 298–299
- partial views, MVC, 463
- PasteXmlAsLink, 599–600
- Pattern Matching (F#), 330
- PDB file extension, 901
- Performance Explorer, 1080
 - Allocation information, 1082
 - Object Lifetime information, 1082
 - profiler sessions, configuring, 1080–1082
 - reports, 1082–1083
 - Windows Events section, 1082
- Performance Wizard, 1080
- persistence (workflow), 706
- PIAs (Primary Interop Assemblies), 315, 395
- pinned windows, 8
- placeholders
 - reports, 661–663
 - Text Box control, 651
- POCO (Plain Old CLR Objects), 645
- positioning, SnapLines, 339
- Post Build Event, 918
- POST HTTP method, 455
- post-mortem debugging, dump files
 - debugging, 901–902
 - generating, 900–901
- PowerPacks (VB), 325
- prebuild events, 806
- predefined code snippets, 139
- Preprocessed Text Templates, 284–288
 - compared to standard T4 template, 288–289
- presentation, ASP.NET Dynamic Data, 498
 - entity templates, 506–508
 - field templates, 502–506
 - filter templates, 509–511
 - page templates, 499–502
- presentation model types (RIA Services), 759
- presenters (IntelliSense), 1049
- preventative controls, 950
- Preview Data dialog, 557

- previewing data, 557
- printing tracepoints, 852–853
- Priority attribute, testing, 201
- private members, testing, 213–214
- process templates (TFS), 1112–1113
 - customizing, 1136–1137
- processes, debugging running applications, 892–893
- Processes window, 835
- profiles, ASP.NET Application Services, 729
- profiling tools, 1080
 - Performance Explorer, configuring sessions, 1080–1082
 - Standalone Profiler, 1083–1084
 - TIP (Tier Interaction Profiling), 1081
- Project, Excel integration, 1118–1119
- Project Explorer tool window, 1027
- project settings of configuration files, 783–784
- projects, 89. *See also* web application projects;
 - Web Site project
 - default locations, 48
 - dependencies, 93
 - enumeration, 1004–1005
 - file formats, 96
 - folders, 90
 - icons, 16
 - .NET assemblies, 90
 - properties, 96–97
 - Application tab, 97–100
 - Build Events tab, 103
 - Build tab, 102–103
 - Code Analysis tab, 112–113
 - Compile tab, 100–102
 - Debug tab, 103–105
 - My Extensions tab, 110
 - Publish tab, 111–112
 - Reference Paths tab, 108–109
 - References tab, 105–106
 - Resources tab, 106–107
 - Security tab, 111
 - Services tab, 107–108
 - Settings tab, 108
 - Signing tab, 109–110
- Solution Explorer, 90
- startup, 16
 - structure, add-ins, 1012–1013
 - templates, 295–296
 - generating, 306–308
 - types, 94–96
 - Web Site, 19
- promoting variable to parameter, 155
- properties, 26–28
 - ActivationKeyFile, 957
 - attached, XAML, 358
 - automatic, 322–323
 - BindingSource, 614
 - Condition, 969
 - connection properties (SQL Server), 800–801
 - ConnectionString, 801
 - CustomActionData, 972
 - entities, 631
 - ErrorImage, 813
 - Image, 813
 - images as, 813
 - InitialImage, 813
 - Installation URL, 965
 - IsEnabled, 357
 - LINQ, custom, 594
 - Package Files, 964
 - projects, 96–113
 - Application tab, 97–100
 - Build Events tab, 103
 - Build tab, 102–103
 - Code Analysis tab, 112–113
 - Compile tab, 100–102
 - Debug tab, 103–105
 - My Extensions tab, 110
 - Publish tab, 111–112
 - Reference Paths tab, 108–109
 - References tab, 105–106
 - Resources tab, 106–107
 - Security tab, 111
 - Services tab, 107–108
 - Settings tab, 108
 - Signing tab, 109–110
- solutions
 - Common properties, 92–93
 - Configuration properties, 93–94
- SyncDirection, 755–756
- unit testing, 211–212

properties (*continued*)

- ValidateArchitecture, 1068
- Visibility, 357
- web application projects
 - Package/Publish SQL tab, 116
 - Package/Publish Web tab, 115
 - Silverlight Applications tab, 114–115
 - Web tab, 113–114
- Windows Forms, 337–338
 - setting for controls, 345–346
- WorkerReportsProgress, 752–755
- WPF, 357
- Properties window, 181, 211–212, 650
 - AmbientValue attribute, 31–32
 - Browsable attribute, 28–29
 - Category attribute, 30
 - DefaultValue attribute, 30–31
 - Description attribute, 29
 - DisplayName attribute, 29
 - WPF designer, 364–367
- property element syntax, 359
- property markers, 365
- providers
 - implementing, 727
 - membership, 727
 - role management, 727
- proxies
 - metadata proxy class, 462
 - type proxies, 863–865
 - Web Service Proxies, 1078
- Publish Method, 986
- Publish tab (Solution Explorer), 111–112
- Publish Web dialog, 986–987
- Publish Wizard, 976–977
- publishing
 - Web applications, 986–987
 - Web sites, 984–985

Q

- queries, 588–590. *See also* LINQ (Language Integrated Query)
 - Architecture Explorer, 1070
 - entity models, 636–642
 - LINQ to SQL, 608–610

- returning data, 564
 - XML, 602–603
- Query Builder, 564
- query operations, 762–763
- QueryableFilterRepeater control, 510
- QueryExtender control, 510
- QueryVisualizer, SQL, 609
- Quick Find, starting Find action, 74
- Quick Find box, 74
- Quick Find dialog, 73
- Quick Info (IntelliSense), 128
- Quick Replace, 75
- QuickCRM, 746
- QuickWatch window, 831

R

- Raw View, 865
- Recent Projects list, 34
- Recent Templates, 19
- recording macros, 1028
- Rectangle control, 652
- Refactor!, 137
- refactoring
 - Class Designer and, 185
 - CodeRush Xpress, 149
 - databases, 1090–1091
 - Encapsulate Field method, 150–151
 - Extract Interface method, 151–153
 - Extract method, 148–150
 - functions, 185
 - Generate Method Stub, 156
 - Organize Usings, 156–157
 - promote variable to parameter, 155
 - removing parameters, 154
 - renaming parameters, 154
 - reordering parameters, 153–154
 - support, 147–148
- reference highlighting, code editor, 57
- Reference Library Controls, 23
- Reference Paths tab (Solution Explorer), 108–109
- referenced projects with settings in configuration files, 792–793
- references (Solution Explorer)
 - adding, 21

- cross-assembly referencing, 816
- service references, 22
- References tab (Solution Explorer), 105–106
- reflection model, obfuscation, 948
- RegEx engine, 76
- regions (code editor), 54–55
- RegisteredEntities class, 788
- Registers window, 836–837
- Registry view, 967
- regular expressions, 76–77
- relationships, Server Explorer window, 552–553
- Release mode, 93–94
- remote debugging, 894–895
- Remote Debugging Monitor, 894–895
- Remove Parameters dialog, 154
- Rename dialog box, 154
- rendering reports to different formats, 675–677
- Reorder Parameters dialog, 153–154
- replace in files, 80–81
- Replace in Files command, 78
- Report Data window, 648
- report definition file, 647
 - SQL Server Reporting Services, 649
- report designer, 647
- report engine, 647
 - local, 648
 - server report engine, 649
- Report Properties dialog, 667
- Report Server, 1130–1132
- Report Viewer, 647
 - toolbar, 674
 - Windows, 673
- Report Viewer control, 645, 646
 - web version, 674
 - Windows Forms projects, 674
- Report Wizard, 647–648, 672–673
- reporting, introduction, 645
- Reporting projects, 95
- reports, 647
 - aggregates, 661–663
 - ASP.NET applications, 646
 - Chart control, 658–659
 - custom code, 663–668
 - data sources, 647
 - defining, 648–650
 - deploying, 677
 - designing, 647–648
 - Entity Framework, 649
 - expressions, 661–663
 - GAC (Global Assembly Cache), 665
 - Gauge control, 659–660
 - generating, 674–675
 - Image control, 657
 - layout, 668–670
 - headers/footers, 669
 - page breaks, 669
 - page headers, 668
 - Line control, 652
 - List control, 657
 - Matrix control, 655–657
 - Performance Explorer, 1082–1083
 - placeholders, 661–663
 - Rectangle control, 652
 - rendering, to different formats, 675–677
 - Silverlight, 646
 - Subreport control, 657
 - subreports, 670–672
 - Table control, 652–655
 - templates, 647–648
 - Text Box control, 650–652
 - Windows Forms applications, 646
 - WPF applications, 646
- Reports Application project template, 645
- repositories for source code, 246
 - checking in/out, 250
 - creating, 249
 - environment settings for, 248
 - history, 253
 - merging changes, 252–253
 - pending changes, 250–251
 - plug-in settings, 248
 - selection tips, 246–248
- Resgen, 810–811
- resource files
 - binary formats, 805, 807–808
 - coding, 817–819
 - data types, 819
 - designer files, 810–811
 - IResourceReader, 817–819
 - IResourceWriter, 817–819
 - resx, 805, 807
- Resource Generator utility, 810–811

ResourceReader, 818

resources

- accessing, 809–810

 - specifics, 816–817

- adding, 808

- bitmap loading, 816

- ComponentResourceManager, 816–817

- cross-assembly referencing, 816

- custom, 819–822

- designer files, 810–811

- embedding files as, 808–809

- icon loading, 816

- naming, 809

- overview, 805–806

- satellite, cultures, 813–814, 815

- text files, 806–807

Resources tab (Solution Explorer), 106–107

ResourceWriter, 818

resourcing applications, 811–813

Response URL Validation Rule, 1098

resx resource files, 807

ResxResourceReader, 818–819

ResxResourceWriter, 818–819

reviewing code snippets, 144–147

RI (Runtime Intelligence), 952–956

RIA (Rich Internet Application), 472

RIA Services

- ASP.NET and, 758

- authentication, 758

- Business Application template, 757

- domain operations, 762

 - delete operations, 763

 - insert operations, 763

 - invoke operation, 763

 - query operations, 762–763

 - update operations, 763

- domain services, 760–762

- introduction, 757

- presentation model types, 759

- Silverlight and, 757

 - consuming domain services, 764–768

- user registration, 758

role management

- ASP.NET Application Services, 729

- providers, 727

RoleProvider abstract class, 729

roles, 107

- authorization, 729–731

routing

- MVC, 451–455

- URL components, 452

- URLs, views, 453

RSS feed

- environment settings, 7

- Latest News, 34

Ruby on Rails

- MVC (Model-View-Controller), 437

- scaffolding, 486

rude edits, 855

run time, workflow, 705

running macros, 1030

running Visual Studio 2010, 5–6

runtime block of configuration schema, 777–778

Runtime Intelligence Service, 955

S

SaaS (Software as a Service), 745

Sandcastle, 219, 238–241

satellite resources, cultures, 813–814, 815

- creating, 814

- loading files, 814–815

SaveChanges() method, 639

SaveOperation class, 1038

scaffolding, 486

scalar properties (entities), 631

SCC (Source Code Control), 246

SCDL, configuration data, 789

Schema Compare, 1091–1092

schema (XML), importing, 603–605

searches

- camel case, 82

- Find Options, 75

- Find Symbol search tool, 81

- help system, 84–85

- incremental, 82–83

- Navigate To search tool, 82

- Quick Find, 74–75

- Quick Replace, 75

- regular expressions, 76–77

- wildcards, 75–76
- SearchResult class, 591
- security
 - application framework, 728
 - ASP.NET Web site administration, 432–433
 - ClickOnce, 111
- Security tab (Solution Explorer), 111
- security.config file, 775
- Select statement, 591, 592
- Sequence control flow activity (WF), 704
- Sequence Diagrams (UML), 1062, 1064–1065
- sequential workflows (SharePoint), 528–529
- serialization, 820
- Server Explorer window, 8, 550–552
 - Data Connections node, 159, 173–174, 549
 - database diagrams, 555–556
 - functions, 554–555
 - overview, 159
 - relationship editing, 552–553
- Servers node, 159–160
 - Event Logs node, 160–162
 - management classes, 162–164
 - Management Events, 164–167
 - Message Queues, 167–169
 - Performance Counters, 169–172
 - Services, 172–173
- SharePoint, 174
 - connections, 159
 - stored procedures, 554–555
 - Table Designer menu, 552
 - Views node, 553–554
- server report engine, 649
- ServerForm designer, 748
- ServerSyncProviderProxy class, 752
- service-based components in Windows Forms, 346
- service contracts (WCF), 683, 684–685
- Service Installer, 973–976
- Service Reference Settings dialog, 22
- service references, 22
- Service Unavailable message (help), 83
- ServiceContract attribute, 685
- ServiceInstaller class, 973–976
- services, Editor, 1050
- Services tab (Solution Explorer), 107–108
- sessions (IntelliSense), 1049
- Settings object, 791
- Settings tab (Solution Explorer), 108
- Setup Wizard, 962
- SetupAttribute attribute, 953–956
- SharedResources assembly, 967
 - InstallerActions class, 971
- SharePoint
 - application pages, 522
 - components, custom, 524–529
 - connecting to, 518
 - content pages, 522
 - content types, 519, 525–527
 - dashboards, 1132–1133
 - debugging, remote computers, 521
 - development environment, 514–518
 - prerequisites, 515–517
 - document libraries, 519
 - event receivers, 519, 527–528
 - features, 519, 529–530
 - Features node, 521
 - installation, 517–518
 - lists, 519, 525–527, 1132
 - list definitions, 519–520
 - list instances, 520
 - Mapped Folders, 523
 - master pages, 523
 - overview, 513–514
 - Package node, 521
 - packaging, 530–532
 - Prerequisite Installer tool, 515, 516
 - process guidance, 1132
 - projects, 95
 - creating, 520–523
 - Server Explorer, 174
- SharePoint Server *versus* SharePoint Foundation, 514–515
- Team Foundation Build, 1132–1133
- templates, 521
- WCF Hotfix, 515
- Windows 7, 516
- Windows Vista, 516
- workflows
 - sequential, 528–529
 - state machine, 528–529
- WSP (Windows SharePoint Package), 530–532

- SharePoint-based Web Parts, 524
- SharePoint Customization Wizard, 521
- SharePoint Products Configuration Wizard, 517
- Shelf-Life, 956–957
 - notification messages, 957
- Shelf Life Activation Key (SLAK), 956–957
- shortcuts
 - code snippets, 140
 - keyboard shortcuts, 46–48
 - shortcut keys, IntelliSense, 121
- ShowGrid, 339
- signing assemblies, 934–936
 - delayed, debugging and, 949
- Signing tab (Solution Explorer), 109–110, 934–936
- Silverlight
 - consuming domain services, 764–768
 - debugging, 477, 879–880
 - Destination folder, 477
 - ImplicitStyleManager, 480
 - introduction, 471
 - links, 477
 - Navigation Framework, 478–479
 - .NET Framework and, 472
 - Out-Of-Browser mode, 481–484
 - overview, 472
 - projects, 95
 - reports, 646
 - RIA Services and, 757
 - rich applications, 472
 - SDKs, 474
 - templates, 473
 - default content views, 475
 - themes, 479–480
 - application themes, 479
 - control themes, 479
 - web browsers, 472
 - web project, 474
 - WPF and, 471
- Silverlight Applications tab (Solution Explorer), 114–115
- Silverlight Class Library project template, 473
- Silverlight Navigation Application project template, 473
- simple expressions, 661
- single line comments, 220
- SLAK (Shelf Life Activation Key), 956–957
- .sln (solution file), contents, 91
- Smart Indenting, 56
- smart obfuscation, 948
- smart tags
 - Excel, 381
 - Windows Forms, 346–347
 - Word, 381
- SnapLines, 339, 341–342
- Snapshot synchronization, 749
- SnapToGrid, 339
- Snippet Editor, 144–147
- soft disabling of add-ins, 394
- Solution Explorer, 8
 - activities, 18
 - Application tab, 97–98
 - Application Framework, 100
 - Assembly Information, 98–99
 - User Account Control, 99–100
 - Build Events tab, 103
 - Build tab, 102–103
 - Code Analysis tab, 112–113
 - Compile tab, 100–102
 - context menu, 17
 - Debug tab, 103
 - enable debuggers, 104–105
 - introduction, 15–17
 - Microsoft Visual SourceSafe, 250
 - My Extensions tab, 110
 - Package/Publish SQL tab, 116
 - Package/Publish Web tab, 115
 - projects, adding, 18–20
 - projects and, 90
 - Publish tab, 111–112
 - Reference Paths tab, 108–109
 - references
 - adding, 21
 - service, 22
 - References tab, 105–106
 - Resources tab, 106–107
 - Security tab, 111
 - Services tab, 107–108
 - Settings tab, 108
 - Signing tab, 109–110

- Silverlight Applications tab, 114–115
- solution folders, 90
- solutions and, 90
- templates, 18
- tool window, 16
- toolbar, 16
- Track Active Item option, 49
- Version Control, 1120–1121
- Web tab, 113–114
- XML resource files, 17
- solution files, format, 91–92
- solution folders, 90
 - Solution Explorer, 90
- Solution node, visibility, 16
- Solution Properties dialog, 16
- solutions, 89
 - Common properties, 92–93
 - Configuration properties, 93–94
 - as container of related projects, 90
 - Solution Explorer, 90
 - structure, 89–91
 - temporary, 89
- source code
 - accessing control, 248–253
 - controlling, 245–246
 - repositories, 246
 - checking in/out, 250
 - creating, 249
 - CVS, 246
 - environment settings for, 248
 - history, 253
 - merging changes, 252–253
 - Microsoft Visual SourceSafe, 246
 - pending changes, 250–251
 - plug-in settings, 248
 - SCC (Source Code Control), 246
 - selection tips, 246–248
 - Subversion, 246
 - TFS (Team Foundation Server), 246
- Source Control. *See* Version Control
- sources (IntelliSense), 1049
- splash screen, 5–6
- split view, code editor, 58
- SplitContainer control, 347–348
- SQL Azure, 533, 544–545
- SQL-CLR, 1075
- SQL-CLR Database projects, 1086
- SQL Server
 - connection properties, 800–801
 - packaging data, 988–989
 - stored procedures, debugging, 899
- SQL Server Reporting Services, 649
- SQL (Structured Query Language). *See also*
 - LINQ to SQL
 - QueryVisualizer, 609
- S+S (Software and Services), 745
- stack frame, 833
- stages of installation, 3–4
- Standalone Profiler, 1083–1084
- start actions, debugging, 887–889
- Start Page, 7, 33–34
 - customizing, 34–36
 - links, 34
 - modifying, 35
 - opening, 34
 - projects
 - creating, 34
 - opening, 34
 - Recent Projects list, 34
 - tabs, 34
 - user controls, 36–38
- Starter Kits, 308
- startup block of configuration schema, 777
- startup projects, 16
- state machine workflows (SharePoint), 528–529
- Statement blocks (T4), 268–270
- statements
 - From, 591
 - GroupBy, 593–594
 - OrderBy, 594–595
 - Select, 591, 592
 - Where, 592–593
- static analysis of databases, 1093
- StatusNotificationService class, 1036
- stepping through code, 853–854
 - execution point, moving, 855
 - step filtering, 854
 - Stepping Into, 854
 - Stepping Out, 854
 - Stepping Over, 854

- stored procedures
 - LINQ to SQL, 611–614
 - Server Explorer window, 554–555
 - SQL Server, debugging, 899
- StringAssert class, 203–204
- strongly named assemblies, 933
 - obfuscation, 948–949
- structure of solutions, 89–91
- stub completion (IntelliSense), 125–126
- StyleCop, 245, 258
- styles, WPF, 371
- SubmitChanges, 611
- Subreport control, 657
- SubreportProcessing event, 670
- subreports, 670–672
 - parameters, 671
- SubscriptionTest class, 1103
- Subversion, 246
- suggestion mode (IntelliSense), 124–125
- Surround With dialog, 141–142
- symbols, Find Symbol, 81
- Syme, Don, 327
- Sync Services, 746
 - background synchronization, 752–755
 - client changes, 755–756
 - forcing synchronization, 750
 - Incremental synchronization, 749
 - methods, 752
 - n-tiers, 751–752
 - Remote Provider, 752
 - Snapshot synchronization, 749
 - track changes, 749
 - WCF Service and, 752
- SyncDirection property, 755–756
- synchronization services, 745
- SynchronizeButton, 751
- syntax, property element syntax, 359
- system.diagnostics section in configuration
 - schema, 779
- system.net block of configuration schema,
 - 778–779
- system.runtime.remoting block of
 - configuration schema, 778
- system.web section in configuration schema,
 - 779–780

T

- T4
 - Class Feature blocks, 270–272
 - directives, 265
 - assembly, 276
 - import, 276–277
 - include, 277–278
 - output, 275–276
 - template, 275
 - Domain Specific Languages Toolkit, 263
 - Expression blocks, 268
 - Statement blocks, 268–270
 - templates
 - automation, 280–284
 - creating, 264–268
 - Preprocessed Text Template comparison,
 - 288–289
- T-SQL, code generation, 487
- tab order, Windows Forms controls, 344
- TabItem tags, 35
- Table control, 652–655
- Table Designer menu, 550
- TableAdapter, 563
- TableLayoutPanel control, 348–349
- tags
 - Editor, 1047
 - TabItem, 35
- TakeThreadOwnership method, 1042
- Tamper Defense, 950
- Task List window, comments, 241–243
- Task Panes (Office), 381–382
- TDD (test-driven development), 645
- Team Foundation Build, 1128–1130
 - build agents, 1128
 - build controllers, 1128
 - build definitions, 1128
 - Queue New Build, 1130
 - Rolling Builds, 1129
 - SharePoint, 1132–1133
 - dashboards, 1132–1133
 - lists, 1132
 - process guidance, 1132
- Team Foundation Server. *See* TFS (Team Foundation Server)

- team projects (TFS), 1112
- Team System Edition, 191
- tear away code windows, 58–59
- TeardownAttribute attribute, 953–956
- template directive (T4), 275
- templates
 - Business Application, 757
 - custom view templates (MVC), 463–464
 - CustomReportingFunctions, 665
 - documents as, 1132
 - Dynamic Data, 464
 - display templates, 465–468
 - edit templates, 468
 - extending, 299–308
 - file location, 49
 - Installed Templates hierarchy, 18
 - Installer Class, 970
 - item templates, 291–295
 - List, 452
 - locations, 299
 - MyWizard, 301–305
 - online, 308–309
 - Online Templates, 19
 - parameters, 298–299
 - process templates, 1112–1113
 - project setup, 299–301
 - project templates, 295–296
 - Recent Templates, 19
 - reports, 647–648
 - Reports Application project template, 645
 - SharePoint, 521
 - Silverlight, 473
 - Solution Explorer, 18
 - structure, 296–298
 - T4
 - automation, 280–284
 - creating, 264–268
 - VSIX Project template, 1044
 - WCF Workflow Service Application project, 682
 - Web Application projects, 406
 - Windows Forms applications, 336
 - Workflow Console Application, 708
- temporary macros, 1028
- temporary solutions, 89
- temporary window, 40
- Test and Lab Manager, 1095, 1106
 - Lab Center, 1108–1109
 - Testing Center, 1106–1108
- test cases
 - AssemblyCleanup attribute, 207
 - AssemblyInitialize attribute, 207
 - ClassCleanup attribute, 206–207
 - ClassInitialize attribute, 206–207
 - clean up, 206–207
 - empty, 193
 - first, 192–199
 - inconclusive statements, 197
 - initialization, 206–207
 - large numbers, 216–217
 - TestClass attribute, 200
 - TestCleanup attribute, 206
 - TestContext object, 207–211
 - TestInitialize attribute, 206
 - TestMethod attribute, 200
 - writing, 192
 - writing output, 210–211
- Test Controller, 1108–1109
- Test Elements, Test and Lab Manager, 1095
- Test Impact Analysis, 1105
- Test List Editor, 216–217, 1098, 1105–1106
- test load agent, 1100
- Test projects, 95
- Test Results window, 196, 1105
- Test Run Configuration file, 198
- Test Runner window, 1107–1108
- test runs, 198
- Test Timeouts, 199
- Test View window, 211–212, 1105
- Test Windows, 1105
- TestCategory attribute, testing, 201
- TestClass attribute, 200
- TestCleanup attribute, 206
- TestContext object, 207–211
- testing. *See also* unit testing
 - add-ins, 1013–1014
 - attributes, 200–202
 - workflows, 719
 - writing output, 210–211
- Testing Center (Test and Lab Manager), 1106–1108

- TestInitialize attribute, 206
- TestMethod attribute, 200
- tests
 - attributes, 200
 - automated, 1095–1096
 - Coded UI Tests, 1101–1102
 - Generic Tests, 1102
 - link with code, 1103–1105
 - load tests, 1099–1100
 - Ordered Tests, 1102
 - unit tests, Database Unit Tests, 1100–1101
 - web performance, 1096–1099
- text
 - adornments, 1047–1048
 - classification types, 1046–1047
 - classifiers, 1043
 - displaying, 1042–1043
 - formatting, 1042–1043, 1043
 - margins, 1047
 - metadata, 1043
 - modification, enabling, 1042
 - recognition, 1043
 - tags, 1047
 - word wrapping, 45
- Text Box control, 650–652
 - placeholders, 651
- text controls, alignment, 342
- Text Editor, Display Items list, 44
- text file resources, 806–807
 - comments, 806
 - new lines, 806
 - prebuild events, 806
- Text Model subsystem, 1042
- Text Template Transformation, Preprocessed Text
 - Templates, 284–288
- Text Template Transformation Toolkit. *See* T4
- Text View subsystem, 1042–1043
 - classifiers, 1043
 - view ports, 1043
- TFS (Team Foundation Server), 34, 246, 1111–1112
 - Administration Console, 1134
 - Agile Development and, 1112
 - automation, 1135–1137
 - Changeset Tracking, 1127
 - CMMI Process Improvement and, 1112
 - customization, 1135–1137
 - Guidance Page, 1113
 - linking to from Modeling Projects, 1068
 - Merge Changes, 1122–1123
 - offline work, 1124
 - process templates, 1112–1113
 - customizing, 1136–1137
 - Report Server, 1130–1132
 - Team Foundation Build, 1128–1130
 - team project collections, 1112
 - team projects, 1112
 - Team Web Access, 1133
 - Version Control, 1119–1128
 - Windows Workflow 4.0, 1129
 - Work Item Queries, 1113
 - work item queries, 1113–1114, 1114–1115
 - work items
 - adding, 1116
 - Excel, 1117–1118
 - state, 1116–1117
 - tracking, 1113–1114
 - types, 1115–1116, 1135–1136
 - workspaces, 1120
- themes
 - Silverlight, 479–480
 - WPF, 371
- threads, code editor window, 897
- Threads window, 834
- Tick feature, 958
- Timeout attribute, testing, 201
- TIP (Tier Interaction Profiling), 1081
- Toggle Bookmark command, 133–134
- tool windows, 8, 39
 - creating, 1015–1018
 - dockable, 41
 - floating, 43
 - location, 41
 - Macro Explorer tool window, 1026
 - Project Explorer, 1027
 - reorganizing, 70–71
 - Solution Explorer, 16
- toolbars, 8
 - Breakpoints window, 829
 - buttons, 39

- customizing, 39
- file associations, 39
- Solution Explorer, 16
- viewing, 39
- Toolbox, 8
 - Class Designer, 178
 - code block storage, 138
 - components
 - adding, 25–26
 - arranging, 24–25
 - customizing appearance, 24
 - docking, 41
- Toolbox window, 22–24
- tooltips
 - DataTips, 828
 - IntelliSense, 120
- TPL (Task Parallel Library), 838
- Trace class, 890–891
- TRACE constant, 102
- Trace Switches, 891
- Trace Viewer, 883
- tracepoints
 - creating, 852
 - macros, 852–853
 - printing, 852–853
- tracing, 880
 - application-level, 882
 - output, 882–883
 - page-level, 881
- tracking changes, 46
 - ADO.NET Entity Framework, 639
 - Sync Services, 749
- tracking participant (WF), 706–707
- tracking profile (WF), 706–707
- tracking records (WF), 706–707
- tracking usage, 957–958
- Transact-SQL editor, 1093
- TransformText() method, 274
- troubleshooting
 - compiling transformation errors, 279
 - design-time errors, 278–279
 - executing transformation errors, 279–280
 - generated code errors, 280
- Trusted Root Certification Authorities, 979
- Type Equivalence, 395–396

- type equivalence, 316
- type proxies, 863–865
- type referencing, 590
- TypeConverter, classes as strings, 820
- Typed DataSets, 649

U

- UIs (user interfaces), views, 443–451
- UML diagrams (Architecture edition), 1061, 1062–1066
 - Activity diagrams, 1063
 - Class diagrams, 1066
 - Component diagrams, 1065–1066
 - Sequence diagrams, 1064–1065
 - Use Case diagrams, 1063
- UML Model Explorer, 1066
 - Layer Diagrams, 1066–1068
- UML (Unified Modeling Language), 1062
- Undo, 1043
- unit testing
 - AssemblyCleanup attribute, 207
 - AssemblyInitialize attribute, 207
 - Assert class, 203
 - attributes, 200–202
 - ClassCleanup attribute, 206–207
 - ClassInitialize attribute, 206–207
 - clean up, 206–207
 - Code Contracts, 214–216
 - CollectionAssert class, 204
 - Database Unit Tests, 1100–1101
 - empty test cases, 193
 - ExpectedException attribute, 204–206
 - first test case, 192–199
 - inconclusive statements, 197
 - initialization, 206–207
 - introduction, 191
 - large numbers of tests, 216–217
 - private members, 213–214
 - properties, custom, 211–212
 - StringAssert class, 203–204
 - test runs, 198
 - TestClass attribute, 200
 - TestCleanup attribute, 206
 - TestContext object, 207–211

- unit testing (*continued*)
 - TestInitialize attribute, 206
 - TestMethod attribute, 200
 - writing output, 210–211
 - unpinned windows, 8
 - unsaved changes, 11
 - unwinding exceptions, 845
 - updating
 - ClickOnce and, 976–982
 - databases, entity models, 644–645
 - upgrading
 - to .NET Framework 4.0, 909–910
 - from Visual Studio 2008, 901–909
 - URIs (Uniform Resource Indicators), Silverlight
 - Navigation Framework, 478
 - URLs (Uniform Resource Locators)
 - MVC, 451
 - parts of, 452
 - views, 453
 - usage tracking, 957–958
 - Use Case Diagrams (UML), 1062, 1063
 - User Account Control settings, 99–100
 - user authentication, Web controls, 418–420
 - user controls, Start Page, 36–38
 - user registration, RIA Services, 758
 - user settings in configuration files, 790–791
 - users, authentication, 731–733
-
- V
- Validate method, 576–577
 - ValidateArchitecture property, 1068
 - ValidateUser method, 727
 - overloading, 728
 - validation
 - ASP.NET Dynamic Data, 494–496
 - data binding, 576–578
 - entity models, 635
 - MVC, 461–462
 - web forms, 416–417
 - var keyword, 314
 - variables
 - DataTips, 858
 - installation variables, 967
 - promoting to parameter, 155
 - WF designer, 709
 - variance
 - contravariance, 317, 319–321
 - covariance, 317, 318–319
 - VB (Visual Basic)
 - anonymous methods, 321–322
 - array literals, 323–324
 - code snippets, 140–141
 - collections, initializers, 323–324
 - Compile page, 915–916
 - Build Events, 917–919
 - compilation constants, 916–917
 - optimizations, 916
 - lambdas, 321–322
 - late binding, dynamic lookup, 325–326
 - line continuation, implicit, 322
 - options, 50–51
 - parameters
 - named, 326–327
 - optional, 326–327
 - nullable, 324–325
 - PowerPacks, 325
 - properties, automatic, 322–323
 - XML literals, 598
 - VBA (Visual Basic for Applications), 379
 - Version Control
 - annotating, 1125
 - branches, 1126–1127
 - check-ins, 1121–1122
 - check-outs
 - exclusive, 1121
 - shared, 1121
 - conflict resolution, 1122–1123
 - History window, 1125
 - introduction, 1119–1120
 - labeling versions, 1124–1125
 - Merge Changes, 1122–1123
 - merges, 1128
 - offline work, 1124
 - shelvesets, 1126
 - shelving, 1125–1126
 - Solution Explorer, 1120–1121
 - vertical spacing, 343
 - views
 - Class View, 63–64

- custom view templates (MVC), 463–464
 - full-screen, code editor, 60
 - partial views (MVC), 463
 - split view, code editor, 58
 - UIs, 443–451
 - virtual directories, 774
 - Visibility property, 357
 - Visual Basic Development Settings option, 6
 - Visual Glyphs checkbox, 45
 - visual guides in editor space, 44–45
 - Visual Studio 2008, upgrading from, 901–909
 - Visual Studio 2010
 - installation, 3–5
 - running, 5–6
 - setup, launching, 3–4
 - Visual Studio Content Installer package, 1022–1023
 - macros, 1031
 - Visual Studio Conversion Wizard, 906–907
 - Visual Studio IDE, add-ins, 1011
 - Visual Studio Macros IDE, add-ins, 1011
 - visualization, Modeling Power Toys for Visual Studio 2010, 186–187
 - visualizers, 865–867
 - visually impaired users, 416–417
 - VSIX Project template, 1044
 - VSM (Visual State Manager), 479
 - VSMacro, 1025–1026
 - VSPackages, extensibility, 1002
 - VSTO (Visual Studio Tools for Office), 18
 - Actions Pane window, 381, 386–387
 - add-ins
 - disabled, 394
 - unregistering, 392–393
 - application-level add-ins, 381–382, 388–392
 - applications
 - debugging, 392–394
 - deploying, 394–396
 - document-level customization, 381
 - creating, 382–387
 - documents, protecting design, 385–386
 - Explorer window, 388
 - initial version, 379
 - Inspector window, 388
 - Outlook, form region creation, 389–392
 - Task Panes, 381–382
 - VSTS Architecture, 1061
 - Dependency Graphs, 1070–1072
 - Modeling Projects, 1061
 - .NET Sequence Diagrams, 1072–1073
 - UML diagrams, 1062–1066
 - UML Model Explorer, Layer Diagrams, 1066–1068
 - VSTS Premium edition, Code Analysis tab, 112–113
 - VSTS Ultimate edition, Code Analysis tab, 112–113
- ## W
- warnings, 64
 - Watch windows
 - 1-4, 832–833
 - Autos window, 833
 - Locals window, 833
 - Modules window, 834–835
 - Processes window, 835
 - QuickWatch window, 831
 - Threads window, 834
 - wavy lines, IntelliSense and, 120
 - WCF RIA Services. *See* RIA Services
 - WCF Service Library, 683, 691–696
 - WCF Test Client, 692–693
 - WCF (Windows Communication Foundation), 22
 - contracts, 683
 - data contracts, 683, 685–687
 - message contracts, 683
 - service contracts, 683, 684–685
 - Hotfix, 515
 - overview, 681–682
 - project types, 682
 - projects, 95
 - services
 - consuming, 696–699
 - endpoints, 688–691
 - hosting, 691–696
 - Sync Services and, 752
 - WCF Workflow Service Application project template, 682
 - Web Application projects
 - ASP.NET AJAX, 427–429
 - control extenders, 429–431

- Web Application projects (*continued*)
 - client-side development, 425–431
 - creating, 404–405
 - installers, 991–991
 - JavaScript, 426–427
 - master pages, 424–425
 - output, 991
 - properties
 - Package/Publish SQL tab, 116
 - Package/Publish Web tab, 115
 - Web tab, 113–114
 - Silverlight Applications tab, 114–115
 - templates, 406
- Web Application *versus* Web Site projects, 400–401
- Web applications
 - debugging, 874–876
 - deploying, 983
 - web.config transformations, 989–990
 - packaging
 - configuring packages, 987–988
 - SQL Server data, 988–989
 - publishing, 986–987
- Web browsers, Silverlight, 472
- Web controls, 417–424
 - data components, 420–423
 - data helper controls, 423
 - data view controls, 422–423
 - navigation components, 418
 - user authentication, 418–420
- Web Parts controls, 423–424
- Web forms
 - controls
 - formatting, 411–412
 - positioning, 409–411
 - CSS tools, 412–415
 - HTML Designer, 407–409
 - HTML elements, positioning, 409–411
 - validation tools, 416–417
- Web pages, scaffolding, 486
- Web Parts, development, 524–525
- Web Parts controls, 423–424
- Web performance tests, 1096–1099
- Web Platform Installer, 992–997
- Web projects, 95
 - Silverlight, 474
- Web servers, parameterizing, 1096
- Web Service Data Source, 583
- Web Service Proxies, GeneratedCode attribute, 1078
- Web settings, 107
- Web Setup Project, 991
- Web site administration, ASP.NET, 431–434
- Web Site project, 19, 116–117
 - creating, 401–404
 - Empty Web Site project template, 402
- Web sites
 - copying, 985
 - location, 984
 - publishing, 984–985
- Web tab (Solution Explorer), 113–114
- Web Test Designer, 1096
- Web Test Recorder, 1096
- Web Testing Framework, 1098
- Web Tests
 - customizing, 1098
 - Test List Editor, 1098
- web.config, transformations, 989–990
- web.config file, 774
- WebPartZone containers, 424
- WF designer, 709–712
 - Arguments pane, 710
 - code activities, writing, 715–719
 - hosting, 719–722
 - workflow
 - creating, 712
 - designing, 713–715
 - executing, 716–718
- WriteLine activity, 714
- WF (Windows Workflow Foundation).
 - See also* workflow
 - activities, code, 715–719
 - bookmarks, 705
 - expressions, 705
 - introduction, 701–702
 - library, 703
 - reasons for using, 702–703
 - tracking, 706–707
 - WCF and, 682
- where statement, 592–593

- wildcards in searches, 75–76
- Windows
 - authentication, 726
 - menu, 40
 - projects, 95
- windows
 - animation, 41
 - Breakpoints, 828–829
 - Call Hierarchy window, 66–67
 - Class Details, 180
 - Close All But This option, 40
 - Code Definition window, 66
 - code editor, 53–54
 - code execution, Call stack, 833
 - Code Metrics, 1075–1076
 - Command window, 61–62
 - Ctrl+Tab, 40
 - Data Sources, 549, 556
 - databases, 549–556
 - debugging, 827–828
 - Call Stack, 839
 - Exceptions window, 841
 - parallel debugging windows, 838–840
 - Parallel Stacks, 839–840
 - Parallel Tasks, 840
 - Document Outline window, 68–70
 - enumeration, 1005–1006
 - Error List, 664
 - Find Results, 79–80
 - Immediate window, 62–63, 830–831
 - IntelliTrace Events, 837–838
 - Macro Explorer tool window, 1026
 - memory windows, 836
 - Disassembly, 836
 - Registers, 836–837
 - memory windows, 1-4, 836
 - navigating open items, 40–41
 - Open Containing Folder option, 40
 - Output, 829–830
 - pinned, 8
 - Project Explorer, 1027
 - Properties window, 181, 211–212, 650
 - Report Data, 648
 - Server Explorer, 550–556
 - Solution Explorer tool window, 16
 - tear away code windows, 58–59
 - temporary, 40
 - Test Results, 196
 - Test View, 211–212
 - tool windows, 8, 39
 - creating, 1015–1018
 - floating, 43
 - reorganizing, 70–71
 - unpinned, 8
 - viewing, 39
 - Watch windows
 - Autos, 833
 - Locals, 833
 - Modules, 834–835
 - QuickWatch, 831
 - Threads, 834
 - Watch windows, 1-4, 832–833
 - Watch windows, Processes, 835
- Windows 7, SharePoint, 516
- Windows Azure Platform, 533
 - AppFabric, 545–546
 - application tuning, 543–544
 - applications, deploying, 540–543
 - blobs, 536–540
 - Cloud Service project template, 534
 - CloudFront project, 535
 - Development Fabric, 535–536
 - Development Storage, 535
 - queues, 536–540
 - roles, 534
 - SQL Azure, 544–545
 - tables, 536–540
- Windows Forms
 - Appearance properties, 338
 - applications, 335
 - templates, 336
 - controls
 - adding, 341
 - aligning text controls, 342
 - anchoring, 349–350
 - docking, 349–350
 - horizontal spacing, 343
 - hosting in WPF, 374–375
 - layering, 344
 - locking design, 344–345

- Windows Forms (*continued*)
 - positioning multiple, 342–343
 - property setting, 345–346
 - resizing, 337
 - tab order, 344
 - vertical spacing, 343
- hosting WPF controls, 372–374
- interoperability, 372–375
- Layout properties, 338
- projects, creating, 335–336
- reports, 646
- service-based components, 346
- smart tag tasks, 346–347
- visual design, 336–337
- Window Style properties, 338
- Windows Forms Designer, 338–340
 - GridSize property, 339
 - SnapLines, 339
- Windows Forms User Control items, 1016
- Windows Installer, 961–962
- Windows SDK Components for Windows
 - Installer Developer, Orca, 969
- Windows Vista, SharePoint, 516
- wizards
 - Add-in Wizard, 1009–1012
 - Connection Strings Wizard, 795–801
 - Data Source Configuration Wizard, 561, 650, 798
 - Domain Service Class Wizard, 761
 - Entity Data Model Wizard, 624–625
 - Import and Export Settings, 51–52
 - installation wizard, 967
 - New Service Element Wizard, 689
 - New Service Endpoint Wizard, 690–691
 - Performance Wizard, 1080
 - Publish Wizard, 976–977
 - Report Wizard, 647–648, 672–673
 - SharePoint Customization Wizard, 521
 - SharePoint Products Configuration Wizard, 517
 - Visual Studio Conversion Wizard, 906–907
 - XML to Schema Inference Wizard, 604
- WMI (Windows Management Instrumentation), 162–163
- Word
 - content controls, 381
 - document-level customization, 381
 - smart tags, 381
- word/phrase completion (IntelliSense)
 - completion mode, 124–125
 - in context, 121–123
 - Generate From Usage, 126–127
 - list members, 123–124
 - stub completion, 125–126
 - suggestion mode, 124–125
- word wrap, 45
 - code editor, 57
- Word Wrap checkbox, 45
- WorkerReportsProgress property, 752–755
- Workflow Console Application project
 - template, 708
- Workflow projects, 95
- WorkflowApplication class, 705, 717
- WorkflowInvoker class, 705
- workflows, 701–702. *See also* WF (Windows Workflow Foundation)
 - activities, 703–704
 - control flow, 704–705
 - bookmarks, 705
 - breakpoints, 718–719
 - creating, 712
 - debugging, 718–719
 - designing, 713–715
 - executing, 716–718
 - expressions, 705
 - persistence, 706
 - run time, 705
 - testing, 719
 - tracking, 706–707
- workflows (SharePoint)
 - sequential, 528–529
 - state machine, 528–529
- WorkflowServiceHost class, 705
- WorkItem attribute, testing, 201
- workspaces, 1120
- WPF Application, 9
 - reports, 646
 - styling, 371–372
- WPF designer, 35, 360–364
 - Apply Data Binding, 366
 - Apply Resource, 366
 - control template, 371
 - Document Outline window, 364

glyph, 362
 properties, listing, 365
 Properties window, 364–367
 Reset Value, 366
 themes, 371
 WPF Visualizer, debugging with, 376–377
 WPF (Windows Presentation Foundation)
 controls, 357–358
 hosting in Windows Forms, 372–374
 hosting Windows Forms, 374–375
 layout, 358–360
 data binding, 367–370
 metadata, 24
 New Project dialog, 353
 overview, 351–353
 properties, 357
 Silverlight and, 471
 Start Page, 34
 Write() method, 274
 WSP (Windows SharePoint Package), 530–532
 WSS (Windows SharePoint Services), 514

X

XAML (eXtensible Application Markup Language)
 editor, 360–361
 control template, 371
 event handlers, 361
 IntelliSense, 361
 XAML (eXtensible Application Markup Language), 312
 attached properties, 358
 overview, 355–356
 syntax, 355
 WPF and, 352
 XAML page, modifying Start Page, 35
 Xap file, 475
 XBAP file, 354
 XBAP (XAML Browser Application), 472
 XCOPY, deploying add-ins, 1022–1023
 XElement, XML snippets as, 599–600
 XML comments, 219, 220–221
 adding, 221
 IntelliSense, 133, 237
 tags

 <c>, 222
 <code>, 222–223
 <example>, 223–224
 <exception>, 224–225
 <include>, 225–226
 <list>, 226–228
 <para>, 228
 <param>, 228–229
 <paramref>, 229–230
 <permission>, 230
 <remarks>, 230
 <returns>, 231
 <see>, 232
 <seealso>, 232–233
 <summary>, 233
 <typeparam>, 233–234
 <typeparamref>, 234–235
 <value>, 235
 using, 235–237
 XML (eXtensible Markup Language)
 creating with LINQ, 600–602
 expression holes, 600–601
 LINQ to XML, 597–598
 literals, 598
 querying, 602–603
 resource files
 resx, 807
 Solution Explorer, 18
 schema, importing, 603–605
 schema editor, DataSets, creating, 561–563
 schema files, 96
 snippets, pasting as XElement, 599–600
 WCF Service Library, 693
 XML to Schema Inference Wizard, 604
 xmlns attribute, 356

Y

yellow marks in code, 46
 Yellow Screen of Death, 874

Z

zooming, code editor, 57