

# Index

- $\alpha$ -amylase 22
- ABI PRISM<sup>®</sup> genetic analyzers 55, 116
- ABO blood grouping system 2
- absorption–inhibition ABO typing 2
- adventitious hits 99
- agarose gels 33–4, 35
- allele
  - ceiling principle 79–80, 83
  - drop-out 68, 69, 73
  - specific hybridization 119
- allele frequency databases 78–83
  - allele ceiling principle 79–80, 83
  - Balding size bias correction 80, 81, 83
  - profile ceiling principle 82, 83
  - selection 83
  - subpopulations 80–2, 83
- allelic ladders 58–61
- amelogenin locus 53
- 3-aminophthalhydrazide 19–20
- AMP-FLPs *see* amplified fragment length polymorphisms
- AmpF/STR<sup>®</sup> *see* Identifiler<sup>®</sup>; PowerPlex<sup>®</sup> 16
  - system; SGM Plus<sup>®</sup>
- amplified fragment length polymorphisms (AMP-FLPs) 39
- AmpliQ Gold<sup>®</sup> 40–1, 44
- Balding size bias correction 80, 81, 83
- Bayesian approach
  - evaluation process 92–3, 95
  - kinship testing 109–11
- biological samples 17–25
  - collection 3, 19, 20–1
  - contamination 19, 20
  - identification and characterization 19–20
  - presumptive testing 21–3
  - reference samples 23
  - sexual and physical assault 21
  - sources 17–19
  - storage 23–4
- blood
  - biological samples 3, 17–20, 21, 23–4
  - DNA quantification 32
    - grouping 2, 121
    - polymerase chain reaction 44, 46
- bones 31–2, 72–3, 129
- buccal swabs 23, 46
- Cambridge Reference Sequence (CRS) 129
- capillary electrophoresis (CE) 54–5, 57–8, 118
- CE *see* capillary electrophoresis
- Chelex<sup>®</sup> 100 resin 27–9, 31, 34, 45
- chi square tests 78
- chromosomal organization 7–9
- CODIS *see* Combined DNA Index System
- cold cases 101–2
- Combined DNA Index System (CODIS) 52, 102–3
- contamination
  - biological samples 19, 20
  - cold cases 102
  - polymerase chain reaction 45–8
- Crick, F. 7
- CRS *see* Cambridge Reference Sequence
- D-loop 126
- DAPI 33, 35
- ddNTPs *see* dideoxynucleotide triphosphates
- defendant's fallacy 94
- degraded DNA 71–3, 101–2
- deionized formamide 55
- dideoxynucleotide triphosphates (dNTPs) 8, 42, 116
- deoxyribonucleic acid (DNA)
  - extraction 27–32
    - challenging samples 30–2
    - Chelex<sup>®</sup> 100 resin 27–9, 31, 34, 45
    - FTA<sup>®</sup> paper 29–30
    - general principles 27–30
    - hair shafts 31
    - hard tissues 31–2
    - phenol–chloroform-based 29, 31
    - seminal fluid 30
    - silica based methods 28–9, 31, 36
  - quantification 32–6
    - agarose gels 33–4, 35

deoxyribonucleic acid (DNA) (*Contd.*)  
 fluorescence spectrophotometry 35  
 hybridization 35  
 real-time polymerase chain reaction 35–6  
 ultraviolet spectrophotometry 34  
 replication 40  
 structure 7–15  
 chromosomal organization 7–9  
 coding and regulatory sequence 9–10  
 extragenic DNA 10  
 forensic genetics 11  
 genetic diversity 11  
 human genome 9–10, 11  
 short tandem repeats 13, 14  
 single nucleotide polymorphisms 13–14  
 tandem repeats 10, 12–13, 14  
 transposons 10  
 deoxyribose 8  
 4',6-diamidino-2-phenylindole 33, 35  
 dideoxynucleotide triphosphates (ddNTPs)  
 116–17  
 dinucleotide repeats 66  
 dithiothreitol (DTT) 30  
 DNA *see* deoxyribonucleic acid  
 DNA IQ™ Isolation System 36  
 dNTPs *see* deoxynucleotide triphosphates  
 DTT *see* dithiothreitol

EDNAP *see* European DNA Profiling Group  
 epithelial cells 17–19, 22, 33  
 ethidium bromide 33, 35  
 European DNA Profiling Group (EDNAP) 103  
 evaluation process 87–95  
 Bayesian approach 92–3, 95  
 defendant's fallacy 94  
 frequentist approach 88–9, 94–5  
 hierarchies of propositions 87–93  
 likelihood ratios 89–92, 95  
 prosecutor's fallacy 91, 93–5  
 exact tests 78  
 extragenic DNA 10

familial searching 100–1  
 flanking DNA 12  
 fluorescence  
 labelling 54  
 spectrophotometry 35  
 formamide 55  
 frequentist approach 88–9, 94–5  
 FTA® paper 23–4, 29–30

GeneMapper™ *ID* 56, 59, 67  
 GeneScan® 56, 58, 67  
 genetic diversity 11

Genotyper® 59–60  
 geographical  
 ancestry 120  
 clustering 132

hair  
 follicles 17–19, 23  
 shafts 31

haplotype frequencies 130–1, 132  
 Hardy–Weinberg equilibrium (HWE)  
 75–83  
 allele frequency databases 78–83  
 deviations 76–8  
 infinitely large populations 76–7  
 migration effects 77  
 mutations 77  
 natural selection 77  
 random mating 77  
 statistical tests 77–8

heteroplasmy 127–9  
 heterozygosity 138  
 hierarchies of propositions 87–93  
 Bayesian approach 92–3, 95  
 frequentist approach 88–9, 94–5  
 likelihood ratios 89–92, 95

homoplasmy 127–9  
 homozygosity 78, 138  
 human  
 genome 9–10, 11  
 karyotype 9  
 remains 1, 111–12  
 lineage markers 129  
 short tandem repeats 71–3

HWE *see* Hardy–Weinberg equilibrium  
 hybridization-based methods 35  
 hypervariable regions 126–7, 129

Identifiler® 105, 120, 52, 61  
 inbreeding 81–2  
 infinitely large populations 76–7  
 inhibition of PCR 44–5  
 internal-lane size standards 56–8  
 Interpol Standard Set of Loci (ISSOL) 103  
 interspersed repeats 10  
 ISSOL *see* Interpol Standard Set of Loci

Jefferson, Thomas 131  
 Jeffreys, Alec 2–3

Kastle–Meyer (KM) 21  
 kinship testing 1, 105–14  
 absorption–inhibition ABO typing 2  
 Bayesian approach 109–11  
 complex relationships 111

- human remains 111–12
- likelihood ratios 105, 109–10
- lineage markers 131
- paternity testing 105–11
- Punnett squares 106–7
- subpopulations 111
- KM *see* Kastle–Meyer
  
- Landsteiner, Karl 2
- Lattes, Leone 2
- LCN *see* low copy number
- leuco-malachite green (LMG) 21
- likelihood ratios
  - evaluation process 89–92, 95
  - kinship testing 105, 109–10
  - short tandem repeats 78
  - statements 91
- lineage markers 125–35
  - applications 127–30, 131–2
  - copy number 125
  - hypervariable regions 126–7, 129
  - inheritance 125
  - interpretation 129–30, 132
  - mitochondrial genome 125–30
  - polymorphisms 126, 130–2
  - Y chromosome 125, 130–2
- LINES *see* long interspersed elements
- LMG *see* leuco-malachite green
- local Southern method 57–8
- locus drop-out 68, 69
- long interspersed elements (LINES) 10
- long terminal repeats (LTRs) 10
- low copy number (LCN) PCR
  - contamination 44
  - degraded DNA 101–2
  - short tandem repeats 68–70, 73
- LTRs *see* long terminal repeats
- luminol 19–20
  
- match probability 137
  - statements 88–9
- migration effects 77
- mitochondrial genome 111, 117, 125–30
- mixed profiles 70–1
- molecular autopsy 121
- Mullis, Kary 3–4
- multi-locus exact tests 78
- multiplex development 51–3
- muscle tissue 72–3
- mutations 77
  
- national DNA databases 97–104
  - adventitious hits 99
  - cross-border 103
  - United Kingdom 97–102
  - United States 102–3
- natural selection 77
- non-template-dependence 66–7
  
- off-ladder peaks 58–9, 60
- overloaded profiles 68
  
- PACE *see* Police and Criminal Evidence Act
- paternity index 106, 110–11
- paternity testing 1, 105–11
  - absorption–inhibition ABO typing 2
  - lineage markers 131
- PCR *see* polymerase chain reaction
- peak balance 69, 70
- personal objects 112, 129
- phenol–chloroform-based DNA extraction 29, 31
- phosphodiester bonds 8
- PicoGreen® 35
- Pitchfork, Colin 1
- Police and Criminal Evidence Act (PACE) 98
- polymerase chain reaction (PCR) 39–50
  - components 40–2
  - contamination 45–8
  - DNA extraction 30
  - DNA quantification 32, 35–6
  - DNA replication 40
  - historical material 3–4, 39–40
  - hybridization-based methods 35
  - inhibition 44–5
  - laboratory set-up 46–8
  - lineage markers 126
  - low copy number 44, 68–70, 73, 101–2
  - post-PCR 47–8
  - pre-PCR 46–7
  - primers 41–2
  - procedure 42–4
  - reagents and buffers 42
  - real-time 35–6
  - sensitivity 45–6
  - Taq* polymerase 40–1, 42–5
  - template DNA 40
  - see also* short tandem repeats
- polymorphic information content 138
- population genetics *see* Hardy–Weinberg equilibrium
- positive paternity statements 109
- post-PCR 47–8
- power of discrimination 137
- power of exclusion 137–8
- PowerPlex® 16 system
  - kinship testing 105, 109, 120
  - short tandem repeats 52, 61

- PowerPlex<sup>®</sup> Y system 131  
 pre-PCR 46–7  
 presentation of evidence *see* evaluation process  
 presumptive testing 21–3  
 primers 41–2, 53  
   extension 36, 118–19  
 prior odds 92, 110–11  
 probe hybridization 3  
 profile  
   ceiling principle 82, 83  
   frequencies 79, 88, 90  
 Profiler Plus<sup>®</sup> 72, 106  
 prosecutor's fallacy 91, 93–5  
 prostate specific antigen (PSA) 22  
 protein markers 2  
 proteinase K 30, 31  
 PSA *see* prostate specific antigen  
 pull-up 67–8  
 Punnett squares 75–6, 106–7
- Quadraplex (QUAD) 52  
 Quantiblot<sup>®</sup> 35
- random match probabilities 88–9  
 random mating 77  
 re-offenders 97  
 real-time polymerase chain reaction (RT-PCR)  
   35–6  
 reference samples 1–2, 23  
 regulatory sequence 9–10  
 repetitive DNA 10  
 restriction  
   digestion 116  
   enzymes 2–3  
 Romanov royal family 128  
 RT-PCR *see* real-time polymerase chain reaction
- saliva 17–19, 22  
 salting-out procedure 28–9, 31, 36  
 samples *see* biological samples  
 sampling bias 80, 81, 83  
 Sanger sequencing 2, 116–17, 118, 126  
 seminal fluid  
   biological samples 3, 17–19, 21–2  
   DNA extraction 30  
   DNA quantification 32–3  
 sex chromosomes *see* X chromosome; Y chromosome
- SGM 52, 99  
 SGM Plus<sup>®</sup>  
   evaluation process 88–9  
   national DNA databases 99, 101  
   short tandem repeats 52, 59, 61, 70  
 short interspersed elements (SINEs) 10
- short tandem repeats (STRs) 4, 51–85  
   allele frequency databases 78–83  
   allelic ladders 58–61  
   corrections 78–83  
   degraded DNA 71–3  
   detection of polymorphisms 54–5  
   DNA structure 13, 14  
   drop-out 68, 69, 73  
   evaluation process 92  
   Hardy–Weinberg equilibrium 75–83  
   internal-lane size standards 56–8  
   interpretation 56–61, 65–74  
   kinship testing 111  
   lineage markers 130–2  
   low copy number DNA 68–70, 73  
   mixed profiles 70–1  
   multiplex development 51–3  
   national DNA databases 99  
   overloaded profiles 68  
   peak balance 69, 70  
   population genetics 75–83  
   primers 53  
   pull-up 67–8  
   single nucleotide polymorphisms 120–1  
   split peaks 65–7  
   standardization 52  
   structure 51  
   stutter peaks 65, 69  
   template DNA 68  
 silica based DNA extraction 28–9, 31, 36  
 silver staining 54  
 SINEs *see* short interspersed elements  
 single nucleotide polymorphisms (SNPs)  
   115–23  
   allele specific hybridization 119  
   detection 115–19  
   DNA structure 13–14  
   forensic applications 117–20  
   forensic identification 119–20  
   geographical ancestry 120  
   historical material 4  
   kinship testing 111  
   lineage markers 126, 130  
   occurrence and structure 115  
   primer extension 118–19  
   Sanger sequencing 116–17, 118, 126  
   short tandem repeats 120–1  
 SNaPshot<sup>™</sup> 118  
 SNPs *see* single nucleotide polymorphisms  
 Southern blotting 2–3, 57–8  
 split peaks 65–7  
 statements  
   likelihood ratios 91  
   match probability 88–9

- positive paternity 109
- uniqueness 89
- storage of biological samples 23–4
- STRs *see* short tandem repeats
- stutter peaks 65, 69
- subpopulations
  - allele frequency databases 80–2, 83
  - kinship testing 111
- SYBR<sup>®</sup> Green 36
- tandem repeats 10, 12–13, 14
  - see also* short tandem repeats; variable number tandem repeats
- Taq polymerase
  - polymerase chain reaction 36, 40–1, 42–5
  - short tandem repeats 65–7
  - single nucleotide polymorphisms 117, 118–19
- TaqMan<sup>®</sup> system 36
- template DNA 40, 68
- terminal transferase 66–7
- tetranucleotide repeats 66
- theta values 81–2, 83
- transposed conditional 91, 93–5
- ultraviolet spectrophotometry 34
- uniqueness statements 89
- United Kingdom NDNAD 97–102
- cold cases 101–2
- entry criteria 98–9
- familial searching 100–1
- legislation 98
- operation 99–100
- rationale 97
- technology 99
- variable number tandem repeats (VTNRs) 2–3, 4, 12–13
  - evaluation process 92
  - lineage markers 130
  - national DNA databases 99
  - polymerase chain reaction 39
- verbal scales 91–2
- VTNRs *see* variable number tandem repeats
- Yfiler<sup>®</sup> 131
- Watson, J. 7
- X chromosome
  - amelogenin locus 53
  - structure 9
- Y chromosome
  - amelogenin locus 53
  - lineage markers 125, 130–2
  - structure 9