

# Index

- ABCD *see* Affective-Behavioral-Cognitive-Dynamic model  
 abnormal brain functions 42–3, 208–11, 582–3  
   *see also* brain . . .  
 abnormal personality disorders  
   *see also* antisocial . . . ; dissocial . . . ;  
   psychopathic . . .  
   conceptual history 1–5, 9–30, 83–6, 135–6,  
   150–1, 172–3, 276, 281, 450–3, 558–60,  
   573–4  
   differentiation scheme 26–7  
 abusive tendencies, psychopathic disorders  
   2, 4  
 acamprosate 485, 538  
 ACC *see* anterior cingulate cortex  
 accountability strategies, domestic violence  
   502–14  
 acquired psychopathy  
   *see also* brain trauma; psychopathic disorders  
   assessments 244, 245–8  
   concepts 69, 73–4, 111, 237–48, 264–5  
   manifestations 242–3  
   nature 238–40  
   pathogenesis 240–2  
   prognosis 244–5  
 acquired sociopaths 73–4, 111, 242–3, 533  
   *see also* sociopathy  
 ACT *see* assertive community treatment  
 activation patterns, neuroimaging perspectives  
   173–4, 181–2  
 activity programs 4, 124  
 activity therapists, short-term risk of violence  
   124–32  
 activity–passivity orientations, personality  
   dimension 24  
 actuarial instruments 54, 124–5, 137–8  
   *see also* Psychopathy Checklist-Revised  
 acupuncture 485  
 addictions 25, 71, 149, 153, 157–9, 251–2,  
   267–9, 386, 484–6, 531–8  
   *see also* alcohol; substance abuse  
   genetics 149, 153, 157–9, 251–2, 267–8  
   stimulant drugs 386  
 ADHD *see* attention deficit hyperactivity  
   disorder  
 adolescent-limited offenders, antisocial  
   behavior 202–3  
 adolescent-onset type, antisocial behavior  
   200–11, 419–20  
 adolescents  
   *see also* children  
   alcohol/substance abuse 531–8  
   CD 150–64, 188, 189–90, 199–211, 251–2,  
   265–7, 281, 291–8, 337–8, 349–50,  
   368–75, 381–2, 417–40, 531–8  
   multimodal CD interventions 436–40  
   school-based CD interventions 430–1  
 adoptive studies, genetics 152–3  
 Adrian, Kerstin 417–48  
 Adshead, Gwen 449–66  
 ADVANCE program 426  
 Advanced Study Institute (ASI) 50  
 adverse effects 385–7, 388, 409–11  
 affect, modulation of affect 342–3  
 affective items, PCL-R 37, 44–58, 71, 84–5,  
   93–5, 106, 113, 319–31, 335, 355–61,  
   456–7, 468–73, 477–89  
 Affective-Behavioral-Cognitive-Dynamic  
   model (ABCD) 428–9  
 affectiveness disorders  
   *see also* mood disorders  
   APD 251–2, 257–9  
   brain trauma 220  
   comorbid disorders 157–8, 251–2, 257–9,  
   267–8  
   conceptual development 10–12, 19, 22–3,  
   83–6  
   country comparisons 575–8  
   gender issues 257–9  
   statistics 257–9  
   substance abuse 257–9, 267–8  
   violence 120–1, 257–9, 497–514  
 aftercare plans 130–1  
 age factors  
   APD 35, 150–1, 153–5, 164, 205  
   brain trauma 219–21

- aggression 4, 14–15, 35–8, 41, 43–59, 69–78, 88–9, 93–5, 104–5, 107–13, 117–32, 150–64, 181–2, 193, 200–11, 298, 335, 343, 367–75, 397–411, 417–40, 472–3, 482–4  
*see also* anger; violence  
 alcohol 117–18, 119, 120, 121–2, 126, 127–8, 253–4, 257–9, 260–1, 323–4, 534–8  
 anger-control/management programs 433–5  
 anticonvulsants 400–4, 407  
 antidepressants 404–5  
 antipsychotics 405–7, 409–11, 481–4  
 benzodiazepines 484  
 brain imaging research 69–78, 93–5, 105–9, 112, 398–9  
 brain trauma 228, 398–9  
 carbamazepine 403, 410–11  
 catecholamines 161–4, 382–6  
 CD 200–11, 265–7, 368–75, 417–40, 531–8  
 clozapine 406, 410–11, 482  
 definitions 155, 368, 399–400  
 domestic violence 497–514  
 dopamine 161–4, 204–6, 297–8, 383–6, 482–4  
 double-blind placebo-controlled trials 397–411  
 genetics 153, 154–5, 251–2, 267–8, 297–8  
 impulsive aggression 398–411  
 lithium 400–1, 407, 409–11, 482–4  
 medically related aggression 398–411  
 noradrenergic antagonists 405–6, 484  
 Overt Aggression Scale 127  
 pharmacotherapy 4, 118, 181, 397–411, 482–4, 537–8  
 phenytoin 401–2, 409–11, 482  
 premeditated aggression 193, 398–411  
 psychoanalytic view 343, 457–8  
 rewards 107  
 risperidone 406, 409–11, 482  
 schools 367–75  
 serotonin 159–61, 205–6, 397–411, 421  
 specific medication types 400–7  
 stimulants 407, 482–4, 537–8  
 substance abuse 117–18, 120–3, 126, 127, 253–4, 257–9, 260–1, 534–8  
 testosterone 163, 350, 421, 472–3, 484  
 topiramate 403–4, 410–11  
 treatment 397–411, 433–40, 482–4  
 treatment algorithm 407–11  
 types 398–411  
 valproic acid 402–3, 409, 482  
 agitation, brain trauma 228–9  
 agranulocytosis 410–11  
 agreeableness, concepts 24  
 Ahmed, A.G. 275–90  
 AIDS 124, 269, 471  
 akathisia 119–20  
 alcohol 71–6, 117–18, 119, 120–2, 126–8, 149, 153, 157–9, 176–7, 206–7, 219–21, 228–9, 253–4, 257–61, 282–9, 307–14, 471–5, 484–6, 505–6, 514, 531–8  
*see also* addictions; substance abuse  
 ADHD risk factors 206–7, 537–8  
 APD 253–4, 257–61, 484–6, 531–8  
 behavioral therapy 536–8  
 brain 71, 73, 76, 121, 176–7, 219–21, 228–9, 485  
 children 265–7, 307–14, 531–8  
 cocaine 122  
 cognitive effects 127  
 comorbid disorders 149, 153, 157–9, 176–7, 253–4, 257–61, 265–8, 282–9, 484–6, 531–8  
 concepts 149, 153, 157–9, 176–7, 253–4, 257–61, 265–8, 282–9, 484–6, 531–8  
 CP 307–14  
 criminality 534–5  
 depression 531–8  
 detoxification programs 537–8  
 domestic violence 505–6, 514  
 effects 117–18, 119, 120, 121–2, 127–8, 176–7, 206–7, 253–4, 257–61, 282–9, 471–5, 484–6, 531–8  
 epidemiology 532  
 etiology 532–4  
 fetal alcohol syndrome 206–7  
 genetics 149, 153, 157–9, 267–8, 533–4  
 impulsivity 533–4  
 inhibitions 121, 127, 282, 484–6  
 intelligence levels 127  
 neuroticism 533–4  
 paraphilias 282–9  
 personality types 533–4  
 pharmacotherapy 537–8  
 prenatal/postnatal risk factors 206–7, 210, 535  
 prognosis 535–8  
 rehabilitation programs 485, 535–6  
 risk factors 206–7, 210, 532–4  
 schizophrenia 253–4, 259–61, 536  
 sociopathy 533  
 somatic diseases 471–5  
 statistics 531–5  
 treatment 484–6, 531, 535–8  
 treatment phases 537–8  
 types 1&2 alcoholism 533–4  
 violence 117–18, 119, 120, 121–2, 126, 127–8, 253–4, 257–9, 260–1, 323–4, 534–8  
 withdrawal 121, 126, 537–8  
 Alcoholics Anonymous 485  
 Alexander, F. 15–16

- Alfred P. Murrah Federal Building, Oklahoma City 230
- algorithms 407–11, 472–3, 482–3, 488
- alpha-adrenergic drugs 227–8
- Alzheimer's disease 229–30, 244
- American Medical Association 248
- American Psychiatric Association 16, 24–5, 84–6, 118–23, 150–1, 237–9, 276, 282, 368, 399, 417, 450, 468, 561, 573–4  
*see also* Diagnostic and Statistical Manual of Mental Disorders
- AMF *see* amphetamine
- amphetamine (AMF) 122, 127, 161, 407, 535  
*see also* stimulants  
ADHD treatment 382–6, 411  
adverse effects 385–6  
violence 122, 127, 161, 535
- amnesia, brain trauma 228–9
- aMRI *see* anatomical magnetic resonance imaging
- amygdala 69–70, 75–8, 93–5, 105–9, 113, 150, 159, 162–4, 173–5, 180–2, 189, 192, 195, 209–11, 227–8, 369, 579–80  
*see also* autonomic responses  
brain trauma 227–8  
EDA 189, 192
- anabolic steroids, violence 123
- anatomical magnetic resonance imaging (aMRI) 69–76
- Andersen *et al* 37
- Andrews *et al* 219
- anethopaths, concepts 10, 16, 18
- anger 4, 14–15, 35–8, 41, 43–59, 69–78, 88–9, 93–5, 104–13, 117–32, 193, 338, 433–6, 501–2  
*see also* aggression; emotions; violence  
CD programs 433–5  
domestic violence dynamic 501–2  
emotion recognition 105–7
- Anger Control Training 436
- Anger Coping Program 434–5
- anger-control/management programs, CD 433–5
- Anglo-American concepts  
*see also* Great Britain; North America  
psychopathic disorders 9–10, 13–18, 21–2, 24–5, 26–7, 41–2, 172, 450–3, 573–4
- animals, cruelty to animals/other children 202–3, 342
- Annual Association of Threat Assessment Professionals Conference 521
- ANS *see* autonomic nervous system
- anterior cingulate cortex (ACC) 69–70, 77–8, 89–95, 105–9, 110–13, 189, 208–11
- antiandrogen medications, sexual offenders 484, 487–8
- anticonvulsants, aggression 400–4, 407
- antidepressants  
*see also* SSRIs  
ADHD treatment 382, 386–7  
adverse effects 387  
aggression 404–5
- antipsychotics, aggression 405–7, 409–11, 481–4
- antisocial behavior  
*see also* conduct disorder  
ADHD 199–211, 265–7, 307–8, 367–71, 381–92, 482, 537–8  
adolescent-limited offenders 202–3  
adolescent-onset type 200–11, 419–20  
alcoholic parents 206–7, 533–4  
assessments 199–202  
childhood trauma 207  
childhood-onset type 200–11, 419–20  
concepts 26, 33–8, 41, 87, 103–4, 107–13, 135–43, 149–64, 199–211, 265–8, 321–31, 417–40  
CP 306–14, 321–31, 372  
definitions 200–1, 251–2, 268, 368  
domestic violence 497–514  
early-starter pathway 202–3  
etiology 203–11, 484–6  
families 206–7, 210, 291–8, 312–31, 367–8, 371–5, 533–4  
females 347–61  
genetics 149–64, 204–6, 210–11, 251–2, 267–8, 297–8  
late-starter pathway 202–3  
life-course persistent (LCP) offenders 202–3, 351  
maladaptive types of character 34  
mental disorders 33–4, 87  
neurocognitive impairment 207–10  
prenatal/postnatal risk factors 205–7, 210  
rewards 107  
smoking parents 206–7, 210, 326–7  
symptomatology 202–3  
types 200–1
- antisocial items, PCL-R 37, 44–58, 84–95, 319–31, 335, 355–61, 468–89
- antisocial personality disorder (APD) 1–5, 16, 25–7, 33–8, 49–50, 69–78, 84–95, 103, 110–12, 117–32, 149–64, 201–2, 251–69, 319–31, 336, 358–61, 367–75, 423–4, 453–5, 468, 497–514, 521, 531–8, 573–4  
*see also* dissocial personality disorder; sociopathy  
affectiveness disorders 251–2, 257–9  
age factors 35, 150–1, 153–5, 164, 205  
alcohol 253–4, 257–61, 484–6, 531–8  
anxiety 251–2, 261–2, 390  
assessments 33–8, 49–50, 84–95, 103, 110–12, 358–61, 531–8, 573–4

- antisocial personality disorder (*Cont.*)  
 brain imaging research 2, 69–78  
 categorical approaches 34–8  
 CD 150–4, 201–2, 251–2, 265–7, 281, 381–2, 423–4  
 comorbid disorders 251–69, 423–4, 453–5, 531–8  
 concepts 16, 25–7, 33–8, 49–50, 84–95, 103, 110–12, 201–2, 251–69, 336, 349–50, 423–4, 453–5, 468, 497–514, 521, 573–4  
 criteria 17, 25–6, 35–8, 49–50, 84–95, 103, 118, 150–1, 172, 237–8, 251–2, 268, 291, 319–31, 468–71, 562–3, 573–4  
 differentiation scheme 27  
 dimensional approach 34–8, 399–400  
 domestic violence 497–514  
 DSM-IV/DSM-IV-TR diagnostic criteria 35–6, 49–50, 84–8, 128, 150–1, 172, 199–204, 224, 237–8, 248, 251–2, 368, 399, 450, 459, 468, 561, 573–4  
 early predictors 17, 35–8, 151, 154–5, 188, 189, 210–11, 265–7, 291–8, 319–31, 342–3, 560, 562–4, 583  
 emotions 104–5  
 etiology 34–8, 149–64, 484–6  
 features 14, 17, 25–6, 35–8, 49–50, 84–95, 104–5, 118, 150–1, 172–3, 237–8, 251–2, 268, 291, 319–31, 353–61, 468–71, 562–3, 573–4  
 gender issues 3, 35–6, 42–3, 47–8, 103–4, 150–1, 153, 155–7, 162–4, 188, 201–3, 205–6, 257–9, 260–1, 347–61, 459  
 genetics 149–64, 193, 251–2, 267–8, 297–8  
 imprisoned offenders 1–2, 35  
 neurobiologies 159–64, 171–82, 203–11  
 political issues 33–8  
 prenatal/postnatal risk factors 205–7, 210  
 psychiatric assessments 33–8  
 psychopathy overlap 49–50, 83–95, 110–12, 150–1, 172, 251–69, 281, 451, 459, 468, 573–4  
 psychophysiological correlates 83–95, 210–11, 382  
 PTSD 262  
 schizophrenia 251–7, 259–61  
 standardization of nomenclature 24–6, 172, 251–2  
 statistics 201–2, 349–50, 451, 468, 532, 573–4  
 substance abuse 251–2, 259–61, 267–9, 298, 371–2, 484–6, 531–8  
 violence 117–32, 150–64, 252–9, 267–8  
 workplace violence 521–8  
 Antisocial Process Screening Device (APSD) 43, 52  
 antisocial reaction, concepts 25–6  
 anxiety 76–8, 88–9, 94, 105–13, 121, 153, 157–8, 227–8, 251–2, 261–2, 306–14, 336, 337–43, 387–90, 423–4, 457–8, 531–8  
*see also* fear; mood . . .  
 APD 251–2, 261–2  
 comorbid disorders 251–2, 261–2, 387–90, 423–4, 471, 531–8  
 concepts 337–43, 387–90, 423–4  
 CP 306–14  
 definitions 337  
 evolutionary basis 337–8  
 suicide 261  
 treatment 387–90  
 APD *see* antisocial personality disorder  
 apolipoprotein E 226–7, 244–5  
 appearance of the patient, violence risks 126  
 APSD *see* Antisocial Process Screening Device  
 area under the curve (AUC) 54–5  
 Armed Forces, US 24  
 arrogance 42, 71–2, 84–8, 93–5, 106, 319–31, 335, 453–9, 468–73, 477–89, 573–4  
 ‘articulated thoughts in simulated situations’, domestic violence 506  
 ASI *see* Advanced Study Institute  
 asocial disorder 26  
 Asperger’s syndrome 266  
 assertive community treatment (ACT) 480  
*see also* intensive . . .  
 assertiveness deficits, domestic violence 506–10, 514  
 assessments  
*see also* Diagnostic . . . ; International . . . ; Psychopathy Checklist . . .  
 acquired psychopathy 244, 245–8  
 actuarial methods 54, 124–5, 137–8  
 ADHD 200–1, 381–2  
 antisocial behavior 199–202  
 APD 33–8, 49–50, 84–95, 103, 110–12, 358–61, 531–8, 573–4  
 brain imaging research 2, 69–78, 89–95, 105–13, 173, 208–11, 246–8, 337–8, 369, 398–9, 472–3, 579–80  
 brain trauma 221–3, 244, 245–8, 398–9  
 CD 200–1, 417–21, 531–8  
 country comparisons 46–7, 48, 54–6, 137–43, 575–8  
 domestic violence 497–8, 505–14  
 females 347–61, 459  
 historical background 37, 41–3, 573–4  
 lifetime detention 557–8, 560–70, 582–3  
 neuroimaging perspectives 182, 246–8, 335, 381–2, 472–3, 579–80  
 outpatient treatment 471–5, 536–7  
 psychiatric assessments 2, 33–40  
 psychological assessments 2, 34–8, 41–59

- psychopathic disorders 2, 23, 33–8, 41–59, 69–78, 83–95, 103–13, 172–3, 237–8, 245–8, 319–31, 348–61, 471–82, 531–8, 557–70, 573–4  
 psychophysiological correlates 83–95, 105–13, 210–11  
 risk assessments 2, 33–4, 48, 53–8, 117, 124–32, 135–43, 206–7, 210, 319–31, 347–61, 421–3, 473–5, 532–4, 557–70, 578–83  
 risks of diagnosis 2, 33–4, 117, 129–32, 135–43, 252, 352–3, 458–61  
 self-report measures 48–9, 52–3  
 structured clinical assessments 36–7, 54–6, 471–5  
 violence risks 124–32, 137–43, 358–61, 523–7  
 workplace violence 523–7  
 assimilation processes 339–40  
 associative learning, deficits 105, 107–9, 174–5, 194, 369–70, 559–60, 578–9  
 asthenic psychopaths 21, 22  
 athletic body types 20  
 atomoxetine (ATMX)  
   ADHD treatment 382, 386–8  
   adverse effects 387  
 attachment concepts 336–43, 457  
   *see also* dismissive individuals  
 attention deficit hyperactivity disorder (ADHD)  
   3–4, 106, 149, 157–8, 190, 195, 199–211, 265–7, 307–8, 367–71, 381–92, 423–4, 537–8  
   adult treatments 385, 386–7  
   alcoholic parents 206–7  
   AMF treatment 382–6  
   antisocial behavior 199–211, 265–7, 307–8, 367–71, 381–2, 537–8  
   anxiety 387–90  
   assessment 200–1, 381–2  
   ATMX treatment 382–5, 386–8  
   behavioral therapy 382, 388–90  
   CD 200–6, 209–11, 265–7, 370–1, 381–2, 386, 418–19, 423–4, 537–8  
   childhood trauma 207  
   combined treatments 389–90  
   comorbid disorders 157–8, 199, 203–4, 206, 209–11, 265–7, 367–71, 381–2, 386–90, 407, 423–4, 482–4, 537–8  
   concepts 199–211, 307–8, 367–71, 381–92, 407, 423–4, 537–8  
   CP 307–8  
   criminality 199–211  
   definition 200–1, 381–2  
   depression 387–90  
   epidemiology 201–2  
   evaluation of treatment effects 390–1  
   families 204–6, 389–92  
   general treatment recommendations 388  
   genetics 204–7, 210–11  
   intelligence levels 207  
   long-term treatment 391–2  
   MPH treatment 382–5, 388, 389–90  
   multimodal treatment 381–2, 389–90  
   neurocognitive impairment 207–10  
   neuroimaging perspectives 208–11, 381–2  
   neurophysiological defects 3, 173, 207–11  
   neuropsychological treatment measures 390–1  
   nonstimulant medication 386–8, 389–90, 392  
   parent training 389–92  
   pemoline 383–6  
   prenatal/postnatal risk factors 205–7, 210  
   psychopathic disorders 3, 106, 149, 157–8, 190, 199–211, 265–7, 370–1  
   psychophysiological correlates 210–11  
   smoking parents 206–7, 210  
   statistics 201–2  
   stimulants 382–6, 388, 389–90, 392, 407, 411, 482–4, 537–8  
   temperament 203–4  
   treatment 4, 211, 381–92, 407, 482–4, 537–8  
   types 200–11, 370–1, 381–2  
 attention shifting, executive functions 110–11, 240–1, 246–8  
 attentional processes, cognitive correlates 110–11, 112–13  
 AUC *see* area under the curve  
 auditory cortex 74–5  
 auditory hallucinations  
   *see also* hallucinations  
   dangers 128  
 Australia 264, 295, 427–8  
 Austria 263, 312, 576–7  
 autism, genetics 153  
 autonomic functions  
   concepts 87–95, 104–13, 174–5, 187–96, 210–11, 241–2, 337–53, 579–80  
   HR 91–3, 106, 188–96, 210–11, 337–8  
   autonomic measures, impulsivity 91–3  
   autonomic nervous system (ANS) 91–3, 187–96, 241–2  
 autonomic psychophysiological techniques 87–95, 210–11  
 autonomic responses  
   *see also* amygdala; electrodermal activity; heart rate; prefrontal cortex  
   concepts 104–13, 174–5, 187–96, 210–11, 241–2, 337–43, 579–80  
   emotions 104–13, 174–5, 579–80  
   available means, violence risks 126–7  
   aversive conditioning 108–9, 337–43  
   avoidant personality disorder 498–9

- 'back to basics' approach 354, 357  
 Barker, Elliot 563  
 Barona Index 246–7  
 Barrash *et al* 239–40  
 Barratt, Ernest S. 83–101  
 BAS *see* behavioral approach system  
 basal forebrain 179–80  
 basal ganglia 73  
 BASIC program 426  
 batterers *see* domestic violence  
 Baumrind, Diana 304  
 Bavarian Law of Confinement 561–2  
 Bazarian *et al* 222  
 behavioral approach system (BAS) 37–8, 107–9  
 behavioral controls 44, 47–58, 73–8, 110–12, 179–82, 204–5, 368–75, 456–7  
*see also* self-control  
 behavioral inhibition system (BIS) 37–8, 107–9, 484–6  
 behavioral risk factors, CD 421–3  
 behavioral social skills training 389  
 behavioral therapy  
*see also* self-control  
 ADHD 382, 388–90  
 alcohol/substance abuse 536–8  
 CBT 388–9, 431–3, 452–3, 456–8, 470, 479–80, 504–14  
 cognitive technique 388–9  
 concepts 388–9, 431–3, 536–8, 559–60  
 operant technique 388–9  
 Belgium 55, 312–13, 576–7  
 benign narcissists, clinicians 475–6  
 benzodiazepines 484  
 Berner, Wolfgang 467–95  
 Bernstein *et al* 110  
 beta-blockers 405, 484  
*see also* noradrenergic antagonists  
 biofeedback approaches, treatment 181–2  
 biological epoch, psychiatric research 11, 25, 34, 42–3  
 bipolar disorder 220, 257–9, 265–7, 400, 402–3  
*see also* depression; mania  
 brain trauma 220  
 comorbid disorders 257–9, 265–7, 400  
 Birnbaum, K. 10, 19, 21, 23  
 BIS *see* behavioral inhibition system  
 Blair, R.J.R. 42–3, 104–5, 108, 113, 368–72, 457  
 blame 17, 36–8, 84–5, 93–5  
 Bleuler, E. 10, 20  
 Blueprints Model Programs Selection Criteria 428, 431  
 body types, personality links 10, 20  
 Bonferroni correction 177  
 Book *et al* 41  
 borderline personality disorder 118, 128, 295–6, 339, 341, 351, 403, 451, 457–9, 471, 479, 498–9, 521, 532, 536–8  
 domestic violence 498–9  
 substance abuse 532, 536–8  
 violence 118, 128, 498–9  
 workplace violence 521  
 boredom 47–58, 84–5, 88–93  
*see also* need for stimulation  
 born criminals, French concepts 10, 12  
 Bowlby, John 336, 337–8  
 BPP *see* Bullying Prevention Program  
 Bradford, John M.W. 275–90  
 brain  
*see also* brain trauma  
 abnormal brain functions 42–3, 208–11, 582–3  
 activation patterns 173–4, 181–2  
 alcohol 71, 73, 76, 121, 176–7, 219–21, 228–9, 485  
 damage 69, 71–2, 73–8, 105–12, 120–1, 123, 176–82, 194–5, 217–31, 237–48, 264–5  
 infections 244  
 serotonin 159–61, 181–2, 205–6, 397–411, 421  
 volume losses 71–2, 73–8, 176–82, 195, 208–10, 225–7, 398–9  
 brain imaging research  
*see also* neuroimaging perspectives  
 ACC 69–70, 77–8, 89–95, 105–9, 110–13, 162–4, 173–82, 189, 208–11  
 aggression 69–78, 93–5, 105–9, 112, 398–9  
 alcohol 71, 73, 76, 176–7  
 amygdala 69–70, 75–8, 93–5, 105–9, 113, 150, 159, 162–4, 173–5, 180–2, 192, 195, 209–11, 227–8, 369, 579–80  
 assessments 2, 69–78, 89–95, 105–13, 173, 208–11, 246–8, 369, 472–3, 579–80  
 concepts 68–78, 89–95, 105–13, 173–82, 246–8, 337–8, 398–9, 472–3, 579–80  
 corpus callosum 69–70, 77–8, 177–9, 337–8  
 DLPFC 70–8, 110–12, 175–80, 208–11, 243  
 hippocampus 69–70, 75–8, 93–5, 107–8, 113, 173, 177–9, 181, 225, 227–8  
 impulse disorders 69–78, 89–93  
 medial temporal structures 70, 75–8  
 murderers 76, 77–8  
 OFC 70–8, 108–13, 173, 175–9, 181–2, 238–48, 369  
 PCC 74, 77–8  
 PFC 69–78, 91–5, 108–12, 159, 162–4, 173–5, 179–82, 189, 194–6, 208–11, 237–48, 264–5, 297–8, 398–9, 579–80, 581  
 psychopathic disorders 2, 69–78, 89–95, 105–13, 162–4, 173–82, 398–9, 472–3, 579–80

- superior temporal cortex 70, 74–8, 113, 176–9  
temporal cortex 69–78, 93–5, 173–9, 180–2, 207–10, 229  
VLPFC 70–8, 108–9, 111–12, 369  
VMPFC 70–8, 111–12, 175–9, 189, 237–48  
volume losses 71–2, 73–8, 176–82, 195, 208–10, 225–7, 398–9
- Brain Injury Association of America 217–18  
brain trauma 69, 71–2, 73–8, 105–12, 120–1, 123, 176–82, 194–5, 217–31, 237–48, 264–5, 398–9  
*see also* neurotrauma; psychotrauma  
affectiveness disorders 220  
age factors 219–21  
aggression 228, 398–9  
agitation 228–9  
alcohol 121, 176–7, 219–21, 228–9  
Alzheimer's disease 229–30, 244  
amnesia 228–9  
amygdala 227–8  
apolipoprotein E 226–7, 244–5  
assessments 221–3, 244, 245–8, 398–9  
atrophy 225–7  
bipolar disorder 220  
causes 220–2, 264–5  
children 219–20, 225–7, 230–1  
cognitive effects 223–31, 240–8  
cognitive function assessment 246–8  
comorbid disorders 220–1, 230, 262, 264–5  
concepts 217–31, 237–48, 398–9  
consequences 225–7, 228–31, 237–48, 264–5  
definition 217  
degenerative diseases 229–30, 244–5  
delayed consequences 228–9  
depression 221, 228–30  
DSM-IV-TR criteria 238–40, 248  
early consequences 228  
environmental issues 226–8  
epidemiology 217–21, 244  
families 219–21  
gender issues 219–21  
genetics 222–8  
genetics 219–21  
Glasgow Coma Scale 221–3, 244, 245  
Glasgow Outcome Scale 221–3, 244  
inattention symptoms 228–9, 240–2, 246–8  
intelligence levels 244, 246–8  
late consequences 229–30, 244–5  
lawsuits 248  
long-term outcomes 225–7, 238, 244–5  
malingering tendencies 246  
molecular pathogenesis 222–8, 240–2  
motor skills/spatial skills 244  
negative modifiers 219–21  
occupational/social functioning 230–1  
overview flowchart 217–18
- Parkinson's disease 229–30, 244  
Phineas Gage 69, 237–40, 398  
pituitary dysfunction 227  
preinjury mental abilities 246–7  
prior history-related risk factors 219–21  
psychopathic disorders 69, 71–2, 73–8, 105–12, 120–1, 123, 176–82, 194–5, 229–31, 237–48, 398–9  
PTSD 157, 181–2, 218–31, 244–5, 262, 265–7  
responses 221–3, 244–5  
risk factors 217–21  
schizophrenia 220, 229–30  
severity rating 221–3, 244–8  
social knowledge 240–8  
socioeconomic costs 219–21, 230–1  
statistics 217–21, 244  
suicide 228–9  
treatment 227–8, 244  
violence 220–31, 264–5, 398–9
- Briken, Peer 467–95  
Brodmann area 70  
Buckley, Peter F. 251–74  
Bulgaria  
CP 312  
PCL-R 48  
bullying 200–11, 375, 418–40, 522–3  
*see also* conduct disorder  
definition 523  
workplace violence 522–3  
Bullying Prevention Program (BPP) 375, 429–30  
Bundy, Ted 338  
buprenorphine 485  
burnout problems, clinicians 479  
*Buros Institute Mental Measurement Yearbooks* 43  
Cacioppo, J.T. 189  
callousness 14, 21, 36–8, 41–3, 84–5, 93–5, 103, 172, 238–48, 319–31, 337–43, 356–60  
concepts 84–5, 93–5  
psychophysiological correlates 93–5  
Cambridge Study in Delinquent Development 320–31  
Campbell, C. 181  
Canada  
homicidal sex offenders 263–4  
Oak Ridge Hospital 563  
prisoners 37, 140–1, 281, 284–5, 557, 559, 563  
cannabis 259–61, 266, 267, 535  
*see also* substance abuse  
carbamazepine, aggression 403, 410–11  
case conceptualization, domestic violence 507–9

- castration, surgical castration 487–8  
catecholamines, genetics 161–4, 382–6  
categorical approaches, APD 34–8  
Category Test 242  
CATIE *see* Clinical Antipsychotic Trials of Intervention Effectiveness  
CBT *see* cognitive-behavioral therapy  
CD *see* conduct disorder  
Centers for Disease Control and Prevention (CDC) 519  
CEPI *see* Community Epidemiological Preventive Intervention  
CFA *see* confirmatory factor analysis  
change sensitivities, PCL-R critique 142–3  
character neurosis, concepts 15–16, 34  
charm 17, 42, 44, 47–58, 84–8, 103, 172, 276, 281, 368, 453–5, 477–8, 573–4  
*see also* glibness  
child abuse 42, 293–8, 304–5, 322–31, 401, 486–8, 505–6  
*see also* pedophiles  
child-deficit hypothesis, CD 422  
child-to-parent violence, CP 311–14  
childhood-onset type, antisocial behavior 200–11, 419–20  
children  
*see also* families  
ADHD 3–4, 106, 149, 157–8, 190, 195, 199–211, 265–7, 307–8, 367–71, 381–92, 423–4, 482, 537–8  
alcohol 265–7, 307–14, 531–8  
alcoholic parents 206–7, 533–4  
APSD 52  
biological features as vulnerability/protective factors 297–8  
brain trauma 219–20, 225–7, 230–1  
CD 150–64, 188, 189–90, 199–211, 251–2, 265–7, 281, 291–8, 336–8, 349–50, 368–75, 381–2, 417–40, 531–8  
comorbid disorders 251–2, 265–9, 423–4, 531–8  
CP 303–14, 321–31, 372  
cruelty to animals/other children 202–3, 342  
dating violence 311  
depression 265–7, 292–3, 306–14, 371–2, 423–4, 531–8  
discipline 162, 303–14, 321–31, 372, 425–7  
genetics 297–8  
HR 188  
inhalants 123  
maltreated children 42–3, 162–4, 204–6, 207, 276–89, 291–8, 321–31, 338–9, 341–3, 401, 438–9  
maternal rejection 162, 292–6, 322, 336–43  
narcissism 342–3  
neglect 162, 292–6, 322–31  
parent–child interaction 293, 324–31, 336–43, 371–2, 425–40  
PCL:YV 43, 50–2, 295–7, 348–60  
pedophiles 262–4, 276–89, 294–8, 323–4, 486–9  
peer affiliations 292–3, 307, 327–31, 367–8, 373–4  
prenatal/postnatal risk factors 205–7, 210, 535  
psychopathic disorders 17, 19, 23–6, 37–8, 42–3, 50–2, 84, 135–6, 143, 149–64, 188–90, 196, 200–3, 251–2, 265–9, 291–8, 303–14, 319–31, 342–3, 347–61, 367–75, 583  
PTSD 265–7, 294–5  
schizophrenia 254, 267  
schools 328, 367–75  
smoking parents 206–7, 210, 326–7  
substance abuse 265–7, 292–3, 371–2, 438–9, 531–8  
traumas 162–4, 204–6, 207, 276–89, 291–8, 324–31  
trust issues 294  
verbal interactions 311–12  
violence 42–3, 162–4, 204–6, 207, 220–31, 276–89, 291–8, 303–14, 323–31, 367–75, 438–9  
China, CP 308–9  
cholesterol levels 484  
citalopram 409–11, 482  
civil psychiatric patients, PCL-R 55, 84  
Cleckley, H. 10, 17, 25, 35, 42, 83, 84–6, 93, 103, 107, 135, 172, 174–5, 200–1, 237–9, 276, 281, 347, 450, 452, 454, 456–7, 468, 558–9, 573–4, 578–9, 582–3  
Clinical Antipsychotic Trials of Intervention Effectiveness (CATIE) 253  
clinicians  
benign narcissists 475–6  
burnout problems 479  
hospitals 128, 129–32, 488–9, 536–7, 557–70  
intraspecies predators 53, 339–43, 460  
lawsuits 117, 129–32  
recommendations 462–3  
short-term risk of violence 124–32, 460, 475–7  
therapeutic relationships 475–7, 535–6  
trained staff 461–2, 475–7  
treatment impediments 558–70  
trust issues 459–60  
written evidence 131–2  
clonidine 405  
*see also* noradrenergic antagonists  
Cloninger, C.R. 24, 205, 533–4

- clozapine  
*see also* antipsychotics  
 aggression 406, 410–11, 482  
 CNV *see* contingent negative variation
- cocaine  
*see also* substance abuse  
 alcohol 122  
 effects 122, 127, 161, 257–61, 269, 535, 538  
 treatment outcomes 269, 538  
 violence 122, 127, 161, 257–9, 535  
 withdrawal 122, 538
- coercion hypothesis, CD 422
- cognitive correlates  
 ADHD 207–10  
 associative learning 105, 107–9, 174–5, 194, 369–70, 559–60, 578–9  
 attentional processes 110–11, 112–13  
 CD 207–10  
 components 103–4  
 concepts 103–13, 175–6, 240–2  
 definition 103–4  
 emotions 104–13, 175–6  
 executive functions 72–8, 93–5, 110–12, 175–6, 208–10, 240–1, 246–8  
 language processing 106–7, 110–11, 112–13, 207–10, 244, 246–8  
 learning 104–13, 174–6, 194, 241–2, 267–8, 369–70, 559–60  
 orienting issues 112–13, 189, 190  
 Pavlovian/instrumental conditioning 107–9, 579  
 risky decisions 111–13, 175, 242–3  
 somatic markers 111–13, 240–2
- cognitive development, CP 311–14
- cognitive effects  
 alcohol 127  
 brain trauma 223–31, 240–8
- cognitive empathy, concepts 104–5
- cognitive processing  
 defects 42–3, 71–8, 103–13, 175–6, 207–10, 240–8  
 workplace violence 525
- cognitive-behavioral correctional programs 58
- cognitive-behavioral therapy (CBT) 388–9, 431–3, 452–3, 456–8, 470, 479–80, 504–14  
*see also* behavioral therapy  
 CD 431–3  
 concepts 388–9, 452–3, 456–8, 470, 479–80, 504–7  
 critique 470  
 domestic violence 504–14
- cognitive/emotional processing defects 42–3, 71–8, 103–13, 175–6, 207–10, 240–8
- collaborations, solutions 1–2
- combat, PTSD 220–1, 262
- combined treatments, ADHD 389–90
- communication training interventions 428, 508–14
- Community Epidemiological Preventive Intervention (CEPI) 429–30
- community treatment  
*see also* outpatient treatment  
 concepts 543–55  
 psychopathic disorders 4, 180, 467–89, 543–55, 557–70, 580–3
- comorbid disorders  
 ADHD 157–8, 199, 203–4, 206, 209–11, 265–7, 367–71, 381–2, 386–90, 407, 423–4, 482–4, 537–8  
 adults 251–65  
 affectiveness disorders 157–8, 251–2, 257–9, 267–8  
 alcohol 149, 153, 157–9, 176–7, 253–4, 257–61, 265–8, 282–9, 484–6, 531–8  
 anxiety 251–2, 261–2, 387–90, 423–4, 471, 531–8  
 APD 251–69, 423–4, 453–5, 531–8  
 bipolar disorder 257–9, 265–7, 400  
 brain trauma 220–1, 230, 262, 264–5  
 CD 423–4, 531–8  
 children 251–2, 265–9, 423–4, 531–8  
 concepts 157–8, 203–4, 206, 209–11, 220–1, 230, 251–69, 471, 580–1  
 critique 268–9  
 depression 157–8, 221, 230, 257–9, 265–8, 292–3, 387–90, 423–4, 453–5, 471, 531–8  
 etiology 251–69, 532–4  
 genetics 149, 157–64, 251–2, 267–8  
 mood disorders 157–8, 251–2, 257–9, 264  
 paraphilias 262–4, 282–3, 288–9, 471, 486–9  
 pedophiles 262–4, 282–3, 486–9  
 psychopathic disorders 3–4, 36–8, 48, 117–32, 149, 157–64, 203–4, 209–11, 251–69, 453–5, 471, 484–6, 531–8, 580–1  
 PTSD 220–1, 230, 262, 265–7  
 schizophrenia 251–7, 259–64, 536  
 sexual offenders 262–4, 282–3, 471, 486–9  
 substance abuse 3–4, 35, 36–8, 117–18, 120–3, 126, 127, 149, 157–8, 251–2, 253–69, 282–3, 298, 471, 484–6, 531–8  
 treatment implications 268–9, 471
- complexity issues, psychiatric assessments 34, 458–9
- compulsory outpatient treatment, social policies 580–3
- computerized tomography (CT) 246, 472–3
- COMT, genetics 163–4, 205–6, 267
- conceptual history  
 paraphilias 275–6  
 psychopathic disorders 2, 9–30, 83–6, 135–6, 150–1, 172–3, 276, 281, 450–3, 558–60, 573–4

- conditioned stimuli (CS) 94, 108–9
- conduct disorder (CD) 150–64, 188, 189–90, 199–211, 251–2, 265–7, 281, 291–8, 337–8, 349–50, 368–75, 381–2, 417–40
- see also* antisocial behavior; oppositional defiant disorder
- ADHD 200–6, 209–11, 381–2, 386, 418–19, 423–4, 537–8
- anger-control/management programs 433–5
- APD 150–4, 201–2, 251–2, 259–61, 265–7, 281, 381–2, 423–4
- assessments 200–1, 417–21, 531–8
- behavioral risk factors 421–3
- CBT 431–3
- child-deficit hypothesis 422
- childhood trauma 207
- coercion hypothesis 422
- comorbid disorders 423–4, 531–8
- concepts 199–211, 251–2, 259–61, 336–7, 386, 417–40, 468
- definitions 150–1, 200–1, 251–2, 268, 368, 417–18
- depression 423–4
- developmental course 418–20
- epidemiology 201–2, 419–20, 468
- etiology 421–5
- families 204–6, 291–8, 371–5, 417, 425–40
- foster care models 436–9
- genetics 204–7, 210–11, 251–2, 267–8, 421–2
- individually-tailored multicomponent interventions 439–40
- intelligence levels 207, 367–8, 371
- marital conflicts 425
- MST 436–9, 470–1, 536–7
- multicomponent interventions 439–40
- multimodal interventions 417, 436–40
- neurocognitive impairment 207–10
- neuroimaging perspectives 208–11
- parent-focused interventions 417, 425–40
- patient-focused interventions 417, 425, 431–40
- preschool-children interventions 436
- psychophysiological correlates 210–11
- school-aged children interventions 433–5
- school-based interventions 417, 428–40
- SCR 189–90, 210–11, 337–8
- social information processing 422, 427, 431–40
- social skills deficits 422, 431–40
- statistics 201–2, 419–20, 468
- treatment 417–40, 482
- treatment overview 424–5
- types 200–1, 417–19
- confidentiality issues
- domestic violence 507
- outpatient treatment 480–1
- confirmatory factor analysis (CFA) 354–60
- conning 44, 47–58, 84–8, 150–64, 172, 356–60, 453–5
- conscience 341–3
- conscientiousness, concepts 24
- constitution doctrine, concepts 12, 14–15, 18
- constitutional inferiority, concepts 15, 21
- constitutions
- see also* genetics
- psychopathic disorders 10, 12, 14–15, 18, 19
- contingency management programs 536
- contingent negative variation (CNV) 91–3, 94, 192–3
- continuous performance test (CPT) 391
- Controlled Oral Word Association Test 110
- conventions 41–3, 72–3, 85–95, 150–64, 374, 513
- Cooke, D.J. 37, 84–94, 319, 347–66, 456–9
- Cope, R. 449
- Copenhagen study 325–6
- Coping Power Program 434–5
- coping strategies 434–5, 537–8
- coprophilia 277
- see also* paraphilias
- Corcoran, Michael H. 519–29
- Cordess, C. 462–3
- corporal punishment (CP)
- see also* discipline
- anxiety 306–14
- child behavior problems 312–14, 321–2, 372
- child-to-parent violence 311–14
- clinical populations 307–8
- cognitive development 311–14
- concepts 303–14, 321–31, 372
- cultural issues 305, 308–9, 312–13
- dating violence 311–12
- definition 304–5
- depression 306–14
- gender issues 306–7
- legal status 312–14
- longitudinal studies 309–12, 321–2
- meta-analysis 306
- myths 305
- pre-existing behavior problems 309–12
- psychopathic disorders 305–14, 321–2, 372
- research 306–7, 321–2
- statistics 305–14, 321–2
- types 303–5, 306
- corpus callosum 69–70, 77–8, 177–9, 337–8
- correctional programs
- see also* criminal justice system; prisoners
- limitations 4–5

- costs  
 psychopathic disorders 1–2, 4, 22, 43, 117–32, 135–6, 331, 343, 455–6, 557–70, 573–83  
 society 1–2, 4, 22, 43, 117–32, 135–6, 331, 343, 455–6, 557–70, 573–83
- counseling programs, domestic violence 503–5, 508
- CP *see* corporal punishment
- CPA *see* cyproteroneacetat
- CPT *see* continuous performance test
- Craft, M. 14
- creative psychopathic condition 14, 20
- Creutzfeldt–Jakob disease 244
- Crick, Nicki R. 432–3
- criminal justice system  
*see also* correctional programs; prisoners  
 APD 33–8  
 critique 557–70, 574–83  
 domestic violence 502–5, 508–9, 514  
 impediments 557–70  
 lifetime detention 557–8, 560–70, 582–3  
 psychopathic disorders 3, 41–59, 95, 135–43, 502–5, 508–9, 514, 557–70, 574–83  
 purposes 3–4, 557–70  
 rehabilitation purpose 3, 4, 142–3, 557–70, 574–83  
 risks of diagnosis 2, 33–4, 117, 129–32, 135–43, 252
- criminal responsibility 14, 180–1, 566–70, 574–83
- criminal versatility 44–58
- criminality  
 ADHD 199–211  
 alcohol 534–5  
 families 293, 325–6, 371–2  
 females 357–61  
 hard core of offenders 1, 27, 150, 559–70  
 PCL-R 53–9, 86–8, 135–43, 172, 255, 263–4, 319–31, 450–1, 468–71, 560  
 psychopathic disorders 1–2, 4, 14, 17, 19, 26–7, 37–8, 41–59, 86–95, 135–43, 150–64, 172, 180–2, 202, 253–4, 255–6, 265, 283–9, 319–31, 454–63, 468–71, 474–5, 477, 557–83  
 recidivism tendencies 1–2, 4, 14, 37–8, 41–59, 135–43, 255–6, 265, 283–9, 454–63, 468–71, 474–5, 477, 486–9, 503–5, 512, 514, 558–70, 573–83  
 schizophrenia 252–7, 259–64, 575–8  
 substance abuse 3–4, 253–4, 360, 534–5, 575–8
- criteria  
*see also* features
- APD 17, 25–6, 35–8, 49–50, 84–95, 103, 118, 150–1, 172, 237–8, 251–2, 268, 291, 319–31, 468–71, 562–3, 573–4  
 psychopathic disorders 17–21, 35–8, 41–58, 84–95, 103, 135–6, 142, 150–1, 172, 237–8, 251–2, 268, 276, 281, 291, 319–31, 335, 353–61, 468–71, 562–3, 573–4
- Croatia 312
- cruelty to animals/other children 202–3, 342
- CS *see* conditioned stimuli
- CT *see* computerized tomography
- cues, social information processing 432–3
- culpability criteria, legal and forensic impediments 566–70, 574–83
- cultural issues  
 discipline 305, 308–9, 312–13, 427–8  
 PCL-R scores 139–40  
 psychopathic disorders 48, 139–40, 351–2
- cut scores, PCL-R 46, 140, 172, 468–71, 477–82, 563–5
- cyclical pattern, domestic violence 502
- cyproteroneacetat (CPA) 487–8
- Cyprus 312
- DA *see* dopamine
- Damasio *et al* 238–42
- dangerous severe personality disorder (DSPD) 456
- Darwin, Charles 12
- dating violence, CP 311–12
- DBT *see* dialectical-behavior treatment
- death penalty 139, 143, 358, 575
- deception 78, 84–8, 150–64, 200–11, 456–7, 475–6  
*see also* lying
- decision making 72–8, 111–13, 175–82, 240–8  
*see also* executive functions  
 emotions 241–8  
 gut feelings 73  
 risky decisions 111–13, 175, 242–3
- defensive responses  
 amygdala 69–70, 75–8, 93–5, 105–9, 113, 150, 159, 162–4, 173–5, 192, 195, 209–11  
 electrophysiology 190–6  
 eyeblink reflex 190–2, 195–6
- deficient affective experience, three-factor model 84–5, 93–5, 319–31, 335, 468–73, 477–89
- deficient violence inhibition mechanism, concepts 104–5
- degenerates  
 French concepts 10, 11–13, 19, 21, 22–3  
 German concepts 10, 19, 34
- degenerative diseases  
*see also* neurological disorders  
 brain trauma 229–30, 244–5

- delinquents 19, 25, 35, 37, 44, 47–58, 137–43, 150–64, 203–11, 291–8, 320–31, 438–9, 470–1, 583
- delusions  
 cocaine 122  
 schizophrenia 119–20, 128, 129–31, 253–7  
 violence 119–20, 122, 124, 127, 129–31, 253–7, 399  
 withdrawal symptoms 121–2, 127
- dementia 10, 17, 124, 405
- demographic characteristics, violence risks 129, 328
- denial of treatment 140–3, 557–70
- Denmark 254, 312, 336–7, 576–7
- Department of Health 389–90, 519
- depression 19, 20, 120–2, 153, 157–8, 204, 221, 228–31, 257–9, 265–8, 292–3, 306–14, 371–2, 387–8, 404–6, 409–11, 423–4, 453–5, 521, 531–8  
*see also* bipolar disorder; mood disorders
- ADHD 387–90
- alcohol 531–8
- brain trauma 221, 228–31
- CD 423–4
- children 265–7, 292–3, 306–14, 371–2, 423–4, 531–8
- comorbid disorders 157–8, 221, 230, 257–9, 265–8, 292–3, 387–90, 423–4, 453–5, 471, 531–8
- concepts 120–2, 157–8, 221, 228–30, 257–9, 265–8, 292–3, 387–90, 404–6, 409–11, 423–4
- CP 306–14
- depressed mothers 292–3, 326–7, 328–31, 371–2
- gender issues 257–9
- genetics 267–8
- psychosis 121
- PTSD 221, 228–31
- rTMS 182
- SSRIs 159, 181, 404–5, 409
- statistics 257–9, 266–8
- substance abuse 257–9, 531–8
- treatment 159, 181–2, 390, 404–6
- violence 120–1, 257–9
- withdrawal symptoms 121–2, 537–8
- workplace violence 521
- desipramine 386
- detachment concepts 336–43
- detention  
*see also* prison . . .  
 lifetime detention 557–8, 560–70, 582–3
- detoxification programs, alcohol/substance abuse 537–8
- Developmental Trend Study 370
- dextroamphetamine 407  
*see also* stimulants
- diagnosis  
*see also* assessments  
 risks of diagnosis 2, 33–4, 117, 129–32, 135–43, 252, 458–61
- Diagnostic and Statistical Manual of Mental Disorders (DSM)  
 background 25–6, 35–6, 49–50, 84–8, 150–1, 237–8, 251–2, 275–6, 399, 417–19, 459  
 critique 35–6, 49–50, 84–8, 150–1, 251–2  
 DSM-I 24–5, 85–6, 275–6  
 DSM-II 25, 86, 275–6  
 DSM-III 16, 25–6, 50, 84–8, 150, 263, 266, 275–6, 282  
 DSM-III-R/DSM-IV 16, 50, 84–8, 128, 150–1, 172, 240, 263, 266, 275–6, 282, 468  
 DSM-IV 1, 16, 17, 21, 26–7, 35–6, 49–50, 84–8, 128, 150–1, 172, 199–204, 224, 237–8, 251–2, 268, 275–6, 281–2, 381, 411, 417–19, 468, 561, 573–8  
 DSM-IV-TR 238–40, 248, 251–2, 268, 275–6, 368, 399, 417–19, 450–1, 468, 561  
 PCL-R 49–50, 84–8, 281
- diagnostic terms 2
- dialectical-behavior treatment (DBT) 389, 479–80  
*see also* cognitive-behavioral therapy
- dietary interventions 484
- dimensional approach  
 APD 34–8, 399–400  
 psychopathic disorders 2, 399–400
- dimensional models, personality 24–5, 37
- dimethyltryptamine (DMT) 122–3
- diminished criminal responsibility 14, 566–70, 574–83
- Dinosaur School 436
- disasters, PTSD 220–31
- discharge planning, violence risks 130–1
- discipline  
*see also* corporal punishment; parents  
 Baumrind parenting styles 304  
 concepts 162, 303–14, 321–31, 372, 425–7  
 cultural issues 305, 308–9, 312–13, 427–8  
 definitions 303–4  
 legal status 312–14  
 pre-existing behavior problems 309–12  
 types 303–4, 425–7
- disgust  
*see also* emotions  
 emotion recognition 105–7
- dismissive individuals  
*see also* attachment concepts  
 concepts 336–43, 457–8
- disorders *see* mental disorders
- disorganization problems 72

- dissocial behavior, concepts 26
- dissocial personality disorder  
*see also* antisocial personality disorder  
 concepts 9–10, 14, 16, 17, 18, 21, 25–6, 35–8,  
 49–50, 84–95, 450–1, 468, 487–8, 575–8  
 differentiation scheme 26–7  
 dissocial reaction 25–6  
 early predictors 17, 35–8  
 features 14, 17, 25–6, 35–8, 49–50, 84–95,  
 172–3, 575–8  
 ICD-10 diagnostic criteria 36, 49–50, 84–8,  
 172, 201, 368, 450–1, 468, 561, 575–8  
 primary features 14, 36–8  
 psychopathy 14, 16, 18, 49–50, 84–95  
 psychophysiological correlates 83–95  
 secondary features 14, 36–8
- dissocial reaction 25–6
- disulfiram 485
- divalproex 402–3, 411  
*see also* valproic acid
- dizygotic twins (DZ), genetics 152–3, 156, 193,  
 210–11
- DLPFC *see* dorsolateral prefrontal cortex
- DMPFC *see* dorsomedial prefrontal cortex
- DMT *see* dimethyltryptamine
- Dodge, Kenneth A. 432–3
- Doepfner, Manfred 417–48
- domestic violence 497–514  
 accountability strategies 502–14  
 alcohol 505–6, 514  
 anger dynamic 501–2  
 antisocial batterers 499–514  
 ‘articulated thoughts in simulated situations’  
 506  
 assertiveness deficits 506–10, 514  
 assessment components 497–8, 505–14  
 case conceptualization 507–9  
 CBT treatment approach 504–14  
 concepts 497–514  
 confidentiality issues 507  
 counseling programs 503–5, 508  
 criminal justice system 502–5, 508–9, 514  
 cyclical pattern 502  
 definition 497–8  
 dynamics 500–2  
 dysphoric/borderline batterers 499–500,  
 512–13  
 emotions 501–14  
 empathy 509–10, 512–13  
 entrapment dynamic 501–2  
 extrafamilial violence 505–6  
 feedback loops 508–11  
 future research 512–13  
 gender issues 500–1  
 healthcare appointments 500–1  
 histories of abuse 505–6  
 job instability 505–6  
 love dynamic 502  
 philosophical aspects of treatment 509  
 power dynamic 500–1  
 pretreatment assessments 505–7, 513  
 program content 509–11  
 recidivism tendencies 503–5, 512, 514  
 relaxation training 511, 514  
 risk factors 498–9  
 skills 509–11, 514  
 statistics 511–12  
 substance abuse 505–6, 514  
 subtypes 499–502, 512–14  
 thought processes 510–11  
 treatment 497–8, 502–14  
 treatment outcome 511–12  
 treatment planning/orientation 507–9  
 victim interviews 507, 513  
 written rules/policies/procedures 509, 513
- dominance-submission paradigm, psychopathic  
 disorders 339–43
- dopamine (DA) 161–4, 204–6, 297–8, 383–6,  
 482–4, 538
- dorsal system 94–5
- dorsolateral prefrontal cortex (DLPFC) 70–8,  
 110–12, 175–80, 208–11, 243
- dorsomedial prefrontal cortex (DMPFC) 72–8
- Dot-Counting Test 246
- Douglas, Emily M. 303–17
- Down’s syndrome 123
- DPD *see* dissocial personality disorder
- DreBing, Harald 573–85
- dropout rates, treatment 141–2, 269, 505–6
- DSM *see* Diagnostic and Statistical Manual of  
 Mental Disorders
- DSPD *see* dangerous severe personality disorder
- Ducci, Francesca 149–69
- Dunedin study 211, 327, 359
- Dupré, E. 10, 12, 19
- duration considerations, treatment 470, 477–82
- dyslexia 369–70
- dysphoric/borderline batterers, domestic  
 violence 499–500, 512–13
- dysthymia 228–9
- early-starter pathway, antisocial behavior 202–3
- Eastman, N. 181
- ECA *see* Epidemiologic Catchment Area  
 Program
- eccentrics 19
- EDA *see* electrodermal activity
- educational issues 3, 11, 328, 367–75  
*see also* schools  
 comorbid ADHD 367–8, 370–1  
 concepts 328, 367–75  
 disruptive aggressive students 367–8

- educational issues (*Cont.*)  
 family background 367–8, 371–2  
 intelligence levels 367–8, 371  
 interventions 375  
 learning problems 367–8, 369–70  
 peer affiliations 367–8, 373–4  
 psychopathic disorders 3, 11, 328, 367–75  
 teachers 367–75
- EEG *see* electroencephalogram
- EF *see* executive functions
- EFEC *see* event–feature–emotion complex
- ego 15–16, 17, 22, 36–8, 88, 135–6, 335, 339–43, 579, 583
- egocentricity 17, 22, 36–8, 88, 135–6, 335, 579, 583  
*see also* narcissism
- Ehrenreich, Hannelore 217–36
- electrocortical psychophysiological techniques 87–95, 188–96
- electrodermal activity (EDA) 87–8, 91–5, 106–9, 188–96, 210–11  
*see also* autonomic . . . ; electrophysiology; skin conductance . . .  
 amygdala 189, 192  
 changes 190–2  
 concepts 188–96, 210–11  
 emotions 191  
 hypothalamus 189  
 measurement method 188–9  
 orienting stimuli 189, 190  
 resting parameters 189–90  
 startle responses 188–96, 579–80
- electroencephalogram (EEG) 75, 89–93, 106, 108, 158, 192–6, 337–8, 472–3  
 concepts 192–6, 337–8, 472–3  
 potentials 192–6, 472–3  
 sensation-seeking behavior 89–93, 192–6, 337–8
- electronic monitoring 481
- electrophysiology  
 abnormalities theories 193–6  
 concepts 187–96  
 EDA 87–8, 106–9, 188–96  
 EEG potentials 192–6, 337–8, 472–3  
 eyeblink reflex 190–2, 195–6  
 fearlessness 194–6  
 future prospects 195–6  
 gender issues 196  
 HR 91–3, 106, 188–96, 210–11, 337–8  
 psychopathic disorders 3, 187–96
- Elsne, Klaus 135–46
- emotions  
*see also* anger; disgust; fear; joy; sadness; surprise  
 autonomic responses 104–13, 174–5, 241–2, 579–80
- CD interventions 428–40  
 CNV 94, 192–3  
 cognitive correlates 104–13, 175–6  
 cognitive/emotional processing defects 42–3, 71–8, 103–13, 175–6, 207–10, 240–8, 456–7  
 decision making 241–8  
 domestic violence 501–14  
 EDA 94, 191  
 empathy 14, 36–58, 73–8, 84–8, 93–5, 103–13, 135–6, 142, 172, 174–9, 239–40, 356–60, 368, 451–2, 456–9, 477–82, 509–10, 512–13, 562–3, 579  
 ERP 94, 113, 192–3  
 facial expressions 105–7, 192–3, 256–7, 349–50, 482  
 imagery 106–7, 191–3  
 mental diseases 10–11, 93–5, 175–6  
 perception processes 93–4  
 psychopathic disorders 4, 10–11, 13, 17, 21, 22, 35–8, 42–3, 53–9, 69–78, 84–5, 93–5, 103–13, 142, 172–6, 194, 240–8, 281, 294–8, 319–31, 335, 456–7  
 psychopharmacological agents 4, 118, 181  
 psychophysiological correlates 93–5, 105–13  
 recognition abilities 105–13, 192–3, 456–7  
 resources 175–6  
 responses 71, 105–13, 174–6, 456–7, 579–80  
 shallow affect 44, 47–58, 73–8, 84–5, 93–5, 103, 135–6, 172, 297–8, 319–31, 579  
 spoken words 106–7  
 startle potentiation 94, 106–7, 174–5, 189–96, 579–80
- empathy 14, 36–58, 73–8, 84–8, 93–5, 103–13, 135–6, 142, 172, 174–9, 239–40, 356–60, 368, 451–2, 456–9, 477–82, 509–10, 512–13, 562–3, 579  
 concepts 104–13, 142, 174–6, 178–9, 368, 451–2, 456–9, 477–82, 509–10, 512–13, 562–3, 579  
 domestic violence 509–10  
 emotions 14, 36–58, 73–8, 84–8, 93–5, 103–13, 135–6, 142, 172, 174–9, 239–40, 356–60, 368, 451–2, 456–9, 477–82, 509–10, 512–13, 562–3, 579  
 theory of mind 104–5, 349–50, 457–8  
 types 104–5
- EMV *see* eyes, motor, verbal assessment
- endogenous psychosis  
*see also* psychosis  
 personality disorders 22–6
- endophenotypes 158, 210–11
- enhanced thinking skills (ETS) 454
- entrapment dynamic, domestic violence 501–2
- enuresis 388

- environmental issues  
 brain trauma 226–8  
 genetics 152–3, 158, 159–64, 193, 196, 204–5, 210–11, 251–2, 267–8, 297–8, 338–40  
 psychopathic disorders 3, 42–3, 107–8, 129, 150, 152–5, 158–64, 193, 196, 204–5, 251–2, 267–8, 291–8, 338–40, 461–2, 481  
 violence risks 129  
 workplace violence 525–6
- Epidemiologic Catchment Area Program (ECA) 532
- epilepsy 10, 13–14
- erogenous areas, infantile psychological development 15–16, 23–4
- erotomania 11
- ERP *see* event-related potential
- error-related negativity (Ne/ERN) 91–3
- Esquirol, E. 10, 11, 13
- ethnic issues, psychopathic disorders 48
- etiology 2–3, 11–18, 34–8, 42–3, 117–32, 149–64, 187–96, 199–211, 217–31, 237–48, 251–69, 275–89, 298, 319–31, 367–75, 484–6, 532–4, 579–80
- ADHD role 199–211
- alcohol/substance abuse 532–4
- antisocial behavior 203–11, 484–6
- APD 34–8, 117–32, 484–6
- brain trauma 217–31, 237–48
- CD 421–5
- comorbid disorders 251–69, 532–4
- educational issues 3, 11, 328, 367–75
- electrophysiology 187–96
- genetics 2–3, 11, 12, 18–19, 22–3, 34–8, 42–3, 149–64, 251–2, 267–8, 579–80
- impulse disorders 4
- paraphilias 262–4, 275–89, 486–8
- psychoanalytic view 15–16, 23–4, 335–43, 456–8
- psychopathic disorders 2–3, 11–18, 34–8, 42–3, 117–32, 149–64, 203–11, 237–48, 251–69, 298, 319–31, 335–43, 484–6, 579–80
- ETS *see* enhanced thinking skills
- Europe  
*see also individual countries*  
 brain trauma 218–19  
 country comparisons 575–8  
 legal and forensic practice 575–8  
 PCL-R scores 46–7, 54–5, 137, 139–40, 451
- event–feature–emotion complex (EFEC) 179
- event-related potential (ERP) 90–1, 94, 113, 158, 192–3
- excessive talking, ADHD 201
- executive functions 72–8, 93–5, 110–12, 142, 150–1, 175–6, 208–10, 240–1, 246–8
- see also* cognitive correlates; goals; planning; self-control
- attention shifting 110–11, 240–1, 246–8
- exhibitionism 229, 276–81, 287–9  
*see also* paraphilias
- experiential issues  
 psychopathic disorders 3, 42–3, 458, 459–63, 543–55  
 treatment 458, 459–63, 543–55
- explosive disorder 21, 119, 128, 399
- externalizing concepts 149, 157–64, 349–50, 485
- extraversion, concepts 24–5, 89, 107–8, 338, 534
- eyeblink reflex, electrophysiology 190–2, 195–6
- eyes, motor, verbal assessment (EMV) 245
- eyes test, theory of mind 104
- Eysenck, H.J. 24, 37, 89, 92, 107
- Eysenck, M.W. 37, 92
- Eysenck Personality Questionnaire 240
- facial expressions, emotion recognition 105–7, 192–3, 256–7, 349–50, 482
- fact-based method of evaluation, workplace violence 524–5
- factor structure  
 psychological disorders 37, 44–5, 47–8, 50–2, 71–2, 84–5, 103–7, 172–4, 285–8, 319–31, 354–61  
 violence risks 124–9
- the Fall 12
- families  
*see also* parents  
 ADHD 204–6, 389–92  
 antisocial behavior 206–7, 210, 291–8, 312–31, 367–8, 371–5, 533–4  
 brain trauma 219–21  
 CD 200–1, 204–6, 291–8, 371–5, 417, 421, 425–40  
 concepts 291–8, 324–31, 367–8, 371–5  
 criminality 293, 325–6, 371–5  
 depressed mothers 292–3, 326–7, 328–31, 371–2  
 disrupted families 324–5, 328–31  
 domestic violence 497–514  
 educational issues 367–8, 371–2  
 imprisoned parents 293, 325–6, 328–31  
 intra/extrafamilial factors 291, 292–3, 324–31, 371–2  
 large families 325, 328–9  
 maternal rejection 162, 292–6, 322, 336–43  
 parent–child interaction 293, 324–31, 336–43, 371–2, 425–40  
 psychopathic disorders 3, 42–3, 155–64, 204–6, 291–8, 321–31, 338–9, 371–2  
 single-parent families 324–31

- families (*Cont.*)  
 socioeconomic characteristics 291–8,  
 326–31, 371–2  
 teenage pregnancies 326  
 traumas 162–4, 204–6, 207, 276–89, 291–8,  
 324–31  
 treatment successes 470  
 trust issues 294
- fanatics 21
- Farrington, David P. 319–34
- FDA 385–7, 402
- fear 76–8, 94, 104–13, 174–5, 191–2, 227–8,  
 337–43  
*see also* anxiety; emotions  
 concepts 337–43  
 definition 337  
 emotion recognition 105–7
- fearlessness 38, 76–8, 94, 150–64, 174–5,  
 191–2, 194–6, 368–9, 372–5, 579–80  
*see also* low arousal  
 electrophysiology 194–6
- features  
*see also* criteria  
 paraphilias 275–81  
 psychopathic disorders 14, 17–21, 35–8,  
 41–58, 84–95, 103, 118, 135–6, 143,  
 150–1, 172–3, 237–8, 251–2, 268, 276,  
 281, 291, 319–31, 353–61, 468–71, 476–7,  
 562–3
- feedback loops, domestic violence 508–11
- Feldman, Theodore B. 520–7
- Felthous, Alan R. 1–5, 9–30
- females  
*see also* gender issues  
 assessment biases 349–50, 355–7  
 assessments 347–61, 459  
 ‘back to basics’ approach 354, 357  
 concepts 347–61, 459  
 criminality 357–61  
 domestic violence 497–514  
 future antisocial behavior 357–61  
 measurement considerations 353–7  
 misdiagnosis risks 352–3  
 PCL-R scores 348–9, 353–61  
 personality features 348–53  
 prisoners 357–61  
 psychometric PCL-R properties 354–6  
 psychopathic disorders 3, 35–6, 150–1,  
 155–6, 162–3, 347–61, 459  
 relative-to-males PCL scores 356  
 researchers 347–61  
 risk assessments 347–61  
 statistics 349–50
- fetal alcohol syndrome 206–7
- fetishism 276–89  
*see also* paraphilias; transvestic . . .
- fight/flight responses 88, 107–8
- Fink, Paul J. 522
- Finland 312, 324, 576–7
- Firestone, Philip 275–90
- First *et al* 36
- five-factor personality model 24
- Flor, Herta 103–16
- flowing interviews 34
- fluoxetine 409–11, 482
- fMRI *see* functional magnetic resonance  
 imaging
- fMRT, treatment technique 181–2
- forensic concepts, psychopathic disorders  
 42–59, 357–61, 449–63, 557–70
- Forensic Operationalized  
 Therapy-Risk-Evaluation System  
 (FOTRES) 474–5
- forensic psychiatry 449–63, 557–70
- foster care models, CD 436–9
- FOTRES *see* Forensic Operationalized  
 Therapy-Risk-Evaluation System
- Foulkes, S. 452
- Fozdar, Manish A. 237–50
- freedom of will 180–1, 581–3
- French concepts  
 legal terminology 576–7  
 psychopathic disorders 9–13, 18, 21–3, 576–7
- Freud, S. 15–16, 23–4, 335, 337, 339, 452
- frotteurism 276–89  
*see also* paraphilias
- functional magnetic resonance imaging (fMRI)  
 69–76, 162–3, 175–6, 178–9, 181–2,  
 209–11, 246, 472–3, 579
- gabapentin 404
- Gabbard, G. 462–3
- Gage, Phineas 69, 237–40, 398
- gambling task 111, 243
- Gangé, Pierre 557
- gangs, institutional problems 56
- Gass, Peter 573–85
- GBG *see* Good Behavior Game
- GCS *see* Glasgow Coma Scale
- Gelles, Michael G. 521
- gender issues  
*see also* females  
 APD 3, 35–6, 42–3, 47–8, 103–4, 150–1,  
 153, 155–7, 162–4, 188, 201–3, 205–6,  
 257–9, 260–1, 347–61, 459  
 assessment biases 349–50, 355–7  
 ‘back to basics’ approach 354, 357  
 brain trauma 219–21  
 CP 306–7  
 criminality 357–61  
 depression 257–9, 292–3  
 domestic violence 500–1

- electrophysiology 196  
 misdiagnosis risks 352–3  
 PCL-R scores 348–9, 353–61  
 personality features 348–53  
 prisoners 357–61  
 psychometric PCL-R properties 354–6  
 psychopathic disorders 3, 35–6, 42–3, 47–8,  
 103–4, 150–1, 153, 155–7, 162–4, 188,  
 201–3, 205–6, 257–9, 260–1, 347–61, 459,  
 462  
 PTSD 220–1  
 qualitative/quantitative differences 156  
 researchers 347–61  
 sociocultural determinants 351–2  
 statistics 349–50  
 substance abuse 260–1  
 Genesis 11–12  
 genetics  
   *see also* constitutions  
   addictions 149, 153, 157–9, 251–2, 267–8  
   ADHD 204–7, 210–11  
   adoptive studies 152–3  
   aggression 153, 154–5, 251–2, 267–8, 297–8,  
   397–411  
   alcohol 149, 153, 157–9, 267–8, 533–4  
   amygdala 69–70, 75–8, 93–5, 105–9, 113,  
   150, 159, 162–4, 173–5, 180–2, 189, 192,  
   195, 209–11, 227–8, 369, 579–80  
   antisocial behavior 149–64, 204–6, 251–2,  
   267–8, 297–8  
   brain trauma 219–21, 222–8  
   catecholamines 161–4, 382–6  
   CD 204–7, 210–11, 251–2, 267–8, 421  
   children 297–8  
   comorbid disorders 149, 157–64, 251–2,  
   267–8  
   COMT 163–4, 205–6, 267–8  
   concepts 149–64, 193, 204–6, 222–8, 251–2,  
   267–8, 297–8, 579–80  
   definitions 149–51  
   depression 267–8  
   dizygotic twins (DZ) 152–3, 156, 193,  
   210–11  
   environmental issues 152–3, 158, 159–64,  
   193, 196, 204–5, 210–11, 251–2, 267–8,  
   297–8, 338–40  
   intermediate phenotypes 158  
   MAOA 161–4, 205–6, 297–8  
   monozygotic twins (MZ) 152–3, 193,  
   210–11  
   neurobiologies 159–64  
   PFC 69–78, 91–5, 108–12, 159, 162–4,  
   173–5, 179–82, 189, 194–6, 208–11,  
   237–48, 264–5, 297–8, 398–9, 579–80,  
   581  
   psychiatric disorders 152–3  
   psychopathic disorders 2–3, 11, 12, 18–19,  
   22–3, 34–8, 42–3, 149–64, 173, 193,  
   204–6, 210–11, 251–2, 267–8, 297–8,  
   579–80  
   schizophrenia 153, 267  
   serotonin 159–61, 205–6, 397–411, 421  
   twin data 152–64, 193, 210–11  
 Germany 9–10, 12, 18–23, 34–5, 48, 54–5, 137,  
 172, 312, 386–7, 427–9, 557–70, 576–7  
   Bavarian Law of Confinement 561–2  
   BPP 429  
   detoxification programs 537–8  
   forensic psychiatry 557–70  
   legal terminology 576–7  
   PCL-R 48, 54–5, 137  
   Penal Code 561–2  
   PMTs 427–8  
   psychopathic disorders 9–10, 12, 18–23,  
   34–5, 48, 54–5, 172, 557–70, 576–7  
   treatment impediments 557–70  
 girls  
   *see also* children; females  
   PCL-R scores 348–9, 353–61  
   PCL:YV predictions 360–1  
   psychopathic disorders 347–61  
 Glasgow Coma Scale (GCS), brain trauma  
   221–3, 244, 245  
 Glasgow Outcome Scale, brain trauma 221–3,  
   244  
 glibness 44, 47–58, 84–8, 172, 453–5  
   *see also* charm  
 glucocorticoid levels 297  
 goals  
   *see also* motivation deficits  
   lack of goals 41, 44, 47–58, 84–5, 88–93,  
   110–12, 142, 242–8, 281, 477–82  
 Goldman, David 149–69  
 Good Behavior Game (GBG) 429  
 good home backgrounds, psychopathic  
   disorders 338  
 Grafman, J. 241  
 Granacher, Robert P. 237–50  
 grandiosity 42, 44, 47–58, 84–8, 112, 135–6,  
   172, 339–43, 356–60, 453–5, 457–8, 579  
   components 340  
   concepts 340–3, 579  
   omnipotent fantasy 340  
 Gray, J.A. 37–8  
 gray matter volumes 71–2, 73–8, 177–9, 195,  
   208–10, 225–7, 350, 398–9  
   *see also* brain . . .  
 Great Britain  
   *see also* Anglo-American concepts; United  
   Kingdom  
   conceptual history 10, 13–14, 18, 450–3,  
   573–4

- Great Britain (*Cont.*)  
 legal terminology 575–7  
 Mental Health Act 14  
 PCL-R scores 46–7, 54–5, 139–40, 450, 451  
 personality disorders 136  
 prisoners 37, 281  
 Greece 576–7  
 Grendon prison 452–5  
 Griesinger, W. 11, 18, 22–3, 34  
 group results, PCL-R 137–9  
 group therapy 57–8, 461, 476–7, 486–8, 567  
 guilt 14, 17, 35–8, 41–2, 44, 47–58, 78, 84–5,  
 93–5, 103, 118, 135–6, 172, 319–31, 460  
*see also* remorse  
 gut feelings, decision making 73
- hallucinations  
 schizophrenia 119–20, 128  
 withdrawal symptoms 121–2, 127
- hallucinogens  
 effects 122–3, 127, 535  
 violence 122–3, 127, 535
- haloperidol 482
- Halstead–Reitan Test Battery 247
- Hamberger, L. Kevin 497–517
- Hanisch, Charlotte 417–48
- hard core of offenders, criminality 1, 27, 150,  
 559–70
- Hare, R.D. 26–7, 35–7, 41–67, 83–5, 103–13,  
 135–6, 172, 174–5, 193, 237–9, 276, 281,  
 320, 337, 347, 352, 368, 450, 468–9, 524,  
 562, 567, 570, 573–5, 583
- Harlow, John 238
- harm-avoidance personality dimension 24, 38
- harsh discipline 162
- Hart, S.D. 320
- Hawaii 329
- HAWIE 473
- HCR-20: Assessing Risk for Violence 54,  
 458–9, 473–5
- HD *see* hyperkinetic disorder
- healthcare appointments, domestic violence  
 500–1
- heart rate (HR)  
*see also* autonomic . . .  
 children 188  
 concepts 91–3, 106, 188–96, 337–8  
 impulsivity 91–3, 106  
 psychopathic disorders 91–3, 106, 188–96,  
 337–8  
 responses 188  
 resting heart rate 91–3, 106, 188, 210–11,  
 337–8
- hebephiles 282  
*see also* pedophiles
- Henderson, D. 10, 14
- hepatitis 471
- heroin 257–61, 269, 538  
*see also* opioids; substance abuse
- Herpertz, Sabine C. 33–40, 187–98, 199–216,  
 381–95
- Herpertz-Dahlmann, Beate 199–211, 381–95
- high daring, risk factors 328–31
- Hill, Andreas 467–95
- hippocampus 69–70, 75–8, 93–5, 107–8, 113,  
 173, 177–9, 181, 225, 227–8
- history  
 assessments 37, 41–3, 573–4  
 psychopathic disorders 2, 9–30, 41–3, 83–6,  
 135–6, 150–1, 172–3, 450–1
- HIV 124, 269, 471
- Hoff, Paul 33–40
- ‘holistic’ approach, workplace violence 524–7
- homicide  
*see also* murderers  
 APD comorbid disorders 255–6, 262–3  
 grandiose self-structure 340–1  
 paraphilias 263–4, 287–9  
 pedophiles 263–4, 287–9  
 sexual offenders 263–4, 287–9  
 substance abuse 535
- homovanillic acid (HVA) 161
- hormones 163, 350–1, 482–4, 487–8
- hospitals  
 critique 4–5, 557–70, 582–3  
 limitations 4–5  
 outpatient treatment 488–9, 536–7, 557–70  
 politics 558–70, 582–3  
 prisoners 4–5, 557–70, 582–3  
 violence risks 128, 129–32, 488–9
- Houston, Rebecca J. 83–101
- HPA *see* hypothalamic–pituitary–adrenal axis
- HR *see* heart rate
- HTR1B 159–60
- HTT *see* hydroxytryptamin transporter
- human rights 348–9
- Hungary 312
- HVA *see* homovanillic acid
- hydroxytryptamin transporter (HTT) 160–1  
*see also* serotonin
- hyperactivity/impulsivity symptoms, ADHD  
 200–11, 370–1, 381–92
- hyperarousal 294
- hyperkinetic disorder (HD) 201, 206
- hyperthymic psychopathic constitutions 19, 21
- hypoarousal 297–8, 336–43
- hypothalamic–pituitary–adrenal axis (HPA)  
 159, 227–8, 350–1, 472–3
- hypothalamus 159, 179–80, 189, 227–8, 350–1,  
 472–3
- hypoxia-ischemia 244
- hysterical psychopathic constitutions 19

- I Can Problem Solve (ICPS) 429–30  
 IAP *see* intensive aftercare programs  
 ICD *see* International Classification of Mental Disorders  
 Iceland 312  
 ICPS *see* I Can Problem Solve  
 id 341  
 idea of continuum, concepts 22–4  
*idée fixe* 11  
 identifications, internalization concepts 339–43  
 idiopathic/symptomatic forms, psychopathic disorders 16, 17–18  
 IED *see* intermittent explosive disorder  
 IES *see* integrated emotion systems model  
 imagery, emotional responding 106–7, 191–3, 456–7  
 impulse disorders 14, 35–8, 41–3, 44, 47–58, 69–78, 84–5, 87–93, 112, 118–32  
   brain imaging research 69–78, 89–93  
   etiology 4  
 impulsive aggression 398–411  
   *see also* aggression  
 impulsive and irresponsible behavioral style, three-factor model 84–5, 88–95, 319–31, 468–73, 477, 482–9  
 impulsivity 14, 35–58, 69–78, 84–5, 87–95, 112, 118–32, 135–6, 142, 150–64, 181–2, 192–6, 267–9, 281, 297–8, 319–31, 349–50, 368–75, 390–1, 397–411, 422–40, 468–71, 482–4, 533–4, 579  
   *see also* irresponsibility; sensation-seeking behavior  
   ADHD 200–11, 390–1  
   alcohol consumption 533–4  
   ANS index 91–3  
   autonomic measures 91–3  
   CNV 91–3, 192–3  
   concepts 85, 88–93, 112, 118, 135–6, 181–2, 193, 267–9, 281, 297–8, 349–50, 390–1, 397–411, 482–4, 533–4, 579  
   EDA 91–3  
   EEG 89–93  
   ERP 90–1, 113, 192–3  
   HR 91–3, 106  
   P3 results 90–3  
   psychophysiological correlates 88–93, 112, 267, 533–4  
   serotonin 159–64, 397–411, 421  
   treatment 390–1, 397–411, 482–4, 579  
 inadequate psychopathic condition 14  
 inattention symptoms  
   ADHD 200–11, 370–1, 381–92  
   brain trauma 228–9, 240–2, 246–8  
 incapacity for love 17  
 incest 263–4, 282, 283–4  
   *see also* paraphilias  
 incorporation processes, internalization concepts 339–43  
 India, CP 309  
 Indianapolis Domestic Violence Prosecution Experiment 504  
 individually-tailored multicomponent CD interventions 439–40  
 infantile psychological development 15–16, 23–4  
 inferiority, constitutional inferiority 15, 21  
 information processing, concepts 72–8, 103–13, 174–6, 422, 427, 431–40  
 inhalants, violence 123  
 inhibitions 37–8, 53–9, 71–8, 104–5, 107–13, 121, 127, 208–10, 282, 484–6  
   alcohol 121, 127, 282, 484–6  
   BIS 37–8, 107–9, 484–6  
 insanity  
   legal and forensic impediments 566–7  
   moral insanity 10, 11, 12, 13–14, 17, 22, 573–4  
 insecure psychopaths 21  
 insight-oriented programs 57  
 insincerity 17, 35–8, 41, 44–58, 281  
   *see also* lying  
 insomnia, withdrawal symptoms 121–3  
 institutional problems 56, 140–3, 461–2, 557–70, 583  
   impediments 557–70  
   PCL-R 56, 140–3  
   social groups 461–2, 476–7  
   treatment 461–2, 557–70, 583  
 insula 93, 113  
 integrated approaches, psychopathic disorders 3  
 integrated emotion systems model (IES) 108–9  
 the intellect, mental diseases 10–11, 13–14, 17, 20, 22, 37, 103–4  
 intelligence levels  
   ADHD 207  
   alcohol 127  
   brain trauma 244, 246–8  
   CD 207, 367–8, 371  
   educational issues 367–8, 371  
   psychopathic disorders 103–4, 207–8, 328–31, 367–8, 371, 473–5, 478  
 intensive aftercare programs (IAP) 480  
 intensive parole supervision (IPS) 480  
 intent, violence risks 126, 560  
 interclass correlation (ICC), PCL-R 45–6  
 interdisciplinary collaborations 1–2  
 intermediate phenotypes, genetics 158  
 intermittent explosive disorder (IED)  
   concepts 119, 128, 399  
   violence 119, 128, 399  
 internalization failures, psychoanalytic view 338–43, 456–8

- International Classification of Mental Disorders (ICD)  
 background 26, 36–7, 49–50, 84–8, 172, 199–201, 276, 368, 450–1, 561  
 critique 36–7, 49–50, 84–8  
 ICD-10 21, 26, 35–6, 49–50, 84–8, 172, 193, 201, 206, 276, 368, 450–1, 468, 561, 575–8  
 PCL-R 49–50  
 international collaborations 1–2  
 International Personality Disorder Examination (IPDE) 36–7, 458–9  
 interpersonal items, PCL-R 37, 44–58, 77–8, 84–8, 106, 113, 319–31, 335, 355–61, 453–5, 468–73, 477–89, 573–4  
 interpersonal violence, PTSD 220–31  
 interventions 3–5, 375, 381–92, 417–40, 467–89  
*see also* treatment  
 ADHD 381–92  
 CD 417–40  
 educational issues 375  
 prevention programs 425  
 psychopathic disorders 3–5, 375, 467–89  
 social policies 573–83  
 interviews 34, 36–7, 44–5, 50–2, 471–2, 507, 513  
 domestic violence 507, 513  
 motivational interviewing 485, 537–8  
 PCL-R 44–5, 50–2, 240  
 intraspecies predators 53, 339–43, 460  
 introjections, internalization concepts 339–43  
 Iowa gambling task 111, 243  
 IPDE *see* International Personality Disorder Examination  
 IPS *see* intensive parole supervision  
 IR-MPH 383  
 Ireland 576–7  
 irresponsibility 14–15, 35–8, 41–3, 44, 47–58, 71–8, 84–5, 88–95, 135–6, 150–64, 179–82, 193, 319–31, 453–5, 566–70, 573–4, 579  
*see also* impulsivity  
 neuroimaging perspectives 180–1  
 irritability 150–64, 472–3  
 IRT *see* item response theory  
 Israel 312  
 Italy, CP 309, 312–13  
 item response theory (IRT) 46–8, 356
- Janzarik, W. 23  
 Japan, PCL-R 48  
 job instability, domestic violence 505–6  
 Johnson, Phillip W. 520  
 joy 105–7  
*see also* emotions
- Karpman, B. 10, 16, 86  
 Kelsey, R.M. 87–8  
 Kendler *et al* 157–8  
 Kenya, CP 309  
 Kerr *et al* 38  
 Kessler *et al* 221  
 Kiefer, Falk 531–41  
 Kiehl, K.A. 110–13  
 kleptomania 11  
 Koch, J.L.A. 10, 18, 21  
 Koglin, Ute 367–78  
 Konrad, Kerstin 199–211, 381–95  
 Korea, PCL-R 48  
 Kraepelin, E. 10, 19, 20, 21, 22–3, 33, 172, 559  
 Krampe, Henning 217–36  
 Kretschmer, E. 10, 20, 23  
 Krischer, Maya K. 291–302
- label problems, psychopaths 142–3  
 lack of goals 41, 44, 47–58, 84–5, 88–93, 110–12, 142, 242–8, 281, 477–82  
 lamotrigine 404  
 Langhinrichsen-Rohling, Jennifer 497–517  
 language processing 75–8, 106–7, 110–11, 112–13, 207–10, 244, 246–8  
 large families 325, 328–9  
 late-starter pathway, antisocial behavior 202–3  
 Latvia 312  
 lawsuits, brain trauma 248  
 lawsuits against clinicians  
 discharge planning 130–1  
 violent patients 117, 129–32  
 LCP *see* life-course persistent offenders  
 learning 14–17, 36–8, 71, 77–8, 84–5, 93–5, 104–13, 159, 174–6, 194, 241–2, 244, 267–8, 281, 319–31, 337–43, 367–8, 369–70, 559–60, 578–9, 582–3  
*see also* punishment  
 associative learning deficits 105, 107–9, 174–5, 369–70, 559–60, 578–9  
 concepts 104–13, 174–6, 194, 241–2, 244, 267–8, 367–8, 369–70, 559–60, 578–9, 582–3  
 conditioning 94, 107–9  
 educational issues 367–8, 369–70  
 from experience 14–17, 36–8, 77–8, 84–5, 93–5, 107–9, 174–6, 194, 281, 319–31, 337–43, 369, 559–60, 578–9, 582–3  
 learning stimulus–response/reward associations 71, 107–9, 174–5, 369–70, 578–9  
 legal and forensic practice  
*see also* criminal justice system  
 country comparisons 575–8  
 Europe 575–8  
 PCL-R 136–43, 357–61, 583

- social policies 574–8  
treatment impediments 557–70
- legal responsibilities 14, 180–1, 566–70, 574–83  
legal status, CP 312–14  
legislation 1–2  
Lehmkuhl, Gerd 291–302  
leptosomic body types 20  
Level of Service Inventory (LSI-R) 473–5  
levels, psychopathic disorders 477–82, 583  
Levenson Primary and Secondary Psychopathy Scale (LPSP) 471–2  
Leygraf, Nobert 135–46  
LHRHs *see* luteinizing hormone-releasing hormone agonists
- life-course persistent (LCP) offenders,  
antisocial behavior 202–3, 351  
life-threatening events, PTSD 220–31  
lifestyle items, PCL-R 37, 44–58, 84–5, 88–93,  
468–73, 485–6  
lifetime detention 557–8, 560–70, 582–3  
LIFT *see* Linking the Interests of Families and Teachers
- limbic system 42–3, 69–70, 75–8, 92–5, 113,  
150, 159–64, 179–82, 209–11  
Lindsay, David 89  
lingual gyrus 77–8  
Linking the Interests of Families and Teachers (LIFT) 430  
lithium, aggression 400–1, 407, 409–11, 482–4  
Lombroso, C. 10, 12  
long-term outcomes, brain trauma 225–7, 238,  
244–5  
long-term treatment, ADHD 391–2  
Loranger *et al* 36  
love  
delusional disorder 120  
domestic violence 502  
incapacity for love 17  
low arousal 24, 38, 41, 44, 47–58, 88–95,  
192–6, 210–11, 336–43  
*see also* fearlessness
- LPSP *see* Levenson Primary and Secondary Psychopathy Scale  
LSD *see* lysergic acid diethylamide  
LSI-R *see* Level of Service Inventory  
Luria–Nebraska Neuropsychological Battery for Adults 247  
luteinizing hormone-releasing hormone agonists (LHRHs) 487–8  
Luxembourg 576–7  
lying 17, 19, 35–8, 41, 44, 47–58, 72–8, 84–8,  
117–18, 135–6, 150–64, 172, 200–11, 281,  
453–5  
*see also* insincerity  
brain image research 72–8  
lysergic acid diethylamide (LSD) 122–3, 535
- McArthur Community Violence interview 253  
McArthur Competence Assessment Tool 248  
MacArthur Study of Mental Disorder and Violence 50, 55  
McGauley, Gill 449–66  
Magnan, M. 12, 13  
magnetic resonance imaging (MRI) 246, 472–3  
maladaptive types of character, antisocial behavior 34  
malingering tendencies, brain trauma 246  
malnutrition, prenatal/postnatal risk factors 207,  
210  
maltreated children 162–4, 204–6, 207, 276–89,  
291–8, 321–31, 338–9, 341–3, 401, 438–9  
management  
*see also* treatment  
ADHD 381–92  
CD 417–40  
outpatients 4, 467–89  
psychopathic disorders 1–2, 3–5, 467–89,  
583
- mania 10–11, 15, 22–3, 120–1, 151, 252, 257–9,  
409–11  
*see also* mood disorders  
conceptual development 10–11, 22–3  
definition 120  
mania without delirium 10–11, 22–3  
moral mania 15  
violence 120–1, 257–9  
mania without delirium, French concepts 10–11,  
22–3  
manic-depressive diseases 19  
manipulative behavior 44, 47–58, 84–8, 103,  
135–6, 150–64, 172, 356–60, 368, 453–5,  
472, 477–82, 513, 535–6, 563–4, 573–4  
Mann, Karl 531–41  
Mann, Thomas 103  
MAOA *see* monoamine oxidase  
marital conflicts, CD 425  
*The Mask of Sanity* (Cleckley) 452, 573–4,  
582–3  
mass murders 128, 340–1  
MAST *see* Michigan Alcohol Screening Test  
masturbation 278–89  
*see also* paraphilias
- maternal rejection 162, 292–6, 322, 336–43  
Maudsley, H. 14  
Mauritius 337  
MBT *see* mentalization based treatment  
MCMI *see* Millon Clinical Multiaxial Inventory  
MDS *see* multidimensional scaling  
medial prefrontal cortex (MPFC) 74–8, 176–9  
medial temporal structures 70, 75–8  
medical disorders, violence 124  
medical impediments, treatment 557–70  
medical model, concepts 34–8

- medically related aggression 398–411  
*see also* aggression
- medroxyprogesterone acetate (MPA) 487–8
- Meloy, J.Reid 335–46
- memory  
 concepts 104–13, 207–10, 227–8, 229, 240–8  
 working memory 229, 240–8
- mental diseases 10–11, 13–14, 17, 20, 22–6,  
 93–5, 575–8
- mental disorders  
*see also individual disorders*  
 antisocial behavior 33–4, 87  
 country comparisons 575–8  
 legal terminology 575–8  
 sociocultural determinants 351–2  
 standardization of nomenclature 24–6, 142–3,  
 172, 251–2  
 violence 117–32
- mental health 22–6, 135–46, 306–14, 581–3
- Mental Health Act, Great Britain 14
- mental hospitals *see* hospitals
- mental illnesses, treatment options 3
- mental instability, French concepts 10, 12, 19
- mental retardation 120, 123–4, 266–7, 575–7
- mentalization based treatment (MBT) 457–8
- mentalizing 75, 104–5, 336–7, 349–50, 457–8
- mescaline 122–3
- methadone 260–1, 485, 538
- methylphenidate (MPH) 382–6, 388, 389–90,  
 407, 411  
*see also* stimulants  
 ADHD treatment 382–5, 388, 389–90, 411  
 adverse effects 385–6
- Meyer, Adolph 25
- Meyer, Alford 15
- Michie, C. 84–94
- Michigan Alcohol Screening Test (MAST)  
 283–6
- mild punishment 389  
*see also* punishment
- milestones in history, psychopathic disorders  
 9–21, 41–2
- militaristic themes, paranoid personality  
 disorder 118–19
- Millon Clinical Multiaxial Inventory (MCMI)  
 350, 498–9
- Millon, T. 24
- the mind of the psychopath 335–43  
*see also* psychoanalytic view
- Minnesota Multiphasic Personality Inventory  
 (MMPI) 240, 247, 262, 338, 350, 471–2
- Minnesota Supreme Court 137–8
- mismatch negativity (MMN) 90–1
- MMN *see* mismatch negativity
- MMPI *see* Minnesota Multiphasic Personality  
 Inventory (MMPI)
- mobbing  
*see also* bullying  
 workplace violence 522–3
- modulation, responses 110–12, 175–6, 181–2,  
 195, 369
- modulation of affect 342–3
- Moeller, F.Gerard 397–416
- molecular pathogenesis, brain trauma 222–8,  
 240–2
- Moll *et al* 179
- monoamine neurotransmitter genes 159–64
- monoamine oxidase (MAOA) 161–4, 205–6,  
 297–8
- monomania, French concepts 10, 11
- monozygotic twins (MZ), genetics 152–3, 193,  
 210–11
- mood disorders 10–12, 19, 22–3, 83–6, 120–1,  
 157–8, 251–2, 257–9, 264, 400  
*see also* affectiveness disorders; depression;  
 mania  
 comorbid disorders 157–8, 251–2, 257–9, 264  
 conceptual development 10–12, 19, 22–3,  
 83–6  
 violence 120–1, 257–9
- moral, definitions 13
- moral alienation of the mind 15
- moral cognition 179–82, 242
- moral emotion 179–82
- moral faculties, perversions 15
- moral insanity  
 concepts 10, 11, 12, 13–14, 17, 22, 573–4  
 definition 13, 573
- moral mania, concepts 15
- moral reasoning 74–8, 173–5, 179–82, 242
- moral shock 13–14
- Morel, B.A. 10, 11–13
- motivation deficits 17, 44, 47–58, 84–5, 88–93,  
 142, 179–82, 281, 477–82  
*see also* goals  
 enhancement measures 478–9  
 outpatient treatment 477–82
- motivational interviewing 485, 537–8
- motor empathy, concepts 104–5
- motor skills, brain trauma 244
- motor-neuron disease 244
- MPA *see* medroxyprogesterone acetate
- MPFC *see* medial prefrontal cortex
- MPH *see* methylphenidate
- MRI *see* magnetic resonance imaging
- MST *see* Multisystemic Therapy
- MTA *see* Multimodal Treatment Study of  
 Children with ADHD
- MTFC *see* Multidimensional Treatment Foster  
 Care
- Müller, Jürgen L. 4, 171–85, 557–70
- multicomponent interventions, CD 439–40

- multidimensional scaling (MDS) 47–8  
 Multidimensional Treatment Foster Care (MTFC) 436–8  
 multimodal treatment 381–2, 389–90, 417, 436–40, 520, 580  
   ADHD 381–2, 389–90  
   CD 417, 436–40  
   workplace violence 520  
 Multimodal Treatment Study of Children with ADHD (MTA) 389–90  
 Multisystemic Therapy (MST) 436–9, 470–1, 536–7  
 murderers  
   APD comorbid disorders 255–6, 262–3  
   brain imaging research 76, 77–8  
   grandiose self-structure 340–1  
   lawsuits against clinicians 129–30  
   mass murders 128, 340–1  
 Musil 9  
 N300 192  
 nadolol 484  
 naltrexone 485, 538  
 narcissism 52, 84–8, 118, 128, 335, 340, 342–3, 351, 457–60, 475–6, 482, 505–6, 512  
   *see also* charm; deception; grandiosity; manipulative . . .  
   benign narcissists 475–6  
   children 342–3  
   concepts 84–8, 128, 335, 340, 342–3, 457–60, 475–6, 482, 505–6  
   fight/flight responses 88  
   PEP 87–8  
   psychophysiological correlates 87–8  
   SCR 87–8  
   violence 118, 128, 335, 457–60, 505–6  
 Narcissistic Personality Inventory (NPI) 87–8  
 Narcotics Anonymous 485  
 National Adult Reading Test 247  
 National Epidemiological Survey on Alcohol and Related Conditions 150  
 National Family Violence Survey 307  
 National Institute for Clinical Excellence (NICE) 388  
 National Institute of Mental Health 253, 389–90  
 National Institute for Occupational Safety and Health (NIOSH) 519  
 National Longitudinal Survey of Youth 309–11, 327–8  
 National Youth Victimization Prevention Study 306–7  
 NCS study 532  
 NE *see* norepinephrine  
 Ne/ERN *see* error-related negativity  
 necrophilia 277  
   *see also* paraphilias  
   need for stimulation 24, 38, 41, 44, 47–58, 84–5, 88–93, 193–6  
   *see also* sensation-seeking . . .  
   neighborhood factors *see* demographic characteristics  
   NEPSY 247  
   nervous constitution, concepts 18  
   Netherlands  
     legal terminology 576–7  
     PCL-R scores 48, 54–5, 140  
   Neufeld, Kylie 41  
   Neumann, C.S. 41–51  
   neurasthenic psychopathic constitutions 19  
   neurobiologies 159–64, 171–82, 203–11, 338–9, 397–411, 574, 579–83  
     genetics 159–64, 180–2  
     irresponsibility 180–1, 579–83  
     psychopathic disorders 159–64, 171–82, 203–11, 338–9, 397–411, 579–83  
     social policies 579–83  
   neurocognitive impairment, ADHD/CD 207–10  
   neuroendocrine alterations, PTSD 227–8  
   neuroimaging perspectives  
     *see also* brain imaging research  
     activation patterns 173–4, 181–2  
     ADHD 208–11, 381–2  
     assessments 182, 246–8, 335, 381–2, 472–3, 579–80  
     CD 208–11  
     concepts 171–82, 227–8, 246–8, 335, 472–3, 579–80  
     critique 182  
     findings and methods 173–4  
     future prospects 181–2  
     irresponsibility 180–1  
     methods 173–4, 176–82, 246–8  
     morality and responsibility issues 179–80  
     psychopathic disorders 3, 69–78, 87, 171–82, 472–3, 579–80  
     real-time fMRT 181–2  
     right superior temporal gyrus 176–82  
     rTMS 182  
     samples 171–4  
     templates 173–4  
     test issues 174–5  
     treatment possibilities 181–2  
   neuroleptic drugs 181–2  
   neurological disorders 124, 244–5, 457  
     *see also* degenerative diseases  
   neurophysiological defects 3, 12, 42–3, 173, 207–11  
   neuropsychological findings 34, 173–6, 246–8, 371, 390–1, 457  
   neuroscience 171–82  
     irresponsibility issues 180–1  
     penal laws 180–2

- neurosis  
 character neurosis 15–16, 34  
 concepts 15–16, 17–18, 22  
 psychopathic disorders 15, 17–18, 22
- neuroticism  
 alcohol 533–4  
 concepts 24–5, 37, 533–4, 575–8  
 country comparisons 575–8
- neurotransmitters 159–64, 397–411, 482–4  
*see also* serotonin
- neurotrauma 69, 71–2, 73–8, 105–12, 120–1, 123, 176–82, 194–5, 217–31, 237–48, 264–5, 398–9  
*see also* brain trauma  
 assessments 221–3, 244, 245–8, 398–9  
 causes 221–2  
 concepts 217–31, 237–48, 398–9  
 consequences 225–7, 228–31, 237–48, 264–5  
 definition 217  
 falls 221–2  
 molecular pathogenesis 222–8, 240–2  
 Phineas Gage 69, 237–40, 398  
 psychopathic disorders 69, 71–2, 73–8, 105–12, 120–1, 123, 176–82, 194–5, 229–31, 237–48, 264–5, 398–9  
 risk factors 218–21  
 sports 222  
 traffic accidents 221–2, 225
- New York Academy of Medicine 24
- New Zealand 327
- NICE *see* National Institute for Clinical Excellence
- Nichita, Elena Carmen 251–74
- Nicholls, Tonia L. 347–66
- nicotine 206–7, 210  
*see also* smoking
- Niehoff, Debra 521–2
- NIMH Epidemiological Catchment Area project 202
- NIOSH *see* National Institute for Occupational Safety and Health
- nocturnal enuresis 388
- nomenclature, standardization 24–6, 142–3, 172, 251–2
- noncompliance with treatment, violence risks 129
- nonstimulant medication, ADHD treatment 382–8, 389–90, 392
- noradrenaline levels 297–8
- noradrenergic antagonists, aggression 405–6, 484
- norepinephrine (NE) 161–4, 205–6, 227–8, 383–7, 538
- North America  
*see also* Anglo-American concepts; Canada; United States  
 conceptual history 10, 15–18, 24–5, 41–2, 450–1  
 PCL-R scores 46–8, 54–6, 139–40, 451
- Norway  
 BPP 429  
 CP 312  
 PCL-R 48
- Nottingham survey 322
- novelty-seeking personality dimension 24, 38, 41, 44, 47–58, 88–95, 192–6, 337–8, 349–50, 482, 533–4, 579  
*see also* impulsivity; sensation-seeking . . .
- NPI *see* Narcissistic Personality Inventory
- nurses, short-term risk of violence 124–32, 475–7
- Oak Ridge Hospital, Canada 563
- object permanence, concepts 336
- object relations, psychoanalytic view 336–43
- object representation, concepts 336
- obsessive psychopathic constitutions 19
- occupational/social functioning, brain trauma 230–1
- ODD *see* oppositional defiant disorder
- Odgers, Candice L. 347–66
- oedipal guilt 452
- OFC *see* orbitofrontal cortex
- offenders, hard core of offenders 1, 27, 150, 559–70
- Oklahoma Estimate 247
- omega-6/omega-3 essential fatty acids 484
- omnipotent fantasy, grandiose self 340–1
- openness, concepts 24
- operant behavioral technique  
*see also* behavioral therapy  
 concepts 388–9
- opioids 257–61, 269, 453, 485, 535  
*see also* heroin; substance abuse
- oppositional defiant disorder (ODD)  
*see also* conduct disorder  
 concepts 200–11, 265–7, 417–40, 531  
 definition 417–19  
 treatment 417–40
- orbicularis oculi 191–2
- orbitofrontal cortex (OFC) 70–8, 108–13, 173, 175–9, 181–2, 238–48, 369  
 SSRIs 181
- Oregon Youth Study 327–8
- orienting issues, cognitive correlates 112–13, 189, 190
- Original Sin 12
- origins, psychopathic disorders 2–3
- OROS-MPH 383
- outpatient treatment 4, 467–89, 536–7, 557–70, 580–3  
*see also* community treatment; treatment

- ACT 480  
 algorithms 472–3, 482–3, 488  
 assessment algorithm 472–3  
 assessments 471–5, 536–7  
 CBT 479–80  
 compulsory outpatient treatment 580–3  
 concepts 4, 467–89, 536–7, 557–70, 580–3  
 confidentiality issues 480–1  
 DBT 479–80  
 hospitals 488–9, 536–7, 557–70  
 monitoring issues 475–82  
 motivation enhancement measures 478–9  
 pharmacotherapy 482–9, 537–8  
 psychopathic disorders 4, 467–89, 557–70  
 risk assessments 473–5, 557–70  
 sexual offenders 470–5, 478–81, 484, 486–9  
 situations 467–8  
 studies 468–71  
 substance abuse 484–6, 536–7  
 therapeutic relationships 475–7, 535–6  
 treatment algorithm 482–3  
 Overt Aggression Scale 127  
 overview 1–5
- P300 amplitude 90–3, 158, 164, 192–3  
 Paced Auditory Serial Attention Task (PASAT)  
   91–3  
 panic disorder 153, 228–30, 260  
 paralimbic system 42–3, 113, 174–5, 179–82  
 paranoia, violence 118–19, 124, 128  
 paranoid ideation, substance abuse 122  
 paranoid personality disorder  
   concepts 118–19, 128  
   militaristic themes 118–19  
   violence 118–19, 128  
 paranoid psychopathic constitutions 19  
 paranoid schizophrenia 10  
 paraphilias 4, 262–4, 275–89, 294–5, 323–31,  
   474–5, 486–9  
   *see also* pedophiles; sexual ...  
   alcohol 282–9  
   arrests 279  
   characteristics 276–80  
   comorbid disorders 262–4, 282–3, 288–9,  
     471, 486–9  
   concepts 262–4, 275–89, 486–9  
   conceptual history 275–6  
   course 279  
   definitions 275–6  
   fantasies/urges 277  
   features 275–81  
   homicide 263–4, 287–9  
   masturbation 278  
   multiple paraphilias 282–3  
   onset 279  
   personality disorders 275–6  
   pharmacological treatment 288–9  
   psychopathic disorders 4, 262–4, 275, 282–9,  
     486–9  
   rape 282, 286–9, 486–8  
   recidivism tendencies 279–89, 486–8, 562–5,  
     579  
   serotonin 288–9  
   sexual activity with object of fantasy 278  
   SSRIs 288–9, 482, 487–8  
   statistics 262–4, 282–3  
   substance abuse 282–3  
   surgical castration 487–8  
   treatment 288–9, 438–9, 454–5, 470–5,  
     478–81, 484, 486–9  
   types 276–81  
   use of force 279  
 parasitic lifestyle 44, 47–58, 84–5, 88–93,  
   478–9  
 parent management training (PMT) 425–40  
 parental discipline *see* discipline  
 parents 3, 155, 162, 204–6, 291–8, 303–14,  
   321–31, 336–43, 371–5, 389–92, 417,  
   425–40  
   *see also* families  
   ADHD training 389  
   antisocial behavior 291–8, 321–31, 371–5  
   attachment concepts 336–43, 457  
   Baumrind parenting styles 304  
   CD training 417, 425–40  
   CP 303–14, 321–31, 372  
   depressed mothers 292–3, 326–7, 328–31,  
     371–2  
   dispositional factors 292–3  
   grandiose self-structure 340–1  
   imprisoned parents 293, 325–6, 328–31  
   intra/extrafamilial factors 291, 292–3,  
     324–31, 371–5  
   maternal rejection 162, 292–6, 322, 336–43  
   parent–child interaction 293, 324–31,  
     336–43, 371–2, 425–40  
   positive parenting programs 425–8  
   prenatal/postnatal risk factors 205–7, 210,  
     535  
   psychopathic disorders 3, 42–3, 155–64,  
     204–6, 291–8  
   single-parent families 324–31  
   smoking 206–7, 210, 326–7  
   socioeconomic characteristics 291–8,  
     326–31, 371–2  
   substance abuse 292–3, 326–7, 371–2  
   teenage pregnancies 326  
   training programs 389, 425–40  
   traumas 162–4, 204–6, 207, 276–89, 291–8,  
     324–31  
   warmth factors 322  
 parietal cortex 72

- Parkinson's disease 229–30, 244  
 Partridge, G.E. 10, 15–16, 35  
 PASAT *see* Paced Auditory Serial Attention Task  
 past history, violence risks 127, 525–6  
 pathological synergy, comorbid disorders 3  
 PATHS *see* Promoting Alternative Thinking Strategies  
 patient-focused interventions, CD 417, 425, 431–40  
 Pavlovian/instrumental conditioning, cognitive correlates 107–9, 579  
 PCC *see* posterior cingulate cortex  
 PCL-R *see* Psychopathy Checklist-Revised  
 PCL:SV *see* Psychopathy Checklist: Screening Version  
 PCL:YV *see* Psychopathy Checklist: Youth Version  
 PCP *see* phencyclidine  
 PCR *see* polymerase chain reaction  
 Peabody Picture Vocabulary Test 311–12  
 pedophiles 262–4, 276–89, 294–8, 323–4, 486–9  
   *see also* paraphilias; sexual offenders  
   comorbid disorders 262–4, 282–3, 486–9  
   homicide 263–4, 287–9  
   psychopathic disorders 262–4  
   recidivism tendencies 279–89, 486–8  
 peer affiliations  
   children 292–3, 307, 327–31, 367–8, 373–4  
   educational issues 367–8, 373–4  
   rejections 327–8, 373–4  
 pemoline  
   ADHD treatment 383–6  
   adverse effects 386  
 penal laws  
   *see also* criminal justice system  
   neuroscience 180–2  
 PEP *see* pre-ejection period  
 perception processes  
   concepts 93–4, 103–13  
   emotions 93–4  
 personality 20, 24–5, 37, 203–4  
   alcohol consumption 533–4  
   body types 10, 20  
   dimensional models 24–5, 37  
 Personality Assessment Inventory 247  
 personality disorders 1–5, 9–30, 34–8, 83–6, 87, 117–32, 136, 150–64, 172, 275–6, 348–61, 456, 497–514, 575–8  
   *see also individual disorders*  
   conceptual development 1–5, 9–30, 40–3, 83–6, 172, 275–6, 450–3  
   country comparisons 575–8  
   domestic violence 497–514  
   DSPD 456  
   gender issues 348–61  
   milestones in history 9–21  
   paraphilias 275–6  
   psychopathic disorders 26–7, 87, 172  
   psychosis 22–6, 37, 119–21, 128  
   sociological aspects 10, 16, 17, 19–20, 21–2, 34–8, 351–2  
   standardization of nomenclature 24–6, 172, 251–2  
   statistics 201–2, 257–9, 262–4, 266–8, 282–3, 349–50, 419–20, 451, 468, 532, 562–3, 573–4  
   violence 117–32  
   workplace violence 520–1  
 personality traits, gender issues 349–50  
 PET *see* positron emission tomography  
 Petermann, Franz 367–78  
 PFC *see* prefrontal cortex  
 pharmacotherapy 4, 118, 382–92, 397–411, 482–9, 537–8  
   ADHD 382–92  
   aggression 4, 118, 181, 397–411, 482–4, 537–8  
   alcohol/substance abuse 537–8  
   concepts 4, 118, 382–92, 397–411, 482–9, 537–8  
   double-blind placebo-controlled trials 397–411  
   outpatient treatment 482–9, 537–8  
   sexual offenders 288–9, 482, 484, 487–8  
 phencyclidine (PCP) 122–3, 127, 535  
 phenytoin, aggression 401–2, 409–11, 482  
 Philippines, CP 309  
 philosophical aspects of treatment, domestic violence 509  
 philosophy 11–12, 509  
 Pick's disease 244  
 Pinel, P. 10–11, 13, 18, 450  
 Pittsburgh Youth Study 325–9  
 pituitary dysfunction, brain trauma 227  
 planning 72–8, 84–5, 88–93, 110–12, 150–64, 193  
   *see also* executive functions  
 PLC-R *see* Psychopathy Checklist-Revised  
 pleasure–pain orientations, personality dimension 24, 37–8  
 PMT *see* parent management training  
 political issues 33–8, 557–70  
 polymerase chain reaction (PCR) 222–4  
 polymorphic degeneration  
   *see also* genetics  
   concepts 12–13, 22–3  
 Porteus maze task 111–12  
 Portland Digit Recognition Test 246  
 Portugal  
   CP 313

- legal terminology 576–7  
 PCL-R 48  
 positive parenting programs 425–8  
 positron emission tomography (PET) 69–76,  
 175–6, 246, 398–9, 472–3  
 post-traumatic stress disorder (PTSD) 157,  
 181–2, 218–31, 244–5, 262, 265–7,  
 294–5  
*see also* brain trauma; psychotrauma  
 APD 262  
 causes 220–2  
 children 265–7, 294–5  
 combat 220–1, 262  
 comorbid disorders 220–1, 230, 262,  
 265–7  
 concepts 220–31, 244–5, 265–7, 294–5  
 consequences 228–31, 244–5  
 depression 221, 228–31  
 diagnosis criteria 224  
 disasters 220–31  
 DSM-IV criteria 224  
 epidemiology 220–1, 262, 265–7  
 gender issues 220–1  
 interpersonal violence 220–31  
 life-threatening events 220–31  
 molecular pathogenesis 227–8  
 occupational/social functioning 230–1  
 rape 220–2  
 remission 221  
 sexual molestation 220–2  
 socioeconomic costs 230–1  
 treatment 227–8  
 posterior cingulate cortex (PCC) 74, 77–8  
 postnatal risk factors, ADHD/APD 205–7  
 poverty 129  
 power dynamic  
   bullying 523  
   domestic violence 500–1  
 PPI-R *see* Psychopathic Personality Inventory  
 practice effects, psychological test instruments  
 246–8  
 pre-ejection period (PEP) 87–8  
 predator part-object 41, 53–8, 339–43  
 predatory behavior 41, 53–8, 339–43  
 predictions  
   early predictors 17, 35–8, 151, 154–5, 189,  
   210–11, 265–7, 291–8, 319–31, 342–3,  
   560, 562–4, 583  
   PCL-R predictions 37, 42–59, 137–43,  
   319–31, 357–61, 468–71, 560, 562–5,  
   583  
 prefrontal cortex (PFC) 69–78, 91–5, 108–12,  
 159, 162–4, 173–5, 179–82, 189, 194–6,  
 208–11, 237–48, 264–5, 297–8, 383,  
 398–9, 579–81  
*see also* autonomic responses  
   acquired psychopathy 237–48, 264–5  
   concepts 69–78, 91–5, 108–12, 159, 162–4,  
   173–5, 179–82, 189, 194–6, 208–11,  
   237–48, 297–8, 398–9, 579–81  
   functional domains 240  
   late-maturity effects 195  
   preinjury mental abilities, brain trauma 246–7  
   premeditated aggression 193, 398–411  
   *see also* aggression  
   prenatal/postnatal risk factors, ADHD/APD  
   205–7, 210, 535  
   preoedipal theory 341–3  
   presence of violent ideation, risk assessments  
   126  
   pretreatment assessments, domestic violence  
   505–7, 513  
   prey–predator dynamic 41, 53–8, 339–43,  
   460–1  
   Prichard, J.C. 10, 13–14, 18, 573  
   prison dilemma 180  
   prisoners  
   *see also* correctional programs  
   APD 1–2, 35, 255–6, 257–9  
   benefits of imprisonment 567–70, 581–3  
   comorbid disorders 255–69  
   critique 557–70, 574–83  
   females 357–61  
   hospitals 4–5, 557–70, 582–3  
   imprisoned parents 293, 325–6, 328–31  
   lifetime detention 557–8, 560–70, 582–3  
   politics 558–70  
   psychopathic disorders 1–2, 35, 37, 53–9,  
   135–43, 150, 255–9, 281, 449–63, 467,  
   557–70, 574–83  
   substance abuse 3–4, 257–9, 360  
   treatment 4–5, 140–3, 449–63, 557–70  
   Problem Solving Communication Training  
   (PSCT) 428  
   Problem-Solving Skills Training (PSST)  
   435  
   profit from experience 14–15, 17, 36–8, 77–8,  
   84–5, 93–5, 107–9, 174–6, 194, 281,  
   319–31, 337–43, 369, 559–60, 578–9,  
   582–3  
   progressive degeneration, concepts 12–13  
   projections 461  
   promiscuity 41, 47–58  
   *see also* sexual relationships  
   Promoting Alternative Thinking Strategies  
   (PATHS) 428–9  
   propranolol 228, 484  
   provocation issues, workplace violence 525–6  
   PSCT *see* Problem Solving Communication  
   Training  
   pseudopsychopathic features 239  
   PSST *see* Problem-Solving Skills Training

- psychiatric assessments 2, 33–40, 152–3, 557–70  
     APD 33–8  
     complexity factors 34, 458–9  
     concepts 33–40  
     violence 117–32  
 psychiatric concepts 2, 9–10, 22–4  
 psychiatric disorders, genetics 152–3  
 psychiatrists  
     benign narcissists 475–6  
     short-term risk of violence 124–32, 475–7  
 psychoactive substances  
     *see also* alcohol; substance abuse  
     effects 121–3, 126, 161, 535–8  
     violence 121–3, 126, 127, 535–8  
 psychoanalytic view  
     affects 342–3, 456–8  
     aggression 343, 457–8  
     anxiety levels 337–43, 457–8  
     attachment concepts 336–43, 457  
     concepts 335–43, 456–8  
     dismissive individuals 336–43, 457–8  
     grandiose self 340–1, 457–8  
     internalization failures 338–43, 456–8  
     low arousal 336, 337–43  
     object relations 336–43  
     omnipotent fantasy 340  
     psychopathic disorders 15–16, 23–4, 335–43, 456–8  
     superego 16, 339–43, 479–80  
 psychological assessments 2, 34–8, 41–59, 246–8  
     concepts 41–59  
     instruments 41–59  
     psychopathic disorders 2, 34–8, 41–59  
     test instruments 246–8  
 psychologists  
     benign narcissists 475–6  
     short-term risk of violence 124–32, 460, 475–7  
 psychopathic disorders 1–5, 9–30, 33–40, 41–67, 69–78, 83–95, 103–13, 135–6, 149–64, 200–1, 237–48, 291–8, 319–31, 335–43, 347–61, 531–8, 557–70  
     abusive tendencies 2, 4  
     acquired psychopathy 69, 73–4, 111, 237–48, 264–5  
     ADHD 3–4, 106, 149, 157–8, 190, 199–211, 265–7, 370–1  
     age factors 35, 150–1, 153–5, 164, 205  
     alcohol/substance abuse 531–8  
     Anglo-American concepts 9–10, 13–18, 21–2, 24–5, 26–7, 41–2, 172, 450–3, 573–4  
     APD overlap 49–50, 83–95, 110–12, 150–1, 172, 251–69, 281, 451, 459, 468, 573–4  
     assessments 2, 23, 33–8, 41–59, 69–78, 83–95, 103–13, 172–3, 237–8, 245–8, 319–31, 348–61, 471–82, 531–8, 557–70, 573–4  
     body types 10, 20  
     brain imaging research 2, 69–78, 89–95, 105–13, 162–4, 173–82, 398–9, 472–3, 579–80  
     brain trauma 69, 71–2, 73–8, 105–12, 120–1, 123, 176–82, 194–5, 229–31, 237–48, 398–9  
     children 17, 19, 23–6, 37–8, 42–3, 50–2, 84, 135–6, 143, 149–64, 188–90, 196, 200–3, 251–2, 265–9, 291–8, 303–14, 319–31, 342–3, 347–61, 367–75, 583  
     cognitive correlates 103–13, 175–6, 207–10  
     cognitive/emotional processing defects 42–3, 71–8, 103–13, 175–6, 207–10  
     community treatment 4, 180, 467–89, 543–55, 557–70, 580–3  
     comorbid disorders 3–4, 36–8, 48, 117–32, 149, 157–64, 203–4, 209–11, 251–69, 453–5, 471, 484–6, 531–8, 580–1  
     conceptual history 2, 9–30, 41–3, 83–6, 135–6, 150–1, 172–3, 276, 281, 450–3, 558–60, 573–4  
     constitutions 10, 12, 14–15, 18, 19  
     costs 1–2, 4, 22, 43, 117–32, 135–6, 331, 343, 455–6, 557–70, 573–83  
     country comparisons 575–8  
     CP 305–14, 321–31, 372  
     criminal justice system 3, 41–59, 95, 135–43, 502–5, 508–9, 514, 557–70, 574–83  
     criminality 1–2, 4, 14, 17, 19, 26–7, 37–8, 41–59, 86–95, 135–43, 150–64, 172, 180–2, 202, 253–4, 255–6, 265, 283–9, 319–31, 454–63, 468–71, 474–5, 477, 557–83  
     criteria 17–21, 35–8, 41–58, 84–95, 103, 118, 135–6, 142, 150–1, 172, 237–8, 251–2, 268, 276, 281, 291, 319–31, 335, 353–61, 468–71, 562–3, 573–4  
     cultural issues 48, 139–40, 351–2  
     definitions 2, 14, 17, 41–59, 103, 135–6, 149–51, 171–3, 200–1, 237–8, 251–2, 268, 276, 281, 291, 335, 368, 450–1, 566, 573–8  
     degenerates 10, 11–13, 19, 21, 22–3, 34  
     denial of treatment 140–3, 557–70  
     differentiation scheme 26–7  
     dimensional approach 2, 399–400  
     dissocial personality disorders overlap 14, 16, 18, 49–50, 84–95, 172, 281, 451, 468  
     dominance-submission paradigm 339–43  
     early predictors 17, 35–8, 42–3, 53–8, 151, 154–5, 188, 189, 210–11, 265–7, 291–8, 319–31, 342–3, 560, 562–4, 583

- educational issues 3, 11, 328, 367–75  
 electrophysiology 3, 187–96  
 emotions 4, 10–11, 13, 17, 21, 22, 35–8,  
 42–3, 53–9, 69–78, 84–5, 93–5, 103–13,  
 142, 172–6, 194, 240–8, 281, 294–8,  
 319–31, 335, 456–7  
 environmental issues 3, 42–3, 107–8, 129,  
 150, 152–5, 158–64, 193, 196, 204–5,  
 251–2, 267–8, 291–8, 338–40, 461–2, 481  
 etiology 2–3, 11–18, 34–8, 42–3, 117–32,  
 149–64, 203–11, 237–48, 251–69, 298,  
 319–31, 335–43, 484–6, 579–80  
 experiential issues 3, 42–3, 458, 459–63,  
 543–55  
 factor structure 37, 44–5, 47–8, 50–2, 71–2,  
 84–5, 103–7, 172–4, 285–8, 319–31,  
 354–61, 451, 468–89  
 families 3, 42–3, 155–64, 204–6, 291–8,  
 321–31, 338–9, 371–2  
 features 14, 17–21, 35–8, 41–58, 84–95, 103,  
 118, 135–6, 142, 150–1, 172–3, 237–8,  
 251–2, 268, 276, 281, 291, 319–31,  
 353–61, 468–71, 476–7, 562–3  
 females 3, 35–6, 150–1, 155–6, 162–3,  
 347–61, 459  
 forensic concepts 42–59, 357–61, 449–63,  
 557–70  
 French concepts 9–13, 18, 21–3, 576–7  
 gender issues 3, 35–6, 42–3, 47–8, 103–4,  
 150–1, 153, 155–7, 162–4, 188, 201–3,  
 205–6, 257–9, 260–1, 347–61, 459,  
 462  
 genetics 2–3, 11, 12, 18–19, 22–3, 34–8,  
 42–3, 149–64, 173, 193, 204–6, 210–11,  
 251–2, 267–8, 297–8, 579–80  
 German concepts 9–10, 12, 18–23, 34–5, 48,  
 54–5, 172, 576–7  
 good home backgrounds 338  
 gray matter volumes 71–2, 73–8, 177–9, 195,  
 208–10, 350, 398–9  
 history 2, 9–30, 41–3, 83–6, 135–6, 150–1,  
 172–3, 276, 281, 450–3, 558–60, 573–4  
 HR 91–3, 106, 188–96, 210–11, 337–8  
 idiopathic/symptomatic forms 16, 17–18  
 infantile psychological development 15–16,  
 23–4  
 integrated approaches 3  
 intelligence levels 103–4, 207–8, 328–31,  
 367–8, 371, 473–5, 478  
 intraspecies predators 53, 339–43, 460  
 labels 142–3  
 learning 14–15, 17, 36–8, 71, 77–8, 84–5,  
 93–5, 104–13, 174–6, 194, 241–2, 267–8,  
 281, 319–31, 369–70, 559–60, 578–9,  
 582–3  
 levels 477–82, 583  
 lifetime detention 557–8, 560–70, 582–3  
 milestones in history 9–21, 41–2  
 neurobiologies 159–64, 171–82, 203–11,  
 338–9, 397–411, 574, 579–83  
 neuroimaging perspectives 3, 69–78, 87,  
 171–82, 335, 472–3, 579–80  
 neurophysiological defects 3, 12, 42–3, 173,  
 207–11  
 neurosis contrasts 15, 17–18, 22  
 origins 2–3  
 outpatient treatment 4, 467–89, 557–70,  
 580–3  
 paraphilias 4, 262–4, 275, 282–9, 486–9  
 pedophiles 262–4, 276–89, 323–4, 486–9  
 personality disorders 26–7, 87, 172  
 pharmacotherapy 4, 118, 397–411, 482–9  
 politics 558–70  
 prey–predator dynamic 41, 53–8, 339–43,  
 460–1  
 primary features 14, 36–8, 89, 579  
 prisoners 1–2, 35, 37, 53–9, 135–43, 150,  
 255–9, 281, 449–63, 467, 557–70, 574–83  
 psychiatric assessments 2, 33–40  
 psychoanalytic view 15–16, 23–4, 335–43,  
 456–8  
 psychological assessments 2, 34–8, 41–59  
 psychopathology 451–2  
 psychophysiological correlates 83–95,  
 105–13, 158, 196, 210–11  
 psychosis 14, 17, 20–1, 22–6, 35–8, 55,  
 119–21, 128, 252–7  
 psychotherapy 4–5, 181–2, 449–63, 467–89,  
 565–70  
 public policies 1–2, 5, 557–70, 575–83  
 recidivism tendencies 1–2, 4, 14, 37–8,  
 41–59, 135–43, 255–6, 265, 281–9,  
 454–63, 468–71, 474–5, 477, 486–9,  
 558–70, 573–83  
 risk assessments 2, 33–4, 48, 53–8, 117,  
 124–32, 135–43, 319–31, 347–61, 421–3,  
 473–5, 557–70, 578–83  
 risks of diagnosis 2, 33–4, 117, 129–32,  
 135–43, 252, 352–3, 458–61  
 SCR 87–8, 106–9, 188–96, 210–11, 337–43  
 secondary features 14, 36–8, 89  
 semantic dementia 10, 17  
 social aspects 1–2, 5, 19–20, 21–2, 34–8,  
 42–3, 104–5, 179–82, 240–8, 291–8,  
 319–31, 351–2, 557–70, 573–83  
 social policies 1–2, 5, 557–70, 573–83  
 social-judgement concepts 19–20  
 sociopathy 10, 16, 17, 34, 35, 86, 111–12  
 standardization of nomenclature 24–6, 135,  
 142–3, 172, 251–2  
 strengths 476–7  
 taxonomical approach 2, 34, 42–3

- psychopathic disorders (*Cont.*)  
   treatability concerns 3, 449–63, 468–71, 477, 535–6, 558–70, 574–83  
   treatment 3–5, 33–8, 57–9, 140–3, 268–9, 397–411, 449–63, 557–70, 573–83  
   ‘treatment causes harm’ hypothesis 563–70, 578–9  
   value-free judgments 20–1, 22  
   victims 117–32, 135–6, 343, 497–514, 522–3, 525–7, 557–70  
   violence 2, 4, 35–8, 41, 43–59, 69–78, 103–5, 117–32, 137–43, 150–64, 252–9, 267–8, 343  
   word tests 106–7, 110–11  
   workplace violence 4, 119, 129–30, 257–9, 519–28  
 psychopathic inferiorities, concepts 18, 21  
 psychopathic personalities, concepts 19–21, 23–4, 471–2  
 Psychopathic Personality Inventory (PPI-R) 471–2  
 psychopathic states, concepts 10, 14  
 psychopathology, psychopathic disorders 451–2  
 Psychopathy Checklist: Screening Version (PCL:SV) 43, 48, 50–2, 55–6, 320–31, 347–61  
 Psychopathy Checklist: Youth Version (PCL:YV) 43, 50–2, 295–7, 348–60  
 Psychopathy Checklist-Revised (PCL-R) 37–59, 71–2, 84–5, 103–6, 135–43, 171–5, 237–8, 240, 255, 263–4, 276, 281–9, 295–7, 319–31, 335, 338, 347–61, 450–1, 468–81, 523–4, 562–3, 573–4, 583  
   administration 44–5  
   assessment structure 44–5, 47–8, 106, 135–43, 354–61, 468–81, 583  
   background 37–8, 42–59, 71–2, 84–5, 135–43, 171–5, 237–8, 240, 276, 281–9, 295–7, 319–31, 335, 347–61, 450–1, 468–81, 523–4, 562–3, 573–4, 583  
   civil psychiatric patients 55, 84  
   collateral information 45, 50–2  
   country comparisons 46–7, 48, 54–6, 137–43  
   criminality 53–9, 86–8, 135–43, 172, 255, 263–4, 319–31, 450–1, 468–71, 560  
   critique 37, 43–4, 45–6, 48–52, 56–9, 84–8, 135–43, 171–5, 276, 281, 353–61, 523–4, 562–3, 583  
   cultural aspects 139–40  
   cut scores 46, 140, 172, 468–71, 477–82, 563–5, 583  
   death penalty 139, 143, 358  
   derivative measures 50–3  
   DSM-IV 49–50, 84–8, 281  
   factor structure 37, 44–5, 47–8, 50–2, 71–2, 84–5, 103–7, 172–4, 285–8, 319–31, 335, 354–61, 451, 468–89  
   females 353–61  
   gender issues 347–61  
   generalizability issues 48, 59, 84–5  
   gray matter volumes 71–2  
   group results 137–9  
   historical background 43–4, 276, 281, 573–4  
   ICD-10 49–50, 84–8  
   institutional problems 56, 140–3  
   interclass correlation (ICC) 45–6  
   intercultural aspects 139–40  
   interviews 44–5, 50–2  
   IRT analysis 46–8, 356  
   items 37, 44–5, 171–5, 319–31, 335, 355–61, 468–73, 477–89  
   legal and forensic practice 136–43, 357–61, 583  
   misuse issues 45, 135–43  
   other measures 48–53  
   paraphilias 281–9  
   predictive potency 37, 42–59, 137–43, 357–61, 468–71, 474–5, 560, 562–4, 583  
   reliability issues 45–6, 135–43, 281, 458–9, 560, 562–5  
   risk assessments 48, 53–8, 135–43, 319–31, 474–81, 523–4, 560, 583  
   risks of diagnosis 135–43  
   ROC analyses 54–5  
   Second Edition 43, 45  
   self-report measures 48–9, 52–3  
   sensitivity to change 142–3  
   sexual violence 54, 56–8  
   treatment 57–9, 140–3, 468–71, 474–81, 583  
   validity issues 48, 135–43  
 Psychopathy Screening Device 84  
 psychopharmacological agents 4, 118, 181–2, 211, 228, 288–9, 381–92, 397–411, 467–89  
*see also* pharmacotherapy  
 ADHD 211  
   brain activation patterns 181–2  
   critique 181–2, 288–9, 482–4  
   emotions 4, 118, 181  
   psychotrauma 228  
   violence 4, 118, 181, 397–411, 482–4  
 psychophysiological correlates 83–95, 105–13, 158, 187, 196, 210–11, 382  
   ADHD 210–11, 382  
   callousness 93–5  
   CD 210–11  
   concepts 83–95, 105–13, 158, 187, 196, 210–11  
   emotions 93–5, 105–13  
   impulsivity 88–93, 112, 267, 533–4  
   narcissism 87–8

- prevention implications 196  
 psychopathic disorders 83–95, 105–13, 158, 196, 210–11  
 sensation-seeking behavior 88–93, 192–6, 337–8, 349–50, 533–4  
 psychosis 14, 17, 20–1, 22–6, 35–8, 55, 119–21, 128, 129–31, 252–7, 399  
*see also* schizophrenia  
 antipsychotics 405–7, 409–11  
 definition 128  
 depression 121  
 noncompliance with treatment 129  
 personality disorders 22–6, 37, 119–21, 128  
 psychopathic disorders 14, 17, 20–1, 22–6, 35–8, 55, 119–21, 128, 252–7  
 violence 119–21, 128, 219–31, 252–7, 399  
 psychotherapy 4–5, 181–2, 228, 449–64, 467–89, 565–70, 574–83  
 duration considerations 470, 477–82  
 early therapeutic treatment studies 452–3  
 institutional problems 461–2, 583  
 problems 458–64, 565–70  
 psychopathic disorders 4–5, 181–2, 449–63, 467–89, 565–70  
 psychotrauma 228  
 recent therapeutic treatment studies 453–6  
 recommendations 462–3, 569–70  
 trained staff 461–2, 475–7  
 ‘treatment causes harm’ hypothesis 563–70, 578–9  
 psychoticism, concepts 24–5  
 psychotrauma  
*see also* brain trauma; post-traumatic stress disorder  
 amygdala 227–8  
 concepts 217–31  
 consequences 228–31  
 definition 217  
 hippocampus 227–8  
 molecular pathogenesis 227–8  
 psychopharmacological agents 228  
 psychotherapy 228  
 risk factors 218–21  
 treatment 227–8  
 PTSD *see* post-traumatic stress disorder  
 public announcements, sexual offenders 481  
 public policies 1–2, 5, 557–70, 575–83  
 punishment 77–8, 107–9, 139, 174–6, 194, 303–14, 321–31, 337–43, 389, 557–70, 574–83  
*see also* corporal punishment; learning from experience; prisoners  
 benefits of imprisonment 567–70, 581–3  
 death penalty 139, 143, 358, 575  
 lifetime detention 557–8, 560–70, 582–3  
 mild punishment 389  
 retributive theories 566, 581–3  
 treatment 557–70, 574–83  
 utilitarian theories 566, 581–3  
 pyknic body types 20  
 qualified detoxification programs, alcohol/substance abuse 537–8  
 qualitative/quantitative differences, gender issues 156  
 questionnaires 36–7  
 racism, paranoid personality disorder 118–19  
 Raine, Adrian 38, 69–81, 176–7, 187–9, 190, 193–6, 337  
 randomized control trials (RCTs) 454  
 rape 220–2, 262–3, 282, 286–9, 486–8  
*see also* sexual offenders  
 paraphilias 282, 286–9, 486–8  
 Ray, I. 15  
 RCTs *see* randomized control trials  
 reaction times (RT), ADHD treatment 391  
 reading problems 207–8, 247  
 real-time fMRT, treatment 181–2  
 reasoning, moral reasoning 74–8, 173–5, 179–82, 242  
 receiver operating characteristic (ROC) 54–5  
 recidivism tendencies  
 domestic violence 503–5, 512, 514  
 paraphilias 279–89, 486–8, 562–5, 579  
 psychopathic disorders 1–2, 4, 14, 37–8, 41–59, 135–43, 255–6, 265, 281–9, 454–63, 468–71, 474–5, 477, 486–9, 558–70, 573–83  
 sexual offenders 279–89, 486–8, 562–5, 579  
 recklessness 35–8  
 recognition abilities, emotions 105–13, 192–3, 456–7  
 reformulated model, social information processing 432–3  
 rehabilitation purpose, criminal justice system 3, 4, 142–3, 557–70, 574–83  
 Reich, W. 15  
 Reid, William H. 4, 543–55  
 relapse-prevention programs 58, 455–6, 478–81, 486–9, 537–8, 557–70  
 relaxation training, domestic violence 511, 514  
 reliability, PCL-R 45–6, 135–43, 281, 458–9, 560, 562–5  
 religion 11–12, 340  
 remorse 14, 17, 35–8, 41–3, 44, 47–58, 78, 84–5, 93–5, 118, 128, 135–6, 150–64, 172, 281, 319–31, 337–43, 460, 573–4  
*see also* guilt  
 repetitive transcranial magnetic stimulation (rTMS) 182  
 residential and activity programs 4

- resources, emotions 175–6
- responses  
  brain trauma 221–3, 244–5  
  emotional responding 71, 105–13, 174–6, 456–7, 579–80  
  HR 188, 210–11, 337–8  
  modulation 110–12, 175–6, 181–2, 195, 369
- resting heart rate 91–3, 106, 188–96, 210–11, 337–8  
  *see also* heart rate
- retributive theories, punishment 566, 581–3
- retrospective studies 319–20
- revenge 118
- revocation conditional release 44–58
- reward-dependence personality dimension 24, 37–8
- rewards  
  aggression 107  
  BAS 37–8, 107–9  
  learning stimulus–response/reward associations 71, 107–9, 174–5, 369–70, 578–9
- Rey 15-item Figure Memory Test 246
- Rice, M.E. 140–1, 454, 559
- right superior temporal gyrus 176–82
- rights of other people 4, 41, 43, 150–1, 269, 451–2, 455–6, 506, 562–70
- risk assessments 2, 33–4, 48, 53–8, 117, 124–32, 135–43, 206–7, 210, 319–31, 347–61, 421–3, 473–81, 523–4, 532–4, 557–70, 578–83  
  alcohol 206–7, 210, 532–4  
  appearance of the patient 126  
  auditory hallucinations 128  
  available means 126–7  
  demographic characteristics 129, 328  
  discharge planning 130–1  
  females 347–61  
  history 127, 505–6, 525–6  
  hospitals 128, 129–32, 488–9, 536–7, 557–70, 582–3  
  intent 126, 560  
  lawsuits against clinicians 117, 129–32  
  noncompliance with treatment 129  
  outpatient treatment 473–5, 557–70  
  PCL-R 48, 53–8, 135–43, 319–31, 474–81, 523–4, 560, 583  
  presence of violent ideation 126  
  psychopathic disorders 2, 33–4, 48, 53–8, 117, 124–32, 135–43, 319–31, 347–61, 473–5, 557–70, 578–83  
  sexual offenders 54–5, 474–5  
  violence 117, 124–32, 137–43, 252–9, 319–31, 357–61, 473–5, 560–70, 578–83  
  workplace violence 520–4  
  written evidence 131–2
- risk factors, brain trauma 217–21
- risk/needs/responsivity treatment principles 58, 458–9
- risks of diagnosis  
  PCL-R 135–43  
  psychopathic disorders 2, 33–4, 117, 129–32, 135–43, 252, 352–3, 458–61
- risky decisions, cognitive correlates 111–13, 175, 242–3
- risperidone  
  *see also* antipsychotics  
  aggression 406, 409–11, 482
- Robins, L.N. 17, 25–6
- ROC *see* receiver operating characteristic
- Rochester Youth Development Study 328
- Romania 312
- RT *see* reaction times
- rTMS *see* repetitive transcranial magnetic stimulation
- rules 41–3, 72–3, 85–95, 103, 135–6, 150–64, 200–11, 369, 373–4, 460–1, 513  
  *see also* legal . . .
- Rush, B. 10, 15, 18
- Russia, PCL-R 48
- SaB, Henning 1–5, 9–30, 34
- sadism 263–4, 276–89, 341–2, 471, 486–8
- sadistic personality disorder 263–4, 471
- sadness 105–13, 179–80  
  *see also* emotions  
  emotion recognition 105–7
- St Louis survey 325
- Salekin, R.T. 355–6, 361, 453, 458, 470
- Salize, Hans Joachim 573–85
- Sarkar, Sameer P. 4, 449–66
- schizoid personality disorder 20, 23, 190, 255, 295–6, 351
- schizophrenia 10, 20, 23, 35–6, 55, 119–20, 128, 129–30, 151, 153, 204–6, 220, 229–30, 251–7, 259–64, 474, 484, 536, 575–8  
  *see also* psychosis  
  akathisia 119–20  
  alcohol 253–4, 259–61, 536  
  APD 251–7  
  brain trauma 220, 229–30  
  children 254, 267  
  comorbid disorders 251–7, 259–64, 536  
  concepts 119–20, 128, 251–7, 259–64  
  criminality 252–7, 575–8  
  definition 128  
  delusions 119–20, 128, 129–31, 253–7  
  genetics 153, 267  
  hallucinations 119–20, 128  
  noncompliance with treatment 129  
  sexual disturbances 262–3

- substance abuse 253–4, 259–61, 536  
 violence 119–20, 128, 129–30, 252–7, 262–3, 267  
 Schneider, K. 10, 19, 20–1, 22–3, 34, 559–60  
 School Transitional Environmental Program (STEP) 430  
 schools 328, 367–75, 417, 428–40  
   *see also* educational issues  
   ADHD 381–92  
   aggression 367–75  
   CD interventions 417, 428–40  
   comorbid ADHD 367–8, 370–1  
   disruptive aggressive students 367–8  
   family background 367–8, 371–2  
   intelligence levels 367–8, 371  
   interventions 375  
   learning problems 367–8, 369–70  
   peer affiliations 367–8, 373–4  
   teachers 367–75  
 SCID-II 471–3  
 SCR *see* skin conductance response  
 screening questionnaires 36–7  
 Seattle Social Development Project (SSDP) 430  
 SEC *see* structured-event complex  
 Secret Service, US 524–7  
 self-assertive psychopaths 21  
 self-control 110–12, 368–75, 388–9, 582–3  
   *see also* behavioral controls; executive functions  
 self-esteem 118, 368, 475–9  
 self–other orientations, personality dimension 24  
 self-report measures, concepts 48–9, 52–3  
 self-structures, grandiose self 340–3  
 selfishness 36–8, 204–5, 559–60  
 SEM *see* standard error of measurement  
 semantic dementia, concepts 10, 17  
 semantic mismatch 113, 179–80  
 semi-structured interviews 36–7, 44–5, 50–2, 240  
 sensation-seeking behavior 24, 38, 41, 44, 47–58, 88–95, 192–6, 337–8, 349–50, 482, 533–4, 579  
   *see also* impulsivity; novelty-seeking . . .  
   concepts 88–95, 337–8, 349–50, 482, 579  
   EEG 89–93, 192–6, 337–8  
   ERP 90–1, 192–3  
   psychophysiological correlates 88–93, 192–6, 337–8, 349–50, 533–4  
 sensitivity to change, PCL-R critique 142–3  
 septal nuclei 179–80  
 septohippocampal system 107–8  
 serotonin  
   genetics 159–61, 181–2, 205–6, 397–411, 421  
   paraphilias 288–9  
   SSRIs 159, 181, 288–9, 404–5, 409, 482–4, 487–8  
   stress resiliency 159–64, 205–6  
 sertraline 482  
 Sevecke, Kathrin 291–302  
 Sex Offender Risk Appraisal Guide (SORAG) 54–5, 473–5  
 sexism, paranoid personality disorder 118–19  
 sexual abuse 54, 56–8, 141, 162, 191–2, 220–2, 229, 262–4, 275–89, 293–8, 323–31, 438–9, 454–5, 470–5, 478–81, 484, 486–9, 562–5, 579  
 sexual deviations 4, 25, 56–8, 141, 180, 262–4, 275–89, 323–31, 474–5  
   *see also* paraphilias  
 sexual masochism 276–89  
   *see also* paraphilias  
 sexual molestation 220–2, 262–4, 276–89, 294–5  
   *see also* paraphilias; pedophiles  
 sexual offenders 54, 56–8, 141, 191–2, 220–1, 229, 262–4, 275–89, 323–31, 438–9, 454–5, 470–5, 478–81, 484, 486–9, 562–5, 579  
   *see also* paraphilias  
   antiandrogen medications 484, 487–8  
   APD 262–4  
   comorbid disorders 262–4, 282–3, 471, 486–9  
   concepts 282–9, 323–4, 438–9, 454–5, 470–5, 478–81, 486–9, 579  
   CPA 487–8  
   electronic monitoring 481  
   homicide 263–4, 287–9  
   LHRHs 487–8  
   MPA 487–8  
   MST 438–9  
   outpatient treatment 470–5, 478–81, 484, 486–9  
   pharmacotherapy 288–9, 482, 484, 487–8  
   public announcements 481  
   recidivism tendencies 279–89, 486–8, 562–5, 579  
   risk assessments 54–5, 474–5  
   SSRIs 288–9, 482, 487–8  
   statistics 262–4, 323–4, 562–3  
   surgical castration 487–8  
   treatment 288–9, 438–9, 454–5, 470–5, 478–81, 484, 486–9  
   unreported offences 284  
 sexual paraphilias *see* paraphilias  
 sexual relationships 17, 23–5, 47–58, 179–80, 269  
 sexual sadism 263–4, 276–89, 486–8  
   *see also* paraphilias

- sexual violence 54, 56–8, 141, 220–1, 229, 263–4, 276–89, 293–5, 323–4, 472–3, 486–9  
*see also* sexual abuse
- Sexual Violence Risk-20 (SVR-20) 54, 473, 474–5
- sexually transmitted diseases 124, 269, 471
- Sexually Violent Predator Acts 135–6
- shallow affect 44, 47–58, 73–8, 84–5, 93–5, 103, 135–6, 172, 297–8, 319–31, 579
- shame 17, 281, 460, 573–4  
*see also* remorse
- Shiva, Andrew 335–46
- Simon paradigm 176
- single photon emission computerized tomography (SPECT) 69–76, 93–4, 181–2, 246, 472–3
- single-parent families 324–31
- Sirén, Anna-Leena 217–36
- skin conductance response (SCR) 87–8, 106–9, 188–96, 210–11, 337–43  
*see also* electrodermal activity
- CD 189–90, 210–11, 337–8
- concepts 87–8, 106–9, 188–96, 210–11, 337
- smoking, prenatal/postnatal risk factors 206–7, 210, 326–7
- social aspects
- brain trauma 219–21, 240–8
- Cambridge Study in Delinquent Development 320–31
- concepts 1–2, 5, 240–8, 319–31, 557–70, 573–83
- lifetime detention 557–8, 560–70, 582–3
- longitudinal surveys 319–31
- Nottingham survey 322
- psychopathic disorders 1–2, 5, 19–20, 21–2, 34–8, 42–3, 104–5, 179–82, 240–8, 291–8, 319–31, 351–2, 557–70, 573–83
- social distress cues 104–5, 456–7
- social impediments, treatment 557–70
- social information processing
- CD 422, 427, 431–40
- reformulated model 432–3
- social knowledge, brain trauma 240–8
- social misconduct 33–4
- social policies 1–2, 5, 557–70, 573–83
- compulsory outpatient treatment 580–3
- concepts 573–83
- country comparisons 575–8
- interventions 573–83
- legal regulations 574–8
- neurobiologies 579–83
- special facilities 583
- treatment outcome studies 578–9
- social skills 422, 431–40, 537–8
- social workers, short-term risk of violence 124–32
- social-judgement concepts, psychopathic disorders 19–20
- society
- costs 1–2, 4, 22, 43, 117–32, 135–6, 331, 343, 455–6, 557–70, 573–83
- lifetime detention 557–8, 560–70, 582–3
- rights of other people 4, 41, 43, 150–1, 269, 451–2, 455–6, 506, 562–70
- workplace violence 522
- sociocultural determinants, mental disorders 351–2
- socioeconomic characteristics
- brain damage 219–21
- families 291–8, 326–31, 371–2
- violence risks 129, 150, 326–31
- socioeconomic costs, brain trauma 219–21, 230–1
- sociological aspects, personality disorders 10, 16, 17, 19–20, 21–2, 34–8, 351–2
- sociopathy
- see also* antisocial personality disorder
- acquired sociopaths 73–4, 111, 242–3, 533
- alcohol 533
- concepts 10, 16, 17, 26, 34, 35, 86, 111–12, 367–75, 533
- definition 16
- psychopathic disorders 10, 16, 17, 34, 35, 86, 111–12
- sociotherapeutic interventions 467–89
- somatic diseases 471–5
- somatic markers 34, 111–13, 240–2  
*see also* autonomic . . .
- cognitive correlates 111–13, 240–2
- somatization 461
- SONAR 475  
*see also* sexual offenders
- SORAG *see* Sex Offender Risk Appraisal Guide
- Spain
- legal terminology 576–7
- PCL-R 48
- spanking 303–5, 306–14  
*see also* discipline
- spatial ability 77–8, 244
- SPECT *see* single photon emission computerized tomography
- spoken words, emotions 106–7
- sports, neurotrauma 222
- SSDP *see* Seattle Social Development Project
- SSRIs 159, 181, 288–9, 404–5, 409, 482–4, 487–8  
*see also* antidepressants
- effects 159, 181, 288–9, 482–4, 487–8
- OFC 181
- paraphilias 288–9, 482, 487–8

- stalking behavior, workplace violence 522  
 standard error of measurement (SEM) 46  
 standardization of nomenclature, mental disorders 24–6, 135, 142–3, 172, 251–2  
 Stanford, Matthew S. 83–101  
 startle potentiation 94, 106–7, 174–5, 189–96, 579–80  
 states, traits 23  
 Static-99 473–5  
   *see also* sexual offenders  
 Static-2002 473–5  
 STEP *see* School Transitional Environmental Program  
 stimulants  
   addictive potential 386  
   ADHD treatment 382–6, 388, 389–90, 392, 407, 411, 482–4, 537–8  
   adverse effects 385–6, 388  
   aggression 407, 537–8  
   treatment 382–6, 388, 389–90, 392, 407, 411, 482–4, 537–8  
 Stith *et al* 498  
 Stockholm study 327–8  
 Straus, Murray A. 303–17  
 strengths, psychopaths 476–7  
 stress exposure 162, 205–6, 227–8, 297–8, 575–8  
   *see also* post-traumatic stress disorder  
   MAOA genotype 162, 205–6, 297–8  
 stress resiliency, serotonin 159–64, 205–6  
 Stroop test 110–11  
 structural–dynamic concept 23, 473–5  
 structural–social concepts 33–4  
 structured clinical assessments 36–7, 54–6, 471–5  
 Structured Clinical Interview for Mental Disorders II 36–7, 471–2  
 structured interviews 34, 36–7, 44–5, 50–2, 471–2  
 structured-event complex (SEC) 241–2  
 substance abuse 3–4, 35–8, 117–18, 120–3, 126, 127, 149, 157–8, 204, 251–2, 253–64, 267–9, 282–3, 298, 360, 371–2, 438–9, 484–6, 505–6, 514, 531–8, 575–8  
   *see also* addictions; alcohol  
   affectiveness disorders 257–9, 267–8  
   APD 251–2, 253–4, 259–61, 267–9, 298, 484–6  
   behavioral therapy 536–8  
   borderline personality disorder 532, 536–8  
   children 265–7, 292–3, 371–2, 438–9  
   comorbid disorders 3–4, 35, 36–8, 117–18, 120–3, 126, 127, 149, 157–8, 253–69, 282–3, 298, 471, 484–6, 531–8  
   concepts 3–4, 35, 36–8, 117–18, 120–3, 126, 127, 149, 157–8, 253–69, 282–3, 298, 471, 484–6, 531–8  
   criminality 3–4, 253–4, 360, 534–5, 575–8  
   depression 257–9, 531–8  
   detoxification programs 537–8  
   domestic violence 505–6, 514  
   epidemiology 532  
   etiology 532–4  
   homicide 535  
   MST 438–9  
   outpatient treatment 484–6, 536–7  
   paranoid ideation 122  
   paraphilias 282–3  
   parents 292–3, 326–7, 371–2  
   pharmacotherapy 537–8  
   prisoners 3–4, 257–9, 360  
   schizophrenia 253–4, 259–61, 536  
   somatic diseases 471–5  
   statistics 257–61, 268–9, 531–5  
   suicide 157  
   treatment 438–9, 484–6, 531, 535–8  
   treatment phases 537–8  
   violence 117–18, 120–3, 126, 127, 253–4, 257–9, 260–1, 534–8  
   withdrawal 121–3, 126, 537–8  
 suicide 118, 121, 125, 128, 130–1, 149, 157, 159–61, 163–4, 228–9, 261–2, 307–14  
   anxiety 261  
   brain trauma 228–9  
   catecholamines 161  
   CP 307–14  
   dopamine 163–4  
   serotonin 159–61  
   substance abuse 157  
   superego 16, 339–43, 479–80  
   superficial charm 17, 42, 44–68, 84–8, 103, 172, 276, 281, 368, 453–5, 477–8, 573–4  
   superior temporal cortex 70, 74–8, 113, 176–9  
   surgical castration 487–8  
 surprise  
   *see also* emotions  
   emotion recognition 105–7  
 SVR-20 *see* Sexual Violence Risk-20  
 Swann, Alan C. 397–416  
 Sweden  
   childhood comorbid disorders 266  
   CP 312–13  
   legal terminology 576–7  
   PCL-R 48, 55  
   prisoners 37  
 Switzerland 136, 296  
 symptomatic forms, psychopathic disorders 16, 17–18  
 syphilis 471

- Tardiff, Kenneth 117–33  
 targets, treatment 477–82  
 taxonomical approach, psychopathic disorders 2, 34, 42–3  
 TC *see* therapeutic community  
 teachers 367–75, 417, 428–40  
   *see also* schools  
   CD interventions 417, 428–40  
 teenage pregnancies 326  
 telephone scatologia 277  
   *see also* paraphilias  
 temperament, ADHD 203–4  
 templates, neuroimaging perspectives 173–4  
 temporal cortex 69–78, 93–5, 173–9, 180–2, 207–10, 229  
 temporal lobe abnormalities 74–8, 113, 180–2  
 Test of Memory Malingering 246  
 Test of Social Intelligence (TSI) 243  
 testosterone 163, 350, 421, 472–3, 484  
 Texan death row inmates 139  
 thalamus 75–8  
 theory of mind (mentalizing) 75, 104–5, 336–7, 349–50, 457–8  
   concepts 75, 104–5, 349–50, 457–8  
   eyes test 104  
 therapeutic community (TC) 452–3, 458  
 therapeutic relationships, outpatient treatment 475–7, 535–6  
 therapeutic wards 568–9  
 Thorne, Stephen A. 4, 543–55  
 threats 76–8, 104–13, 191–2, 457–8  
 three-factor models 24, 37, 84–8, 93–5, 103–7, 172–3, 319–31, 335, 354–61, 453–9, 468–73, 477–89  
 thyroid 472–3  
 tic syndromes 381, 385–6, 387–8  
   *see also* Tourette's syndrome  
 tinnitus 182  
 topiramate, aggression 403–4, 410–11  
 Tourette's syndrome 381  
   *see also* tic syndromes  
 TPH *see* tryptophan hydroxylase  
 traffic accidents, neurotrauma 221–2, 225  
 training programs  
   communication training interventions 428, 508–14  
   parents 389, 425–40  
   relaxation training 511, 514  
   social skills 537–8  
   staff 58, 461–3, 475–7  
 traits, states 23  
 Tranel, D. 241–3  
 transference concepts 338–43  
 transvestic fetishism 276–89  
   *see also* fetishism; paraphilias  
 traumas, children 23–4, 162–4, 204–6, 207, 276–89, 291–8, 324–31  
 treatability concerns, psychopathic disorders 3, 449–63, 468–71, 477, 535–6, 558–70, 574–83  
 treatment  
   ACT 480  
   ADHD 4, 211, 381–92, 407, 482–4, 537–8  
   aggression 397–411, 433–40, 482–4  
   alcohol 484–6, 531, 535–8  
   algorithms 407–11, 482–3, 488  
   anticonvulsants 400–4, 407  
   antidepressants 382, 386–7, 404–5  
   antipsychotics 405–7, 409–11  
   anxiety 387–8, 390  
   approaches 1–2, 557–70, 579  
   behavioral therapy 388–90, 431–3, 536–8, 559–60  
   biofeedback approaches 181–2  
   brain trauma 227–8, 244  
   CBT 388–9, 431–3, 452–3, 456–8, 470, 479–80, 504–14  
   CD 417–40, 482  
   combined treatments 389–90  
   community treatment 4, 180, 467–89, 543–55, 557–70, 580–3  
   comorbidity implications 268–9, 471  
   compulsory outpatient treatment 580–3  
   country comparisons 575–8  
   critique 57–9, 140–3, 181–2, 268–9, 449–63, 467–89, 557–70, 574–83  
   dangers 454–5, 557–70  
   DBT 389, 479–80  
   denial of treatment 140–3, 557–70  
   depression 159, 181–2, 390, 404–6  
   dietary interventions 484  
   domestic violence 497–8, 502–14  
   dropout rates 141–2, 269, 505–6  
   duration considerations 470, 477–82  
   early therapeutic treatment studies 452–3  
   experiential treatment 458, 459–63, 543–55  
   family members 470  
   fMRT 181–2  
   group therapy 57–8, 461, 476–7, 486–8, 567  
   impediments 557–70  
   impulsivity 390–1, 397–411, 482–4, 579  
   institutional problems 461–2, 557–70, 583  
   knowledge-based problems 458–63  
   legal impediments 557–70  
   lifetime detention 557–8, 560–70, 582–3  
   long-term ADHD treatment 391–2  
   MBT 457–8  
   medical impediments 557–70  
   motivation enhancement measures 478–9  
   MST 436–9, 470–1, 536–7

- multimodal treatment 381–2, 389–90, 417, 436–40, 520, 580  
 neuroimaging perspectives 181–2  
 noncompliance with treatment 129, 141–2  
 noradrenergic antagonists 405–6, 484  
 Oak Ridge Hospital 563  
 omega-6/omega-3 essential fatty acids 484  
 outcomes 269, 470, 511–12, 538, 559–70, 574–83  
 outpatient treatment 4, 467–89, 536–7, 557–70, 580–3  
 paraphilias 288–9  
 PCL-R 57–9, 140–3, 468–71, 474–81, 583  
 pharmacotherapy 4, 118, 382–92, 397–411, 482–9, 537–8  
 prisoners 4–5, 140–3, 449–63, 557–70  
 problems 458–63, 557–70  
 psychopathic disorders 3–5, 33–8, 57–9, 140–3, 268–9, 397–411, 449–63, 557–70, 573–83  
 psychopharmacological agents 4, 118, 181–2, 211, 288–9, 381–92, 397–411, 482–9  
 psychotherapy 4–5, 181–2, 449–63, 467–89, 565–70  
 public policies 1–2, 5, 557–70, 575–83  
 punishment 557–70, 574–83  
 real-time fMRT 181–2  
 reasons 451–2, 557–70, 579–83  
 recent therapeutic treatment studies 453–6  
 relapse-prevention programs 58, 455–6, 478–81, 486–9, 537–8, 557–70  
 rTMS 182  
 sexual offenders 288–9, 438–9, 454–5, 470–5, 478–81, 484, 486–9  
 social impediments 557–70  
 social policies 1–2, 5, 557–70, 573–83  
 stimulants 382–6, 388, 389–90, 392, 407, 411, 482–4, 537–8  
 substance abuse 438–9, 484–6, 531, 535–8  
 targets 477–82  
 TC 452–3, 458  
 trained staff 58, 461–3, 475–7  
 VRP 455–6, 458  
 workplace violence 519–28  
 ‘treatment causes harm’ hypothesis 563–70, 578–9  
 tricyclic antidepressants 386–7  
 Triple P Positive Parenting Program 427–8  
 trust issues  
   children 294  
   clinicians 459–60  
 tryptophan hydroxylase (TPH) 160–4, 397–411  
   *see also* serotonin  
 TSI *see* Test of Social Intelligence  
 twin data, genetics 152–64, 193, 210–11  
 two-factor four-facet model 103–7, 354  
 Ukraine 312  
 ultimatum game 180  
 unitary psychosis, concepts 22–3  
 United Kingdom (UK) 46–7, 54–5, 136, 139–40, 305, 449–51, 456–7, 575–7  
   *see also* Anglo-American concepts; Great Britain  
   BPP 429  
   CP 305  
   forensic psychiatry 449–50  
   legal terminology 575–7  
   PCL-R scores 46–7, 54–5, 139–40, 450, 451  
 United Nations Committee on the Rights of the Child 313  
 United States (US) 3–4, 24–6, 111, 135–6, 139–43, 150, 164, 201–2, 217–18, 230–1, 238–43, 251–69, 283–6, 305–31, 429, 449–51, 524–5, 575  
   *see also* Anglo-American concepts; North America  
   BPP 429  
   brain trauma 217–18, 230–1  
   CP 305–14  
   death penalty 139–43, 575  
   domestic violence 497–514  
   forensic psychiatry 449–50  
   Secret Service 524–7  
   standardization of nomenclature 24–6  
   substance abuse 3–4  
   workplace violence 524–5  
 University of Iowa 111, 238–43  
 unreliability 17, 281  
 utilitarian theories, punishment 566, 581–3  
  
 validity issues, PCL-R 48, 135–43  
 valproic acid, aggression 402–3, 409, 482  
 value-free judgments, psychopathic disorders 20–1, 22  
 Van Goozen *et al* 192  
 variable number of tandem repeat (VNTR) 161–2, 204  
 ventral striatum 93–4, 180–2  
 ventrolateral prefrontal cortex (VLPFC) 70–8, 108–9, 111–12, 369  
 ventromedial prefrontal cortex (VMPFC) 70–8, 111–12, 175–9, 189, 237–48  
   acquired psychopathy 237–48  
   decision making 240–3  
   functions 240–2  
   gambling task 111, 243–4  
   somatic markers 111–13, 240–2  
 ventromedial space-occupying masses 244  
 verbal interactions, children 311–12  
 Veterans Administration nomenclature 24–5  
 VETR *see* Vietnam Twin Registry study

- victims 117–32, 135–6, 343, 497–514, 522–3, 525–7, 557–70
- Victoria Symptom Validity Test 246
- Vietnam Twin Registry study (VETR) 154
- violence 2, 4, 35–8, 41, 43–59, 69–78, 103–5, 117–32, 137–43, 150–64, 252–9, 260–1, 267–8, 293–5, 303–14, 323–31, 343, 398–9, 438–9, 472–3, 534–8
- see also* aggression; sexual . . .
- affectiveness disorders 120–1, 257–9, 497–514
- alcohol 117–18, 119, 120, 121–2, 126, 127–8, 253–4, 257–9, 260–1, 323–4, 534–8
- amfetamine 122, 127, 161, 535
- anabolic steroids 123
- APD 117–32, 252–9, 267–8
- appearance of the patient 126
- assessment of short-term risks 124–32, 460
- auditory hallucinations 128
- available means 126–7
- borderline personality disorder 118, 128, 498–9
- brain imaging research 69–78, 105–9
- brain trauma 220–31, 264–5, 398–9
- child-to-parent violence 311–14
- children 42–3, 162–4, 204–6, 207, 220–31, 276–89, 291–8, 303–14, 323–31, 367–75, 438–9
- cocaine 122, 127, 161, 257–9, 535
- concepts 117–32, 252–9, 343
- CP 303–14, 321–31, 372
- deficient violence inhibition mechanism 104–5
- delusions 119–20, 122, 124, 127, 129–31, 253–7, 399
- dementia 124
- demographic characteristics 129, 328
- depression 120–1, 257–9
- domestic violence 497–514
- factors of risk 125–9
- hallucinogens 122–3, 127, 535
- history 127, 505–6, 525–6
- hospitals 128, 129–32, 488–9
- inhalants 123
- intent 126, 560
- intermittent explosive disorder 119, 128, 399
- lawsuits against clinicians 117, 129–32
- mania 120–1, 257–9
- medical disorders 124
- mental disorders 117–32
- mental retardation 120, 123–4, 266–7
- mood disorders 120–1, 257–9
- MST 438–9, 470–1
- narcissistic personality disorder 118, 128, 335, 457–60, 505–6, 512
- neurological disorders 124
- noncompliance with treatment 129
- paranoia 118–19, 124, 128
- PCP 122–3, 127, 535
- presence of violent ideation 126
- psychoactive substances 121–3, 126, 127, 535–8
- psychopathic disorders 2, 4, 35–8, 41, 43–59, 69–78, 103–5, 117–32, 252–9, 267–8, 343, 357–61
- psychopharmacological agents 4, 118, 181, 397–411, 482–4
- psychosis 119–21, 128, 129–31, 252–7, 399
- PTSD 220–31, 294–5
- risk assessments 117, 124–32, 137–43, 252–9, 319–31, 357–61, 473–5, 560–70, 578–83
- schizophrenia 119–20, 128, 129–30, 252–7, 262–3, 267
- socioeconomic characteristics 129, 150, 326–31
- substance abuse 117–18, 120–3, 126, 127, 253–4, 257–9, 260–1, 534–8
- types 117–32, 343
- victims 117–32, 135–6, 343, 497–514, 522–3, 525–7
- workplace violence 4, 119, 129–30, 257–9, 519–28
- written evidence 131–2
- Violence Reduction Programme (VRP) 455–6, 458
- Violent Risk Appraisal Guide (VRAG) 54–5, 473–5
- violent/antisocial batterers, domestic violence 499–500
- VLPFC *see* ventrolateral prefrontal cortex
- VMPFC *see* ventromedial prefrontal cortex
- VNTR *see* variable number of tandem repeat
- volume losses, brain 71–2, 73–8, 176–82, 195, 208–10, 225–7, 398–9
- voxel-based morphometry 177–8
- voyeurism 276–89
- see also* paraphilias
- VRAG *see* Violent Risk Appraisal Guide
- VRP *see* Violence Reduction Programme
- warmth factors, parents 322
- weak-willed psychopaths 21, 22
- weapons, workplace violence 526
- Weber, Max 24
- Wechsler Tests 247
- Wernicke's area 74–5
- West, Donald 331
- Wide Range Achievement Test 247
- Widinger, T.A. 24, 49
- Wilson's Formula 247

- Wisconsin Card Sorting Test 110, 241, 242  
withdrawal 121–3, 126, 537–8  
  alcohol 121, 126, 537–8  
  cocaine 122, 538  
Witter, Hermann 566  
Wolfgang, Martin 1  
women  
  *see also* females  
  psychopathic disorders 3, 35–6, 150–1,  
  155–6, 162–3, 347–61, 459  
Wong *et al.* 58  
word tests 106–7, 110–11  
working memory, concepts 229, 240–8  
workplace violence 4, 119, 129–30, 257–9,  
  519–28  
  *see also* violence  
  assessments 523–7  
  behavioral approach 521–2, 525–6  
  bullying 522–3  
  cognitive processing 525  
  concepts 519–28  
  definition 519–20  
  environmental issues 525–6  
  fact-based method of evaluation 524–5  
  ‘holistic’ approach 524–7  
  multidisciplinary treatment approach 520  
  past behaviors 525–6  
  PCL-R measures 523–4  
  perpetrator types 520–1  
  personality disorders 520–1  
  provocation issues 525–6  
  psychopathic disorders 4, 119, 129–30,  
  257–9, 519–28  
  research 520–2  
  risk assessments 520–4  
  society issues 522  
  stalking behavior 522  
  statistics 520–1  
  treatment 519–28  
  US Secret Service 524–7  
  victims 522–3, 525–7  
  weapons 526  
World Health Organization 26, 84, 368  
  *see also* International Classification of Mental  
  Disorders  
written evidence, violence risks 131–2  
  
X chromosome 350  
  
Yale Family Study 157  
Yang, Yaling 69–81  
  
Zeller, A. 22–3  
Ziehen, T.H. 10, 19

*Index compiled by Terry Halliday.*

