

- Absolute error, 294, 303
Accumulator array, rule-reduction, 283–284, 293, 302
Additively separable, function, 282, 284, 295, 302
Additivity axiom, 611
Adjacency matrix, cognitive mapping, 546
Aggregation operators, averaging, 43
 ordered weighted averaging, 43
Algebra, abstract, 6, 264
 linear, 6, 264, 275–276
 mapping, 264
 α -cut (see λ -cut)
Ambiguity, 13, 143, 245
Antecedents, 7, 123
 disjunctive, 256
 fuzzy, 139
Approaching degree, maximum, 398, 402
 similarity, 397
 weighted, 401
Approximate reasoning, 162, 249
Arithmetic, fuzzy, 445
Atomic terms, natural language, 143–144
Attribute data, statistical process control, 504
 fuzzy, 513
 traditional, 510
Axiom of contradiction, 30, 135

Ball-box analogy, evidence theory, 588–589
Basic evidence assignment, definition of, 577
 joint, 579,
 normal, 579
Basic uncertainty logic, 611

Batch least squares, rule generation, 212, 215–216
Bayesian, decision making, 310, 326, 349
 inference, 4
 updating, problems with, 310
Belief, monotone measures, 574–578, 586
Binomial distribution, statistical process control, 512
Body of evidence, 579
 consonant, 583, 590–591
Boundary, crisp sets 25
 fuzzy sets 25, 91–92

Cardinality, classification, 372, 374, 381
 consensus relations, 319
 possibility distributions, 595
 sets, 26, 36
Cartesian product, 125, 253
 classical sets, 42, 53
 fuzzy sets, 59
Certainty (also necessity), monotone measures, 574, 587, 598
 average 317
Chance, 13
 games of, 4
Characteristic function, 32, 372
Chi-square distribution, statistical process control, 504, 519
Classical sets, operations, 27–28
 properties, 28–31
Classification, definition, 362–363
 metric, 387–388
 fuzzy, 379

- Cluster centers, 229–231
- Clustering, neural networks, 187–188
 - method, rule generation, 212, 215, 228
- c-means, clustering, 370
 - fuzzy, 363, 379–387
 - hard 363, 371–379
- Cognitive mapping, conventional, 544
 - fuzzy, 545
- Comb's method of rapid inference, 276, 282–284, 292, 301
- Combinatorial explosion, 2, 275, 282
- Complement, classical, 27
 - standard fuzzy operation, 35
- Complex system, 2, 7
- Complexity, 245–247, 264, 274
- Composite terms, natural language, 143
- Composition, 251
 - chain strength analogy, 58
 - fuzzy, 60, 138
 - max-min, 57
 - max-product, 57
 - other methods, 74–75
- Computational power, 274–275
- Concentration, linguistic hedges, 145–146
- Conditioning, column vectors, 281
- Conjunction, axiomatic, 611
- Consensus, degree of, 317
 - distance to, 319–320
 - types of, 318
- Consequent, 7, 123, 216
 - fuzzy, 139
- Consistency, condition, 601
 - principle, 592
- Consonant measure, possibility distribution, 591
- Continuous valued logic, 4
- Contradiction, proof by, 131
 - logic, 121
- Contrast enhancement, image recognition, 413–415
- Control limits, statistical process control, 505–507, 517
- Control surface, 479, 484–485
- Control systems, graphical simulation, 489–492
 - industrial process, 481
 - multi-input, multi-output (MIMO), 492, 500–504
 - single-input, single-output (SISO), 492
- Control, adaptive, 518
 - conventional methods, 479, 494–496
 - disturbance-rejection, 478, 493, 500, 502, 518
 - economic examples, 477
 - feedback, 477–78, 492
 - nonadaptive, 480
 - regulatory, 477–478
 - set-point tracking, 478, 493, 496, 500–503, 518
 - stability and optimality, 480
- Convex hull, fuzzy set, 279–281
- Convexity, membership functions, 91
- Core, membership function, 91
- Covariance matrix, 222
- Credibility, 246
 - uncertainty, 274–275
- Crossover, genetic algorithms, 193–194, 198
- Decision, optimal 321–322
- Deduction, 246
 - fuzzy rule-based, 148
 - shallow knowledge, 149
- Deductive, logic, 9–10
 - reasoning, 74, 126
- Defuzzification, 91, 258–260
 - Center, of largest area, 108
 - of sums, 107
 - average, 215, 229
 - centroid, 283, 510
 - correlation-minimum, 503
 - first (or last) maxima, 108
 - fuzzy relations, 98
 - maximum membership principle, 100, 389–390, 484
 - mean-max membership, 102
 - measure criteria, 113
 - nearest neighbor classifier, 389–390
 - properties, 97
 - scalars, 99
 - weighted average, 101, 276
- λ -cut sets, 96, 98–99
- Degree of, attainment, 233
 - confirmation, possibility distributions, 598–599
- Delta functions, 217, 221
- DeMorgan's principles, 30–32, 36, 124
 - relations, 57, 59
- Dempster's rule, evidence theory, 579
- Difference, classical, 27, 124
- Dilations, linguistic hedges, 145–146
- Disjunction, axiomatic, 611
- Dissonance, evidence theory, 583
- Distance measure, axiomatic, 612
- Doubly-stochastic matrix, 279, 288, 290, 300
- Dual problem, linear regression, 566
- El Farol problem, 9–10
- Entropy minimization, inductive reasoning, 200, 202
- Equality intervals, system identification, 550
- Equivalence, relations, graphical analog, 70
 - properties of, 66, 69
 - classification, 363–369
 - axiomatic, 612
 - logical, 128–129
- Error, surface, 224

- Euclidean distance, 371
 - norm, 373, 384
- Evidence theory, 4, 578
- Excluded middle axiom, 36, 134–135, 142, 301, 380
 - applications of, 602
 - axiomatic basis, 610, 613
 - counterexamples, 163
 - evidence theory, 575
 - principle of, 163
 - probability measure, 582
 - relations, 57, 59
- Exclusive-nor, 129–130
- Exclusive-or, 27, 129–130
- Extension principle, 75, 162, 445, 515
 - definition of, 448

- Falsity set, 121
- Feature analysis, pattern recognition, 393
- Fitness-function, genetic algorithms, 194
- Forgetting factor, automated methods of rule
 - generation, 222
- Frobenius-norm, error analysis, 294–303
- Fuzzification, 94
- Fuzziness, 13
 - average 317
- Fuzzy, associative, mapping, 254–255, 264, 283
 - mapping, input-output, 446
 - matrices, conditioning, 277, 291
 - measure theory, 4, 573
 - number, definition, 93
 - triangular, 515
 - regression analysis, 556
 - relational equations, 250, 252
 - system identification, 550
 - relations, cardinality 59
 - operations and properties, 58–59
 - sets, convex, 98
 - noninteractive, 40–42
 - notation, 34
 - orthogonal, 334
 - system(s), 8, 121, 143, 148, 162, 275
 - model, 227, 243
 - transfer relation, 253
 - initial, 235
 - vectors, 44, 311
 - definition of, and complement, 395
 - product, inner and outer, 395–397
 - similarity, 397
 - weighting parameter, classification, 382

- Generalized information theory, 602
- Genetic algorithms, control, 518
- Gradient method, rule generation, 212, 215, 223
- Grammar, formal, 422, 424
 - language, 423
 - syntactic recognition, 421
 - syntax analysis, 421
- Graphical inference, 258
- Grid-point function sampling, 281

- Height, membership functions, 93
- Hidden layers, neural networks, 184

- Identity-norm, error analysis, 294–303
- IF-THEN rules, 249
 - control, 480
- Ignorance, 5, 13, 246–247
 - monotone measures, 574
 - total, 586, 601
- Implication, axiomatic, 612
 - Brouwerian, 142
 - classical, 124, 141, 322
 - correlation-product, 152
 - Lukasiewicz, 142
 - Mamdani, 151
 - other techniques, 141–142, 215
- Imprecision, 2, 13
- Inclusive-or, 282
- Independence, axiom of, 310, 349
- Indeterminacy, cognitive mapping, 545
- Induction, 10, 246
 - deep knowledge, 149
 - laws of, 201–202
- Inclusive-or, logical connectives, 122
- Inequality intervals, system identification, 550
- Inference, deductive, 132, 151
 - defuzzification, 152–153
 - centroidal, 154
 - weighted average, 156–157
 - fuzzy, 140
 - graphical methods, 151–161
 - implication, max-min, 151
 - max-product, 154
 - max-min, cognitive mapping, 547
 - Sugeno, 155–156, 215
 - Tsukamoto, 156–158
- Information, distinction between fuzzy and
 - chance, 16
 - fuzzy, 333
 - imperfect, 329
 - perfect and imperfect, 329
 - uncertainty in, 5, 12
 - value of, decision making, 329, 348–349
- Input-output data, 216
- Intensification, linguistic hedges, 145–146
 - image recognition, 414–415
- Interpolative reasoning, 249
 - control, 479
- Intersection, classical, 27
 - standard fuzzy operation, 35
- Intersection-rule-configuration (IRC), 275, 282, 285, 295, 302

- Intervals, types of, possibility distributions, 592–598
- Intuitionism, logic, 162
- Isomorphism, fuzzy systems, 7
- Iterative optimization, classification, 374, 382
- Knowledge, conscious, 242–243, 250
 information, 246–248
 subconscious, 242, 250
- λ -cuts, 365–369, 515–517
 optimization, 539
- Language, fuzzy (see also grammar)
- Laplace transforms, control, 494–496
- Learning, shallow, 246
 neural networks, 185
 from examples, rule generation, 212, 214, 231, 239–240
- Least squares, 219, 221, 224
 statistical process control, 518–519
- Length, possibility distribution, 584
- Likelihood values, decision making, 328
- Linear regression, conventional 555
 fuzzy, 556, 566
- Linguistic, connectives, 144, 254
 hedges, 145–146
 precedence, 147
 natural language, 144
 rule, 125, 264–265
- Logic, Aristotelian, 1
 classical (binary, or two-valued), 120–121, 134
 constructive-or, 163
 fuzzy, 134
 linear, 163
 paradox, 134–135
 Sorites, 134
- Logical, connectives, 122–123, 135–136
 negation, 122–123, 135
 proofs, 127–128, 130–132
 propositions, 129
 empty set, 135
 -or, 27, 122
 universal set, 135
- Logics, multivalued, 162
- Mamdani inference, 509, 514
- Mapping, function-theoretic, 32
 set-theoretic, 32
- Matrix norm, classification, 383
- Maximal fuzziness, decision making, 317–318
- Maximum, fuzziness, 19
 membership, criterion of, 394
 operator, 33, 42
- Measure, decision, 321–322
- Measurement data, statistical process control, 504
 fuzzy, 507–510
 traditional, 504–507
- Membership function, definition of, 15–16
 generation, genetic algorithms, 197
 inductive reasoning, 202
 crossover points, 93
 generalized, 94
 interval-valued, 94
 notation, 34
 ordinary, 94
 properties of, 15, 91
 type-2, 94
 dead band, 504
 genetic algorithms, 193–200
 inductive reasoning, 200–206
 inference, 180–181
 intuition, 179–180
 neural networks, 182–193
 non-negative, 278, 288, 298–299, 298
 ordering, 181–183
 orthogonal, 514
 overlapping, 278, 288–289, 297–299
 prototypical value, 277, 279, 288, 298, 300
 regression analysis, 556, 561
 smoothness, 156
 triangular, 214, 231, 276, 286, 296
- Membership, classical (binary) sets, 13–14
 fuzzy sets, 14
 unshared, 387–388
- MIN and MAX, extended operations, 315
- Minimum, operator, 33, 42
- Model-free methods, 246
- Models, abstraction 8–9
- Modified learning from examples, rule generation, 212, 215, 234
- Modus ponens*, deduction, 126, 251
- Modus tollens*, deduction, 127
- Monotone measures, 4, 573
 fuzzy sets, difference between, 573, 575
- Multifeature, pattern recognition, 400
- Multinomial distribution, statistical process control, 512, 519
- Multiobjective, decision making, 320
- Multivalued logic, 4
- Mutation, genetic algorithms, 193–194
 rate of, 194
- Mutual exclusivity, 122
- Natural language, 13, 90, 143
 interpretations, cognitive, 143–144
 linguistic variable, 143, 148, 162
- Nearest center, pattern recognition, 401
- Nearest neighbor, 228, 236
 pattern recognition, 400

- Necessity, monotone measures, 583–584
- Nested sets, evidence theory, 583
- Nesting diagram, possibility distribution, 585
- Neural networks, 246
 - back-propagation, 185
 - inputs and outputs, 183
 - threshold element, 183–184
 - training, 188, 192
 - weights, 183
- Newton's second law, 246, 248
- Newtonian mechanics, 3
- Noninteractive fuzzy sets, 12, 253–254, 265, 401
- Nonlinear, simulation, 251, 265
 - systems, 249, 254
- Nonrandom errors, 11
- Nonspecificity, 13
 - possibility distribution, 593–594
- Nontransitive ranking, 315–316
- Normal, membership function, 91
- Null set, 26
 - evidence theory, 575
- Null solutions, system identification, 552, 554–555
- Objective function, fuzzy c-means, 382
 - hard c-means, 373
 - linear regression, 558–559, 565
 - optimization, 539
- One-norm, error analysis, 294–303
- Optimist's dilemma, 8
- Optimization, fuzzy, 537
 - one-dimensional, 538
- Ordering, crisp 312
 - fuzzy 312
 - ordinal, 321
- Orthogonal matrices, 277, 280, 291
- Pairwise function, decision making, 315–316
- Paradigm shift, fuzzy control, 476, 518
- Partitioning, input and output, 253–258
 - classification, 371–372
- p-chart, statistical process control, 510–513
 - fuzzy, statistical process control, 513–516
- Perfect evidence, possibility distribution, 586, 592
- Plausibility, monotone measures, 574–578, 586
- Point set, classification, 371
- Possibility, theory, 4
 - distribution, as a fuzzy set, 590–592
 - decision making, 349
 - definition of, 584
 - monotone measures, 574, 583
- Power set, 19, 33, 575
 - fuzzy, 36
- Precision, 1, 245
- Preference, degree of, 319–320
 - importance, 322
- Premise, 216
- Principle of incompatibility, 245
- Probability, posterior, 328
 - prior, 326
 - densify functions, 93, 577, 579
 - measure, belief as a lower bound, 586
 - evidence theory, 582
 - plausibility as an upper bound, 586
 - of a fuzzy event, 333
 - theory, 3, 10, 309
 - history of, 4
 - calculus of, 6
 - evidence theory, 590
 - monotone measures, 574
- Proposition, compound, 122–123, 125
 - simple, 121
 - fuzzy logic, 135
- Propositional calculus, 122, 138
- Pseudo-goal, optimization, 529
- Quantum mechanics, 248
- Quotient set, classification, 364
- Random, errors and processes, 10–11
- Rational man, concept of, 162
- R-chart, statistical process control, 506
- Reasoning, approximate, 137–141
 - classical, 127
 - deep and shallow, 8
 - imprecise, 120
 - inductive, 8
 - inverse, 140
- Recursive least squares, rule generation, 212, 215, 220, 240–242
- Redistribution factor, possibility distributions, 595
- Reflexivity, tolerance relations, 66
- Regression vector, 221, 218
- Relation(s), binary, 53–54
 - complete, 54, 56, 59
 - constrained, 55
 - equivalence, 66, 69
 - function-theoretic operations, 56
 - fuzzy 365
 - fuzzy preference, 318
 - identity, 55
 - matrix, 54
 - null, 56, 59
 - properties, 56–57
 - reciprocal, 182, 317
 - similarity, 52, 66–67
 - strength of, 54, 70
 - tolerance, 67, 68, 365
 - unconstrained, 54
 - universal, 55

- Relative error, 294, 303
- Relativity, function, 315
 - values, matrix of, 316 (also comparison matrix)
- Reproduction, genetic algorithms, 193–194, 197
- Risk averse, 309
- Robust systems, 8
- Rule generation, methods, 212
- Rule-base, reduction, 216, 221, 224, 237, 249, 254, 275
 - error analysis, 293–295, 303
 - conjunctive, 282
 - disjunctive, 282
 - large and robust, 275
- Rule(s), aggregation, conjunctive, 150, 252
 - disjunctive, 150–152, 253
 - Tsukamoto, 157
 - fuzzy IF-THEN, 136, 138, 148
 - scalability, 276
 - single-input, single-output (SISO), 282–283
 - statistical process control, 508
- Sagittal diagram, 54–55, 57, 88
- Set membership, 13
- Sets, as points, 17–18
 - classical 24
- Shoulder, membership function, 156
- Sigmoid function, neural networks, 184–185, 189–190
- Similarity, classification, 391
 - relations, cosine amplitude, 72
 - max-min, 74
- Simplex method, linear regression, 562–565
- Single-sample identification, pattern recognition, 394
- Singleton, crisp, 166
 - fuzzy, 80
 - examples, 584, 586, 589, 593, 595, 601–602
- Singular value decomposition, 275–281, 297
- Singular values, 276–281, 286–287, 292, 297
- Smoothing, image recognition, 413–416, 419–420
- Standard fuzzy, intersection, 594
 - operations, 42, 135, 144
- Stationary processes, random error, 10–11
- Statistical, mechanics, 3
- Statistical process control (SPC), 504
- Statistics, 11
- Strong-truth functionality, 603, 610, 613
- Subjective probabilities, 4
- Sugeno output, 276
- Support, membership function, 91
- Symmetry, tolerance relation, 66
- Synthetic evaluation, fuzzy 310–312
- System identification, 550
- Tautologies, 126
- Taylor's approximation, control 495
- t-conorm, 42, 276
- Tie-breaking, multiobjective decisions, 323
- t-norm, 42, 276
 - product, 215
 - possibility theory, 594
- Transitivity, equivalence relations, 67
- Truth, set, 121
 - table, 127–128, 130, 132
 - value, 121, 124
 - axiomatic, 611
 - fuzzy, 135
- Uncertainty, 246–247
 - general, 1
 - linguistic, 11
- Union rule configuration (URC), 283–284, 302
- Union rule matrix (URM), 283–284, 302
- Union, classical, 27
 - standard fuzzy operation, 35
- Universal approximator, 264
 - control 480
 - fuzzy systems, 6–7
- Universe of discourse, 24–25, 121, 255, 611
 - Continuous and discrete, 26
 - monotone measures, 574
- Utility, matrix, 327
 - maximum expected 310, 327, 330
 - rational theory, 309
 - values 326
- Vagueness, 3, 5, 13, 143
- Value set, 33
- Venn diagrams, 27–31, 124–126, 129–130
 - extended, 36–37
- Weighted recursive least squares, 222
- Weighting factor, modified learning from
 - examples, 235–236
- Whole set, 26
- x-bar chart, statistical process control, 505
- x-bar-R chart, fuzzy, statistical process control, 511
 - statistical process control, 507, 510, 518