
Index

- Absorption 108
- Acoustic startle response 76
- Acute phase interventions 221
- Acute stress disorder (ASD) 109–10, 187–94
 - cognitive behavioral therapy 200–1, 221–2
 - diagnosis 191–2, 194
 - mechanisms 189–91
- Adaptation to trauma 18–19
- Adversity stress model 15–28
 - emergency of PTSD in the DSM 219
 - epidemiological studies 16–19
 - risk factors for PTSD 19, 20–7, 39–58
- Age-regression, hypnotic 176, 177–8
- Alien abduction studies 108, 141, 174
- Amnesia
 - diagnostic criteria for PTSD 8–9
 - dissociative identity disorder (DID) 168, 169
 - neodissociation theory 167
 - suggestion-induced 167
- Antidepressants 222, 236
- Anxiety, as risk factor for PTSD 20–1
- Anxiety disorder
 - PTSD as 116–18, 119
 - risk factors for PTSD 21
- Anxiety management techniques 199
- Anxiety sensitivity 106–7, 114
- Anxiety Sensitivity Index (ASI) 107
- Assault
 - acute stress disorder 189
 - dose-response model 18
 - multiple events 18, 19, 25
 - psychophysiological reactivity 25
 - risk factors for PTSD 24, 25, 26–7
 - sexual *see* Sexual assault and abuse
- Assessment 63–77
 - future research 76–7
 - instruments for 71–6, 77, 91, 92, 93
 - malingered 74, 76, 85–95, 114
 - of symptoms 65–7, 69–71, 72–6, 77
 - globalization of trauma 240–1
 - malingered 74, 76, 88–95, 114
 - psychophysiological reactivity 75, 91–2, 93, 101–20
 - of traumatic events 63, 64–5, 68–9, 71–2, 77, 86–8
 - of treatment, compensation and 70
- Assumptions, shattering of 117–18
- Asylum-seekers 240–1, 242
- Attributed memory 136–7
- Attributions 21–4, 27, 28, 189–90
- Auto-suggestion, malingering memory 136
- Belated memory 136–7, 141
- Beliefs 21–4, 27, 28, 189–90
- Bereavement 117–18
- Beta blockers 191
- Bibliotherapy 178
- Bioinformational theory of emotion 103
- Biological factors 24–6
 - acute stress disorder 189, 190–1
 - brain anatomy 25–6, 139, 140, 220
 - diagnostic criteria for PTSD 10–11
 - modern model 55, 57
 - traumatic memory 139–40, 141, 149
 - World War I literature 40–1
 - World War II literature 44–5
- Blood pressure measurement 102, 103
- Brain activity 190–1
- Brain anatomy 25–6, 139, 140, 220
- CAPS (Clinician Administered PTSD Scale) 73, 91
- Car accidents *see* Motor vehicle accidents
- Categorical model of PTSD 115–16
- Chronic conditions, treatment 222–4
- Clinician Administered PTSD Scale (CAPS) 73, 91
- Clinicians, and malingering 94
- Cognition
 - acute stress disorder 189–90, 193–4
 - psychophysiological reactivity 107, 111–12
 - traumatic memory 139, 150
 - traumatizing event appraisal 5, 22–3, 27, 28, 193–4
 - see also* Intelligence
- Cognitive avoidance 107
- Cognitive behavioral therapy (CBT) 199–202, 221–3, 226–7
- Cognitive impairments 155
- Cognitive restructuring 199, 226–7
- Combat trauma
 - assessment measures 74
 - biological risk factors for PTSD 24, 26

- Combat trauma (*cont.*)
 epidemiological studies 17
 false claims of 69, 86
 medicalization 241, 242
 pension program dangers 225
 predisposition (pre-event traits) 20, 21, 39–58
 psychological debriefing 195, 197
 psychophysiological reactivity 104–6, 110, 112, 114, 115, 116, 117, 118
 traumatic memory 69, 128–30, 131, 134, 138–9
 treatment 217–19, 221
 see also Gulf War (1991); Vietnam War; World War I; World War II
- Community mental health clinics 71
- Compensation seeking
 Gulf War Syndrome 130
 healing expectancies 225
 historical antecedents of PTSD 130, 214
 medicalization of normal reactions 235
 PTSD assessment 67, 69–70, 74, 77, 85, 86, 88–90, 92–4
- Conceptual bracket creep 3–5, 64, 87
- Conditional risk of PTSD 17
- Conditioning models 103, 116–17, 191
- Control
 psychophysiological reactivity 107
 risk factors for PTSD 23–4
- Coping styles 20–1, 23
- Cortisol levels 25, 139, 190
- Critical Incident Stress Debriefing (CISD) 195, 196–8
- Critical Incident Stress Management (CISM) 195, 199
- Cultural issues *see* Sociocultural issues
- Daily patient ratings 75–6
- Debriefing 194–9, 202, 224
- Delayed onset PTSD 9–10
- Depression 238
- Diagnostic criteria, acute stress disorder 188–9, 191
- Diagnostic criteria, PTSD 1–11
 assessment 64–77
 malingering 74, 76, 86, 87–95
 psychophysiological reactivity 75, 91–2, 93, 101, 103–20
 historical antecedents of PTSD 132
 and risk factors for PTSD 26–7
 symptomatic *see* Symptomatic criteria (Criteria B–F), PTSD
 traumatic stressor 6–10, 64–5, 68–9, 71–2, 77, 87–8
 zones of rarity 127–8, 138
- Diagnostic and Statistical Manual of Mental Disorders see* DSM; DSM-III; DSM-IV
- Dimensional model of PTSD 115–16
- Disability compensation *see* Compensation seeking
- Dissociation 9, 150–1, 163–79
 acute stress disorder 109–10, 189, 192–4
 adaptive 194
 classical theory of 165
 hidden observer phenomenon 166–8, 176
 memory fragmentation 151, 169–70
 neodissociation theory 166–7
 peritraumatic 3, 65, 109–11, 151, 192–4
 psychophysiological reactivity 109–11
 “risky” therapies 175–8
 suggestibility 170–9
- Dissociative identity disorder (DID) 163–4, 165
 amnesia for life events 168, 169
 hidden observer phenomenon 167, 176
 sociocognitive model 171–5, 178–9
 therapeutic hypnosis 176
- Dose-response model 5–6, 17–18, 54
- Dreams, in PTSD diagnosis 2, 6, 7
- Drug therapy 191, 222, 236
- DSM
 emergence of PTSD in 219–20
 psychiatric categories in 236
 PTSD definition 2–5, 15–16, 64–5, 87, 119–20
- DSM-III
 emergence of PTSD 219
 and traumatic memory 127–8, 131, 138
- DSM-IV criteria
 acute stress disorder 188–9, 191
 PTSD 1–11
 assessment 64–77, 90–5, 101–20
 historical antecedents 132
 malingering 87–8, 90–5
 symptomatic *see* Symptomatic criteria (Criteria B–F), PTSD
 traumatic stressor 2–6, 64–5, 68–9, 71–2, 77, 87–8
- Dual representation theory 149–50, 159
- Early interventions 191, 194–203, 221, 224
- Emotion
 bioinformational theory 103
 in non-Western worlds 238–9
- Emotional numbing 2, 109
- Emotional reactions
 diagnostic criteria for PTSD 2, 4–5, 10
 medicalizing normal 4–5, 10, 57–8, 68, 234–5
 psychophysiological reactivity 101–20
 risk factors for PTSD 22

- Emotionality 21, 27, 47
- Epidemiological studies
and litigation 67, 88
PTSD symptoms 16–19, 63, 67, 88
trauma exposure 16–19, 63, 88
- Ethnicity, Vietnam veterans 50
- Ethnography, trauma work 242
- Expectancies 224–5
- Exposure-based treatments 199–200, 222–3, 226
- Eye Movement Desensitization and
Reprocessing (EMDR) 223
- Facial electromyogram (EMG) measurement
102, 104–6, 112–13
- Factitious memory 69, 134–5, 141
see also False memory formation
- False claims *see* Malingering
- False memory formation
memory fragmentation 170
“risky” therapies 175–8
suggestibility 170–9
see also Factitious memory
- Fear conditioning model 103, 116–17, 191
- Fear structures, memory fragmentation 159
- Fictitious (malingering) memory 135–6
- Financial compensation seeking
Gulf War Syndrome 130
healing expectancies 225
and historical antecedents of PTSD 130,
214
medicalization of normal reactions 235
and PTSD assessment 67, 69–70, 74, 77,
85, 86, 88–90, 92–4
- Flashbacks PTSD 6, 7–8, 16
- Fragmentation, memory 147–59
acute stress disorder 189
clinical implications 159
dissociation 151, 169–70
metamemory studies 155–8
narrative studies 153–5, 159
network-based theories 148–51, 159,
169–70
operationalization 153, 158
qualitative–quantitative nature 148, 151–8,
159
- “Funnel” metaphor of assessment 77
- Genetic risk factors 24
World War I literature 40–1
World War II literature 45
- Globalization
of trauma 239–42
Western psychiatry 237–8, 239–40, 243
- Gulf War (1991)
differential diagnosis of PTSD 66
dose-response model 17
Gulf War Syndrome 130
personality traits 20
PTSD assessment measures 74
traumatic memory 69, 134
- Healing expectancies 224–5
PIE strategy 218–19, 221
- Heart rate (HR)
acute stress disorder 190
measurement 102, 104–6, 112–13
- Hidden observer phenomenon 166–8, 176
- Hippocampal volume 26, 139, 140, 220
- Historical antecedents of PTSD 40–53,
127–42, 214–19
- Hormones
acute stress disorder 190
risk factors for PTSD 24–5
traumatic memory 139
- Hypnosis
dissociation 165, 166
false memory formation 176–8
historical antecedents of PTSD 215
therapeutic 176–8, 201
- Hypnotic amnesia 167
- Hypothalamic–pituitary–adrenal axis (HPA)
25, 139
- Hysteria 136, 214–16
- Iatrogenesis 236–7
see also Suggestibility
- Iconic memory 133–4, 136–8, 142
- Imagination inflation 175
- Incidence of PTSD 17, 88
- Inferential view, metamemory 157
- Instrumental reasoning 236
- Intellectualization 111
- Intelligence
memory fragmentation 155
risk factors for PTSD 21, 55–6
Vietnam War 51, 55–6
World War I literature 41–2
World War II literature 45, 50
- Interviews, PTSD assessment 71, 73, 77, 91
- Intrusive recollections 2, 6, 7
- Korean War 9, 104–6
- Latent structure of PTSD 66
- Lifetime prevalence
PTSD 16–17
traumatic event exposure 16, 63
- Litigation
and assessment of PTSD 67, 70, 77, 85,
88–90, 91, 92–4

- Litigation (*cont.*)
 attorney coaching 89, 91
 healing expectancies 225
 historical antecedents of PTSD 214–15
 medicalization of normal reactions 235
- Locus of Control (LOC) 23–4
- Malingering, assessment 74, 76, 85–95, 114
 psychophysiological reactivity 91–2, 93, 114
- Malingering (fictitious) memory 135–6
- Maritime disasters
 psychological debriefing 197
 PTSD assessment 88–9, 90, 93–4
- Medical journals, malingering 67, 94–5
- Medicalizing normal reactions 57–8, 68, 233–44
 diagnostic criteria for PTSD 4–5, 10
 emotion in non-Western worlds 238–9
 Eurocentrism 237–8
 globalization of trauma 239–42
 human pain and “recovery” 242–4
 iatrogenesis 236–7
- Medications 191, 222, 236
- Memory *see* Traumatic memory
- Metamemory studies 155–8
- Military combat *see* Combat trauma
- Military selection 56
 Vietnam War 50, 51
 World War I 41–2
 World War II 43–4, 45–7, 53
- Minnesota Multiphasic Personality Inventory-2
see MMPI-2
- MMPI-2 71, 74–5, 91, 93
- Motor vehicle accidents (MVAs)
 acute stress disorder 189, 200, 201
 acute stress reactions 188
 cognitive behavioral therapy 200, 201
 dose-response model 17, 18
 psychological debriefing 197, 198
 psychophysiological reactivity 116
 symptom feigning 89–90
 traumatic memory 140–1
- Multiple personality disorder *see* Dissociative identity disorder
- Multiple traumatic events 18–19, 25
- Narrative studies, memory 153–5, 159
- Natural disasters
 acute stress disorder 189
 dose-response model 18
 medicalization 235
 personality traits 20–1
 psychological debriefing 197, 198
- Nature–nurture, predisposition 40–50
- Neodissociation theory 166–7
- Network models, memory 148–51, 159, 169–70
- Neurasthenia 129, 130–1, 214–15
- Neuroimaging 76
- Neuropsychiatric assessment 76
- Neurosis 215
 traumatic 131–2, 215–16
- Neuroticism 20, 24, 114–15
- Nightmares 2, 6, 7
- Past life regression 176
- Pathologizing normal reactions *see* Medicalizing normal reactions
- Patient ratings, daily 75–6
- Perceptions of event 6, 7
- Peritraumatic dissociation 3, 65
 and acute stress disorder 192–4
 memory fragmentation 151
 psychophysiological reactivity 109–11
- Personality assessment instruments 73–5
 malingered PTSD 91, 93
- Personality disorders 21, 51, 52
see also Dissociative identity disorder
- Personality interpretation 177–8
- Personality traits
 psychophysiological reactivity 108, 114–15
 risk factors for PTSD 20–1, 24, 27, 28
 Vietnam War literature 51, 52–3
 World War I literature 41–2
 World War II literature 44, 47, 48–9, 50
- Phenomenology of PTSD 64–7
- Phylogenetic memory 139
- Physiological reactivity *see* Psychophysiological reactivity
- Physiological risk factors 24–6, 44–5
- PIE strategy 218–19, 221
- Political contexts 67–8
 predisposition models 54, 55, 56
- Positivism 215, 219–24
- Power therapies 223–4
- Predictors of PTSD 191–4
- Predisposition 39–58
 post-war unitary model of trauma 53–6
 Vietnam War 50–3
 World War I 40–3
 World War II 43–50, 57
see also Pre-event traits
- Pre-event beliefs/attributions 21–4, 27
- Pre-event traits 19–21, 27, 28, 39
see also Predisposition
- Prevalence
 and litigation 67
 PTSD 16–17, 19, 67
 traumatic event exposure 16, 19, 63

- Primary care settings 70–1
- Proximity, Immediacy, Expectancy (PIE) strategy 218–19, 221
- Psychiatric disorders, symptom overlap 66
- Psychiatric history, as PTSD risk factor 21, 41, 51, 52–3
- Psychoanalytic therapies 175–6, 223–4, 242
- Psychoanalytical theories
memory 131, 132, 147–8, 164–5, 216
and treatment 218
- Psychobiology, traumatic memory 149
- Psychogenic amnesia 8–9
- Psychological debriefing 194–9, 202, 224
- Psychometric inventories
malingered PTSD 91, 93
MMPI-2 71, 74–5, 91, 93
self-report 72–3, 77, 91, 92
- Psychophysiological reactivity
acute stress disorder 190–1
assessing PTSD 75, 91–2, 93, 101–20
diagnostic criteria for PTSD 6, 8, 101, 103–20
explaining lack of 106–20
malingered PTSD 91–2, 93, 114
risk factors for PTSD 20
traumatic memory 139–40, 141
- Psychotherapeutic techniques 223–4, 242
emerging guidelines 226–7
false memory risk 175–8
in World War II 218
- Qualitative or quantitative nature, memory 148, 151–8, 159
- Railway spine 214–15
- Rape *see* Sexual assault and abuse
- Recovered memories 163–4, 168
false memory formation 170–8
- Re-experiencing criteria for PTSD 2, 6–8, 16
psychophysiological reactivity 6, 8, 101, 103–20
- Refugees 240–1, 242
- Repression 9, 111, 164–5, 168–9
- Responsibility attribution 23–4, 190
- Risk factors 19, 20–7, 39–58, 220
and acute stress disorder 189–91, 193, 194
- Road accidents *see* motor vehicle accidents
- SCID (Structured Clinical Interview for DSM-IV) 71, 91
- Screening programmes, military *see* military selection
- Script-driven imagery studies 104–9, 113
- Self-blame 23, 190
- Self-reported symptoms
dose-response model 6
psychometric inventories 72–3, 77, 91, 92
psychophysiological reactivity 113–15, 119
- Sensitization to trauma 18–19, 25
- September 11, 2001 *see* terrorist attacks
- Sexual assault and abuse
acute stress reactions 188
cognitive behavioral therapy 200, 221
dissociation 110, 165, 173
false claims of 86
false memory formation 173–4, 175, 177, 178
healing expectancies 225
litigation 67
metamemory studies 155–6
psychophysiological reactivity 104–6, 110, 115, 116
PTSD assessment measures 74–5
recovered memories 163–4, 168, 173–4
repression 164–5, 168, 169
risk factors for PTSD 24, 25
“risky” therapies 175, 177, 178
trauma exposure measures 71
- Sexual harassment 4, 87
- Shattered assumptions 117–18
- Ship disasters *see* Maritime disasters
- Skin conductance (SC) 102, 104–6, 112–13
- Sociocognitive model, dissociative identity disorder 171–5, 178–9
- Sociocultural issues 67–8, 233–44
diagnostic criteria for PTSD 10, 11, 16, 87–8
dissociative identity disorder 171
emergence of PTSD in the DSM 219–20
Eurocentrism 237–8
globalization of trauma 239–42
Gulf War Syndrome 130
healing expectancies 225
iatrogenesis 236–7
predisposition models 54, 55, 56, 57
traumatic memory 129–30, 138–9, 142
Vietnam War selection 50, 51–2
see also Medicalizing normal reactions
- Stress hormones
acute stress disorder 190
risk factors for PTSD 24–5
traumatic memory 139
- Stressor criterion *see* Traumatic stressor criterion (Criterion A)
- Stressor dose model *see* Dose-response model
- Stroop task 76, 92, 140–1
- Structured Clinical Interview for DSM-IV (SCID) 71, 91
- Structured interviews 71, 73, 77, 91

- Suggestibility 57, 133
 acute phase therapies 221
 dissociation 170–9
 emergence of PTSD in the DSM 219–20
 hysteria 216
 and PIE strategy 218–19
 “risky” therapies 175–8
- Suggestion-induced amnesia 167
- Symptomatic criteria, acute stress disorder 188–9, 191
- Symptomatic criteria (Criteria B–F), PTSD 2, 6–10, 16
 assessment 65–7, 69–71, 72–6, 77, 101, 103–20
 differential diagnosis 66
 emotional numbing 109
 historical antecedents of PTSD 132
 latent structure of PTSD 66
 malingering 74, 76
 re-experiencing cluster (Criteria B) 2, 6–8, 16, 101, 103–20
see also Traumatic memory
- Symptoms
 assessment 65–7, 69–71, 72–6, 77
 globalization of trauma 240–1
 malingering 74, 76, 88–95, 114
 psychophysiological reactivity 75, 91–2, 93, 101–20
 historical antecedents of PTSD 127–42
- Syndromic validity of PTSD 1, 128–32, 234
- Terrorist attacks
 acute stress reactions 188
 dose-response model 17
 early interventions 196, 202
 pathologizing normal reactions 68
 psychological debriefing 196
 traumatic stressor criterion 4, 64
- Tort litigation *see* Litigation
- Torture victims 18, 22–3, 240
- Toxic events (TE) *see* Traumatic events
- Traffic accidents *see* Motor vehicle accidents
- “Trauma”, globalization 239–42
- Trauma Symptom Inventory (TSI) 73, 91
- Traumatic events
 appraising meaning of 5, 21–4
 assessment of 63, 64–5, 68–9, 71–2, 77, 86–8
 epidemiological studies 16–19, 88
 unitary concept 57–8
- Traumatic hysteria 136
- Traumatic memory
 acute stress disorder 189, 190, 191
 belated 136–7, 141
 biological research 139–40, 141
 diagnostic criteria for PTSD 127–8
 flashbacks 8
 historical antecedents 132
 nightmares 7
 psychogenic amnesia 8–9
 psychophysiological reactivity 8
 trauma exposure assessment 68–9
 dissociation 151, 163–79
 dissociative identity disorder 163–4, 165, 167, 168, 169, 171–5
 epistemic culture of PTSD 138–9, 142
 factitious 69, 134–5, 141
 formation of false 170–9
 fragmentation 147–59, 169–70, 189
 historical antecedents of PTSD 127–42
 iconic 133–4, 136–8, 142
 malleability 138–41, 142, 171–9
 repression 9, 111, 164–5, 168–9
 varieties 132–7
- Traumatic neurasthenia 129, 130–1, 214–15
- Traumatic neurosis 131–2, 215–16
- Traumatic stressor criterion (Criterion A) 2–6
 assessment 68–9, 71–2, 77, 87–8
 cognitive mediation 5
 defining trauma 2–5, 64–5, 87
 dose-response model 5–6
 malingering 87–8
- Treatment
 acute phase 221
 chronic conditions 222–4
 cognitive behavioral therapy 199–202, 221–3, 226–7
 early interventions 191, 194–203, 221, 224
 emerging guidelines 224–7
 exposure-based 199–200, 222–3, 226
 false memory risk 175–8
 financial compensation and 70
 globalization of trauma 242
 healing expectancies 218–19, 221, 224–5
 human pain and “recovery” 242–4
 implications of risk factors 26–7
 positivistic paradigm 220–4
 psychological debriefing 194–9, 202, 224
 short-term coping 225
 subacute phase interventions 221–2
- Vietnam War
 biological risk factors 24, 26
 and delayed onset PTSD 9, 10
 disability claims 67, 69–70
 epidemiological studies 17
 fake traumatic reports 69, 86
 flashbacks 8
 peritraumatic dissociation 110
 predisposition (pre-event traits) 20, 21, 50–3, 55–6

- psychophysiological reactivity 104–6, 110, 114, 116
- PTSD assessment 67, 69–70, 74
- PTSD diagnostic criteria 1, 2, 8, 9, 10
- screening programmes 50, 51
- Violent assault *see* Assault

- Western mental health 237–40, 242, 243
- World War I
 - flashbacks 7–8, 16
 - predisposition 40–3, 47–8
 - psychological debriefing 195
 - traumatic memory 129, 131, 135, 136–7
 - treatment of emotional casualties 217–18
- World War II
 - delayed onset PTSD 9
 - epidemiological studies 17
 - flashbacks 7–8
 - predisposition 43–50, 57
 - psychophysiological reactivity 104–6
 - traumatic memory 129, 131, 137
 - treatment of emotional casualties 218

- Zones of rarity 127–8, 138

