


# Index

**Note to the reader:** Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

## Numbers

- 2-node camera (Camera and Aim), 59
  - for camera shake, 68
  - dolly-and-pan shot with, **60–62**
- 3D models
  - 2-dimensional artwork for, 230, 231
  - hand-drawn texture integration with, **37–48**
- 3-node camera (Camera, Aim and Up), 60
- 16:9 aspect ratio, 66

## A

- accessibility shaders, 95
- Aim node, 59
  - pan with TranslateX, 72–74
  - tilt with TranslateY, 74–76
- Akira*, 37
- ambient occlusion, 95, **95–102**
  - baking out, 95–96
  - for droid, 96–101, 97, 98, 99
    - compositing passes, **101–102**, 102
    - separate pass, 96
- ambient occlusion shaders, 86
- angle of incidence, 90, 90
- angle of view, 63
- Animate menu
  - Motion Paths → Attach to Motion Path, 167
  - Skeleton → IK Spline Handle Tool , 181
- animation
  - areas in character model, 232
  - control for offset and speed, 146–147
  - keyframed, 57
  - personality in, 166
  - for shark, **166–171**, 167, 168, 170
  - of skirt, **13–14**
  - visibility of controls, 139–140, 140
- animationCurve nodes, names for, 132

- antenna. *See* car antenna
- arcExp.txt file, 223–225
- art directors, 114
- aspect ratio of 16:9, 66
- assembly pipeline, 127–128
- attachLocators.mel script, 8
- Attribute Editor
  - Camera Attributes section for focal length, 63
  - changing background color, 47
  - with custom attributes, 219
  - to delete antenna collisions with car, 186
  - for hair ConstraintShape node, 154
  - IK Solver Attributes, Advanced Twist Controls, 168
  - Primary Visibility, 103
- attributes. *See also specific names of attributes*
  - expressions to create new, 190
- automatic mapping, 38

## B

- Being There*, 63
- Bend Rate, of cloth, 15
- Bend Resistance, of cloth, 15, 15
- binding cloth garments together, Cloth constraint for, 21, 22
- blend attribute, 145
- Blend Colors shader node, 45
- blocking, keyframes for, 75
- bone edge loops, 234, 234
- boom, 58
- boom shot, 58
- bounciness of cord, 176
- box, as collision object, 14
- bracelet garment, 27–30
  - animation, **30–33**
    - constraining beads, 32–33
    - deforming, 31–32
    - observing motion, 30–31
    - simulating and relaxing, 29–30



bracelet\_animated.ma file, 30  
 bracelet\_sim.ma file, 27  
 breaking rope effect, 158–162  
 brewerySKY\_adjust.hdr file, 90  
 buildClothConstraint.mb file, 21  
 buildCollisionConstraint.mb file, 23  
 buildFieldConstraint.mb file, 22  
 buildMeshConstraint.mb file, 21  
 buildTransformConstraint.mb file, 20  
 bush, impressionistic-style, 54, 54  
 button constraint, for cloth motion, 23–24

## C

cache  
   saving, 26  
   solver scale change and, 10  
   truncating, 14  
 Camera, Aim and Up (three-node camera), 60  
 Camera and Aim (two-node camera), 59  
   for camera shake, 68  
   dolly-and-pan shot with, 60–62  
 camera movement, 57–83  
   abrupt start and stop, 62  
   advanced, 67–77  
     handheld camera, 71–77  
     shake, 67–71  
   capturing with Maya Live, 77–82, 78  
   CG cinematography, 57–59  
   dolly-and-pan shot with two-node camera, 60–62  
   dolly zoom, 65–66  
 cameras in Maya  
   lenses and focal lengths, 63–64  
   types, 59–60  
 camShake\_end.mb file, 71  
 camShake\_start.mb file, 67  
 car antenna, 180–190  
   dynamic curves and, 183–187  
   expressions for simple animation, 187–190  
   using soft bodies, 180–183  
 car suspension with hair dynamics, 190–193  
 car\_model.ma file, 183  
 car\_soft\_bodies\_finished.ma file, 182  
 car\_soft\_bodies\_setup.ma file, 181  
 CD in book  
   arcExp.txt, 223–225  
   bracelet\_animated.ma, 30  
   bracelet\_sim.ma, 27  
   brewerySKY\_adjust.hdr, 90  
   buildClothConstraint.mb, 21  
   buildCollisionConstraint.mb, 23

CD in book, *continued*  
   buildFieldConstraint.mb, 22  
   buildMeshConstraint.mb, 21  
   buildTransformConstraint.mb, 20  
   camShake\_end.mb, 71  
   camShake\_start.mb, 67  
   car\_model.ma, 183  
   car\_soft\_bodies\_finished.ma, 182  
   car\_soft\_bodies\_setup.ma, 181  
   clothModel.mb, 3  
   dollyPan\_start.mb, 61  
   dollyZoom\_start.mb, 65  
   dupeball MEL script, 147  
   garmentSettle.mov, 12  
   Hair\_Walk\_Start.mb, 162  
   handHeld\_end.mb, 77  
   handHeld\_mid.mb, 74  
   handHeldPan001, 78  
   handHeld\_start.mb, 72  
   hicon\_shperical.hdr, 111  
   katana.mb, 110  
   lightDome.mb, 98  
   matchMove\_handheld.mov, 82  
   matchMove\_tracked.mb, 82  
   noisyArc.ma, 226  
   noisyArc.mov, 226  
   noisyFountain.ma, 213  
   noisyFountain.mov, 213  
   noisyGate.ma, 217  
   noisyGate.mov, 217  
   Octopus\_finished.mb, 158  
   Octopus\_start.mb, 155  
   rain\_puddle\_soft\_body\_start.ma, 195  
   ring\_dust.ma, 206  
   Rope\_Finished.mb, 158  
   SecurityShip.mb, 104  
   Shark\_start.mb, 167  
   skirt\_Attach.mb, 12  
   skirt\_curves.mb, 5  
   skirt\_garmentBuilt.mb, 7  
   skirt\_jump.mb, 13  
   skirt\_jump.mov, 17  
   smattrDwn.mel script, 148  
   smattrUp.mel script, 148  
   subD\_modeling01.mb, 235  
   subD\_modeling03.mb, 238  
   subD\_modeling06.mb, 244  
   subD\_modeling14.mb, 255  
   subD\_modeling21.mb, 262  
   subD\_modeling22.mb, 262  
   TurboProp\_TXTR.mb, 115  
   UVGlue.mel, 32

- Channel box pop-up menu, adding scripts to, 149
- Channel Editor, 100
- character definition sets, 139
- character modeling, 229–266
  - back of head, 251, 251–253, 252
  - concepts, 229–234
    - animation flow, 232–233, 233
    - conceptual art, 230, 231
    - edge loops, 233, 233–234, 234
    - standards, 230
  - ear area, 253–255, 254, 255
  - eye area, 256, 256, 257, 265
  - face, 235–264, 267
    - image plane layout in 3D, 235, 236
    - orthographic projections, 239
    - polygonal cage, 239–250
    - subdivision model editing, 260–264, 261, 262, 263
    - subdivision surfaces, 258–260, 259, 260
    - wire cage, 236–238, 238
  - secondary motion of skeleton joint, 162–166, 165
    - rig setup, 162–165, 163
- character pipeline, 125–149
  - defining character for, 137–141
  - expressions and utility nodes in rigs, 144–149
  - flow control, 126–133
    - assembly pipeline, 127–128
    - import pipeline, 127
    - naming conventions, 128–131, 129
    - reference pipeline, 127
    - spaces and underscores in names, 131–133
  - golden rules of successful, 133–137
    - cleanliness, 136–137
    - consistency, 133–135
    - ease of use, 135–136
    - flexibility, 136
    - rigging curtain, 137
  - reference window, 141–144
  - structure, 125–126
- character sets, 138
  - creating, 143
- clamp node, 145, 146
- cleanliness, 136–137
- cloth, 1–33
  - affecting motion using constraints, 19–24
    - button constraint, 23–24
    - cloth constraint, 21
    - collision constraint, 23
    - field constraint, 22–23
    - mesh constraint, 20–21
    - transform constraint, 19–20
  - cloth, *continued*
    - alternative uses, 26–33
      - bracelet animation, 30–33
      - bracelet garment, 27–30
    - avoiding problems during character animation, 24
    - collision object interaction, 17–19
    - manual update, 24–25
    - saving work, 26
    - settled after simulation, 3
    - setup for general animation, 12–17
      - animating skirt, 13–14
      - cpProperty attribute update, 15–16
      - cpSolver attribute update, 15–16
      - gravity constraint, 16–17
      - meshing constraining cloth to model, 13
      - saving relaxed garment state, 12–13
      - truncating cache, 14
    - tutorial on skirt making, 3–12
      - cpProperty attribute, 11–12
      - cpSolver attribute, 9–10
      - creating garment, 6
      - garment preparation for simulation, 7–9
      - model as collision object, 9
      - panels, 3–5
      - running simulation, 12
      - work flow with, 1–3
  - cloth constraint, for cloth motion, 21
  - Cloth menu
    - Create Collision Object, 9, 14, 17
    - Create Garment, 6
    - Create Seam, 6
  - Cloth Panel icon, 6
  - cloth solver, disabling, 30
  - clothModel.mb file, 3
  - clumping, from rand function, 210, 210
  - clumpyness of particles, 216
  - collapsing polygons, 248
  - Collateral*, 71
  - collision constraint, for cloth motion, 23
  - collision environment, for cloth, 29
  - collision object, 9
    - for antenna, 186
    - attributes, 9
    - box as, 14
    - converting surface to, 17
    - to create dust, 204–205
    - for dancing MP3 player, 176–177
    - self-intersection in, 24, 24
    - sphere and particles, 196
  - Color Balance menu → Color Gain, 112
  - Color Chooser, 117

Comet, Michael, 131  
 Common menu  
   → Render Options, 108  
   → Resolution → Presets, 108  
 complex objects, layering sets of UVs, 38, 39  
 Connection Editor, 46  
   for antenna, 184, 185  
   for time and speed connections, 147  
 consistency, 133–135  
 constraints  
   affecting cloth motion, 19–24  
     button constraint, 23–24  
     cloth constraint, 21  
     collision constraint, 23  
     field constraint, 22–23  
     mesh constraint, 20–21  
     transform constraint, 19–20  
   for hair, 154  
 Constraints menu → Mesh, 13  
 copy and paste keyframes, 70  
 costume design, 114  
 cpProperty attribute, 11–12  
   and abrupt motion, 13  
   update, 15–16  
 cpSolver attribute, 9–10  
   and abrupt motion, 13  
   update, 15–16  
 crane shot, 58  
 Create menu  
   → Cameras, 59  
     → Camera, 65  
     → Camera, Aim, and Up, 72  
   → Empty Group, 82  
   → EP Curve Tool, 3  
   → EP Curve Tool , 236  
   → Measure Tools, → Arc Length Tool, 4  
   → NURBS Primitives  
     → Circle, 160  
     → Square, 4, 27  
   → Polygon Primitives , 256, 257  
   → Sets, → Quick Select Set, 139  
 Create Render Node window, math nodes, 144  
 createNode command, 145  
 current position curves, 152, 153  
 curve control, creating and attaching to DAG node, 134  
 Curves menu, → Pre Infinity, → Cycle, 168  
 curves to create panels  
   instancing to manage, 5  
   rules, 2  
 cylindrical mapping, 38, 38

## D

DAG (Directed Acyclic Graph) node, creating curve control and attaching to, 134  
 Damp attribute, for car suspension, 193  
*Dances with Wolves*, 58  
 dancing MP3 player, 171, 171–177, 177  
   collisions, 176–177  
   creating cord, 172–174  
   dynamic curves and animation, 174–176  
 daylight scenes, HDRI for, 87  
 Debevec, Paul, 89  
 deformable objects, 179  
 deformers  
   amount of bend for antenna object, 189–190  
   hair curves as, 155–158  
 delay in camera movements, 68  
 deleting  
   connection in Hypershade, 46  
   hair systems, 194  
   history, 235  
 “Demons Within,” 36  
   edge detection, 47  
 Density of cloth, 11, 15  
 depth of collision, 17  
 dirt shaders, 95  
 Display menu  
   → Current Position, 156  
   → NURBS Components → Normals, 18  
   → Polygon Components → Normals, 18  
   → Show → Show Last Hidden, 164  
 dolly a camera, 58  
 dolly-and-pan shot with two-node camera, 60–62  
 dolly zoom, creating, 65–66  
 dollyPan\_start.mb file, 61  
 dollyZoom\_start.mb file, 65  
 double linears, 144  
 dpi (dots per inch) for printout, 43  
 Drag attribute, for car suspension, 193  
*Dragon Ball Z*, 37  
 droid, ambient occlusion for, 96–101, 97, 98, 99  
   compositing passes, 101–102, 102  
 dupeball MEL script file, 147  
 duplicate names, difficulties from, 129, 129  
 Duplicate Options dialog box, 130, 130  
 dust, rolling ring to kick up, 201–207, 203, 207  
   collision detection, 204–205  
 Dutch angle, 59  
 dynamic NURBS curves, for hair, 151  
 dynamic particles, assigning surface points to, 180–181

## Dynamics menu

- Fields
  - Gravity, 17
  - Uniform, 22
- Soft/Rigid Bodies
  - Create Active Rigid Body, 195, 202
  - Create Passive Rigid Body, 202
  - Create Soft Body , 195
  - Create Springs , 196
- Solvers → Interactive Playback, 156

## E

ear area of character, 253–255, 254, 255

ease of use, 135–136

ease-out for camera, 62, 67

edge lines, 47–48

edge loops, 233, 233–234, 234

## Edit Curves menu

- Open/Close Curves, 3
- Rebuild Curve , 4, 163
- Reverse Curve Direction, 159

## Edit menu

- Copy, 70
- Delete Unused Nodes, 144
- Duplicate, 5
  - , 156, 241, 242
- Paste , 70
- Transformation Tools
  - Move Keys Tool, 76
  - Scale Keys Tool, 76

Edit NURBS menu → Reverse Surface → Direction, 18

## Edit Polygons menu

- Collapse, 239, 248
- Delete Edge, 244
- Extrude Edge, 239, 244, 256
- Extrude Face, 239, 248, 249, 250
- Merge Vertices, 239, 252
- Merge Vertices , 246, 258
- Normals → Reverse, 18
- Sculpt Polygons Tool, 239, 247, 247–248
- Selection → Select Contiguous Edges, 244, 245
- Split Polygon Tool, 239, 244, 251, 256

Emitter Options dialog box, 199

energy vortex, 214–217

Environment Ball, to map reflections, 90

Environment Textures menu, → Env Ball, 90

EP Curve tool, 3–4

experimenting, 136

Exponent setting, 106, 107

Expression Editor, 189

## expressions

- for antenna animation, 187–190
- in rigs, 144–149

## extruding

- polygons, 248–250
- for rope thickness, 160
- rows of polygons, 244–246

eye area of character, 256, 256, 257

## F

fat edge loops, 234, 234

field constraint, for cloth motion, 22–23

field of view (FOV), focal length of lens and, 63

## Fields menu

- Gravity, 212
- Radial , 214

*Fifty Percent Grey*, 86

file format, floating-point, 86, 118, 120

## File menu

- Exit, 26
- Import, 115
- New Scene, 115
- Open Script, 9
- Source Script, 32

Final Gathering, 101, 109

and direction of plane, 120

for directional lighting, 118

vs. Global Illumination, 103

sample settings, 110

for soft light, 102

*Finding Nemo*, 35

fish-eye lens, 63

Flat Tangents icon, 74

flexibility, 136

flexible objects, 179–207

car antenna, 180–190

dynamic curves and, 183–187

expressions for simple animation, 187–190

using soft bodies, 180–183

car suspension with hair dynamics, 190–193

raining cats and dogs, 194–201

particles as rain, 198–199

splashes, 200–201

springs for ripples, 196–198

rolling ring to kick up dust, 201–207, 203, 207

collision detection, 204–205

floating-point file format

flexibility from, 120

for HDR images, 86, 118

flow control in pipeline, 126–133  
 assembly pipeline, 127–128  
 import pipeline, 127  
 naming conventions, 128–131, 129  
 reference pipeline, 127  
 spaces and underscores in names, 131–133  
 Fluid Effects menu, 157  
 focal lengths, 63–64  
 follicle node for car suspension, 191  
 placement, 192  
 frame sampling, 15  
 Fresnel Effect, 89–93, 122  
 and matte surfaces, 92  
 reflection-only lighting, 92–93

## G

garmentSettle.mov file, 12  
 Global Illumination, 102–108  
 meaning of, 103  
 practical, 104–108  
 Glue Strength attribute, for hair, 154, 161  
 goalweightPP for particle, 182  
*Goodfellas*, 65  
 Graph Editor, 62  
 animation curve, 168, 169  
 copy and paste keyframes in, 70  
 gravity constraint, 16–17  
 guide curve, 3–4  
 guide locators, 7–8  
 constraining skirt to, 8–9

## H

Hair menu  
 → Create Constraint, 154  
 → Create Hair, 192  
 → Create Hair □, 191  
 → Delete Entire Hair System, 194  
 → Display, 152  
 → Current Position, 154, 164, 170  
 → Make Collide, 176, 186  
 → Make Selected Curves Dynamic, 159, 169, 174, 183  
 hair systems, 151–177  
 basics, 152–154  
 constraints, 154  
 interacting with hair simulation, 153–154  
 passive hair curves, 153  
 breaking rope effect, 158–162

hair systems, *continued*  
 dancing MP3 player, 171, 171–177, 177  
 collisions, 176–177  
 creating cord, 172–174  
 dynamic curves and animation, 174–176  
 deleting, 194  
 to drive skeleton joint secondary motion, 162–166, 165  
 rig setup, 162–165, 163  
 hair curves as deformers, 155–158  
 shark animation, 166–171, 167, 168, 170  
 Hair\_Walk\_Start.mb file, 162  
 hand-drawn textures  
 integrating with 3D models, 37–48  
 creating and applying, 37–44  
 edge lines, 47–48  
 shader creation, 44–46  
 layering sets of UVs, 40  
 scanning, 43  
 shaders for, 44–46  
 for virtual models, 36  
 handheld camera, 71–77  
 composing shot and global transitions, 72  
 pan with TranslateX for Aim node, 72–74  
 roll with TranslateX, 76–77  
 tilt with TranslateY, 74–76  
 handHeld\_end.mb file, 77  
 handHeld\_mid.mb file, 74  
 handHeldPan001 file, 78  
 handHeld\_start.mb file, 72  
 Hardware Render Buffer Attribute Editor window, Multi-  
 Pass Render Options tab, 217  
 hatching for lighting changes, 44  
 .hdr file format, 86  
 HDRI (High Dynamic Range Imagery), 85  
 common applications for, 87–88  
 vs. LDR, 114–115  
 reflection maps, 88–90  
 rendering, 111  
 HDRShop, 88, 89  
 hermite electric arc, 218–226, 227  
 adding curve, 221–226  
 basic particle motion, 220–221  
 scene setup, 218–220  
 hicon\_spherical.hdr file, 111  
 Hide menu → Hide Selection, 164  
 HideLockChannel.mel script, 148  
 hierarchy of object, consistency for, 134  
 High Dynamic Range Imagery (HDRI). *See* HDRI (High  
 Dynamic Range Imagery)  
 history, deleting, 235

Hue Saturation Value (HSV) color model, for shadow calculation, 53  
 Hypershade, 45, 45  
   deleting connection, 46

## I

IBL (Image-Based Lighting), 85–86  
   mental ray for node creation, 103  
   methods and strategies, 88–90  
   real-world application - Japanese katana sword, 108–112, 112, 113  
   real-world application - research lab, 114–120, 119  
     adding more lighting, 118–120  
     IBL settings, 116–118  
*Ice Age*, 86  
 IK Spline Handle Tool option window, 164, 167–168, 168  
 Image menu  
   → Panorama → Panoramic Transformations, 89  
   → Rotate Canvas → Arbitrary, 43  
 import pipeline, 127, 143  
 importing  
   characters, 142–143  
   live video, 78  
   vs. referencing scene, 138  
 Impressionist Paint tool, 49–50  
   final renders, 54–55  
   implementing, 51–52, 52  
   interface to control, 51  
   work flow with, 50  
 impressionistic-style images, 49–55  
   artistic process, 50–51  
   shadows, 53  
 iMult node in Shake, 47–48  
 instancing to manage curves, 5  
 IsMax attribute, 216  
 IsMin attribute, 216  
 Isolate Select mode, 40  
   controls, 41

## J

Japanes anime, 37  
 Japanese katana sword, 108–112, 112, 113  
*Jaws*, 65

## K

katana.mb file, 110  
 keyable attributes, 148

keyframed animation, 57  
 keyframes  
   for blocking, 75  
   copy and paste, 70

## L

*Lawrence of Arabia*, 58  
 layering sets of UVs, for multiple textures, 40  
 layers, for organization, 138  
 layout animators, 58  
 LDRI (Low Dynamic Range Imagery), 86  
   vs. HDRI, 114–115  
 learning, tutorials for, 207  
 lenses, 63–64  
 lifespan of particles, 216  
 light domes, 88  
 lightDome.mb file, 98  
 lighting  
   essential techniques, 122  
   hatching for changes, 44  
   props, 115–120  
   and textures, 44  
   web resources on, 123  
 live video, importing, 78  
 Locator Summary panel, 83  
 locators, attachLocators.mel script to generate, 8  
 “locked-off” camera, 59  
 long names, 130  
*The Lord of the Rings*, 1, 58  
 Low Dynamic Range Imagery (LDRI), 86

## M

managed pipeline, 126  
 matchMove\_handheld.mov file, 82  
 matchMove\_tracked.mb file, 82  
*The Matrix*, 1  
 matte surfaces, Fresnel Effect and, 92  
 Maya Live, capturing camera motion with, 77–82, 78  
 .mcc file extension, 26  
 MEL command, to save cache, 26  
 MEL scripts. *See* scripts  
 mental ray, 88  
   enabling, 108  
   for IBL node creation, 103  
 mental ray IBL node, 115  
 Mental Ray plug-in, 104  
 Merge Vertices command, 258  
 mesh constraint, for cloth motion, 20–21  
 meshing constraining cloth to model, 13

metal surfaces  
 HDRI for reflections, 87  
 IBL to light, 112  
 mixed lighting environments, HDRI for, 87  
 Modeling menu  
 → Polygons → Average Vertices, 25  
 → Surfaces → Extrude, 160  
 Modify menu  
 → Add Attribute, 220  
 → Convert  
 → Paint Effects to Polygons, 192  
 → Polygons to Subdiv., 251, 256, 257, 260  
 → Freeze Transformations, 220  
 → Make Live, 3  
 → Transformation Tools → Soft Modification Tool,  
 239, 247, 247–248  
 motion blur, 71  
 motion of cloth, constraints to affect, 19–24  
 button constraint, 23–24  
 cloth constraint, 21  
 collision constraint, 23  
 field constraint, 22–23  
 mesh constraint, 20–21  
 transform constraint, 19–20  
 multiplyDivide node, 146–147  
 muscle edge loops, 233, 233

## N

name spaces, 137  
 naming conventions, 128–131, 129  
 spaces and underscores in, 131–133  
 nodes, attaching output attribute to input, 46  
 noise  
 energy vortex, 214–217  
 hermite electric arc, 218–226  
 adding curve, 221–226  
 basic particle motion, 220–221  
 scene setup, 218–220  
 theory, 209–212  
 variable-speed fountain of water, 212–213  
 noise function, vs. rand function, 210  
 noisyArc.ma file, 226  
 noisyArc.mov file, 226  
 noisyFountain.ma file, 213  
 noisyFountain.mov file, 213  
 noisyGate.ma file, 217  
 noisyGate.mov file, 217  
 non-photorealistic rendering techniques, 35–55  
 impressionistic-style images, 49–55  
 artistic process, 50–51  
 shadows, 53




non-photorealistic rendering techniques, *continued*  
 integrating hand-drawn textures with 3D models,  
 37–48  
 creating and applying, 37–44  
 edge lines, 47–48  
 shader creation, 44–46  
 vs. photorealism, 35–37  
 normal, 222  
 and direction of force from collision surface, 18  
 and poly-by-poly modeling, 240  
 reversing direction, 18  
 viewing, 18  
 normal lens, 63  
 NPR. *See* non-photorealistic rendering techniques  
 null node, creating, 82  
 NURBS curves, for hair, 151, 152  
 NURBS objects  
 for Impressionist Paint tool, 50  
 viewing normals, 18  
 NURBS plane  
 for Final Gathering lighting, 118, 118  
 subdivision for water surface, 194, 194  
 supplementing ambient lighting with, 114  
 with Surface shader, 115  
 NURBS torus, 214, 215

## O

oblique angle, 59  
 octopus tentacles, 155, 155–158, 157, 158  
 Octopus\_finished.mb file, 158  
 Octopus\_start.mb file, 155  
 off-angle shot, 59  
 off-camera character animation, 24  
 offset from collision surface, 17  
 one-node camera, 59  
 creating, 65  
 optimize scene command, 137  
 Orig nodes, 136  
 orthographic projections, 230, 239  
 Outliner, hierarchy of object, 130  
 Output Statistics, for cloth, 10, 10

## P

Paint Cloth Properties tool, 16  
 Paint Effects tool  
 for curve, 226, 226, 227  
 vs. Impressionist Paint, 51  
 MEL scripts for brush strokes, 36  
 Paint Hair tool, attributes, 151

- Paint Properties tool, 16
  - painterly look, 49
  - panels of skirt
    - creating, 3–5
      - curves, 4–5
      - guide curve, 3–4
    - custom properties, 11
    - designing, 2
    - instancing to manage curves, 5
    - seams, 7
    - tessellation of, 6
  - panning, 58, 69
    - with TranslateX, 72–74
  - Panoramic Transform dialog box, 89, 89
  - parent and child, including in names, 130
  - Partial Crease command, 264
  - Particle Collision Events window, 205
  - particle emitter, for water fountain, 212, 212
  - particles. *See also* noise
    - basic motion, 220–221
    - and collision, 198
    - goalweightPP for, 182
    - as rain, 198–199
  - Particles menu
    - Create Emitter , 198
    - Emit from Object , 203, 214, 218
    - Goal , 218
    - Make Collide, 200, 204
    - Particle Collision Events, 200, 205
  - passive hair curves, 153
  - per-frame basis for shadow creation, 53
  - Perlin noise function, 211
  - personality, in animation, 166, 207
  - Phong E shader, 91
  - Photon Intensity, 106, 107
  - photorealism, vs. non-photorealism, 35–37
  - pipeline. *See* character pipeline
  - planar mapping, 38
  - plusMinusAverage node, 146–147
  - Point Lock attribute, for antenna, 184
  - pointOnCurveInfo node, 222
  - pointOnSurfaceInfo node, 222
  - poly-by-poly modeling, 230, 240
  - polygonal cage, 230, 239–250
    - collapsing polygons, 248
    - creating and appending polygons, 240–243
    - extruding polygons, 248–250
    - extruding rows of polygons, 244–246
    - splitting polygons, 244
  - polygonal cloth mesh, 6
  - polygons
    - averaging, 25
    - polygons, *continued*
      - viewing normals, 18
  - Polygons menu
    - Append to Polygon Tool, 239, 240, 241, 251
    - Combine, 258, 258
    - Copy UVs to UV Set, 42
    - Create Empty UV Set, 42
    - Create Polygon Tool, 239, 240
    - Delete Current UV Set, 42
    - Tool Options → Keep Faces Together, 244, 245, 248
    - UV Snapshot, 42
  - The Prince of Egypt*, 58
  - printing, dpi (dots per inch) for, 43
  - priority of collision, 17, 17
  - professional animators' secrets, 166
  - propagation of updates to all instances, 5
  - props
    - designing, 114
    - lighting, 115–120
  - pseudorandom sequence of numbers, 210
- ## Q
- quickSelectSet, 139
- ## R
- radiosity renderings, 86
    - Global Illumination and, 103
    - and shadows, 95
  - rain, 194–201
    - particles as rain, 198–199
    - splashes, 200–201
    - springs for ripples, 196–198
  - rain\_puddle\_soft\_body\_start.ma file, 195
  - random (rand) function, 209
    - clumping from, 210, 210
  - raytraced reflections for lighting, 93, 94
  - Ready to Solve bar, 81
  - reference pipeline, 127
  - reference window, 141–144
  - referencing scene, vs. importing, 138
  - reflection-only lighting, 92–93
  - reflective materials, Fresnel Effect and, 89–93
  - Reflectivity, Texture icon for, 91
  - refresh rate of computer, constraint display and, 20
  - Relax Frame Length, 10
  - relaxed garment state, saving, 12–13
  - Render Global Settings dialog box, 109, 175, 175

Render Global Settings menu  
 → Mental Ray  
   → Caustics and Global Illumination, 107  
   → Final Gathering, 107  
   → Quality Presets, 106  
 rendering. *See* non-photorealistic rendering techniques  
 research lab, IBL with Final Gathering to create, 114–120  
 Resilience attribute, 176  
 resolution, 28  
   mismatch and cloth/collision problems, 18  
 rest position curves, 152  
 reverse node, 145, 146  
 RGB values, normalized brightness range from, 86  
 rigging curtain, 137  
 rigs, expressions and utility nodes in, 144–149  
 ring\_dust.ma file, 206  
 ripples in water, 196–198, 197  
 roll for handheld camera, with TranslateX, 76, 77  
 roll the camera, 59  
 rolling ring to kick up dust, 201–207, 203, 207  
   collision detection, 204–205  
 rope, breaking effect, 158–162  
 Rope\_Finished.mb file, 158  
 Rubber Band constraint, 154, 154

## S

sampling rate, for cloth simulation, 10  
*Saving Private Ryan*, 71  
 saving work  
   with cloth, 26  
   in multiple files, 235  
   relaxed garment state, 12–13  
 scanning hand-drawn textures, 43  
 Scene menu (Maya Live) → New MatchMove, 78  
*Schindler's List*, 71  
 screen direction, 58  
 Script Editor, 7  
 scripts, 50  
   adding to Channel box pop-up menu, 149  
   for cloth manipulation, 7  
     attachLocators.mel script, 8  
   to duplicate bouncing balls, 147–148, 148  
   location for, 135  
   to move user-created channels, 148  
   noise command, 211  
   for Paint Effects brush strokes, 36  
   for renaming objects, 131  
   UVGlue.mel, 32  
 ScrollList, procedure to fill, 142

scrubbing in Timeline, 61  
   Playback Speed for, 78  
 seams for cloth panels, 7  
 secondary motion of skeleton joint  
   hair system to drive, 162–166, 165  
   rig setup, 162–165, 163  
 SecurityShip.mb file, 104  
 seed number for rand function, 209  
 select command, 141  
 selection sets, 138–139  
 self-intersection in collision object, 24, 24  
 SGI format, floating-point, 86  
 shader network, 44  
   building complete, 46  
 shaders  
   ambient occlusion, 86  
   for hand-drawn textures, 44–46  
 shadows, radiosity renderings and, 95  
 Shake, iMult node, 47–48  
 shake in camera, creating, 67–71  
 shape of cloth, attributes for, 9–12  
 shark animation, 166–171, 167, 168, 170  
 Shark\_start.mb file, 167  
 Shear Resistance of cloth, 11, 15  
 Show menu, → Locators, 20  
 showRotate script, 149  
 showScale script, 149  
 ShowTranslate script, 149  
*Shrek 2*, 1, 35  
 side-to-side motion, 72–73  
 simulation  
   cloth settled after, 3  
   garment preparation for, 7–9  
   interacting with hair simulation, 153–154  
   running, 12  
   start frame in Timeline, 12  
 Simulation menu  
   → Delete Cache, 13, 30  
   → Disable Solver, 8, 30  
   → Enable Solver, 12  
   → Properties  
     → cpDefaultProperty , 11  
     → Create Cloth Property, 11  
     → Paint Cloth Properties Tool , 16  
   → Save As Initial Cloth State, 12, 13, 30  
   → Solvers → cpSolver1 , 9  
   → Truncate Cache, 14  
   → Update Cloth State, 13, 24  
 Simulation Method attribute, 153  
 skeleton  
   for antenna, 181

skeleton, *continued*  
 hair system for secondary motion, 162–166, 165  
 rig setup, 162–165, 163  
 Skeleton menu → IK Spline Handle Tool, 167  
 skirt. *See* cloth  
 skirt attach curve, 4  
 skirt\_Attach.mb file, 12  
 skirt\_curves.mb file, 5  
 skirt\_garmentBuilt.mb file, 7  
 skirt\_jump.mb file, 13  
 skirt\_jump.mov file, 17  
 smattrDwn.mel script, 148  
 smattrUp.mel script, 148  
 Smooth Bind, 181  
 smoothstep function, 216  
 soft bodies for car antenna, 180–183  
 creating, 181–183  
 soft body dynamics, 179  
 soft light, Final Gathering for, 102  
 Soft Modification tool, 172–173  
 handle, 173, 175, 176  
 Soft/Rigid Bodies menu, → Create Soft Body → , 182  
 softness of Transform constraint, 20  
 Solver Scale for cloth, 10, 10  
 Solvers menu, → Initial State → Set for Selected, 204, 219  
 spaces in names, 131–133  
 specularly, 87  
 speed connections, creating, 147  
 sphere, as active rigid body, 195  
*Spiderman 2*, 35  
 splashes in puddle, 200–201, 201  
 spline ikHandle, connecting influence to another curve,  
 185  
 Hypergraph view, 185  
 splitting polygons, 244  
 spotlight for props, 115  
 Spring Options dialog box, 197  
 star in polygon layout, 232, 232  
 start position curves, 152, 153  
 Stiffness attribute  
 for antenna, 184  
 for car suspension, 193  
 for hair, 154  
 stitcher resolution, 6  
 Stretch Resistance of cloth, 11, 15  
 strokes, size from Impressionist Paint, 52, 53  
 Subdiv Surfaces menu, → Partial Crease Edge/Vertex, 264  
 subdivision model editing in character face, 260–264, 261,  
 262, 263  
 subdivision modeling, 229  
 computational costs, 235  
 subdivision surfaces in character face, 258–260, 259, 260

subD\_modeling01.mb file, 235  
 subD\_modeling03.mb file, 238  
 subD\_modeling06.mb file, 244  
 subD\_modeling14.mb file, 255  
 subD\_modeling21.mb file, 262  
 subD\_modeling22.mb file, 262  
 subframe calculations, by solver, 9  
 subframe sampling, 15  
 sunlight, 115  
 Surf. Luminance node, 45  
 surface, converting to collision object, 17  
 surface points, assigning to dynamic particles, 180–181  
 Surface Shader node, 45  
 Surface shader, NURBS plane with, 115

## T

telephoto lens, 64, 65  
 templates, for characters, 137–138  
 tessellation of panel, 6  
 text command, 140  
 Texture Editor, 37–39  
 toolbar, Isolate Select mode controls, 41  
 Texture icon for Reflectivity, 91  
 Thickness force of cloth, 15  
 three-dimensional models  
 2-dimensional artwork for, 230, 231  
 hand-drawn texture integration with, 37–48  
 three-node camera (Camera, Aim and Up), 60  
 TIF file format, floating-point, 86  
 tilt, 59  
 tilting camera, with TranslateY, 74–76  
 time connections, creating, 147  
 Timeline for simulation, start frame in, 12  
 tokenize command, 132, 141, 143  
 track points, 79–81, 80, 81  
 Track Summary panel, 80, 82  
 tracking shot, 58  
 tracking zoom, 65  
 transform constraint, 8  
 for cloth motion, 19–20  
 traveling shot, 58  
 tree line, impressionistic-style, 55, 55  
 triangles, avoiding in subdivision models, 232  
 trucking shot, 58  
 truncating cache, 14  
 TurboProp\_TXTR.mb file, 115  
 Turbulence Strength attribute, for antenna, 184  
 two-node camera (Camera and Aim), 59  
 for camera shake, 68  
 dolly-and-pan shot with, 60–62

## U

- underscores in names, 131–133
- uniform field, 22
- unique name, forcing, 130
- unkeyable attributes, 148
- unmanaged pipeline, 126
- user-created channels, moving, 148
- utility nodes in rigs, 144–149
- UV mapping, 37–40
- UVGlue command, 32
- UVGlue.mel file, 32

## V

- variable-speed fountain of water, 212–213
- vehicles, HDRI for reflections, 87
- vertices, polygon averaging, 25
- Vertigo*, 65
- video, importing, 78
- View menu
  - Camera → Settings, 66
  - Default Home, 235
  - Image Plane → Import Image, 235
- virtual models, hand-drawn textures, 36
- virtual softbox, 120
- visibility of animation controls, 139–140, 140

## W

- walk cycle file, 163
- water fountain, variable-speed, 212–213
- web resources
  - on Image Based Lighting, 123
  - renaming scripts, 131
- weights, painting, 182
- wide angle lens, 63, 64
- wide-screen format, 66
- Window menu
  - Animation Editors
    - Expression Editor, 215, 219, 220
    - Graph Editor, 62
  - Relationship Editors
    - Dynamic Relationships, 200
    - Sets, 139
  - Rendering Editors → Render Globals, 108, 111
  - Settings/Preferences → Plug-in Manager, 108
- wire cage, 236–238, 238
- Wire Walk Length, 196

## Z

- zolly, 65
- zoom, 59