

Index

Page numbers referring to illustrations are indicated in *italic type*, tables in **bold type**.

- ABB instruments
 - PGC2000 243
 - FTPA2000–300 and Process Multiwave 239
- absorption spectra 9–11
- absorption spectroscopy *see* infrared spectroscopy; spectrophotometry
- adsorptive stripping voltammetry (ASV) 158
- Advion Biosciences TriVersa NanoMate 267
- affinity high-performance liquid chromatography (HPLC) 80
- Agilent Technologies 72, 97, 121, 267, 270, 274
 - 1200 series 87, 113
 - 3000 micro GC 187
 - 8453E 14
- air monitoring 211–212
- AMETEK ProMaxion 241
- amperometry 158–159, 202, 233, 270, 273
 - and high-performance liquid chromatography (HPLC) 85–86
- Analect/Applied Instrument Technologies
 - PCM 5000 238
- analyte concentration, relationship to spectral absorbance 10–11
- analytical instruments and techniques, definition 3–4
- analytical process 2–3, 2
- analytical scientist 1–2
- Analytical Spectral Devices instruments
 - AgriSpec 211
 - QualitySpec iP 237
- angular momentum 31
- Animas Glucowatch Biographer 203
- anion separation, ion chromatography (IC) 90
- applications
 - atomic absorption spectrometry (AAS) 53
 - atomic force microscopy (AFM) 140–141
 - capillary electrophoresis (CE) 98–100
 - conductimetry 161, 209
 - confocal microscopy 129
 - differential scanning calorimetry (DSC) 169
 - flow injection analysis (FIA) 233–234
 - fluorescence spectrometry 31, 207
 - portable 182–183
 - gas chromatography (GC) 73–74
 - on-line 243
 - gas chromatography-mass spectrometry (GC-MS), portable 189
 - high-performance liquid chromatography (HPLC) 88
 - on-line 245
 - inductively coupled plasma-mass spectrometry (ICP-MS) 60
 - infrared (IR) spectrometry 25, 207, 238–239
 - ion chromatography (IC) 92
 - light (optical) microscopy 127
 - mass spectrometry 48
 - on-chip 266–267
 - portable 186
 - nuclear magnetic resonance (NMR) spectrometry 36
 - pH testing 209
 - potentiometry 154
 - Raman spectrometry 25, 229, 239–240
 - scanning electron microscopy (SEM) 133
 - spectral imaging 142–144
 - spectrophotometry 15
 - near-infrared (NIR) 15, 180, 229, 237–238

- applications (*continued*)
 - supercritical fluid chromatography (SFC) 103
 - thermogravimetric analysis (TGA) 166
 - transmission electron microscopy (TEM) 135
 - voltammetry 159
 - X-ray diffraction (XRD) 170
- Applied Instrument Technologies MGA iScan 241
- Applied Spectral Imaging, SpectraView 142
- aqueous sample 11, 21, 30, 89, 138
- argon plasma 54, 55
- aspirin
 - electron impact mass spectrum 38
 - fluorescence emission and excitation spectra 28
 - nuclear magnetic resonance (NMR) spectrum 34, 35
 - Raman spectrum 17
 - ultraviolet (UV) absorption spectrum 10
- at-line sampling 224
- atmospheric pressure chemical ionisation (APCI) 40, 112, 114, 120, 121, 266–267
- atomic absorption spectrometry (AAS) 49–53
 - with liquid chromatography 109–110
- atomic emission spectrometry (AES) 242–243
- atomic fluorescence spectrometry (AFS) 49, 50–53
- atomic force microscopy (AFM) 138–141
 - schematic diagram 139
- attenuated total reflectance (ATR) 21, 235
- automated instrument, definition 226
- automated testing 221
- automatic instrument, definition 226
- autosampler, high-performance liquid chromatography (HPLC) 77
- Axsun Technologies IntegraSpec 237
- backflushing 73
- background (interference) 31, 33, 68, 117
 - ion chromatography (IC) 89, 90
 - nuclear magnetic resonance (NMR) spectra 119
 - see also* signal-to-noise ratio
- batch assay 229–230
- battery life, portable instruments
 - fluorescence spectrometer 183
 - gas chromatograph (GC) 187
 - mass spectrometer 185
 - pH meter 194
 - scanning probe microscope 191
 - spectrophotometer 177, 178
- Beer-Lambert Law 10–11, 98
 - and atomic absorption spectrometry (AAS) 53
 - and fluorescence spectrometry 31
 - and infrared (IR) spectrometry 16–17, 22
- biochip 208
- biological sample 131, 135, 138, 263
- black-body radiation source 18
- blood coagulation monitoring 206–207
- blood glucose testing 200–205
- breathalyser 214–215, 215
- Bruker instruments 42
 - ALPHA 181
 - IMS 2000 214
 - Minispec ProFiler 184
 - RAID 214
- bubble cell, capillary electrophoresis (CE) 98, 98
- buffer, capillary electrophoresis (CE) 94
- bulk property detector, high-performance liquid chromatography (HPLC) 80–82
- Caliper/Agilent 274
- calix[4]arenes 115–116, 116, 151, 151
- cantilever, atomic force microscopy (AFM) 138
- capillary electrochromatography (CEC) 97
- capillary electrophoresis (CE) 65, 92–100, **92**
 - and mass spectrometry 120–121, 121
 - on-chip 269–270
 - portable 188
- capillary electrophoresis-mass spectrometry (CE-MS) 120–121, 121
- capillary gel electrophoresis (CGE) 97
- capillary tube, capillary electrophoresis (CE) 92, 95–96, 96, 98, 98
- capillary zone electrophoresis (CZE) 96
- carbon dioxide, as mobile phase in supercritical fluid chromatography (SFC) 100
- carrier gas, inductively-coupled plasma-optical emission spectrometry (ICP-OES) 55
- cation separation, ion chromatography (IC) 90
- CCD *see* charge-coupled device
- Cecil Instruments 87
- charge-coupled device (CCD) 12, 13, 171, 239, 272
 - atomic absorption spectrometry (AAS) 53
 - InGaAs 13, 22, 237
- chemical chip 275–276
- chemical force microscopy (CFM) 139–140

- chemical imaging 143
 chemical ionisation (CI) 39, 107
 chemical warfare agents 211–212
 chemically modified electrode (CME) 158
 chirality 103
 chromatography 65, *see also* gas chromatography, high-performance liquid chromatography
 Cloud Chamber Scrubber 246
 CMI Intoxilyser-8000 215
 column
 capillary electrophoresis (CE) *see* capillary tube
 high-performance liquid chromatography (HPLC) 77–78, **78**
 ion chromatography (IC) 90
 combination detector, high-performance liquid chromatography (HPLC) 86
 computer, as output device 22, 30, 47, 72, 90, 126
 Comstock miniTOF II 185
 conductivity (conductivity detection)
 159–161, 160
 in high-performance liquid chromatography (HPLC) 81–82
 on-line 246
 portable 195–196
 confocal microscopy 127–129, 128, 141
 Connex advantage 17
 contact mode, atomic force microscopy (AFM) 138
 continuous analyser 226, 227, 228
 continuous glucose monitoring system (CGMS) 204–205
 correlated spectroscopy (COSY) 35
 coulometry 202, 273
 cryogenic probe, nuclear magnetic resonance (NMR) spectrometry 33, 35
 cryogenic temperature transmission electron microscopy (cryoTEM) 134–135
 crystalline electrode 150
 current (electrical) detection *see* amperometry
 cuvette 12, 29–30

 D&P Instruments, Model 102 180, 181
 database, Raman spectra 22
 Delta OHM HD2106 196
 derivatisation 67, 74, 107
 desorption electrospray ionisation (DESI) 48
 detector
 definition 3–4, 4
 capillary electrophoresis (CE) 97
 flow injection analysis (FIA) 231
 fluorescence spectrometry 30
 gas chromatography (GC) 68, 104
 on-line 243
 high-performance liquid chromatography (HPLC) 80–86
 inductively coupled plasma-mass spectrometry (ICP-MS) 59
 infrared (IR) and Raman spectrometry 22
 ion chromatography (IC) 90, *see also* conductivity detector
 light (optical) microscopy 126
 mass spectrometry 47
 near infrared (NIR) spectrophotometry 13
 nuclear magnetic resonance (NMR) spectrometry 34
 scanning electron microscopy (SEM) 131
 spectrophotometer 12–13
 supercritical fluid chromatography (SFC) 102, *see also* detector, gas chromatography
 detector, high-performance liquid chromatography
 thermogravimetric analysis (TGA) 165
 transmission electron microscopy (TEM) 134
 deuterium lamp 12
 Dewar flask 33
 DexCom 204
 diabetes 200
 diagnostic chip 275–276
 differential pulsed voltammetry (DPV) 158
 differential scanning calorimetry (DSC) 166–169, 167
 compared with X-ray diffraction (XRD) 169
 differential thermal analysis (DTA) 167
 diffraction grating 12
 miniaturisation 176
 diffractometer 5, 170–171
 digital transform spectrometer (DTS) 180
 Dionex Corporation, ICS-3000 91
 dioxins 46
 direct analysis in real-time (Dart) 48
 direct coupling interface, gas chromatography-mass spectrometry (GC-MS) 107
 direct inlet probe 37
 discrete analyser 226–227, 226

- discriminator
 definition 3–4, 4
 atomic absorption spectrometry (AAS) 52
 fluorescence spectrometry 29
 gas chromatography (GC) 67–68
 high-performance liquid chromatography (HPLC) 77–80
 inductively coupled plasma-mass spectrometry (ICP-MS) 58–59,
see also discriminator, mass spectrometry
 mass spectrometry 42–46
 nuclear magnetic resonance (NMR) spectrometry 33–34
 scanning tunnelling microscopy (STM) 136
 spectrophotometry 12
 dispersive spectrometry 17
 Distortionless Enhancement by Polarisation Transfer (DEPT) 35
 DNA chip 274–275
 double beam atomic absorption spectrometry (AAS) 52
 double beam spectrophotometer 11
 dropping mercury electrode (DME) 155
 drugs 48, 99, 140, 143, 169, 229
 cancer 31
 illicit 48, 68
 economics, performance criteria for instruments 5
 electro-osmotic flow (EOF) 92, 96, 96, 257–258, 269
 electrochemical cell 147
 electrochemical instrument 4, 147
 electrode
 in conductimetry 159
 in potentiometry 148
 in voltammetry 155
 chemically modified (CME) 158
 crystalline 150
 dropping mercury (DME) 155
 enzyme-based 151–152
 gas-sensing membrane 151
 glass membrane 149–150
 ion selective (ISE) 148, 149–152, 233, 263–264
 liquid membrane 150–151
 microscopic 153, 154
 rotating disk 158
 saturated calomel (SCE) 155
 semiconductor 152
 static mercury drop (SMDE) 156–157
 urea 152
 electromagnetic (EM) spectrum 10
 electron capture detector (ECD) 69, 70
 electron impact (EI) ionisation 37–39, 38, 107, 241
 electron microscopy 125, 129, **130**
 scanning 130–133
 transmission 133–135
 electron multiplier 59
 electrospray ionisation (ESI) 39–40, 39, 45, 266, 270
 in hybrid instruments 112, 114, 120, 121
 elemental analysis 49–60, 60, 242–243
 eluent
 capillary electrophoresis (CE) 94
 purity, in high-performance liquid chromatography (HPLC) amperometric detectors 85
 energy diagram, fluorescence and phosphorescence 29
 energy-dispersive X-ray (EDX) analysis 132, 133
 enrichment, gas chromatography (GC) 73
 environmental science 74, 92, 135, 209–212
 environmental secondary electron detector (ESED) 132
 excited state (of atom or molecule) 9, 26
 explosives 214
 Extech ExStik PH100 193–194, 193
 fast atom bombardment (FAB) 40, 41
 Felgett advantage 17
 fibre optics 21, 30, 176, 259–260
 in process analytics 234, 235, 236, 238
 field sweep 32–33
 field-portable device, environmental monitoring 209
 flame atomic absorption spectrometry (FAAS) 50
 flame ionisation detector (FID) 68, 69, 104
 flame photometric detector (FPD) 70–71, 71
 flow, fluids, lab-on-a-chip (LOC) 256–259
 flow injection analysis (FIA) 229–234, 231
 and lab-on-valve (LOV) 256
 on-valve 264–266
 fluids
 lab-on-a-chip (LOC) 256–259
 in microchannels 262

- mixing 259
 - supercritical 100
- fluorescence 26–28, 26, 129, 263
 - time-delayed 28
- fluorescence spectrometry 26–28, 30, 240
 - with high-performance liquid chromatography (HPLC) 84–85, 84
 - portable 182–183
 - spectral imaging 144, 145
 - and ultraviolet spectra 27–28
- fluoride electrode 150
- focused beam reflectance measurement (FBRM) 240–241
- Food and Drug Administration (FDA) (U.S. Agency) 219–220
- food science 102–103, 169, 233
- forensic science 60, 132, 143, 166
- Fourier Transform (FT) 20, 22, 32
- Fourier Transform infrared (FTIR) spectrometry 17, 18–25, 23, 143, 212
 - portable 180–181
 - and thermogravimetric analysis (TGA) 166
- Fourier Transform nuclear magnetic resonance (FT-NMR) spectrometry 32
- Fourier Transform Raman (FT-Raman) spectrometry 17–18, 19
- Fourier Transform spectrophotometry 12
- Fourier Transform-ion cyclotron resonance (FT-ICR) mass spectrometry 46, 46, 47
- free induction decay (FID) 32
- frequency sweep, nuclear magnetic resonance (NMR) spectrometry 32–33
- furnace
 - differential scanning calorimetry (DSC) 167–168
 - thermogravimetric analysis (TGA) 164
- gas chromatography (GC) 65–73, 72, 255
 - hybrid instruments 104
 - with infrared spectrometry (GC-IR) 105–106
 - with infrared spectrometry and mass spectrometry (GC-IR-MS) 108
 - with mass spectrometry (GC-MS) 46, 72, 106–107, 108, 188–189
 - portable 213
 - multidimensional 73
 - on-chip 268–269
 - on-line 243–244
 - portable 186–187
 - schematic diagram 66
- gas chromatography-gas chromatography (GC-GC) 73
- gas chromatography-mass spectrometry (GC-MS) 46, 72, 106–107, 108, 188–189, 213
- gas-phase sample 21, 37
 - on-line 225
- gas-sensing membrane electrode 151
- Globar 18
- glucose measurement 159, 200–205, 201
- gradient ion chromatography (IC) 91
- gradient programming, high-performance liquid chromatography (HPLC) 76
- graphite furnace atomic absorption spectrometry (GFAAS) 51–52, 52
- gravity injection, capillary electrophoresis (CE) 94, 95
- ground state 9
- H-filter 263, 271–272
- Hach
 - 2800 spectrophotometer 177
 - sensION156 meter 194
- halogen-containing compounds 69
- Hamilton Sundstrand Applied Instrument Technologies, FXi Series5 243, 244
- hard ionisation, mass spectrometry 37–39
- headspace analysis 67
- heart-cutting, gas chromatography (GC) 73
- heat sources 18
- high-performance liquid chromatography (HPLC) 37, 75–89, 92
- hybrid instruments 108
 - with atomic absorption spectrometry (LC-AAS) 109–110
 - with hydride generation atomic absorption spectrometry (LC-HGAAS) 110, 111
 - with infrared spectrometry 108–109
 - with mass spectrometry (LC-MS) 86, 110–115, 115
 - with nuclear magnetic resonance (LC-NMR) 117–118
 - with nuclear magnetic resonance-mass spectrometry (LC-NMR-MS) 118–119, 118
 - with ultraviolet-mass spectrometry (LC-UV-MS) 115–117, 116
- on-chip 271–272

- high-performance (*continued*)
 on-line 244–245
 operating principle 74–75
 portable 188
 schematic diagram 75
- Hitachi TM-1000 190
- HIV testing 208
- HORIBA Jobin Yvon
 CP20 183
 RPA series 240
 Skinscan 207, 208
 Twin Cond 210
 VS140 179, 192
- hybrid instrument 46, 72, 103–121, 141–145, 166
- hydride generation atomic absorption spectrometry (HGAAS) 52
- hydrodynamics 256–259, 264
- hydrostatic injection, capillary electrophoresis (CE) 94, 95
- hyperspectral imaging 142
- hyphenated instrument 46, 72, 103–121, 141–145, 166
- in-line sampling 224, 224
- in-process analysis 226–229
- in-process sampling 223–226
- inductively coupled plasma-mass spectrometry (ICP-MS) 50, 58–60, 60
 and liquid chromatography 110
- inductively-coupled plasma-optical emission spectrometry (ICP-OES) 49–50, 53–57, 57
- Inficon Hapsite 188–189
- infrared (IR) absorption, vibrational modes 16
- infrared (IR) spectrometry 141, 234, 238–239
 instrument 18–25
 operating principle 15–18
 complementarity with Raman spectra 24
 dispersive 238
 with gas chromatography (GC-IR) 105–106, 108
 portable 180
- InGaAs (indium gallium arsenic) charge-coupled device (CCD) 13, 22, 237
- injection system
 capillary electrophoresis (CE) 95
 flow injection analysis (FIA) 231
 supercritical fluid chromatography (SFC) 102
- InPhotonics Inphotote 181–182, 182
- Institute for Technical Chemistry and Macromolecular Chemistry, Germany 184
- instrument
 definition 3–4, 4
 selection 4–5
- inter-system crossing (ISC) 28, 29
- interface
 gas chromatography-infrared spectrometry (GC-IR) 105
 gas chromatography-mass spectrometry (GC-MS) 106–107
 inductively coupled plasma-mass spectrometry (ICP-MS) 59
 liquid chromatography-atomic absorption spectrometry (LC-AAS) 110
 liquid chromatography-infrared spectrometry (LC-IR) 109
 liquid chromatography-mass spectrometry (LC-MS) 112
 liquid chromatography-nuclear magnetic resonance (LC-NMR) 117
 liquid chromatography-nuclear magnetic resonance-mass spectrometry (LC-NMR-MS) 119
- interferometer 12, 17, 19–20, 238, 239
- intermediate tube, inductively-coupled plasma-optical emission spectrometry (ICP-OES) 55
- ion chromatography (IC) 89–92
- ion mobility spectrometry (IMS) 214
- ion selective electrode (ISE) potentiometry 148, 233
 on-chip 263–264
 portable 194
- ion trap 113, 114, *see also* quadrupole ion trap
- ion-exchange high-performance liquid chromatography (HPLC) 79
- ion-suppression high-performance liquid chromatography (HPLC) 79
- ionisation techniques
 gas chromatography-mass spectrometry (GC-MS) 107
 liquid chromatography-mass spectrometry (LC-MS) 114
 mass spectrometry 37–42
 atmospheric-pressure 47

- ionspray interface, liquid chromatography-mass spectrometry 112
- isomers 108, 115, 115–117
- J&M TIDAS II 236
- Jacquinet advantage 17
- Jasco Corporation 15, 23, 87, 103
- Jenway Enterprise470 conductivity meter 195–196
- Jeol
 - JSM-7700F 132
 - JSPM-5200 140
- Kaiser instruments 240
- kinetic discrimination and kinetic enhancement, flow injection analysis (FIA) 232
- Kore Technology MS-200 185–186
- lab-on-a-chip (LOC) 253, 255
 - manufacture 261–262
 - capillary electrophoresis (CE) 269–270
 - high-performance liquid chromatography (HPLC) 271–272
 - mass spectrometry 263, 266–267, 270
 - nuclear magnetic resonance (NMR) spectrometry 267–268
 - spectral imaging 272–273
 - spectrophotometry 263
- lab-on-valve (LOV) 253, 264–266
- Laboratory Connections 109
- laboratory integrated management system (LIMS) 246–247
- LaMotte, SMART Spectro 177
- lamp, as source in spectrophotometry 12
- large molecules 40, 73, 86, 98
- laser
 - fluorescence spectrometry 31
 - as infrared (IR) and Raman radiation source 18
- laser ablation 53, 60
- laser-induced fluorescence (LIF) 31
- LC *see* high-performance liquid chromatography (HPLC)
- LC Packings 87
- light emitting diode (LED) 176, 260–261
- light (optical) microscopy 125–127, 126, 130
 - portable 190
 - in spectral imaging 142
- light scattering detector, high-performance liquid chromatography (HPLC) 82
- lightpipe interface, gas chromatography-infrared spectrometry (GC-IR) 105–106, 105
- limit of detection (LOD)
 - capillary electrophoresis (CE) 100
 - differential scanning calorimetry (DSC) 169
 - inductively coupled plasma-mass spectrometry (ICP-MS) 60
 - ion chromatography (IC) 91
 - Raman spectrometry 25
 - see also* sensitivity
- line cut, scanning tunnelling microscopy (STM) 137
- line spectra, inductively-coupled plasma-optical emission spectrometry (ICP-OES) 54
- liquid chromatography *see* high-performance liquid chromatography
- liquid chromatography-atomic absorption spectrometry (LC-AAS) 109–110
- liquid chromatography-hydride generation atomic absorption spectrometry (LC-HGAAS) 110, 111
- liquid chromatography-infrared spectrometry (LC-IR) 108–109
- liquid chromatography-mass spectrometry (LC-MS) 86, 110–115, 115
- liquid chromatography-nuclear magnetic resonance (LC-NMR) 117–118
- liquid chromatography-nuclear magnetic resonance-mass spectrometry (LC-NMR-MS) 118–119, 118
- liquid chromatography-ultraviolet-mass spectrometry (LC-UV-MS) 115–117, 116
- liquid crystal display (LCD) 176
- liquid membrane electrode 150–151
- liquids
 - inductively coupled plasma-mass spectrometry (ICP-MS) 58
 - lab-on-a-chip (LOC) 256–259
- luminescence spectrometry 25–30, 25, 234
- Lutron pH-201 193
- m/z (mass-to-charge ratio) 36
- magnetic interference, in nuclear magnetic resonance-mass spectrometry (NMR-MS) hybrid systems 119

- magnetic moment 31
- magnetic resonance imaging (MRI) 35–36, 184
- magnetic sector mass spectrometry 46, 107
- mass analyser
 - mass spectrometry (MS) 42–46
 - hybrid instruments
 - gas chromatography-mass spectrometry (GC-MS) 107
 - liquid chromatography-mass spectrometry (LC-MS) 113
- mass spectrometry (MS) 36–48, 58–60, 212
 - operating principle 36
 - with high-performance liquid chromatography (HPLC) 86
 - hybrid instruments
 - with capillary electrophoresis (CE-MS) 120–121
 - with gas chromatography (GC-MS) 108, 188–189
 - portable 188–189
 - with liquid chromatography 110–115
 - with nuclear magnetic resonance (NMR-MS) 118–119
 - with thermogravimetric analysis (TGA-MS) 166
 - on-chip 263, 266–267, 270
 - on-line 241–242
 - portable 184–186, 212–214
 - schematic diagram 37
- mass spectrometry-mass spectrometry 48, 49, 121
- mass-to-charge ratio (m/z) 36
- matrix-assisted laser desorption ionisation (MALDI) 40–42, 41, 45
- medicine 35–36, 161, 200–209, 263, 275–276
 - see also* drugs
- metals 53, 60, 110, 159
- Mettler Toledo instruments
 - InPro 7200 246
 - MonaARC 238–239
- micellar electrokinetic capillary chromatography (MECK or MECC) 96–97
- Michelson interferometer 19–20, 19, 20, 238, 239
- microfabrication 261–262
- microscale physical processes 264
- microscopy
 - confocal 127–129, 128, 141
 - electron 129–135, **130**
 - light (optical) 125–127, **130**
 - portable 190
 - scanning probe 135–141
 - portable 190–191
 - combined with spectrophotometry (spectral imaging) 142–145
- microsequential injection-lab-on-valve (μ SI-LOV) 266
- military applications 212
- miniaturisation 175–176, 254, 258–259, 261
- MiniMed Paradigm REAL-Time System 204–205
- MiraTes HIV HomeTest 208
- mobile phase 65
 - gas chromatography (GC) 66
 - high-performance liquid chromatography (HPLC) 75, 77, 79, 82
 - ion chromatography (IC) 90
 - supercritical fluid chromatography (SFC) 100, 102
- modulated differential scanning calorimetry (MDSC) 169
- molecular spectrometry 9, *see also* spectrophotometry, infrared spectrometry, Raman spectrometry, nuclear magnetic resonance spectrometry, mass spectrometry
- molecular-imprinted polymer (MIP) 80
- monochannel spectrophotometer 11, 11
- monochromator 12, 29, 83–84
 - atomic absorption spectrometry (AAS) 52
 - inductively-coupled plasma-optical emission spectrometry (ICP-OES) 56
- multichannel advantage 12
- multichannel spectrophotometry 12, 13
- multispectral imaging 142
- μ TAS (micro total analysis system) 253, 255–256, 264–265
- Nanoport lab-on-chip system 261
- Nanosurf Mobile S Cordless 191–192
- near-field optical microscopy (NFOM) 127
- near-infrared (NIR) spectral imaging 142–143
- near-infrared (NIR) spectrophotometry 14, 15, 234
 - operating principles 9–11
 - portable 179–180

- in spectral imaging 142–143
- near-infrared reflectance analysis (NIRA)
 - 236–238
- Nernst glower 18
- Newport OSM-400 178
- NIR *see* near-infrared
- nitro compounds 69
- nitrogen phosphorus detector (NPD) 68–69
- non contact mode, atomic force microscopy (AFM) 139
- non-aqueous capillary electrophoresis (NACE)
 - 99–100, 99
- non-suppressed ion chromatography (IC) 89
- nuclear magnetic resonance (NMR)
 - spectrometry 31–36, 33
 - hybrid instruments, with liquid chromatography (LC-NMR) 117–118, 118–119
 - on-chip 267–268
 - on-line 242
 - portable 183–184
 - schematic diagram 32
 - used with mass spectrometry and infrared (IR) spectrometry 36
- Ocean Optics USB4000 series 178, 179, 183
- off-line sampling 224, 224
- on-column injection, gas chromatography (GC) 67
- on-line instruments 220–221
- on-line sampling 224, 224
- open-split interface, gas chromatography-mass spectrometry (GC-MS) 107
- optical emission spectrometry (OES) 49
- optical fibres 12, 21, 30, 176
 - in process analysis 234, 235, 236, 238, 239, 259–260
- optical microscopy 125–127
 - portable 190
 - in spectral imaging 142
- organic compounds 9–10, 27, 32, 68, 74
- outer tube, inductively-coupled plasma-optical emission spectrometry (ICP-OES) 55
- output device, definition 3–4, 4
- packed column, gas chromatography (GC) 68
- Palm Instruments PalmSens 195
- path length, spectrophotometry 12
- PC, as output device 22, 30, 47, 72, 90, 126
- PDA (photodiode array) 12, 22, 84
- Peak Laboratories LLC PP1 243–244
- performance criteria for instruments 5
- Perkin Elmer, Inc. 57
- pesticides 68
- petrochemicals 243
- pH measurement 147
 - on-line 245
 - portable 193, 209
- pharmaceuticals 48, 99, 140, 143, 169, 229
 - cancer drugs 31
 - phosphorescence 28
- photodiode 261, *see also* photodiode array
- photodiode array (PDA) 12, 22, 84
- photoionization detector (PID) 69–70, 70
- photolithography 262
- photomultiplier tube (PMT) 12, 53, 56, 128
- Photovac Voyager GC 187
- plasma 54, 55
- point-of-care (POC) technology 200–208
 - benefits 200–201
- Polychromix Phazir 180
- polymers 166
- portable instruments, advantages 175–176
- potentiometry 147–154, 228, 272
 - on-chip 263–264
 - on-line 245–246
 - portable 194–195
 - see also* voltammetry
- potentiostat 152–153, 155, 194–195
- power supply, capillary electrophoresis (CE) 94
- pregnancy testing 208
- pressure-driven flow 257
- prism 12
- probe
 - atomic force microscopy (AFM) 138, 140
 - flow injection analysis (FIA) 234–235, 235
 - nuclear magnetic resonance (NMR) 117–118
 - Raman spectrometry 239
 - see also* electrode
- process analysis 219–221, 226–229, 230
- sampling point 225, 229
 - gas chromatography (GC) 243–244
 - high-performance liquid chromatography (HPLC) 244–245
 - infrared (IR) spectrometry 238–239
 - mass spectrometry (MS) 241–242
 - Raman spectrometry 239–240
 - spectral imaging 245

- spectrophotometry 236–238
- Process Analytical Technology (PAT) initiative 219–220
- process control 229
- proteomics 88–89, 88, 99, 114–115, 121, 138, 143, 274, 275
- prothombin time (PT) blood coagulation testing 206
- pulse damping, high-performance liquid chromatography (HPLC) 76
- pulsed nuclear magnetic resonance (NMR) 33
- pump
 - miniaturisation 258–259, 258
 - high-performance liquid chromatography (HPLC) 75–76, 76
 - ion chromatography (IC) 90
 - supercritical fluid chromatography (SFC) 100, 101
- purge and trap 73
- quadrupole ion trap (QIT) 44, 107, 113, 121
- qualitative analysis
 - atomic absorption spectrometry (AAS) 53
 - capillary electrophoresis (CE) 97–98
 - confocal microscopy 128
 - differential scanning calorimetry (DSC) 167, 168
 - gas chromatography (GC) 72
 - high-performance liquid chromatography (HPLC) 86
 - inductively coupled plasma-mass spectrometry (ICP-MS) 59
 - infrared (IR) spectrometry 16–17
 - ion chromatography (IC) 91
 - liquid chromatography-mass spectrometry (LC=MS) 86
 - mass spectrometry 36, 47
 - near infrared reflectance analysis (NIRA) 237–238
 - NIR spectrometry 236
 - nuclear magnetic resonance (NMR) spectrometry 32
 - scanning electron microscopy (SEM) 131–132
 - scanning tunnelling microscopy (STM) 137
 - supercritical fluid chromatography (SFC) 102
 - transmission electron microscopy (TEM) 134
 - voltammetry 156
- X-ray diffraction (XRD) 171
- quality of result, performance criteria 5
- quantitation 14
 - atomic absorption spectrometry (AAS) 53
- capillary electrophoresis (CE) 98
- conductimetry 160
- differential scanning calorimetry (DSC) 167, 169
- fluorescence spectrometry 31
- gas chromatography (GC) 67, 74
- high-performance liquid chromatography (HPLC) 86
- ion chromatography (IC) 91
- ion selective electrode (ISE) potentiometry 153
- IR and Raman spectrometry 23
- IR spectrometry 24
- mass spectrometry 36, 47
- near infrared reflectance analysis (NIRA) 237–238
- NIR spectrometry 236
- nuclear magnetic resonance (NMR) spectrometry 36
- scanning electron microscopy (SEM) 133
- supercritical fluid chromatography (SFC) 102
- thermogravimetric analysis (TGA) 168
- voltammetry 156
- X-ray diffraction (XRD) 171
- quantum tunnelling 136
- quartz cuvette 12
- radiofrequency (RF) transmitter 32–33
- Raleigh scattering 82
- Raman effect 17
 - see also* resonance Raman effect
- Raman radiation 15
- Raman spectrometry 15–25, 234
 - schematic diagram 19
 - signal intensity 24
 - complementarity with infrared (IR) spectra 24
 - on-line 239–240
 - portable 181–182
 - spectral imaging 143–144
- Raman Systems RSLPlus 182
- Rayson, G. 3–4
- reagent-free ion chromatography (RFIC) 91
- reference electrode, voltammetry 155
- reference solution 9
- reflectance photometry 200–201, 206, 207

- reflectance spectrometry 21
- refractive index (RI) detector 272
 - high-performance liquid chromatography (HPLC) 80–81, 81
- remote sensing 211–212, 212, 262
- resolution
 - atomic force microscopy (AFM) 138
 - light (optical) microscopy 125
 - scanning electron microscopy (SEM) 133
 - scanning tunnelling microscopy (STM) 135
 - spectral imaging, on-chip 272
 - transmission electron microscopy (TEM) 133
 - ultraviolet spectrophotometry, portable 177, 178
- resonance Raman (RR) effect 17, 24
- resonance states 31–32
- reversed-phase high-performance liquid chromatography (HPLC) 75, 78, 78–79
- Roche CoaguCheck XS 207
- Roche Diagnostics
 - Accu-Check Compact Plus 201
 - AmpliChip CYP450 275
- rotating disk electrode 158
- RR (resonance Raman effect) 17, 24
- sample
 - definition 3–4, 4
 - types
 - aqueous 11, 21, 30, 89, 138
 - biological 131, 135, 263
 - low-temperature 30
 - polar 21
 - atomic absorption spectrometry (AAS) 51
 - capillary electrophoresis (CE) 95
 - flame atomic absorption spectrometry (FAAS) 51
 - fluorescence spectrometry 29–30
 - high-performance liquid chromatography (HPLC) 77
 - in-process sampling 223–226
 - inductively coupled plasma-mass spectrometry (ICP-MS) 58
 - ion chromatography (IC) 90, *see also* sample, high-performance liquid chromatography (HPLC)
 - ion selective electrode (ISE) potentiometry 152
 - IR and Raman spectrometry 21–22
 - lab-on-a-chip (LOC) 263
 - mass spectrometry (MS) 37
 - microscopy
 - atomic force (AFM) 139
 - light (optical) 126
 - scanning electron (SEM) 131
 - scanning tunnelling (STM) 136
 - transmission electron (TEM) 134
 - nuclear magnetic resonance (NMR) spectrometry 33
 - spectrophotometry 12
 - supercritical fluid chromatography (SFC) 102, *see also* sample, high-performance liquid chromatography
 - thermogravimetric analysis (TGA) 164
 - voltammetry 155
 - X-ray diffraction (XRD) 171
- sample inlet, on-line gas chromatography (GC) 243
- sample preparation
 - automated, high-performance liquid chromatography (HPLC) 87
 - flow injection analysis (FIA) 232
 - gas chromatography (GC) 72–73
 - IR spectrometry 21
 - lab-on-a-chip (LOC) 263
 - Raman spectrometry 22
- Sartorius AirPort MD8 212
- Scalar DG-3 190
- scanning electron microscopy (SEM) 129–133
 - environmental 132
 - schematic diagram 131
- scanning probe microscopy 135–141
- scanning transmission electron microscopy (STEM) 134
- scanning tunnelling microscopy (STM) electrochemical 137
 - schematic diagram 136, 137
- security applications 212
- sediment analysis 211
- selected ion monitoring (SIM) 113
- selection of analytical techniques and instruments 4–5
- selectivity, ion selective electrode (ISE) potentiometry 149
- semiconductor electrode 152
- sensitivity
 - blood glucose testing 202
 - capillary electrophoresis (CE) 95, 98
 - on-chip 270

- sensitivity (*continued*)
- gas chromatography (GC) 68
 - high-performance liquid chromatography (HPLC) 75, 81, 82, 84, 85
 - on-chip 272
 - ion chromatography (IC) 92
 - mass spectrometry 36, 118–119
 - nuclear magnetic resonance (NMR) 119
 - portable instrumentation 175
 - spectrophotometry 14
 - see also* limit of detection
- separation instruments 5
- sequential injection analysis (SIA) 233
- Sheen Instruments HI-991300 209, 210
- Shimadzu 14, 113–114
- signal integration, nuclear magnetic resonance (NMR) spectrometry 34
- signal intensity, Raman spectrometry 24
- signal-to-noise ratio
 - Fourier Transform infrared (FTIR) spectrometry 17
 - (S/N) spectrophotometry 13
- signal-to-noise ratio (S/N)
 - IR spectrometry 13
 - nuclear magnetic resonance (NMR) spectrometry 33, 34
 - spectral imaging 141
 - spectrophotometry 12
- single beam atomic absorption spectrometry (AAS) 52
- single beam spectrophotometer 11
- single crystal diffraction 170
- single nucleotide polymorphism 275
- size exclusion high-performance liquid chromatography (HPLC) 80
- soft ionisation, mass spectrometry 39–40
- soil testing 211
- solid phase microextraction, gas chromatography (GC) 73
- solids
 - atomic absorption spectrometry (AAS) 53
 - inductively coupled plasma-mass spectrometry (ICP-MS) 58
 - IR and Raman spectrometry 21
 - sampling 225
- solute property detector, high-performance liquid chromatography (HPLC) 80, 82–86
- solvent
 - ion chromatography (IC) 90, 91
 - liquid chromatography-nuclear magnetic resonance (LC-NMR) 117
 - liquid chromatography-nuclear magnetic resonance-mass spectrometry (LC-NMR-MS) 119
 - supercritical fluid chromatography (SFC) 101
- Sontra Symphony 205
- source
 - definition 3–4, 4
 - atomic absorption spectrometry (AAS) 50–51
 - capillary electrophoresis (CE) 94
 - differential scanning calorimetry (DSC) 167
 - fluorescence spectrometry 29
 - Fourier Transform infrared (FTIR) spectrometer 18
 - FT-Raman spectrometer 18
 - gas chromatography (GC) 66
 - high-performance liquid chromatography (HPLC) 75–76
 - inductively coupled plasma-mass spectrometry (ICP-MS) 58, *see also* source, inductively-coupled plasma-optical emission spectrometry (ICP-OES)
 - inductively-coupled plasma-optical emission spectrometry (ICP-OES) 54–55
 - ion chromatography (IC) 90
 - ion selective electrode (ISE) potentiometry 148
 - light (optical) microscopy 126
 - nuclear magnetic resonance (NMR) spectrometry 32–33
 - scanning electron microscope (SEM) 130
 - scanning tunnelling microscopy (STM) 136
 - spectrophotometry 12
 - thermogravimetric analysis (TGA) 164
 - transmission electron microscopy (TEM) 134
- specific ion colorimetry 210
- spectra
 - absorption 10–11, 14
 - fluorescence spectrometry 28, 30–31
 - infrared (IR) spectrometry 16–17
 - nuclear magnetic resonance (NMR) spectrometry 34
 - spectrophotometry 10–11, 14
- Spectral Dimensions Blend Monitor 245

- spectral imaging 141–145
 - on-chip 272–273
 - on-line 245
 - portable 192
- Spectro Analytical SPECTRO iSORT 186, 186
- spectrofluorometry *see* fluorescence spectrometry
- Spectromed/Spectrolab Mediscreen 207
- spectrometry
 - infrared (IR) *see* infrared spectrometry
 - molecular 9–48
 - definition 9
 - Raman 15–25, 143–144
 - see also* spectrophotometry, mass spectrometry
- spectrophotometry
 - definition 9
 - instrument components 11–14
 - near-infrared (NIR) 14, 15, 141, 234
 - portable 179–180
 - portable 192
 - ultraviolet (UV) 9–15, 15, 236
 - as detector in liquid chromatography 82–84
 - portable 177–179
 - in spectral imaging 141, 142
 - visible spectrum (Vis) 9–15, 141, 236
 - multichannel 12, 13
 - on-chip 263
- spin 31, 35, 35
- split and splitless injection, gas chromatography (GC) 66–67
- SRI Instruments 210D 188
- static mercury drop electrode (SMDE) 155, 156–157
- stationary phase
 - gas chromatography (GC) 65–66, 68
 - high-performance liquid chromatography (HPLC) 78
- Stokes shift 17, 27
- supercritical fluid chromatography (SFC) 100–103
 - schematic diagram 101
- supercritical fluid extraction (SFE) 102–103
- supercriticality 100
- suppressed ion chromatography (IC) 89, 90, 91, 91
- surface acoustic wave (SAW) 214, 268–269
- surface enhanced laser desorption/ionisation (SELDI) 42
- surface enhanced Raman spectroscopy (SERS) 24–25
- Syagen FieldMate 213
- tandem mass spectrometry 48, 49, 121
- temperature control, gas chromatography (GC) 67
- tetramethylsilane (TMS) 34
- thermal conductivity detector (TCD) 71–72, 71
- thermistor 160
- Thermo Electron Corporation 23
 - MIRAN 180–181
 - Orion 194, 210
 - VG Prima δ B 241
- Thermo Fisher Scientific 87
- thermoanalytical instrument 5
- thermogravimetric analysis (TGA) 163–166, 164
 - and spectrometry 166
- thermogravimetric (TG) curve 163, 165
- throughput advantage 12
- Tidas MSP 400/800 192
- time-of-flight (TOF) mass spectrometry 44–45, 107, 121
- torch (plasma source) 54, 55
- total analysis system (TAS) 253
- total ion current (TIC) 113
- transition peak 27
- transmission electron microscopy (TEM) 133–135
 - schematic diagram 133
- transmission quadrupole 43–44, 43
- TRIDET (trifunctional detector) 86
- triple quadrupole 43–44, 113
- tubular column, open, gas chromatography (GC) 67–68, 67
- Turner Biosystems 183
- ultramicroelectrode 159
- ultraspectral imaging 142
- ultraviolet (UV) source 29
- ultraviolet (UV) spectrophotometry 9–15, 15, 141, 236
 - and fluorescence spectrometry 27–28
 - with high-performance liquid chromatography (HPLC) 82–84, 82
 - portable 177–179
 - in spectral imaging 142
- Uniscan Instruments PG580 potentiostat 194–195, 194

- urea electrode 152
- UV *see* ultraviolet

- Varian CP-4900 187
- Veeco Caliber Mini SPM 191
- vibrational states
 - fluorescence 26–27, 26, 28
 - IR absorption 16
- visible spectrum (Vis) microscopy *see* optical microscopy
- visible spectrum (Vis) spectrophotometry 9–15, 141, 236
- voltammetry 154–159, 154
- voltmeter, ion selective electrode (ISE) 152–153

- water quality monitoring 209–210
- Waters Corp. 87
- wavelength selector, spectrophotometer 12
- weight loss profile, thermogravimetric analysis (TGA) 163, 165
- Wilks Enterprise InfraRan Specific Vapour Analyser 212
- wireless technology 262
- working electrode, voltammetry 155

- X-ray diffraction (XRD) 170–171
 - compared with differential scanning calorimetry (DSC) 169

- Z-cell, capillary electrophoresis (CE) 98, 98