

Index

Symbols and Numerics

- . (dot) for current directory, 129
 - .. (dot-dot) for parent directory, 129
 - / (**root** directory), 115, 116, 117
 - / (slash) in file system organization, 337
 - [] (square brackets) as wildcard character holders, 100, 101
 - * (asterisk)
 - for executable files in directory list, 130
 - wildcard character, 99, 100, 358
 - @ (at symbol) for links to files, 130
 - \ (backslash) in **mtools**, 358
 - .= (current line) text editor command, 160
 - \$ (dollar sign) in programming, 531, 548
 - # (hash mark), 214, 415
 - | (pipe symbol) in command line, 96
 - ? (question mark) wildcard character, 99, 100–101
 - !! (repeat last command), 101–102
 - ~ (tilde) for home directory, 129
 - 6-byte source and destination addresses, Ethernet, 197
 - 10Base2 Ethernet, 197
 - 10Base5 Ethernet, 197
 - 10BaseT Ethernet, 178–179, 197
 - 32-bit cyclic redundancy code (CRC-32), 206
 - 100 Mbps Ethernet, 198
 - 100BaseT Ethernet, 179, 185
- ## A
-
- abbreviation commands, 102
 - ABI (application binary interface), 15
 - AbiWord (Web site), 140
 - access point configuration, wireless Ethernet, 204, 208
 - ACPI (Advanced Configuration and Power Interface), 45, 47, 48, 50
 - ADSL (Asymmetric DSL), 176
 - Advanced Configuration and Power Interface (ACPI), 45, 47, 48, 50
 - Advanced Encryption Standard (AES), 205
 - Advanced Packaging Tool (APT), 55, 302, 366, 369, 375
 - AES (Advanced Encryption Standard), 205
 - Akregator (Web site), 143, 271–272
 - alias (canonical name), 493
 - alias** command, 102
 - alias file, **sendmail**, 477
 - amaroK (Web site), 141
 - anonymous FTP access, 273, 277
 - Apache Web server, 22, 302, 305, 433
 - APIC (Advanced Programmable Interrupt Controller), 49, 312
 - application binary interface (ABI), 15
 - application gateway, definition, 392
 - application-proxy gateway firewall, 421–422
 - Application Starter, KDE, 86–87
 - applications. *See also* browsers, Web; text mode
 - building from source files, 359, 370–375
 - database, 141, 434
 - DEB installation and updating, 366–370
 - directory location, 118, 119
 - e-mail clients, 143, 144, 149, 230–242
 - The GIMP, 20
 - graphic imaging tools, 154–156
 - installing, 54–59
 - multimedia tools, 150–154
 - newsreaders, 143, 262, 263–269, 480, 483–484
 - office tools, 144–150
 - online updates, 375–380
 - overview of Linux, 11, 139–144
 - PIM, 143, 232, 233–236
 - RPM installation and updating, 359–366, 376–379
 - shell, starting from, 94
 - Applicxware (Web site), 21
 - apropos** command, 102
 - APT (Advanced Packaging Tool), 55, 302, 366, 369–370, 375
 - apt-cache** command, 369–370
 - apt-get** command, 55, 369–370, 375, 380
 - archiving files, 104–105, 346–351

arguments (options) for
 commands, 94–95

Arkeia backup utility (Web site), 346

ARPAnet, 193, 488

ASCII-armored format, 410

Aspell (Web site), 140

* (asterisk)
 for executable files in directory list, 130

wildcard character, 99, 100, 358

Asymmetric DSL (ADSL), 176

@ (at symbol) for links to files, 130

at command, 303, 319–321, 564

ATAPI CD-ROM interface, 45

atd daemon, 319

attachments to e-mail, 231

audio players, 141, 150–151, 152–153

audit, security
 introduction, 429–431
 in security policy, 388
 test methodology, 431–439
 testing tools, 440–443

authentication
 definition, 392
 dialup networking connection, 189
 firewall, relationship to, 421
 GnuPG, 406–413
 Linux vulnerabilities, 433
 named server, 497
 PAMs, 401–402
 RADIUS, 205
 security policy development, 388

authorization, security policy development, 388

autoconf software package, 17

automake software package, 17

awk tool, 559–563

B

backbone, Internet, 172

backdoor, definition, 392

background process, running, 105

backing up files, 27, 33, 37, 344–351

\ (backslash) in **mttools**, 358

Bare Metal Plus backup utility (Web site), 346

baseband transmission, definition, 197

bash shell, 17, 65, 94–102, 303, 304. *See also* shell scripting

bastion host, definition, 392

bc GNU software package, 17

Berkeley sockets interface, 448

bg command, 105

/bin directory, 117, 119, 338

binary mode for FTP transfers, 280

BIND (Berkeley Internet Name Domain), 490–493, 495

BIND DNS vulnerability, 433

Binutils utilities, 17

BIOS
 APM, 462
 boot settings, 46
 CPU cache, 47
 IRQ control, 50
 NetBIOS name server, 511
 workaround for Intel 440GX chipset, 48

bison parser-generator tool, 543

block device, definition, 314

blog (weblog), definition, 269

BogoMIPS, 62, 64, 311

boot: prompt options, 47–50

/boot directory, 117, 338

/boot/grub directory, 302

/boot/grub/menu.lst configuration file, 302, 435

/boot/System.map configuration file, 302

/boot/vmlinuz directory, 302

boot loader, 61, 62, 296, 302, 303

booting
 from CD/DVD, 32
 definition, 61
 Knoppix commands, 44–47
 message configuration files, 305
 messages overview, 62
 network configuration, 222–225
 process overview, 296–302
 rebooting, 47, 50, 105, 295–296
 starting servers during, 458–460

Bootloader utility, 224–225

bottom panel, GNOME, 81–82

BPL (broadband over power lines), 174

breakpoints, debugger, 537

BrightStor ARCserve Backup for Linux utility (Web site), 346

broadband over power lines (BPL), 174

browsers, Web
 definition, 245, 246
 Epiphany, 143, 251
 Firefox, 143, 251, 252–256,
 277–278
 FTP use from, 273,
 277–278
 introduction, 245–250
 Konquerer, 123–127,
 144, 251
 Lynx, 143
 Mozilla, 143, 251
 overview, 143
 RSS plugins, 271
 BRU backup utility (Web
 site), 346
 buffer, definition, 163
 buffer overflow,
 definition, 392
 buffered data, writing to
 files, 106
 build process, **make** utility
 for automating, 523
 bulletin board systems.
See news
 services/newsgroups
 burning data onto
 CDs/DVDs
 installations, 32
 ISO images, 36–37
 with K3b, 142, 153–154
 Linux applications for, 142
 from Nautilus, 121–122
 overview, 151
 bus type information, 312
 business requirements for
 security, 385–386

C

C: drive, resizing, 37–39
c: prompt, 94
 C and C++ programming
 languages
 directories for, 119
 GNU compilers, 17, 18, 23,
 523, 524–528
 KDE support for, 86

C file format, 526
 C Library, 18
c shell, 94
 CA (certificate authority),
 definition, 393
 cable modem, 173–174,
 180–185
 Cable Modem Termination
 System (CMTS), 181
 cached data, directory
 location, 119
 caching name server, 491,
 495–505
cal command, 106, 109
 Calc, OpenOffice.org,
 146–148
 calculator applications,
 140, 150
 calendar applications,
 106, 140, 149–150
 call sequence for program,
 displaying, 538
 canonical name (alias), 493
 Carrier-Sense Multiple
 Access/Collision
 Detection (CSMA/CD),
 196–197
case shell command, 549,
 550–552
cat command, 98, 103,
 112–113, 311
 categories of Ethernet
 cables, 198
cd command, 103, 112,
 128–129, 281
 CD/DVD-ROMs, 26, 32, 45,
 54, 136–137. *See also*
 burning data onto
 CDs/DVDs
 CD players, 141, 150–151,
 152–153
cdrdao application
 (Web site), 142
cdrecord application
 (Web site), 142
 cdrom term, 136

central processing unit
 (CPU), 9, 305–307, 311,
 312, 520
 CERT Coordination Center
 (Web site), 396
 certificate, definition, 393
 certificate authority (CA),
 definition, 393
 chain, definition, 425
 CHAP (Challenge
 Handshake
 Authentication
 Protocol), 189
 chap-secrets, 190
 character device,
 definition, 315
chgrp command, 333
chkconfig command,
 301–302, 414, 438,
 458–459
chmod command,
 103, 113–114, 132–133,
 281, 403
chown command, 103, 133,
 333–334, 402–403
chsh command, 94, 105
 CIAC (Computer Incident
 Advisory Capability),
 396
 Clarinet news service, 260
 class, definition, 473
 client/server architecture,
 Internet, 447–451
 CMTS (Cable Modem
 Termination
 System), 181
 CodeWeavers (Web site), 21
 command
 interpreter/processor.
See shell
 command-line interface.
See also shell
 in **bash** scripts, 546, 548
 computer function of, 522
 definition, 66
 options, 95
 text mode commands
 list, 162

command-line interface
(continued)
 user accounts, managing, 328–329
 Yum command list, 378
 Yum for updating RPMs, 377–379
 command.com, 94
 commercial compared to free distributions, 14
 Common UNIX Printing System (CUPS), 303
 Common Vulnerabilities and Exposures (CVE) (Web site), 432
 comparing files, 103
 compilers
 definition, 522
 GCC, 17, 18, 23, 523, 524–528
 Java GNU, 23
 compress command, 104
 compressing files, 104–105
 Computer Incident Advisory Capability (CIAC), 396
 computer programs, 521, 522. *See also* applications; operating system; programming with Linux
 concatenating files, 103, 104
 Concurrent Version System (CVS), 433, 524
 conditional expressions in shell scripting, 564
 confidentiality, definition, 393
 configuration. *See also individual files*
 application installation, 54–59
 CD/DVD-ROMs, managing, 54
 desktop at startup, 45

directory location of files, 117
 e-mail services, 466–477
 firewall, 27, 419–422, 423
 Internet services, 458–459, 460, 461
 KDE, 91–92
 network, 49, 199–200, 204, 208–217, 222–225
 news server, 478–484
 overview, 28–29
 printer, 26, 35, 50–53
 Samba, 513–514
 system administration files, 286, 302–305
 TCP/IP, 199–200
 Configure Panel, KDE, 91
 connection-oriented protocol, 448–449, 450, 451. *See also* TCP/IP (Transmission Control Protocol/Internet Protocol)
 connectionless protocol, 449, 450
 contacts management application, 140, 143, 149–150, 232, 233–236
 context menus, GUI, 75–76, 84–86
 control operators, **sendmail.cf**, 474
 COPYING file, 542
 COPYING.LIB file, 543
 Coreutils utilities, 18
 country domain names, 489
cp command, 103, 133
cpio program, 18, 104
 CPP file format, 526
 CPU cache, 47
 CPU (central processing unit), 9, 305–307, 311, 312, 520
 cracker, definition, 393

CRC-32 (32-bit cyclic redundancy code), 206
cron command/process, 305, 462, 564
crond daemon, 321
crontab facility, 319, 321–324
 CrossOver Office (Web site), 21, 140
 CSMA/CD (Carrier-Sense Multiple Access/Collision Detection), 196–197
 CSV spreadsheet file format, 147
ctlinnd program, 479, 486
 CUPS (Common UNIX Printing System), 303
 current directory, setting, 103, 128
cut command, 103
 CVE (Common Vulnerabilities and Exposures) (Web site), 432
 CVS (Concurrent Version System), 433, 524

D

daemon, definition, 457. *See also individual daemons*
 data integrity, checking for CD, 46, 49
 Data Over Cable Service Interface (DOCSIS) standard, 181–182
 data packets
 definition, 197, 394
 encryption of wireless, 205, 206
 security, 420, 421, 422
 sniffing, 221–222, 440
 data protection, security policy development, 388

- data transfer rates,
 - Ethernet, 196
- database applications,
 - 141, 434
- datagram, definition, 449
- date** command, 106, 108–109
- dbm (gdbm)** database
 - library, 543
- dd** command, 103
- DDC (Display Data Channel), 50
- DDoS (Distributed Denial of Service), definition, 393
- DEB file packages,
 - 54, 366–370
- Debian distributions. *See also* distributions, Linux
 - application software, 54
 - burning CDs/DVDs in, 154
 - e-mail clients, 233
 - gFTP, 274
 - installing, 32
 - missing applications, installing, 144
 - network interface
 - information, 223
 - PPP connection tool, 189
 - software packages, installing, 55
 - sysadmin tools, 287
 - tcpdump** installation, 222
 - text mode installation, 42
 - updating, 375
 - version types, 15
 - Web site, 12
- debugger, 18, 23, 522, 535–541
- decoders, multimedia, 139
- decompressing files,
 - 104, 105
- decryption, definition, 393
- default gateway,
 - Ethernet, 219
- delay loop, 64
- Denial of Service (DoS)
 - attack, 383, 386, 393
- depmod** command, 316
- derived work, definition, 542
- desktop at startup,
 - configuring, 45. *See also* GUI (graphical user interface)
- /dev** directory, 117, 314, 338
- /dev/hda** device, 314
- /dev/null** file, 99
- development tools
 - CVS, 433, 524
 - emacs** editor, 17, 18, 23, 141
 - GNU C and C++ compilers, 17, 18, 23, 523, 524–528
 - GNU debugger, 18, 23, 535–541
 - GNU licenses, 541–544
 - installation, 373, 524
 - introduction, 523–524
 - make** utility, 23, 529–535
 - overview, 22–23
 - Subversion version control system, 23, 433, 524
- device files, 99, 313, 314
- devices
 - configuration files for, 304
 - /dev/hda**, 314
 - directory location of, 117, 314, 338
 - drivers, 48, 303, 312, 313, 316–318
 - dynamically named, 315–316
 - in Linux hierarchy, 116–117
 - managing, 313–316
 - mounting/unmounting of, 106, 339–342
 - name, displaying, 106
 - network, 315
 - storage, 116
- df** command, 106, 137, 309
- DHCP (Dynamic Host Configuration Protocol)
 - boot options, 49
 - function and port number, 451
 - network card setup, 200, 202
 - overview, 195
 - System Monitor, 223
- Dia (Web site), 140
- dialup networking, 27, 173–174, 185–190
- Dictionary (Web site), 140
- diff** command, 18, 103
- difiKam (Web site), 142
- dig** utility, 492–493
- digiKam, 151–152
- digital camera applications,
 - 142, 150, 151–152
- digital signature, 393, 407–409, 411–412
- Digital Subscriber Line (DSL), 172, 173–180
- direct memory access (DMA), 45, 48, 312
- directories (folders)
 - commands for navigating, 128–129
 - creating new, 134
 - current, 103, 128
 - deleting, 134–135
 - device, 117, 314, 338
 - file system organization, 115–120
 - FTP commands to control, 281–282
 - GUI file management systems, 120–127
 - listing of, 129–131
 - management commands, 103
 - pathnames, 116, 128–129, 249, 282
 - permission for access, 103, 131–133, 281, 402, 403–406, 434–435
 - protecting, 402–406
 - top-level, 117–118
- Directory Services security, 390

- disk partitioning. *See* partitions, disk
- disk performance, checking, 309–310
- disk space usage, 106, 137–138, 309–310
- Display Data Channel (DDC), 50
- distributed database, DNS as, 487
- Distributed Denial of Service (DDoS), definition, 393
- distributions, Linux. *See also individual distributions*
 - automatic startup of servers, 301–302
 - available on book’s DVD, 31
 - BIND software, 490
 - caching name server, 495, 496
 - CD/DVD management behavior, 54
 - customizing GUIs, 73
 - definition, 11
 - developer tools installation, 524
 - exporting files for sharing, 510
 - FTP access, 274, 278, 279
 - inetd/xinetd usage, 438
 - init** process run levels, 297
 - installation differences, 37, 359
 - Internet super servers, 415, 453, 455–456
 - introduction, 1, 5
 - mail server setup, 465–466
 - mounting devices, 341, 342
 - MP3 decoder issue, 153
 - news server installation, 478, 484
 - nmap** availability, 441
 - overview, 11–14
 - root** access, 294, 296
 - RSS feed software, 271
 - Samba configuration, 514
 - Samba installation, 512–514
 - security tools, 397, 442
 - software packages included with, 16–24
 - SSH usage, 418
 - standalone server handling, 414, 438
 - starting/stopping servers, 342, 457, 458–460, 504
 - version numbers, 15
- DistroWatch.com (Web site), 11
- DIX Ethernet standard, 197
- DMA (direct memory access), 45, 48, 312
- dmesg** command, 62
- DMZ, definition, 393
- dn1** (delete through new-line), definition, 468
- DNS (Doman Name System)
 - BIND, 433, 490–493
 - caching name server, 495–505
 - firewall, relationship to, 420
 - introduction, 487–490
 - named, 462, 491
 - nsswitch.conf, 217
 - primary name server, 491, 505–506
 - resolver, 494–495
 - servers, 211, 488–489
- DOCSIS (Data Over Cable Service Interface) standard, 181–182
- documentation, online, 24
- \$** (dollar sign) in programming, 531, 548
- domain name, 230, 249, 487, 489, 490. *See also* DNS (Doman Name System)
- DOS command interpreter, 94
- DoS (Denial of Service) attack, 383, 386, 393
- DOS/Windows file system access, 351–354
- /dos** directory, 351–352
- .** (dot) for current directory, 129
- ..** (dot-dot) for parent directory, 129
- dotted decimal/dotted quad notation, 194
- downloading data from Internet, 172, 181, 182, 281–282
- dpkg** command, 366, 367–368
- drivers, device, 48, 303, 312, 313, 316–318
- dselect** program, 366, 369
- DSL (Digital Subscriber Line), 172, 173–180
- du** command, 106, 138, 310
- dual-homed host, definition, 393
- duplicate lines in file, eliminating, 104
- DVD-ROM. *See* CD/DVD-ROMs
- dynamic IP address, 467
- dynamic routing tables, 419–420
- dynamically linked, shared libraries, 23, 544
- dynamically named devices, 315–316

E

- e-mail services. *See also* SMTP (Simple Mail Transfer Protocol)
 address syntax, 230
 applications, 143, 144, 149, 230–242
 attachments, 231
 configuring, 466–477
 HTML messages, 232
 installing, 465–466
 introduction, 171, 229
 mailbox file location, 120, 339
mailto: protocol, 248
 overview, 22
- echo** command, 331
- ed** text mode editor, 17, 18
- Edit-Compile-Debug cycle, 523
- editing while copying, 104
- EIA/TIA (Electronic Industries Association/Telecommunications Industries Association), 198
- emacs** editor (Web site), 17, 18, 23, 141
- encryption
 definition, 393
 GnuPG, 390, 406–413
 password, 399–400
 security measures, 399–402
 /usr/bin/ssh-keygen, 417, 418
 wireless data packets, 205, 206
- encryption keys, 208, 210, 395, 406–413, 417
- env** command, 331
- environment variables, 105, 331–333, 522
- Epiphany Web browser (Web site), 143, 251
- error messages, 47, 98, 154
 /etc/aliases directory, 477
 /etc/apache2/httpd.conf file, 302
 /etc/apt/sources.list file, 302
 /etc/at.allow file, 303, 319
 /etc/at.deny file, 303, 319
 /etc/bash.bashrc file, 303
 /etc/bashrc directory, 303
 /etc/cron.allow file, 321–322, 435
 /etc/cron.deny file, 321–322, 435
 /etc/crontab directory, 435
 /etc/cups/cupsd.conf file, 303
 /etc/default/useradd directory, 328
/etc directory, 117, 338
/etc/exports directory, 342, 343, 507–511
 /etc/fonts directory, 303
/etc/fstab directory, 303, 340–342
/etc/group directory, 303, 330, 437
 /etc/grub.conf file, 303
/etc/host.conf file, 213, 215, 494–495
/etc/hosts directory, 213, 214, 303
/etc/hosts.allow file, 213, 216, 303, 415
/etc/hosts.deny file, 213, 216–217, 303, 415, 435
 /etc/httpd/conf/httpd.conf file, 303
 /etc/inetd.conf file, 453–455
/etc/init.d file, 301, 303, 457
 /etc/init.d/rcS file, 304
/etc/inittab directory, 297, 298–299, 303
 /etc/issue directory, 303
 /etc/lilo.conf file, 303
 /etc/login.defs file, 303, 328
 /etc/logrotate.conf file, 435
 /etc/mail/access directory, 475
 /etc/mail/access.db file, 475
/etc/mail directory, 467–477
 /etc/mail/helpfile directory, 475
 /etc/mail/local-host-names directory, 475
 /etc/mail/mailertable directory, 475, 476
 /etc/mail/relay-domains directory, 475
 /etc/mail/sendmail.cf file, 466, 467–474
 /etc/mail/sendmail.mc file, 470–472
 /etc/mail/trusted-users directory, 475
 /etc/mail/userdb.db file, 475
 /etc/mail/virtuser-table directory, 475
 /etc/modprobe.conf file, 303, 317–318
 /etc/modules.conf file, 304
/etc/mtab directory, 304
 /etc/mtools.conf file, 355–356

- /etc/named.conf file, 495–497
- /etc/network/interfaces file, 223
- /etc/networks file, 213, 214
- /etc/news/expire.ctl file, 479
- /etc/news/incoming.conf file, 479, 483
- /etc/news/inn.conf file, 479, 480–481
- /etc/news/newsfeeds directory, 479, 481–483
- /etc/news/readers.conf file, 480, 483–484
- /etc/news/storage.conf file, 479
- /etc/nsswitch.conf file, 213, 217, 495
- /etc/pam.d file, 402, 435
- /etc/passwd** directory, 128, 304, 329, 399–400, 437
- /etc/profile directory, 304
- /etc/profile.d file, 304
- /etc/rc.d/rec/sysinit directory, 304
- /etc/resolv.conf** file, 213, 215, 492, 494
- /etc/samba/smb.conf file, 511, 514
- /etc/samba/smbusers directory, 511
- /etc/securetty directory, 435
- /etc/security directory, 435
- /etc/services** directory, 452–453
- /etc/shadow** directory, 304, 401, 435, 437
- /etc/shells directory, 304
- /etc/shutdown.allow file, 435
- /etc/skel** directory, 304, 328
- /etc/ssh** directory, 435
- /etc/sudoers directory, 107
- /etc/sysconfig** directory, 210, 212, 223–224, 304, 435
- /etc/sysconfig/network directory, 224
- /etc/sysctl.conf file, 304, 435
- /etc/syslog.conf file, 413, 435
- /etc/termcap directory, 304
- /etc/udev** directory, 304
- /etc/udev/udev.conf file, 316, 435
- /etc/udev directory, 304
- /etc/vsftpd directory, 435
- /etc/vsftpd.ftpusers file, 435
- /etc/X11** directory, 304
- /etc/X11/XF86Config, 304
- /etc/X11/xorg.xonf file, 304
- /etc/X11/yum.conf file, 304
- /etc/xinetd.conf file, 435, 455
- /etc/xinetd.d file, 435
- Ethernet networking. *See also* LAN (local area network)
 - cable types, 178–179, 185, 197–198
 - configuring, 49
 - default gateway, 219
 - hub/switch, 178–179
 - LAN setup, 196–199
 - naming card, 209
 - overview, 191
 - PPP over Ethernet (PPPoE), 180
 - wireless, 196, 203–212
- Evolution PIM application (Web site), 143, 232, 233–236
- Excel, Microsoft, sharing Calc with, 147
- exclusive-OR operation, 206
- exec-shield feature, 392
- executable permission for files/folders, 131
- executable programs directory, 117, 119, 339
- expand** command, 104
- expire** news service command, 479
- exploit tools, definition, 393
- exportfs command, 510
- exporting files for sharing (NFS), 507–511
- expr** shell command, 550
- expressions, definition, 523
- eXtensible Markup Language (XML), 269, 270
- extensions, filename, 116

F

- fatal signal 11 error, 47
- fdformat command, 106
- fdisk** command, 106
- fdisk_bug, 311
- FEATURE** mail macro, 472
- Fedora distribution. *See also* distributions, Linux
 - e-mail client, 233
 - FTP client, 274–275, 276–277

- Internet service
 - configuration, 458–459, 460
- KDE default desktop, 84
- network interface
 - information, 223–224
- packet-filtering firewall, 423–424
- printer setup, 50–53
- RPM basis for, 54, 66, 363–364
- Samba configuration, 513
- software package
 - installation, 56–57
- source code file packages, 374–375
- startup process, 62
- sysadmin tools, 287–288
- text mode installation, 42
- updating, 376–379
- Web site, 12
- wireless network
 - configuration, 209–211, 212
- fg** command, 105
- (FHS) Filesystem Hierarchy Standard (Web site), 337
- fiber-to-the-home (FTTH), 174
- file://** protocol in URL, 248
- file and data sharing, 27, 119, 172. *See also* NFS (Network File System) protocol; Samba file sharing
- file** command, 104
- file-integrity checking, 390
- file systems
 - availability and location, 303
 - backing up/restoring files, 344–351
 - commands for navigation, 128–138
 - definition, 335
 - DOS/Windows access, 351–354
 - `/etc/fstab` file, 340–342
 - GUI file manager, 120–127
 - hierarchical organization, 335–337
 - information on, 304
 - introduction, 27, 115–120, 335–339
 - list of supported, 312
 - management commands, 106
 - mounting devices on, 286, 312, 339–344, 462, 510–511
 - mtools** package, 354–358
 - navigation commands, 128–138
 - NFS, sharing with, 342–344
 - `/proc`, 310–313
 - `sysfs`, 315
- File Transfer Protocol (FTP). *See* FTP (File Transfer Protocol)
- file transfer utilities, overview, 22
- filename, 99–100, 116, 249, 361
- files
 - access control, 402–406
 - archiving, 104–105, 346–351
 - backing up, 27, 33, 37, 344–351
 - command input from, 97
 - command output to, 97–98
 - compressing, 104–105
 - concatenating, 103, 104
 - copying, 103, 133
 - deleting, 103, 134
 - device, 99, 313, 314
 - directory locations, 117, 119, 120
 - displaying data type, 104
 - exporting for sharing, 507–511
 - finding, 103, 104, 135–136
 - GUI management systems, 120–127
 - library. *See* library files
 - loading for debugging, 537
 - management commands, 103, 105
 - moving, 134
 - MS-DOS batch files, 112
 - object, 525–526
 - ownership of, 103, 133, 325, 333–334, 402–403
 - permission for access, 103, 131–133, 281, 402, 403–406, 434–435
 - processing commands, 103–104, 109–110
 - protecting, 402–406
 - saving error messages to, 98
 - splitting, 111–112
 - system administration, 286, 302–305
- Filesystem Hierarchy Standard (FHS) (Web site), 337
- find** command, 103, 135–136
- finding
 - commands for, 103
 - expressions within files, 104
 - files, 103, 104, 135–136
 - newsgroup information, 268–269
 - text in files, 167
- Findutils utilities, 18
- finger** program, 18
- fingerprint, definition, 407
- Firefox Web browser (Web site), 143, 251, 252–256, 277–278
- firestarter package, 183

firewall
 as basis of network security, 391
 definition, 384, 393
 Fedora, 423–424
 ICMP message problems with, 219
 setup, 27, 419–422, 423
 SUSE, 424
 Ubuntu, 183
 Firewall Configuration tool, 423
 FireWire, 49
 fixed framebuffer graphics, 45
 fixed wireless broadband (FWB/WiMax), 174
 floppy disk (`/dev/fd0`), 345, 352
 flow control, shell scripts, 549–552
 flow-control statements, definition, 523
 FOCUS-LINUX mailing list, 396
fold command, 104
 folders. *See* directories (folders)
 font configuration files, 303
for shell command, 549, 550
 foreground process, running, 105
 formatting diskettes, 106
 forums. *See* news services/newsgroups
 FORWARD chain, 425–427
.forward file, 476–477
 FQDN (fully qualified domain name), 490
 frames, data, definition, 197
free command, 105
 free compared to commercial distributions, 14

Free Software Foundation (FSF), 17
 FreeDesktop.org (Web site), 73
fsck command, 106
 FSF (Free Software Foundation), 17
ftp:// protocol in URL, 248
ftp command, 279–282
 FTP (File Transfer Protocol) as application level protocol, 192
 command-line options, 279–282
 function and port number, 195, 452
 graphical clients, 143, 273–278
 introduction, 22, 273
 Very Secure FTP, 463
 FTTH (fiber-to-the-home), 174
 full distribution, definition, 31
 fully qualified domain name (FQDN), 490
 functions (subroutines/routines), 523, 537, 547, 548–549
 FWB/WiMax (fixed wireless broadband), 174

G

g++ GNU C++ compiler, 18, 526–527
 Gaim (Web site), 143
 games, directory location, 119
 gateway, Internet, 219, 392, 421–422. *See also* firewall
gawk program, 18

GCC (GNU C and C++ compilers) (Web site), 17, 18, 23, 523, 524–528
gcc program, 18, 23, 524–528, 536
gcj program, 23
gdb program, 18, 23, 535–541
gdbm program, 18
 General Public License (GPL). *See* GPL (General Public License)
 Gentoo Linux distribution (Web site), 12
get FTP command, 280
 gettext program, 18
 gFTP (Web site), 143, 273, 274–275
 GGv (GNOME Ghostview) (Web site), 18, 142, 156
 ghostscript program, 18
 ghostview program, 18
 GID (group ID), 105, 330
 Gigabit Ethernet, 198
 The GIMP (GNU Image Manipulation Program), 18, 20, 142, 154–156
 G.lite DSL, 176
 GNOME (GNU Object Model Environment), 19
 bottom panel, 81–82
 calculator application, 140, 150
 CD Player, 141
 context menus, 75–76
 Epiphany, 143, 251
 Evolution, 143, 232, 233–236
 Gaim, 143
 gFTP, 273, 274–275
 Ghostview (GGv), 18, 142, 156
 GNU, relationship to, 16
 help viewer, 24

- introduction, 20, 73–74
- Main Menu, 77–79
- Nautilus file manager, 120–123
- network interface
 - management, 224
- panel introduction, 77
- Pidgin, 232, 242–243
- Places Menu, 79–80
- Straw, 271
- sysadmin tools, 287, 291–292
- System Menu, 80–81
- System Monitor, 222, 223
- terminal window
 - access, 65
- text editor, 157–158
- top panel icons, 81
- Totem, 142
- Ubuntu installation, 40
- GNU **bison** parser-generator tool, 543
- GNU C and C++ compilers (GCC) (Web site), 17, 18, 23, 523, 524–528
- GNU C Library, 18
- GNU chess, 18
- GNU compiler for Java program, 23
- GNU **dbm** (**gdbm**) database library, 543
- GNU debugger, 18, 23, 535–541
- GNU General Public License (GPL). *See* GPL (General Public License)
- GNU Image Manipulation Program (The GIMP), 18, 20, 142, 154–156
- GNU Lesser General Public License (LGPL), 543–544
- GNU Privacy Guard (GnuPG/GPG), 390, 406–413
- GNU profiling utility, 23
- GNU Project (Web site), 16, 17
- GNU software, overview, 16–19
- gnnumeric program, 19
- GnuPG (GNU Privacy Guard), 390, 406–413
- Google Groups (Web site), 44, 260, 269
- Google Web Search (Web site), 255
- GParted, 37, 38
- gpg** command, 409–413
- GPG (GNU Privacy Guard), 390, 406–413
- GPL (General Public License)
 - commercial distribution control, 14, 541–544
 - The GIMP, 154
 - GNU Project, relationship to, 17
 - text of, 372
 - X.Org, relationship to, 20
- gprof** utility, 23
- GQview (Web site), 142
- graphic imaging tools, 18, 20, 142–143, 154–156
- graphical shell,
 - definition, 120
- graphical user interface. *See* GUI (graphical user interface)
- grep** command, 66, 95, 104
- grep** software package, 19
- groff** program, 19
- group ID (GID), 105, 330
- groupadd command, 330
- groupdel command, 330
- groups
 - configuration files for, 303
 - definition, 325
 - group name, 325
 - managing, 326–327, 330
- ownership of files, 333–334
- printing list, 105
- setting for file, 103
- groups** command, 105
- growisofs** application (Web site), 142
- GRUB boot loader, 61, 296, 302, 303
- gtk+** program, 19
- GUI (graphical user interface). *See also* GNOME (GNU Object Model Environment); KDE (K Desktop Environment)
 - configuration
 - introduction, 29
 - desktops introduction, 11
 - file management systems, 120–127
 - help viewers, 24
 - installation
 - troubleshooting, 42
 - installers, 54
 - Internet service
 - configuration, 460
 - list of available, 73
 - network checking
 - tools, 222
 - opening terminal/console from, 93–94
 - overview, 20–21
 - packet-filtering firewall, 423–424
 - remote display of, 48
 - root** access login, 294
 - Samba configuration, 513
 - sysadmin tools overview, 287–292
 - user accounts,
 - adding, 326
- gunzip** command, 104
- gzip** program, 19, 105, 371

H

halt command, 105
 hard drive
 information on, 312
 management overview, 25, 26
 monitoring performance, 309–310
 storage role of, 520–521
 system requirements, 34
 hardware
 checking for installation, 34–35
 components overview, 25
 definition, 9
 detection during
 installation, 41
 disabling automatic
 detection, 50
 Linux as manager of, 25
 monitoring processes, 312
 networking, 207–208
 skipping detection
 elements, 46
 system administration, 286
 wireless Ethernet setup,
 207–208
 hash, definition, 394, 407
 # (hash mark), 214, 415
 header files in C/C++,
 directory location, 119
 help resources
 bash shell scripts, 552
 FTP, 280
 help commands, 102
 KDE access, 87
 mouse hover access, 77
 online documentation, 24
 SMTP, 467
 vi text mode editor, 164
 hiding NAT, 422, 423
 high-speed Internet
 connection
 cable modem, 173–174,
 180–185
 DSL, 172, 173–180
 introduction, 27

history, command, 101–102
history command,
 101–102
 /**home** directory, 117, 128,
 338
 home page, Web browser,
 252, 254
 host. *See also* DHCP
 (Dynamic Host
 Configuration Protocol)
 address, 193, 194
 bastion, 392
 configuration files,
 213–217, 303, 415,
 435, 494–495
 connectivity, checking,
 219
 definition, 394, 399
 dual-homed, 393
 security issues, 390–391,
 399–413, 431, 434, 440
host command, 504–505
host utility, 493
 hostname
 configuration file for, 303
 FTP, 277, 280
 network, 213, 214, 215, 466
 hot pluggable peripherals,
 26–27
 HTML (HyperText Markup
 Language), 232, 246,
 249
http:// protocol
 in URL, 248
 HTTP (HyperText Transfer
 Protocol), 22, 192, 195,
 246, 452
httpd Internet service,
 22, 462
https:// protocol
 in URL, 248
 100 Mbps Ethernet, 198
 100BaseT Ethernet, 179, 185
 Hyper-Threading, 49
 hypertext links, 247

HyperText Markup
 Language (HTML),
 232, 246, 249
 HyperText Transfer
 Protocol (HTTP), 22,
 192, 195, 246, 452

I

I/O port addresses, 312
 I/O redirection, 96–97
 IANA (Internet Assigned
 Numbers Authority)
 (Web site), 453
 IC (Integrity Check)
 field, 206
 ICMP (Internet Control
 Message Protocol), 219
 icons, desktop, 76, 77, 81,
 84, 85–87
id command, 105
 IDE Zip drive (/dev/hdc4
 or /dev/hdd4), 345
 IDSL (ISDN DSL), 176
 IEEE 802.3 CSMA/CD. *See*
 Ethernet networking
 IEEE 802.11a wireless
 standard, 204
 IEEE 802.11b wireless
 standard, 203–204
 IEEE 802.11g wireless
 standard, 204
 IEEE 802.11i wireless
 standard, 205
 IEEE 802.11n wireless
 standard, 204
 IEEE (Institute of Electrical
 and Electronics
 Engineers), 197,
 203, 260
 IETF (Internet Engineering
 Task Force) (Web site),
 194, 488
if shell command, 549
if-then-else sequence,
 549–550
ifcfg file type, 224

- IM (instant messaging). *See* instant messaging (IM)
- images, graphic, tools for, 18, 20, 142–143, 154–156
- IMAP (Internet Message Access Protocol), 230
- Impress, OpenOffice.org, 148–149
- Inbox, e-mail, 235, 236, 239
- incident response policy, 437
- incoming.conf file, 479, 483
- indent** program, 19
- inetd** server, 414, 415–416, 437–438, 453–455
- info** command, 102
- information disclosure, 386
- init 0** command, 68
- init** command, 108, 296–302
- initialization scripts, 300, 304
- initialization vector (IV), 206
- INN (InterNetNews) server, 22, 462, 465, 478–486
- inn.conf** file, 479, 480–481
- innnd** Internet service, 22, 462, 478, 479, 484
- innxmit** program, 479
- input, definition, 521
- INPUT chain, 425–427
- insmod** command, 316
- installation
- applications, 54–59, 359–370
 - burning onto CD/DVD, 36–37
 - Debian, 32, 42, 55, 144, 222
 - development tools, 373, 524
 - e-mail services, 465–466
 - Fedora, 42, 56–57
 - Firefox, 251
 - The GIMP, 154
 - GUIs, 42, 54
 - hardware, 34–35, 37–39, 41
 - introduction, 31–33
 - locate** command, 136
 - MEPIS, 56, 144
 - news server, 477, 478, 484
 - overview, 28
 - Samba, 512–514
 - sendmail, 465–466
 - SUSE, 42, 58
 - system administration, 286
 - text mode, 42
 - troubleshooting, 42–50
 - Ubuntu, 35–40, 42, 56, 144
 - Xandros, 42, 58–59
- instant messaging (IM)
- applications overview, 143, 144
 - introduction, 229
 - Kopete, 143, 243–244
 - Linux clients, 232–233
 - Pidgin, 242–243
- Institute of Electrical and Electronics Engineers (IEEE), 197, 203, 260
- integrity, definition, 394
- Integrity Check (IC) field, 206
- Intel 440GX chipset, workaround for, 48
- in.telnetd** server, 22
- internal firewall, 422
- International Organization for Standards (ISO) (Web site), 489
- Internet. *See also* networking
- applications for access to, 143–144
 - configuration files for services, 304
 - connecting to, 171–190
 - dialup tool, 27
 - DNS. *See* DNS (Domain Name System)
 - e-mail. *See* e-mail services
 - file transfer. *See* FTP (File Transfer Protocol)
 - host permissions, 303
 - IM. *See* instant messaging (IM)
 - LAN connection to, 178, 185, 200–202
 - network protocols, 21
 - newsgroups. *See* news services/newsgroups
 - NFS. *See* NFS (Network File System) protocol
 - Samba file sharing, 27, 462, 463, 507, 511–515
 - security considerations, 178, 383, 391–392, 399, 413–428
 - security policy development, 388
 - services, servers and clients on, 447–453
 - services list, 462–463
 - standalone servers, 457–463
 - super servers (**inetd** and **xinetd**), 415–416, 453–456
 - TCP/IP function on, 193, 194–195
 - Web browsing. *See* browsers, Web
- Internet Assigned Numbers Authority (IANA) (Web site), 453
- Internet Control Message Protocol (ICMP), 219
- Internet Engineering Task Force (IETF) (Web site), 194, 488
- Internet Message Access Protocol (IMAP), 230

- Internet Protocol (IP), 172, 192, 449. *See also* IP addresses; TCP/IP (Transmission Control Protocol/Internet Protocol)
 - Internet Protocol Next Generation (IPng), 194
 - Internet Relay Chat (IRC), 144
 - Internet Service Provider (ISP), 171, 173, 232, 262
 - Internet Systems Consortium (ISC) (Web site), 478
 - InterNetNews (INN) server, 22, 462, 465, 478–486
 - internetworking, definition, 172, 193
 - interrupt request (IRQ) control, 50, 312
 - intrusion detection tools, 440
 - IP addresses. *See also* DNS (Domain Name System); TCP/IP (Transmission Control Protocol/Internet Protocol)
 - in client/server architecture, 450
 - domain names, relationship to, 487
 - NAT capability, 178, 200–201
 - obtaining, 200
 - overview of function, 193–194
 - socket interface, 448
 - IP routing table, checking, 218–219
 - IP spoofing, definition, 394
 - IPng (Internet Protocol Next Generation), 194
 - IPSec (IP Security Protocol), definition, 394
 - iptables** command, 27, 183, 423, 424–428
 - IPv4 addressing, 194
 - IPv6 addressing, 194
 - IRC (Internet Relay Chat), 144
 - IRQ (interrupt request) control, 50, 312
 - ISC (Internet Systems Consortium) (Web site), 478
 - ISDN DSL (IDSL), 176
 - ISO images, burning CDs/DVDs from, 36–37
 - ISO (International Organization for Standards) (Web site), 489
 - ISOLINUX boot loader, 61, 62
 - ISP (Internet Service Provider), 171, 173, 232, 262
 - IV (initialization vector), 206
 - iwconfig command, 212
-
- ## J
-
- Java GNU compiler, 23
 - job scheduling, 305, 319–324
-
- ## K
-
- K3b (Web site), 142, 153–154
 - Kaffeine (Web site), 141
 - Kate, 141
 - KCalc, 140
 - KDE Control Center, 92
 - KDE (K Desktop Environment)
 - Akregator, 143, 271
 - amaroK, 141
 - calculator application, 150
 - calendar application, 140, 149–150
 - configuring, 91–92
 - context menus, 84–86
 - development of, 73, 83
 - help viewer, 24
 - introduction, 20, 83–84
 - KFax, 142
 - KFTPGrabber, 273, 276–277
 - KMail, 144, 149, 232, 241–242
 - KNode, 143, 262, 267–268
 - Konquerer, 123–127, 144, 251
 - Kontakt, 140, 149–150
 - Kooka, 143
 - Kopete, 143, 232, 243–244
 - KPhone, 143
 - KsCD, 141
 - KSnapshot, 143
 - KView, 142
 - Kwrite, 141
 - Main Menu, 87–90
 - network interface management, 224
 - office tools, 140
 - panel, 84, 86–87, 90–91
 - sysadmin tools, 289–290
 - terminal window access, 65
 - text editor, 141, 158
 - Web site, 86
 - kernel, Linux
 - boot**: prompt options, 47–49
 - deadlock detector, 49
 - directory location of, 117, 119, 338
 - displaying information on, 105
 - as distribution, 11
 - interface table, 220
 - introduction, 9

loadable modules, 303, 312, 316–318
 loading on startup, 62
 locking, 312
 map of, 302
 /**proc** tool for control of, 310, 312–313
 security vulnerabilities, 434
 version numbers, 14
 key ring, definition, 410
 keyboard
 controlling information
 passing to, 49
 language setting, 45
 system requirements, 34
 text mode editor
 commands, 164
 keys, encryption, 208, 210, 395, 406–413, 417
 KFax, 142
 KFTPGrabber (Web site), 273, 276–277
 kickstart installation, 49
kill command, 105, 108
 Kimball, Spencer (developer), 154
 KMail (Web site), 144, 149, 232, 241–242
 KNode (Web site), 143, 262, 267–268
 Knoppix distribution. *See also* distributions, Linux
 boot commands, 44–47
 CD/DVD handling, 54
 penetration tests with, 439
 root access, 294
 security tools, 441
 sysadmin tools, 288–289
 text mode installation, 42
 update-rc.d command, 459–460
 Web site, 12
 Konquerer (Web site), 123–127, 144, 251
 Kontakt (Web site), 140, 149–150

Kooka (Web site), 143
 Kopete (Web site), 143, 232, 243–244
 Korganizer (Web site), 140, 149–150
 KPhone (Web site), 143
 KsCD, 141
 KSnapshot (Web site), 143
ksyms command, 316
 KView, 142
 Kwrite, 141

L

LAN (local area network)
 connecting to Internet
 from, 178, 185, 200–202
 Ethernet LAN setup, 196–199
 introduction, 191–195
 NFS setup, 342–344
 TCP/IP network
 configuration, 199–200
 LANANA (Linux Assigned Names and Numbers Authority) (Web site), 314
 language setting for
 keyboard, 45
ldd command, 105
less command, 19, 104
 LGPL (Library General Public License), 542, 543–544
 /**lib** directory, 117, 338
libpng program, 19
 library, definition, 523
 library files
 C and C++, 18, 119
 dbm (gdbm) database, 543
 directory location, 117, 338
 licensing issues, 542–544
 resolver, 215, 488, 492, 494–495

SANE, 143
 shared, 23, 105, 544
 Library General Public License (LGPL), 542, 543–544
 LILO (Linux Loader), 61, 303
 links
 @ (at symbol) for file, 130
 to files and directories, 103
 shared libraries, 23, 544
 in Web pages, 247
 Linphone (Web site), 144
 Linspire distribution (Web site), 12
 Linux. *See also*
 distributions, Linux;
 kernel, Linux
 applications overview, 11, 139–144
 definition, 9–11, 11
 devices overview, 313–316
 distributions overview, 11–14
 functions of, 25–27
 getting started process, 28–29
 introduction, 1–6
 LSB overview, 15–16
 newsgroups devoted to, 260–261
 operating system role of, 25–27
 reliability of, 10
 security vulnerabilities, 433–434
 shell, working with, 64–68
 shutting down, 68–69, 105, 286
 software components, 16–24
 starting, 61–64, 286
 UNIX, relationship to, 9, 11, 23
 version number system, 14–15

- Linux Assigned Names and Numbers Authority (LANANA) (Web site), 314
 - Linux IPv6 HOWTO (Web site), 194
 - Linux Online Web site, 28
 - Linux Standard Base (LSB) (Web site), 15–16
 - Live CD/DVD
 - booting from, 45, 46, 61
 - copying, 46
 - definition, 14
 - distributions with, 31
 - installing with, 32
 - repartitioning, avoiding, 37
 - ln** command, 103
 - load average for processes, 312
 - loadable driver (kernel)
 - modules, 303, 312, 316–318
 - local area network (LAN). *See* LAN (local area network)
 - local files, directory
 - location, 119
 - local loop, DSL, 174
 - local newsgroups, 484–486
 - localhost.zone file, 503
 - locate** command, 103, 136
 - locked files, directory
 - location, 119
 - locks, kernel, 312
 - log files
 - configuration files, 305, 413, 435
 - directory location, 120, 339, 413
 - firewall activities, 420
 - monitoring, 391, 413, 440
 - starting/stopping
 - logging, 463
 - Log Out dialog box, 68–69
 - logic bombs, definition, 394
 - login. *See also* SSH (Secure Shell) protocol
 - configuration file, 303, 328
 - remote, 22, 416
 - as **root**, 57, 63, 294
 - screen for, 28–29
 - security of, 392, 416–418
 - startup process, 62–63
 - LONE-TAR backup utility (Web site), 346
 - loop length, DSL, 176
 - loops per jiffy (LPJ), 64
 - /lost+found directory, 118
 - LPJ (loops per jiffy), 64
 - lpr** command, 104
 - ls** command, 103, 129–132, 281, 314–315, 333
 - lsmod** command, 316, 317
 - Lynx Web browser (Web site), 143
-
- ## M
-
- m4 macro processor, 468–472
 - m4** program, 19
 - macro expansion, definition, 468
 - macros, 468–472, 531
 - mail** command, 466–467
 - mail server, 463, 465–477. *See also* e-mail services
 - mail transport agent (MTA), 230, 231, 465. *See also* **sendmail** Internet service
 - mail user agent (MUA), 230, 231, 465
 - mailbox files, directory
 - location, 120
 - mailto:** protocol
 - in URL, 248
 - Main Menu, GUI, 77–79, 87–90
 - major/minor device
 - numbers, definition, 314
 - make** utility, 19, 23, 523, 529–535
 - makedbz** news service
 - command, 484
 - Makefile, 529
 - makefile, 529–535
 - makehistory** news
 - service command, 484
 - man** command, 102
 - man page (manual page), 24, 119
 - Mandriva Linux One
 - distribution (Web site), 13
 - manual, online, 24, 119
 - masquerading, definition, 424
 - master zone statements, 497, 505–506
 - Mattis, Peter (developer), 154
 - mattrib** utility, 356
 - mbadbblocks utility, 356
 - mcd** utility, 356
 - mcopy** utility, 357
 - MD5 message digest
 - algorithm, 46, 400, 401–402
 - mdel** utility, 357
 - mdeltree utility, 357
 - mdir** utility, 281, 357
 - mdkfs** command, 106
 - mdu** utility, 357
 - media, backup, 345. *See also* CD/DVD-ROMs
 - /media directory, 118, 338
 - memory
 - access errors, 47
 - boot options for
 - detecting, 49
 - displaying, 45, 105
 - DMA, 45, 48, 312

- function of, 25
- /proc/kcore** directory, 310, 312
- RAM, 9, 25, 35, 46, 520
- virtual (swap), 106, 308, 312
- menus
 - context, 75–76, 84–86
 - GNOME, 75–81
 - KDE, 84–90, 92
- MEPIS distribution. *See also*
 - distributions, Linux
 - CD/DVD handling, 54
 - Debian basis for, 54
 - e-mail clients, 233
 - missing applications, installing, 144
 - network interface information, 223
 - software packages, installing, 56
 - sysadmin tools, 289–290
 - updating, 375, 459–460
 - Web site, 13
- MEPIS OS Center, 289–290
- metadata, definition, 270
- Metcalfe, Robert M. (Ethernet inventor), 197
- mformat** utility, 357
- mget** FTP command, 280
- microfilter, DSL, 177–178
- microprocessor (chip), 520. *See also* processor
- millions of instructions per second (MIPS), 10, 64
- MIMO (multiple input multioutput) access point, 204
- minfo** utility, 357
- MIPS (millions of instructions per second), 10, 64
- misc** newsgroup category, 266
- misc.test** newsgroup, 266
- mitigation approach to security, 388–389
- mkdir** command, 103, 134, 282
- mkmanifest** utility, 357
- mknod** command, 106
- mkswap** command, 106
- mlabel** utility, 357
- mmd** utility, 357
- mmount** utility, 357
- mmove** utility, 357
- /mnt** directory, 118, 338
- Mockapetris, Paul (DNS creator), 488
- modem
 - cable, 173–174, 180–185
 - definition, 187
 - dialup, 187, 189
 - DSL, 175
 - system requirements, 34
 - Winmodem, 188
- modinfo** command, 316, 318
- modprobe** command, 303, 316, 317–318
- modular system for device drivers, 303, 312, 316–318
- monitor, system requirements, 34
- monolithic program, 316
- more** command, 66, 104, 298
- !more** command, 101
- Motorola 68000 processors, 10
- mount** command, 106, 136–137, 340–341, 351–354
- mount point, definition, 136, 343, 510
- mounting
 - devices, 106, 286, 312, 339–344, 462, 510–511
 - hard compared to soft, 511
 - list of file systems, 312
 - NFS file system, 343–344, 510–511
 - partitions in rescue mode, 49
 - removable media, 26, 118
 - system administration, 286
- mouse
 - controlling information passing to, 49
 - hover access, 77
 - system requirements, 34
 - in text mode screens, 462
 - wheel/no wheel setting, 46
- movie players, 141, 142
- Mozilla
 - Firefox Web browser, 143, 251, 252–256, 277–278
 - Thunderbird e-mail client, 143, 232, 236–240
 - Thunderbird newsreader, 262, 263–265, 266
 - Web site, 143, 251
- MP3 decoder issue, 153
- mpartition** utility, 357
- mrtd** utility, 357
- mshowfat** utility, 357
- MTA (mail transport agent), 230, 231, 465. *See also* **sendmail** Internet service
- mttools** program, 19, 354–358
- mtoolstest** utility, 357
- mtype** utility, 357
- MUA (mail user agent), 230, 231, 465
- multihomed hosts (multiple IP addresses), 215
- multimedia tools, 139, 141–142, 150–154

multiple input multiple
output (MIMO) access
point, 204
multiuser, multitasking
operating system,
Linux as, 11
music players, 141,
150–151, 152–153
mv command, 103, 134
mwrite utility, 357
MX record, definition, 493
MySQL (Web site), 141
mzip utility, 357

N

name server. *See also* DNS
(Domain Name System)
BIND, 491–493
caching, 495–505
definition, 488
NetBIOS, 511
NSS, 213, 217, 495
primary, 491, 505–506
resolver configuration
file, 215
secondary/slave, 491
starting, 504–505
name server switch (NSS),
213, 217, 495
named Internet service,
462, 491
nameserver line, resolving
of host names, 215
namespace, definition, 489
naming
aliases, 102, 477, 493, 553
devices, 106, 209, 315–316
domain, 230, 249, 487,
489, 490
filename, 99–100, 116,
249, 361
FTP files, renaming, 282
network names, 214–215
newsgroups, 258

pathnames, 116, 128–129,
249, 282
username, 230, 325
NAT (Network Address
Translation), 178,
183–184, 200–201,
422–423
National Vulnerability
Database (NVD)
(Web site), 432
Nautilus, 20, 120–123
ncurses program, 19
Nero, 36
Nessus Security Scanner,
441–443
NetBIOS name server, 511
netfilter (Web site), 423
netstat command, 220
network address, 193, 194.
See also IP addresses
Network Address
Translation (NAT),
178, 183–184, 200–201,
422–423
network device,
definition, 315
Network File System (NFS).
See NFS (Network File
System) protocol
Network Information
Service (NIS), 120, 217,
433, 463
Network News Transfer
Protocol (NNTP), 22,
195, 258, 262, 452
Network Time Protocol
(NTP), 452
networking. *See also*
Ethernet networking;
Internet
configuration, 49, 199–200,
204, 208–217, 222–225
devices, 315
file sharing, 27

host connectivity,
checking, 219
interface checking,
217–218
IP routing table, checking,
218–219
Linux tools for, 27
monitoring status, 286
overview, 21
perimeter network, 394
/proc/net, 312
protocols. *See individual
protocols*
security, 390, 391, 399,
413–428, 431, 437–439,
440
SNMP, 195, 449, 452, 463
status checking, 220–221
system requirements, 34
troubleshooting, 217–223
news:// protocol in URL,
248–249
news feed, 143, 269–272,
478, 479, 481–483
news services/newsgroups
categories list, 259–260
configuring, 478–484
INN server, 22, 462, 465,
478–486
installing, 477
introduction, 172, 257–261
local, 484–486
newsreaders, 143, 262,
263–269, 480, 483–484
NNTP, 22, 195, 248, 258,
262, 452
overview, 22
posting news, 266
reading newsgroups,
261–265, 267–268
RSS feeds, 143, 269–272
searching newsgroups at
Web sites, 268–269
security-related
groups, 396

NewsMonster (Web site), 271
 NewzBot (Web site), 262
 NFS (Network File System) protocol
 function and port number, 195, 452
 introduction, 27
 Linux tools for, 462
 security vulnerabilities, 342, 433, 507, 508
 sharing files with, 342–344, 507–511
 NFSv4 (Web site), 508
nice command, 105
 NIS (Network Information Service), 120, 217, 433, 463
 NIS/NIS+ (network information systems), 217
nl command, 104
nmap (network mapper) tool (Web site), 439, 440–441
nmbd NetBIOS name server, 511
nmblookup command, 512
 NMI (Non-Maskable Interrupt), 49
nnrpd news server, 479
 NNTP (Network News Transfer Protocol), 22, 195, 258, 262, 452
nntpse news service command, 479
 Non-Maskable Interrupt (NMI), 49
 non-technical aspects of security audit, 430
 nonblank lines, managing, 104
 nonrepudiation, definition, 394
 Norton PartitionMagic (Web site), 3, 33, 37–39
 NSS (name server switch), 213, 217, 495
 NTFS (NT File System), 354

NTP (Network Time Protocol), 452
 NVD (National Vulnerability Database) (Web site), 432

O

OASIS OpenDocument XML format, 146
 object code, definition, 522
 object files, 525–526
 object window, definition, 120
 ODT text file format, 145
 OFDM (orthogonal frequency-division multiplexing), 204
 Office Suite, OpenOffice.org, 145
 office tools, 140, 144–150
 Ogg Vorbis format, 153
 online documentation, 24
 online updating of applications, 375–380
 Open Source Initiative (Web site), 11
 open source software, Linux as, 1, 11
 OpenOffice.org software, 21, 140
 OpenSSH (Web site), 416–418, 463
 OpenSSL, 363, 433
 openSUSE (Web site), 13, 33
 operating system. *See also* Linux
 definition, 9–10
 multiuser, multitasking, 11
 role of, 10, 25–27, 521
 selecting on startup, 61–62
 updating for security reasons, 434
 /**opt** directory, 118, 120, 338
 options (arguments), command line, 94–95

orthogonal frequency-division multiplexing (OFDM), 204
 output, definition, 521
 OUTPUT chain, 425–427
 ownership, file, 103, 133, 325, 333–334, 402–403

P

Package Updater, 376–377
 packet, data, 197, 205, 206, 394, 420
 packet filter firewall, 420, 421, 422
 packet filtering, 394, 423–424, 423–428
 packet sniffing, 221–222, 440
 PAMs (pluggable authentication modules), 401–402
 Pan (Web site), 143, 262
 panels, GUI
 GNOME, 74, 77, 81–82
 KDE, 84, 86–87, 90–91
 PAP (Password Authentication Protocol), 189
 pap-secrets, 190
 PartitionMagic (Web site), 3, 33, 37–39
 partitions, disk
 accessingWindows, 351–354
 configuration file, 312
 distribution capabilities, 13
 DOS/Windows, 351–354
 Linux command for, 106
 list of, 312
 mounting in rescue mode, 49
 PartitionMagic tool, 3, 33, 37–39
 removable media, 48
 risks, 31
passwd command, 105

- Password Authentication Protocol (PAP), 189
- passwords
 - auditing, 436–437, 440
 - changing, 105
 - configuration files for, 304
 - directory location, 128, 304, 329, 399–400, 437
 - root, 295
 - securing, 399–402
 - shadow, 400–401
 - user management, 329
- paste** command, 104
- patch** program, 19, 104
- pathname, 116, 128–129, 249, 282
- PCI devices, information on, 312
- PCMCIA devices, 49, 462
- PDF document viewer, 142, 156
- PEM (Privacy Enhanced Mail), 475–476
- penetration test, security audit, 439
- perimeter network, definition, 394
- peripherals, 25, 26
- Perl scripting language, 23
- permissions
 - at** command, 303, 319
 - cron** command, 321–322
 - file/folder access, 103, 131–133, 281, 402, 403–406, 434–435
 - set user ID, 405–406, 436
 - shell scripting, 564
- personal information management (PIM)
 - applications, 140, 143, 149–150, 232, 233–236
- photo management
 - applications, 142, 150, 151
- physical security, 296, 420
- PID (process ID), 108, 296
- Pidgin, 232, 242–243
- PIM (personal information management)
 - applications, 140, 143, 149–150, 232, 233–236
- ping** command, 219
- | (pipe symbol) in command line, 96
- PKI (Public Key Infrastructure), definition, 395
- Plug and Play (PnP), boot settings, 46
- pluggable authentication modules (PAMs), 401–402
- plugins, 155, 271
- PnP (Plug and Play), boot settings, 46
- Point-to-Point Protocol (PPP), 186, 188, 189, 191
- POP (Post Office Protocol), 192, 230
- port address translation, 422, 423
- port scanning, 394, 414, 439, 440–441
- Portable Operating System Interface (POSIX), 15
- ports
 - application-level protocols, 192
 - in client/server architecture, 450, 451
 - definition, 439
 - I/O addresses, 312
 - Internet services, 195, 451–452
 - Internet super server role, 453–456
 - security testing, 439
 - socket interface, 448
 - in URL, 249
- POSIX (Portable Operating System Interface), 15
- Post Office Protocol (POP), 192, 230
- PostgreSQL (Web site), 141
- PostScript document viewer, 142, 156
- PowerPoint, Microsoft, sharing Impress with, 149
- PPP over Ethernet (PPPoE), 180
- PPP (Point-to-Point Protocol), 186, 188, 189, 191
- predefined variables in **make** utility, 531–532
- Preferences options, GNOME System Menu, 81
- presentation program, 148–149
- primary name server, 491, 505–506
- printenv** command, 105
- printing
 - CUPS configuration file, 303
 - Linux command, 104
 - printer setup, 26, 35, 50–53
- Privacy Enhanced Mail (PEM), 475–476
- Privacy Guard (GnuPG/GPG), 390, 406–413
- private key encryption, 406–413, 417
- /proc/acpi directory, 312
- /proc/bus directory, 312
- /proc/cmdline directory, 312
- /proc/cpuinfo directory, 311, 312

- /proc/devices directory, 312
 - /proc** directory, 118, 310–313
 - /proc/dma** directory, 312
 - /proc/driver/rtc directory, 312
 - /proc/filesystems directory, 312
 - /proc/ide** directory, 312
 - /proc/interrupts directory, 312
 - /proc/ioports directory, 312
 - /proc/kcore** directory, 310, 312
 - /proc/kmsg directory, 312
 - /proc/loadavg directory, 312
 - /proc/locks directory, 312
 - /proc/meminfo directory, 312
 - /proc/misc directory, 312
 - /proc/modules directory, 312
 - /proc/mounts directory, 312
 - /proc/net** directory, 312
 - /proc/partitions directory, 312
 - /proc/pci** directory, 312
 - /proc/scsi directory, 312
 - /proc/stat directory, 312
 - /proc/swaps, 312
 - /proc/sys** directory, 313
 - /proc/uptime directory, 313
 - /proc/version directory, 313
 - process ID (PID), 108, 296
 - processes
 - booting, 296–302
 - build, 523
 - currently running list, 105
 - definition of computer, 521
 - directory location for information on, 118
 - init, 297, 458
 - load average, 312
 - managing, 107–108, 312
 - server process definition, 195, 452
 - top, 105
 - processor
 - in computer architecture, 520
 - CPU, 9, 305–307, 311, 312, 520
 - Linux-supported, 10
 - listing information on, 311
 - LSB for, 16
 - m4 macro, 468–472
 - self-diagnostic checks, 49
 - system requirements, 34
 - programming with Linux, 22–23, 519–523. *See also* development tools; shell scripting
 - prompt** FTP command, 280
 - protocols, network, 21, 22, 192, 248–250. *See also individual protocols*
 - proxy server, 394, 421
 - ps ax** command, 107, 110–111
 - ps** command, 67–68, 105
 - PS (PostScript) file format, 156
 - pstree** command, 105
 - PTR** resource record, 493, 499, 501
 - public key cryptography, definition, 395
 - public key encryption, 406–413, 417
 - Public Key Infrastructure (PKI), definition, 395
 - pwd** command, 103, 282
 - Python programming language, 23
-
- ## Q
-
- Q** command, 161
 - QTParted, 33
 - queries, RPM package information, 361–363
 - ? (question mark) wildcard character, 99, 100–101
 - quotation marks in command syntax, 95, 358
-
- ## R
-
- RADIUS (Remote Authentication Dial-In User Service), 205
 - RAM (random access memory), 9, 25, 35, 46, 520
 - RC4 encryption algorithm, 206
 - rcp** command, 416
 - rcs** program, 19
 - RCS (Revision Control System), 23, 524
 - RDF file format, 270
 - readers.conf** file, 480, 483–484
 - real-time clock (RTC), 312
 - Real-time Transport Protocol (RTP), 144
 - Really Simple Syndication (RSS) feeds, 143, 269–272
 - reboot** command, 105
 - rebooting, 47, 50, 295–296
 - Red Hat Linux, driver disk prompt, 48
 - Red Hat Package Manager (RPM). *See* RPM (Red Hat Package Manager)
 - Red Hat Update Agent, 376
 - refresh rate, setting, 45, 46
 - relative pathname, 129

remdir command, 103, 282
 remote access, 22, 48, 172, 416–418
 Remote Authentication Dial-In User Service (RADIUS), 205
 Remote Procedure Call (RPC) facility, 195
 removable media, 48, 118, 345, 352. *See also* CD/DVD-ROMs
 repeating commands, 101
 rescue mode, 49, 50
 resizing Windows partition, 37–39
 resolution, screen, 45, 46, 49, 50
 resolver library, 215, 488, 492, 494–495
 reverse lookup, definition, 492–493
 reverse-mapping zone file, 503–504
 Revision Control System (RCS), 23, 524
 Rhythmbox (Web site), 141, 151, 152–153
 right-click menus, GUI, 75–76, 84–86
rlogin command, 416
rm command, 103, 134
rmdir command, 134–135
rmdir command, 316
rndc utility, 497
 root access
 logging in with, 57, 63, 294
 password security, 400–401
 protecting, 420
 shutting down process, 69
 switching to, 106–107
 for system administration, 292, 293–296
 user accounts other than, 325–326

root domain, 489
 /**root** directory, 115, 118, 128, 338
 root zone file, 501–503
 router, 178, 183–184, 200–201, 208
 routines/subroutines (functions), 523, 537, 547, 548–549
 RPC (Remote Procedure Calls), 462
 RPCSEC_GSS security for NFS, 507
rpm command, 360–366, 374
 RPM (Red Hat Package Manager)
 distributions using, 12, 13
 Fedora, relationship to, 54, 66, 363–364
 installing, 54, 56–57, 359–366
 SRPMs, 374–375
 updating, 359–366, 376–379
rpmbuild command, 374–375
rsh command, 416
 RSS (Really Simple Syndication) feeds, 143, 269–272
 RTC (real-time clock), 312
 RTP (Real-time Transport Protocol), 144
 run levels, Linux **init** process, 297, 458

S

Salz, Rich (developer), 478
 Samba file sharing, 27, 462, 463, 507, 511–515
 SANE (Scanner Access Now Easy) library, 143
 SANS Institute (Web site), 432

satellite Internet access (Web site), 174
 /**sbin** directory, 118, 338
 /sbin/hdparm program, 309–310
 /sbin/hotplug program, 315
 /sbin/ifconfig command, 217–218
 /sbin/ifup command, 223
 /**sbin/route** command, 218–219
 /sbin/runlevel command, 298
 /**sbin/udev** program, 315–316
 scanning, image, tools for, 143
 screen-capture program, 143
 screening router, definition, 395
 scripts, initialization, 300, 304. *See also* shell scripting
 SCSI devices, 35, 312
 SCSI tape drive (/dev/st0 or /dev/nst0), 345
 SCSI Zip drive (/dev/sda), 345
 SDSL (Symmetric DSL), 176
search line, resolving of host names, 215
 searching. *See* finding
 secondary/slave name server, 491
 secrets for dialup networking, 189, 190
 Secure Shell (SSH) protocol. *See* SSH (Secure Shell) protocol
 Secure Sockets Layer (SSL), 248, 253, 433, 475–476

- security
 - auditing. *See* audit, security
 - authentication. *See* authentication
 - data packet, 420, 421, 422
 - directory location, 435
 - encryption, 399–402
 - firewall. *See* firewall
 - framework for, 384–389
 - host, 390–391, 399–413, 431, 434, 440
 - implementing policy, 389–392
 - Internet, 178, 383, 388, 391–392, 399, 413–428
 - introduction, 383–384
 - Linux vulnerabilities, 433–434
 - login, 392, 416–418
 - networking, 390, 391, 399, 413–428, 431, 437–439, 440
 - news and updates, 396–397
 - NFS vulnerabilities, 342, 433, 507, 508
 - overview, 25
 - passwords. *See* passwords
 - physical, 296, 420
 - policy setup, 384–389
 - system administration
 - overview, 286
 - terminology review, 392–395
 - tools for, 440
 - Web site, 253
 - wireless networks, 205–206, 208
- Security Enhanced Linux (SELinux), 48, 50, 390
- sed** program, 19, 104, 557–563
- segment violation, 47
- self-diagnostic checks on processor, 49
- SELinux (Security Enhanced Linux), 48, 50, 390
- sendmail** Internet service
 - configuration files, 466, 467–477
 - installing, 465–466
 - mail-delivery mechanism, 467
 - overview, 463
 - server for, 22, 433
 - testing mail delivery, 466–467
- server process, definition, 195, 452
- servers
 - in client/server architecture, 447–451, 450
 - Internet super servers, 414, 415–416, 437–438
 - mail, 463, 465–477
 - name. *See* name server
 - news, 22, 462, 465, 478–486
 - proxy, 394, 421
 - security risks, 384
 - sendmail**, 22, 433
 - smbd**, 512
 - sshd**, 22, 417–418
 - standalone, 414, 438–439, 457–463
 - starting/stopping, 301–302, 303, 457–460
 - vsftpd**, 22
 - Web. *See* Web server
 - winbindd**, 512
- service** command, 343
- services directory, 118
- Session Initiation Protocol (SIP), 143, 144
- set user ID permission
 - setting, 405–406, 436
- setuid** program, 395, 405–406, 436
- shadow passwords, 400–401
- shared libraries, 23, 105, 544
- sharing, file and data, 27, 119, 172. *See also* NFS (Network File System) protocol; Samba file sharing
- Sharutils utilities, 19
- shell. *See also* shell scripting
 - accessing, 93–94
 - automatic command completion, 99
 - bash**, 17, 65, 94–102, 303, 304
 - basic command syntax, 66
 - changing, 105
 - combining commands, 96
 - controlling input and output, 96–97
 - definition, 17, 94
 - directory location, 304
 - disabling access, 50
 - GNU software access, 16
 - graphical, 120
 - introduction, 16–17, 29
 - Linux commands, 102–112
 - repeating commands, 101
 - starting with new user, 105
 - syntax, 94–95
 - working with, 64–68
- shell scripting
 - awk** tool, 559–563
 - built-in commands, 552–555
 - calling functions, 548–549
 - at** command, 564
 - conditional expressions
 - in, 564
 - cron** command, 564
 - flow control, 549–552
 - introduction, 545–547
 - Knoppix, 45
 - permissions, 564
 - running, 65
 - sed** tool, 557–563
 - storage of commands, 547–548
 - variables, 547–548
 - writing, 112–114

- shortcuts, file, 130
- shutdown command, 105
- shutting down Linux, 68–69, 105, 286
- signal 11 problem (Web site), 47
- SIGSEGV, 47
- single-user mode, starting in, 45
- SIP (Session Initiation Protocol), 143, 144
- 6-byte source and destination addresses, Ethernet, 197
- Skype (Web site), 144
- Slackware Linux distribution (Web site), 13
- / (slash) in file system organization, 337
- slide presentation program, 148–149
- SMB (Server Message Block) protocol, 511
- smbadduser program, 512
- smbcacls program, 512
- smbclient** program, 512, 515
- smbcontrol program, 512
- smbd** server, 512
- smbmount program, 512
- smbprint script, 512
- smbstatus program, 512
- smbtar** program, 512
- smbumount program, 512
- SMTP (Simple Mail Transfer Protocol)
 - firewall, relationship to, 420
 - function and port number, 195, 452
 - introduction, 22
 - mail transfer role of, 192, 467
 - MTA, relationship to, 230
 - STARTTLS extension, 475–476
- sniffer, definition, 395
- sniffing network packets, 221–222, 440
- SNMP (Simple Network Management Protocol), 195, 449, 452, 463
- socket interface, 448–450
- software, 9, 286. *See also* applications; development tools
- software packages with Linux distributions
 - development tools, 22–23
 - GNU, 16–19
 - GUIs and applications, 20–21
 - installing, 55–59
 - Internet servers, 22
 - networking, 21
 - online documentation, 24
- sort** command, 104, 111
- sorting folders in GUI file managers, 122, 126
- sound cards, configuration by Linux, 26
- sound files, playing, 151, 152–153
- source code/files, 11, 119, 359, 370–375, 522
- SpamAssassin mail filter program, 463
- spell checking applications, 140
- split** command, 104, 111–112
- spoofing, route, 419–420
- /spool directory, 120
- spreadsheet program, 146–148
- spyware, definition, 395
- [] (square brackets) as wildcard character holders, 100, 101
- SRPMs (source RPMs), 374–375
- /srv directory, 118, 338
- SSH, directory location, 435
- ssh** command, 418
- SSH (Secure Shell) protocol
 - directory locations, 417, 418
 - function and port number, 195, 452
 - introduction, 22
 - Linux service for, 463
 - working with, 416–418
- SSL (Secure Sockets Layer), 248, 253, 433, 475–476
- stack frames, tracing, 537
- Stallman, Richard (developer), 17
- standalone servers, 414, 438–439, 457–463
- StarOffice (Web site), 21, 140, 146
- STARTTLS extension to SMTP, 475–476
- startup. *See* booting
- stateful inspection firewall, 421, 422
- statements, definition, 523
- static NAT, 422, 423
- static routing tables, 420
- statistical attacks on encrypted data, 206
- stderr** (standard error output) device, 96, 97, 98–99
- stdin** (standard input) device, 96, 97
- stdout** (standard output) device, 96, 97–98
- storage devices in Linux file system hierarchy, 116
- storage space, displaying, 106
- Straw (Web site), 271
- stream-based macro processor, 468
- stream cipher, definition, 206
- stream socket, 449, 451
- su-** command, 63, 106–107, 294

- su** command, 105
- subroutines/routines
 - (functions), 523, 537, 547, 548–549
- subscriptions, news
 - services, 264, 271
- Subversion version control system, 23, 433, 524
- sudo** command, 107
- Sun Microsystems (Web site), 21
- super servers, Internet, 415–416, 453–456
- SUSE distribution. *See also* distributions, Linux
 - CD/DVD handling, 54
 - e-mail clients, 233
 - firewall setup, 424
 - Internet service configuration, 458–459, 461
 - network interface information, 224
 - root** access, 296
 - Samba configuration, 514
 - sendmail** configuration, 468
 - software package installation, 58
 - sysadmin tools, 290–291
 - text mode installation, 42
 - updating, 379
 - Web site, 13
 - wireless network configuration, 212
- swap space, memory, 106, 308, 312
- swapon** command, 106
- Symmetric DSL (SDSL), 176
- symmetric key encryption, definition, 395
- Synaptic Package Manager, 55–56
- sync** command, 106
- /sys** directory, 118
- sysfs** file system, 315
- syslogd daemon, 413
- system administration (sysadmin)
 - applications. *See* applications
 - booting process for Linux, 296–302
 - configuration files, 302–305
 - definition, 25
 - directory location for, 118
 - file systems. *See* file systems
 - GUI tools overview, 287–292
 - introduction, 285–287
 - job scheduling, 319–324
 - Linux devices, 313–316
 - loadable driver modules, 303, 312, 316–318
 - monitoring performance, 305–310
 - root** access, 292, 293–296
 - shell scripts as tools for, 545–546
 - users and groups, 325–334
 - viewing system information, 105, 310–313
- system administrator, definition, 285
- system files, directory location, 118
- system log, 305
- system requirements, 34–35
- target** for **make**, 529–531, 533
- Tcl/Tk (Tool Command Language), 23
- TCP/IP (Transmission Control Protocol/Internet Protocol)
 - in client/server architecture, 448–453
 - configuration files, 213–217
 - configuring, 199–200
 - dialup networking, 185–186
 - GUI tools for checking network, 222
 - host connectivity, checking, 219
 - introduction, 21
 - IP routing table, checking, 218–219
 - mail server, 230
 - network interfaces, checking, 217–218
 - sniffing network packets, 221–222, 440
 - status of network, checking, 220–221
 - workings of, 191–195
- TCP wrapper, 392, 415–416, 454
- tcpd** program, 454
- tcpdump** command, 221–222
- telephony, Internet, applications for, 143–144
- telinit** command, 300
- telnet** command, 467
- TELNET Protocol, 22, 195, 452, 467
- Temporal Key Integrity Protocol (TKIP), 205

T

- tabbed browsing, 252
- tac** command, 104
- tail** command, 104
- tape archiver, 346–351
- tar** program, 19, 27, 105, 345, 371–372

- temporary directory, 118, 120
 - 10Base2 Ethernet, 197
 - 10Base5 Ethernet, 197
 - 10BaseT Ethernet, 178–179, 197
 - terminal (console) window, 65, 68, 93–94, 304
 - test** shell command, 550
 - testparm program, 512
 - texinfo program, 19
 - text file
 - counting command for elements in, 104, 110–111
 - display options, 104
 - processing commands, 109–110
 - sorting lines in, 104, 111
 - substituting or deleting characters from, 111
 - wrapping of text, 104
 - text input mode, 159, 164
 - text mode
 - commands list, 162
 - display setting, 46
 - editors in, 141, 522, 523
 - installation, 42
 - Lynx Web browser, 143
 - top** utility, 305–307
 - text terminal, definition, 16
 - TFTP (Trivial File Transfer Protocol), 195, 452
 - thicknet/thickwire/thick Ethernet, 197
 - thinwire, Ethernet, 197
 - 32-bit cyclic redundancy code (CRC-32), 206
 - threats, security, 386, 395
 - Thunderbird
 - e-mail client, 232, 236–240
 - newsreader, 262, 263–265, 266
 - Web site, 143
 - ~ (tilde) for home directory, 129
 - time commands, 106, 109
 - time delay measurements, 63, 64
 - time** program, 19
 - time stamp, file, 103
 - Time To Live (TTL), 498–499
 - TKIP (Temporal Key Integrity Protocol), 205
 - TLS. *See* SSL (Secure Sockets Layer)
 - /tmp** directory, 118, 338
 - Tool Command Language (Tcl/Tk), 23
 - top** command, 105
 - top-level domains, 489
 - top** utility, 305–307
 - Torvalds, Linus (developer), 1, 10
 - Totem (Web site), 142
 - touch** command, 103
 - tr** command, 104, 111
 - Tripwire (Web site), 390, 413
 - Trivial File Transfer Protocol (TFTP), 195
 - Trojan Horse program, definition, 395
 - troubleshooting
 - error messages, 47, 98, 154
 - installation, 42–50
 - network startup, 222–223
 - TCP/IP networks, 217–222
 - TTL (Time To Live), 498–499
 - tty** command, 106
 - type** command, 102
-
- U
-
- Ubuntu distribution. *See* also distributions, Linux
 - CD/DVD handling, 54
 - DEB basis for, 54
 - desktop arrangement, 74
 - dialup modem
 - connection, 189
 - e-mail clients, 233
 - firestarter package, 183
 - installing, 35–40
 - login screen, 62–63
 - missing applications, installing, 144
 - network interface
 - information, 223
 - PPPoE DSL connection, 180
 - root** access, 294
 - software packages, installing, 56
 - sysadmin tools, 291–292
 - text mode installation, 42
 - updating, 375, 459–460
 - Web site, 13
 - udev** program, 304
 - UDP (User Datagram Protocol), 192, 449
 - umask** command, 404–405
 - umount** command, 106, 137, 340
 - unalias** command, 102
 - uname** command, 66, 105
 - uncompress** command, 105
 - Uniform Resource Locator (URL), 247, 248–249, 277
 - uninstalling RPM packages, 364
 - uniq** command, 104
 - Universal Serial Bus (USB) interface, 26–27, 50
 - UNIX, 9, 17, 22, 23, 64
 - UNIX-to-UNIX Copy Protocol (UUCP), 258
 - unshielded twisted-pair (UTP) cable, Ethernet, 197
 - update-rc.d** command, 302, 459–460

uploading to Internet,
172, 181, 182, 282

uptime command, 66, 307

URL (Uniform Resource Locator), 247, 248–249, 277

US-CERT (United States Computer Emergency Readiness Team), 396, 411

USB (Universal Serial Bus) interface, 26–27, 50

Usenet, 257–258

User Datagram Protocol (UDP), 192, 449

user file-creation mask, definition, 404–405

user ID, 105, 405–406, 436

useradd command, 303, 325, 328

userdel command, 328

UserLand Software, 270

usermod command, 328

username, 230, 325

users. *See also* permissions
adding accounts, 325–329
default information, 303
environment variables, 331–333
firewall, relationship to, 420
groups, managing, 330
home directory for, 117, 118
information on, 304
introduction to managing, 325
management commands, 105
ownership of files, 333–334, 402–403
passwords for, 329
Samba, adding, 512
security, relationship to, 383, 390
system administration, 285

`/usr/bin/scp` directory, 417

`/usr/bin/slogin` directory, 417

`/usr/bin/ssh-keygen` directory, 417, 418

`/usr/bin/ssh_config` file, 417

`/usr/bin/sshd_config` file, 417

/usr/bin subdirectory, 119, 338

/usr directory, 118, 119, 338, 417

/usr/games subdirectory, 119

/usr/include subdirectory, 119, 338

/usr/lib subdirectory, 119, 338

/usr/libexec subdirectory, 338

/usr/local subdirectory, 119, 338

`/usr/sbin/ssh` directory, 417

`/usr/sbin/sshd` directory, 417

/usr/sbin subdirectory, 119, 338

`/usr/sbin/tcpd`, 454

`/usr/share/man` subdirectory, 119

/usr/share subdirectory, 119, 338

/usr/src subdirectory, 119, 338

`/usr/usr/sbin/exportfs` command, 342

/usr/X11R6 subdirectory, 119, 338

UTP (unshielded twisted-pair) cable, Ethernet, 197

UUCP (UNIX-to-UNIX Copy Protocol), 258

V

/var/cache subdirectory, 119

/var directory, 118, 119–120, 338–339

`/var/lib/news/active` directory, 480

`/var/lib/news/news` groups directory, 480

/var/lib subdirectory, 119

/var/lock subdirectory, 119

`/var/log/apache2` directory, 305

`/var/log/cron` directory, 305

/var/log directory, 120, 339, 413, 435

`/var/log/dmesg` directory, 305

`/var/log/httpd` directory, 305

`/var/log/lastlog` directory, 435

`/var/log/messages` directory, 305, 435

`/var/log/wtmp` directory, 435

`/var/log/etc/boot.msg` file, 305

/var/mail directory, 120, 339

/var/opt directory, 120, 339

/var/run directory, 120, 339

/var/spool directory, 120, 339

`/var/spool/news` directory, 478

/var/tmp directory, 120, 339

/var/yp directory, 120, 339

variables
 debugging commands, 537, 538
 definition, 523
 environment, 105, 331–333, 522
 in **make** utility, 531
 shell scripts, 547–548
verification, RPM package, 365–366
version-control system, 524
version numbers, Linux (Web site), 14–15
Very Secure FTP (VSFTP), 463
vi text mode editor, 159, 163–167
video card, system requirements, 34, 35
video mode, setting, 50
video players, 141, 142
vim editor (Web site), 141
virtual console, opening, 93–94
virtual memory, 106, 308, 312
Virtual Network Computing (VNC) server, 50
viruses, computer, 231, 395
VistaSource.com (Web site), 21
vmstat utility, 307–308
VNC (Virtual Network Computing) server, 50
voice over IP, 144
VSFTP (Very Secure FTP), 463
vsftpd Internet service, 22, 463
vulnerabilities, system, 387, 395, 432–434, 439, 440

W

war-dialing, definition, 395
war-driving, definition, 395
wc command, 104, 110

Web browsers. *See* browsers, Web
Web server
 Apache, 22, 302, 305, 433, 462
 configuration files, 305
 functions of, 246, 249–250
 port for, 453
WEP (Wired Equivalent Privacy), 205–206
whatis command, 102
wheel mouse, setting up for, 46
whereis command, 103
which command, 103
while shell command, 549
Wi-Fi Alliance (Web site), 204, 205
Wi-Fi Protected Access 2 (WPA2), 205
Wi-Fi Protected Access (WPA), 205
Wi-Fi (Wireless Fidelity), 203
wildcard characters in command line, 99–100
winbindd server, 512
Windows and Linux
 accessing Windows partition, 351–354
 installation, 21, 33
 resizing partition, 37–39
 Samba file sharing, 27, 462, 463, 507, 511–515
Winmodem, 188
Wired Equivalent Privacy (WEP), 205–206
wireless Ethernet
 access point
 configuration, 208
 hardware setup, 207–208
 introduction, 203–206
 overview, 196
 software configuration, 209–212
WLAN (wireless local area network). *See* wireless Ethernet

Word, Microsoft, sharing OpenOffice Writer with, 146
word processing program, 145–146
World Wide Web (Web), overview, 22
worms, computer, 231, 395
WPA (Wi-Fi Protected Access), 205
wq command, 161
Writer, OpenOffice.org, 145–146
wvdial command, 189

X

X-CD-Roast (Web site), 142
X server, boot commands for, 46
X Window System (X11)
 configuration files, 304
 definition, 11
 directory location, 119
 login screen, 28–29
 overview, 20
 troubleshooting, 42–44
 Ubuntu installation, 40
Xandros Control Center, 292, 293
Xandros Desktop OS
 distribution. *See also* distributions, Linux
 CD/DVD handling, 54
 DEB basis for, 54
 e-mail clients, 233
 network interface information, 223
 overview, 33
 software package installation, 58–59
 startup process, 62
 sysadmin tools, 292
 text mode installation, 42
 Thunderbird, 263
 updating, 379–380, 459–460
 Web site, 13

Xandros File Manager,
13, 292, 293
Xandros Networks, 58–59,
379–380
XChat (Web site), 144
XFree86 Project (Web
site), 20
xine (Web site), 141
xinetd Internet service,
414, 415–416, 437–438,
455–456
xinitd daemon, 304
XML (eXtensible Markup
Language), 269, 270
XMMS (Web site), 141, 151,
152–153, 371–373

X.Org Foundation (Web
site), 20
Xpdf (Web site), 142
XSane (Web site), 143
xscanimage image
controller, 143

Y

YaST Control Center in
SUSE, 58, 212, 290–291,
327, 461
YOU (YaST Online
Update), 379
yum package, 304

Yum (Yellow dog Updater,
Modified) (Web site),
377–379

Z

zcat command, 104
Zip drives, accessing,
345, 356
zless command, 104
zmore command, 104
zone file, 497–504
zone transfer, 491