

Index

SYMBOLS AND NUMERICS

&& (ampersands), logical AND operator, 147

... (ellipses button), 72, 146

== (equal signs), equality operator, 146–147

? (question mark), placeholder for query parameter, 256

|| (vertical bars), OR login, 131

010305c.dat file, 125, 134

A

Access database

- configuring Connection Manager for, 251–252
- importing from, 253–255
- parameter, passing to SQL Command, 255–258
- porting to SQL Server, 250
- security for, 250–251

Access Upsizing Wizard, 254

ACH file, payment processing case study

- Control Flow for, 635–638
- description of, 595, 599–600
- processing for, 643–645
- processing requirements, 596
- validation for, 639–643

AcquireConnections method, 425, 433–435, 455–456

ActionAtEvent option, WMI Event Watcher task, 514

ActionAtTimeout option, WMI Event Watcher task, 67, 515

ActiveX Script task, 5, 60, 61

adapters

- Data Flow and, 328
- destination adapters

- building from pipeline components, 419, 454–461
- definition of, 328

source adapters

- building from pipeline components, 418, 432–443
- definition of, 328
- execution trees and, 330, 332

Admin account, Access, 251, 252

ADO enumerator, Foreach Loop container, 78

ADO.NET schema enumerator, Foreach Loop container, 78

Advanced Editor window

- Import Column transformation using, 150–152
- OLE DB Command transformation using, 105, 163
- overriding with custom user interface, 475
- Pivot transformation using, 182
- Row Count transformation using, 161
- synchronous and asynchronous transformations in, 324–328
- Union All transformation using, 362
- Unpivot transformation using, 188
- when used by transformations, 91

Advanced Windowing Extensions (AWE), 304

AdventureWorksExtract.dtsx file, 110

AfterEvent option, WMI Event Watcher task, 67, 515

AfterTimeout option, WMI Event Watcher task, 67, 515

Aggregate transformation

- as blocking transformation, 322–323
- configuring, 91–92
- data cleansing and, 354, 356–357
- definition of, 13, 91
- example using, 112

agile SDLCs

- definition of, 549
- MSF Agile template, 570–572

Allow Append option, Export Column transformation, 100

ampersands (&&), logical AND operator, 147

An Investigation of the Laws of Thought, on which are founded the Mathematical Theories of Logic and Probabilities (Boole), 548

Analysis Services Dimension Processing Destination transformation, 17

Analysis Services Execute DDL task, 5, 70

Analysis Services Partition Processing Destination transformation, 17

Analysis Services Processing task, 5, 70

annotations, 35–36

Application object

- definition of, 492
- methods of
 - example using, 496–504
 - package maintenance, 493
 - package monitoring, 495–496
 - package role maintenance, 495
 - server folder maintenance, 494

architecture of DTS, 342–343

architecture of SSIS

- components of, 3–5
- containers, 10
- destinations, 12
- DSVs (data source views), 8–9
- packages, 5
- precedence constraints, 9–10
- sources, 7, 11–12
- tasks in, 5–6
- transformations, 13–14
- variables, 10–11

arrows for precedence constraints, 391–392

ASP.NET applications, interfacing with, 540–545

assemblies, using in scripts, 225–226

AssemblyInfo.cs file, 428, 470–471

asynchronous transformation outputs

- definition of, 325–326
- execution trees and, 330

Audit transformation

- configuring, 93
- definition of, 13, 93
- example using, 135–138
- as streaming, non-blocking transformation, 319

auditing, system variables used for, 37–38

Auto Extend Factor option, Aggregate transformation, 92

Autos window, 32, 223–224

Average operation, Aggregate transformation, 91

AWE (Advanced Windowing Extensions), 304

B

back pressure on source extractions, 359

BankBatchDetail table, payment processing database, 606–607

BatchSize option, Bulk Insert task, 46

bcps.exe tool, 46

BIDS (Business Intelligence Development Studio)

- definition of, 3, 25
- navigation pane, 31
- project, creating, 26, 27–28
- runtime mode, 32
- starting, 25
- windows in, 32

BLOB counters, Performance Monitor, 367

BLOB data types

- exporting, 100–101, 159–160
- importing, 101, 150–157

blocking nature of transformations

- blocking transformations
 - as asynchronous, 326
 - definition of, 322–324
 - when to use, 364–366
- definition of, 319
- non-blocking transformations
 - definition of, 319–321
 - as synchronous, 328
- semi-blocking transformations
 - as asynchronous, 326
 - definition of, 321–322

blue arrows for precedence constraints, 391

Boole, George (An Investigation of the Laws of Thought, on which are founded the Mathematical Theories of Logic and Probabilities), 548

branching code, 565, 584

breakpoints

- definition of, 223, 408
- setting, 223, 408–410

Breakpoints window, 32

bubbling of events, 406–408

buffer counters, Performance Monitor, 367, 368–369

buffers used by Data Flow

- definition of, 317–318
- execution trees and, 332–334
- optimizing, 361–363

Bulk Insert task

- configuring, 46–48
- definition of, 5, 46
- example using, 48–51

BulkLoadZip.dtsx file, 48**Business Intelligence Development Studio (BIDS)**

- definition of, 3, 25
- navigation pane, 31
- project, creating, 26, 27–28
- runtime mode, 32
- starting, 25
- windows in, 32

BypassPrepare option, Execute SQL task, 45**Byte Reversal operation, Character Map transformation, 94****C****Call Stack window, 32, 410****case study. See payment processing case study****CaseStudy_Load package**

- ACH Control Flow, 635–638
- ACH processing, 643–645
- ACH validation, 639–643
- description of, 595, 610–611
- e-mail Data Flow processing, 648–651
- e-mail payment processing, 645–647
- File System tasks for, 612–616
- Lockbox Control Flow, 616–622
- Lockbox processing, 631–635
- Lockbox validation, 622–631
- naming conventions for, 611
- setting up, 612–616
- testing, 651

CaseStudy_Process package

- description of, 595–596, 651–652
- high-confidence matching, Data Flow for, 654–659
- medium-confidence matching, Data Flow for, 659–662
- results of, interpreting, 663–664
- setting up, 652–654

Catch block, 227–228**Character Map transformation**

- configuring, 94
- data cleansing and, 354
- definition of, 13, 94
- as streaming, non-blocking transformation, 319

Check Constraints option, Bulk Insert task, 47**CheckpointFilename property, 280****checkpoints**

- checkpoint file generated by, 290–292
- configuring, 411–412
- in Data Flow, 280, 305
- definition of, 280, 411
- enabling, 280
- examples of
 - in containers with transactions, 285–288
 - failing package, not sequence, 290
 - failing parent and package, 288–289
 - failing parent, not package, 288
 - list of, 290
 - in simple Control Flow, 280–285
 - without transactions, 289

CheckpointUsage property, 280, 411**Chinese characters, converting to simplified or traditional, 94****circles for breakpoints, 409–410****cleansing (scrubbing) data**

- definition of, 354
- example of
 - Conditional Split transformation, 130–131
 - connection for, 127–129
 - Data Flow for, 129
 - Derived Column transformation, 129–130
 - description of, 125–127
 - error handling, 134–138
 - Lookup transformation, 132
 - sending data to destination, 133–134
 - Union All transformation, 132–133
- transformations used for, 354–357

Cleanup method, 424**clients, 3****CLSCompliant attribute, 470–471****column chart Data Viewer, 116****ColumnDelimiter option, Bulk Insert task, 46****comma-delimited files as data source. See Flat File source****Command window, 32****comments in scripts, 217****communication mechanism of transformations, 319, 324–328****Completion constraint value, 9**

components, pipeline

- building, 426–432
- connection-time components, 425
- debugging
 - definition of, 461
 - design-time, 462–463
 - runtime, 463–466
- definition of, 417
- design-time components
 - definition of, 419–420
 - DeleteInput method, 421
 - DeleteOutput method, 421
 - InsertInput method, 421
 - InsertOutput method, 421
 - MapInputColumn method, 421
 - MapOutputColumn method, 421
 - OnInputPathAttached method, 423
 - OnOutputPathAttached method, 423
 - PerformUpgrade method, 422
 - ProvideComponentProperties method, 420
 - RegisterEvents method, 422
 - RegisterLogEntries method, 422
 - ReinitializeMetadata method, 420
 - SetComponentProperty method, 422
 - SetExternalMetadataColumnDataTypeProperties method, 421
 - SetExternalMetadataColumnProperty method, 422
 - SetInputColumnProperty method, 422
 - SetInputProperty method, 421
 - SetOutputColumnDataTypeProperties method, 421
 - SetOutputColumnProperty method, 422
 - SetOutputProperty method, 421
 - SetUsageType method, 422–423
 - Validate method, 420
- examples of
 - destination adapter, 419, 454–461
 - source adapter, 418, 432–443
 - transformation, 418, 443–454
- runtime components
 - Cleanup method, 424
 - definition of, 423
 - DescribeRedirectedErrorCode method, 425
 - PostExecute method, 424
 - PreExecute method, 424
 - PrepareForExecute method, 423
 - PrimeOutput method, 424
 - ProcessInput method, 424

- user interface (UI) for
 - assembly for, 468–471
 - column properties for, 488–489
 - component properties for, 484–486
 - configuring component for, 468, 475–476
 - error handling, 486–488
 - form for, 468, 476–481
 - IDtsComponentUI interface, implementing, 467–468, 471–475
 - procedure for, 467–468
 - runtime connections for, 482–484

conditional expressions, precedence constraints, 9, 34, 393–396

Conditional Split transformation

- configuring, 94–97
- data cleansing and, 354
- definition of, 13, 94
- example using, 130–131, 351–352
- as streaming, non-blocking transformation, 319

Configuration object, 511–512

Configurations object, 511

configurations, package

- changing at runtime, 148–150
- creating, 510–511
- nonstatic configuration, 146
- programming, 511–512
- types of, 509

Configure Error Output property, 350

Configure SSIS Logs dialog box, 413

Connection Manager

- for Access database, 251–252
- configuring offline, 7
- creating, 120–122
- destinations specified in, 84
- sources specified in, 80

Connection Managers tab, SSIS Package Designer, 36

Connection option

- Analysis Services Execute DDL task, 70
- Bulk Insert task, 46
- Execute SQL task, 45, 145

connections

- data source
 - for Access database, 251–252
 - acquiring programmatically, 425, 433–435, 455–456
 - for Analysis Services Execute DDL task, 70
 - for Bulk Insert task, 46
 - configuring offline, 7
 - creating, 36, 120–122
 - for Execute SQL task, 45, 145
 - for File System task, 53

- releasing programmatically, 425
 - for runtime components, 482–484
 - shared connections, adding to Connection Manager, 36
 - shared connections, creating, 120–122
 - shared connections, residing in project, 28
 - FTP, 54
 - HTTP, 63
 - Connections **property**, Dts **object**, 219
 - connection-time components**, pipeline, 425
 - ConnectionType option**, Execute SQL task, 45, 145
 - Constraint option**, EvalOp **property**, 9, 34
 - constraints, precedence**. *See also* paths
 - arrow indicators for, 391–392
 - conditional expressions for, 9–10, 34, 393–396
 - constraint values, 9, 34
 - creating, 33–34
 - definition of, 5, 9–10
 - error handling using, 391–398
 - multiple, 397–398
 - containers**
 - checkpoints in, 285–288
 - creating, 35
 - definition of, 5, 10, 73
 - failing when task fails, 44
 - For Loop container
 - configuring, 75
 - definition of, 10, 74
 - example using, 75–78
 - Foreach Loop container
 - definition of, 10, 78
 - example using, 78–80, 139–140
 - types of, 78
 - logging, 413
 - sequence container, 10, 73–74
 - task host container, 10, 73
 - in transactions, 285–288
 - types of, 10
 - Control Flow**. *See also* tasks
 - adding tasks to, 43
 - bound to Data Flow by Data Flow task, 32
 - checkpoints in, 280
 - compared to Data Flow, 312–314
 - definition of, 312
 - parallel processing in, 315–316
 - synchronous task execution in, 315–316
 - Control Flow scripting**, 208
 - Control Flow tab**, SSIS Package Designer, 33–36
 - Copy Column transformation**
 - configuring, 97
 - definition of, 13, 97
 - as streaming, non-blocking transformation, 319
 - CorporationLoad.dtsx file, 127
 - correlation, data**, 348–354
 - Count Distinct operation**, Aggregate transformation, 91
 - Count Distinct Scale option**, Aggregate transformation, 92
 - Count operation**, Aggregate transformation, 91
 - Create Temp Table task**, 157–159
 - CreateFolderOnDtsServer **method**, Application object, 494
 - CreateFolderOnSqlServer **method**, Application object, 494
 - CreateOutputAndMetaDataColumns **method**, 439–440
 - CreationDate **system variable**, 38
 - CreationName **property**, 434
 - Currency Conversion service**, 265–272
 - Customer table**, payment processing database, 603–604
 - CustomerLookUp table**, payment processing database, 605–606
- ## D
- data**. *See also* files; text
 - bad data
 - error outputs for, 301–304
 - finding with Fuzzy Grouping transformation, 13, 101, 178–182
 - finding with Fuzzy Lookup transformation, 13, 101, 173–178
 - cleansing (scrubbing)
 - definition of, 354
 - example of, Conditional Split transformation, 130–131
 - example of, connection for, 127–129
 - example of, Data Flow for, 129
 - example of, Derived Column transformation, 129–130
 - example of, description, 125–127
 - example of, error handling, 134–138
 - example of, Lookup transformation, 132
 - example of, sending data to destination, 133–134
 - example of, Union All transformation, 132–133
 - transformations used for, 354–357
 - correlation of, 348–354
 - loading into a table with Bulk Insert task, 5, 46–51
 - loading into an OLE DB destination with Data Flow task, 5, 51
 - staging data, 305–310

Data Access Mode option

- OLE DB destination, 88
- OLE DB source, 80

data buffers, 317–318

Data Conversion transformation

- configuring, 97–98
- data cleansing and, 354
- definition of, 13, 97
- as streaming, non-blocking transformation, 319

Data Flow. *See also* transformations

- adapters and, 328
- bound to controller flow by Data Flow task, 32
- checkpoints not possible in, 280
- compared to Control Flow, 312–314
- creating, 123–124
- definition of, 312, 317
- dividing
 - to allow checkpoints, 305
 - to scale across machines, 307–310
- elements of
 - destinations, 12
 - sources, 11–12
 - transformations, 13–14
- execution trees for, 330–335
- memory buffers used by, 317–318
- monitoring execution of, 335–339
- optimizing, 359
- restarting, 305–307, 359

Data Flow engine

- definition of, 3, 311–312
- optimizing, 361–363

Data Flow scripting, 208

Data Flow tab, SSIS Package Designer, 38–39, 123

Data Flow task

- definition of, 5, 51
- example using, 122

Data Mining Model Training destination, 12, 86

Data Mining Query Component transformation, 17

Data Mining Query task

- available only in Enterprise Edition, 17
- definition of, 5, 71

Data Mining Query transformation

- definition of, 13, 98–99
- as semi-blocking transformation, 321

Data Mining Training Destination transformation, 17

Data Pump task, 342–343

Data Reader source, 12, 84

data source connections

- for Access database, 251–252
- acquiring programmatically, 425, 433–435, 455–456
- for Analysis Services Execute DDL task, 70

- for Bulk Insert task, 46
- configuring offline, 7
- creating, 36, 120–122
- for Execute SQL task, 45, 145
- for File System task, 53
- releasing programmatically, 425
- for runtime components, 482–484
- shared connections
 - adding to Connection Manager, 36
 - creating, 120–122
 - residing in project, 28

data source views (DSVs), 8–9. *See also* Data Viewers

Data Source Wizard, 120

data sources

- back pressure on, 359
- Data Reader source, 12, 84
- definition of, 11, 80
- Excel source
 - configuring, 83
 - definition of, 12, 83
 - importing from, 244–249
 - uses of, 240
- Flat File source
 - configuring, 84
 - creating, 121–122
 - definition of, 12, 84
- heterogeneous, 239
- list of, 12, 239
- .NET provider as (Data Reader source), 12, 84
- OLE DB source
 - configuring, 80–83
 - definition of, 12, 80
- Raw File source, 12, 84
- XML source
 - configuring, 84
 - definition of, 12, 84, 272
 - importing from, 272–278

data stores for package configuration, 509

Data Transformation Services (DTS)

- architecture of, 342–343
- definition of, 341–342
- history of, 1
- limitations of, 345–346
- managing packages with SQL Server Management Studio, 388–389
- migrating packages to SSIS, 371, 373–380
- packages from SQL Server 2000, executing, 5
- processing practices of, 343–345
- relationship to controller flow, 33
- running packages in SSIS, 380–383

data types

- BLOB data types
 - exporting, 100–101, 159–160
 - importing, 101, 150–157
- changing in DDL, 123
- converting for columns, 13, 97–98
- default, not using, 611
- mapping from one back-end to another, 384
- setting for pipeline components, 421
- specifying for connections, 122
- SQL Server and, 246

Data Viewers. See also DSVs (data source views)

- for debugging, 235–237
- definition of, 116
- types of, 116
- using, 116–117
- when to use, 611

Database Password, Access, 250, 252**database, payment processing case study**

- BankBatchDetail table, 606–607
- creating, 602–603
- Customer table, 603–604
- CustomerLookUp table, 605–606
- ErrorDetail table, 608
- GLAccountData table, 607–608
- Invoice table, 604–605
- model of, 601–602
- usp_BankBatch_Add table, 608–609
- usp_BankBatch_Balance table, 610
- usp_BankBatchDetail_Match table, 609–610

databases

- logins for, transferring, 201–203, 204–205
- moving or copying, 201–202
- objects in, transferring, 204–205

DataFileType option, Bulk Insert task, 46**DataReader destination**

- configuring, 86–87
- definition of, 12, 86

David, Jean-Luc (Professional Visual Studio 2005 Team System), 547**DDL statements. See also SQL statements**

- changing data types in, 123
- executing in Analysis Services, 5, 70

debugging

- pipeline components, 461–466
- for Script Component, 235–237
- for Script task, 222–225

DelayValidation property, 43

Delete **method**, IDTsComponentUI **interface**, 472

DeleteInput **method**, 421, 448

DeleteOutput **method**, 421, 448

denormalizing data. See Pivot transformation

deploying packages, 587–591

Deployment Wizard, 588–589

Derived Column transformation

- configuring, 99
- data cleansing and, 354, 355–356
- definition of, 13, 99
- example using, 111
- expressions in, 211–213
 - as streaming, non-blocking transformation, 319

DescribeRedirectedErrorCode **method**, 425

Description property, 43–44

Design **assembly**, 471

design surface, 14

design-time components, pipeline

- debugging, 462–463
- definition of, 419–420
- DeleteInput **method**, 421
- DeleteOutput **method**, 421
- InsertInput **method**, 421
- InsertOutput **method**, 421
- MapInputColumn **method**, 421
- MapOutputColumn **method**, 421
- OnInputPathAttached **method**, 423
- OnOutputPathAttached **method**, 423
- PerformUpgrade **method**, 422
- ProvideComponentProperties **method**, 420
- RegisterEvents **method**, 422
- RegisterLogEntries **method**, 422
- ReinitializeMetaData **method**, 420
- SetComponentProperty **method**, 422
- SetExternalMetadataColumnDataType
 - Properties **method**, 421
- SetExternalMetadataColumnProperty
 - method**, 422
- SetInputColumnProperty **method**, 422
- SetInputProperty **method**, 421
- SetOutputColumnDataType Properties
 - method**, 421
- SetOutputColumnProperty **method**, 422
- SetOutputProperty **method**, 421
- SetUsageType **method**, 422–423
- Validate **method**, 420

destination adapters

- building from pipeline components, 419, 454–461
- definition of, 328

Destination option, WMI Data Reader task, 66, 513

Destination Type Component, 228

DestinationConnection option, File System task, 53

destinations

- configuring, 84–85
- Data Mining Model Training destination, 12, 86
- DataReader destination
 - configuring, 86–87
 - definition of, 12, 86
- definition of, 12, 84
- Dimension Processing destination
 - configuring, 87
 - definition of, 12, 87
 - staging and, 305
- Excel destination
 - configuring, 87
 - definition of, 12, 87
 - exporting to, 240–244
- Flat File destination
 - configuring, 88
 - definition of, 12, 88
 - example using, 114
- list of, 12
- OLE DB destination
 - configuring, 88–89
 - definition of, 12, 88
 - when to use, 246
- Partition Processing destination
 - definition of, 12, 87
 - staging and, 305
- Raw File destination, 12, 89
- Recordset destination, 12, 89
- SQL Server destination
 - configuring, 90
 - creating, 123–124
 - definition of, 12, 90
 - when to use, 246
- SQL Server Mobile destination, 12, 90

DestinationTable option, Bulk Insert task, 46

DestinationType option, WMI Data Reader task, 513

Dimension Processing destination

- configuring, 87
- definition of, 12, 87
- staging and, 305

dimension tables. *See* Slowly Changing Dimension (SCD) transformation

directories, manipulating, 6, 52–58

dirty data, cleansing (scrubbing)

- definition of, 354
- example of
 - Conditional Split transformation, 130–131
 - connection for, 127–129
 - Data Flow for, 129
 - Derived Column transformation, 129–130
 - description of, 125–127
 - error handling, 134–138
 - Lookup transformation, 132
 - sending data to destination, 133–134
 - Union All transformation, 132–133
- transformations used for, 354–357

Disable property, 43

Distributed Transaction Coordinator transactions.

See DTC transactions

document templates, MSF Agile, 571

Drop Temp Table task, 157–159

.ds files, 29, 384

.dsv files, 29

DSVs (data source views), 8–9. *See also* Data Viewers

DTC (Distributed Transaction Coordinator) transactions

- definition of, 293
- single package
 - multiple transactions using, 296–298
 - single transaction using, 293–296
- two packages, one transaction using, 298–299

DTExec program, 466

.dtproj files, 29, 384

DTS (Data Transformation Services)

- architecture of, 342–343
- definition of, 341–342
- history of, 1
- limitations of, 345–346
- managing packages with SQL Server Management Studio, 388–389
- migrating packages to SSIS, 371, 373–380
- packages from SQL Server 2000, executing, 5
- processing practices of, 343–345
- relationship to controller flow, 33
- running packages in SSIS, 380–383

DTS Designer, relationship to BIDS, 3

DTS Migration Wizard, 371, 373–380

Dts object, 218–219

DTSClient DLL, 543

.dtsConfig file, 384

DTSFileConnectionUsageType enumeration, 434–435

DtsPipelineComponent attribute

definition of, 427–428

UITypeName property, 468, 475

DTSPipelineWrap **assembly**, 426, 471

DTSRuntimeWrap **assembly**, 426

dtswizard.exe **tool**, 19

.dtsx **files**

definition of, 29

saving packages as, 5, 384

.dwproj **file**, 384

dynamic packages, 140–142

dynamic properties. *See* **property expressions**

Dynamic Properties task, 1

E

Edit **method**, IDtsComponentUI **interface**, 473–475, 482

ellipses button (...), 72, 146

e-mail, sending with Send Mail task, 6, 62

e-mail transactions, payment processing case study

Data Flow processing for, 648–651

description of, 594, 596, 601

payment processing for, 645–647

Enable Identity Insert option, Bulk Insert task, 47

engines

Data Flow engine

definition of, 3, 311–312

optimizing, 361–363

runtime engine, 3, 5

Enterprise Edition, SQL Server 2005, 16–17

EntryPoint option, Script task, 60, 216

Environment Variable option, package configuration, 509

equal signs (==), equality operator, 146–147

Error List window, 32

ErrorDetail table, payment processing database, 608

errors. *See also* **events; logging**

in Aggregate transformation, 92

in Bulk Insert task, 48, 51

constraints acting on, 33–34

in data scrubbing, 134–138

detected at design time, 32

in Dimension Processing destination, 87

division by zero, in Aggregate transformation, 92

error outputs from bad data, 301–304, 425

in Execute Process task, 51

in Export Column transformation, 101

firing an event when errors occur, 220

handling, features for, 14–16

IErrorCollectionService **service**, 473, 486

in Import and Export Wizard, 23

in Lookup transformation, 350–351

in OLE DB source, 82

OnError event, 40, 399

precedence constraints handling, 391–398

Structured Exception Handling (SEH) for, 227–228

in task, failing package or parent, 44

in user interface for components, 486–488

ETL (extraction, transformation, and loading)

example of

copying data from source to destination, 119–124

creating derived columns during, 110–116

scrubbing data, 125–138

SSIS features for, 3

EvalOp property, 9

event handlers

definition of, 5, 14–15, 398

example of, 399–406

for Script task, 220–222

WMI Event Watcher task

configuring, 67–68, 514–515

definition of, 6, 67

example using, 521–522

Event Handlers tab, SSIS Package Designer, 39–40

events

bubbling, 406–408

definition of, 398

list of, 40, 399

logging, 414–416, 506–507

Events **property**, Dts **object**, 219, 220

examples. *See also* **payment processing case study**

Access

importing from, 253–255

using parameters with, 255–258

Aggregate transformation, 112

Application object, 496–504

Audit transformation, 135–138

Bulk Insert task, 48–51

checkpoints

in containers with transactions, 285–288

failing package, not sequence, 290

failing parent and package, 288–289

failing parent, not package, 288

list of, 290

in simple Control Flow, 280–285

without transactions, 289

Conditional Split transformation, 130–131, 351–352

copying data from source to destination, 119–125

Currency Conversion service, 265–272

Data Flow task, 122

data scrubbing (cleansing)

examples (continued)

examples (continued)

- Conditional Split transformation, 130–131
 - connection for, 127–129
 - Data Flow for, 129
 - Derived Column transformation, 129–130
 - description of, 125–127
 - error handling, 134–138
 - Lookup transformation, 132
 - sending data to destination, 133–134
 - Union All transformation, 132–133
 - Derived Column transformation, 111
 - design practices, 357–358
 - DTC transactions
 - single package, multiple transactions using, 296–298
 - single package, single transaction using, 293–296
 - two packages, one transaction using, 298–299
 - ETL (extraction, transformation, and loading)
 - copying data from source to destination, 119–124
 - creating derived columns during, 110–116
 - scrubbing data, 125–138
 - event handlers, 399–406
 - Excel
 - exporting to, 240–244
 - importing from, 244–249
 - Execute SQL task, 48–51, 124, 148–150
 - File System task, 55–58
 - Flat File destination, 114
 - For Loop container, 75–78
 - Foreach Loop container, 78–80, 139–140
 - FTP task, 55–58
 - Fuzzy Grouping transformation, 180–182
 - Fuzzy Lookup transformation, 176–178
 - Hyperlink Extractor service, 262–265
 - images, importing, 151–154
 - Import Column transformation
 - file iteration, 155–157
 - importing images, 151–154
 - InfoPath documents, importing, 532–540
 - Lookup transformation, 132
 - massaging data, 110–115
 - Multicast transformation, 351–352
 - native transactions, 299–300
 - OLE DB Command transformation, 163–165
 - Oracle, importing from, 259–261
 - package management, 496–504
 - pipeline components
 - destination adapter, 419, 454–461
 - source adapter, 418, 432–443
 - transformation, 418, 443–454
 - producing Reporting Services report from RSS, 524–532
 - Row Count transformation, 161–162
 - Slowly Changing Dimension transformation, 192–200
 - Sort transformation, 113
 - Team System
 - branching code, 584
 - creating package, 573–579
 - labeling (striping) versions of code, 586–587
 - merging code, 585–586
 - shelving and unshelving, 583–584
 - version and source control, 579–583
 - Term Extraction transformation, 166–170
 - Term Lookup transformation, 172–173
 - Union All transformation, 132–133
 - Unpivot transformation, 186–189
 - Visual SourceSafe
 - branching, 565
 - checking in project, 555–556, 558, 559
 - checking out project, 554–555
 - creating project, 552–554
 - creating project in, 556–558
 - debugging project, 559–561
 - rolling back to earlier version, 561–564
 - Web site for, 417
 - WMI Data Reader task, 515–521
 - WMI Event Watcher task, 521–522
 - WQL queries, 66–67
 - XML, importing from, 272–278
- Excel destination**
- configuring, 87
 - definition of, 12, 87
 - exporting to, 240–244
- Excel source**
- configuring, 83
 - definition of, 12, 83
 - importing from, 244–249
 - uses of, 240
- exceptions. See errors**
- Executable option, Execute Process task, 51**
- Execute DTS 2000 Package task, 5**
- Execute Package task, 6, 59**
- Execute Process task**
- configuring, 51–52
 - definition of, 6, 51
- Execute SQL task**
- checkpoint in, example of, 280–285
 - configuring, 44–45, 144–145
 - definition of, 6, 44
 - example using, 48–51, 124, 148–150
 - uses of, 144

ExecuteOutOfProcess option, **Execute Package** task, **59**

Execution Instance GUID option, **Audit transformation**, **93**

execution trees
 definition of, 330–335
 monitoring, 335–339
 optimizing, 361–363

ExecutionStartTime option, **Audit transformation**, **93**

ExecutionValue property, **Dts** object, **219**

ExecValueVariable property, **44**

ExistsOnDtsServer method, **Application** object, **493**

ExistsOnSqlServer method, **Application** object, **493**

Export Column transformation
 configuring, 100–101
 definition of, 13, 100, 159
 example using, 159–160
 as row-based, non-blocking transformation, 320

exporting data, to Excel, **240–244**. *See also* **Import and Export Wizard**

Express Edition, SQL Server 2005, **16**

Expression Builder, **72**, **146–148**, **210**

Expression option, **EvalOp** property, **9**, **34**

Expression page, **72**

ExpressionAndConstraint option, **EvalOp** property, **9**, **34**

ExpressionOrConstraint option, **EvalOp** property, **9**, **34**

expressions
 conditional, for precedence constraints, 9, 34, 393–396
 definition of, 208
 property expressions
 creating, 72, 146–148, 208–210
 definition of, 72, 146, 208
 regular expressions, 232
 for task or transformation logic, 208, 211–213

external applications, using SSIS with, **523**

Extract Column option, **Export Column transformation**, **100**

extraction, transformation, and loading (ETL)
 example of
 copying data from source to destination, 119–124
 creating derived columns during, 110–116
 scrubbing data, 125–138
 SSIS features for, 3

F

FailPackageonFailure property, **44**, **280**, **288–289**, **412**

FailParentonFailure property, **44**, **288–289**

FailtaskIfReturncodesIsNotSuccessValue option, **Execute Process** task, **52**

Failure constraint value, **9**

Fast Load option, **OLE DB destination**, **88**

File Connection Manager, Web Service task, **64**

file enumerator, Foreach Loop container, **78**

File Extractor transformation. *See* **Export Column transformation**

File Inserter transformation. *See* **Import Column transformation**

File option, **Bulk Insert** task, **46**

File Path Column option, **Export Column transformation**, **100**

File System option, **Execute Package** task, **59**

File System task
 configuring, 53
 definition of, 6, 52–53
 example using, 55–58

FileConnection option, **Execute SQL** task, **45**

FileCopy.dtsk file, **55**

files
 creating from blob-type fields in database with **Export Column transformation**, 100–101, 159–160
 as data source
 Flat File source, 12, 84, 121–122
 Raw File source, 12, 84
 iteration through, example of, 155–157
 manipulating, 6, 52–58
 storing as blob-type fields in database with **Import Column transformation**, 101, 150–157

FileUsageType property, **434**

Finally block, **228**

Fire Triggers option, **Bulk Insert** task, **47**

FireBreakpointHit method, **IDTSComponentEvents** interface, **220**

FireCustomEvent method, **IDTSComponentEvents** interface, **220**

FireError method, **IDTSComponentEvents** interface, **220**, **486**

FireInformation method, **IDTSComponentEvents** interface, **220**, **221**

FireProgress method, **IDTSComponentEvents** interface, **220**

FireQueryCancel method, **IDTSComponentEvents** interface, **220**

FireWarning method, **IDTSComponentEvents** interface, **220**, **486**

fixed-width files as data source. *See* **Flat File** source

flat buffers, **367**, **368**

Flat File destination

- configuring, 88
- definition of, 12, 88
- example using, 114

Flat File source

- configuring, 84
- creating, 121–122
- definition of, 12, 84

FolderExistsOnDtsServer method, Application object, 494

FolderExistsOnSqlServer method, Application object, 494

folders, manipulating, 6, 52–58

For Loop container

- configuring, 75
- definition of, 10, 74
- example using, 75–78

Force Truncate option, Export Column transformation, 100

ForceExecutionResult property, 411

Foreach Loop container

- definition of, 10, 78
- example using, 78–80, 139–140
- types of, 78

ForeachLoop.dtsx file, 78

ForLoop.dtsx file, 75

Format option, Bulk Insert task, 46

FTP task

- configuring, 54–55
- definition of, 6, 54
- example using, 55–58

FTPConnection option, FTP task, 54

Full Width operation, Character Map transformation, 94

Fuzzy Grouping transformation

- available only in Enterprise Edition, 17
- as blocking transformation, 322
- configuring, 179–180
- data cleansing and, 354, 355
- definition of, 13, 101, 178
- example using, 180–182

Fuzzy Lookup transformation

- available only in Enterprise Edition, 17
- as blocking transformation, 322
- configuring, 174–175
- data cleansing and, 354, 355
- data correlation by, 348
- definition of, 13, 101, 173–174
- example using, 176–178

G

GAC (global assembly cache), 428, 430

GetPackageRoles method, Application object, 495

GetRunningPackages method, Application object, 495

GLAccountData table, payment processing database, 607–608

global assembly cache (GAC), 428, 430

global variables, 10, 37

Greborio, Pierre (*Professional InfoPath 2003*), 532

green arrows for precedence constraints, 391–392

grid Data Viewer, 116

Group By operation, Aggregate transformation, 91

groups of tasks. *See* containers

GUID for execution instance, 93

H

Half Width operation, Character Map transformation, 94

Hathi, Kamal (demonstration of RSS to Reporting Services), 524–532

Help method, IDtsComponentUI interface, 472

heterogeneous data sources, 239

Hiragana operation, Character Map transformation, 94

histogram Data Viewer, 116

HTTP Connection Manager, Web Service task, 63

Hu, Wenyang (*InfoPath example*), 532

Hyperlink Extractor service, 262–265

I

ID property, 44

IDtsClipboardService service, 473

IDtsComponentEvents interface, 220

IDtsConnectionService service, 473, 482

IDtsVariableService service, 473

IErrorCollectionService service, 473, 486

images, importing, 151–154

Immediate window, 32, 224–225

Import and Export Wizard

- accessing, 19
- columns, mapping, 22
- definition of, 2, 19
- destination
 - creating table in, 22
 - specifying, 20

identity column, enabling, 22

package

- executing, 22, 23
- location of, 24
- opening, 24
- saving, 22, 23

protecting sensitive data, 23

source, specifying, 20

tables, specifying, 20

transaction, specifying, 21

Import Column transformation

- configuring, 150–151
- definition of, 13, 101, 150
- examples of
 - file iteration, 155–157
 - importing images, 151–154
- as row-based, non-blocking transformation, 320

Import statement, 218

importing data. See also Import and Export Wizard

- from Access, 253–255
- from Excel, 244–249
- images, 151–154
- from InfoPath documents, 532–540
- from Oracle, 259–261
- from RSS (Really Simple Syndication) file, 272–278
- from XML file, 272–278

importing packages, 589–591

InfoPath documents, importing, 532–540

Initialize method, IDtsComponentUI interface, 472–473, 482

InsertInput method, 421, 448

InsertOutput method, 421, 447–448

Instant Client, Oracle, 259

Integration Services. See SSIS (SQL Server Integration Services)

InteractiveMode system variable, 38

Invoice table, payment processing database, 604–605

IsDestinationPathVariable option, File System task, 53

IServiceProvider assembly, 473, 482

IsLocalPathVariable option, FTP task, 54

IsolationLevel property, 44

IsQueryStoredProcedure option, Execute SQL task, 45

IsRemotePathVariable option, FTP task, 54

IsTransferAscii option, FTP task, 54

item enumerator, Foreach Loop container, 78

iteration, MSF Agile, 570

iterative SDLCs, 549–550

K

Katakana operation, Character Map transformation, 94

Keep Identity option, OLE DB destination, 89

Keep Nulls option, Bulk Insert task, 47

Key Scale option, Aggregate transformation, 92

L

labeling (striping) versions of code, 586–587

lazy-add, 173

Legacy folder, 388

Linguistic Casing operation, Character Map transformation, 94

LoadFromDtsServer method, Application object, 493

LoadFromSqlServer method, Application object, 493

LoadFromSqlServer2 method, Application object, 493

LoadPackage method, Application object, 493

LocalPath option, FTP task, 54

Locals window, 32, 223–224

Lockbox file, payment processing case study

- Control Flow for, 616–622
- description of, 595, 600–601
- processing for, 631–635
- processing requirements, 596
- validation for, 622–631

Log method, Dts object, 219, 222

log providers

- defining events to log, 506–507
- definition of, 505
- programming, 507–508
- types of, 506

logging

- for Bulk Insert task, 48
- definition of, 16, 412–413
- for packages, 412–416
- pipeline logging events, 335–339
- for Script task, 221
- for tasks, 44, 413

LoggingMode property, 44, 415

logins for databases, transferring, 201–203, 204–205

LogProvider object, 507

LogProviders object, 507

Lookup transformation

Lookup transformation

- configuring, 101–102
- data correlation by, 348, 349–352
- definition of, 13, 101
- example using, 132
- as row-based, non-blocking transformation, 320
- as streaming, non-blocking transformation, 319

looping

- For Loop container
 - configuring, 75
 - definition of, 10, 74
 - example using, 75–78
- Foreach Loop container
 - definition of, 10, 78
 - example using, 78–80, 139–140
 - types of, 78

Lowercase operation, Character Map transformation, 94

`LTRIM` function, 131

M

MachineName option, Audit transformation, 93

`MachineName` system variable, 38

mail, sending with Send Mail task, 6, 62

managed code, 491

`ManagedDTS` assembly, 426, 471, 492

Management folder, 388

Management Studio

- managing DTS packages with, 388–389
- managing SSIS packages with, 386–388

`MapInputColumn` method, 421

`MapOutputColumn` method, 421

MappingFiles folder, 384

`MaxConcurrentExecutables` property, 316

`MaxErrors` option, Bulk Insert task, 48

`Maximum Insert Commit Size` option, OLE DB destination, 88

Maximum operation, Aggregate transformation, 91

memory buffers, 317–318

Merge Join transformation

- configuring, 104
- data correlation by, 348, 352–354
- definition of, 13, 103–104
- as semi-blocking transformation, 321

Merge transformation

- configuring, 103
- definition of, 13, 102
- restrictions on, 102
- as semi-blocking transformation, 321

merging code, 585–586

Message option, Message Queue task, 63

Message Queue task, 6, 63

MessageSource option, Send Mail task, 62

MessageSourceType option, Send Mail task, 62

MessageType option, Message Queue task, 63

Method option, Web Service task, 64

methods, executing from Web service, 6, 63–65

Microsoft Distributed Transaction Coordinator (MSDTC), 293

Microsoft InfoPath documents, importing, 532–540

Microsoft Message Queue (MSMQ), sending or receiving messages from, 6, 63

Microsoft Solutions Framework SDLs, 549

Microsoft Visual SourceSafe

`Microsoft.SqlServer.Dts.Runtime` namespace, 492

`Microsoft.SqlServer.ManagedDTS` assembly, 492

migrating DTS packages to SSIS, 371, 373–380

Migration Wizard, 371, 373–380

Minimum operation, Aggregate transformation, 91

msdb database, saving packages in, 5, 384–385

MSDTC (Microsoft Distributed Transaction Coordinator), 293

`MsDtsSrvr.ini.xml` file, 386

MSF Agile template, 570–572

MSMQ (Microsoft Message Queue), sending or receiving messages from, 6, 63

MSMQConnection option, Message Queue task, 63

Multicast transformation

- configuring, 104–105
 - definition of, 13, 104
 - example using, 351–352
 - staging data and, 360
 - as streaming, non-blocking transformation, 319
- multiphase data pump, history of, 1

N

Name property, 44

Nanda, Ranjeeta (ASP.NET example), 540

native transactions

- definition of, 293
- example using, 299–300

navigation pane, BIDS, 31

.NET assemblies, using in scripts, 225–226

.NET provider as data source (Data Reader source), 12, 84

`New` method, `IDtsComponentUI` interface, 472

nodelist enumerator, Foreach Loop container, 78
non-blocking transformations
 definition of, 319–321
 as synchronous, 328
nonstatic configuration, 146
normalized data, denormalizing. See Pivot transformation
Number of Keys option, Aggregate transformation, 92
NumberOfEvents option, WMI Event Watcher task, 67, 515

O

OLE DB Command transformation
 configuring, 163
 definition of, 13, 105, 162–163
 example using, 163–165
 optimizing, 363–364
 as row-based, non-blocking transformation, 320
OLE DB destination
 configuring, 88–89
 definition of, 12, 88
 when to use, 246
OLE DB source
 configuring, 80–83
 definition of, 12, 80
OLTP (On-Line Transaction Processing) system, 190
OnError event, 40, 399
OnExecStatusChanged event, 40, 399
OnInformation event, 40, 399
 OnInputPathAttached method, 423
On-Line Transaction Processing (OLTP) system, 190
 OnOutputPathAttached method, 423
OnPostExecute event, 40, 399
OnPostValidate event, 40, 399
OnPreExecute event, 40, 399
OnPreValidate event, 40, 399
OnProgress event, 40, 399
OnQueryCancel event, 40, 399
OnTaskFailed event, 40, 399
OnVariableValueChanged event, 40, 399
OnWarning event, 40, 399
Operation option
 Aggregate transformation, 91
 File System task, 53
 FTP task, 54
OperationType option, XML task, 68–69
Oracle database
 client setup for, 259
 importing from, 259–261
 version of driver for, 261

Output window, 32
OutputType option, WMI Data Reader task, 66, 513
OverwriteDestination option
 File System task, 53
 WMI Data Reader task, 66, 513
OverwriteFileAtDestination option, FTP task, 54

P

package configurations
 changing at runtime, 148–150
 creating, 510–511
 nonstatic configuration, 146
 programming, 511–512
 types of, 509
Package Designer
 Connection Managers tab, 36
 Control Flow tab, 33–36
 Data Flow tab, 38–39
 definition of, 32
 Event Handlers tab, 39–40
 executing package, 41
 Package Explorer tab, 40
 Variables Window, 37–38
Package Explorer tab, SSIS Package Designer, 40
Package Installation Wizard
 definition of, 25
 installing to SSIS instance or File System, 589
Package Migration Wizard, 371, 373–380
 Package object, 492
PackageID option, Audit transformation, 93
 PackageID system variable, 38
PackageName option, Audit transformation, 93
 PackageName system variable, 38
packages. See also projects
 annotations for, 35–36
 backups for, 385
 checking whether it exists, 493
 configuring at runtime, 509–512
 creating, 27–28, 119–124
 definition of, 5
 deploying, 587–591
 dynamic, 140–142
 executing, 27, 41, 125
 executing external program from, with Execute Process task, 6, 51–52
 executing from within another package, with Execute Package task, 6, 59
 execution time of, 314–315
 failing when task fails, 44

packages (continued)

- files in, 29
- importing to Integration Services instance, 589–591
- loading, 493
- log providers for, 505–508
- logging, 412–416
- managing
 - with `Application` object, 493
 - with SQL Server Management Studio, 386–388
- migrating DTS packages to SSIS, 371, 373–380
- monitoring, 495–496
- optimizing processing of, 360–366
- parallel processing in, 314–315
- removing, 493
- restarting
 - checkpoints for, 280–290, 411–412
 - reasons for, 279–280
- roles, assigning to, 495
- running across machines, 307–310
- running DTS packages in SSIS, 380–383
- saving, 27, 125, 493, 611
- saving as `.dtsx` file, 5, 384
- saving in msdb database, 5, 384–385
- storage of, 384–385
- viewing in Solution Explorer, 28

parallel processing

- in Control Flow, 312, 315–316
- in Data Flow, 313
- in package, 314–315

parameter, passing to SQL Command, 255–258

Parent Package Variable option, package configuration, 509

`ParseTheFileAndAddToBuffer` method, 441–443

Partition Processing destination

- definition of, 12, 87
- staging and, 305

paths. *See also* precedence constraints

- definition of, 38
- specifying based on conditions, 13, 94–97, 130–131

patterns in data, finding. *See* Fuzzy Grouping transformation

payment method options, payment processing case study

- check payments (lockbox), 594
- e-mail payments (E-Pay), 594, 596
- list of, 594
- PayPal payments, 594, 596
- wire payments (ACH), 594

payment processing case study

- ACH file, 595, 596, 599–600
- CaseStudy_Load package
 - ACH Control Flow, 635–638
 - ACH processing, 643–645
 - ACH validation, 639–643
 - description of, 595, 610–611
 - e-mail Data Flow processing, 648–651
 - e-mail payment processing, 645–647
 - File System tasks for, 612–616
 - Lockbox Control Flow, 616–622
 - Lockbox processing, 631–635
 - Lockbox validation, 622–631
 - naming conventions for, 611
 - setting up, 612–616
 - testing, 651
- CaseStudy_Process package
 - description of, 595–596, 651–652
 - high-confidence matching, Data Flow for, 654–659
 - medium-confidence matching, Data Flow for, 659–662
 - results of, interpreting, 663–664
 - setting up, 652–654
- database for
 - BankBatchDetail table, 606–607
 - creating, 602–603
 - Customer table, 603–604
 - CustomerLookUp table, 605–606
 - ErrorDetail table, 608
 - GLAccountData table, 607–608
 - Invoice table, 604–605
 - model of, 601–602
 - usp_BankBatch_Add table, 608–609
 - usp_BankBatch_Balance table, 610
 - usp_BankBatchDetail_Match table, 609–610
- description of, 593–594
- e-mail transactions, 601
- file locations, 599
- Lockbox file, 595, 596, 600–601
- payment method options
 - check payments (lockbox), 594
 - e-mail payments (E-Pay), 594, 596
 - list of, 594
 - PayPal payments, 594, 596
 - wire payments (ACH), 594
- PayPal transactions, 601
- running in SQL Agent, 664
- solution for, 594–598

PayPal transactions, payment processing case study, 601

PDSA (plan, do, study, act), 548

Percentage Sampling transformation

- configuring, 105–106
- definition of, 13, 105
- as streaming, non-blocking transformation, 319

Performance Monitor (PerfMon), 366–369

PerformUpgrade **method**, 422

phrases

- frequency of, determining with Term Extraction transformation, 14, 108–109, 165–170
- matching with text, using Term Lookup transformation, 14, 109, 171–173
- similar
 - finding with Fuzzy Grouping transformation, 13, 101, 178–182
 - finding with Fuzzy Lookup transformation, 13, 101, 173–178

pipeline

- building components, 426–432
- connection-time components, 425
- debugging components
 - definition of, 461
 - design-time, 462–463
 - runtime, 463–466
- definition of, 417
- design-time components
 - definition of, 419–420
 - DeleteInput method, 421
 - DeleteOutput method, 421
 - InsertInput method, 421
 - InsertOutput method, 421
 - MapInputColumn method, 421
 - MapOutputColumn method, 421
 - OnInputPathAttached method, 423
 - OnOutputPathAttached method, 423
 - PerformUpgrade method, 422
 - ProvideComponentProperties method, 420
 - RegisterEvents method, 422
 - RegisterLogEntries method, 422
 - ReinitializeMetadata method, 420
 - SetComponentProperty method, 422
 - SetExternalMetadataColumnDataTypeProperties method, 421
 - SetExternalMetadataColumnProperty method, 422
 - SetInputColumnProperty method, 422
 - SetInputProperty method, 421
 - SetOutputColumnDataTypeProperties method, 421
 - SetOutputColumnProperty method, 422
 - SetOutputProperty method, 421

SetUsageType method, 422–423

Validate method, 420

example components

- destination adapter, 419, 454–461
 - source adapter, 418, 432–443
 - transformation, 418, 443–454
- runtime components**
- Cleanup method, 424
 - definition of, 423
 - DescribeRedirectedErrorCode method, 425
 - PostExecute method, 424
 - PreExecute method, 424
 - PrepareForExecute method, 423
 - PrimeOutput method, 424
 - ProcessInput method, 424
- user interface (UI) for components**
- assembly for, 468–471
 - column properties for, 488–489
 - component properties for, 484–486
 - configuring component for, 468, 475–476
 - error handling, 486–488
 - form for, 468, 476–481
 - IDtsComponentUI interface, implementing, 467–468, 471–475
 - procedure for, 467–468
 - runtime connections for, 482–484

pipeline logging events, 335–339**pipeline performance monitoring, 366–369**

PipelineComponent **class**, 419, 427

PipelineComponents **folder**, 428, 429

PipelineExecutionPlan **event**, 335–336, 337–339

PipelineExecutionTrees **event**, 335–337

PipelineHost **assembly**, 426

Pivot transformation

- configuring, 182
- data cleansing and, 354, 355
- definition of, 13, 106–107, 182
- example using, 183–186
- as semi-blocking transformation, 321

plan, do, study, act (PDSA), 548

PostExecute **method**, 424

precedence constraints. See also paths

- arrow indicators for, 391–392
- conditional expressions for, 9–10, 34, 393–396
- constraint values, 9, 34
- creating, 33–34
- definition of, 5, 9–10
- error handling using, 391–398
- multiple, 397–398

PrecompileScriptIntoBinaryCode option, Script task, 60, 216

PreExecute method, 424, 440, 448–450, 459–460

PrepareForExecute method, 423

PrimeOutput method, 424, 440, 453–454

private buffers, 367, 368

ProcessInput method, 424, 450–454, 460–461

Professional InfoPath 2003 (Williams and Greborio), 532

Professional Visual Studio 2005 Team System (David), 547

Project Portal, 573

projects. See also packages

creating, 29

definition of, 28

files in, 29

Team System container for, creating, 567–568

viewing in Solution Explorer, 28

properties for tasks

setting to expressions, 72, 146–148, 208–210

shared, list of, 43–44

validating at runtime, 43

Properties Window, 30–31

property expressions

creating, 72, 146–148, 208–210

definition of, 72, 146, 208

Property Expressions Editor, 72, 146–147, 209

ProvideComponentProperties method

building destination adapter using, 454–455

building source adapter using, 432–433

building transformation using, 443–445

definition of, 420

publications

An Investigation of the Laws of Thought, on which are founded the Mathematical Theories of Logic and Probabilities (Boole), 548

Professional InfoPath 2003 (Williams; Greborio), 532

Professional Visual Studio 2005 Team System (David), 547

Q

question mark (?), placeholder for query parameter, 256

R

Raw File destination, 12, 89

Raw File source, 12, 84

raw files, for staging data, 305

RDBMS, reducing reliance on, 348

read-only variables, 219

ReadOnlyVariables option, Script task, 60, 216, 219–220

read-write variables, 219

ReadWriteVariables option, Script task, 60, 216, 219–220

Really Simple Syndication (RSS) file

importing, 272–278

producing Reporting Services report from, 524–532

Recordset destination, 12, 89

red arrows for precedence constraints, 391

red circle for breakpoints, 409–410

RegisterEvents method, 422

RegisterLogEntries method, 422

Registry Entry option, package configuration, 509

regular expressions, 232

ReinitializeMetaData method, 420, 438–439, 446, 458

ReleaseConnections method, 425

reliability

definition of, 279

error outputs and, 301–304

restarting packages for

checkpoints for, 280–290, 411–412

reasons for, 279–280

transactions for

checkpoints and, 285–288, 289

DTC (Distributed Transaction Coordinator) transactions, 293–299

in Import and Export Wizard, 21

native transactions, 293, 299–300

for script container, getting, 219

for tasks, 44

types of, 293

RemotePath option, FTP task, 54

RemoveFolderFromDtsServer method, Application object, 494

RemoveFolderFromSqlServer method, Application object, 494

RemoveFromDtsServer method, Application object, 493

RemoveFromSqlServer method, Application object, 493

RenameFolderOnDtsServer method, Application object, 494

RenameFolderOnSqlServer method, Application object, 494

Reporting Services, producing report from RSS, 524–532

reports, MSF Agile, 572

RequireFullFileName option, Execute Process task, 51

restarting Data Flow, 305–307, 359

restarting packages

- checkpoints for, 280–290, 411–412
- reasons for, 279–280

ResultSet option, Execute SQL task, 44–45, 145

roles, assigning to packages, 495

Row Count transformation

- for debugging, 235
- definition of, 14, 107, 160–161
- example using, 161–162
- as streaming, non-blocking transformation, 319

Row Number transformation, 308

Row Sampling transformation

- as blocking transformation, 322
- configuring, 105–106
- definition of, 14, 105

row-based transformations

- definition of, 320–321
- when to use, 363–364

RowDelimiter option, Bulk Insert task, 46

Rows Per Batch option, OLE DB destination, 88

Rows Read counter, Performance Monitor, 367, 368

Rows Written counter, Performance Monitor, 367, 368

RSS (Really Simple Syndication) file

- importing, 272–278
- producing Reporting Services report from, 524–532

Running Packages folder, 386

`RunningPackage` **method, Application object, 495**

`RunningPackages` **method, Application object, 495**

runtime components, pipeline

- `Cleanup` method, 424
- debugging, 463–466
- definition of, 423
- `DescribeRedirectedErrorCode` method, 425
- `PostExecute` method, 424
- `PreExecute` method, 424
- `PrepareForExecute` method, 423
- `PrimeOutput` method, 424
- `ProcessInput` method, 424

runtime engine, 3, 5

runtime mode, BIDS, 32

`Runtime` **namespace, 492**

S

SaveCheckpoints property, 280, 411

`SaveToDtsServer` **method, Application object, 493**

`SaveToSqlServer` **method, Application object, 493**

`SaveToSqlServerAs` **method, Application object, 493**

`SaveToXML` **method, Application object, 493**

scalability

- across machines, 307–310
- definition of, 279
- DTS and, 345–346
- error outputs and, 301–304
- memory requirements for, 304
- staging data for, 305–310

scaling out

- definition of, 304
- memory requirements, 304
- staging data, 305–310

scatter plot Data Viewer, 116

SCD (Slowly Changing Dimension) transformation

- configuring, 190–192
- definition of, 14, 107, 189–190
- example using, 192–200
- as row-based, non-blocking transformation, 320
- Type I, II, III changes for, 190, 191

Script Component transformation

- creating, 229–235
- data cleansing and, 354
- debugging, 235–237
- definition of, 14, 107, 228
- as row-based, non-blocking transformation, 320
- as streaming, non-blocking transformation, 319
- types of, 228

Script task

- comments in, 217
- configuring, 60–61, 216
- creating, 213–218
- debugging, 222–225
- definition of, 6, 60, 213
- events raised by, handling, 220–222
- interacting with package, using `Dts` object, 218–219
- logging for, 221, 222
- .NET assemblies in, 225–226
- variables, accessing from, 219–220

ScriptLanguage option, Script task, 60, 216

scripts. See also expressions

- ActiveX, executing, 5, 60, 61
- for Control Flow, 208
- for custom transformations, using Script Component transformation, 14, 107, 228–235
- for Data Flow, 208
- executing with Script task, 60–61, 213–218

scripts (continued)

language for, 225
.NET assemblies in, 225–226
Structured Exception Handling (SEH) for, 227–228
types of, 208

scrubbing (cleansing) data

definition of, 354
example of
 Conditional Split transformation, 130–131
 connection for, 127–129
 Data Flow for, 129
 Derived Column transformation, 129–130
 description of, 125–127
 error handling, 134–138
 Lookup transformation, 132
 sending data to destination, 133–134
 Union All transformation, 132–133
transformations used for, 354–357

SDLCs (Software Development Life Cycles)

definition of, 547, 548
history of, 548
types of, 549–550

security

for Access database, 250–251, 252
transferring logins to another database, 201–203, 204–205
for WMI connection, 514

SEH (Structured Exception Handling), 227–228

semi-blocking transformations

as asynchronous, 326
definition of, 321–322

Send Mail task, 6, 62

sequence container, 10, 73–74

serial processing, in Control Flow, 312

server folders, maintaining, 494

server instances, managing externally, 491–492

Server Name option, FTP task, 54

Server Port option, FTP task, 54

Server URL option, Web Service task, 63

Service option, Web Service task, 64

Service, SSIS, 3–4

Set Breakpoints dialog box, 408–409

SetComponentProperty method, 422, 486

SetExternalMetadataColumnDataType
 Properties method, 421

SetExternalMetadataColumnProperty
 method, 422

SetInputColumnProperty method, 422, 489

SetInputProperty method, 421

SetOutputColumnDataTypeProperties
 method, 421

SetOutputColumnProperty method, 422

SetOutputProperty method, 421

SetPackageRoles method, Application
 object, 495

settings. See configurations, package

SetUsageType method, 422–423, 447, 459

Shannon, Claude (application of Boole's theories), 548

shared connections

adding to Connection Manager, 36

creating, 120–122

residing in project, 28

shared properties for tasks, 43–44

Sharma, Ashvini (ASP.NET example), 540

shelving and unshelving code, 583–584

Shewhart, Walter (statistical process control), 548

Simplified Chinese operation, Character Map
 transformation, 94

.sln files, 29

Slowly Changing Dimension (SCD) transformation

configuring, 190–192

definition of, 14, 107, 189–190

example using, 192–200

as row-based, non-blocking transformation, 320

Type I, II, III changes for, 190, 191

SMO (SQL Management Object) enumerator, Foreach
 Loop container, 78

Software Development Life Cycles (SDLCs)

definition of, 547, 548

history of, 548

types of, 549–550

Solution Explorer Window

definition of, 28

projects, creating, 29

windows in, 29–32

solutions. See also projects

definition of, 28

files in, 29

Sort transformation

as blocking transformation, 322–323

configuring, 107–108

data cleansing and, 354

definition of, 14, 107

example using, 113

optimizing, 365–366

SortedData option, Bulk Insert task, 48

source adapters

- building from pipeline components
 - AcquireConnections method, 433–435
 - CreateOutputAndMetaDataColumns method, 439–440
 - ParseTheFileAndAddToBuffer method, 441–443
 - PrimeOutput method, 440
 - ProvideComponentProperties method, 432–433
 - ReinitializeMetaData method, 438–439
 - requirements for, 418
 - Validate method, 435–438
- definition of, 328
- execution trees and, 330, 332

source code control. See Team System; Visual SourceSafe**Source Type Component, 228****sources, data**

- back pressure on, 359
- Data Reader source, 12, 84
- definition of, 11, 80
- Excel source
 - configuring, 83
 - definition of, 12, 83
 - importing from, 244–249
 - uses of, 240
- files as
 - Flat File source, 12, 84, 121–122
 - Raw File source, 12, 84
- Flat File source
 - configuring, 84
 - creating, 121–122
 - definition of, 12, 84
- heterogeneous, 239
- list of, 12, 239
- .NET provider as (Data Reader source), 12, 84
- OLE DB source
 - configuring, 80–83
 - definition of, 12, 80
- Raw File source, 12, 84
- XML source
 - configuring, 84
 - definition of, 12, 84, 272
 - importing from, 272–278

SourceSafe

- configuring, 550–552
- definition of, 550

- example using
 - branching, 565
 - checking in project, 555–556, 558, 559
 - checking out project, 554–555
 - creating project, 552–554
 - creating project in, 556–558
 - debugging project, 559–561
 - rolling back to earlier version, 561–564
 - Internet version of, 552

SourceType option, Analysis Services Execute DDL task, 70**SourceVariable option, Execute SQL task, 45****SPC (statistical process control), 548****spiral SDLCs, 549****spreadsheet, Excel, as data source**

- configuring, 83
- definition of, 12, 83
- importing from, 244–249
- uses of, 240

SQL Agent, 664**SQL Command, passing parameter to, 255–258****SQL Management Object (SMO) enumerator, Foreach Loop container, 78****SQL objects, transferring, 204–205****SQL Profiler Log Provider, 506, 508****SQL Server 2000**

- DTS Designer, 3
- executing DTS packages from, 5
- global variables, 10, 37
- history of, 1
- native transactions in, 293, 299–300
- Workgroup Edition, 16

SQL Server 2005, editions of, 16–17**SQL Server destination**

- configuring, 90
- creating, 123–124
- definition of, 12, 90
- when to use, 246

SQL Server Integration Services (SSIS)

- architecture of
 - components of, 3–5
 - containers, 10
 - destinations, 12
 - DSVs (data source views), 8–9
 - packages, 5
 - precedence constraints, 9–10
 - sources, 7, 11–12
 - tasks in, 5–6

SQL Server Integration Services (SSIS) (continued)

- transformations, 13–14
 - variables, 10–11
 - definition of, 1
 - design practices
 - data cleansing, 354–357
 - data correlation, 348–354
 - example of, 357–358
 - factors in, 346–347
 - RDBMS, reducing reliance on, 348
 - staging data, reducing, 348
 - staging environments, 359–360
 - synchronicity, limiting, 347
 - features in, based on SQL Server edition, 16–17
 - history of, 1–2
 - migrating DTS packages to, 371, 373–380
 - running DTS packages in, 380–383
 - using with external applications, 523
- SQL Server Log Provider, 506, 508**
- SQL Server Management Studio**
- managing DTS packages with, 388–389
 - managing SSIS packages with, 386–388
- SQL Server Mobile destination, 12, 90**
- SQL Server option, Execute Package task, 59**
- SQL Server option, package configuration, 509**
- SQL Server package store, object maintenance operations on, 492–496**
- SQL Server Reporting Services (SSRS), producing report from RSS, 524–532**
- SQL statements. See also DDL statements**
- executing for each input row with OLE DB Command transformation
 - configuring, 163
 - definition of, 13, 105, 162–163
 - example using, 163–165
 - optimizing, 363–364
 - as row-based, non-blocking transformation, 320
 - executing with Execute SQL task
 - checkpoint in, example of, 280–285
 - configuring, 44–45, 144–145
 - definition of, 6, 44
 - example using, 48–51, 124, 148–150
 - uses of, 144
- SQLSourceType option, Execute SQL task, 45, 145**
- SQLStatement option, Execute SQL task, 45, 145, 299**
- SSIS clients, 3**
- SSIS Data Flow engine**
- definition of, 3, 311–312
 - optimizing, 361–363

SSIS Package Designer

- Connection Managers tab, 36
 - Control Flow tab, 33–36
 - Data Flow tab, 38–39
 - definition of, 32
 - Event Handlers tab, 39–40
 - executing package, 41
 - Package Explorer tab, 40
 - Variables Window, 37–38
- SSIS package store, object maintenance operations on, 492–496**
- SSIS runtime engine, 3, 5**
- SSIS Service, 3–4**
- SSIS (SQL Server Integration Services)**
- architecture of
 - components of, 3–5
 - containers, 10
 - destinations, 12
 - DSVs (data source views), 8–9
 - packages, 5
 - precedence constraints, 9–10
 - sources, 7, 11–12
 - tasks in, 5–6
 - transformations, 13–14
 - variables, 10–11
 - definition of, 1
 - design practices
 - data cleansing, 354–357
 - data correlation, 348–354
 - example of, 357–358
 - factors in, 346–347
 - RDBMS, reducing reliance on, 348
 - staging data, reducing, 348
 - staging environments, 359–360
 - synchronicity, limiting, 347
 - features in, based on SQL Server edition, 16–17
 - history of, 1–2
 - migrating DTS packages to, 371, 373–380
 - running DTS packages in, 380–383
 - using with external applications, 523
- .SSISDeploymentManifest files, 25**
- .ssmssqlproj file, 384**
- SSRS (SQL Server Reporting Services), producing report from RSS, 524–532**
- staging data**
- Data Flow restart using, 305–307
 - definition of, 305
 - reducing, 348
 - scaling across machines using, 307–310
 - when to use, 359

staging environments, 359–360
Standard Edition, SQL Server 2005, 16
StandardErrorVariable option, Execute Process task, 51
StandardInputVariable option, Execute Process task, 51
StandardOutputVariable option, Execute Process task, 51
StartTime system variable, 38
statistical process control (SPC), 548
Stored Packages folder, 386
stored procedures
 executing
 for each input row, with OLE DB Command transformation, 13, 104, 162–165
 with Execute SQL task, 44–45, 144–145, 148–150
 transferring, 203–204
streaming transformations
 definition of, 319
 as synchronous, 326
striping (labeling) versions of code, 586–587
Structured Exception Handling (SEH), 227–228
SUBSTRING function, 129–130
Success constraint value, 9
SuccessValue option, Execute Process task, 52
Sum operation, Aggregate transformation, 91
synchronous processing
 definition of, 315–316
 in DTS, 345
 limiting, 347
synchronous transformation outputs, 326–328
SynchronousInputID property, 328
system variables
 definition of, 37
 list of, 38
system.mdw file, 250

T

tab-delimited files as data source. See Flat File source
Table Lock option
 Bulk Insert task, 47
 OLE DB destination, 88
tables
 dimension tables, 14, 107, 189–192
 pivot tables, 106–107, 182–189
 temporary, 157–159
task host container, 10, 73
task List window, 32
taskID option, Audit transformation, 93
taskName option, Audit transformation, 93
taskResult property, Dts object, 219

tasks. See also containers; packages; specific tasks
 adding to controller flow, 43
 available only in Enterprise Edition, 17
 configuring, 33
 creating, 27, 33
 definition of, 5, 43–44
 disabling, 43, 611
 expressions for logic of, 208, 211–213
 failure of, specifying effects of, 44
 ID for, 44
 list of, 5–6
 logging for, 44, 413
 name of, 44
 outcome of, precedence constraints indicating, 391–393
 output of, 44
 precedence constraints for
 arrow indicators for, 391–392
 conditional expressions for, 9–10, 34, 393–396
 constraint values, 9
 creating, 33–34
 definition of, 5, 9–10
 error handling using, 391–398
 multiple, 397–398
 properties of
 setting to expressions, 72, 146–148, 208–210
 shared, list of, 43–44
 validating at runtime, 43
 synchronous execution of, 315–316
 transaction for
 isolation level of, 44
 support for, 44
Team Foundation Server, 565–566
Team System
 creating project in, 567–570
 definition of, 547, 565
 example using
 branching code, 584
 creating package, 573–579
 labeling (striping) versions of code, 586–587
 merging code, 585–586
 shelving and unshelving, 583–584
 version and source control, 579–583
 MSF Agile template for, 570–572
 Project Portal, 573
temporary tables, 157–159
Term Extraction transformation
 available only in Enterprise Edition, 17
 as blocking transformation, 322
 data correlation by, 348
 definition of, 14, 108–109, 165–166
 example using, 166–170

Term Lookup transformation

Term Lookup transformation

- available only in Enterprise Edition, 17
- configuring, 171–172
- data correlation by, 348
- definition of, 14, 109, 171
- example using, 172–173
- as semi-blocking transformation, 321

TerminateProcessAfterTimeOut option, Execute Process task, 52

text. See also data; files

- frequency of words in, determining with Term Extraction transformation, 14, 108–109, 165–170
- matching, using Term Lookup transformation, 14, 109, 171–173
- similar words in
 - finding with Fuzzy Grouping transformation, 13, 101, 178–182
 - finding with Fuzzy Lookup transformation, 13, 101, 173–178

Text File Log Provider, 506, 508

threads, optimizing, 361–363

Timeout option

- Execute Process task, 52
- Execute SQL task, 44
- WMI Event Watcher task, 67, 515

tnsnames.ora file, 259

Toolbox, 29–30

Traditional Chinese operation, Character Map transformation, 94

Transaction property, Dts object, 219

TransactionOption property, 44

transactions

- checkpoints and, 285–288, 289
- DTC (Distributed Transaction Coordinator) transactions
 - definition of, 293
 - single package, multiple transactions using, 296–298
 - single package, single transaction using, 293–296
 - two packages, one transaction using, 298–299
- in Import and Export Wizard, 21
- native transactions
 - definition of, 293
 - example using, 299–300
- for script container, getting, 219
- for tasks, 44
- types of, 293

Transfer Database task, 201–202

Transfer Logins task, 202–203

Transfer SQL Objects task, 204–205

Transfer Stored Procedures task, 203–204

Transformation Type Component, 228

transformations. See also specific transformations

- available only in Enterprise Edition, 16–17
- blocking nature of, 319–324
- building from pipeline components
 - DeleteInput method, 448
 - DeleteOutput method, 448
 - InsertOutput method, 447–448
 - PreExecute method, 448–450
 - ProcessInput method, 450–454
 - ProvideComponentProperties method, 443–445
 - ReinitializeMetaData method, 446
- requirements for, 418
- SetUsageType method, 447
- Validate method, 445–446
- communication mechanism of, 324–328
- configuring, 90, 91
- definition of, 13, 90
- in DTS, 343–345
- example of
 - copying data from source to destination, 119–124
 - scrubbing data, 125–138
- expressions for logic of, 208, 211–213
- list of, 13–14
- types of, 318–319

Try block, 227–228

U

UI for components. See user interface (UI) for components

UITypeName property, 468, 471, 475–476

Union All transformation

- configuring, 109
- data correlation by, 348
- definition of, 14, 109
- example using, 132–133
- optimizing Data Flow and, 363
- as semi-blocking transformation, 321
- as streaming, non-blocking transformation, 319

Unpivot transformation

- data cleansing and, 354, 355
- definition of, 14, 107, 186
- example using, 186–189
- as semi-blocking transformation, 321

unshelving and shelving code, 583–584

Uppercase operation, Character Map transformation, 94

Use Passive Mode option, FTP task, 54

user interface (UI) for components

- assembly for, 468–471
- column properties for, 488–489
- component properties for, 484–486
- configuring component for, 468, 475–476
- error handling, 486–488
- form for
 - description of, 468, 476–477
 - form constructor, 477–478
 - populating controls, 478–480
 - responding to user input, 480–481
- IDtsComponentUI interface, implementing, 467–468, 471–475
- procedure for, 467–468
- runtime connections for, 482–484

user variables, 37**UserName option, Audit transformation, 93**

UserName **system variable, 38**

usp_BankBatch_Add table, payment processing database, 608–609**usp_BankBatch_Balance table, payment processing database, 610****usp_BankBatchDetail_Match table, payment processing database, 609–610****V**

Validate **method, 420, 435–438, 445–446, 456–458**

variable enumerator, Foreach Loop container, 78

VariableDispenser **object, 219**

VariableDispenser **property, Dts object, 219**

variables

- accessing from Script task, 219–220
- adding, 37
- changing in Watch windows, 410
- definition of, 10–11, 37
- nonstatic configurations using, 146
- for output of task execution, 44
- read-only variables, 219
- read-write variables, 219
- scope of, 11, 37, 145–146
- system variables
 - definition of, 37
 - list of, 38
- types of, 37
- user variables, 37

Variables **collection, 219–220**

Variables **property, Dts object, 219**

Variables Window, 37–38

VersionBuild **system variable, 38**

VersionID option, Audit transformation, 93

versioning. See Team System; Visual SourceSafe

vertical bars (|)|, OR login, 131

views. See Data Viewers; DSVs (data source views)

Visual SourceSafe (VSS)

- configuring, 550–552
- definition of, 550
- example using
 - branching, 565
 - checking in project, 555–556, 558, 559
 - checking out project, 554–555
 - creating project, 552–554
 - creating project in, 556–558
 - debugging project, 559–561
 - rolling back to earlier version, 561–564
 - Internet version of, 552

Visual Studio 2005, relationship to BIDS, 3, 25**W****Warn On Division by Zero option, Aggregate transformation, 92****Watch windows, 32, 223–224, 410****waterfall SDLCs, 549****Web Service Description Language (WSDL), 64, 263****Web Service task**

- configuring, 63–65
- definition of, 6, 63

Web services

- Currency Conversion service, using, 265–272
- definition of, 262
- Hyperlink Extractor service, using, 262–265
- list of, 272

WebMethodDocumentation option, Web Service task, 64**Williams, Ian (*Professional InfoPath 2003*), 532****Windows Event Log Provider, 506, 508****Windows Management Instrumentation (WMI)**

- events, handling with WMI Event Watcher task, 6, 67–68, 514–515, 521–522
- running WQL queries with WMI Data Reader task, 6, 65–67, 513–521

WindowState option, Execute Process task, 52**WMI Data Reader task**

- configuring, 66–67, 513–514
- definition of, 6, 65
- example using, 515–521

WMI Event Watcher task

configuring, 67–68, 514–515

definition of, 6, 67

example using, 521–522

WMI (Windows Management Instrumentation)

events, handling with WMI Event Watcher task,

6, 67–68, 514–515, 521–522

running WQL queries with WMI Data Reader task,

6, 65–67, 513–521

WMIConnection option

WMI Data Reader task, 66, 513

WMI Event Watcher task, 514

words

frequency of, determining with Term Extraction

transformation, 14, 108–109, 165–170

matching with text, using Term Lookup transformation,

14, 109, 171–173

similar

finding with Fuzzy Grouping transformation, 13, 101, 178–182

finding with Fuzzy Lookup transformation, 13, 101, 173–178

work items, MSF Agile, 571

Workgroup Edition, SQL Server 2000 and 2005, 16

Workgroup Information file, Access, 250–251

WorkingDirectory option, Execute Process task, 51

WQL queries

example of, 66–67

running with WMI Data Reader task, 6, 65–67, 513–521

WQLQuerySource option

WMI Data Reader task, 66, 513

WMI Event Watcher task, 514

WQLQuerySourceType option

WMI Data Reader task, 66, 513

WMI Event Watch task, 514

Write BOM option, Export Column transformation, 100

WSDL (Web Service Description Language), 64, 263

X

XML File Configuration option, package configuration, 509

XML File Log Provider, 506, 508

XML files

comparing, 69

merging, 69

parsing or processing with XML task, 6, 68–69

project files stored as, 384–385

validating, 69

XPATH query, performing on, 69

XSL transformation, performing on, 69

XML Schema Definition (XSD)

definition of, 273

generating from XML source, 84

XML source

configuring, 84

definition of, 12, 84, 272

importing from, 272–278

XML task

configuring, 68–69

definition of, 6, 68

XPATH query, performing, 69

XPathStringSource option, XML task, 69

XSD (XML Schema Definition)

definition of, 273

generating from XML source, 84

XSL transformation, performing, 69

Z

010305c.dat file, 125, 134

ZipCode.txt file, 48, 119

ZipLoad.dtsx file, 120