

Index

- acid dianhydride
 effects in polyimides 281–2
 structures 272
- aging of membranes
 activation energy of permeation 300–1
 defined 294
 density changes 299
 gas permeability and selectivity 298–9
 glass transition temperature 295–8
 highly sorbing penetrant effects 301–2
 implications for practical separations 304
 mechanisms and models 296–7
 overview 293–4
 poly[1-(trimethylsilyl)-1-propyne] 302–3
 thickness-dependency 294–5, 297–9
 wide-angle X-ray diffraction 299–300
- alcohol/water pervaporation 185–7
 carbon membranes 351–2
 polyacetylenes 233, 244–5
 polyimides 287
 polymer membranes 359–62, 374
 zeolite membranes 329–30, 331, 374
- Arrhenius–van't Hoff equations 30
- artificial neural network
 predictions 223–4
- azeotropic mixtures *see under* pervaporation
- barrer defined 3
- bisphenol-A polycarbonate 108
- carbon membranes
 flat sheet, self-supported 338
 carbon dioxide/methane separation 339
 flexible from sulfonated polyimides 341–3
 precursors and membranes characterized 340–1
 thermogravimetry-mass spectrometry of precursors 338–9
 hollow fiber, self-supported
 cellulosic or phenolic precursors 343
 continuous carbonization process 344
 copolyimide precursors 343–4
 membrane processes and overview 337–8
 pervaporation and vapor permeation 351–2
 propylene/propane separation 349, 351
 pyrolysis temperature effects 349, 350
 supported membranes and precursors 345
 lignocresol and lignocresol 346–9
 nanoporous SSSTM 345
 phenolic 345–6
 polyamic acid 346
 poly(furfural alcohol) 346
- CHARMM force field 105, 121
- chlorinated hydrocarbons 362–3
- Chung diameter 6, 8, 10
 collision diameter 7–8, 10
 COMPASS force field 50–1, 105, 127
 and fractional accessible free volume 124
 poly[1-(trimethylsilyl)-1-propyne] 123
 poly(2,6-dimethyl-1,4-phenylene oxide) 109–10
 polyimide 113
 polyphosphazene 114–15, 115–16
 polysilane 119
 potential energy equation 50–1
 conformational studies 121
 CONTIN program 194, 195, 196, 203
 critical temperature 10–11, 12
 critical volume 10, 13–14, 203–4
 Cytop[®] *see under* perfluoropolymers
- d*-spacing and free volume 101
 computation 105
- Darcy's law 162
- Darken equation 103
- dehumidification 288
- density of polymers
 experimental 99
 and membrane aging 297–8, 299
 polyimides 273–4, 276–7

- diamine structures 272
- diffusion and diffusion coefficient
- activation energy 30, 31, 97
 - computational methods 102–5
 - critical volume correlations 13
 - and *d*-spacing 101
 - dependency on concentration 22, 23
 - diffusive jump events 31, 75–7, 97, 103, 160
 - and free volume 12–13, 16, 100–1
 - as function of effective molecular diameter 97
 - glass transition temperature, influence of 14–15, 31–5
 - Knudsen diffusion 337, 338
 - microcavity volumes, correlations with 198–9
 - penetrant size
 - choice of parameter for correlation 9–10
 - and critical volume 13
 - dependence on 8, 12–14
 - polyimides 275–6
 - polymer connector groups 35–6, 211
 - predictive methods 211–15
 - artificial neural networks 223–4
 - computer simulations 224–6
 - graph theoretical approach 222–3
 - group contribution methods 215–22
 - semi-crystalline polymers 101
 - Solution-Diffusion model 163
 - from sorption measurements 97
 - temperature dependence 31, 97
 - time-lag measurements 96–7
 - see also under* molecular simulation
- DREIDING force field 105, 126
- poly[1-(trimethylsilyl)-1-propyne] simulation 121–2, 123
- polyimide simulation 111, 113
- Dual-Mode model 96, 97, 99, 137
- Einstein equation 103
- electrochromic probes 205–6
- enthalpies
 - condensation 11, 12, 203
 - mixing 203
 - sorption 11, 12
 - vaporization 11
- ethanol *see* alcohol
- evaporation 358–9
- excess volume 100
- facilitated transport membranes
 - reviewed
 - active transport
 - electric field 419
 - modeling 400–4, 413–16
 - pH gradient 419
 - photon field 419–20
 - temperature effects 421
 - carbon dioxide separations 427
 - characteristics of membranes 412
 - complexing agents
 - Ag(I) 424–5
 - biological 428
 - Cu(I) trifluoromethanesulfonate 426
 - incorporating into film 423
 - configurations for membranes 416
 - fixed-site (chained-carrier) membranes 417–18
 - immobilized liquid membrane 417
 - solvent swollen polymer film 417
 - electrodynamic fluids
 - electrode requirements 423
 - nematic liquid crystals 422
 - polar solvents 422–3
 - experimental (time-lag) methods 412–13
 - hybrid processes 418
 - ionic liquids 421–2
 - modeling 400–4, 413–16
 - active transport 418–19
 - facilitation factor 414–16
 - fixed site-carrier membrane 401, 418
 - hybrid processes 418
 - screening for potential carriers 416
 - olefin/paraffin separation 404–5, 423–4
 - Ag(I) complexation 392–4, 424
 - Cu(I) trifluoromethanesulfonate 426
 - effect of water on membrane performance 425
 - mechanistic studies 424
 - membrane morphology 424
 - organic compound separations 428–9
 - overview 391–2, 411–12
 - oxygen/nitrogen separation 405, 426–7
 - silver ion-polymer electrolyte membranes 425–6
 - stability 412, 416
 - effect of water 425
 - fixed-site carrier membranes 417
 - see also* solid-state facilitated transport membranes
- Fick's law 1, 72, 163, 187–8
- Flory-Huggins equation 18, 22
- fluoropolymers *see* perfluoropolymers
- force fields 50–2, 105
- free volume 99–102
 - accessible 61–4, 105, 123, 124
 - aging of membranes 297–8
 - blocking effects in polyacetylenes 242–3
 - computation methods 104–5
 - definitions defined and discussed 191, 192–3
 - and diffusion 16–17, 100–1
 - excess 100
 - fractional 16, 99–100, 193
 - and packing density 273
 - perfluoropolymer permeability 254, 259
 - polyacetylenes simulation 123–4
 - table of for selected polymers 99
 - temperature dependence 31, 100

- free volume elements
 (microcavities)
 defined 192
 and diffusion coefficient
 198–200
 sizes in polymers 195, 196,
 201
- glass transition temperature
 14
- hole number density 195–8
- measurement of 100
- electrochromic probes
 205–6
- inverse gas
 chromatography 196,
 201–4
- photochromic probes 205
- positron lifetime
 annihilation
 spectroscopy 191–9
- ^{129}Xe NMR methods 192,
 200–1
- molecular positronium probe
 simulation 124–5
- and permeability/selectivity
 6, 7
- polycarbonate simulation 109
- polymer/penetrant interaction
 energy 11
- size-sieving 12–14, 242–3
- specific 16, 100
- Gas Permeation Units (GPU) 3
- gas separation
 and aging of membranes 304
- carbon dioxide/methane 260,
 263–4, 281–4
- carbon dioxide/nitrogen
 285–7
- helium/hydrogen 254–5
- hydrocarbons using zeolite
 membranes 325–7
- hydrogen/methane 284, 287
- mechanism 337, 338
- multi-component transport
 membrane selectivity
 178–9
- pressure ratio limits and
 membrane choice
 179–82
- nitrogen/methane difficulties
 discussed 255–7
- olefins/paraffins 285, 392,
 404–5, 423–6
- one-component transport
 166–7
- transport equation 167
- oxygen/nitrogen 254, 284–5
- facilitated transport 405,
 426–7
- vapor/gas and polyacetylenes
 241–3
- vapor/vapor and
 polyacetylenes 243–4
- see also* selectivity
- gas and vapor properties
 effect on diffusivity 7–10
- effect on solubility 10–14
- properties tabulated 6, 11, 12
- glass transition temperature
 aging of membranes 295–8
- connector groups 35–6
- effects on permeability and
 diffusivity 14–15,
 31–5
- side-chains 36–7
- and penetrant size 12
- and solid-state facilitated
 transport membranes
 393–4
- variation of Langmuir
 capacity 21
- graph theory predictions 222–3
- GROMOS force field 105,
 126–7
- polyimide simulation 110–11
- group contribution methods
 assumptions 215
- atomic group units 217
- calculation of isothermal
 parameters 211, 218
- normalizing factors 215–18
- Permachor 215–16
- polyimides 218–25, 285
- Henry's law 20, 66–7, 96, 97,
 102
- hole number density 195–8
- hydrocarbons 6–7
- benzene/cyclohexane 365–8
- octane/trimethylpentane
 174–6
- olefin/paraffin separation
 392, 404–5, 423–6
- organic liquid/water 362–5
- Hyflon[®] *see under*
 perfluoropolymers
- hyperfiltration (reverse
 osmosis)
- multi-component transport
 173
- octane isomers 174–6
- salt solutions (seawater)
 176–8
- one-component transport
 163–6
- concentration-pressure
 relationships 164–6
- molar volume correction
 factor 166
- Solution-Diffusion
 equations 164
- inorganic membranes 307
- see also* zeolite membranes
- intersegmental spacing 101
- inverse gas chromatography
 201–2
- critical volume 203–4
- interpretation of results 196,
 202–4
- partial molar enthalpy of
 mixing 203
- ionization potentials 261–3
- jump events 31, 75–7, 97, 103,
 160
- kinetic diameter 5, 7–9
- propane *versus* butane 9–10
- related to diffusion
 coefficients 8
- tabulated 6
- Knudsen diffusion 337, 338
- Langmuir affinity parameter 18
- Langmuir capacity 18, 20–2,
 96, 100
- Langmuir diffusion coefficient
 97
- Lattice Fluid model *see* Non-
 equilibrium
 Thermodynamics
 Lattice Fluid model
- Leonard-Jones collision
 diameter 7–9
- tabulated 6
- Leonard-Jones energy
 parameter 10
- liquid/liquid separation *see*
 alcohol/water;
 organic liquids
- MELT program 194
- methane
 low-pressure solubility
 isotherms 144–8
- methane/butane separation
 242–3
- methane/hydrogen separation
 180–2

- microcavities
 defined 191
 and diffusion coefficient 198–200
 sizes in polymers 195, 196, 201, 202
- molecular diameter, effective 97, 214
- molecular dynamics *see under* molecular simulation
- molecular mobility 105
- molecular shape and size
 penetrants 7–10, 12–14, 21, 30–1
 effective molecular diameter 97, 214
 polymers 15–18, 30–40
 and shape anisotropy 9
 and zeolite pore size 373, 374, 384
 see also structure of polymers and transport
- molecular simulation
 approaches summarized 88–9, 101–6
 carbon dioxide in polyimide matrix 160
 cell construction and equilibration 105–6
 cell size 106
 choice of ensembles 106
 diffusivity
 anomalous diffusion 86–7
 diffusive jump events 31, 75–7, 97, 103, 160
 Greenfield–Theodorus multidimensional TST approach 80–6
 diffusivity calculation and macrostate networks 86
 geometric analysis of accessible volume 82
 rate constants for interstate transitions 84–5
 saddle points 82–4
 Gusev–Suter transition state method 77–80
 low-temperature matrices and infrequent jump events 75–7, 103
 molecular dynamics simulation and self-diffusivity 73, 102–3
- non-equilibrium molecular dynamics simulation 74–5, 103–4
- statistical mechanics of diffusion 72–3
- force fields 50–2, 105
- free volume 61–4, 82, 104
- d*-spacing 105
- molecular mobility 105
- pair correction functions 105
- and positron annihilation lifetime spectroscopy 62–4
- tesselation of space 104
- Voorintholt method 104
- model configurations
 coarse-graining strategies 54–5, 56
 force fields 50–2, 105
 generating glasses from melts 55–7
 molecular dynamics 52–3
 molecular mechanics 52
 Monte Carlo strategies 53–4
- model validation 57
- accessible volume 61–2
- molecular packing 58
- neutron diffraction 58–9
- X-ray diffraction 58
- positron annihilation lifetime spectroscopy 62–4
- segmental dynamics 59
- NMR measurements 59–60
- quasielastic neutron scattering 60–1
- thermodynamic properties
 cohesive energy 57–8
 mass density 57
- overview 87–9, 224–6
- permeability 97–9
- polymer studies 106–7
- poly[1-(trimethylsilyl)-1-propyne] 120–4
- poly(2,6-dimethyl-1,4-phenylene oxide) 109–10
- polycarbonates 108–9
- polyetherimide 107
- polyimides 110–14
- polyphosphazenes 114–16
- polysilalkylenes 119–20
- polysilanes 119–20
- polysiloxanes 116–19
- polysulfones 107–8
- Teflon[®] 123–4, 126
- self-diffusion coefficient 102–3
- solubility
 and cell size 106
 Henry's constant 66–7, 102
 Monte Carlo and TST simulations 102
- sorption equilibria
 predictions 64
 heat of sorption 67
 Henry's law constant 66–7
 high pressure sorption 68–70
 low pressure sorption 67–8
 sorption isotherms 65–7
 Widom insertion 66, 67, 68, 102
 resolving problems 70–2
- zeolite membranes 331–2
- see also* Non-equilibrium Thermodynamic LF model
- molecular size *see* molecular shape
- molecular volume 203–4, 216
- Monte Carlo method 101, 102
- poly[1-(trimethylsilyl)-1-propyne] 122–3
- polyphosphazene 115, 116
- polysilane simulation 119
- solubility coefficient calculation 66–7, 102
- strategies in molecular simulation 53–4
- natural gas 6
- enrichment 255
- Non-equilibrium Thermodynamic Lattice Fluid model
 assumptions, key 138–40
 calculations and comparisons for glassy polymers
 correlation of high-pressure solubility 153–5
 correlation of solubility coefficients 151–3
 predicting low pressure-gas solubility 144–8
 predicting low-pressure solubility coefficients 148–51
- discussion and conclusions 155–7
- overview 137–8

- parameters and data
 requirements 143–4,
 145, 146
 and perfluoropolymers 265
 pseudo-solubility calculation
 140–1
 olefin/paraffin separation 392,
 404–5, 423–6
 organic liquid mixtures 355
 acetone/chlorinated
 hydrocarbon
 separation 365
 alcohol/alcohol and alcohol/
 ether separations
 polymer membranes 381–3
 zeolite membranes
 329–30, 381–3
 alcohol/water separation
 185–7
 carbon membranes 351–2
 polyacetylenes 233, 244–5
 polymer membranes 287,
 359–62
 zeolite membranes
 329–30, 331, 374,
 377, 386–7
 benzene/cyclohexane/hexane
 separation
 polymeric membranes
 365–7
 zeolite membranes 329,
 382, 383–4
 ethanol/cyclohexane
 separation 365
 evaporation 358
 temperature-difference
 control 359
 liquid aliphatic hydrocarbons
 327–8
 olefin/paraffin separation
 404–5, 423–6
 organic liquid/water
 polymeric membranes
 362–4
 zeolite membranes 377,
 379, 381
 permeation equations 357–8,
 373–4
 pervaporation principles and
 characteristics 356–7,
 373–4
 Solution-Diffusion model
 357–8
 xylene isomer separation
 329, 384–5
 oxygen/nitrogen separation 254,
 284–5
 facilitated transport 392, 405,
 426–7
 packing density 273–4
 pair correlation functions 105
 PATIT program 194, 195
 penetrant diameter (size) 7–10
 correlation with diffusion
 coefficient 9–10
 and critical volume 13
 dependence of diffusion on 8,
 12–14, 30–1
 and glass transition
 temperature 12
 perfluoropolymers
 characteristics and discovery
 overview 251–2,
 266–7
 Cytop[®] 252
 gas solubility correlations
 257, 258–9
 plasticization 259–60
 pure gas permeabilities/
 selectivities 253, 254
 structure and properties
 253
 fluorocarbon/hydrocarbon
 interactions 260–1
 ionization potentials 261–3
 non-central force fields
 263–6
 solution theory 261
 helium/hydrogen selectivity
 254–5
 Hyflon[®] 252
 gas solubility correlations
 257, 258
 pure gas permeabilities/
 selectivities 253, 254
 structure and properties 253
 nitrogen/methane selectivity
 255–7
 nitrogen/oxygen selectivity
 254
 plasticization 257–9
 solubility correlations,
 atypical 257–9,
 260–1
 Teflon[®] 252
 gas solubility correlations
 257, 258
 molecular simulation
 123–4, 126
 pure gas permeabilities
 253, 254
 pure gas selectivities
 254
 structure and properties
 253
 permeability and permeability
 coefficient 99
 aging of membranes 298–9,
 301–2
 bulky trimethylsilyl groups
 32–3, 211–12, 232
 coefficient defined and
 described 1–3, 97,
 167
 computer simulations 224–6
 dual-mode model 99
 effect of glass transition
 temperature 14–15,
 31–5
 and effective solubility
 coefficient 2, 98
 and microcavities 202
 penetrant critical volume
 correlation 13
 perfluoropolymers 253
 polymer density and chain
 packing 15–16,
 32–5
 pressure dependency 22, 24
 structure-based prediction
 211–15
 artificial neural networks
 223–4
 graph theoretical approach
 222–3
 group contribution method
 215–22
 temperature dependence
 98–9
 units 3
see also selectivity
 permeability/selectivity
 trade-off 4–7
 facilitated transport
 membranes 391
 free volume effects 6,
 12–14
 and kinetic diameter 5–6
 perfluoropolymers 254–5
 polyimides 283–4
 size-sieving 12–14
 upper bound lines 4–6
 permance 3
 permeation
 activation energy 30,
 300–1
 measurements in zeolite
 membranes 321–3
 rate (flux) 1, 161, 274–5
 permselectivity *see* selectivity

- Perturbed-Hard-Sphere-Chain theory 137, 138, 141, 142–3
solubility calculations and data comparisons 144–56
- pervaporation
carbon membranes 351–2
evaporation 358–9, 385–6
fundamental equations 357
large scale manufacturing plants 386–7
multi-component transport
alcohol/water mix described 185–7
choice of permeation equations 182–4
pervaporation separation factors 184–5
- one-component transport 167–70
flux and pressure 169–70, 171
pressure and concentration profiles 167–8
transport equations 169
- principles and characteristics 356–7, 373–4
- Solution-Diffusion model 357–8
see also alcohol/water; organic liquid mixtures; zeolite membranes
- photochromic probes 205
- physical aging *see* aging
- plasticization 259–60
- poly[1-(trimethylsilyl)-1-propyne] 231, 232
aging of membrane 302–3
conformational studies 121
ethanol/water selectivity 361, 362
free volume representation 123, 201
molecular simulation 107, 120–4
pervaporation
alcohol/water 244–5
organic liquid/water 245–6
polymerization 234–6
prediction of transport properties 211, 212
selectivity
carbon dioxide/*iso*-propane 243
methane/butane 242–3
oxygen/nitrogen 241
vapor/vapor separations 243–4
size-sieving and reverse selectivity 14, 27, 242
solubility coefficients and temperature 10–11, 257
- poly(2,6-dimethyl-1,4-phenylene oxide) simulation 109–10
- polyacetylenes
desilylation of membranes 238, 240
gas/gas separation 239–41
oxygen/nitrogen selectivity 240–1
permeability and structure overview 231–3
poly[1-(trimethylgermyl)-1-propyne] and analogues 231–2, 236
polydiarylacetylenes 232, 240
polydiphenylacetylenes 232, 240
- pervaporation
alcohol/water 244–5
organic liquid/organic liquid 246
organic liquid/water 245–6
- polymerization 233
catalysts, typical 234–5
cocatalysts 235, 236
mono- and disubstituted acetylenes 233–4
poly[1-(trimethylsilyl)-1-propyne] and analogues 234–6
polydiarylacetylenes and derivatives 236–8
ring-substituted polyphenylacetylenes 238–9
solvent effects 235
temperature effects 235
size-sieving and reverse-selectivity 232–3, 242–3
vapor/gas separation 241
vapor/vapor separation 243–4
see also poly[1-(trimethylsilyl)-1-propyne]
- polycarbonates 108
free volume simulation 109
gas transfer simulations 108–9
low-pressure solubility isotherms of methane 144–8
side-group effects 33–5
- polydimethylsiloxane 107, 231
ethanol/water selectivity 361, 362
molecular simulation 116–19
size-sieving 14
solubility coefficients and temperature 10–11, 257
- polyetherimide simulation 107
- polyimides
acid dianhydride structures 272
effects of 281–2
aging of membrane 298–9
connector group effects 35–6
diamine structures 272
effects of 282–3
diffusion coefficients 275–6
controlling factors 277–80
gas separation performance 283
carbon dioxide/methane 281–4
carbon dioxide/nitrogen 285–7
hydrogen/methane 284, 287–8
olefins/paraffins 285
oxygen/nitrogen 284–5
water vapor permeation 287–8
- group contribution predictive method 218–25, 285
molecular simulation 110–14, 160
morphology effects 276–7
overview of structure and properties 271–3
packing density 273
charge-transfer interactions 273–4
- photocrosslinking 287
- precursors for carbon membranes 337–43
selectivity 275, 277, 281–7
solubility coefficients 277–80
controlling factors 280–1
structure-property relationships 272
- polymer structure *see* structure of polymers

- Polymer-Reference Interaction Site Model (PRISM) 102
- polynorbornenes 36, 37
- polyphosphazenes simulation 114–16
- polysilalkylenes simulation 119–20
- polysilanes simulation 119–20
- polysiloxanes
permeability and glass transition temperature 31–2
simulation 116–19
- polysulfones
aging of membrane 298–9
molecular simulation 107–8
side-group effects 33–5
wide-angle X-ray diffraction 299–300
- polytetrafluoroethylene 252–3
see also perfluoropolymers
- polytrifluoropropyl-methylsiloxane 117
- poly(vinylidene fluoride) 252
- pore transport model 159–60
- positron annihilation lifetime spectroscopy (PALS) 191–2
- CONTIN program 194, 195, 196
- diffusion coefficient
correlated with hole size 198–9
- diffusion selectivity 198–200
- fractional free volume 193
- free volume definitions
defined and discussed 192–3
- free volume probing methods
tabulated 192
- hole number density
estimation 195–8
- MELT program 194
- molecular model validation 62–4
- PALS method outlined 193–4
- PATFIT program 194, 195
- positronium atoms and sources 193–4
- simulation of molecular positronium probe 124–5
- sizes of free volume in glassy polymers 195, 196
- spectral data and initial analysis 194–5, 196
- positronium atoms 191, 193–4
- pressure effects
diffusion 22, 23
permeability 22–30
sorption 18–22
transport parameters 18–30
- PRISM *see* Polymer-Reference Interaction Site Model
- radial distribution function 105
- rejection coefficient 177, 178
- reverse osmosis *see* hyperfiltration
- reverse-selectivity *see* selectivity
- seawater and reverse osmosis 176–8
- selectivity 3–7, 98
and aging of membrane 298–9
diffusion selectivity *versus* microcavity size 199–200
diffusion-solution model 175–6, 178–9, 255–6, 275
ethanol/water-selective polymers 362
mixed-gas *versus* pure-gas effects 24–30
nitrogen/methane separation difficulties discussed 255–7
perfluoropolymers
helium/hydrogen 254–5
nitrogen/methane 255–7
oxygen/nitrogen 254
- polyacetylenes
methane/butane 242–3
oxygen/nitrogen 240–1
vapor/vapor separation 243–4
- polyimides 275, 277, 281–5
- pressure effects 22–30, 175–6
- pressure ratio limits and membrane choice 179–82
- reverse selectivity 5, 6–7, 25–9, 232–3
- separation factor 3–4, 275
- size-sieving and reverse selectivity 5, 6–7, 12–14, 25–9, 232–3, 242
- structural effects predicted 212, 213–14
- zeolite membranes and hydrocarbons 325–9
- see also* gas separation
- selectivity/permeability trade-off *see* permeability/selectivity
- self-diffusion coefficient in MD simulation 73, 102–3
- semi-crystalline polymers 101
- separation factor 3, 216–17, 220
- separation mechanisms 337–8
- side-chains *see under* structure of polymers
- simulation *see* molecular simulation
- size-sieving polymers 5, 6–7, 12–14
perfluoropolymers 258
polyacetylenes 232–3, 242–3
- solid-state facilitated transport membranes 391–2
- mathematical models
concentration fluctuation 402–3
dual-sorption model 400–1
effective diffusion coefficient 401
hopping model *versus* concentration fluctuation model 403
limited mobility of chained carrier 401
- membrane stability 405–6, 407, 408
- olefin carrier properties 392
formation and structure of silver polymer electrolytes 392–4
olefin sorption in silver polymer electrolytes 394–5
reversible interaction of silver ions 395
- olefin/paraffin separation 392, 403–5
permeabilities and selectivities 405
- oxygen carrier properties 395
metalloporphyrin or Schiff's base complex 395–6
oxygen solubility and reversibility 396–7
reversible binding kinetics 397–8
- oxygen/nitrogen separation 392, 405

- solid-state (*Continued*)
 permeability and
 selectivity 407
 transport mechanisms
 threshold concentration
 and coordination
 number 398–400
 two-step of silver ions with
 olefins 398, 399
- solubility and solubility
 coefficient
 computational methods and
 simulation 66–7,
 101–2, 106
 defined 2
 Dual-Mode model and
 Henry's law
 coefficient 96, 97
 effect of gas properties
 10–14, 94
 effective 98
 and fractional free volume
 16–17
 gas and vapor in
 perfluoropolymers
 257–9
 penetrant critical volume
 correlations 13
 perfluoropolymers, atypical
 behavior of 257–9,
 260–1
 polyimides 275–6
 semi-crystalline polymers
 101
 solution theory 261
 Statistical-Associating-Fluid
 Theory 144–6
 temperature dependence
 10–11, 96, 214
see also Non-Equilibrium
 Thermodynamics
 Lattice Fluid model
- Solution-Diffusion model 1,
 159, 187–8
 carbon dioxide/polyimide
 MA simulation 160–1
 diffusion coefficient 2, 163
 driving force gradients
 illustrated 162
 Fick's law 1, 163, 187–8
 gas separation 166–7,
 178–9
 hyperfiltration (reverse
 osmosis) 163–6,
 173–8
 mathematical development
 161–3
- multi-component transport
 alcohol/water mix
 described 185–7
 choice of permeation
 equations 182–4
 octane isomers 174–6
 pervaporation separation
 factors 184–5
 pressure ratio limits and
 membrane choice
 179–82
 salt solutions (seawater)
 176–8
- one-component transport
 concentration-pressure
 relationships 164–6
 molar volume correction
 factor 166
 pervaporation flux and
 pressure 169–70,
 171
 pressure and concentration
 profiles 166, 167–8
 transport equations 164,
 167, 169
- pervaporation 167–71,
 184–7, 357–8
- pore flow model 159–60,
 161–2
- unified view of separation
 processes 171–3, 174
- sorption
 and condensability 276
 diffusion coefficient from 97
 Dual-Mode model 96
 enthalpy of 11, 12
 isotherms 18–22
 Langmuir capacity 18, 20–2,
 96, 100
 molecular simulation 64–70
 olefin in silver polymer
 electrolytes 394–5
 thermodynamics 64–72
- Statistical-Associating-Fluid
 Theory 137, 141, 142
- solubility calculations and
 comparison with data
 144–56
- structural relaxation *see*
 physical aging
- structure of polymers and
 transport
 bulky trimethylsilyl groups
 32–3, 211–12, 232,
 237–8
- chemical and structural
 design 355–6
- cis* and *trans* configurations
 37–8, 211
- connector groups 35–6, 211
- fluorination 36–7, 214
- glass transition temperature
 30–5
- iso/syndio* configurations 211
- methyl and *t*-butyl groups
 213–14, 232, 237
- packing density 273–4
- para* and *meta* linkages 37,
 211, 282–3
- polar groups 33, 214
- polar and hydrogen bonding
 side-chains 36, 37, 38
- polycarbonates, substituted
 33–5
- polyimides 272, 281–3
- polysulfones 33–5
- predictive methods 211–15
 artificial neural networks
 223–4
 computer simulations
 224–6
 graph theoretical approach
 222–3
 group contribution
 methods 215–22
- Tangent-Hard-Sphere-Chain
 model 138, 142–3
- Teflon[®] *see under*
 perfluoropolymers
- temperature
 effects on transport
 parameters 30–1
 and solubility coefficients
 10–11
- thermodynamic model *see* Non-
 equilibrium
 Thermodynamic
 Lattice Fluid model
- time-lag measurements and
 diffusion coefficients
 96–7
- Transition-State Theory 101–2
 and fractional accessible free
 volume 124
- Greenfield–Theodorou
 multidimensional
 approach 80–6
- Gusev–Suter method 77–80
- Henry's constant
 determination 102
- polyimide simulation 112–13
- polysilane simulation 119
- polysiloxane simulation 118

- trimethylsilyl groups 32–3,
 211–12, 232,
 237–8
 TRIPOS force field 114
 United Atom model 51, 105
 van de Waals volume 10
 vapor/gas separation 241–4
 vapor/vapor separation 243–4
 vectorial autocorrelation
 function 103, 105
 Voorintholt method 104
 Voronoi tessellation 104
 water vapor permeation 287–8
 Widom particle insertion
 overcoming problems 70–2
 sorption equilibria 66, 67, 68,
 102
¹²⁹Xe NMR methods 192,
 200–1
 zeolite membranes
 A-type membrane
 morphology 376–7
 permeation and
 pervaporation
 performance 374,
 377–8
 preparation and conditions
 315–16, 375–6
 effects on performance
 377–8
 seeding 316, 376
 water/organic liquid
 separation 374,
 377–8
 characterization of zeolite
 films 316
 electron micrographs
 318–19, 376, 377,
 378, 380
 gas adsorption isotherms
 319–20
 orientation 317
 X-ray analysis 316–17
 Faujasite 379
 hydrophilic membranes
 374–8
 membrane defects 320–1
 MFI membrane preparation
 309–10, 379–81
 calcination and crack
 formation 314,
 380
 crystal growth and nucleation
 310, 314, 380
 factors affecting membrane
 growth 315
 seeding 314–15, 380
 support materials,
 preparation and
 effects 312–13
 synthesis mixture 310–12
 true and colloidal solutions
 309–10
 Mordenite 379
 morphology
 A-type 376–7
 MFI 380
 T-type 378
 organophilic membranes 379–
 81
 overview 307–9, 332–3, 373–4,
 387–8
 selectivities, permeances
 and separation factors
 308
 permeation
 hydrocarbon gases 325–7
 measurement techniques
 321–3
 small molecules 323–5
 pervaporation
 alcohol-water mixtures
 329–30, 331,
 386–7
 alcohol/ether separation
 381–3
 aromatic/non-aromatic
 separation 383–4
 integrated systems and
 esterification
 385–6
 ketone-water mixtures
 329–31
 large scale manufacturing
 plants 386–7
 liquid hydrocarbon
 separations
 327–9
 membrane performance
 compared 374, 377,
 379, 381, 382
 pore geometry and elemental
 composition 308–9
 pore size and molecular
 diameters 373, 374,
 384
 potential applications 308,
 373
 T-type membranes 375–6,
 378–9
 tetrapropylammonium ion
 310–11, 380
 theory and modeling of
 transport in
 membranes
 331–2
 X-type membranes 379
 preparation 375–6
 xylene isomer separation
 384–5
 Y-type membranes 316,
 375–6
 ZSM-5 membranes 380–1

With thanks to W. F. Farrington for creation of this index.

