

# Index

- abduction, 103
- access control, 302, 304, 305, 307–308
- access control policy, 302, 302
- access point (AP), 251, 257
- Accord programming system, 85
- accuracy, definition of, 157
- ACK packets, 67, 70, 89
- acting, 100–103
- active networks, xxvi
- ACT-R, 225
- actuator functions, 236–237
- adaptation, techniques of, 59–73
  - data routing and, 62–69
    - analysis of, 66
    - application data and, adapting to changes in, 64–65
    - network resources and, adapting to changes in, 63–64
    - user behaviors and, adapting to changes in, 65–66
  - data transmission and, scheduling, 66–69
    - analysis of, 69
    - application data and, adapting to changes in, 67–68, 68
    - network resources and, adapting to changes in, 67
  - hop-by-hop connectivity and, constructing, 59
    - analysis of, 62
    - application data and, adapting to changes in, 61
    - network resources and, adapting to changes in, 59–61, 60
    - user behaviors and, adapting to changes in, 61–62
  - review of, 72–73
  - transmission rate and, controlling, 69–73
    - analysis of, 72–73
    - application data and, adapting to changes in, 72
    - network resources and, adapting to changes in, 69–71, 71
- adaptation functions of radio, 173
- adaptive immunity, 7
- adaptive interface, 101
- adaptive network functions, 55–58, 56
  - data routing and, 56, 57, 62–69
    - analysis of, 66
    - application data and, adapting to changes in, 64–65
    - application layer of, 57
    - network layer of, 57
    - network resources and, adapting to changes in, 63–64
    - user behaviors and, adapting to changes in, 65–66
  - data transmission and, scheduling, 57–58, 66–69
    - analysis of, 69
    - application data and, adapting to changes in, 67–68, 68
    - medium access control and, 58
    - network resources and, adapting to changes in, 67
    - node duty cycle management and, 58
  - hop-by-hop connectivity and, constructing, 55–57
    - application layer of, 57
    - data link layer of, 55–56
  - transmission rate and, controlling, 58, 69–73
    - analysis of, 72–73

- adaptive network functions (*continued*)  
 application data and, adapting to changes in, 72  
 congestion control and, 59  
 flow control and, 58  
 network resources and, adapting to changes in, 69–71, 71
- adaptive networks, xxix  
 dynamic factors of, 54–55  
 modern network scenarios, 53, 54
- adaptive response by attractor selection (ARAS), 4–5
- adaptive schemes, 72–73
- adaptive to user needs, 46
- additive increase multiplicative decrease (AIMD), 16
- ad hoc network  
 concept of, 205  
*see also* cognitive ad hoc networks
- ad hoc nodes, 209–211, 210, 211
- ad hoc on-demand distance vector (AODV), 205, 282
- affinity maturation, 8
- alert(s), 294, 296–299, 306  
 correlation, issues with, 299  
 volume, 297–298
- analogical problem solving, 102
- anomaly detection, 105–107, 296, 304, 312
- ant colony optimization (ACO), 9–10, 10
- AntNet, 63, 66, 73–74
- ant system (AS), 9
- API(s), 162, 163, 164, 165–166, 190, 197
- application data, adapting to changes in  
 data transmission and, 67–68, 68  
 hop-by-hop connectivity and, 61  
 routing data and, 64–65  
 transmission rate and, 72
- application layer, 284
- application programming interface (API), 48
- artificial immune system (AIS), 7, 7–8
- artificial intelligence, 48, 49  
 distributed (DAI), 225
- Association of Radio Industries and Businesses (ARIB), 168
- asynchronous sensing attack, 281
- attractor selection, 4–5
- autonomic, definitions of, 50
- autonomic components, decision making in, 84–86
- autonomic computing  
 advances in, 26–34 (*see also* autonomic networking)  
 information and data models in, role of, 31, 31–32  
 ontologies in, role of, 32, 32–33
- architecture  
 control loops and, xxvii  
 IBM's, xxix  
 and autonomic networking, differences between, 26  
 challenge and future developments in, 48–50  
 concepts of, xxix  
 foundations of, 24–26  
 management functionality, xxvi  
 proper function of, requirements for, xxv
- autonomic computing element (ACE), 43, 45
- autonomic control loop, 25, 25
- autonomic network, definition of, 50–50
- autonomic networking  
 and autonomic computing, differences between, 26  
 complexity and, managing, 28, 29, 30  
 languages, problems with, 28–29, 30, 30–31  
 programming models and, 29, 30  
 context and, role of, 33, 33–34  
 as new management approach, 26, 26–28, 27  
 policy management approach and, 34, 34  
 role of, xxix, 26  
*see also* FOCALÉ
- autonomic system, definition of, 51
- autonomous machine learning, 148, 155, 166
- autonomous machine learning (AML)
- autonomous network management, 79, 79, 80, 82
- auto-rate fallback, 132
- awareness functions of radio, 173
- background knowledge, 104, 115, 117
- bandwidth estimation (BE), 70
- base station (BS), 209
- Bayesian networks (BNs). *See* distributed Bayesian networks (BNs)
- B-cells, 7–8
- Beam Flex, 137
- behavior, orchestrating using semantic-based reasoning, 41–42

- behavioral cloning, 101
- belief–desires–intention framework, 83
- benchmarking, 90
- beyond the 3rd generation (B3G), 34
- BGP (Border Gateway Protocol), 29, 30, 32, 43
- biased utility attack, 281
- binding, 176–177
- biological systems
  - in computer networking, xxix, 8–9
  - concepts of, xxix
  - feedback-based control loops and, xxvii
  - inspired networking, xxviii–xxix
- BioNet, 85
- BIONETS, 9
- bio-networking architecture, 85
- bitwise XOR operation, 324
- Bluetooth, 45, 149, 154, 161, 204
- Boolean algebra (propositional logic), 251
- Brownian motion, 4
- built-in test (BIT), 161
- Business Support Systems (BSSs), 31
- Byzantine model, 288
  
- carrying capacity, 15
- case-based reasoning (CBR), 235–236
- Catallaxy model, 86
- CCMP (Counter Mode with Cipher Block Chaining Message Authentication Code) Protocol, 276
- CDMA2000, 136
- cell biology, 6
- cell necrosis, 8
- centralized cognitive radio networks, 273, 274
- centralized learning, 114–115
- certificate authority (CA), 276–277
- channel ecto-parasite attack (CEPA), 282–283
- ChannelInUse(x, t)*, 260, 261, 262
- Channel state dependent packet scheduling (CSDPS), 67
- Cisco router, 29, 30
- classification, 99–100
- clear channel assessment (CCA), 69
- clonal selection, 7
- closed-loop control, theories of, 82–83, 83
- clustering, 100
- Code division multiple access (CDMA), 45, 168, 172, 189, 191
- code rate  $K/N$ , 321
- cognition, universal theories of, 225
- cognition cycle, xxvii, xxx, 203, 206–207, 207, 208, 225
- cognition functions of radio, 173
- cognitive, context of, xxvi
- cognitive ad hoc networks, xxx, 206
  - cognition in networks and, 207–208, 208
    - centralized, infrastructure-based networks and, 208, 208–209
    - distributed, 209–211, 210, 211
  - cognitive cycle of, xxx, 206–207, 207
  - scenarios for, dynamic spectrum of, 214–216, 216–218
    - common regimes and, 218–219
    - future of, 219
    - market-based regimes and, 216–218
    - next-generation architecture and, 215, 216
      - range of frequency and, 217, 218
      - wisdom of crowds and, 211–214
- cognitive architectures, 225–226
  - and cognitive network architectures, linking to, 225
- cognitive control, 242–243
- cognitive layer, xxvi
- cognitive network(s)
  - autonomic networking in, role of, xxix
  - concept of, xxv
  - definitions of, xxvi–xxvii, 51, 223–224
  - dynamic spectrum access and, xxviii
  - end-to-end goals of, xxvii
  - future innovations in, xxviii
  - learning and, role of, xxvii
  - machine learning for, xxix
  - as multiagent system (MAS), 225–227
  - optimization techniques and, xxvii, xxx
  - seamless mobility and, xxviii, 45–46, 46
  - security issues in, xxviii, xxxi
  - self- attributes of, xxvi–xxvii, 25
  - self-management in, xxix
  - threat response and, paradigm change in, 311
  - wired networking and, xxviii, 46
  - wireless networking and, 47, 47–48
  - see also* cognitive networking; integrated dynamic security approach; intrusion detection, in cognitive network(s); threat model
- cognitive network architectures, 285
  - DIMSUMnet, 285–286
  - IEEE 802.22 and, 286
  - Nautilus, 285
  - OCRA, 286

- cognitive networking, 34
  - FOCALE and, extensions to, 47, 47–48
  - functions, 46–47
  - wired, 46
  - wireless requirements, 47, 47
- cognitive networking tasks, 105
  - anomaly detection and fault diagnosis, 105–107
- configuration and optimization, 109
  - compatible parameter configuration in, 111
  - component selection and configuration in, 112
  - configuration tasks, spectrum of, 109–110, 110
  - operating conditions and, changing, 112–113
  - parameter selection in, 111
  - reconfiguration process in, 110–111
  - topological configuration in, 111–112
- intruders and worms, responding to, 107, 108
  - detection tasks, 108–109
  - prevention tasks, 107–108
  - response and recovery tasks, 109
- cognitive packet network (CPN), 89
- cognitive properties, xxv
- cognitive radio (CR)
  - applications, architecture for, 265–267
  - community architecture, 251–252
  - differentiating speakers to reduce confusion and, 151–152
  - dynamic frequency selection (DFS) scenario and, 261–263
  - Event–Condition–Action (ECA) rules and, 263–264
  - ideal cognitive radio (iCR) and, xxx, 148–158
  - knowledge representation and, two variants of, 252
  - military applications and, 155–156
  - model-theoretic semantics and, 252–253
  - personal skills and, augmenting, 150–151
  - privacy and, 154–155
  - quality of information (QoI) metric and, 156–158
  - radio frequency (RF) uses, needs, and preferences and, 149–150
  - radio spectrum and, flexible secondary use of, 152
  - research, architectures used in, xxvii
    - semantic side of, xxxi
    - software-defined radio (SDR) technology and, 153–154
    - see also* cognitive radio networks, attacks on; semantics
- COgnitive Radio approach for Usage of Virtual Unlicensed Spectrum (CORVUS), 317–318, 318, 318–310
- cognitive radio architecture (CRA), xxvii, xxx, 158
  - cognition cycle of, 174–175, 175
    - acting phase of, 177–178
    - decide phase of, 177
    - learning phase of, 178
    - observe (sense and perceive) phase of, 175–176
    - orient phase of, 176–177
    - planning phase of, 177
    - reaching out phase of, 179
    - retrospection phase of, 179
    - self monitoring timing phase of, 178–179
- frameworks for, future, 199
- functions, components, design rules of
  - cognitive components of, 167
  - cross-domain grounding for flexible information systems, 169, 169–171
  - design rules of, functional component interfaces and, 161–166, 162t
  - flexible functions of, 173–174, 173t
  - frameworks for, future, 199
  - industrial strength, 199–200
  - near term implementations and, 166–167
  - radio knowledge in, 167–169, 169t
  - self-referential components of, 171
  - self-referential inconsistencies of, 171–172
  - software-defined radio (SDR) components and, 160
  - spectral efficiency and, potential gains in, xxviii, 129
  - user knowledge in, 169
  - watchdog timer in, 172
  - see also* ideal cognitive radio (iCR); inference hierarchy; software-defined radio (SDR)
- cognitive radio community architecture, 251–252
- cognitive radio networks
  - functions of

- spectrum analysis and decision, 273
- spectrum mobility, 273
- spectrum sensing, 272–273
- types of
  - centralized, 273, 274
  - decentralized, 273–275, 274
- cognitive radio networks, attacks on, 279
  - application layer, 284
  - cross-layer, 284
    - jellyfish attack, 284–285
    - routing information jamming attack, 285
  - link layer, 280–281
    - asynchronous sensing attack, 281
    - biased utility attack, 281
    - false feedback attack, 281
  - network layer, 282
    - channel ecto-parasite attack (CEPA), 282–283
    - low cOst ripple effect attack (LORA), 283
    - network endo-parasite attack (NEPA), 282
  - physical layer, 279–280
    - intentional jamming attack, 280
    - overlapping secondary attack, 280
    - primary receiver jamming attack, 280
    - sensitivity amplifying attack, 280
  - transport layer, 283
    - key depletion attack, 283–284
- cognitive techniques, performance issue with, xxv
- cognitive technology, xxvi
- cognitive wireless networks (CWN), 148, 150, 154, 155, 157–159, 167–169
- cognitive wireless personal digital assistant (CWPDA), 173
- coherent control, 243
- collaborative filtering, 107
- collaborative reinforcement learning, 87
- collegial, 232
- collision-aware rate adaptation (CARA), 69–70, 72, 74
- command and control approach, 214
- Command Line Interfaces (CLIs), 29, 31
- compatible parameter configuration, 111
- compatible parameter selection, 110
- component selection and configuration, 110, 112
- computational state, 241–242
- computer virus, 8
- configurable topology control (CTC), 61
- configuration tasks, 109, 109–110
- congestion adaptation, 243
- congestion control, 59
- congestion detection and avoidance (CODA), 72
- constraint logic programming (CLP), 111
- constraint satisfaction problem (CSP), 111
- constructive induction, 104
- contact-dependent signaling, 7
- context
  - concept of, 302–303
  - FOCALE and, 40, 41, 45, 48
  - policy management and, 39–40
  - role of, 33, 33–34
- context-aware, 46
- Context to Management Information to Policy, 33
- control loop, 79, 79, 81
- control plane, 27–28, 28
- cooperative distributed problem solving (CDPS), 225–226
- correlated equilibrium, 240–241
- COUGAAR, 82
- CPU scheduling, 79
- credit assignment problem (CAP), 232–233
- cross-layer, 284
  - jellyfish attack on, 284–285
  - routing information jamming attack on, 285
- cross layer attack, 272, 279, 284
- cross-layer design, xxvii, 121–123
  - in commercial products and industry standards, xxx, 136
  - mesh networks and, 137–138
  - multimedia over wireless and, 137
  - 3G cellular networks and, 136
  - vertical handovers and, 136
  - wireless local area networks and, 136–137
  - wireless regional networks and, 136
- understanding, xxvii, 123–124
  - definitions for, 123–124
  - interpretations of, 123
  - motivations for, 125–129
    - cognitive networks and, 129
    - new modalities of
      - in cognitive radios, 129
      - in multi-packet reception, 128
      - in node cooperation, 128–129
    - optimistic side of
      - ad hoc networks on, power control in, 126

- cross-layer design (*continued*)
  - energy efficiency and security and, 126
  - fading channels, multiple users and, 127–128
  - fading channels, single user and, 127
  - real-time multimedia on, 125
  - TCP on, 125
  - vertical handovers and, 126–127
- performance and architectural viewpoints of, xxx, 138–139
- on communication model and, right, 141
- on cross-layer couplings and, important, 139
- on cross-layer design, when to invoke, 139–140
- on cross-layer design proposals, co-existence of, 139
- on physical layer, role of, 140–141
- on standardization of interfaces and, 140
- proposals, according to architecture violations, xxx, 129–131, 130
- on adjacent layers, merging of, 133
- on design coupling without new interfaces, 133
- on new interfaces, creation of, 131
  - back and forth information flow and, 132–133
  - downward information flow and, 132
  - upward information flow and, 131–132
- on vertical calibration across layers and, 133–134
- cross-layer scheduling, 68–69
- cross-layer signaling shortcuts (CLASS), 69, 135
- cryptography, 287, 288
- crypto primitives, 288
- CURRENT\_TIME*, 262–263, 264
- customer premises equipment (CPEs) nodes, 209
- cyber-entities (CE), 8–9
- cyber-entity (CE), 85–86
- danger signal, 7
- data model(s)
  - in autonomic computing, role of, 31, 31–32
  - definition of, 51
  - ontologies and, integrating, 36–38, 38
- data plane, 27, 28
- data routing
  - network functions of
    - analysis of, 66
    - application data and, adapting to changes in, 64–65
    - application layer of, 57
    - network layer of, 57
    - network resources and, adapting to changes in, 63–64
  - techniques of adaptation and
    - analysis of, 66
    - application data and, adapting to changes in, 64–65
    - network resources and, adapting to changes in, 63–64
    - user behaviors and, adapting to changes in, 65–66
    - user behaviors and, adapting to changes in, 65–66
- data source(s), 295–296
- data transmission scheduling, 57–58, 66–69
- DDoS attacks, 89
- decentralized cognitive radio networks, 273–275, 274
- decision-making, distributed, 84–86, 213
- decision-tree, 100
- declarative knowledge, 115–116
- degree distribution, 325
- DEN-ng
  - definition of, 51
  - ontologies and, 36, 38, 40, 44, 47
  - policy languages, 41
  - simplified form of, 33
  - as unified information model, 29, 30
  - wired networking and, 46
- density estimation, 100
- Department of Defense Applied Research Projects Agency (DARPA), 154, 196, 205
- description logic (DL), 251
- design patterns, 81–82
- detection, 108–109
- detection algorithm, 296, 312
- detection technique
- device languages, 42
- diagnosis, 106–107
- diffusion, 83

- The Diffusion of Innovations* (Rogers), 212
- Digital Fountain, 137
- digital fountain codes, 322–323  
     *see also* Luby transform (LT) codes
- DIMSUMnet, 285–286
- directed acyclic graph (DAG), 229, 230
- direct knowledge, 115–116
- distance vector (DSR), 205
- distributed artificial intelligence (DAI), 225
- distributed Bayesian networks (BNs)  
     distributed learning of, 234–235  
     distributed reasoning and, 229–230  
     multiply sectioned Bayesian network (MSBN) and, 229–230
- distributed case-based reasoning (CBR), 235–236
- distributed constraint optimization problems (DCOP), 228–229
- distributed constraint satisfaction problems (DisCSP), 228
- distributed decision-making, 84–86, 213
- distributed learning, xxx–xxxii, 114–115  
     *see also* learning and reasoning, in cognitive network
- distributed Q-learning, 234
- distributed reasoning. *See* learning and reasoning, in cognitive network
- distributed multiobjective reasoning, 232
- diversity, 2
- division of labor, 9
- DMTF, 37
- dynamic control of behavior based on learning (DCBL), 87
- dynamic factors, 54–55
- dynamic frequency selection (DFS), 254  
     cognitive radio (CR) and, 261–263  
     cognitive spectrum access and, 254–257, 256  
     Web Ontology Language Description Logic (OWL-DL) ontologies and, 260–261
- dynamic source routing (DSR), 282
- dynamic spectrum access (DSA), 204, 214–215, 330
- EGDE, 136
- emergence
- empirical optimization, 102
- endocrine signaling, 7–8
- end-to-end goals, xxv, xxvii, xxviii, 224
- energy efficiency, 126
- enhanced distributed channel access (EDCA), 136
- environment sensors, 160
- epidemic algorithms, 18
- epidemic diffusion, 16–17
- epidemic methods, 18
- erasure channels
- erasure channels, overview of, 319–320
- erasure tolerant coding, xxxi–xxxii, 315–318  
     applications, 329  
     digital fountain codes and, 322–323 (*see also* Luby transform (LT) codes)  
     Raptor codes and, 326–328, 327, 328  
     multiple description coding (MDC), 328, 329  
     Reed-Solomon codes, 330  
     tornado codes, 330  
     traditional, 321–322
- Escherichia coli*, 5
- Esperanto, 42
- European Telecommunications Standards Institute (ETSI)  
     167–168
- Event–Condition–Action (ECA) rules, 263–264, 267
- expandability. *See* scalability
- EXPECT, 29
- explanation-based generalization, 104
- explanation generation (abduction), 103
- Explicit Congestion Notification (ECN), 131
- Extraordinary Popular Delusions and the Madness of Crowds* (Mackay), 212
- false alarms, 106, 113
- false feedback attack, 281
- fault diagnosis, 105–107
- fault isolation, 106, 107
- Federal Communications Commission (FCC), 147, 152, 195, 196, 199, 254, 257  
     static spectrum allocation, 315–316, 316  
     Unlicensed National Information Infrastructure (U-NII), 254, 257
- feedback  
     adaptive, 15  
     negative, 4, 10, 19  
     positive, 4, 10
- feedback control loop, xxvii
- file transfer protocol (FTP), 284
- first-order logic (FOL), 251
- first order predicate calculus (FOPC), 178
- Fischer-Lynch-Patterson result, 211, 213

- flexible prediction, 99
- fluctuation
- adaptive response by attractor selection (ARAS) and, 4–5
  - biologically inspired systems and, reliance on, 3
  - noise and, 4, 19
  - randomness and, in self-organized structures, 4
- FOCALE
- architecture of, 35, 37, 43–44, 44, 48–49
  - challenges of, future, 48–50
    - architectural innovations, 48–49
    - artificial intelligence, incorporation of, 49
    - human-machine interaction, 49
    - progress, current, 49–50
  - control loops of, 35, 35–36
  - elements of, complete, 43–44, 44
  - model-based translation layer (MBTL) and, 39, 39
  - policy continuum in, use of, 40, 41
  - role of context and policy in, 39–40, 40
  - as ‘self-governed’ system, 41
  - semantic-based reasoning and, 41
  - semantic similarity matching and, 37–38, 38
  - wireless networking extensions to, 47, 47–48
- forward error correcting (FEC) code, 321
- Foundation –Observation –Comparison –Action –Learn –rEason. *See* FOCALE
- FOCALE
- 4G networks, 45
- game theory, 237–238
- genetic algorithms (GA), 14
- Geographical and energy aware routing (GEAR), 64
- Gianduia (Gia), 59, 60, 62
- Glean system, 91
- goal-driven self-assembly, 81
- goal-oriented, 46
- Google, 304
- GRACE (Graduate Robot Attending Conference), 149–150
- Greedy perimeter stateless routing (GPSR), 64
- Green Revolution, 213–214
- GSM, 45
- head-of-line (HOL) blocking problem, 67
- heuristic function, 112
- high frequency (HF) radio, 153, 154, 168
- Homo equalis* model, 279, 288
- hop-by-hop connectivity, constructing
- analysis of, 62
  - application data and, adapting to changes in, 61
  - application layer of, 57
  - data link layer of, 55–56
  - network resources and, adapting to changes in, 59–61, 60
  - user behaviors and, adapting to changes in, 61–62
- Horn clause programs, 104
- host-based intrusion detection, 8
- human-machine interaction, 48, 49
- hybrid energy-efficient distribution (HEED), 60, 62, 74
- hypothesis management, 200
- IBM, 24, 25, 26, 50
- ICARUS, 225
- ideal cognitive radio (iCR), xxx
- features of, to be organized via architecture, 173t
  - functions of, xxx, 148–159, 159
  - node functional components and, 160, 160–161
  - ontological Self/ and, 161
- ideal soliton distribution, 325–326
- ignorance, 239, 241, 242
- immune network models, 7
- immune response, 7, 7–8
- incompleteness, 172
- independent learning (IL), 234
- induced control, 243
- induction over explanations, 104
- inference, model-based, 91
- inference engines, 33
- inference hierarchy, 179, 179–187
- atomic stimuli and, 180–181
  - basic sequences and, 181–182
  - natural language in cognitive radio architecture (CRA) and, 182–183, 183
- observe-orient links for radio skill sets and, 184, 184–185, 185
- observe-orient links for scene interpretation and, 183–184

- primitive sequences and, words and dead time, 181
- world knowledge and, general, 185–187, 186
- inference plane, 26, 26, 27, 28
- information-directed routing, 64–65, 66
- information model(s)
  - in autonomic computing, role of, 31, 31–32
  - definition of, 51
  - DEN-ng model used for, 29, 30, 51
  - FOCALE and, used in, 35
  - ontologies and, integrating, 36–38, 38
  - single, 30, 31–32
- information services, 161
- innate immunity, 7
- in-network computation and compression, 236
- innovation diffusion, 213
- Institute of Electrical and Electronics Engineers, standards
  - 802.11, 253–257, 259
  - 802.11e, 136, 137
  - 802.21, 136, 140
  - 802.22, 136, 209, 215
- integrated dynamic security approach, 305
  - operational plans and interactions, description of, 305–307, 306
  - operations within the management plane, 308
    - on alerts, 309
    - on cartographic information, 309
    - on policies, 309
  - operations within the network plane, 307
    - on packets, 308
    - on policies, 307–308
  - operations within the policy plane
    - on alerts, 310
    - on business policies, 309–310
    - on reports, 310
- integrity key (IK), 287
- intelligent networks, xxv
- intelligent search, 65, 66, 73
- intentional jamming attack, 280
- interactive, 46
- Inter-domain resource exchange architecture (iREX), 63–64, 66
- international mobile equipment identifier (IMEI), 276
- International Telecommunication Union (ITU), 167, 168
- Internet Engineering Task Force (IETF), 37
- interpretation, 103–104
- intruders, 107
- intrusion detection, in cognitive network(s), xxviii, xxxi, 108–109, 114, 115, 293–294
  - domain description and, 294, 295
  - data sources, 295–296
  - detection algorithms, 296
  - intrusion detection systems, examples of, 296–297, 297
  - origin and concepts of, 294, 294–295
  - paradigm changes in, 311
  - reaction and, 299–301, 300
  - security information management and, 297
    - alert correlations, issues with, 299
    - pertinence correlation and intrusion prevention, relationship between, 299
    - in sensors, 299
    - pertinence improvement, 298–299
    - reduction of alert volume, 297–298
    - volume reduction and pertinence improvement, combination of, 298
  - systems, adapting, xxxi
- intrusion detection systems (IDSs), 294, 294–295
  - domain characteristics of, 297
  - examples of, 296–297
- intrusion prevention, 107–108
- intrusion recovery, 109
- invisible management, 49
- ITU-T, 37
- jamming. *see* cognitive radio networks, attacks on
- jellyfish attack, 284–285
- joint action learning (JAL), 234
- joint probability distribution (JPD), 229
- Joint Tactical Radio System (JTRS), 190, 191
- Juniper router, 29, 30
- KASUMI, 287
- k-component model, 87
- key depletion attack, 283–284
- K* input packets, 321–323, 329
- knowledge, 80, 167–169, 169t
- knowledge collegial, 232
- knowledge discovery and data mining (KDD), 180
- Knowledge Plane, xxx, 27, 28, 97, 99, 105, 106, 107, 113, 114, 116

- Langevin equation, 4
- language translation, 42
- layering, 121, 122, 125, 129, 131, 135, 140, 142
- learning and reasoning, in cognitive network design decisions impacting, 237
- critical, 238
    - behavior and, 238–241
    - cognitive control and, 242–243
    - computational state and, 241–242
    - game theory and, 237–238
  - distributed, xxx–xxxi
  - sensory and actuator functions of, 236–237
  - see also* multiagent system (MAS)
- learning apprentice, 101
- learning characteristic descriptions, 106
- learning for interpretation and understanding, 103–104
- learning from mental search, 102
- learning from problem solving, 102
- licensed spectrum, xxvii, xxviii
- light weight security, 288–289
- link layer, 280–281
- asynchronous sensing attack on, 281
  - biased utility attack on, 281
  - false feedback attack on, 281
- local area networks (LANs), 1, 45
- local effector functions, 160
- Lotka-Volterra model, 15, 16
- low cOst ripple effect attack (LORA), 283
- Luby transform (LT) codes, 323
- decoder, 324–325
    - error probability in, 329, 330
  - degree distributions, 325
  - encoder, 323–324, 324
  - ideal solition distributions, 325–326
  - robust solition distributions, 326
- machine learning, xxix–xxx, 97–98
- cognitive radio architecture and, xxx
  - definition of, 49
  - importance of, 49
  - issues and research, challenges in, xxix, 113
    - from centralized to distributed learning, 114–115
    - from direct to declarative models, 115–116
    - from engineered to constructed representations, 115
    - from fixed to changing environments, 114
      - from knowledge-lean to knowledge-rich learning, 115
      - from offline to online learning, 113–114
      - from supervised to autonomous learning, 113
  - methodology and evaluation, challenges in, 116–117
  - problem formulations in, 99–105
    - acting and planning, learning for, 100–103
    - classification or regression, learning for, 99
    - interpretation and understanding, learning for, 103–104
    - summary of, 104–105, 105t
    - technique, 49
- Mackay, Charles, 212
- macro operators, 101
- Managed Object Format (MOF), 37
- management information bases (MIBs), 29, 30, 37
- management plane, 26, 26, 27, 28
- market-control model, 81–82
- M-ary erasures, 320, 321
- meaning and meaning change (semantics), 42
- medium access control, 58
- mesh networks, 137–138
- MessageTransmission*, 258, 259, 266
- micro electromechanical systems (MEMS), 153–154
- middleware, 87
- misuse detection, 296, 312
- MIT Roofnet, 137
- mobile ad hoc network
- mobile ad-hoc networks (MANETs), 1, 203, 205, 287
- mobile computing, xxv
- mobile IP, 65–66
- mobility, 1–2
- model-based translation layer (MBTL), 39, 46–4739
- model comparator pattern, 82
- Model Driven Architecture (MDA), 42
- molecular processes, 6–7, 7
- monitoring, 108
- morphology, 42
- Morse code, 153
- Motorola
- autonomic research, analogies for, 26
  - FOCALE and, prototyping of, 47, 49

- management plane and inference plane, formalizing, 27
- Seamless Mobility initiative, 44, 45–46
- MPEG-2, 328
- MPEG-4, 328
- multiagent system (MAS), 82, 224
  - cognitive network as, 225–227
  - distributed learning and, 233t
  - elements of, 232–233
  - methods for, 233–234
    - distributed case-based reasoning (CBR) and, 235–236
    - distributed learning of Bayesian networks (BNs), 234–235
    - distributed Q-learning and, 234
  - distributed reasoning and, 233t
  - elements of, 227–228
  - methods for (*see also* parallel metaheuristics)
    - distributed Bayesian networks (BNs) and, 229–230
    - distributed constraint reasoning and, 228–229
    - distributed multiobjective reasoning and, 232
- multiband, multimode radio (MBMMR), 168
- multilateral decisions, 207–208, 208
- multimedia broadcast and multicast services (MBMS), 137
- multi-packet reception, 128
- multiple description codes (MDC), 328, 329
- multiply sectioned Bayesian network (MSBN), 229–230
- Munshi, Kaivan, 213
- Nash equilibrium (inefficient), 241
- natural language processing, 182–183, 183
- Nautilus, 285
- nearest-neighbor approaches, 100
- negative selection, 7
- negotiated spectrum sharing, 317
- network-assisted diversity multiple access (NDMA), 132
- network endo-parasite attack (NEPA), 282
- network functions, 55–58, 56
  - data transmission and, scheduling, 57–58, 66–69
    - analysis of, 69
    - application data and, adapting to changes in, 67–68, 68
    - medium access control and, 58
    - network resources and, adapting to changes in, 67
      - node duty cycle management and, 58
  - network layer, 282
    - channel ecto-parasite attack (CEPA) on, 282–283
    - low cOst ripple effect attack (LORA) on, 283
    - network endo-parasite attack (NEPA) on, 282
  - network-level cognitive processing, 207–209, 210, 219
  - network resources
    - data transmission and, adapting to changes in, 67
    - hop-by-hop connectivity and, adapting to changes in, 59–61, 60
    - routing data and, adapting to changes in, 63–64
    - transmission rate and, adapting to changes in, 69–71, 71
  - network state, 73, 74
- neural network methods, 100
- NGOSS, Telemanagement Forum's, 28
- $N-K$  redundant packets, 321
- node architecture, 160, 160–161, 168t
- node clustering, 60, 60
- node cooperation, 128–129
- node duty cycle management, 58
- node-level cognitive processing, 207, 209, 219
- 'nogood learning,' 111
- noise, 200
- nonlinear flows, 200
- notifications and hints, 132
- $N$  output packets, 321–322
- $N$ -Squared, 162, 162t
- object constraint language (OCL), 42
- Object Management Group (OMG), 42, 153, 159, 190
- observation phase hierarchy, 175, 181–182, 183, 185
- Observe-Orient-Decide-Act (OODA), xxvii, xxxi, 175, 305–310 306
- OCRA, 286
- offline learning, 98
- one-class learning, 106
- one-shot decision, 227
- online learning, 98, 98, 113–114

- ontology(ies)
  - DEN-ng and, 36, 38, 40, 44, 47
  - in ideal cognitive radio (iCR), 161
  - merging tool to find semantic differences, 43, 43
  - models and, integrating with, 36–38, 38
  - ‘ontological comparison’ and, 43–44, 44
  - role of, in autonomic computing, 32, 32–33
  - semantic web vision and, notion of, 250
  - shared vocabulary, defining, 42
  - term of ‘ontology’ and, use of, 248
  - of time, 259
- ontology and rule abstraction layer (ORAL), 265
- OODA loop, 225
- OOPDAL loop (Observe, Orient, Plan, Decide, Act and Learn), 158, 207
- Open Systems Interconnection (OSI), xxvii, 121, 123, 142
- operational knowledge, 83
- Operational Support Systems (OSSs), 31
- opportunistic packet scheduling and media access control (OSMA), 67, 69
- opportunistic spectrum sharing, 317
- optimization, 109
- Optimized Link State Routing (OLSR), 205
- organization, concept of, 302
- organization-based access control model (OrBAC), 302, 304, 310
- orthogonal frequency division multiplexing (OFDM), 286
- overlapping secondary attack, 280
  
- paracrine signaling, 7
- parallel genetic algorithms (PGAs), 230–231
- parallel metaheuristics, 230
  - parallel genetic algorithms (PGAs) and, 230–231
  - parallel scatter search (PSS) and, 231
  - parallel tabu search (PTS) and, 231–232
- parallel scatter search (PSS), 231
- parallel tabu search (PTS), 231–232
- parameter selection, 110, 111
- pattern completion, 99, 100
- PAYL, 308
- peer-to-peer (P2P) networks, 1, 57
- perception, 173
  - Perception and Action Abstraction Layer (PAAL), 266
  - perception functions of radio, 173–174
  - performance, 98
  - PERL, 29
  - pheromones, 9–10, 85, 86, 172
  - physical layer, 279–280
    - intentional jamming attack on, 280
    - overlapping secondary attack on, 280
    - primary receiver jamming attack on, 280
    - sensitivity amplifying attack on, 280
  - planning, 100–103
  - platform independent model (PIM), 174
  - policy (decision making policy), 102
  - policy(ies)
    - definition of, 51
    - static use of, 41
  - policy-based control, 84–85
  - policy continuum, 18, 19
  - policy language, 41, 41
  - policy management
    - approach to, 34, 34
    - context and, 39–40, 40
  - post-mortem analysis, 109
  - power control, 126, 132–133
  - predator-prey models, 15–17
  - Predictive Wireless Routing Protocol (PWRP), 138
  - primary afferent path, 163
  - primary receiver jamming attack, 280
  - primary user (PU), 316, 317
  - primary user identification
  - primary users, 215
  - principal component analysis, 84
  - private information, 212, 213
  - PRNET, 205
  - proactive, xxv
  - probabilistic methods, 100
  - programmable digital radios (PDRs), 188
  - programmable networks, xxv
  - programming by demonstration, 101
  - PROLOG, 166
  - propositional logic (Boolean algebra), 251
  - protocol heaps, 135
  - public information, 212, 213, 214
  - public key infrastructure (PKI), 155
  - pulse-coupled oscillators, 11, 11–12
- Q-learning, distributed, 234
- QMON, 84

- quality of information (QoI), 148, 156–158  
 quality of service (QoS), xxvii, 46, 49, 63, 84, 85, 89–90, 282, 286, 384  
 QVT (Query–View–Transformation), 42
- radar, 253–255, 256, 257  
   notional, 255, 256  
   *RadarCheck*, 261–266  
   *RadarCheckAlarm*, 264, 267  
   *RadarCheckedAtTime(x, t)*, 260, 261  
   *RADAR\_CHECK\_TIME\_THRESHOLD*, 260, 261, 262, 263  
   *RequireRadarCheck(x,t)*, 260  
   sensing capability, 254, 256  
   signals, 254, 256–257, 260  
   waveform, 266
- radio, 247  
 radio access network managers (RANMANs), 286  
 radio knowledge representation language (RKRL), 185, 193  
 radio procedure skill sets (SSs), 185  
 radio spectrum, regulated access to, xxvii  
 Radio XML (RXML), 158, 160, 161, 166–171, 178, 186, 187, 194  
 Raptor codes, 326–328, 327, 328  
 rate control, 16  
 reaction-diffusion (RD), 12–14, 13  
 reactive adaptation, xxv  
 reasoning, xxv, xxx–xxxi  
 reception control protocol (RCP), xxv, 70  
 reconfiguration, 110–111  
 recovery, 109  
 Reed-Solomon codes, 321, 322, 330  
 regression, 99–100  
 regulatory authorities (RAs), 168  
 reinforcement learning, 86, 101–102  
 relevance, definition of, 157  
 repair-based configuration, 112  
 replicated parallel scatter search (RPSS), 231  
 replication, 83  
 representation change, 104  
   from engineered to constructed, 115  
 resilience, 4, 16, 19  
 resilient overlay network (RON), 63, 66, 74–75  
 resource reallocation pattern, 82  
 response, 109  
 response surface methodology, 103  
 reverse path multicast, 65  
 rewards-based learning, 232  
 Roaming hub-based architecture (RoamHBA), 61, 62  
 robust soliton distribution, 326  
 Rogers, Everett, 212–213  
 role-based access control (RBAC), 302, 304  
 rough set theory, 84  
 round trip time (RTT), 283, 285  
 round trip timeout (RTO), 285  
 router/NAT box, 112  
 routing  
   ad hoc on-demand distance vector (AODV), 5  
   ant colony optimization (ACO) and, 9  
   AntHocNet, 10–11  
   AntNet, 10, 11  
   attack, information jamming, 285  
   gossip-based, 18  
   modes, 30  
   multipath, 5  
   protocols, 10, 12, 213  
   virtual, 29, 30  
 RTS probing, 69  
 Ruckus Wireless, 137  
 Rule Formula, 267  
 rule induction, 100  
 Rule Interchange Format (RIF), 265  
 rules  
   Event–Condition–Action (ECA), 263–264, 267  
   of the game, 248  
   need for, 259–258  
 runtime validity checking, 90–91
- scalability, 1  
   AntHocNet vs. ad hoc on-demand distance vector (AODV), 10  
   BIONETS and, 9  
   controllability and, trade-off between, 2, 3  
   of detector cells, 9  
   of epidemic models, 16  
   of Lotka-Volterra model, 16  
 seamless mobility, 45–46, 46  
   Motorola’s Seamless Mobility initiative and, 44  
 secondary (non-primary) user (SU), 215, 218, 316, 317, 319  
 secondary user link (SUL), 319, 320, 320  
 security attacks, xxvii, xxxi  
   *see also* cognitive radio networks, attacks on

- security information management, 294, 295, 297, 311
- security issues, xxvii, xxviii
  - see also* intrusion detection, in cognitive network(s)
- security policy(ies), xxxi, 294, 302, 305, 309–310
- security properties, 293
- self, definition and specification of, 84
- self- attributes of cognitive networks, xxvi–xxvii
- self-awareness, xxix, 77
- self-configuration capability, xxvi, 78, 81
- self-governance, definition of, 51
- self-governing networks, xxv, xxviii, xxix
- self-healing, 79, 87–88
- selfishness, 239
- self-knowledge, 25–26
  - definition of, 51
- self-management
  - advances in specific problem domains
    - quality of service (QoS) and, 89–90
    - self-healing and self-protection, 87–88
    - self-optimization and, 86–87
    - self-organization, 88–89
  - intelligence, 83–86
    - decision making in autonomic components, 83–86
    - knowledge and, 83
- self-managing, xxix
- self-managing networks, xxix
  - challenges in, 79–81
  - control loop of, 79, 79
  - designing, theories for, 81–83
  - vision of, 78–79
- self model, 266
- self-monitoring, 91
- self/nonself cells, 7–8
- self-optimizing, 78, 86–87, 88–89
- self-organization, 3–4, 217, 218
- self-protection, 79, 87–88
- self-regenerating cluster, 81
- self-stabilization
  - concept of, 91–92
  - of network path, 92
- semantic-based reasoning, 41–43
- semantics, 42, 248–249
  - of association using IEEE 802.11 and cognitive spectrum access, dynamic frequency selection (DFS) and, 254–257, 256
    - commentary on the scenarios, 257
    - considerations and scenarios, motivating, 253–254
  - of association using Web Ontology Language Description Logic (OWL-DL) ontologies, 257–259
  - dynamic frequency selection (DFS)
    - scenario and, 260–261
  - ontology of time and, 259
  - rules and, need for, 259–260
  - future of, in cognitive radio, 268
  - model-theoretic, cognitive radio (CR) and, 252–253
  - model-theoretic, for imperatives, 264–265
  - syntax of, 250
  - term of ‘semantics,’ usage of, 249–250
- semantic similarity matching and, 37–38, 38
- semantic web
  - encoding and, 257
  - ontology and, 250–251
- Semantic Web Rule Language (SWRL), xxxi, 248
- semi-supervised learning, 100
- sensitivity amplifying attack, 280
- sensor nodes, 11–12
- sensory functions, 236–237
- sensory functions of radio, 174
- sentence structure (syntax), 42
- sequential reasoning, 227–228
- service level agreements (SLAs), 37–38, 40
- signal-to-interference-plus-noise ratio (SINR), 233
- Simple Network Management Protocol (SNMP), 29
  - alarm, 37, 38
  - configuration support for, lack of, 31
  - management information bases (MIBs), 30
  - problems with, 29
- SINCGARS, 170
- SIR model, 17, 17–18
- situation calculus, 83
- Smart-Cast, 137
- Soar, 225
- soft state fail-safe models, 90–91
- software adaptable network (SAN), 225, 226, 227, 236, 237
- software communications architecture (SCA), 153, 190–192, 191
- software-defined radio (SDR), 148, 153–154, 159–160

- cognitive radio architecture (CRA) and,
  - building on, 187–199
  - architecture migration and, from SDR to ideal cognitive radio (iCR), 194
  - cognitive electronics and, 194
  - functions-transforms model of radio and, 193, 193–194
  - ideal cognitive radio (iCR) design rules and, industrial strength, 197–199
  - radio architecture and, 189–190, 190
  - radio evolution towards, 196
  - research topics for, 196–197
  - software communications architecture (SCA) and, 190–192, 191, 192
  - software radio (SWR) and, architecture principles, 187–189, 188, 189
  - transitioning towards cognition, 194–196, 195
- spectral agility and, 316
- unified modeling language (UML)-based object-oriented model, 190–191, 191
- Software-Defined Radio (SDR) Forum, 148, 152, 153, 159, 167
- unified modeling language (UML)
  - management and computational architectures, 192, 192
- source-adaptive multilayered multicast (SAMM), 70
- space-time, 148, 158, 168, 169, 172, 180, 186, 186, 194, 197, 198, 199
- spectrum
  - licensed, xxvii, xxviii
  - unlicensed, xxvii–xxviii
- spectrum analysis, 273
- spectrum aware approach, 288
- spectrum consumer, 217
- spectrum handoff, 271
- spectrum mobility, 273
- spectrum pooling, 317–318, 318
  - CORVUS system and, 317–318, 318, 318–310
  - secondary users (SU) and, reliable communication among, 319
  - new subchannel acquisition and, 319
  - subchannel selection and, 319
- spectrum scarcity, xxviii
- spectrum sensing, 272–273
- spectrum white space, 209, 215
- speech, 182
- speech understanding, 150–151
- static spectrum allocation, 315–318, 316
- station (STA), 257
- stigmergy, 9, 83
- stimulus-experience-response model (serModel), 177
- stimulus recognition, 176
- stochastic adaptive control, 83
- subchannel acquisition, 319
- subchannel selection, 319
- supervised learning, 99–100, 113
- support-vector machines, 100
- support vector machines (SVM), 180
- SURAN, 205
- Surowiecki, James, 203, 212, 213
- SwarmingNet, 90
- swarm intelligence, 9–14
  - ant colony optimization (ACO) and, 9–10, 10
  - AntHocNet and, 10–11
  - AntNet and, 10
  - pulse-coupled oscillators and, 11, 11–12
  - reaction diffusion and, 12–14, 13
- synaptic signaling, 7
- synchronization, with pulse-coupled oscillators, 11, 11–12
- syntax, 42, 250, 250t
  - of description logics, 42, 250–251
- syslog service, 295
- systems applications, 160, 161
- T-cells, 7
- TCP/IP model, xxvii, 121, 141–142
- TeleManagement Forum (TMF), 28, 37
- TellMe<sup>®</sup>, 148, 150, 151, 152, 199
- term generation, 104
- theory revision, 104
- threat model, 301
  - constraints, 301–303, 302
  - impact of threat and, 303
    - availability of, 303
    - confidentiality of, 304–305
    - integrity of, 304
- threat response, 301, 311
- 3G cellular networks, 136
- 3GPP/2, 37
- threshold-based performance management, 87
- TimeDifference*( $t_1$ ,  $t_2$ ), 260, 262
- time-division multiple access (TDMA), 133
- Timeout-MAC (T-MAC), 68–69, 69
- tiny nodes (T-nodes), 9
- TiVO<sup>®</sup>, 150

- topological configuration, 110, 111–112
- tornado codes, 322, 330
- traceback mechanisms, 303
- traditional erasure codes, 321–322, 330
- Traffic-adaptive medium access (TRAMA), 68
- tragedy of the commons, 218
- training corpora/interfaces, 200
- transmission rate, 58, 69–73
- transmittedBy*, 258, 259, 260, 266
- Transport Control Protocol (TCP)
  - congestion control algorithms of, 72, 73–74, 79, 243
  - jellyfish attack and, 284–285
  - sender, 125, 131
  - source node, 72, 73
  - transport layer attacks and, 283
  - Westwood, 70, 72
  - on wireless links, 125
- transport layer, 283
  - key depletion attack on, 283–284
- traveling salesman problem (TSP), 9
- Tropos Networks, 138
- Turing-Capable (TC), 171, 197
- Turing-Gödel incompleteness, 158, 171–172, 197, 198
  
- Ultrawide-band (UWB), 215
- UMTS authentication and key agreement (UMTS AKA), 287
- understanding, 103–104
- unidirectional mapping, 43
- unified modeling language (UML), 26, 27, 37, 42
  - object-oriented model of software-defined radio (SDR), 190–192, 191, 192
- unilateral decisions, 207
- universal theories of cognition, 225
- universe, 185–186
- unlicensed spectrum, xxvii–xxviii
- unsupervised learning, 100
- user behaviors, adapting to changes in
  - hop-by-hop connectivity and, 61–62
  - routing data and, 65–66
- User Datagram Protocol (UDP), 283
- user nodes (U-nodes), 9
- user sensory perception (User SP), 160
  
- validation, 90–91
- validity, definition of, 156–157
- value functions, 102
- vertical handover, 126–127
- vertical handovers, 136
- vision, 147–148
- VLSI design, 112
- vocabulary (morphology), 42
- VoIP, 45
  
- WalkSAT, 111
- watchdog timer, 172
- Web Ontology Language (OWL), xxxi, 248, 250–251
- Web Ontology Language Description Logic (OWL-DL), 251, 257–259
- well-formed formula (wff), 250
- white space spectrum, 209, 215
- ‘Why?’ scenario, 106, 107
- wide area networks (WANS), 45
- wide area networks (WANs), 1
- Wiener process, 4
- WiMAX, 45
- window of compromisibility, 109
- window of penetrability, 109
- window of vulnerability, 108
- Wireless LAN (WLAN), 45, 126, 133, 137, 287
- wireless networking extensions to FOCAL, 47, 47–48
- wireless networking requirements, 47
- Wireless RAN (WRAN), 136, 286
- Wireless World Research Forum (WWRF), 148
- wisdom of crowds, 211–214
- The Wisdom of Crowds* (Surowiecki), 203–204, 212
- world model, 266
- worms, 107
  
- XG (NeXt Generation), 196
- xG networks, 215
- XML-based language, 39
  
- ZigBee, 45