

Index

- abatacept 243
- ABPI *see* ankle brachial pressure index
- acanthosis nigricans 51–2
- accountability 185
- ACE inhibitors 197
- activities of daily living 14–15
- acute arterial occlusion 114
- adalimumab 242
- ageing
 - chronic wounds 39–40
 - skin changes 50–1
- ALERT framework 195
- allergic contact dermatitis 88, 91
- allergies 66
- amputations
 - leg ulcers 114–15
 - multiprofessional collaboration 3–4, 7–8, 14–17
 - peripheral arterial disease 142–3
 - pressure ulcers 167–8
 - surgical wounds 142–7, 152
- anaerobic infections 82
- analgesics 122–3
- angiogenesis 34, 36–7
- angiotensin converting enzyme (ACE) inhibitors 197
- anhidrosis 54, 55, 59, 65
- ankle brachial pressure index (ABPI)
 - diabetic foot ulcers 206
 - leg ulcers 108–9, 117, 118–21, 131–3
 - nail surgery wounds 278
 - pressure ulcers 168
 - rheumatoid arthritis 248
 - surgical wounds 142, 147
- anti-inflammatory drugs 12–13
- anti-tumour necrosis factor (anti-TNF) drugs 242, 245
- antibiotics
 - diabetic foot ulcers 217
 - infected wounds 94–6
 - leg ulcers 133
 - multiprofessional collaboration 4
 - rheumatoid arthritis 259
- anticoagulants 197
- antimicrobials
 - diabetic foot ulcers 217–18
 - infected wounds 73, 82–3, 94–9
- antiseptics 94–6, 99
- apocrine glands 30–1
- arterial
 - insufficiency 110, 117, 125
 - leg ulcers 74–5, 89–90, 107, 113–15
 - perfusion 13–14
- arterioles 31
- arteriosclerosis 143
- arthroplasty 257
- atherosclerosis
 - leg ulcers 113–15
 - rheumatoid arthritis 237
 - surgical wounds 153
- athlete's foot 62–3
- atrophic skin 50, 56, 58
- atrophie blanche 58, 118
- autolytic debridement 180–1
- autonomic neuropathy 202, 207
- azathioprine 243
- bacterial
 - balance 79–81, 83, 86
 - invasion 41
 - synergy 78, 83

- bacterial (*continued*)
 - see also* infected wounds
- basal cells 29, 129
- basic fibroblast growth factor (bFGF) 42
- bed sores 163
- beta blockers 197
- bFGF *see* basic fibroblast growth factor
- bioburden 77–81, 83, 86
- biofilm 78–9
- blood vessels 31
- burns 146
- Bywater's lesions 59

- C reactive protein (CRP) 140
- cadexomer iodine 98
- calluses 54
- Candida albicans* 62, 65
- capillaries 31
- cardiorespiratory fitness 15, 19
- care plans 9, 49, 176
- CD4 lymphocytes 64, 66
- cellulitis
 - infected wounds 83
 - leg ulcers 108–9, 118
 - skin changes 62
- cetrimide 97
- champagne bottle shaped legs 117–18
- Charcot's neuroarthropathy 16
- Charcot's osteopathy 202, 221–2
- Charing Cross four-layer bandage system 126–7
- chemical cautery 267–8, 274–6, 279–80
- chemical debridement 252
- chlorhexidine 97
- chronic venous insufficiency 107, 110, 117
- chronic wounds 26, 37–41
- circulation 40
- Clinical Resource Efficiency Support Team (CREST)
 - 163, 169, 186
- Clinical Signs and Symptoms Checklist (CSSL) 85, 88
- Clostridium difficile* 83
- collaboration *see* multiprofessional collaboration
- collagen glycosylation 201–2
- colonization
 - critical 78, 79–81, 83
 - leg ulcers 128
- communication
 - multiprofessional collaboration 6, 11–12, 19
 - pressure ulcers 176–7
- compartment syndrome 155
- complete healing 26
- complicated venous ulcers 124–5
- compression
 - infected wounds 75
 - leg ulcers 117–18, 123–8, 132–3
 - surgical wounds 154
- concomitant medical conditions 12–13
- contact dermatitis 88, 91
- contaminated wounds 78, 79–81
- continence 66–7
- coronary heart disease 13
- corticosteroids 244, 276
- Corynebacterium flora* 81
- CREST *see* Clinical Resource Efficiency Support Team
- critical colonization 78, 79–81, 83, 86
- CRP *see* C reactive protein
- cryotherapy 275
- CSSL *see* Clinical Signs and Symptoms Checklist
- cultural factors 170
- cutaneous hypoxia 206–7
- cutaneous vasculitis 238
- cyanosis 58
- cyclosporine 270
- cytokines
 - infected wounds 83
 - wound healing 34, 37–9, 41–2

- DAFNE programme 210
- Darco Heelwedge shoes 218–19, 254
- debridement
 - diabetic foot ulcers 213–16
 - infected wounds 93
 - leg ulcers 121–2
 - multiprofessional collaboration 17–18
 - pressure ulcers 179–81
 - rheumatoid arthritis 249, 251–2, 259–60
 - skin changes 54–5
- deep fascia 31
- deep vein thrombosis (DVT)

- leg ulcers 112–13, 117, 124, 127
 - surgical wounds 154, 156
- dehiscence 13
- Department of Health (DH) 5
- dermis 30–1
- DESMOND programme 210
- DH *see* Department of Health
- diabetes mellitus
 - chronic wounds 40
 - infected wounds 74, 77–8
 - leg ulcers 114
 - nail surgery wounds 278
 - pressure ulcers 166, 167
 - skin changes 51–3
 - surgical wounds 143
 - see also* diabetic foot ulcers
- Diabetes Nursing Strategy Group 196
- diabetic bullae 53
- diabetic dermopathy 52
- diabetic foot ulcers 191–229
 - aetiology 195–6
 - case study 193, 223–4
 - causative factors 194
 - Charcot's osteopathy 202, 221–2
 - classification 203–4, 212
 - education 210
 - foot deformities 201–3
 - glycaemic control 193, 196, 211–12, 224
 - hands-off assessment 194–8, 209–12
 - hands-on assessment 194, 198–209, 212–23
 - infected wounds 73, 84, 88–90, 194, 199–201, 216–18, 223–4
 - management 191–2, 209–24
 - medication 197
 - multiprofessional collaboration 3–4, 7–19, 210–11, 224
 - negative pressure wound therapy 222
 - neurological assessment 207–9
 - nutrition 197–8, 211–12
 - offloading strategies 218–21
 - patient-centred approach 209
 - prevalence/costs 191–2
 - prevention 210
 - protocol 213, 214
 - risk assessment 192
 - skin assessment 198–201
 - social factors 198, 212
 - vascular assessment 205–7
 - wound assessment 194–209
 - wound bed preparation 213–16
- differential diagnosis 88–92
- discharges 40–1
- disease-modifying antirheumatic drugs (DMARDs)
 - nail surgery wounds 276
 - pressure ulcers 168
 - rheumatoid arthritis 232–3, 242, 244
- disinfectants 94–6
- DMARDs *see* disease-modifying antirheumatic drugs
- documentation 49–50
- Doppler ultrasound
 - diabetic foot ulcers 205
 - leg ulcers 118–21
 - nail surgery wounds 277–8
 - pressure ulcers 168
 - rheumatoid arthritis 248
 - surgical wounds 147
- dressings
 - diabetic foot ulcers 201, 217
 - infected wounds 75
 - multiprofessional collaboration 18
 - nail surgery wounds 279, 281
 - pressure ulcers 181–5
 - rheumatoid arthritis 252–3, 260
 - surgical wounds 153–4, 156
 - see also* compression
- DVT *see* deep vein thrombosis
- dyslipidaemia 13, 197, 212
- eccrine glands 30
- education
 - diabetic foot ulcers 210
 - structured 11
- EGF *see* epidermal growth factor
- Enterococcus* spp. 83
- enzymatic debridement 180
- eosinophilic folliculitis 66
- epidermal growth factor (EGF) 42
- epidermis 28–9

- epithelialization 32, 34, 37, 51
- EPUAP *see* European Pressure Ulcer Advisory Panel
- erythema
 - infected wounds 85–6, 88
 - pressure ulcers 172, 173
- erythematous maceration 91
- etanercept 232–3, 242–3, 248, 258
- ethnicity 202
- European Pressure Ulcer Advisory Panel (EPUAP)
 - 163, 171–2, 173, 185
- European Wound Management Association (EWMA)
 - 93
- excisional arthroplasty 257
- extravasated calluses 54
- exudates
 - diabetic foot ulcers 193, 200–1
 - infected wounds 80, 83, 85–6
 - pressure ulcers 182–5
 - purulent 83, 85–6, 193, 200–1
 - serous 80, 83, 85–6
- fasciotomy wounds 154–5
- fibrofatty padding 52–3, 55
- flesh-eating disease 82
- flucloxacillin 248
- Fontaine's staging 148
- foot deformities 201–3, 234–7, 240, 259
 - see also* rheumatoid arthritis
- foot function 16
- foot pulses
 - diabetic foot ulcers 205
 - leg ulcers 118–21
 - nail surgery wounds 277
 - pressure ulcers 168
- foot surgery 257, 260
- foot ulcers
 - causative factors 234–41
 - infected wounds 83–4
 - peripheral neuropathy 54–5, 58
 - rheumatoid arthritis 231–66
 - see also* diabetic foot ulcers
- footwear
 - assessments 246–7
 - nail surgery wounds 270
- four stage healing process 33–7
- friction forces 164–5
- fungal infections
 - diabetic foot ulcers 200
 - infected wounds 82
 - nail surgery wounds 270, 271–2
 - skin changes 62–3, 65
- glucocorticosteroids 244
- glycaemic control
 - diabetic foot ulcers 193, 196, 211–12, 224
 - multiprofessional collaboration 13
- glycosylation of collagen 201–2
- gout 140, 156
- gouty tophi 60
- graduated compression 123–4, 132
- granulation
 - diabetic foot ulcers 211, 215
 - infected wounds 75, 79, 83, 85–6
 - nail surgery wounds 281
 - pressure ulcers 183–4
 - skin changes 51
 - surgical wounds 139–40, 151
 - wound healing 37
- granuloma annulare 51
- growth factors
 - diabetic foot ulcers 222–3
 - infected wounds 83
 - wound healing 34, 37–9, 41–2
- HAART *see* highly active antiretroviral therapies
- haemorrhage
 - calluses 54
 - foot ulcers 252
- haemosiderosis 56–7
- haemostasis 33–5
- hair follicles 30–1
- half shoes 218, 220
- hallux abductovalgus 26–7
- hand deformities 240
- hands-off assessment 194–8, 209–12
- hands-on assessment 194, 198–209, 212–23
- health promotion 152–3, 169–70
- heel lift suspension boots 178

- high-compression bandages 126–7
- highly active antiretroviral therapies (HAART)
 - 64–5, 66
- history taking 49
- HIV/AIDS
 - nail surgery wounds 270
 - skin changes 53, 64–6
- HPV *see* human papilloma virus
- human papilloma virus (HPV) 63, 66
- hyperglycaemia
 - diabetic foot ulcers 193, 194, 196, 199
 - skin changes 51
- hyperinsulinaemia 52
- hyperpigmentation 57
- hypertension
 - diabetic foot ulcers 193, 197
 - leg ulcers 109, 112–13
 - multiprofessional collaboration 13
 - skin changes 57
- hypertrophy of the nail plate 272–3
- hypoxia 206–7

- iloprost 245, 256
- immobility 166
- immunosuppression
 - foot ulcers 234, 249
 - infected wounds 88, 101
 - nail surgery wounds 270
 - skin changes 53, 64–6
- impaired collagen synthesis 13
- incontinence 66–7
- infected wounds 73–105
 - antimicrobials 73, 82–3, 94–9
 - case study 74–5
 - clinical identification 84–92
 - diabetes mellitus 74, 77–8
 - diabetic foot ulcers 194, 199–201, 216–18, 223–4
 - differential diagnosis 88–92
 - host resistance 76–7
 - immunosuppression 61–4
 - leg ulcers 74–5, 113, 128, 133
 - management 93–9
 - masking 88
 - microbiological cultures 86–7
 - multiprofessional collaboration 17
 - nail surgery wounds 270, 271–2, 279–80
 - pathogens 81–4
 - pathophysiology 83–4
 - patient assessments 99
 - physiological processes 40–1
 - pressure ulcers 175, 183–4
 - prevalence/costs 73, 75–6
 - prevention 100–1
 - rheumatoid arthritis 250
 - signs and symptoms 84–6
 - skin changes 61–2
 - treatment options 100
 - vascular disease 77–8
 - wound assessments 99–100
 - wound bed preparation 93–4
 - wound infection continuum 73, 79–81
 - wound type 87–8
 - see also* surgical site infections
- inflammation
 - infected wounds 83, 85, 88, 91–2
 - nail surgery wounds 279–80, 281
 - surgical wounds 151
 - wound healing 34, 35–6, 38–9
 - see also* rheumatoid arthritis
- inflammatory diseases 12–13
- infliximab 242–3
- ingrowing toenails 267–8, 270–1, 281
- insulin therapy 193, 196
- interleukins 42, 243
- International Diabetes Federation 16
- interprofessional collaboration *see* multiprofessional collaboration
- ischaemia
 - diabetic foot ulcers 193–5, 201, 204–5, 207, 215
 - leg ulcers 114, 121
 - multiprofessional collaboration 13–14
 - pressure ulcers 164, 168
 - rheumatoid arthritis 252
 - skin changes 55–6
 - surgical wounds 142, 145, 155
- Kaposi's sarcoma 65–6

- larvae therapy 180, 215–16
- learning difficulties 141–2, 155–6
- leflunomide 239
- leg ulcers 107–38
 - aetiology 111–16, 121–2, 133
 - arterial 107, 113–15, 125
 - arterial insufficiency 110, 117
 - assessment 116–23
 - case study 108–9, 133
 - chronic venous insufficiency 107, 110, 117
 - common causes 110
 - comorbidities 117
 - compression 117–18, 123–8, 132–3
 - definition 110
 - foot pulses 118–21
 - infected wounds 74–5, 89–90, 113, 128, 133
 - leg shape 117–18
 - location 121–2
 - lymphoedema 113, 130–1
 - malignancies 129
 - management 108, 117, 123–30, 133
 - multiprofessional collaboration 9, 11, 131
 - nonhealing 129–30
 - prevalence/costs 107–8
 - quality of life 108, 110–11
 - recurrence 107–8, 132–3
 - rheumatoid arthritis 107, 115–16, 238
 - signs and symptoms 114
 - skin 118, 123
 - specialist referrals 131–2
 - surrounding skin 123
 - venous 107, 111–13, 121–5
 - wound pain 122–3
- leptin 37
- lesions 48–9, 59
- lifestyle factors
 - chronic wounds 40
 - diabetic foot ulcers 198, 212
- lipoatrophy 52–3
- lipodermatosclerosis
 - leg ulcers 109, 113, 118
 - skin changes 59
- lymphatic disease 59
- lymphoedema
 - leg ulcers 113, 130–1
 - skin changes 59
- macerated calluses 18
- macrophages 34, 36, 37
- malignancies 129
- malnutrition
 - diabetic foot ulcers 198
 - multiprofessional collaboration 12
 - pressure ulcers 166–7
 - surgical wounds 139
- manual lymphatic drainage (MLD) massage 130
- Manuka honey 98
- Marjolin's ulceration 58
- masked signs and symptoms 88
- matrix phenolization 268
- maturation 34, 37, 38
- medical
 - grade honey 98
 - notes 49–50
 - records/history 12–13, 167
- metarterioles 31
- methicillin-resistant *Staphylococcus aureus* (MRSA) 62, 82, 150
- methicillin-susceptible *Staphylococcus aureus* (MSSA) 82
- methotrexate 232–3, 242–4, 258
- metronidazole 96
- microbiological
 - cultures 86–7
 - wound care 17
- mixed arterial and venous ulcers 125
- MLD *see* manual lymphatic drainage
- mobility 15, 166
- moisture balance 213, 216, 223
- molluscum contagiosum 66
- monocytes 36
- motor neuropathy 203, 207
- MRSA *see* methicillin-resistant *Staphylococcus aureus*
- MSSA *see* methicillin-susceptible *Staphylococcus aureus*
- multilayer bandaging 126–7, 133
- multiprofessional collaboration 3–23
 - amputations 3–4, 7–8, 14–17

- barriers 5–6, 19
 - case study 7–19
 - clinical outcomes 3–4
 - communication 6, 11–12, 19
 - concomitant medical conditions 12–13
 - diabetic foot ulcers 3–4, 7–19, 210–11, 224
 - ischaemia 13–14
 - leg ulcers 9, 11, 131
 - nutrition 14
 - optimum wound care 4, 5, 8
 - patient-centred care 8, 9
 - physiological processes 43
 - pressure ulcers 9–10, 16, 18–19, 176–7, 185–6
 - psychosocial support 8, 9–11
 - recommendations 4–5, 11
 - rehabilitation 14–16
 - rheumatoid arthritis 258–61
 - structured education 11
 - wound care 16–19
- mupirocin 96
- nail surgery wounds 267–83
- anatomy/physiology 269–70
 - case study 268–9, 281
 - causative factors 270
 - chemical cautery 267–8, 274–6, 279–80
 - dressings 279, 281
 - infected wounds 270, 271–2, 279–80
 - medication 276
 - neurological assessment 278
 - offloading strategies 280
 - onchomycosis 270, 271–2
 - onychauxis 272–3
 - onychocryptosis 267–8, 270–1, 281
 - pathologies 270–3
 - post-operative aftercare 279–81
 - pre-surgery assessment 276–8
 - skin condition 278
 - surgical procedures 273–6
 - vascular assessment 276–8
- National Institute for Health and Clinical Excellence (NICE)
- diabetic foot ulcers 191, 197
 - multiprofessional collaboration 5, 11
 - pressure ulcers 163, 169, 171, 174–5, 177, 185–6
- National Pressure Ulcer Advisory Panel (NPUAP) 172
- National Service Framework (NSF) for Diabetes 11
- neurobiosis lipoidica diabetorum 51
- necrosis
- diabetic foot ulcers 199, 208
 - infected wounds 80, 86
 - leg ulcers 113
 - pressure ulcers 172, 179, 180–1, 183–4
 - skin changes 55–6
- necrotizing fasciitis 82
- negative pressure wound therapy 222
- neuroischaemic feet 195, 204–5, 207, 215
- neurological assessment
- diabetic foot ulcers 207–9
 - nail surgery wounds 278
 - rheumatoid arthritis 239–40, 248
- neuropathies
- diabetic foot ulcers 194–5, 201, 207–9, 215, 220
 - infected wounds 83
 - pressure ulcers 167–8
 - rheumatoid arthritis 239
 - skin changes 51, 53–4, 63
- neutrophils 35, 83
- NICE *see* National Institute for Health and Clinical Excellence
- nonblanching erythema 172, 173
- nonhealing wounds *see* chronic wounds
- nonspecific immunity 61
- nonsteroidal anti-inflammatory drugs (NSAIDs)
- diabetic foot ulcers 197
 - nail surgery wounds 276
 - pressure ulcers 168
 - rheumatoid arthritis 243, 245
- NPUAP *see* National Pressure Ulcer Advisory Panel
- NSAIDs *see* nonsteroidal anti-inflammatory drugs
- NSF *see* National Service Framework
- Nursing and Midwifery Council 12
- nutrition
- chronic wounds 39–40
 - diabetic foot ulcers 197–8, 211–12
 - multiprofessional collaboration 14
 - rheumatoid arthritis 241
 - see also* malnutrition

- obesity 139
- occupational therapy 10
- odour
 - infected wounds 81, 85–6
 - leg ulcers 111, 121
 - pressure ulcers 162, 183–4
- oedema
 - infected wounds 85
 - leg ulcers 108–9
 - skin changes 58, 68
- offloading strategies
 - diabetic foot ulcers 218–21
 - multiprofessional collaboration 18–19
 - nail surgery wounds 280
 - pressure ulcers 177–9, 185–6
 - rheumatoid arthritis 253–6, 260
- onchomycosis 270, 271–2
- onychomycosis 272–3
- onychocryptosis 267–8, 270–1, 281
- onychomycosis 62–3, 65
- optimum wound care 4, 5, 8
- osteomyelitis
 - diabetic foot ulcers 216–17
 - infected wounds 83–4
 - rheumatoid arthritis 248–9
 - surgical wounds 146
- PAD *see* peripheral arterial disease
- papillomatosis 59
- partial nail avulsion 268–9, 280, 281
- patient-centred care 8, 9, 209
- PDGF *see* platelet-derived growth factors
- PDS *see* United Kingdom Prospective Diabetes Study
- percutaneous transluminal angioplasty (PTA) 142
- peripheral arterial disease (PAD)
 - classification 148
 - diabetic foot ulcers 195
 - leg ulcers 114
 - multiprofessional collaboration 12
 - rheumatoid arthritis 237
 - skin changes 54–6
 - surgical wounds 142–3, 145–6, 148
- peripheral neuropathy
 - diabetic foot ulcers 194–5, 201, 207, 215, 220
 - rheumatoid arthritis 239
 - skin changes 53–4
- peripheral vascular disease (PVD)
 - leg ulcers 118
 - pressure ulcers 168
 - rheumatoid arthritis 237–9
 - skin changes 54–9
- phantom limb pain 152
- phenol 274–6, 279–80
- physical examinations 49
- physiological processes 25–46
 - case study 26–7, 43
 - chronic wounds 26, 37–41
 - complete healing 26
 - haemostasis 33–5
 - healing process 32–7
 - infected wounds 40–1
 - inflammation 34, 35–6, 38–9
 - maturation 34, 37, 38
 - proliferation 34, 36–7, 38–9
 - skin functions 25–6, 27–8, 43
 - skin structure 28–31
- plantar pressure ulcers
 - diabetic foot ulcers 208, 218–22
 - multiprofessional collaboration 7, 16
 - rheumatoid arthritis 236–7, 256
- platelet-derived growth factors (PDGF) 36, 42, 222–3
- platelets 33
- post-operative aftercare 279–81
- povidone iodine (PVI) 97
- prednisilone 232–3, 243
- pressure ulcers 161–90
 - accountability 185
 - care plans 176
 - case study 161–2, 185–6
 - causative factors 163–9
 - classification 171–3
 - cleansing 181
 - cultural factors 170
 - debridement 179–81
 - definitions 163
 - diabetes mellitus 166, 167

- diabetic foot ulcers 208, 218–22
- documentation 175–6
- dressings 181–5
- exudates 182–5
- health promotion/education 169–70
- identification 173–6
- infected wounds 76, 89–90, 175, 183–4
- ischaemia 164, 168
- malnutrition 166–7
- management 176–84
- medical history 167
- medication 168–9
- multiprofessional collaboration 7–10, 16, 18–19, 176–7, 185–6
- national policy documents 163, 186
- off-loading 177–9, 185–6
- peripheral vascular disease 168
- pressure-redistributing devices 177–9, 185–6
- prevalence/costs 161, 163
- prevention 169–70
- rheumatoid arthritis 236–7, 256
- risk areas 165–6
- risk assessments 171
- sensory neuropathy 167–8
- wound assessment 174–5
- pressure-redistributing devices 177–9, 185–6
- primary intention 32
- probing to bone 83–4
- proinflammatory hypoxic changes 91–2
- proliferation 34, 36–7, 38–9
- prosthesis 7, 143
- protease inhibitors 270
- Pseudomonas* spp. 61
- psoriasis 65
- psychological profiles 101
- psychosocial support 8, 9–11
- PTA *see* percutaneous transluminal angioplasty
- purulent exudates
 - diabetic foot ulcers 193, 200–1
 - infected wounds 83, 85–6
- PVD *see* peripheral vascular disease
- PVI *see* povidone iodine
- pyrexia 40, 81
- pyoderma gangrenosum 91–2
- Quality Improvement Scotland (QIS) guidelines
 - 163, 169, 186
- quality of life (QoL)
 - infected wounds 76
 - leg ulcers 108, 110–11
 - multiprofessional collaboration 9–10
 - surgical wounds 152
- quorum sensing 79, 83
- RA *see* rheumatoid arthritis
- RCN *see* Royal College of Nursing
- rehabilitation 14–16
- remodelling 37, 38
- removable walkers 218–19, 220, 254
- revascularization surgery 13–14, 142, 145
- rheumatoid arthritis (RA)
 - case study 232–3, 248–9, 251, 256–60
 - causative factors 234–41
 - chronic wounds 40
 - debridement 249, 251–2, 259–60
 - dressings 252–3, 260
 - foot assessment 245–6, 258–9
 - foot deformities 234–7, 240, 259
 - foot ulcers 231–66
 - footwear assessment 246–7
 - leg ulcers 107, 115–16, 238
 - management 250–7, 258–9
 - medications 232–3, 241–5, 258–9
 - multiprofessional collaboration 258–61
 - neurological impairments 239–40, 248
 - nutrition 241
 - offloading strategies 253–6, 260
 - pain 240, 250–1, 259
 - patient assessment 245–9
 - peripheral vascular disease 237–9
 - prevalence/costs 232
 - self-care 240–1
 - skin changes 59
 - surgical interventions 257, 260
 - treatment options 250
 - vascular assessment 247–8
 - wound assessment 249–50
- rheumatoid foot ulcers 18
- rheumatoid nodules 59

- rituximab 243
- Royal College of Nursing (RCN) 11, 131–2, 171
- Rutherford's categories 148
- scarring
 - infected wounds 76
 - physiology of healing 37, 38
 - rheumatoid arthritis 241
- secondary intention 32
- self-care 240–1
- sensory neuropathy
 - diabetic foot ulcers 207
 - pressure ulcers 167–8
 - skin changes 51, 53
- sepsis 87
- serous exudates 80, 83, 85–6
- sharp debridement *see* debridement
- shear forces 164
- silver products 96, 98, 217, 220, 223
- Sjogren's syndrome 241
- skin
 - assessments 49–50
 - functions 25–6, 27–8, 43
 - grafts 155
 - healing process 32–7
 - loss 172
 - structure 28–31
- skin changes 47–72
 - ageing 50–1
 - allergies 66
 - case study 48–9, 68
 - diabetes mellitus 51–3
 - diabetic foot ulcers 198–201
 - HIV/AIDS 53, 64–6
 - immunosuppression 60–6
 - incontinence 66–7
 - leg ulcers 118
 - lesions 48–9
 - lymphatic disease 59
 - management strategies 67, 68
 - nail surgery wounds 278
 - peripheral arterial disease 54–6
 - peripheral neuropathy 53–4
 - peripheral vascular disease 54–9
 - pressure ulcers 172
 - rheumatoid arthritis 59–60, 246
 - systematic skin assessments 49–50
 - venous disease 56–8
- social factors 198, 212
- social work 10
- sodium hydroxide 274–5, 279–80
- specialist referrals 131–2
- specific immunity 61
- spotted leg syndrome 52
- squamous cells 29, 129
- SSI *see* surgical site infection
- Staphylococcus aureus* 82, 96
 - leg ulcers 133
 - skin changes 61–2, 64
 - surgical wounds 150
- S. epidermidis* 81
- Stemmer's sign 59, 130
- steroids 116, 197
- Stirling Pressure Sore Severity Scale 172
- stratum corneum 29
- stratum granulosum 29
- stratum lucidum 29
- Streptococcus* spp. 61–2, 82
- structured education 11
- subcutaneous layer 31
- subungual exostosis 273
- sulphasalazine 242
- surgical site infection (SSI)
 - assessment 150–1
 - management 154, 156
 - multiprofessional collaboration 4, 13
 - prevalence/costs 73, 76
- surgical wounds 139–60
 - burns 146
 - case study 139–41, 155–6
 - circulation assessment 152
 - compartment syndrome 155
 - complications of surgery 154–5
 - dressings 153–4
 - health promotion 152–3
 - ischaemia 142, 145, 155
 - management 153–4, 156
 - osteomyelitis 146

- pain assessment 152
- patient assessment 147–52
- peripheral arterial disease 142–3, 145–6
- physiological processes 26–7
- post-operative assessment 148–52
- pre-operative assessment 147–8
- prevalence/costs 141–2, 146, 150
- vascular reviews 147–8
- wound assessment 148–50
- sutured wounds 26–7
- sweat glands 30
- systematic skin assessments 49–50

- TBPI *see* toe brachial pressure index
- tcPO2 *see* transcutaneous oxygen tension
- tea tree oil 98
- telangiectasia 57, 68
- tertiary intention 32
- Texas Classification System 203–4
- TGF *see* transforming growth factor
- therapeutic footwear 221, 254–6
- TIME framework 150, 179–80, 213–16
- Tinea pedis* 62–3, 65
- tissue biopsy 87
- Tissue Viability Association 17
- toe brachial pressure index (TBPI) 206
- topical antimicrobials 94–6
- Torrance Grading System 172
- total nail avulsion 274–5
- transcutaneous oxygen tension (tcPO2) 206–7
- transforming growth factor (TGF) 42
- traumatic injury 146
- Trichophyton rubrum* 62–3, 65

- UKPDS *see* United Kingdom Prospective Diabetes Study

- uncomplicated venous ulcers 123–4
- United Kingdom Prospective Diabetes Study (UKPDS) 13, 196, 197
- uric acid 140, 156

- vancomycin-resistant *Enterococcus* (VRE) 83
- varicose eczema 58, 118
- varicose veins 57, 68
- vascular disease
 - assessments/reviews 147–8, 247–8
 - diabetic foot ulcers 205–7
 - infected wounds 77–8
 - nail surgery wounds 276–8
- vascular epidermal growth factor (VEGF) 42
- vasculitis
 - lesions 59
 - rheumatoid arthritis 238
 - ulcers 116, 239
 - wounds 91–2
- VEGF *see* vascular epidermal growth factor
- venous disease 56–8
- venous ulcers
 - infected wounds 89–90
 - leg ulcers 107, 111–13, 121–5
 - multiprofessional collaboration 9, 11
 - skin changes 58
- verrucae 63
- viral infections 63
- vitamin D synthesis 28
- VRE *see* vancomycin-resistant *Enterococcus*

- Wagner Scale 203
- waxy skin syndrome 53
- World Health Organization (WHO) 4
- wound bed preparation 213–16
- wound infection continuum 73, 79–81

