

Contents

<i>Acknowledgements</i>	xv
<i>Preface</i>	xvii
<i>Abbreviations and Acronyms</i>	xix
1 Prelude – The Next Generation Experience	1
1.1 What is ‘Next Generation’ Anyhow?	1
1.2 The Mobile Mindset	2
1.3 The Future’s Bright, the Future’s Ubiquity	3
1.4 Our Multitasking Mobile Future	9
2 Introduction	11
2.1 What Does ‘Next Generation’ Mean?	11
2.2 What is a ‘Wireless Application’?	13
2.3 A Concentric Networks Approach	14
2.3.1 Social Network	15
2.3.2 Device Network	16
2.3.3 Radio Frequency (RF – Wireless) Network	17
2.3.4 Internet Protocol (IP) Network	19
2.3.5 Content Network	20
2.4 Application Topologies	21
2.5 Physical Network Elements	24
3 Becoming an Operator 2.0	27
3.1 Introduction	27
3.2 What Applications Can I Sell?	28
3.3 Where Does the Money Come From?	29
3.4 Direct-to-Consumer (D2C) Retailing	30
3.4.1 Application Discovery	30
3.4.2 Application Distribution	32

viii CONTENTS

3.4.3	Application Access	33
3.4.4	Charging Mechanism	33
3.5	Operator Retailing	34
3.6	Selling to Operators	35
3.6.1	Top Ten Selling Tips	35
3.6.2	Selling Apps to Operators – Operator Perspective	37
3.7	Which Applications Should an Operator Deploy?	38
3.7.1	The Market Challenges	38
3.7.2	The User-Experience Focus	39
3.8	Interpreting User-Experience Trends into Applications	40
3.9	Wider Digital Trends Including Web 2.0	41
3.9.1	Web 2.0 and Mobile Web 2.0	41
3.9.2	Mobile Web 2.0 or Mobile 2.0?	43
3.9.3	Content Trends	44
3.10	Harnessing the Trends	47
3.11	Conclusion	48
4	Introduction to Mobile Service Architectures and Paradigms	49
4.1	Possible Application Paradigms for Mobile Services	49
4.2	Modes of Mobile Interaction	53
4.3	Mapping the Interaction to the Network Model	54
4.4	Mobile Interaction in the Mobile Ecosystem	57
4.4.1	Social Network	58
4.4.2	Device Network	59
4.4.3	RF Network	61
4.4.4	IP Network	66
4.4.5	Content Network	67
4.4.6	Machine Network	70
4.5	Modes of Communication Across the Network Layers	70
4.5.1	Human-to-Human Interaction (H2H)	70
4.5.2	Human-to-Content Interaction (H2C)	73
4.5.3	Human-to-Machine Interaction (H2M)	75
4.5.4	Machine-to-Machine Interaction (M2M)	77
4.6	Operator Challenges	79
4.7	The Web 2.0 Challenge	83
5	P-Centric Mobile Ecosystem and Web 2.0	85
5.1	Introduction	85
5.2	The Internet and Web 2.0	91
5.3	The Challenges of Liberating Data	93
5.3.1	Challenge 1: Making Database Information Human-readable	95
5.3.2	Challenge 2: Adding Visual Formatting to the Database Information	100
5.3.3	Challenge 3: The Need for a Protocol	102
5.3.4	Challenge 4: The Need for a Delivery Mechanism	106
5.4	Did We Need HTTP and HTML?	109

CONTENTS ix

5.5	Overcoming Web Limitations with Web 2.0's AJAX, Widgets and Other Goodies	111
5.6	Sidestepping the Web with P2P Interaction	114
5.7	Going Beyond Publishing with Web Services	117
5.8	Semantic Web	120
5.9	XML Glue	122
5.10	Real-Time Services	124
5.10.1	Multimedia Streaming	124
5.10.2	Session Initiation Protocol (SIP)	127
6	Client-Server Platforms for Mobile Services	129
6.1	The Greater Challenges	130
6.2	The Specific Challenges	134
6.3	Service Delivery Platforms	136
6.4	Software Services Technologies	139
6.4.1	Example CS Design Issues	141
6.5	Introducing J2EE – The ‘Dirty Stuff’ Done For Us!	146
6.6	Why All the Fuss About J2EE?	148
6.6.1	The Challenges of Integration	149
6.7	Handling SIP with Java	156
7	HTTP, WAP, AJAX, P2P and IM Protocols	159
7.1	The Rise of the Web	159
7.2	How HTTP and HTML works	160
7.3	Important Detail is in the HTTP Headers	164
7.4	The Challenges of Using HTTP Over a Wireless Link	167
7.5	WAP Data Transmission Protocols	171
7.5.1	Protocol Stack Paradigm	171
7.5.2	The WAP Stack	173
7.5.3	Wireless-Profiled TCP	176
7.5.4	Wireless-Profiled HTTP (W-HTTP)	179
7.6	Wireless Protocols – WTP and WSP	183
7.6.1	Introduction	183
7.6.2	Wireless Transport Protocol (WTP)	184
7.6.3	Concatenation and Segmentation	186
7.6.4	Segmentation and Reassembly in Action	187
7.6.5	Wireless Session Protocol (WSP)	188
7.6.6	WAP Push	189
7.7	AJAX	192
7.8	Peer-to-Peer (P2P)	193
7.8.1	Defining P2P	193
7.8.2	Some P2P Concepts	194
7.8.3	JXTA	195
7.9	Instant Messaging (IM) Protocols	198
7.9.1	SIP/SIMPLE	198
7.9.2	XMPP	200
7.9.3	IMPS	201

x CONTENTS

7.9.4	IM Interoperability	202
7.9.5	Protocol Acceptance (Support)	203
8	J2EE Presentation Layer	207
8.1	Separating Presentation from Business Logic	207
8.1.1	Servlets and JSPs – ‘HTTP Programs’	209
8.1.2	Comparing Servlets with JSPs	211
8.2	Markup Languages for Mobile Devices	214
8.2.1	The HTML Foundation	215
8.2.2	The Mobile Evolution (WML)	218
8.3	Full Circle – WML ‘Becomes’ XHTML	226
8.3.1	XHTML is Modular	227
8.3.2	XHTML Basic	229
8.3.3	XHTML-MP (Mobile Profile) – The Final Frontier	233
8.3.4	Using XHTML-MP	234
8.3.5	Browser-specific Enhancements to XHTML-MP	239
8.3.6	Guidelines for Mobile Webpage Authoring	242
8.4	Managing Different Devices	247
8.5	Building Device-Independent Applications	250
8.5.1	Detecting and Capturing Device or Browser Information	252
8.5.2	Conveying CC/PP Information	254
8.5.3	Dynamic Page Generation Schemes	259
8.6	Managing Sessions	270
8.6.1	Cookies to the Rescue	272
8.7	MMS and SMIL	277
9	Using J2EE for Mobile Services	283
9.1	Technologies Underpinning J2EE	284
9.1.1	Containers – The J2EE ‘Glue’	284
9.1.2	RMI – The EJB ‘Glue’	287
9.1.3	Stubs and Skeletons – The Inner Workings of RMI	288
9.2	Managing Security	293
9.2.1	Securely Connecting the User	294
9.2.2	HTTP Authentication – Basic	295
9.2.3	HTTP Authentication – Digest	298
9.3	Encrypting the HTTP Link	303
9.3.1	Public Key Cryptography	305
9.3.2	Using PKC to Secure Web Connections	306
9.4	Applying SSL to Wireless	310
9.5	End-to-End Encryption in a Mobile Network	313
10	Mobile Devices	317
10.1	Introduction	317
10.2	Interface Elements	319
10.2.1	Tactile Interface Elements	319
10.2.2	Aural Interface Elements	323
10.2.3	Vocal Interface Elements	323
10.2.4	Visual Interface Elements	324

CONTENTS *xi*

10.3	Interface Layer	325
10.3.1	Interfacing Via the Network Layer	327
10.4	Service Layer	328
10.5	Network Layer	329
10.6	Role of DSP in Digital Wireless Devices	333
10.6.1	Radio Frequency (RF)	334
10.6.2	Analog Baseband	334
10.6.3	Digital Baseband	335
10.6.4	Digital Signal Processor (DSP)	341
10.6.5	Summary	341
10.7	Suggesting a Generic Device Architecture	342
10.7.1	Core Processor and Operating System	343
10.7.2	Digital Signal Processor	346
10.7.3	Application Loader	349
10.7.4	Application Programming Interfaces (APIs)	349
10.8	Moving Towards a Commercial Mobile Platform	354
10.8.1	Communications Utilities	355
10.8.2	Personal Information Management (PIM) Utilities	360
11	Mobile Application Paradigms	365
11.1	Introduction	365
11.2	Application Topologies	365
11.3	Embedded Applications	367
11.3.1	What Do We Need to Develop an Embedded Application?	368
11.3.2	C and C++ Are Not the Only Choices	369
11.3.3	'Native' Java Support	370
11.4	Embedded Development Tools	373
11.4.1	Design	374
11.4.2	Configuring the IDE/Program Editing/Compilation and Build	376
11.4.3	Testing and Debugging with a Simulator	377
11.4.4	Testing on the Target Device	380
11.4.5	Conducting Usability Tests	382
11.4.6	Pilot Trials and Deployment	383
11.5	Browser-based Applications	393
11.5.1	Limited Local Processing	396
11.5.2	Requires an Available Network Connection (Caching)	397
11.5.3	User Interface Constraints	398
11.6	Java Platform Applications	399
11.7	The Java Ethos – a Tale of Two Parts	399
11.8	Java 2 Micro Edition – 'Wireless Java'	405
11.9	Using MIDP to Develop Mobile Applications	409
11.10	What Does MIDP 2.0 Offer?	412
11.10.1	Application Packaging and Delivery	413
11.10.2	API Summary	414
11.10.3	User Interface APIs	414
11.10.4	Networking API	418

xii CONTENTS

11.10.5	Securing the APIs	419
11.10.6	Push Mechanism	419
11.11	MIDP OTA Download Mechanism	420
11.12	What Does MIDP 3.0 Offer?	424
11.13	On-Device Portals	426
11.13.1	Introduction	426
11.13.2	ODPs	427
11.13.3	Alternative Application Paradigms – Opera Platform	429
12	The RF Network	433
12.1	The Essence of Cellular Networks	434
12.1.1	RF Network Convergence	436
12.2	The Radio Part	439
12.2.1	Basic RF	440
12.2.2	Building an RF Network	442
12.2.3	Increasing Capacity Using TDMA	446
12.2.4	Increasing Capacity Using CDMA	448
12.3	The Harsher Reality of Cellular Systems	451
12.3.1	Data-Rate Variation	453
12.4	Mobile Broadband Networks	456
12.4.1	HSPA	457
12.4.2	WiMAX	459
12.5	Techniques for Adaptation	460
12.6	Cellular Network Operation	465
12.6.1	Getting Data In and Out	467
12.6.2	Gateway GPRS Service Node	468
12.7	Accessing Network Assets	472
12.7.1	J2EE Revisited	478
12.7.2	Service Delivery Platforms Based on Web Services	483
12.7.3	Standards for the Service Layer APIs – Parlay/OSA	485
12.8	Parlay X (Parlay Web Services)	488
12.8.1	What Does a Parlay X Message Look Like?	490
13	Mobile Location Services	495
13.1	‘I’ve Just Run Someone Over’	495
13.2	‘Where Am I?’	496
13.3	Message Handling Using J2EE	503
13.4	Accuracy of Location-Based Services (LBS)	507
13.5	Interfacing LBS Applications with the Cellular Network	512
13.6	Integrating LBS Applications	517
13.7	Multimedia Messaging (MM)	521
13.7.1	Composing MMS Messages	523
13.8	Getting in the Zone with Splash (Spatial) Messaging	532
13.8.1	Introduction	532
13.8.2	Connectedness of Things	532

CONTENTS *xiii*

13.8.3	Making a Splash	532
13.8.4	Splash-Messaging Summary	538
14	Mobile 2.0 and IMS	541
14.1	Introduction	541
14.2	Mobile Transformation	541
14.3	IMS – What is it Really?	543
14.4	Why is IMS Important?	544
14.5	Start Here: Internet Telephony, or VoIP	544
14.6	Session Initiation Protocol (SIP)	545
14.6.1	Making the Connection	545
14.6.2	The CSCF Triad	549
14.6.3	Media Support	551
14.6.4	Media Out of IMS Control	553
14.6.5	Telephony Gateway Support	553
14.6.6	More Than Just SIP	555
14.7	The Promise of a Common Services Environment	557
14.7.1	Seamless Mobility and Convergence	557
14.8	IMS as a Convergence Catalyst	558
14.8.1	Mobile Roots, Fixed Branches	558
14.8.2	Spanning the Mobile-fixed Divide – TISPAN	559
14.8.3	A Winding Path to Convergence	559
14.9	End Here: Beyond VoIP - Application Servers	561
14.10	IMS Service Concept	561
14.11	Service Examples	563
14.11.1	Multimodal Chat	563
14.11.2	Push-To-Taxi	564
14.11.3	Avatar Chat	566
14.12	The Universal Client and Web 2.0	566
14.13	Conclusion	568
15	Mobilising Media and TV	569
15.1	Introduction	569
15.2	Why ‘Experience’?	570
15.3	Unique Mobilisation Characteristics	571
15.3.1	Pervasiveness – Always On	571
15.3.2	Personalising the Experience	571
15.3.3	Merchandising – Paying is a Familiar Experience	572
15.4	The Content Experience	572
15.5	Mobilisation Options	572
15.5.1	Client Versus Clientless: to WAP or Not to WAP	573
15.5.2	On-Device Portals: Using Clients to Engage the User	576
15.5.3	Offering Video Services	577
15.6	Mobile TV	578
15.6.1	Unicast (and Multicast) TV and Video	579
15.6.2	Broadcast TV and Video	580

xiv CONTENTS

15.7	Mobile TV is Not TV on the Mobile	582
15.7.1	Interactivity	583
15.7.2	Made-for-Mobile Production	584
15.7.3	Time and Place Shifted Viewing	584
15.7.4	TV-Centric Convergence	584
15.8	Commercial Considerations	585
15.9	Monetisation	586
15.9.1	Subscription Models	586
15.9.2	Advertising Models	587
	<i>Index</i>	589