

Index

• Numerics •

- 1NF (first normal form), 25
- 2NF (second normal form), 25–26
- 3NF (third normal form), 26–27
- 4NF (fourth normal form), 26
- 5NF (fifth normal form), 26

• A •

- acceptance testing of an application-development project, 10
- `AccessDataSource` control, 436
- accounts for Content Management System, 303–304
- Add New Item dialog box, 429
- adding buttons, 42–44
- Admin page (User Authentication application)
 - `.aspx` code, 94–95
 - Button control, 95
 - `<Content>` element, 95
 - features, 82
 - illustration, 83
- ADO.NET classes, 432
- `<allow>` element, 91
- analysis of an application-development project, 10
- `AnswerLabelText` attribute
 - `CreateUserWizard` control, 63
 - `PasswordRecovery` control, 68
- `App_Browsers` folder, 46–47, 427
- `App_Code` folder, 427
- `App_Data` folder, 46, 427
- `App_GlobalResources` folder, 46–47, 427
- application deployment, 52
- application design, 12
- application for authentication
 - Admin page, 82–83, 94–95
 - anonymous users, 90
 - Change Password page, 86–87, 101–102
 - Content page, 81–82, 93–94
 - design decisions, 88
 - features, 79–80
 - folders, 88–89
 - Login page, 81, 95–96
 - Master Pages, 88, 91–93
 - page flow, 80
 - Password Confirmation page, 100–101
 - Recover Password page, 84–85, 98–100
 - Recovery Confirmation page, 84–86
 - Register page, 97–98
 - Registration page, 82–84
 - user interface, 80–87
 - User List page, 86–87, 102–104
 - `web.config` file, 89–91
- application for blog
 - Blog page, 378, 395–402
 - Blogs table, 384
 - Comments page, 379, 402–406
 - Comments table, 385–386
 - connection string, 390
 - `CreateBlogDB.sql` script, 386–388
 - database, 383–388
 - features, 375–376
 - Home page, 376–377, 392–395
 - `InsertData.sql` script, 388–389
 - Leave Comment page, 379–380, 407–410
 - log in requirements, 375–376
 - Login page, 380–381, 410–411
 - Master Page, 390–392
 - My Blogs page, 381–382, 412–418
 - New Post page, 383, 418–422
 - page flow, 377
 - Posts table, 384–385
 - Register page, 381–382, 411–412
 - SQL statements, 389–390
 - test data, 388–389
 - user interface, 376–383

- application for content management system
 - connection string, 303
 - Content database, 297–300
 - Content Detail page, 295–296, 318–328
 - Content List page, 294–295, 313–318
 - ContentItems table, 298–299
 - ContentTypes table, 298
 - CreateContentsDB.sql script, 299–300
 - Department Home page, 293–294, 309–313
 - Departments table, 297–298
 - design decisions, 289–290
 - expired content, 290
 - features, 289
 - Home page, 292–293, 308–309
 - InsertData.sql script, 301
 - log in requirements, 290
 - Login page, 292, 307–308
 - Master Pages, 304–307
 - page flow, 291
 - SQL statements, 302–303
 - test data, 301
 - user accounts, 303–304
 - user interface, 291–296
- application for forum
 - connection string, 342
 - CreateForumDB.sql script, 338–340
 - database, 338–340
 - design decisions, 329–330
 - features, 329
 - Forums table, 335–336
 - Home page, 331–332, 343–350
 - InsertData.sql script, 340
 - log in requirements, 330
 - Master Page, 342–343
 - Messages page, 332–333, 355–360
 - Messages table, 338
 - New Message page, 367–374
 - New Thread page, 334, 360–367
 - page flow, 331
 - Post Reply page, 334–335
 - SQL statements, 341–342
 - test data, 340
 - Threads page, 332–333, 350–355
- application for product catalog
 - Cart page, 111, 142
 - Categories table, 113–114
 - connection string, 121–122
 - CreateProducts.sql script, 116–117
 - design decisions, 111–113
 - FeaturedProducts table, 115–116
 - features, 107
 - folders, 122
 - InsertProducts.sql script, 118–119
 - Master Pages, 122–123
 - page flow, 108
 - Product Detail page, 109–110, 136–141
 - Product List page, 108–109, 123–135
 - Products database, 113–117
 - Products table, 114–115
 - queries, 119–121
 - test data, 118–119
 - user interface, 107–111
- application for product maintenance
 - Categories table, 231–232
 - Category Maintenance page,
 - 224–226, 240–249
 - connection string, 237
 - CreateDB.sql script, 233–234
 - design decisions, 229–230
 - features, 223
 - folders, 238
 - InsertData.sql script, 234
 - Maint database, 231–234
 - Master Pages, 238–239
 - Menu page, 224–225, 239–240
 - page flow, 224
 - Product Maintenance page, 227–229,
 - 249–263, 265–268
 - Products table, 232
 - SQL statements, 235–237
 - test data, 234–235
 - user interface, 224–229
- application for reports
 - connection string, 276
 - CreateOrdersDB.sql script, 274
 - Customers table, 272–273
 - database, 272–274

- Default page, 283–285
- design decisions, 271–272
- features, 269
- InsertData.sql script, 274–275
- Master Page, 276–277
- Order user control, 277–283
- OrderItems table, 273–274
- Orders table, 273
- Print Order page, 286
- SQL statements, 275
- test data, 274–275
- user interface, 270–271
- application for shopping cart
 - Cart database, 153–159
 - Cart page, 146, 148–149, 171–181
 - CartItem class, 164, 203–207
 - Check Out page, 148–152, 181–190, 192–193
 - Completed page, 152–153
 - connection string, 161
 - CreateCartDB.sql script, 157–159
 - credit card transactions, 145
 - Customer class, 162–163, 194–199
 - Customers table, 154–155
 - design decisions, 144–145
 - features, 143
 - folders, 161
 - InsertData.sql script, 159
 - inserting order data, 159–161
 - international shipments, 144
 - log in requirement, 144
 - Master Pages, 165–168
 - Order class, 164–165, 207–212
 - OrderDB class, 165, 212–220
 - OrderItems table, 156
 - Orders table, 155
 - page flow, 146
 - PayPal, 145
 - Product Detail page, 146–147, 168–170
 - Product List page, 146–147
 - Profile feature, 145
 - queries, 159
 - shipping charges, 145
 - ShoppingCart class, 163, 199–202
 - SSL (Secure Socket Layers), 145
 - state features, 144–145
 - test data, 159
 - user interface, 145–152
- Application Layer, 13–15
- application life cycle, 10–11
- applications (ready-made), 448–449
- App_LocalResources folder, 46–47, 427
- App_WebReferences folder, 46–47, 427
- arrows (in UML), 32
- ASP.NET 2.0
 - App folders, 427
 - code-behind model, 426–427
 - code-beside model, 427
 - data controls, 432–440
 - Generics feature, 441–442
 - login controls, 440
 - Master Pages, 428–431
 - navigation controls, 442
 - partial classes, 426
 - themes, 442
 - Web Site Administration Tool, 443
 - WebParts feature, 442
 - Wizard control, 440–441
- ASP.NET 2.0 All-In-One Desk Reference For Dummies* (Lowe), 9, 425
- attacks on security
 - cross-site scripting (XSS), 75–76
 - malicious scripts, 75–76
 - SQL-injection attacks, 77–78
- attributes
 - AnswerLabelText, 63, 68
 - CancelButtonImageUrl, 63, 70
 - CancelButtonText, 63, 70
 - CancelButtonType, 63, 70
 - CancelDestinationPageUrl, 63, 70
 - ChangePasswordButtonImageUrl, 70
 - ChangePasswordButtonText, 70
 - ChangePasswordButtonType, 70
 - ChangePasswordFailureText, 70
 - ChangePasswordTitleText, 70
 - CompleteStepText, 64
 - ConfirmNewPasswordLabelText, 71
 - ConfirmPasswordLabelText, 64
 - ContinueButtonImageUrl, 64, 71
 - ContinueButtonText, 64, 71

attributes (*continued*)

ContinueButtonType, 64, 71
 ContinueDestinationPageUrl, 64, 71
 CreateUserButtonImageUrl, 64
 CreateUserButtonText, 64
 CreateUserButtonType, 64
 CreateUserIconUrl, 61
 CreateUserText, 61, 71
 CreateUserUrl, 61, 71
 DestinationPageUrl, 61
 DisableCreatedUser, 64
 DisplayCancelButton, 64
 DisplayRememberMe, 61
 DisplayUserName, 71
 EmailLabelText, 64
 FailureText, 61
 Font, 38
 Font-Size, 39
 GeneralFailureText, 68
 HeaderText, 64
 id, 39, 61, 63, 68, 70, 74
 InstructionText, 61, 64, 71
 LoginButtonText, 61
 LoginButtonType, 62
 LoginCreatedUser, 65
 LoginImageUrl, 74
 LoginText, 74
 LogoutAction, 74
 LogoutImageUrl, 75
 LogoutPageUrl, 75
 LogoutText, 75
 NewPasswordLabelText, 71
 NewPasswordRegularExpression, 71
 Orientation, 62
 PasswordHintText, 71
 PasswordLabelText, 62, 65, 71
 PasswordRecoveryImageUrl, 62
 PasswordRecoveryText, 62, 72
 PasswordRecoveryUrl, 62, 72
 QuestionFailureText, 68
 QuestionInstructionText, 68
 QuestionLabelText, 65, 68
 QuestionTitleText, 68
 RememberMeText, 62
 runat, 39, 61, 63, 68, 70, 74
 SubmitButtonImageUrl, 68

SubmitButtonText, 68
 SubmitButtonType, 68
 SuccessPageUrl, 68, 72
 SuccessText, 68, 72
 Text, 38–39
 TextLayout, 62, 68
 TitleText, 62
 UserNameFailureText, 69
 UserNameInstructionText, 69
 UserNameLabelText, 62, 65, 69, 72
 UserNameTitleText, 69

authentication

defined, 56
 forms-based, 56
 Passport, 57
 Windows-based, 56

Authentication application

Admin page, 82–83, 94–95
 anonymous users, 90
 Change Password page, 86–87, 101–102
 Content page, 81–82, 93–94
 design decisions, 88
 features, 79–80
 folders, 88–89
 Login page, 81, 95–96
 Master Pages, 88, 91–93
 page flow, 80
 Password Confirmation page, 100–101
 Recover Password page, 84–85, 98–100
 Recovery Confirmation page, 84–86
 Register page, 97–98
 Registration page, 82–84
 user interface, 80–87
 User List page, 86–87, 102–104
 web.config file, 89–91

<authentication> element, 89

authorization

configuring, 57–59
 defined, 56–57

• **B** •

bin folder, 46

Blog application

Blog page, 378, 395–402
 Blogs table, 384

Comments page, 379, 402–406
 Comments table, 385–386
 connection string, 390
 CreateBlogDB.sql script, 386–388
 database, 383–388
 features, 375–376
 Home page, 376–377, 392–395
 InsertData.sql script, 388–389
 Leave Comment page, 379–380, 407–410
 log in requirements, 375–376
 Login page, 380–381, 410–411
 Master Page, 390–392
 My Blogs page, 381–382, 412–418
 New Post page, 383, 418–422
 page flow, 377
 Posts table, 384–385
 Register page, 381–382, 411–412
 SQL statements, 389–390
 test data, 388–389
 user interface, 376–383
 blog (defined), 375
 Blog page (Blog application)
 .aspx code, 395–399
 code-behind file (C# version), 399–401
 code-behind file (VB version), 401–402
 features, 378, 395
 FormView control, 378, 398–399
 GridView control, 378, 398–399
 illustration, 378
 SqlDataSource1 data source, 398
 SqlDataSource2 data source, 399
 Blogs table (Blog application), 384
 bound controls, 76
 <BoundField> element, 243
 Break mode, 50
 breakpoints, 51–52
 browsers (App_Browsers folder),
 46–47, 427
 btnAdd_Click method, 141, 168–170,
 247, 360
 btnBack_Click method, 141
 btnContinue_Click method, 178
 btnCreate_Click method, 417
 btnPost_Click method, 372
 btnReturn_Click method, 360
 Business Rules Layer, 15, 17

buttons

adding, 42–44
 btnAdd_Click method, 1041, 168–170,
 247, 360
 btnBack_Click method, 141
 btnContinue_Click method, 178
 btnCreate_Click method, 417
 btnPost_Click method, 372
 btnReturn_Click method, 360
 Wizard1_FinishButtonClick
 method, 192

• C •

C#, coexistence with Visual Basic, 4
 calculator application, 47–50
 CancelButtonImageUrl attribute
 ChangePassword control, 70
 CreateUserWizard control, 63
 CancelButtonText attribute
 ChangePassword control, 70
 CreateUserWizard control, 63
 CancelButtonType attribute
 ChangePassword control, 70
 CreateUserWizard control, 63
 CancelDestinationPageUrl attribute
 ChangePassword control, 70
 CreateUserWizard control, 63
 Cart application
 Cart database, 153–159
 Cart page, 146, 148–149, 171–181
 CartItem class, 164, 203–207
 Check Out page, 148–152,
 181–190, 192–193
 Completed page, 152–153
 connection string, 161
 CreateCartDB.sql script, 157–159
 credit card transactions, 145
 Customer class, 162–163, 194–199
 Customers table, 154–155
 design decisions, 144–145
 features, 143
 folders, 161
 InsertData.sql script, 159
 inserting order data, 159–161
 international shipments, 144

- Cart application (*continued*)
 - log in requirement, 144
 - Master Pages, 165–168
 - Order class, 164–165, 207–212
 - OrderDB class, 165, 212–220
 - OrderItems table, 156
 - Orders table, 155
 - page flow, 146
 - PayPal, 145
 - Product Detail page, 146–147, 168–170
 - Product List page, 146–147
 - Profile feature, 145
 - queries, 159
 - shipping charges, 145
 - ShoppingCart class, 163, 199–202
 - SSL (Secure Socket Layers), 145
 - state features, 144–145
 - test data, 159
 - user interface, 145–152
- Cart page (Product Catalog application)
 - .aspx code, 142
 - features, 111
 - illustration, 111
- Cart page (Shopping Cart application)
 - .aspx code, 171–173
 - btnContinue_Click method, 178
 - CheckTimeStamps method, 176, 178
 - code-behind file (C# version), 174–178
 - code-behind file (VB version), 179–181
 - features, 146, 148
 - GetItems method, 176–177
 - GridView control, 172–173
 - GridView1_RowCancelingEdit method, 177–178
 - GridView1_RowDeleting method, 177
 - GridView1_RowEditing method, 177
 - GridView1_RowUpdating method, 177
 - illustration, 149
 - int.Parse method, 177
 - IsExpired method, 178
 - Page_Load method, 176
- CartItem class (Shopping Cart application), 164, 203–207
- Catalog application
 - Cart page, 111, 142
 - Categories table, 113–114
 - connection string, 121–122
 - CreateProducts.sql script, 116–117
 - design decisions, 111–113
 - FeaturedProducts table, 115–116
 - features, 107
 - folders, 122
 - InsertProducts.sql script, 118–119
 - Master Pages, 122–123
 - page flow, 108
 - Product Detail page, 109–110, 136–141
 - Product List page, 108–109, 123–135
 - Products database, 113–117
 - Products table, 114–115
 - queries, 119–121
 - test data, 118–119
 - user interface, 107–111
- Categories table
 - Product Catalog application, 113–114
 - Product Maintenance application, 231
- Category Maintenance page (Product Maintenance application)
 - Add Category button, 226
 - .aspx code, 240–245
 - <BoundField> element, 243
 - btnAdd_Click method, 247
 - code-behind file (C# version), 245–247
 - code-behind file (VB version), 248–249
 - <Columns> element, 243
 - <Content> element, 243
 - <DeleteCommand> element, 244
 - <DeleteParameters> element, 244
 - features, 224, 226
 - GridView control, 226, 243–244
 - GridView1_RowDeleted method, 247
 - GridView1_RowUpdated method, 247
 - illustration, 225–226
 - <InsertParameters> element, 244
 - setParameter method, 247
 - SqlDataSource element, 244
 - text boxes, 226, 245
 - <UpdateParameters> element, 244
- CD
 - application installation, 456
 - application source code, 4, 456–457
 - application versions, 4
 - system requirements, 455
 - troubleshooting, 457

- Change Password page (User Authentication application)
 - .aspx code, 102
 - ChangePassword control, 102
 - <Content> element, 102
 - features, 86, 101
 - illustration, 87
- ChangePassword control, 60, 69–72
- ChangePasswordButtonImageUrl attribute, 70
- ChangePasswordButtonText attribute, 70
- ChangePasswordButtonType attribute, 70
- ChangePasswordFailureText attribute, 70
- ChangePasswordTitleText attribute, 70
- charter for a database, 18–19
- Check Out page (Shopping Cart application)
 - .aspx code, 181–189
 - code-behind file (C# version), 189–190, 192
 - code-behind file (VB version), 192–193
 - Confirmation step, 151–152
 - features, 148–149, 181
 - Payment step, 150–151
 - Shipping step, 149–150
 - Wizard control, 187
 - <WizardSteps> element, 187–189
- CheckTimeStamps method, 176, 178
- Chonoles, Michael Jesse (*UML 2 For Dummies*), 30
- class diagrams, 30–32
- classes
 - ADO.NET classes, 432
 - Dictionary, 203
 - Generics feature, 203
 - LinkedList, 203
 - List, 203
 - MembershipUserCollection class, 103
 - .NET Membership class, 102
 - partial classes, 426
 - Queue, 203
 - SortedDictionary, 203
 - SortedList, 203
 - Stack, 203
 - System.Web.Security.MembershipProvider, 59
- classes (Shopping Cart application)
 - CartItem, 164, 203–207
 - Customer, 162–163, 194–199
 - Order, 164–165, 207–212
 - OrderDB, 165, 212–220
 - ShoppingCart, 163, 199–201
- CMS (Content Management System) application
 - connection string, 303
 - Content database, 297–300
 - Content Detail page, 295–296, 318–328
 - Content List page, 294–295, 313–318
 - ContentItems table, 298–299
 - ContentTypes table, 298
 - CreateContentsDB.sql script, 299–300
 - Department Home page, 293–294, 309–313
 - Departments table, 297–298
 - design decisions, 289–290
 - expired content, 290
 - features, 289
 - Home page, 292–293, 308–309
 - InsertData.sql script, 301
 - log in requirements, 290
 - Login page, 292, 307–308
 - Master Pages, 304–307
 - page flow, 291
 - SQL statements, 302–303
 - test data, 301
 - user accounts, 303–304
 - user interface, 291–296
- code-behind files
 - Application layer, 14
 - calculator application, 49
 - creating, 40–42
 - .cs extension, 426
 - Hello World application, 44–45
 - Model-View-Controller (MVC), 15
 - .vb extension, 426
 - code-behind files (Blog application)
 - Blog page, 399–402
 - Comments page, 405–406
 - Leave Comment page, 409–410
 - My Blogs page, 416–418
 - New Post page, 421–422

- code-behind files (Content Management System application)
 - Content Detail page, 325–328
 - Content List page, 317–318
- code-behind files (Forum application)
 - Home page, 346–350
 - Messages page, 359–360
 - New Message page, 371–374
 - New Thread page, 363–367
 - Threads page, 353–355
- code-behind files (Product Catalog application)
 - Product Detail page, 140–141
 - Product List page, 132–135
- code-behind files (Product Maintenance application)
 - Category Maintenance page, 245–249
 - Product Maintenance page, 265–268
- code-behind files (Report application), 284–285
- code-behind files (Shopping Cart application)
 - Cart page, 173–181
 - Check Out page, 189–190, 192–193
- code-behind files (User Authentication application), 104
- code-behind model, 426
- code-beside model, 427
- coding mistakes, 445–446
- coexistence of C# and Visual Basic, 4
- <Columns> element, 243
- Comments page (Blog application)
 - .aspx code, 402–405
 - btnComment button, 405
 - btnReturn button, 405
 - code-behind file (C# version), 405–406
 - code-behind file (VB version), 406
 - DataList control, 404
 - features, 379, 402
 - FormView control, 404
 - illustration, 379
 - SqlDataSource1 data source, 404
 - SqlDataSource2 data source, 404
- Comments table (Blog application), 385–386
- Completed page (Shopping Cart application)
 - features, 152
 - illustration, 153
- CompleteStepText attribute, 64
- concurrency, 230, 235
- configuring authorization, 57–59
- ConfirmNewPasswordLabelText attribute, 71
- ConfirmPasswordLabelText attribute, 64
- connection strings
 - Blog application, 390
 - Content Management System (CMS) application, 303
 - Forum application, 342
 - Product Catalog application, 121–122
 - Product Maintenance application, 237
 - Report application, 276
 - Shopping Cart application, 161
- constraints, 454
- Content Detail page (Content Management System)
 - .aspx code, 319–324
 - code-behind file (C# version), 325–327
 - code-behind file (VB version), 327–328
 - features, 295, 318–319
 - illustration, 296
- <Content> element, 94
- Content List page (Content Management System)
 - .aspx code, 313–316
 - code-behind file (C# version), 317–318
 - code-behind file (VB version), 318
 - <Content> element, 315–316
 - features, 294
 - FormView control, 315
 - illustration, 295
 - Label control, 315
 - LinkButton control, 316
 - OnClick element, 316
 - QueryParameter element, 316
 - Repeater control, 316
 - SqlDataSource1 control, 315
 - SqlDataSource2 control, 316

- Content Management System (CMS)
 - application
 - connection string, 303
 - Content database, 297–300
 - Content Detail page, 295–296, 318–328
 - Content List page, 294–295, 313–318
 - ContentItems table, 298–299
 - ContentTypes table, 298
 - CreateContentsDB.sql script, 299–300
 - Department Home page, 293–294, 309–313
 - Departments table, 297–298
 - design decisions, 289–290
 - expired content, 290
 - features, 289
 - Home page, 292–293, 308–309
 - InsertData.sql script, 301
 - log in requirements, 290
 - Login page, 292, 307–308
 - Master Pages, 304–307
 - page flow, 291
 - SQL statements, 302–303
 - test data, 301
 - user accounts, 303–304
 - user interface, 291–296
- Content page (User Authentication application)
 - .aspx code, 93–94
 - <Content> element, 94
 - features, 81–82
 - illustration, 82
- content pages
 - creating, 431–432
 - default code, 431
 - Master Pages, 428–429
- ContentItems table (Content Management System), 298–299
- ContentPlaceHolder control, 93
- ContentTypes table (Content Management System), 298
- ContinueButtonImageUrl attribute
 - ChangePassword control, 71
 - CreateUserWizard control, 64
- ContinueButtonText attribute
 - ChangePassword control, 71
 - CreateUserWizard control, 64
- ContinueButtonType attribute
 - ChangePassword control, 71
 - CreateUserWizard control, 64
- ContinueDestinationPageUrl attribute
 - ChangePassword control, 71
 - CreateUserWizard control, 64
- controller (defined), 15
- <ControlParameter> element, 131
- controls
 - AccessDataSource, 436
 - bound controls, 76
 - ChangePassword, 60, 69–72
 - ContentPlaceHolder, 93
 - CreateUserWizard, 60, 62–66
 - data controls, 432–440
 - DataList1, 123–124, 128
 - DataGrid, 131
 - DetailsView, 138, 438
 - FormView, 264, 439–440
 - GridView, 131, 436–438
 - GridView1, 124, 129–130
 - Image, 93
 - Label, 37–39
 - LinkButton, 129
 - Login, 60–62
 - login controls, 59, 440
 - LoginName, 60, 73–74, 93
 - LoginStatus, 60, 74–75, 93
 - LoginView, 60, 72–73, 93
 - Menu, 442
 - navigation controls, 442
 - ObjectDataSource, 436
 - Order user control (Report application), 277–283
 - PasswordRecovery, 60, 66–69
 - SiteMapDataSource, 436
 - SiteMapPath, 442
 - SqlDataSource, 125, 433–436
 - SqlDataSource1, 124, 129
 - SqlDataSource2, 124, 129
 - SqlDataSource3, 124, 130
 - Text Box, 42–44
 - TreeView, 442
 - user-input controls, 16

controls (*continued*)

- Wizard, 191, 440–441
- XmlDataSource, 436
- CreateBlogDB.sql script, 386–388
- CreateCartDB.sql script (Shopping Cart application), 157–159
- CreateContentsDB.sql script (Content Management System), 299–300
- CreateDB.sql script (Product Maintenance application), 233–234
- CreateForumDB.sql script (Forum application), 338–340
- CreateOrdersDB.sql script (Report application), 274
- CreateProducts.sql script (Product Catalog application), 116–117
- CreateUserButtonImageUrl attribute, 64
- CreateUserButtonText attribute, 64
- CreateUserButtonType attribute, 64
- CreateUserImageUrl attribute, 61
- CreateUserText attribute
 - ChangePassword control, 71
 - Login control, 61
- CreateUserUrl attribute
 - ChangePassword control, 71
 - Login control, 61
- CreateUserWizard control, 60, 62–66
- creating
 - code-behind files, 40–42
 - Content pages, 431–432
 - folders, 46
 - Master Pages, 429–430
 - Web sites, 35–36
- credit card transactions, 145
- cross-site scripting (XSS), 75–76
- .cs extension (code-behind files), 426
- Customer class (Shopping Cart application), 162–163, 194–199
- Customers table
 - Report application, 272–273
 - Shopping Cart application, 154–155



- Data Access Layer, 13–15, 17–18
- data controls, 432–440

Data Flow Diagrams (DFDs), 12

- data model, 12
- databases
 - Blog application, 383–388
 - charter, 18–19
 - constraints, 454
 - Content Management System (CMS) application, 297–300
 - denormalization, 27–28, 156
 - designing, 18–23, 451–454
 - entities, 19
 - foreign key, 22–23
 - Forum application, 338–340
 - identity column, 21
 - naming conventions, 452–453
 - normalization, 23–27
 - nulls, 453
 - primary key, 21–23
 - Product Catalog application, 113–117
 - Product Maintenance application, 231–234
 - redundant data, 452
 - repeating data, 452
 - Report application, 272–274
 - secret codes, 453
 - Shopping Cart application, 153–159
 - stored procedures, 454
 - tables, 19–21
 - triggers, 454
- DataGrid control, 131
- DataList1 control, 123–124, 128
- DataList1_SelectedIndexChanged method, 133, 135
- DataTips feature, 50–51
- Date, C.J. (*An Introduction to Database Systems*), 26
- ddlCategory drop-down list (Product Catalog application), 124, 129
- Debug toolbar, 51
- debugging
 - Break mode, 50
 - breakpoints, 51–52
 - DataTips feature, 50–51
 - web.config file, 52
- Default page (Report application), 283–285
- <DeleteCommand> element, 244
- <DeleteParameters> element, 244, 263

- denormalization, 27–28, 156
 - <deny> element, 89, 91
 - Department Home page (Content Management System)
 - .aspx code, 310–313
 - <Content> element, 312
 - features, 293, 309–310
 - FormView control, 312
 - illustration, 294
 - Label control, 312
 - LinkButton control, 313
 - Repeater control, 313
 - Departments table (Content Management System), 297–298
 - deploying applications, 52
 - design of an application-development project, 10
 - Design view, 37
 - designing
 - databases, 18–23, 451–454
 - user interface, 16–17
 - DestinationPageUrl attribute, 61
 - DetailsView control, 138, 438
 - DetailsView1_ItemCommand method, 327
 - DetailsView1_ItemDeleted method, 327
 - DetailsView1_ItemInserted method, 327
 - DFDs (Data Flow Diagrams), 12
 - diagrams
 - class diagrams, 30–32
 - Data Flow Diagrams (DFDs), 12
 - Entity-Relationship Diagrams (ERDs), 12, 28–29
 - flowcharts, 29–30
 - structure charts, 30
 - UML (Unified Modeling Language), 30–32
 - User Interface Flow Diagrams, 12
 - Dictionary class, 203
 - directives
 - Master directive, 430
 - Page directive, 432
 - Register directive, 286
 - DisableCreatedUser attribute, 64
 - DisplayCancelButton attribute, 64
 - DisplayRememberMe attribute, 61
 - DisplayUserName attribute, 71
 - documentation, 11, 446
 - downloading .NET Framework, 33
- E •**
- editing Master Pages, 430–431
 - elements
 - <allow>, 91
 - <authentication>, 89
 - <BoundField>, 243
 - <Columns>, 243
 - <Content>, 94
 - <ControlParameter>, 131
 - <DeleteCommand>, 244
 - <DeleteParameters>, 244, 263
 - <deny>, 89, 91
 - <InsertParameters>, 244, 263
 - <ItemTemplate>, 345
 - <MailDefinition>, 98, 100
 - <PagerSettings>, 130
 - <roleManager>, 89
 - <SelectParameters>, 131, 263
 - <UpdateParameters>, 244, 263
 - <WizardSteps>, 187, 191
 - EmailLabelText attribute, 64
 - entities (defined), 19
 - Entity-Relationship Diagrams (ERDs), 12, 28–29
 - error messages, hiding, 78
 - ExecuteScalar method, 217
- F •**
- FailureText attribute, 61
 - feasibility study for an application-development project, 10
 - FeaturedProducts table (Product Catalog application), 115–116
 - FeatureTextLabel label (Product Catalog application), 128
 - fifth normal form (5NF), 26
 - file system Web sites, 35
 - first normal form (1NF), 25
 - flowcharts, 29–30

folders

- App_Browsers folder, 46–47, 427
- App_Code folder, 427
- App_Data folder, 46, 427
- App_GlobalResources folder, 46–47, 427
- App_LocalResources folder, 46–47, 427
- App_WebReferences folder, 46–47, 427
- bin, 46
- creating, 46
- Product Catalog application, 122
- Product Maintenance application, 238
- regular, 46
- Shopping Cart application, 161
- themes, 46–47
- User Authentication application, 88–89

Font attribute, 38

Font-Size attribute, 39

foreign key, 22–23

foreign-key constraint, 454

forms-based authentication, 56

FormView control, 264, 439–440

Forum application

- connection string, 342
- CreateForumDB.sql script, 338–340
- database, 338–340
- design decisions, 329–330
- features, 329
- Forums table, 335–336
- Home page, 331–332, 343–350
- InsertData.sql script, 340
- log in requirements, 330
- Master Page, 342–343
- Messages page, 332–333, 355–360
- Messages table, 338
- New Message page, 367–374
- New Thread page, 334, 360–367
- page flow, 331
- Post Reply page, 334–335
- SQL statements, 341–342
- test data, 340
- Threads page, 332–333, 350–355
- Threads table, 337
- Topics table, 336–337
- user interface, 331–335

forums

- ASP.NET-specific, 449
- defined, 329
- moderated, 330
- threads, 330
- topics, 330
- unmoderated, 330
- Forums table (Forum application), 335–336
- fourth normal form (4NF), 26
- FTP Web sites, 36
- function for @@IDENTITY, 160–161

• G •

GeneralFailureText attribute, 68

Generics feature, 203, 441–442

GetItems method, 176

global resources, 46

GridView control, 131, 436–438

GridView1 control, 124, 129–130

GridView1_RowCancelingEdit
method, 177–178

GridView1_RowDeleted method, 247

GridView1_RowDeleting method, 177

GridView1_RowEditing method, 177

GridView1_RowUpdated method, 247

GridView1_RowUpdating method, 177

GridView1_SelectedIndexChanged
method, 133, 135, 354

• H •

HeaderText attribute, 64

Hello World application

- .aspx code, 44
- buttons, 42–44
- code-behind files, 40–42, 45
- creating, 34–37
- Label control, 37–39
- running, 39–40
- text boxes, 42–44

help

- forums, 449
- Wiley Product Technical Support, 457
- hiding error messages, 78

- Home page (Blog application)
 - .aspx code, 393–395
 - features, 376, 392
 - GridView control, 392
 - illustration, 377
 - Master Page, 376
 - Home page (Content Management System)
 - .aspx code, 308–309
 - <Content> element, 309
 - features, 292–293
 - illustration, 293
 - Label control, 309
 - LinkButton control, 309
 - Repeater control, 309
 - Home page (Forum application)
 - .aspx code, 344–346
 - code-behind file (C# version), 346–349
 - code-behind file (VB version), 349–350
 - <Content> element, 345
 - features, 331, 343
 - illustration, 332
 - <ItemTemplate> element, 345
 - LinkButton control, 345
 - Repeater controls, 345
 - table element, 345
 - HTTP Web sites, 35
- **I** ●
- id attribute
 - ChangePassword control, 70
 - CreateUserWizard control, 63
 - Label control, 39
 - Login control, 61
 - LoginStatus control, 74
 - PasswordRecovery control, 68
 - identity column, 21
 - @@IDENTITY function, 160–161
 - IIS server, 35
 - Image control, 93
 - implementation of an application-
development project, 10
 - input data
 - query strings, 448
 - validating, 448
 - InsertCustomer method, 216–217
 - InsertData.sql script
 - Blog application, 388–389
 - Content Management System, 301
 - Forum application, 340
 - Product Maintenance application, 234
 - Report application, 274–275
 - Shopping Cart application, 159
 - inserting order data into Shopping Cart
application, 159–161
 - InsertItem method, 217
 - InsertOrder method, 217
 - <InsertParameters> element, 244, 263
 - InsertProducts.sql script (Product
Catalog application), 118–119
 - installing applications from CD, 456
 - InstructionText attribute
 - ChangePassword control, 71
 - CreateUserWizard control, 64
 - Login control, 61
 - interfaces
 - Blog application, 376–383
 - Content Management System (CMS)
application, 291–296
 - defined, 13
 - designing, 16–17
 - Forum application, 331–335
 - Product Catalog application, 107–109, 111
 - Product Maintenance application, 224–229
 - Report application, 270–271
 - Shopping Cart application, 145–152
 - User Authentication application, 80–87
 - international shipments (Shopping Cart
application), 144
 - int.Parse method, 177
 - An Introduction to Database Systems*
(Date), 26
 - IsExpired method, 178
 - <ItemTemplate> element, 345
 - iterative process of an application-
development projects, 11
- **K** ●
- keys
 - foreign key, 22–23
 - identity column, 21
 - primary key, 21–23

• L •

Label control, 37–39
 layered architecture, 12–15
 layers
 Application Layer, 13–15
 Business Rules Layer, 15, 17
 Data Access Layer, 13–15, 17–18
 defined, 13
 logic code, 14
 Presentation Layer, 15
 Leave Comment page (Blog application)
 .aspx code, 407–409
 code-behind file (C# version), 409–410
 code-behind file (VB version), 410
 features, 379–380, 407
 illustration, 380
 life cycle of application-development projects, 10–11
 LinkButton control, 129
 LinkButton_Click method, 327
 LinkButton1_Click method, 354
 LinkedList class, 203
 List class, 203
 local resources, 46
 log in requirements
 Blog application, 375–376
 Content Management System (CMS) application, 290
 Forum application, 330
 Shopping Cart application, 144
 logic code, 14
 Login control, 60–62
 login controls, 59, 440
 Login page (Blog application)
 .aspx code, 411
 features, 380, 410
 illustration, 381
 Login control, 380, 411
 Login page (Content Management System)
 .aspx code, 307–308
 <Content> element, 307–308
 features, 292
 illustration, 292
 Login control, 308

Login page (User Authentication application)
 .aspx code, 95–96
 <Content> element, 96
 features, 81
 illustration, 81
 Login control, 96
 LoginButtonText attribute, 61
 LoginButtonType attribute, 62
 LoginCreatedUser attribute, 65
 LoginImageUrl attribute, 74
 LoginName control, 60, 73–74, 93
 LoginStatus control, 60, 74–75, 93
 LoginText attribute, 74
 LoginView control, 60, 72–73, 93
 LogoutAction attribute, 74
 LogoutImageUrl attribute, 75
 LogoutPageUrl attribute, 75
 LogoutText attribute, 75
 Lowe, Doug (*ASP.NET 2.0 All-In-One Desk Reference For Dummies*), 9, 425

• M •

<MailDefinition> element, 98, 100
 Maintenance application
 Categories table, 231–232
 Category Maintenance page, 224–226, 240–249
 connection string, 237
 CreateDB.sql script, 233–234
 design decisions, 229–230
 features, 223
 folders, 238
 InsertData.sql script, 234
 Maint database, 231–234
 Master Pages, 238–239
 Menu page, 224–225, 239–240
 page flow, 224
 Product Maintenance page, 227–229, 249–263, 265–268
 Products table, 232
 SQL statements, 235–237
 test data, 234–235
 user interface, 224–229

- maintenance of an application-
 - development projects, 11
- malicious scripts, 75–76
- Master directive, 430
- Master Pages
 - Blog application, 390–392
 - Content Management System (CMS)
 - application, 304–307
 - Content pages, 428–429
 - content placeholders, 429
 - creating, 429–430
 - default code, 430
 - default content, 431
 - defined, 428
 - editing, 430–431
 - Forum application, 342–343
 - Product Catalog application, 122–123
 - Product Maintenance application, 238–239
 - Report application, 276–277
 - Shopping Cart application, 165–168
 - templates, 429
 - User Authentication application,
 - 88, 91–93
- membership providers, 59–60
- MembershipUserCollection class, 103
- Menu control, 442
- Menu page (Product Maintenance application)
 - .aspx code, 239–240
 - <Content> element, 240
 - features, 224
 - illustration, 225
 - LinkButton element, 240
- Messages page (Forum application)
 - .aspx code, 355–359
 - btnAdd_Click method, 360
 - btnReturn_Click method, 360
 - code-behind file (C# version), 359–360
 - code-behind file (VB version), 360
 - <Columns> element, 358
 - <Content> element, 358
 - features, 332, 355
 - FormView control, 358
 - GridView control, 358
 - illustration, 333
- Messages table (Forum application), 338
- methods
 - btnAdd_Click, 141, 168–170, 247, 360
 - btnBack_Click, 141
 - btnContinue_Click, 178
 - btnCreate_Click, 417
 - btnPost_Click, 372
 - btnReturn_Click, 360
 - CheckTimeStamps, 176, 178
 - DataList1_SelectedIndexChanged,
 - 133, 135
 - DetailsView1_ItemCommand, 327
 - DetailsView1_ItemDeleted, 327
 - DetailsView1_ItemInserted, 327
 - ExecuteScalar, 217
 - GetItems, 176
 - GridView1_RowCancelingEdit,
 - 177–178
 - GridView1_RowDeleted, 247
 - GridView1_RowDeleting, 177
 - GridView1_RowEditing, 177
 - GridView1_RowUpdated, 247
 - GridView1_RowUpdating, 177
 - GridView1_SelectedIndexChanged,
 - 133, 135, 354
 - InsertCustomer, 216–217
 - InsertItem, 217
 - InsertOrder, 217
 - int.Parse, 177
 - IsExpired, 178
 - LinkButton_Click, 327
 - LinkButton1_Click, 354
 - Page_Load, 40–41, 133, 135, 176, 192,
 - 326–327, 417
 - Rollback, 216
 - setParameter, 247
 - SqlDataSource2_Deleted, 266
 - SqlDataSource2_Inserted, 267
 - SqlDataSource2_Updated, 267
 - Wizard1_FinishButtonClick, 192
 - WriteOrder, 216
- model (defined) 15
- model-controller (defined), 15, 29
- models, 11–12
- moderated forums, 330
- MVC (Model-View-Controller), 15, 29

My Blogs page (Blog application)
 .aspx code, 413–416
 btnCreate_Click method, 417
 code-behind file (C# version), 416–417
 code-behind file (VB version), 417–418
 features, 381, 412
 GridView control, 415–416
 illustration, 382
 Page_Load method, 417
 SqlDataSource1 data source, 416
 SqlDataSource2 data source, 416

• N •

NameLabel label, 128
 namespace for `System.Collections.Generic`, 203, 442
 naming conventions, 28, 452–453
 naming Web sites, 36
 navigation controls, 442
 .NET Framework, downloading, 33
 .NET Membership class, 102
 new features in ASP.NET 2.0
 App folders, 427
 code-behind model, 426–427
 code-beside model, 427
 data controls, 432–440
 Generics feature, 441–442
 login controls, 440
 Master Pages, 428–431
 navigation controls, 442
 partial classes, 426
 themes, 442
 Web Site Administration Tool, 443
 WebParts feature, 442
 Wizard control, 440–441
 New Message page (Forum application)
 .aspx code, 368–370
 btnPost_Click method, 372
 code-behind file (C# version), 371–373
 code-behind file (VB version), 373–374
 <Content> element, 370
 features, 367
 FormView control, 370
 New Post page (Blog application)
 .aspx code, 418–421
 code-behind file (C# version), 421

code-behind file (VB version), 422
 features, 383, 418
 illustration, 383
 New Thread page (Forum application)
 .aspx code, 361–363
 code-behind file (C# version), 363–366
 code-behind file (VB version), 366–367
 <Content> element, 362
 features, 334, 360
 FormView control, 362
 illustration, 334
 New Web Site dialog box, 35
 NewPasswordLabelText attribute, 71
 NewPasswordRegularExpression
 attribute, 71
 normalization, 23–27
 Notepad, 33
 nulls (in database tables), 453

• O •

ObjectDataSource control, 436
 obsolescence of an application-
 development projects, 11
 optimistic concurrency checking, 230, 235
 Order class (Shopping Cart application),
 164–165, 207–212
 Order user control (Report application),
 277–283
 OrderDB class (Shopping Cart
 application), 165, 212–220
 OrderItems table
 Report application, 273–274
 Shopping Cart application, 156
 Orders table
 Report application, 273
 Shopping Cart application, 155
 Orientation attribute, 62
 overusing state features, 447–448

• P •

Page directive, 432
 Page_Load method
 Blog application, 417
 Content Management System
 application, 326–327

- Hello World application, 40–41
- Product Catalog application, 133, 135
- Shopping Cart application, 176, 192
- <PagerSettings> element, 130
- partial classes, 426
- Passport authentication, 57
- Password Confirmation page (User Authentication application)
 - .aspx code, 101
 - Button control, 101
 - <Content> element, 101
 - features, 100
- PasswordHintText attribute, 71
- PasswordLabelText attribute
 - ChangePassword control, 71
 - CreateUserWizard control, 65
 - Login control, 62
- PasswordRecovery control, 60, 66–69
- PasswordRecoveryImageUrl attribute, 62
- PasswordRecoveryText attribute
 - ChangePassword control, 72
 - Login control, 62
- PasswordRecoveryUrl attribute
 - ChangePassword control, 72
 - Login control, 62
- PayPal, 145
- phone number for Wiley Product Technical Support, 457
- Post Reply page (Forum application)
 - features, 334
 - illustration, 335
- Posts table (Blog application), 384–385
- precompiled deployment, 52
- Presentation Layer, 15
- PriceLabel label, 129
- primary key, 21–23
- Print Order page (Report application), 286
- Product Catalog application
 - Cart page, 111, 142
 - Categories table, 113–114
 - connection string, 121–122
 - CreateProducts.sql script, 116–117
 - design decisions, 111–113
 - FeaturedProducts table, 115–116
 - features, 107
 - folders, 122
 - InsertProducts.sql script, 118–119
 - Master Pages, 122–123
 - page flow, 108
 - Product Detail page, 109–110, 136–141
 - Product List page, 108–109, 123–135
 - Products database, 113–117
 - Products table, 114–115
 - queries, 119–121
 - test data, 118–119
 - user interface, 107–111
- Product Detail page (Product Catalog application)
 - .aspx code, 136–139
 - code-behind file (C# version), 140
 - code-behind file (VB version), 141
 - DetailsView control, 138–139
 - features, 109–110, 136
 - illustration, 110
- Product Detail page (Shopping Cart application)
 - .aspx code, 168–169
 - btnAdd_Click method, 168–170
 - features, 146
 - illustration, 147
- Product List page (Product Catalog application)
 - .aspx code, 124–131
 - code-behind file (C# version), 132–133
 - code-behind file (VB version), 134–135
 - <ControlParameter> element, 131
 - DataList1 control, 123–124, 128
 - ddlCategory drop-down list, 124, 129
 - features, 108–109
 - FeatureTextLabel label, 128
 - GridView1 control, 124, 129–130
 - illustration, 109
 - LinkButton control, 129
 - NameLabel label, 128
 - <PagerSettings> element, 130
 - PriceLabel label, 129
 - SalePriceLabel label, 129
 - <SelectParameters> element, 131
 - SqlDataSource1 control, 124, 129
 - SqlDataSource2 control, 124, 129
 - SqlDataSource3 control, 124, 130
- Product List page (Shopping Cart application)
 - features, 146
 - illustration, 147

Product Maintenance application

Categories table, 231–232

Category Maintenance page,
224–226, 240–249

connection string, 237

CreateDB.sql script, 233–234

design decisions, 229–230

features, 223

folders, 238

InsertData.sql script, 234

Maint database, 231–234

Master Pages, 238–239

Menu page, 224–225, 239–240

page flow, 224

Product Maintenance page, 227–229,
249–263, 265–268

Products table, 232

SQL statements, 235–237

test data, 234–235

user interface, 224–229

**Product Maintenance page (Product
Maintenance application)**

.aspx code, 249–263

code-behind file (C# version), 265–267

code-behind file (VB version), 267–268

<Content> element, 259

<DeleteParameters> element, 263

features, 227–228, 249

FormView control, 228, 260

GridView control, 227–228, 260

illustration, 227–229

<InsertParameters> element, 263

<SelectParameters> element, 263

SqlDataSource2_Deleted method, 266

SqlDataSource2_Inserted

method, 267

SqlDataSource2_Updated method, 267

text boxes, 260–262

<UpdateParameters> element, 263

**production of an application-development
project, 11****Products table**

Product Catalog application, 114–115

Product Maintenance application, 232

Profile feature, 145

programming mistakes, 445–446

program deployment, 52

program design, 12

program for authentication

Admin page, 82–83, 94–95

anonymous users, 90

Change Password page, 86–87, 101–102

Content page, 81–82, 93–94

design decisions, 88

features, 79–80

folders, 88–89

Login page, 81, 95–96

Master Pages, 88, 91–93

page flow, 80

Password Confirmation page, 100–101

Recover Password page, 84–85, 98–100

Recovery Confirmation page, 84–86

Register page, 97–98

Registration page, 82–84

user interface, 80–87

User List page, 86–87, 102–104

web.config file, 89–91

program for blog

Blog page, 378, 395–402

Blogs table, 384

Comments page, 379, 402–406

Comments table, 385–386

connection string, 390

CreateBlogDB.sql script, 386–388

database, 383–388

features, 375–376

Home page, 376–377, 392–395

InsertData.sql script, 388–389

Leave Comment page, 379–380, 407–410

log in requirements, 375–376

Login page, 380–381, 410–411

Master Page, 390–392

My Blogs page, 381–382, 412–418

New Post page, 383, 418–422

page flow, 377

Posts table, 384–385

Register page, 381–382, 411–412

SQL statements, 389–390

test data, 388–389

user interface, 376–383

program for content management system

connection string, 303

Content database, 297–300

Content Detail page, 295–296, 318–328

- Content List page, 294–295, 313–318
- ContentItems table, 298–299
- ContentTypes table, 298
- CreateContentsDB.sql script, 299–300
- Department Home page, 293–294, 309–313
- Departments table, 297–298
- design decisions, 289–290
- expired content, 290
- features, 289
- Home page, 292–293, 308–309
- InsertData.sql script, 301
- log in requirements, 290
- Login page, 292, 307–308
- Master Pages, 304–307
 - page flow, 291
- SQL statements, 302–303
- test data, 301
- user accounts, 303–304
- user interface, 291–296
- program for forum
 - connection string, 342
 - CreateForumDB.sql script, 338–340
 - database, 338–340
 - design decisions, 329–330
 - features, 329
 - Forums table, 335–336
 - Home page, 331–332, 343–350
 - InsertData.sql script, 340
 - log in requirements, 330
 - Master Page, 342–343
 - Messages page, 332–333, 355–360
 - Messages table, 338
 - New Message page, 367–374
 - New Thread page, 334, 360–367
 - page flow, 331
 - Post Reply page, 334–335
 - SQL statements, 341–342
 - test data, 340
 - Threads page, 332–333, 350–355
- program for product catalog
 - Cart page, 111, 142
 - Categories table, 113–114
 - connection string, 121–122
 - CreateProducts.sql script, 116–117
 - design decisions, 111–113
 - FeaturedProducts table, 115–116
 - features, 107
 - folders, 122
 - InsertProducts.sql script, 118–119
 - Master Pages, 122–123
 - page flow, 108
 - Product Detail page, 109–110, 136–141
 - Product List page, 108–109, 123–135
 - Products database, 113–117
 - Products table, 114–115
 - queries, 119–121
 - test data, 118–119
 - user interface, 107–111
- program for product maintenance
 - Categories table, 231–232
 - Category Maintenance page, 224–226, 240–249
 - connection string, 237
 - CreateDB.sql script, 233–234
 - design decisions, 229–230
 - features, 223
 - folders, 238
 - InsertData.sql script, 234
 - Maint database, 231–234
 - Master Pages, 238–239
 - Menu page, 224–225, 239–240
 - page flow, 224
 - Product Maintenance page, 227–229, 249–263, 265–268
 - Products table, 232
 - SQL statements, 235–237
 - test data, 234–235
 - user interface, 224–229
- program for reports
 - connection string, 276
 - CreateOrdersDB.sql script, 274
 - Customers table, 272–273
 - database, 272–274
 - Default page, 283–285
 - design decisions, 271–272
 - features, 269
 - InsertData.sql script, 274–275
 - Master Page, 276–277
 - Order user control, 277–283
 - OrderItems table, 273–274
 - Orders table, 273
 - Print Order page, 286
 - SQL statements, 275
 - test data, 274–275
 - user interface, 270–271

- program for shopping cart
 - Cart database, 153–159
 - Cart page, 146, 148–149, 171–181
 - CartItem class, 164, 203–207
 - Check Out page, 148–152, 181–190, 192–193
 - Completed page, 152–153
 - connection string, 161
 - CreateCartDB.sql script, 157–159
 - credit card transactions, 145
 - Customer class, 162–163, 194–199
 - Customers table, 154–155
 - design decisions, 144–145
 - features, 143
 - folders, 161
 - InsertData.sql script, 159
 - inserting order data, 159–161
 - international shipments, 144
 - log in requirement, 144
 - Master Pages, 165–168
 - Order class, 164–165, 207–212
 - OrderDB class, 165, 212–220
 - OrderItems table, 156
 - Orders table, 155
 - page flow, 146
 - PayPal, 145
 - Product Detail page, 146–147, 168–170
 - Product List page, 146–147
 - Profile feature, 145
 - queries, 159
 - shipping charges, 145
 - ShoppingCart class, 163, 199–202
 - SSL (Secure Socket Layers), 145
 - state features, 144–145
 - test data, 159
 - user interface, 145–152
- program life cycle, 10–11
- programs (ready-made), 448–449
- properties
 - AnswerLabelText, 63, 68
 - CancelButtonImageUrl, 63, 70
 - CancelButtonText, 63, 70
 - CancelButtonType, 63, 70
 - CancelDestinationPageUrl, 63, 70
 - ChangePasswordButtonImageUrl, 70
 - ChangePasswordButtonText, 70
 - ChangePasswordButtonType, 70
 - ChangePasswordFailureText, 70
 - ChangePasswordTitleText, 70
 - CompleteStepText, 64
 - ConfirmNewPasswordLabelText, 71
 - ConfirmPasswordLabelText, 64
 - ContinueButtonImageUrl, 64, 71
 - ContinueButtonText, 64, 71
 - ContinueButtonType, 64, 71
 - ContinueDestinationPageUrl, 64, 71
 - CreateUserButtonImageUrl, 64
 - CreateUserButtonText, 64
 - CreateUserButtonType, 64
 - CreateUserIconUrl, 61
 - CreateUserText, 61, 71
 - CreateUserUrl, 61, 71
 - DestinationPageUrl, 61
 - DisableCreatedUser, 64
 - DisplayCancelButton, 64
 - DisplayRememberMe, 61
 - DisplayUserName, 71
 - EmailLabelText, 64
 - FailureText, 61
 - Font, 38
 - Font-Size, 39
 - GeneralFailureText, 68
 - HeaderText, 64
 - id, 39, 61, 63, 68, 70, 74
 - InstructionText, 61, 64, 71
 - LoginButtonText, 61
 - LoginButtonType, 62
 - LoginCreatedUser, 65
 - LoginImageUrl, 74
 - LoginText, 74
 - LogoutAction, 74
 - LogoutImageUrl, 75
 - LogoutPageUrl, 75
 - LogoutText, 75
 - NewPasswordLabelText, 71
 - NewPasswordRegularExpression, 71
 - Orientation, 62
 - PasswordHintText, 71
 - PasswordLabelText, 62, 65, 71
 - PasswordRecoveryIconUrl, 62
 - PasswordRecoveryText, 62, 72
 - PasswordRecoveryUrl, 62, 72

QuestionFailureText, 68
 QuestionInstructionText, 68
 QuestionLabelText, 65, 68
 QuestionTitleText, 68
 RememberMeText, 62
 runat, 39, 61, 63, 68, 70, 74
 SubmitButtonImageUrl, 68
 SubmitButtonText, 68
 SubmitButtonType, 68
 SuccessPageUrl, 68, 72
 SuccessText, 68, 72
 Text, 38–39
 TextLayout, 62, 68
 TitleText, 62
 UserNameFailureText, 69
 UserNameInstructionText, 69
 UserNameLabelText, 62, 65, 69, 72
 UserNameTitleText, 69

• Q •

quality assurance, 11
 queries
 Product Catalog application, 119–121
 Shopping Cart application, 159
 query strings for input data, 448
 QuestionFailureText attribute, 68
 QuestionInstructionText attribute, 68
 QuestionLabelText attribute
 CreateUserWizard control, 65
 PasswordRecovery control, 68
 QuestionTitleText attribute, 68
 Queue class, 203

• R •

ready-made applications, 448–449
 Recover Password page (User Authentication application)
 .aspx code, 98–100
 <Content> element, 99
 features, 84
 illustration, 85
 <MailDefinition> element, 100
 PasswordMessage.txt file, 100
 PasswordRecover control, 99–100
 Recovery Confirmation page (User Authentication application)
 e-mail message, 84, 86
 features, 84
 illustration, 86
 redundant data in databases, 452
 Register directive, 286
 Register page (Blog application)
 .aspx code, 411–412
 CreateUserWizard control, 381, 412
 features, 381, 411
 illustration, 382
 Register page (User Authentication application)
 .aspx code, 97–98
 <Content> element, 97
 CreateUserWizard control, 98
 <MailDefinition> element, 98
 NewUser.txt file, 98
 <WizardSteps> element, 98
 Registration page (User Authentication application)
 features, 82, 84
 illustration, 83
 regression testing, 447
 regular folders, 46
 relational databases
 Blog application, 383–388
 charter, 18–19
 constraints, 454
 Content Management System (CMS) application, 297–300
 denormalization, 27–28, 156
 designing, 18–23, 451–454
 entities, 19
 foreign key, 22–23
 Forum application, 338–340
 identity column, 21
 naming conventions, 452–453
 normalization, 23–27
 nulls, 453
 primary key, 21–23
 Product Catalog application, 113–117
 Product Maintenance application, 231–234
 redundant data, 452

- relational databases (*continued*)
 - repeating data, 452
 - Report application, 272–274
 - secret codes, 453
 - Shopping Cart application, 153–159
 - stored procedures, 454
 - tables, 19–21
 - triggers, 454
 - RememberMeText attribute, 62
 - repeating data in databases, 452
 - Report application
 - connection string, 276
 - CreateOrdersDB.sql script, 274
 - Customers table, 272–273
 - database, 272–274
 - Default page, 283–285
 - design decisions, 271–272
 - features, 269
 - InsertData.sql script, 274–275
 - Master Page, 276–277
 - Order user control, 277–283
 - OrderItems table, 273–274
 - Orders table, 273
 - Print Order page, 286
 - SQL statements, 275
 - test data, 274–275
 - user interface, 270–271
 - <roleManager> element, 89
 - Rollback method, 216
 - runat attribute
 - ChangePassword control, 70
 - CreateUserWizard control, 63
 - Label control, 39
 - Login control, 61
 - LoginStatus control, 74
 - PasswordRecovery control, 68
 - running applications, 39–40
- S •**
- SalePriceLabel label, 129
 - Schardt, James A. (*UML 2 For Dummies*), 30
 - scripts
 - CreateBlogDB.sql script (Blog application), 386–388
 - CreateCartDB.sql script (Shopping Cart application), 157–159
 - CreateContentsDB.sql script (Content Management System), 299–300
 - CreateDB.sql script (Product Maintenance application), 233
 - CreateForumDB.sql script (Forum application), 338–340
 - CreateOrdersDB.sql script (Report application), 274
 - CreateProducts.sql script (Product Catalog application), 116–117
 - InsertData.sql script (Blog application), 388–389
 - InsertData.sql script (Forum application), 340
 - InsertData.sql script (Product Maintenance application), 234
 - InsertData.sql script (Report application), 274–275
 - InsertData.sql script (Shopping Cart application), 159
 - InsertProducts.sql script (Product Catalog application), 118–119
 - second normal form (2NF), 25–26
 - secret codes in databases, 453
 - Secure Socket Layers (SSL), 145
 - security features
 - authentication, 56–57
 - authorization, 56–59
 - ChangePassword control, 60, 69–72
 - CreateUserWizard control, 60, 62–66
 - Login control, 60–62
 - LoginName control, 60, 73–74
 - LoginStatus control, 60, 74–75
 - LoginView control, 60, 72–73
 - membership providers, 59–60
 - PasswordRecovery control, 60, 66–69
 - security threats
 - cross-site scripting (XSS), 75–76
 - malicious scripts, 75–76
 - SQL-injection attacks, 77–78
 - <SelectParameters> element, 131, 263
 - session state, 144–145
 - setParameter method, 247
 - Setup project, 52
 - shipping goods
 - charges, 145
 - international shipments, 144

Shopping Cart application
 Cart database, 153–159
 Cart page, 146, 148–149, 171–181
 CartItem class, 164, 203–207
 Check Out page, 148–152,
 181–190, 192–193
 Completed page, 152–153
 connection string, 161
 CreateCartDB.sql script, 157–159
 credit card transactions, 145
 Customer class, 162–163, 194–199
 Customers table, 154–155
 design decisions, 144–145
 features, 143
 folders, 161
 InsertData.sql script, 159
 inserting order data, 159–161
 international shipments, 144
 log in requirement, 144
 Master Pages, 165–168
 Order class, 164–165, 207–212
 OrderDB class, 165, 212–220
 OrderItems table, 156
 Orders table, 155
 page flow, 146
 PayPal, 145
 Product Detail page, 146–147, 168–170
 Product List page, 146–147
 Profile feature, 145
 queries, 159
 shipping charges, 145
 ShoppingCart class, 163, 199–202
 SSL (Secure Socket Layers), 145
 state features, 144–145
 test data, 159
 user interface, 145–152
ShoppingCart class (Shopping Cart application), 163, 199–201
SiteMapDataSource control, 436
SiteMapPath control, 442
SortedDictionary class, 203
SortedList class, 203
source code on CD, 4, 456–457
Source view, 37
SQL names, 28

SQL statements
 Blog application, 389–390
 Content Management System (CMS) application, 302–303
 Forum application, 341–342
 Product Maintenance application, 235–237
 Report application, 275
SqlDataSource control, 125, 433–436
 SqlDataSource1 control, 124, 129
 SqlDataSource2 control, 124, 129
 SqlDataSource3 control, 124, 130
 SqlDataSource2_Deleted method, 266
 SqlDataSource2_Inserted method, 267
 SqlDataSource2_Updated method, 267
SQL-injection attacks, 77–78
SSL (Secure Socket Layers), 145
Stack class, 203
Start Page (Visual Web Developer 2005 Express Edition), 34
state features
 overusing, 447–448
 session state, 144–145
 Shopping Cart application, 144–145
stored procedures, 454
storyboards, 12
structure charts, 30
SubmitButtonImageUrl attribute, 68
SubmitButtonText attribute, 68
SubmitButtonType attribute, 68
SuccessPageUrl attribute
 ChangePassword control, 72
 PasswordRecovery control, 68
SuccessText attribute
 ChangePassword control, 72
 PasswordRecovery control, 68
system requirements for CD, 455
System.Collections.Generic namespace, 203, 442
System.Web.Security.MembershipProvider class, 59

• T •

tables (databases)
 nulls, 453
 number of, 451
 planning, 19–21

technical support for CD, 457
 telephone number for Wiley Product Technical Support, 457
 templates
 FormView control, 264, 439
 Master Pages, 429
 Web sites, 35–36
 test data
 Blog application, 388–389
 Content Management System (CMS) application, 301
 Forum application, 340
 Product Catalog application, 118–119
 Product Maintenance application, 234–235
 Report application, 274–275
 Shopping Cart application, 159
 testing
 acceptance testing of an application-development project, 10
 common mistakes, 447
 regression testing, 447
 Text attribute, 38–39
 Text Box control, 42–44
 TextLayout attribute
 Login control, 62
 PasswordRecovery control, 68
 themes
 folders, 46–47
 uses, 442
 third normal form (3NF), 26–27
 threads (forums), 330
 Threads page (Forum application)
 .aspx code, 350–353
 code-behind file (C# version), 353–354
 code-behind file (VB version), 353, 355
 <Content> element, 353
 features, 332, 350
 FormView control, 353
 GridView control, 353
 GridView1_SelectedIndexChanged method, 354
 illustration, 333
 LinkButton control, 353
 LinkButton1_Click method, 354
 Threads table (Forum application), 337

threats to security
 cross-site scripting (XSS), 75–76
 malicious scripts, 75–76
 SQL-injection attacks, 77–78
 three-layer architecture, 15
 TitleText attribute, 62
 topics (forums), 330
 Topics table (Forum application), 336–337
 tr_CommentCount trigger, 388
 TreeView control, 442
 triggers
 defined, 454
 tr_CommentCount, 388
 tr_PostCount, 388
 troubleshooting CD problems, 457
 tr_PostCount trigger, 388



UML 2 For Dummies (Chonoles and Schardt), 30
 UML (Unified Modeling Language), 30–32
 unmoderated forum, 330
 <UpdateParameters> element, 244, 263
 user accounts for Content Management System, 303–304
 user authentication
 defined, 56
 forms-based, 56
 Passport, 57
 Windows-based, 56
 User Authentication application
 Admin page, 82–83, 94–95
 anonymous users, 90
 Change Password page, 86–87, 101–102
 Content page, 81–82, 93–94
 design decisions, 88
 features, 79–80
 folders, 88–89
 Login page, 81, 95–96
 Master Pages, 88, 91–93
 page flow, 80
 Password Confirmation page, 100–101
 Recover Password page, 84–85, 98–100
 Recovery Confirmation page, 84–86
 Register page, 97–98

- Registration page, 82–84
- user interface, 80–87
- User List page, 86–87, 102–104
- web.config file, 89–91
- User Interface Flow Diagrams, 12
- user interfaces
 - Blog application, 376–383
 - Content Management System (CMS) application, 291–296
 - defined, 13
 - designing, 16–17
 - Forum application, 331–335
 - Product Catalog application, 107–109, 111
 - Product Maintenance application, 224–229
 - Report application, 270–271
 - Shopping Cart application, 145–152
 - User Authentication application, 80–87
- User List page (User Authentication application)
 - .aspx code, 103
 - code-behind file (C# version), 104
 - code-behind file (VB version), 104
 - <Content> element, 103
 - DataGridView control, 102
 - features, 86, 102
 - illustration, 87
 - Label control, 103
 - MembershipUserCollection class, 103
 - .NET Membership class, 102
- user-input controls, 16
- UserNameFailureText attribute, 69
- UserNameInstructionText attribute, 69
- UserNameLabelText attribute
 - ChangePassword control, 72
 - CreateUserWizard control, 65
 - Login control, 62
 - PasswordRecovery control, 69
- UserNameTitleText attribute, 69

• U •

- validating input data, 448
- .vb extension (code-behind files), 426
- view (defined), 15, 29

- visibility, 31
- visibility indicator, 31
- Visual Basic, coexistence with C#, 4
- Visual Basic 2005 Express Edition, 34
- Visual C# 2005 Express Edition, 34
- Visual Web Developer 2005 Express Edition (VWDE)
 - cost, 9, 33
 - Start Page, 34

• W •

- Web Forum application
 - connection string, 342
 - CreateForumDB.sql script, 338–340
 - database, 338–340
 - design decisions, 329–330
 - features, 329
 - Forums table, 335–336
 - Home page, 331–332, 343–350
 - InsertData.sql script, 340
 - log in requirements, 330
 - Master Page, 342–343
 - Messages page, 332–333, 355–360
 - Messages table, 338
 - New Message page, 367–374
 - New Thread page, 334, 360–367
 - page flow, 331
 - Post Reply page, 334–335
 - SQL statements, 341–342
 - test data, 340
 - Threads page, 332–333, 350–355
 - Threads table, 337
 - Topics table, 336–337
 - user interface, 331–335
- Web forums
 - ASP.NET-specific, 449
 - defined, 329
 - moderated, 330
 - threads, 330
 - topics, 330
 - unmoderated, 330
- Web services (App_WebReferences folder), 46–47, 427
- Web Site Administration Tool, 443

Web sites

creating, 35–36

Design view, 37

file system, 35

FTP, 36

HTTP, 35

naming, 36

Setup project, 52

Source view, 37

templates, 35–36

web.config file, 39, 52, 89–91

Weblog application

Blog page, 378, 395–402

Blogs table, 384

Comments page, 379, 402–406

Comments table, 385–386

connection string, 390

CreateBlogDB.sql script, 386–388

database, 383–388

features, 375–376

Home page, 376–377, 392–395

InsertData.sql script, 388–389

Leave Comment page, 379–380, 407–410

log in requirements, 375–376

Login page, 380–381, 410–411

Master Page, 390–392

My Blogs page, 381–382, 412–418

New Post page, 383, 418–422

page flow, 377

Posts table, 384–385

Register page, 381–382, 411–412

SQL statements, 389–390

test data, 388–389

user interface, 376–383

weblog (defined), 375

WebParts feature, 442

Wiley Product Technical Support, 457


Windows-based authentication, 56

Wizard control, 191, 440–441

Wizard1_FinishButtonClick
method, 192

<WizardSteps> element, 187, 191

WriteOrder method, 216



Xcopy deployment, 52

XmlDataSource control, 436

XSS (cross-site scripting), 75–76