

Index

- Abney effect, 117–119
- absorptance, 60
- achromatic color, defined, 84
- adaptation
 - chromatic. See chromatic adaptation and chromatic induction, 113, 124
 - dark, 22–23, 34, 148, 151–152, 159
 - light, 22–23, 148–149, 152
 - mechanisms of, 21
 - motion, 155–156
 - spatial frequency, 155
- additive mixtures, 95, 103
- additivity, Grassmann's law of, 70
- adjustment, method of, 43
- advanced colorimetry, 34
- afterimages, 149, 155
- Albers, Josef, 113
- amacrine cells, of retina, 4
- aqueous humor, 3
- art, color-order systems in, 95, 102, 106
- ASTM Standard Guide for Designing and Conducting Visual Experiments, 35
- asymmetric matching, 43, 46, 160
- ATD color appearance model
 - adaptation model for, 220, 224
 - brightness equation in, 210, 218–220
 - chroma equation in, 220
 - data for, 208, 210, 216
 - example of, 279, 281
 - hue equation in, 216–217, 221
 - limitations of, 197
 - objectives and approach of, 196
 - opponent-color dimensions in, 200
 - perceptual correlates in, 201
 - predictions of, 201, 205
 - saturation equation in, 201–202
- axons, defined, 5

- background, defined, 137
- Bartleson–Breneman equations, 126, 130
- basic colorimetry, 51
- Bezold–Brücke hue shift, 116, 118–119
- bidirectional reflectance distribution
 - functions (BRDF), 63
- bidirectional transmittance distributions
 - functions, 63
- black-body radiator, 58
- blackness, NCS value, 95

- blind spot, 6, 10–12
- Bradford–Hunt 96c color appearance model, 208
- Bradford–Hunt 96s color appearance model, 208
- brain
 - visual area 1 of, 13, 15
 - and visual signal processing, 12, 15
- brightness, 86
 - chromaticity and, 117–119
 - colorfulness reproduction, 92
 - in color appearance, 85
 - defined, 79
 - luminance and, 100

- cameras, digital, 319
- category scaling, 47–48
- characterization
 - approaches to, 238
 - defined, 243–244, 248, 250
 - goals of, 54
- chroma, 87, 92
 - in color appearance, 85
 - defined, 84–85, 87–88, 90
 - equation for, 90
 - Munsell, 85
- chromatic adaptation, 19, 21, 23–25
 - cognitive mechanisms of, 127
 - defined, 120
 - example of, 112, 114, 118, 120, 128
 - high-level, 149, 154
 - mechanics of, 124
 - models of, 148–149, 152–154, 157, 159, 162, 164–165
 - photoreceptors in, 148, 151, 153, 157
 - physiology of, 149, 154
 - receptor gain control in, 151, 153
 - sensory mechanisms of, 157, 159–160
 - subtractive mechanisms of, 149, 153
 - time course of, 159
 - treatises on, 158
- chromatic adaptation models, 146–149, 152–153, 157–160, 162–165
 - applications of, 164–165
- CAT02 transform, 183–184, 191–195
 - concerns of, 166
 - equations for, 162–163
 - Fairchild's model, 183, 190–191

- MacAdam's model, 166, 172
- Nayatani's model, 172–174, 177–178, 181
- retinex theory, 171–172
- treatises on, 158
- von Kries model, 151, 157, 165
- chromatic adaptation transforms, 163–164
- chromatic color, defined, 84
- chromatic contrast, 34, 28f
 - contrast sensitivity functions for, 33–34, 27f
- chromatic induction, 113, 124
- chromaticity and brightness, 119
 - diagrams of, 77–78
- chromaticness, NCS value, 100–102
- CIE illuminants, 56, 58–59
 - characteristics of, 63, 66, 130
- CIE 1931 Standard Colorimetric Observer, 73, 76, 61t, 74t, 307
- CIE 1964 Supplementary Standard Colorimetric Observer, 77, 82
- CIE 1976 Uniform Chromaticity Scales, 78–79
- CIECAM02 color appearance model, 238–239
 - adaptation model in, 241, 246, 251
 - brightness, 239–240
 - Cartesian coordinates, 246–247
 - chroma, 243–244
 - colorfulness, 239, 243–244, 246
 - hue, 239, 243
 - input data, 240–241, 246
 - inverse model, 243
 - implementation guidelines, 245
 - lightness, 239, 243
 - objectives, 240, 245
 - opponent dimensions, 248
 - phenomena predicted, 243
 - saturation, 239
- CIECAM97s color appearance model, 238
 - appearance correlates in, 246
 - chromatic adaptation in, 239, 241, 243, 245–248, 250–251
 - data for, 239–240
 - historical background for, 239, 241, 244, 246, 248
 - invertibility, 259–260
- CIELAB color space, xv, 81
 - color differences in, 78, 80–81
 - coordinates of, 161
 - described, 154, 159–160, 162–163
 - example of, 229
 - lightness scale of, 161
 - limitations of, 170
 - mapping of, 164, 179
 - recommended usage of, 300, 303, 306
 - testing of, 264
 - uniformity of, 185, 189
 - utility of, 305
 - wrong von Kries transforms in, 191–192, 194
- CIELAB ΔE_{ab}^* , 80–81
- CIELUV color space, 81, 194–195
 - example of, 279, 281
 - testing of, 264
- CIE94 color difference model, 81
- CMC color difference equation, 81
- CMYK, device coordinates, 315
- color(s)
 - adaptation to, 19
 - characteristics of, 63, 66
 - constancy of, 24, 132–133, 164–165
 - corresponding, 159–162, 164, 162f–163f, 255, 261–262
 - defined, 47, 159
 - memory, 24, 130, 132
 - related, 84, 146, 162, 164
 - triangle of, 54–55, 66, 82, 55f
 - tristimulus values and, 70–71
 - unrelated, 88–89, 120, 130
- color appearance
 - cognitive aspects of, 132
 - spatial influences on, 112, 125, 128
- color appearance models, applications of, 238
 - ATD, 239
 - Bradford–Hunt models, 246
- CIECAM02, 238–239
- CIECAM97s, 238–239
- CIELAB, 184–186, 189, 191–195
- CIELUV, 184, 194–195
 - color attributes and, 84–85, 89, 91
 - construction of, 184–185
 - corresponding-colors data and, 255, 261–262
 - current cutting edge, 300
 - defined, 183, 189
 - developments for the future, 299, 306
 - and device independent color imaging, 309–310, 312–313, 315, 321–322, 324, 330–331
 - direct-model testing of, 264
 - Hunt's, 196–197, 201, 203, 205–206
 - LLAB, 239, 245–246, 249–251
 - magnitude-estimation experiments and, 263
 - Nayatani's, 196–199, 202–207
 - pictorial review of, 253
 - psychophysics and, 53, 66
 - qualitative testing of, 264
 - research on, 299
 - RLAB, 225, 227–228, 230–232, 234–237
 - testing of, 94, 165, 264
 - utility of, 90
 - variety of, 301, 304–305
 - visual system and, 35, 46, 52
 - ZLAB, 255, 260–263

- color appearance phenomena, 108
- color appearance reproduction, 255, 261
- color constancy, 24, 132–133
 - computational, 164–165
- color differences specifications, 64
- color differences measurement, 245
 - application of color appearance models to, 254
 - future directions for, 253
 - recommendations for, 260
 - techniques of, 246
- color gamut, 261
- color measurement, 285
 - based on ICC Profile Format, xiv
- color matching, 70–73, 76–77, 74t
- color matching functions, 70–72, 76–77
 - average, 71, 81
- color naming systems, 109
 - types of, 97, 104, 106–107
- color order systems, 94–96, 103, 106–109
 - applications of, 94–95, 97–98, 102–103, 106–109
 - in art and design, 105, 107
 - in communication, 107
 - in education, 107–108
 - in evaluation of color appearance models, 104
 - and imaging systems, 98, 108, 110
 - limitations of, 102, 107–108
 - in visual experiments, 106
- color preference reproduction, 287
- color preferences, 314, 324, 327–328, 331
- color rendering, 279, 293–295
 - application of color appearance models to, 278–281, 283–287, 289–295
 - CIE technical committee on, 279, 291–293
 - future directions for, 294
 - indices for, 293
 - recommendations for, 293–294
 - techniques of, 285, 287, 289, 294
- color reproduction
 - defined, 273–274
 - enhancing accuracy of, 282
 - levels of, 275
- color spaces(s)
 - CIE, xiii, 78–79
 - color differences in, 78, 80–81
 - viewing-conditions-independent, 283
- color temperature, 56–58
- color vision
 - deficiencies of, 31
 - historic theories of, 17
 - spatial properties of, 27, 28f
 - temporal properties of, 26
- color vision deficiencies, 17–18, 30–33
 - gender and, 31
 - screening for, 33
- colorcurve system, 102–103, 106
- colorfulness, 87–93
 - in color appearance, 85
 - defined, 84
 - varying directly with luminance, 113, 121, 124
- colorimetric color reproduction, 274
- colorimetry
 - absolute, 58, 60, 75
 - advanced, 53–54, 82
 - basic, xviii, 53–56, 66–67, 82
 - defined, 54
 - future directions in, 263
 - normalized, 75
 - origin of, 66
 - relative, 75
- colour standards for image technology, 240
- Commission Internationale de l'Éclairage (CIE), xiii
 - activities of, 279, 291–292, 294
 - See also CIE entries
- communication, color-order systems in, 107
- computational color constancy, 164–165
- cone monochromatism, 31, 33t
- incidence of, 33t
- cone responses
 - transformation of tristimulus values to, 191
- cones, 4, 6, 8–11, 13–15, 21, 23, 27, 30, 34
 - distinguished from rods, 30
 - function of, 8–11
 - relative abundance of, 29
 - role in light and dark adaptation, 151
 - spectral responsivities of, 66–67, 71, 76
 - types of, 6, 8–9, 16–19, 21, 24, 27, 30–31, 33
- constant stimuli, method of, 30
- contrast
 - varying directly with luminance, 116–117
 - varying directly with surround, 125
- contrast sensitivity functions (CSFs), 26–27, 27f, 28f
 - and eye movements, 29–30
 - spatial, 26–27, 29, 34, 15f, 27f, 28f
 - temporal, 26–27, 29, 28f
- cool white fluorescent lamp, and color rendering, 293–295
- cornea
 - described, 1
 - function of, 1
- correlated color temperature (CCT), 56, 58–59
- corresponding color reproduction, 283
- corresponding colors, 159–160, 164, 163f
 - color appearance models and, 252
- Cowan equation, 119–120
- crispening, 113–115, 115f
- CRT display, 139
 - characterization of, 295
- cubo-octahedron, 104

- Dalton, John, 31
- dark adaptation, 19, 22–23, 34, 148–149, 151–152, 152f
 curve of, 10, 21, 21f
- daylight fluorescent lamp, and color rendering, 293–295
- definitions, importance about being enormously careful about, 65
- design, color-order systems in, 106
- deuteranomaly, 31, 33t
 incidence of, 33t
- deuteranopia, 30, 33t
 incidence of, 33t
- Deutsches Institut für Normung. See DIN
- device calibration, 316
- device characterization
 approaches to, 316
 defined, 310–312, 314, 322
 goals of, 313
- device-independent color imaging
 color appearance models and, 309–310, 321
 defined, 310
 device calibration and characterization in, 316, 332
 example system for, 328–329
 gamut mapping and, 315, 321, 324, 326–327
 general solution to, 315–316
 as goal, 313, 327
 ICC implementation of, 330
 inverse process, 328
 process of, 315, 321, 326, 328, 330, 317f
 viewing conditions and, 309–311, 313–315, 320–324, 328–333
- diffuse/normal viewing geometry, 64
- digital cameras, characterization of, 319
- DIN color system, 99
- discounting the illuminant, 24, 34, 127
- education, color-order systems in, 107
- empirical modeling, 318
- equivalent color reproduction, 311, 314
- exact color reproduction, 311
- eye
 anatomy of, 1
 optics of, 1, 3, 4
- Fairchild, M., 238
- Fairchild's chromatic adaptation model, 177
 equations of, 168
 predictions by, 179
- Farnsworth–Munsell 100-hue test, 33
- Fechner's law, 38–39, 39f
- filling-in, 12, 12f
- film mode of appearance, 144
- flare, 319–320, 322, 325
- fluorescence, 65
 in output devices, 312–314, 319–320
- fluorescent lamp, and color rendering, 293–295
- forced-choice method, 44–45
 45/normal viewing geometry, 63–64
- fovea, 5, 8, 10–11, 29–30, 34
- frequency-of-seeing curve, 44, 49
- gamut, 324
 color, 308
 defined, 324
 limits to, 324
- gamut mapping, 324
 defined, 324
 techniques for, 326, 330
- ganglion cells, 5–7, 11–14
- gender, and color vision deficiencies, 30–33, 33t
- graphical rating, 47
- Grassmann's laws, 70–71, 73
- Guth's chromatic adaptation model, 175
 equations of, 168
 predictions by, 170, 173, 175
- haploscopic matching, 46, 160–161
- hard-copy output, 159
- Helmholtz–Kohlrausch effect, 107
- Helson–Judd effect, 122–125, 124f
- herding CATs, 179
- Hering opponent-colors theory, 17–18
- high pressure sodium lamp, and color rendering, 293–295
- horizontal cells, of retina, 6
- hue
 in color appearance, 85
 defined, 54
 Munsell, 95–99, 101–104, 106–107, 97f
 NCS value, 101
 of nonselective samples, 122, 124, 124f
 varying directly with colorimetric purity, 117, 121
 varying directly with luminance, 116–117, 119, 117f, 119f, 121f
- human visual response, quantification of, 66
- Hunt–Pointer–Estevez transformation, 211
- Hunt, R.W.G., 208, 246, 248, 250
- Hunt color appearance model
 adaptation model for, 196–200
 advantages of, 318
 brightness equations in, 201
 chroma equation in, 203
 colorfulness equation in, 204
 data for, 192
 example of, 259–260
 hue equations in, 223, 223t
 inversion of, 221
 lightness equations in, 220

- Hunt color appearance model (*continued*)
 limitations of, 225, 237
 objectives and approach of, 196
 opponent-color dimensions in, 200
 predictions of, 209, 221, 224
 saturation equations in, 211
 testing of, 264
 Hunt effect, 108
- iCAM image appearance model, 340–341
 framework, 340, 346–347, 349–350
 future, 357–359
 image appearance and rendering, 350
 image difference and quality, 355
- ICC profile format, xiv
- illuminant A, 56, 58, 57f
- illuminant C, 58, 57f
- illuminant D50, 59f
 spectral power of, 59f
- illuminant D65, 56, 58, 81, 59f
 and color rendering, 229–301, 300t
 spectral power of, 56, 58, 59f
- illuminant F2, 59, 60f
 spectral power of, 59, 60f
- illuminant F8, 58–59, 60f
 spectral power of, 59, 60f
- illuminant F11, 58–59, 60f
 spectral power of, 58–59, 60f
- illuminant metamerism, 304–306
- illuminant mode of appearance, 143
- illuminants
 CIE, 53, 56, 58–59, 64, 67, 69–70, 72–73, 76–82, 57f, 59f–60f, 61t, 69f, 68t
 discounting, 24, 34, 127
- illumination, standard, 63–64
- illumination mode of appearance, 144
- image appearance models, 335, 339–340
- image quality, 337–340, 345–346, 355, 356f
- image rendering, 339–340, 342, 345–347
- imaging systems, color-order systems in, 108
- indices of metamerism, 303–304, 306
 application of color appearance models to, 301, 303, 305
 future directions for, 301, 303–304, 306
 recommendations for, 306
 techniques of, 300, 302, 304–305
- interaction of color, 113
- International Colour Association (AIC) 1997 meeting, 254
- international lighting vocabulary, 84
- interval scale, defined, 41
- invertibility, 328
- iris, described, 4
- irradiance, 56
- Ishihara's Tests for Colour-Blindness, 33
- just-noticeable difference (JND), 38, 42
 experiments testing, 42–43, 45–46, 50–52
- L cones, 10
 relative abundance of, 13, 19, 29
 spectral responsivities of, 8, 13, 19, 9f
- LABHNU2 model, example of, 296
- Land two-color projection, 130
- lateral geniculate nucleus (LGN), 13
- lens
 described, 1, 6, 13, 17, 24, 34
 function of, 1, 3–5, 8–9
- light adaptation, 113, 146
 curve of, 19, 21f
 role of rods and cones in, 151
- light source
 defined, 54
 types of, 59, 75
- lightness, 78–81
 –chroma reproduction, 92, 92f–93f
 in color appearance, 85
 defined, 79
 equation for, 81
- limits, method of, 43
- linkage chromatic-adaptation model, 152, 162–164, 163f
- LLAB color appearance model
 adaptation model for, 241, 246, 251
 chroma equation in, 239, 244
 color differences in, 243, 246, 250–251
 colorfulness equation in, 249
 data for, 239–240
 example of, 279, 260t
 hue equations in, 243
 lightness equation in, 243
 limitations of, 250
 objectives and approach of, 240, 245
 opponent-color dimensions in, 242, 248
 perceptual correlates in, 243, 249
 predictions of, 239
 saturation equation in, 239
 testing of, 264, 260t
- lookup tables (LUTs), 321, 330
 multidimensional, 320–321
- Lovibond Tintometer, 95
- luminance, 26, 67, 69, 73, 78
 and brightness, 107
 contrast sensitivity functions for, 26, 27f–28f
 varying directly with colorfulness, 107
 varying directly with contrast, 113
 varying directly with hue, 111
- Luo, M.R., 254
- LUTCHI study, 285–287, 291
- M cones, 10, 15
 relative abundance of, 10–11, 42
 spectral responsivities of, 6, 8–9, 13, 19, 23, 9f
- MacAdam's chromatic adaptation model, 172

- Macbeth Color Checker Chart, 108
- macula, 5–6, 34
- magnitude estimation, 47–49
- matching techniques, 45
- Maxwell's color process, 130
- McCullough effect, 155
- measurement
 - colorimetric, 311–321, 330, 332, 329f
 - exhaustive, 316, 318, 328
- memory color, 24, 34, 130, 132
- memory matching, 46, 161
- mercury lamp, and color rendering, 300t
- mesopic vision, 8
- metal halide lamp, and color rendering, 300t
- metamerism, 67
 - indices of, 303–304, 306
 - in input and output devices, 312–313, 320
- metameric, defined, 70
- method of adjustment, 43
- method of constant stimuli, 43–44
- method of limits, 43
- modeling
 - empirical, 316, 318
 - physical, 316–317
- modular image difference model, 340
- modulation transfer functions, 26
- monochromatism, 31, 33t
 - incidence of, 33t
- Mori experiment, 123
- motion adaptation, 155–156
- multidimensional scaling (MDS), 48–49, 51f
- Munsell Book of Color*, 85
- Munsell value scale, 85
- Natural Color System (NCS), 95, 99
 - chromaticness in, 100–102, 101f
 - hue in, 104
- Nayatani's chromatic-adaptation model as
 - basis for color appearance model, 199
 - equations of, 173
 - forebears of, 173
 - predictions by, 162, 164
- Nayatani's color appearance model
 - adaptation model for, 205
 - brightness equations in, 204
 - chroma equations in, 204
 - data for, 197
 - example of, 279, 281
 - hue equations in, 216–217, 222–223
 - inversion of, 221
 - lightness equations in, 220, 222
 - limitations of, 225
 - objectives and approach of, 208
 - opponent-color dimensions in, 215–216
 - predictions of, 209, 221, 224
 - saturation equations in, 217–218, 220, 222
 - testing of, 264
- nominal scale, defined, 40–41
- normal/diffuse viewing geometry, 64
- normal/45 viewing geometry, 64
- normalization constant, in colorimetry, 67, 75–77
- normalized colorimetry, 67, 75
- objects, recognition of, 24
- oblique effect, 29
- observer metamerism, 304–306
- off-center ganglion cells, 15
- on-center ganglion cells, 15
- one-dimensional scaling, 46, 49
- opponent-colors theory
 - Hering's, 17–18
 - modern, 17–19
- opsin, 13
- optic nerve, 4–6, 11, 13
- optical illusions, 128
- Optical Society of America Uniform Color Scales (OSA UCS), 103
- ordinal scale, defined, 40–41, 47, 49
- Ostwald system, 95, 103, 105–106
- output lexicon, defined, 324
- paired comparison experiment, 48–49
- Pantone Process Color Formula Guide, 95, 109
- partition scaling, 47–48
- pass-fail method, 44
- perceptual threshold, 37
- perfect reflecting diffuser (PRD), 65, 75
- photometry, 67, 69, 73, 75
- photopic luminous efficiency function, 72
- photopic vision, 8–9
- photoreceptors, 4–8, 11, 13, 15, 21, 34
 - energy responses of, 10–11, 13, 15–16, 18, 25, 27, 31
 - gain control of, 149, 153
 - see also cones; rods
- physical modeling, 316–317
- pigmented epithelium, 4–5
- Planckian radiator, 58
- pleasing color reproduction, 313
- PostScript Process Color Guide, 110
- power law, 39–40
- preferred color reproduction, 312–314, 327
- presbyopia, 3
- printers, characterization of, 319
- probit analysis, 45
- profile connection space, 331–332
- proportionality, Grassmann's law of, 73
- protanomaly, 31
 - incidence of, 33t
- protanopia, 30
 - incidence of, 33t
- proximal field, defined, 137
- pseudoisochromatic plates, 33

- psychometric function, 44–45
- psychophysics
 defined, 40–44, 47
 experimental concepts of, 41
 experimental design in, 35, 42
 history of, 37, 51
 relation to color appearance modeling, 36, 43, 46, 50–52
- pupil, in adaptation to light and dark, 149
- Purkinje shift, 10, 69
- radiance, 56–57, 65, 67, 75
 equation of, 58
- radiator, black-body, 58
- rank order experiment, 47
- ratio estimation, 47–48
- ratio scale, defined, 41
- receptive fields, 14–16, 26, 14f–15f
- receptor gain control, 149
- reflectance, 60, 63–65
 distribution functions of, 63
- related color, 86–89, 91
 defined, 84, 85, 87, 89, 92
- relative spectral power distribution, 56, 58–59, 75, 57f, 59f–60f, 61t
- response compression, 154, 154f
- retina
 described, 6, 13, 17, 24, 34
 light perception in, 6
 light processing in, 5, 15–16
 structure of, 5–6
- retinal, 11, 13
- retinex theory, 171–172
- RGB, device coordinates, 308
- rhodopsin, 9, 13
- Richter, K., 254
- RLAB color appearance model
 adaptation model for, 228
 chroma equation in, 234
 data for, 227, 234, 233t
 example of, 279, 281
 hue equation in, 232
 inversion of, 234
 lightness equation in, 231–232, 234, 232f
 limitations of, 225, 237
 objectives and approach of, 225
 opponent-color dimensions in, 230
 predictions of, 227, 236
 saturation equations in, 234, 236
 testing of, 264
 usefulness of, 359
- rod monochromatism, 31, 33t
 incidence of, 33t
- rods, 4, 6, 8–11, 13, 21, 34
 distinguished from cones, 30
 function of, 1, 3, 5, 12–13, 17, 26, 34
 luminous efficiency function for, 67, 69–70, 72, 69f
 relative abundance of, 10–11
 role in light and dark adaptation, 148
- S cones, 9–10, 27
 relative abundance of, 10–11, 34
 spectral responsivities of, 8–9, 13, 19
- saturation, 88–91
 defined, 89, 92
 equation for, 90
- scales
 types of, 59, 75
 uses of, 95, 106
- scaling
 multidimensional, 38, 40, 42, 44
 one-dimensional, 46–47, 49
- scanners, characterization of, 316
- scotopic luminous efficiency function, 68t
- scotopic vision, 8–9
- simultaneous binocular viewing, 323
- simultaneous contrast, 112–116, 124, 130, 132, 112f
 complexity of, 114f
 example of, 112, 114, 118, 120, 112f, 115f, 128, 131f
 and shape, 112, 130, 128f
 vs. spreading, 113, 115–116, 116f
- sodium lamp, and color rendering, 293–295
- soft-copy display, 159
- spatial CSFs, 27, 29
- spatial frequency adaptation, 155
- spatial perception, and chromatic perception, 134
- Specification of Colour Appearance for Reflective Media and Self-Luminous Display Comparisons (CIE technical committee), 292
- spectral color reproduction, 310
- spectral luminous efficiency, 67, 69
- spectral power distribution, 54–59, 67, 70–71, 73, 75, 59f
- spectrophotometry, 60
 CIE standards for, 65
- spectroradiometry, 56
- spreading, 113, 115–116, 116f
 vs. simultaneous contrast, 112–113, 115–116, 124, 130, 132, 112f, 114f, 116f, 128f
- stage theory, 19
- staircase procedures, 45
- Stevens effect, 121–122, 125, 123f
- Stevens power law, 38–40
- stimulus
 characteristics of, 130
 defined, 120, 132
- subtractive mixtures, 95
- successive binocular viewing, 322
- surface mode of appearance, 144

- surround
 - contrast and, 113, 116, 124, 130, 132, 116f
 - defined, 120, 132
- tapetum, 5
- TC1-27, Specification of Color Appearance for Reflective Media and Self-Luminous Display Comparisons, 292
- TC1-33, Color Rendering, 293
- TC1-34, Testing Colour Appearance Models, 291
 - model preparation by, 254
- temporal CSFs, 29
 - 10^∞ observer, 76
- testing color appearance models, 183
- Testing Colour Appearance Models (CIE technical committee), 291
 - model preparation by, 254
- threshold experiments, 36, 42
 - types of, 38, 40, 42–44
- Thurstone's law, 48
- tintometer, 95
- transmittance, 60, 63, 71, 75, 63f
 - distribution functions of, 63
- tri-band fluorescent lamp, and color rendering, 293–295
- trichromatic theory, 17, 19
- tristimulus values, 54, 70–73, 75–77, 79, 73f
 - measurement of, 134
 - transformation to cone responses, 167–169, 172–173, 175
 - XYZ, xiii–xiv, 72–73, 76
- tritanomaly, 31
 - incidence of, 33t
- tritanopia, 30
 - incidence of, 33t
- Troland, defined, 240
- Trumatch Colorfinder, 109
- tungsten halogen, lamp, and color rendering, 293–295
- two-color projections, 130
 - 2° color-matching functions, 76
- unrelated color, 88–89
 - defined, 89, 143
- viewing
 - anomalies of, 141–145
 - modes of, 134, 141, 143–144, 144t
- viewing conditions, definition of, 303–304
- viewing-conditions-independent space, 301
- viewing field
 - colorimetric specifications of, 138
 - components of, 134–135, 138, 141, 136f
 - configuration of, 135–136, 138
- viewing geometries, 63–64
- vision
 - experiments on, 35–38, 42–43, 45–47, 50–52
 - human, 55–56, 66, 55f
- visual area 13, 16
- visual experiments, 106
 - types of, 38, 40, 42–44
- visual threshold, 37
- vitreous humor, 3, 32
- volume mode of appearance, 144
- von Kries chromatic-adaptation model
 - equations of, 178–179
 - history of, 166
 - predictions by, 178–179, 181
 - testing of, 264
- Ware equation, 119–120
- Weber, E.H., 37
- Weber's law, 37–38
- whiteness, NCS value, 99–104, 106, 108, 101f
- wrong von Kries transforms, 191–192, 194, 180f
- xenon lamp, and color rendering, 293–295
- XYZ tristimulus values, xiii, 73
- yes-no method, 44
- ZLAB color appearance model, 255, 260
 - appearance correlates in, 257, 262
 - chromatic adaptation in, 255–256, 261, 264
 - data for, 264
 - invertibility of, 263
 - similarities of CIECAM97s, 252, 254–255, 259–264