

# Index

## • *Symbols and Numerics* •

&& (ampersands) as logical operator, 113–115

\* (asterisk)

- in assignment operators, 99–100
- extra, beginning lines of comments, 61
- as `import` wildcard, 113, 223, CD17
- in javadoc comments (`/**` and `*/`), 61
- as multiplication operator, 93
- for password masking, 116
- in traditional comments (`/*` and `*/`), 61

\ (backslash)

- escape sequences, 263
- within `String` literals (`\\`), 135

, (comma) in format strings, 178

{ } (curly braces)

- for blocks, 57–58, 107–108, 135
- not replaced by indenting code, 108
- variable declarations within, 135–136

. (dot)

- with `equals` method, parentheses and, 112
- object calling own methods and, 216

“ (double quotes)

- escape sequence for, 263
- surrounding `String` literals, 89

= (equals sign)

- in assignment operators, 99–100
- in comparison operators, 106, 109
- single versus double, 106, 318

! (exclamation mark)

- in comparison operators, 109
- as logical operator, 113

- (minus sign)

- in assignment operators, 99–100
- as decrement operator (`--`), 95, 97–98
- as subtraction operator, 93

() (parentheses)

- enclosing `if` statement conditions, 105
- with `equals` method, `dot` and, 112
- with logical operators, 114
- with methods, 155

% (percent sign)

- as format string placeholder, 178
- as remainder operator, 93–95

+ (plus sign)

- as addition operator, 92
- in assignment operators, 99–100
- as concatenation operator, 92
- as increment operator (`++`), 95–97

;(semicolon) ending statements, 56

' (single quotes)

- escape sequence for, 263
- surrounding `char` literals, 85

/ (slash)

- as division operator, 93
- in end-of-line comments (`//`), 61
- in javadoc comments (`/**` and `*/`), 61
- in traditional comments (`/*` and `*/`), 61

[ ] (square brackets) in array declarations, 259

|| (vertical bars) as logical operator, 113

0, as first index number of arrays, 259

16-bit Unicode, 86

32-bit versus 64-bit numbers, 78

## • *A* •

Access (Microsoft). *See* databases

access modifiers. *See also* `private` keyword; `public` keyword

- for classes, 349–350, CD22–CD24
- default access, 344–347, CD2, CD15–CD19, CD42
- defined, CD2
- for members of a class, 342–348, CD3–CD6

- access modifiers (*continued*)
  - overview, CD2
  - protected access, CD16, CD19–CD22, CD68–CD70
  - using member names in code, CD4–CD6, CD63–CD66
- accessor methods
  - Account class, 167–168
  - as bean methods, 169
  - calling, 170
  - declarations, 169–170
  - Employee class, 176
  - enforcing rules with, 170–171
  - getter methods, 169
  - naming conventions for, 170
  - need for, 166–167
  - private variable names for, 169
  - public declaration for, 169
  - setter methods, 169
  - subclass use of, 192
- Account class
  - accessor methods, 167–168
  - creating objects from, 148–149
  - described, 148
  - display() methods, 153–154
  - flow of action in, 160
  - getInterest() method, 156
  - simple example, 147
- ActionListener interface, CD29, CD45
- actionPerformed method
  - ActionListener interface for, CD29
  - event-handling threads using, CD30–CD31
  - in Odometer applet, CD46
  - overview, CD32
- add method
  - ArrayList class, 285
  - calling for GUI components, 318–319
  - collection classes, 283
  - JFrame class, 225
- addActionListener method, CD31–CD32
- addition operator, 92
- addPlayerInfo method, 234
- Adobe Acrobat Reader (on the CD), 335
- “Al’s All Wet” lyrics (Ritter and Burd), 120
- ampersands (&&) as logical operator, 113–115
- API (Application Programming Interface)
  - additional commentary online, 325
  - calling methods in constructors, 222–225
  - classes as collections of declarations, 91
  - collection classes, 283
  - created by JCP, 47
  - described, 46
  - intimidating size of, 46–47
  - printf format string documentation, 165
  - reference types in, 89
  - source code for programs, 47
  - using, 46–47
  - viewing javadoc pages for, 63–64
- Applet not init'd message, CD41
- applets
  - animation using, CD43–CD47
  - appletviewer (Sun) for, 42
  - described, 41, CD39
  - error messages for, CD41
  - event-handling by, CD47–CD49
  - GameApplet example, CD47–CD49
  - HTML files for, CD40–CD41
  - init method, CD41, CD45, CD46
  - Odometer example, CD43–CD47
  - public keyword required for, CD41–CD42
  - reasons for not using, 41
  - running, 41–43
  - SimpleApplet example, CD39–CD42
  - troubleshooting, 43
- appletviewer (Sun), 42
- Application Programming Interface. *See* API
- arithmetic operators, 92–95
- ArithmeticException, 311, 313–314
- ArrayList class, 283, 285, 286, 287
- arrays
  - analogy for, 258–259
  - assignment statements for, 259, 260
  - for command line arguments, 275–282
  - components or elements, defined, 259
  - creating, 259, 260
  - declarations, 259, 260
  - defined, 258, 259
  - filling using initializers, 264
  - filling using loops, 261–262, 273
  - indices, 259

initializers, 264  
 length of, 263  
 limitations of, 282–283  
 need for, 257–258  
 of objects, 269–275  
 searching, 266–269  
 staying within bounds of, 320  
 using for loop to step through, 264–265  
 values, 259  
 ArtFrame class, CD7–CD8, CD12–CD13  
 ASCII Character Encoding, 85–86  
 assignment operators, 99–100  
 assignment statements  
   for arrays, 259, 260  
   defined, 75  
   initializing versus, 83  
   reading right to left, 75–76  
 asterisk (\*)  
   in assignment operators, 99–100  
   extra, setting off comment lines, 61  
   as import wildcard, 113, 223, CD17  
   in javadoc comments (*/\*\** and *\*/*), 61  
   as multiplication operator, 93  
   for password masking, 116  
   in traditional comments (*/\** and *\*/*), 61  
 Authenticator program, 113–114  
 Authenticator2 program, 115–116

• **B** •

backslash (\)  
   escape sequences, 263  
   within String literals (\*\*), 135  
 backspace escape sequence, 263  
 bean methods. *See* accessor methods  
 birth method, 251, 252, 253–254  
 bits, defined, 76  
 blocks  
   curly braces enclosing, 57–58, 107–108, 135  
   defined, 107, 135  
   with if statements, 107  
   variable declarations within, 135–136  
 blogs, 325–326  
 body of methods, 53  
 bold type in this book, 2

Bonus Chapters for this book  
   Adobe Acrobat Reader for viewing, 335  
   on the CD-ROM, 5–6, 330  
   on the Web, 6  
 boolean type, 84, 86–88, 104  
 break statements, 119, 121, 131, 318  
 Burd, Barry, “Al’s All Wet” lyrics, 120  
 button clicks  
   checking for, 110  
   events, CD28  
   GameFrame program handling, CD28, CD30–CD32  
   interface implementation, CD28–CD29  
 byte type, 82, 83  
 bytecode, 39

• **C** •

C language, 2, 14, 18–19  
 C++ language, 3, 14, 17  
 C# language, 15  
 calling constructors  
   invisible calls, 220–221  
   overview, 209–210  
   from parent class, 217, 218  
 calling methods  
   accessor methods, 170  
   add method for GUI components, 318–319  
   in constructors, 222–225  
   getInterest() method example, 159  
   main method called automatically, 54  
   overview, 52–53  
   returning values, 161  
   within the same object, 216  
   statements for, 55  
 carriage return escape sequence, 263  
 case  
   avoiding mistakes, 317  
   case-sensitivity of Java, 51, 317  
   converting characters to upper, 85, 86  
   when comparing characters, 110  
 catch clause. *See also* try statement  
   for checked exceptions, 308–309  
   continuing program after, 304–305  
   exceptions thrown within, 312  
   for InterruptedException, 308–309

**case** (*continued*)

- InventoryB example, 293
- InventoryC example, 295–297
- InventoryD example, 297–303
- for IOException, 302–304
- multiple per try statement, 297–303
- for NumberFormatException, 299, 300
- for NumberTooLargeException, 301–302
- for OutOfRangeException, 301
- parameter list in, 294

**catch** keyword, 292**CD-ROM with this book**

- Adobe Acrobat Reader on, 335
- Bonus Chapters on, 5–6, 330
- On the CD icon in book margins, 7
- contents, 329–330
- Displayer.java class on, 50
- JCreator on, 31, 35, 329, 334–335
- Jindent on, 336
- NetCaptor on, 336
- running code examples, 333–334
- system requirements, 330–331
- using with Mac OS, 332–333
- using with Windows, 331–332
- WinOne shell on, 336–337

**certification**, 326**changedUpdate** method, CD36**char** type. *See also* characters

- literals, single quotes surrounding, 85
- overview, 84–86
- reading keyboard input for, 134
- String type versus, 85, 89
- table summarizing, 84

**characters**. *See also* char type

- char type for, 84–86
- comparing, 109–110
- converting to uppercase, 85, 86
- reading from a file, 181–184
- reading keyboard input, 103–104, 134
- strings versus, 85, 89

**Character.toUpperCase** API method, 85, 86**CharDemo** program, 84–86**checked** exceptions, 308, 311**CheckPassword** program, 111–112**child** classes. *See* subclasses**City** class, 253–254**class** keyword, 51**Class Wizard (JCreator)**, 67–68**classes**. *See also* members of a class;

## subclasses

- access modifiers, CD22–CD24, CD71–CD72
  - analogies for, 16, 18–22
  - API, as collections of declarations, 91
  - child, defined, 19, 20
  - collection classes, 283
  - creating in JCreator, 67–68
  - creating, overview, 145–150
  - curly braces for, 57
  - defining methods in, 152–155
  - for enum type declarations, 212–213
  - enum types as, 139, 212–213
  - files for, 151
  - fully qualified names for, 223
  - inheritance, 19, 20
  - inner, 213
  - interfaces versus, CD28–CD29
  - multiple per program, creating, 151–152
  - objects as instances, 21
  - parent, defined, 19, 20
  - programs as, 51
  - public keyword for, CD3–CD4, CD8, CD71–CD72
  - putting in packages, CD10–CD12
  - as reference types, 89, 90
  - relationship to objects, 18
  - superclasses, defined, 19, 20
  - variable declarations in, 91, 148, 149
- ClassNotFoundException**, CD59
- CLASSPATH**, CD11
- closing** database connections, CD59
- Clue** program, 136–141
- COBOL**, 14
- code**, defined, 12. *See also* source code collections
- ArrayList class for, 283–287
  - classes, overview, 283
  - generics, 286, 287
  - need for, 282–283
- com.burdbrain.drawings** package, CD7–CD8, CD9–CD10, CD14, CD22
- com.burdbrain.frames** package, CD7–CD8, CD14
- comma** (,) in format strings, 178

- command line arguments
    - checking the number of, 278–279
    - JCreator setup for, 279–281
    - MakeRandomNumsFile example, 276–279
    - need for, 275–276
    - String args[ ] for, 275–276, 277, 278–279
  - comments
    - for API documentation, online, 325
    - commenting out code using, 64–65
    - defined, 60
    - Displayer.java example, 60
    - end-of-line, 61, 65
    - javadoc, 61–62, 63–64
    - lack in this book explained, 63
    - need for, 59–60
    - nesting, 64–65
    - traditional, 61, 64–65
    - uncommenting code, 65
  - comparison operators
    - case issues for characters, 110
    - comparing characters, 109–110
    - comparing numbers, 106, 109–110
    - comparing objects, 110–112
    - single versus double equals sign for, 106, 318
    - table summarizing, 109
  - compiling
    - CLASSPATH for, CD11
    - defined, 39
    - in Java versus other languages, 39
    - multiple classes, 151–152
    - projects in JCreator, 69
    - text-based programs in JCreator, 37, 38
  - components of arrays, 259, 263
  - computers
    - advantages of, 11–12
    - requirements for this book, 3
    - system requirements for the CD, 330–331
  - conditional operator, 275
  - connection.createStatement method, CD58–CD59
  - connectivity, database. *See* databases
  - constructors
    - API method calls in, 222–225
    - calling, 209–210, 220–221
    - default, 218–220
    - defined, 206
    - invisible calls to, 220–221
    - methods versus, 208
    - not inherited by subclasses, 218
    - parameter list in, 209–210
    - required, creating, 219–220, 319
    - static keyword not used with, 239
    - for subclasses, 216–217
    - super keyword for, 217
    - Temperature class, 208–209
    - this keyword in, 211–212
    - variable values assigned by, 210–211
  - converting
    - characters to uppercase, 86
    - numbers to strings, 231
    - strings to numbers, 277–278
  - counters
    - for statement use of, 127–128, 131
    - increment operators for, 126
    - static keyword for, 238
    - while statement use of, 126
  - CreateTable program, CD55–CD59
  - Cross-Reference icon, 6
  - curly braces ({} )
    - for blocks, 57–58, 107–108, 135
    - not replaced by indenting code, 108
    - variable declarations within, 135–136
  - cutCheck method, 176, 178
- D •
- databases
    - connecting and disconnecting, CD58–CD59
    - creating a table and inserting data, CD55–CD56
    - creating an Access database, CD52–CD55
    - drivers for, CD58
    - Java DB, CD52, CD56, CD60
    - retrieving data, CD59–CD61
    - using SQL commands, CD57
  - debugging. *See also* error messages;
    - exception handling
  - applets, 43
  - commenting out code for, 64–65
  - history of, 289–290
  - projects in JCreator, 69

- decimal numbers
  - format strings for, 162–165, 178, 213–214, 231
  - types for, 77–79, 84
- DecimalFormat class, 231, 274
- decision-making statements. *See also specific statements*
  - comparison operators for, 106, 109–113
  - if, enhanced, 115–116
  - if, regular, 102–109
  - logical operators for, 113–115
  - switch, 116–122, 318
- declarations. *See also import declarations; variable declarations*
  - of accessor methods, 169–170
  - API classes as collections of, 91
  - of arrays, 259, 260
  - of default constructor, 220
  - of methods, 53
  - of packages, CD8
  - of reference types, 89–90, 148, 149
- decrement operators, 95, 97–98
- default access, CD2, CD15–CD19, CD42, CD66–CD68
- default constructor, 218–220
- delete method (java.io.File), 135
- DeleteEvidence program, 133–136
- deleting, interactive, do...while
  - statement for, 132–134
- demo versions of software, 334. *See also*
  - CD-ROM with this book
- DemoFinally program, 312–314
- Diaconis, Persi (“The Search for Randomness”), 104
- directories
  - adding to filenames, 185–186
  - for com.burdbrain.drawings package, CD9–CD10
  - FileNotFoundException for, 185
  - Java home, 28–29
  - for Java installation, noting, 25, 28–29
  - Javadoc (for Java documentation), 24, 29
  - ListMyFiles program, 320–321
  - MyProjects (JCreator), 35, 65
  - NoClassDefFoundError, 321, CD9
- disk files. *See files*
- display method
  - Account class, 153–154
  - called by UseAccount class, 154–155
  - header, 155
  - TemperatureNice class, 215, 216, 218
- Displayer.java program
  - adding comments to, 60
  - as a class, 51
  - creating in JCreator, 65–69
  - curly braces in, 57–58
  - finding on the CD, 50
  - main method, 53–54
  - outline structure for, 57–59
  - running in JCreator, 50
  - simple listing, 49
  - System.out.println statement, 54–56
- division operator, 93
- dobirth method, 155–156
- docs (Javadoc) directory, 24, 29, 32–33
- DocumentListener interface, CD36
- DontTellThemTheyLost program, 108–109
- DoPayroll class, 176–177, 184, 186–187
- DoPayrollTypeF class, 194–196, 202–203
- DoPayrollTypeP class, 196–199
- dot (.)
  - with equals method, 112
  - object calling own methods and, 216
- double quotes (“”)
  - escape sequence for, 263
  - surrounding String literals, 89
- double type
  - converting to String, 231
  - defined, 77–78
  - float type versus, 78, 79
  - nextDouble() method for, 104
  - reading keyboard input for, 104
  - as return type, 158–159
  - switching to float, 78
  - table summarizing, 84
- do...while statements
  - checking keyboard input, 133–134
  - DeleteEvidence example, 133–136
  - need for, 132–133

downloading. *See also* Web resources  
 API, 46  
 Java, 23–24, 25–27  
 Java SE Documentation, 25, 27  
 Language Specification, 46  
 Drawing class, CD8–CD9, CD15,  
 CD19–CD20  
 DrawingWide class, CD13–CD15, CD16,  
 CD20  
 DrawingWideBB class, CD18–CD19  
 drawRect method, CD42  
 drawString method, CD42  
 DriverManager.getConnection method,  
 CD58

## • E •

Eclipse IDE, 30  
 elements (components) of arrays, 259, 263  
 ElevatorFitter program, 81–82  
 ElevatorFitter2 program, 86–88  
 else statement, 107  
 Employee class, 175, 176, 178  
 EmployeeInfo.text file  
   creating similar files, 180–181  
   described, 179  
   installed with JCreator, 179  
   read by payOneEmployee method, 177,  
   184  
   viewing in JCreator, 180  
 encrypting passwords, 116  
 end-of-file exception (EOFException), 306  
 end-of-line comments, 61, 65. *See also*  
   comments  
 EnglishSpeakingWorld class, 244–247  
 EnglishSpeakingWorld2 class, 247–249  
 enum types  
   as classes, 139, 212–213  
   creating classes for, 212–213  
   creating variables for, 139  
   declarations for, 139, 212–213  
   for loop stepping through, 136–138, 140  
   pronunciation, 138  
   ScaleName.java class for, 212–213  
   simple, creating, 138–139  
   Temperature class, 207–208

EOFException (end-of-file exception),  
 306  
 equals method (String), 111–112  
 equals sign (=)  
   in assignment operators, 99–100  
   in comparison operators, 106, 109  
   single versus double, 106, 318  
 error messages. *See also* debugging;  
   exception handling  
   for applets, CD41  
   Exception is never thrown..., 304  
   in JCreator, 69  
   NoClassDefFoundError, 321, CD9  
   non-static variable or method  
     cannot be referenced..., 242–243,  
     319–320  
   variable has protected access, 348,  
   CD22  
 escape sequences, 263  
 evaluation versions of software, 334.  
   *See also* CD-ROM with this book  
 event-handling code  
   applet example, CD47–CD49  
   for button clicks, CD28–CD32  
   defined, CD28  
   interface implementation, CD28–CD29,  
   CD36–CD37  
   this keyword for, CD30–CD31  
   threads of execution for, CD30–CD31  
 events, defined, CD28  
 exception handling. *See also* catch  
   clause; try statement  
   acknowledging exceptions in the  
   code, 308  
   ArithmeticException, 313–314  
   catching an exception, defined, 291  
   for checked exceptions, 308–311  
   checked versus unchecked exceptions,  
   308, 311  
   ClassNotFoundException, CD59  
   continuing program after, 304–305  
   creating an exception type, 295–297  
   defined, 291  
   EOFException (end-of-file exception), 306  
   Exception is never thrown...  
   message, 304

exception handling (*continued*)

- FileNotFoundException, 185–186
- finally clause for, 311–314
- IndexOutOfBoundsException, 311
- InterruptedException, 307–311
- InventoryA example, 290–292
- InventoryB example, 293–295
- InventoryC example, 295–297
- InventoryD example, 297–303
- InventoryLoop example, 304–305
- IOException, 302–304
- keywords for, 292
- NullPointerException, 311, 320–321
- NumberFormatException, 200, 290–292, 299
- NumberTooLargeException, 298–299, 301–302
- OutOfRangeException, 295–297, 298, 299, 301
- passing an exception, 291
- process illustrated, 292
- SQLException, CD59
- throwing an exception, defined, 291
- throws clause for, 308, 309–311
- throws IOException clause for, 182, 183–184, 235–236
- Exception is never thrown...
  - message, 304
- exclamation mark (!)
  - in comparison operators, 109
  - as logical operator, 113
- executeQuery method, CD61
- executeUpdate method, CD58
- executing. *See* running Java programs
- expressions
  - assignment operators as, 100
  - conditions as, 106
  - defined, 87
  - in for statements, 129
  - increment and decrement operators in
    - terms of, 98
  - values as, 87
- extending classes. *See* subclasses
- extracting Java SE Documentation, 25

## ● F ●

- FallingForYou program, 121–122
- fall-through switch statements, 121–122
- FAQs, 325
- File class, 135, 182–183
- FileNotFoundException, 185
- files
  - checking for more input data, 286–287
  - for classes, 151
  - copying and pasting code for handling, 181–182
  - end-of-file exception, 306
  - FileNotFoundException for, 185
  - java.io.File class for handling, 135
  - NoClassDefFoundError, 321, CD9
  - PrintStream objects referring to, 268–269
  - reading characters from, 178–179, 181–184
  - reading one line at a time, 186–187
  - Scanner versus PrintStream for, 269
  - specifying exact location for, 185–186
  - storing data in, 179–181
  - writing to, 268–269
- final keyword, 214
- finally clause, 311–314
- findPaymentAmount method
  - FullTimeEmployee class, 195, 196
  - PartTimeEmployee class, 196
  - PartTimeWithOver class overriding, 200–202, 203
- FindVacancy program, 266–269
- FixTheAlternator method, 52–53
- float type, 78, 79, 84
- FlowLayout class, 224, CD49
- Font class, CD42
- font conventions in this book, 2
- for statements
  - AlsAllWet example, 130–131
  - break statements with, 131
  - counters for, 127–128, 131
  - enhanced, 136–141, 264–265
  - expression in, 129

- filling arrays using, 261–262, 273
  - initialization in, 129
  - nesting, 138
  - range of values specified in, 140–141
  - stepping through arrays using, 264–265
  - stepping through `enum` types using, 136–138, 140
  - switch statements in, 130–131
  - types declared in, 140
  - update in, 129
  - variables declared in, 129
  - variables defined in, 140
  - while statement versus, 129
  - Yawn example, 127–128
- form feed escape sequence, 263
- format strings (`DecimalFormat`), 231
- format strings (`printf`)
- API documentation for, 165
  - comma for grouping separators, 178
  - defined, 163
  - Employee example, 178, 213
  - final keyword with, 214
  - internal storage not changed by, 165
  - percent sign as placeholder, 178
  - Temperature example, 213–214
  - UseAccount example, 162–165
- FORTRAN language, 14, 16, 17, 18–19, 289
- Frame class, 91, CD7
- frames. *See also* JFrame type or class
- constructor for, 224–225
  - defined, 91
  - putting drawings on, CD12–CD13
  - setVisible method for, CD7
  - ShowAFrame program for, 88–91, 222
  - SimpleFrame class defining, 222, 223–225
- freeware, 334. *See also* CD-ROM with this book
- FullTimeEmployee class
- creating, 190–192
  - default constructor trip-up example, 219–220
  - findPaymentAmount method, 195, 196
  - payOneFTEmployee method, 198
  - payOnePTEmployee method, 198–199
- fully qualified names, 223
- G •
- GameApplet applet, CD47–CD49
- GameFrame program
- actionPerformed method, CD29, CD30–CD31, CD32
  - addActionListener method, CD31–CD32
  - button-click handling, CD28, CD30–CD32
  - described, CD27
  - interface implementation, CD28–CD29
  - JTextField class, CD27
  - listing for, CD26–CD27
  - this keyword, CD31–CD32
  - threads of execution, CD30–CD31
- GamePanel class, CD47–CD48
- generics, 286, 287
- getConnection method, CD58
- getCurrencyInstance method, 274
- GetData class, CD59–CD61
- getFloat method, CD61
- GetGoing class, 245–247
- GetGoing2 class, 248
- getInterest() method, 156, 157–159, 161
- getName method, 169
- getString method, CD61
- getter methods, 169, 170. *See also* accessor methods
- getText method, CD32
- GNU software, 336
- GoodNightsSleepA program, 308–309
- GoodNightsSleepB program, 309–311
- Gosling, James (Java creator), 17–18
- graphical user interface. *See* GUI
- graphics buffer, CD9
- GridLayout class, 234, 241
- groups. *See* arrays; collections; enum types
- GuessAgain program, 124–126
- GuessingGame program
- comparing two numbers, 106
  - else statement, 107
  - if statement, 102–103, 105–106, 107–108
  - random number generation, 104–105
  - reading from the keyboard, 103–104
  - two runs of, 103

## guessing-game programs

- DontTellThemTheyLost, 108–109
- GameApplet, CD47–CD49
- GameFrame, CD25–CD32
- GuessAgain, 124–126
- GuessingGame, 102–106, 107–108
- GuestList.txt file, 266, 268–269
- GUI (graphical user interface)
  - defined, 38
  - Jigloo GUI builder, 30
  - running a stand-alone GUI, 40–41

## ● H ●

handling exceptions. *See* exception handling

- Hankees.txt file, 232
- hasNext method, 286–287
- hasNextDouble method, 286
- hasNextInt method, 286
- header of methods
  - display() method, 155
  - getInterest() method, 158–159
  - method name in, 159
  - overview, 53
  - parameter list in, 159
  - return type in, 158–159
  - throws IOException clause in, 183–184
  - throwsIOException clause in, 182

## home directory for Java

- copying Java documentation to, 24, 29
- Javadoc directory (docs) in, 24, 29
- JCreator LE setup for, 31–32
- noting during installation, 28–29

## HTML (Hypertext Markup Language)

- for applets, CD40–CD41, CD48
- defined, 42

## ● I ●

icons in margins of this book, 6–7

identifiers, 47–49, 75. *See also* specific identifiers

## IDEs (Integrated Development

Environments), 30–31. *See also* JCreator LE (Light Edition) IDE

## if statements

- block for, 107
- CheckPassword example, 111–112
- comparison operators for, 106, 109–113
- conditions enclosed in parentheses, 105
- conditions as expressions, 106
- DontTellThemTheyLost example, 108–109
- else statement with, 107
- enforcing rules with accessor methods, 170–171

## if statements

- GuessingGame example, 102–103, 105–106, 107–108
- logical operators for, 113–115
- nesting, 115–116
- overview, 102–103, 105–106
- without else statements, 108–109
- implementing interfaces, CD28–CD29
- import declarations
  - asterisk wildcard in, 113, 223, CD17
  - for java.util.Scanner, 103–104
  - overview, 79–80
  - for packages, 223, CD7
  - for reading files, 182
  - for ShowFrame class, CD7–CD8
  - static keyword in, 223, 242
  - for System.in, 109

## increment operators, 95–98, 126

## indenting code, 57, 58, 108

## IndexOutOfBoundsException, 311

## indices of arrays

- defined, 259
- first number as 0, 259
- staying within array bounds, 320
- storing values using, 261–263

## inheritance

- constructors not inherited by subclasses, 218
- described, 19–20
- by subclasses, 190–191, 218

- init method of applets, CD41, CD45, CD46
  - initializers
    - for arrays, 264
    - for static variables, 242
  - initializing for statements, 129
  - initializing variables
    - declarations without, 136
    - overview, 83
    - primitive type, 83, 85
    - reference type, 150
    - static variables, 242
  - inner classes, 213
  - input. *See* keyboard input; mouse input;
    - reading from a file
  - insertUpdate method, CD36
  - installing Java
    - detailed instructions, 27–30
    - directory for, noting, 25, 28–29
    - Java SE Documentation extraction, 25
    - online versus offline installation, 26–28
    - quick-start instructions, 23–24
  - instance variables. *See also* members of a
    - class
    - default access, CD16
    - as members of a class, 341, CD3, CD4, CD16
    - passing to methods, 249
    - this keyword for referencing, 247, CD31–CD32
  - int type
    - converting String to, 277–278
    - nextInt() method for, 103, 104
    - other whole number types versus, 82
    - overview, 80–82
    - reading keyboard input for, 103–104
    - table summarizing, 84
  - Integer class, 277–278
  - Integrated Development Environments (IDEs), 30–31. *See also* JCreator LE (Light Edition) IDE
  - interfaces
    - ActionListener, CD29, CD45
    - classes versus, CD28–CD29
    - DocumentListener, CD36
    - implementing, CD28–CD29
    - ItemListener, CD36
    - MouseListener, CD36–CD37
  - Internet Explorer (Microsoft), 42
  - Internet resources. *See* Web resources
  - InterruptedException, 307–311
  - InventoryA program, 290–292
  - InventoryB program, 293–295
  - InventoryC program, 295–297
  - InventoryD program, 297–303
  - InventoryLoop program, 304–305
  - IOException
    - catching, 302–303
    - as checked exception, 311
    - IOException is never thrown... message, 304
    - throws IOException clause for, 182, 183–184, 235–236
  - italic in this book, 2
  - ItemListener interface, CD36
  - itemStateChanged method, CD36
  - iterations, defined, 126
- 1 •
- Java
    - case-sensitivity of, 51, 317
    - certification, 326
    - as computer programming language, 12
    - demand for programmers, 15
    - downloading, 23–24, 25–27
    - as great object-oriented language, 16
    - history of, 14–15, 17–18
    - installing, 23–24, 27–30
    - interface, CD28–CD29
    - official Web site, 323
    - reasons for using, 13
    - versions compatible with this book, 26
    - versions of, 25
    - Web resources, 323–327
  - Java applets. *See* applets
  - Java Community Process (JCP), 47, 323
  - Java Database Connectivity. *See* JDBC
  - Java DB, CD52, CD56, CD60
  - Java Runtime Environment (JRE), 24, 26

- Java SE (or Java SE API) Documentation, 24, 25, 27, 29
- Java Software Development Kit. *See* JDK (Java Development Kit)
- Java Standard Edition (Java SE). *See* JDK (Java Development Kit)
- Java 2 Standard Edition (J2SE). *See* JDK (Java Development Kit)
- Java Virtual Machine (JVM), 39, 42, CD11
- `java.awt.Graphics` class, CD9
- javadoc comments, 61–62, 63–64. *See also* comments
- Javadoc (docs) directory, 24, 29, 32–33
- javadoc program, 61
- `java.io.Exception` class, 184, 304
- `java.io.File` class, 135, 182–183
- `java.io.PrintStream` class, 268–269
- `java.lang.System.out`. *See also specific methods*
  - static keyword for importing, 242
  - `System.out` objects, 268
- `java.sql` package, CD55
- `java.sql.ResultSet` class, CD61
- `java.util.Random`, 105
- `java.util.Scanner` class. *See* Scanner class
- `javax.sql` package, CD55
- `JButton` class, 225
- JCP (Java Community Process), 47, 323
- JCreator LE (Light Edition) IDE
  - advantages of, 31
  - Class Wizard, 67–68
  - command line arguments setup, 279–281
  - commenting out code with, 65
  - creating a project in MyWorkspace, 65–69
  - creating packages, CD10–CD12
  - custom version on the CD, 31, 35, 329, 334–335
  - error messages, 69
  - General Output pane, 34, 50
  - home directory setup, 31–32
  - for HTML file creation, CD41
  - Javadoc directory setup, 32–33
  - MyProjects directory, 35
  - opening a work area, 35–36
  - Project Wizard, 66–67
  - projects, defined, 36
  - running applets with, 41–43
  - running code on the CD, 333–334
  - running `Displayer.java` in, 50
  - running for the first time, 31–33
  - running stand-alone GUIs with, 38, 40–41
  - running text-based programs with, 34–38
  - Setup Wizard, 31–33
  - Show JDK Help command, 63
  - Start Page, 33
  - uncommenting code with, 65
  - viewing `EmployeeInfo.txt` file, 180
  - viewing javadoc pages using, 63–64
  - work area, defined, 36
  - workspaces, defined, 36
  - workspaces, ready-made, 65
- JCreator PRO, 335
  - `.jcw` file extension, 66
- JDBC (Java Database Connectivity)
  - connecting and disconnecting, CD58–CD59
  - creating a table and inserting data, CD55–CD56
  - packages for, CD55
  - retrieving data, CD59–CD61
  - scrollable result sets, CD57
  - using SQL commands, CD57
  - version used in this book, CD57
- JDBC-ODBC Bridge, CD58
- `JdbcOdbcDriver` class, CD58
- JDK (Java Development Kit)
  - CLASSPATH for tools, CD11
  - downloading, 23–24, 25–27
  - installing, 23–24, 27–30
  - JRE versus, 24, 26
  - other names for, 23, 25
  - versions compatible with this book, 26
  - versions of, 25
- JFrame type or class
  - add method, 225
  - creating objects from, 90
  - `GameFrame` class extending, CD26–CD32
  - `MoneyFrame` class extending, CD33–CD37
  - `pack` method, 234, 235

paint method, CD13  
 reference type declaration, 89–90  
 reference type, defined, 89  
 setDefaultCloseOperation method, 225  
 setLayout method, 224, 235  
 setSize method, 225  
 setTitle method, 224  
 setVisible method, 225, 235  
 SimpleFrame class extending, 222, 223–225  
 TeamFrame class extending, 231–232, 233–236, 239–242  
 Jigloo GUI builder, 30  
 Jindent program (on the CD), 336  
 JLabel class, 234  
 job opportunities, 326  
 JRE (Java Runtime Environment), 24, 26  
 JTextField class, CD27, CD32  
 JustSwitchIt program, 118–120  
 JVM (Java Virtual Machine), 39, 42, CD11

## ● K ●

keyboard input. *See also* exception  
     handling; guessing-game programs;  
     passwords  
 DocumentListener interface for, CD36  
 do...while statement for checking,  
     133–134  
 reading characters, 103–104  
 reading strings, 111–112, 114, 115–116  
 System.in name for, 104  
 types for, 104  
 keywords. *See also specific keywords*  
     case-sensitivity of, 51  
     for exception handling, 292  
     overview, 47–48

## ● L ●

Label objects with GridLayout class, 241  
 Language Specification, 46  
 launching. *See* running Java programs  
 length of arrays, 263  
 line feed escape sequence, 263

listeners, adding to handle events, 319  
 Listing0301 file, 50  
 ListMyFiles program, 320–321  
 literals  
     char, single quotes surrounding, 85  
     defined, 75  
     for primitive types, 83–84  
     String, backslash within, 135  
     String, double quotes surrounding, 89  
     variables versus, 75  
 Loading Java Applet Failed message,  
     CD41  
 logical operators, 113, 114  
 logical type. *See* boolean type  
 long type, 82, 84  
 loops. *See also specific statements*  
     do...while statement for, 132–136  
     enhanced for statement for, 136–141  
     for filling arrays, 261–262  
     for statement for, 127–131  
     iterations, defined, 126  
     while statement for, 124–126, 131–132  
 lowercase. *See* case

## ● M ●

Macintosh computers  
     downloading Java for, 26  
     programs on the CD for, 334–336  
     running text-based programs, 34  
     using the CD with, 332–333  
 main method. *See also specific programs*  
     called automatically, 54  
     enum type declarations before, 139  
     initializing variables in, 150  
     lacking in applets, CD41, CD49  
     overview, 53–54  
     variable declarations in, 148, 149  
 MakeChange program, 93–95  
 MakeRandomNumsFile program, 276–279  
 members of a class  
     defined, 341, CD3, CD16  
     private keyword for, 342–344, CD4–CD6  
     protected keyword for, CD19–CD20,  
         CD21, CD68–CD70

- members of a class (*continued*)
    - public keyword for, CD3–CD6, CD64–CD66
    - using member names in code, CD4–CD6, CD64–CD66
  - method-local variables
    - defined, 246
    - instance variables versus, CD3, CD16, CD63
  - methods. *See also* calling methods; main
    - method; members of a class
    - accessor, 165–171
    - analogy for, 52
    - body, 53
    - constructors versus, 208
    - curly braces for, 57
    - declarations, 53
    - default access for, CD66–CD69
    - defining within classes, 152–155
    - described, 52
    - header, 53, 155, 158–159
    - interface, CD29
    - as members of a class, CD3, CD4, CD16, CD63
    - non-static... cannot be referenced... message, 242–243, 319–320
    - non-static, defined, 242
    - in other languages, 54
    - overriding, 20, 199–203
    - parentheses with, 155
    - passing parameters by reference to, 252–254
    - passing parameters by value to, 250–252
    - passing values to, 158–160
    - passing variables to, 247–249
    - return statement, 159, 161
    - return type, 156
    - return value, 156
    - returning objects from, 254–256
    - returning values from, 161
    - simple example, 52–53
    - static keyword for, 238–239, 241–242
  - Microsoft Access. *See* databases
  - Microsoft Internet Explorer, 42
  - Millionaire program, 77–80
  - minus sign (-)
    - in assignment operators, 99–100
    - as decrement operator (--), 95, 97–98
    - as subtraction operator, 93
  - mistakes, avoiding
    - adding components to a GUI, 318–319
    - adding listeners to handle events, 319
    - anticipating null pointers, 320–321
    - breaking out of switch statements, 318
    - in capitalization, 317
    - comparing values, 318
    - defining required constructors, 319
    - fixing non-static references, 319–320
    - helping Java find files, 321
    - staying within array bounds, 320
  - MoneyFrame program, CD32–CD38
  - MortgageApplet applet, 41–43
  - mortgage-calculation programs
    - applet version, 41–43
    - GUI version, 38, 40–41
    - text-based version, 34–38
  - MortgageText.class file, 39
  - MortgageText.java file, 39
  - mouse input
    - button clicks, 110, CD25–CD32
    - combo box item selection, CD36
    - MouseListener interface for, CD36–CD37
  - mouseClicked method, CD36
  - mouseEntered method, CD36, CD37
  - mouseExited method, CD36, CD37
  - MouseListener interface, CD36–CD37
  - mousePressed method, CD36
  - mouseReleased method, CD36, CD37
  - multiplication operator, 93
  - myFrame variable, 89–91
  - MyNumberedFile.txt file, 277–278
  - MyProjects directory (JCreator), 35, 65
  - myTitle variable, 89
  - MyWebPage.html file, 42
  - MyWorkspace.jcw workspace (JCreator), 65
- *N* ●
- names
    - for accessor methods, 170
    - directory, adding to filenames, 185–186
    - fully qualified, 223
    - for keyboard, 104
    - meaning dependent on context, 243–244
    - member, in code, CD4–CD6, CD64–CD66

- of methods, 155, 159
- for packages, CD8
- for parameters, 212
- `private` keyword for variables, 169
- referencing variables by object, 146–147
- variable versus variable name, 74–75
- `names.txt` file, 284
- nesting
  - classes, 213
  - for statements, 138
  - if statements, 115–116
- NetCaptor program (on the CD), 336
- new keyword
  - new `File` ("") call, 182–183
  - for object creation, 148–149, 206
- newsgroups, 324–325
- `nextBoolean()` method, 104
- `nextDouble()` method, 104, 186, 187
- `nextInt()` method, 103, 104, 186
- `nextLine` method, 186–187
- `NoClassDefFoundError`, 321, CD9
- non-static variable or method
  - cannot be referenced... message, 242–243, 319–320
- `NoSleepForTheWeary` program, 306–307
- `NullPointerException`, 311, 320–321
- `NumberFormat` class, 274
- `NumberFormatException`, 290–292, 299, 300, 311
- numbers. *See also* exception handling
  - comparing, 106, 109–110
  - converting to strings, 231
  - decimal, types for, 77–79, 84
  - `DecimalFormat` class for, 231
  - formatting, 162–165, 178, 213–214, 231, 274
  - literals, 75
  - random, generating, 104–105
  - reading keyboard input, 103–104
  - whole, types for, 80–82, 83–84
- `NumberTooLargeException`, 298–299, 301–302

## O

- object-oriented programming. *See* OOP
- objects. *See also* constructors
  - analogies for, 16, 18, 21–22

- built-in functionality with, 153
- calling own methods, 216
- as instances of classes, 21
- new keyword for creating, 148–149, 206
- passing to methods, 252–254
- referencing variables by, 146–147
- relationship to classes, 18
- returning from methods, 254–256
- `Odometer` applet, CD43–CD47
- `OdometerPanel` class, CD44
- On the CD icon, 7
- On the Web icon, 7
- OOP (object-oriented programming). *See also* classes; objects
  - advantages of, 17, 18–20, 174
  - analogies for, 16, 18–22
  - defined, 17
  - details hidden by, CD2
  - development of, 17–18
  - inheritance in, 19–20
  - languages, defined, 16
  - thinking about data for, 175
- operators
  - arithmetic, 92–95
  - assignment, 99–100
  - comparison, 106, 109–113
  - concatenation, 92
  - conditional, 275
  - increment and decrement, 95–98
  - logical, 113–115
- outline structure for code, 57–59
- `OutOfRangeException` class, 295–297, 298, 299, 301
- overriding methods, 20, 199–203

## P

- `pack` method, 234, 235
- packages
  - for code when not declared, CD14
  - creating in JCreator, CD10–CD12
  - declarations, CD8
  - default access for, CD16–CD17, CD66–CD69
  - defined, 223
  - import declarations for, 223, CD7
  - for JDBC, CD55
  - naming conventions for, CD8

- paint method
  - graphics buffer for, CD9
  - OdometerPanel class, CD45, CD46–CD47
  - overview, CD13
- parameter list
  - in catch clause, 294
  - in constructors, 209–210
  - in header of methods, 159
- parent classes
  - calling constructors from, 217, 218
  - defined, 19, 20
  - super keyword for, 217, 219, 221
- parentheses [()]
  - enclosing if statement conditions, 105
  - with equals method, 112
  - with logical operators, 114
  - with methods, 155
- parseInt method, 277–278, 291, 292
- PartTimeEmployee class, 192–193, 196
- PartTimeWithOver class, 200–202
- passing parameters
  - by reference, 252–254
  - returning objects from methods, 254–256
  - by value, 250–252
- passwords
  - Authenticator program, 113–114
  - Authenticator2 program, 115–116
  - CheckPassword program, 111–112
  - security for, 116
- pausing program execution, 306–311
- payOneEmployee method, 177, 184, 186–187
- payOneFTEmployee method, 198
- payOnePTEmployee method, 198–199
- percent sign (%)
  - as format string placeholder, 178
  - as remainder operator, 93–95
- Player class, 230–233, 236–239
- PlayerPlus class, 237–239
- plus sign (+)
  - as addition operator, 92
  - in assignment operators, 99–100
  - as concatenation operator, 92
  - as increment operator (++), 95–97
- portability, 39
- postdecrement operator, 97–98
- postincrement operator, 96, 97–98
- postIncrementDemo program, 96–97
- predecrement operator, 97–98
- preincrement operator, 95–96, 97–98
- preIncrementDemo program, 95, 96
- primitive types. *See also specific types*
  - as basis of all types, 91
  - important ones to know, 84
  - passing by value, 251–252
  - table summarizing, 83–84
- print method, 80, 263, 268
- printf method
  - display method for, 215, 216
  - format strings for, 163–165, 178, 213–214
  - value parameters for, 163
- println method
  - code in API, 55–56
  - conditional operator with, 275
  - Displayer.java example, 54–56
  - displaying a blank line, 88
  - escape sequences for, 263
  - as PrintStream method, 268
  - System.out.print method versus, 80
- PrintStream class, 268–269
- private keyword
  - for members of a class, CD4–CD6, CD16, CD64–CD66
  - private variables not available to subclasses, 192
  - in variable declarations, 169
- program flow. *See* decision-making statements; loops
- Program0201 (text-based), 35–38
- Program0202 (stand-alone GUI), 40–41
- Program0203 (applet), 41–43
- programming languages, 12, 14–15
- programs, defined, 12
- Project Wizard (JCreator), 66–67
- protected keyword
  - default access versus, CD19
  - for members of a class, CD16, CD19–CD20, CD21, CD66–CD68
  - using in team situations, CD20
  - variable has protected access error, 348, CD22
- public keyword
  - for accessor methods, 169
  - for applets, required, CD41–CD42

for classes, 349–350, CD3–CD4, CD8, CD23, CD24  
 for members of a class, 342–344, CD3–CD6, CD16

## • Q •

querying a database, CD59–CD61

## • R •

random number generation  
   GuessingGame example, 104–105  
   MakeRandomNumsFile example, 276–279  
 reading from a file  
   characters, 181–184  
   copying and pasting code for, 181–182  
   FileNotFoundException, 185  
   import declarations for, 182  
   new File ("") call for, 182–183  
   one line at a time, 186–187  
   overview, 182–184  
   passing scanner name to method, 184  
   referencing java.io.Exception, 184  
   referencing java.io.File, 183  
   specifying file location exactly, 185–186  
   throws IOException clause, 182, 183–184  
 reading input. *See* keyboard input; mouse input  
 reference types  
   classes as, 89, 90  
   declarations, 89–90, 148, 149  
   initializing variables, 150  
   overview, 88–91  
   passing by reference, 252–254  
   as references to objects, 90  
 remainder operator, 93–95  
 Remember icon, 6  
 remove method, 285  
 removeUpdate method, CD36  
 repeating instructions. *See* loops  
 return statement of methods, 159, 161  
 return type, 156  
 return value, 156

reusing code  
   OOP advantages for, 174  
   overriding methods for, 199–203  
   subclasses for, 190–199, 214–215  
 Ritchie, Dennis (C language developer), 14  
 Ritter, Harriet (“Al’s All Wet”), 120  
 Room class, 269–270, 274–275  
 running Java programs. *See also* command line arguments  
   Java applet example, 41–43  
   JCreator projects, 69  
   JVM for, 39  
   with multiple classes, 151–152  
   pausing execution, 306–311  
   stand-alone GUI example, 38, 40–41  
   text-based example, 34–38  
 RuntimeException class, 311

## • S •

safety, 166–167, 214  
 salami scams, 162  
 ScaleName.java class, 212–213  
 Scanner class  
   hasNext method, 286–287  
   hasNextDouble method, 286  
   hasNextInt method, 286  
   import declaration, 103–104  
   nextBoolean() method, 104  
   nextDouble() method, 104, 186, 187  
   nextInt() method, 103, 104, 186  
   static keyword not used with, 104  
 scrollable result sets, CD57  
 SDK. *See* JDK (Java Development Kit)  
 “The Search for Randomness” (Diaconis), 104  
 searching arrays, 266–269  
 security, 116, 166  
 semicolon (;) ending statements, 56  
 setDefaultCloseOperation method, 225  
 setEnabled method, CD32  
 setLayout method, 224, 235  
 setName method, 167–168, 169, 170–171  
 setSize method, 225

- setter methods, 169, 170. *See also* accessor methods
- setText method, CD32
- setTextOnLabel method, CD36
- setTitle method, 224
- setVisible method, 225, 235, CD7, CD49
- shareware, 336. *See also* CD-ROM with this book
- short type, 82, 83
- ShowAFrame program, 88–91, 222
- ShowFrame class, CD7–CD8, CD14
- ShowFrameWideBB class, CD20–CD22
- ShowGuests class, 262, 264, 265
- ShowNames class, 284–287
- ShowRooms class, 271–274
- ShowTeamFrame class, 232, 240
- simple types. *See* primitive types
- SimpleApplet applet, CD39–CD42
- SimpleFrame class, 222–225
- simplicity, 166–167, 287
- SIMULA language, 17
- single quotes (')
  - escape sequence for, 263
  - surrounding char literals, 85
- 16-bit Unicode, 86
- 64-bit versus 32-bit numbers, 78
- SkillMarket Web site, 15
- slash (/)
  - as division operator, 93
  - in end-of-line comments (//), 61
  - in javadoc comments (/\*\* and \*/), 61
  - in traditional comments (\* and \*/), 61
- Slashdot Web site, 326
- slashdotted, 326
- sleep method, 307
- Smalltalk language, 17
- software, defined, 12
- source code
  - for API programs, 47
  - on the CD, running, 333–334
  - commenting out, 64–65
  - defined, 39
  - indenting, 57, 58, 108
  - outline structure for, 57–59
  - reusing, 174, 190–203, 214–215
  - simple example (Displayer.java), 49–69
  - using member names in, CD4–CD6, CD64–CD66
- SourceForge Web site, 327
- SQL (Structured Query Language)
  - commands, using, CD57
- SQLException, 311, CD59
- square brackets ([ ]) in array declarations, 259
- start method (Odometer), CD43, CD45–CD46
- statements
  - assignment, 75–76
  - assignment operators as, 100
  - defined, 55
  - increment and decrement operators in terms of, 98
  - semicolon ending, 56
  - simple example, 54–56
- static keyword
  - in import declarations, 223, 242
  - initializers, 242
  - for methods, 239, 241–242
  - non-static variable or method
    - cannot be referenced from a static context message, 242–243, 319–320
  - not used with constructors, 239
  - not used with java.util.Scanner, 104
  - using object names with, 242
  - for variables belonging to whole class, 236–237, 238, 239, 242
- stop method (Odometer), CD43, CD45, CD46
- String type. *See also* strings
  - char type versus String type, 85, 89
  - converting to int, 277–278
  - equals method, 111–112
  - literals, backslash within, 135
  - literals, double quotes surrounding, 89
  - reference type declaration, 89–90
  - reference type, defined, 89
- strings. *See also* String type
  - characters versus, 85, 89
  - comparing, 110–112
  - converting numbers to, 231
  - converting to numbers, 277–278

- format strings, 163–165, 178
  - reading keyboard input, 111–112, 114, 115–116
  - Stroustrup, Bjarne (C++ language developer), 14, 17
  - Structured Query Language (SQL)
    - commands, using, CD57
  - subclasses
    - access to private variables, CD6, CD64
    - access to public variables, CD6, CD63
    - accessor methods used by, 192
    - constructors for, 216–217, 218–220
    - constructors not inherited by, 218
    - creating, 190–193
    - default access, CD66–CD69
    - default constructor, 218–220
    - described, 19, 20, 190–191
    - for display method, 215–216
    - inheritance by, 190–191, 218
  - subclasses
    - matching parameters, 195
    - maximalist approach for using, 196–199
    - minimalist approach for using, 194–196
    - need for, 188–189
    - for overriding methods, 199–203
    - parent class private variables not available to, 192
    - protected access, CD19–CD21, CD69–CD70
  - subtraction operator, 93
  - Sun
    - appletviewer, 42
    - Web resources, 323, 325
  - super keyword, 217, 219, 221
  - superclasses. *See* parent classes
  - switch statements
    - break statements with, 119, 121, 131, 318
    - fall-through, 121–122
    - in for loops, 130–131
    - overview, 117–120
  - system requirements for the CD, 330–331
  - System.in, 104, 109
  - System.out.print method, 80, 263, 268
  - System.out.printf method. *See* printf method
  - System.out.println method. *See* println method
- 7 •
- tab escape sequence, 263
  - takeANap method
    - GoodNightsSleepA program, 309
    - GoodNightsSleepB program, 310
    - NoSleepForTheWeary program, 307
  - TeamFrame class
    - addPlayerInfo method, 234
    - API names in, 233–234
    - GridLayout class used by, 234, 241
    - listing for, 231–232, 240
    - Player constructor calls by, 233–234
    - throws IOException clause, 235–236
    - using Player class, 231–232, 233–236
    - using PlayerPlus class, 239–242
  - Temperature class, 207–209
  - TemperatureNice class, 215–218
  - text, displaying, 80
  - text files, creating, 180–181
  - text-based programs
    - compiling in JCreator, 37, 38
    - opening a JCreator work area for, 35–36
    - run in JCreator's General Output pane, 34
    - running in JCreator, 37–38
  - 32-bit versus 64-bit numbers, 78
  - this keyword, 211–212, 247, CD31–CD32
  - Thread class, 307
  - threads of execution, CD30–CD31
  - throw keyword, 292
  - throws clause
    - for checked exceptions, 308, 309–311
    - for InterruptedException, 310–311
    - for IOException, 182, 183–184, 235–236
    - multiple exception types in, 311
    - overview, 310–311
  - throws keyword, 292
  - Time class, 91
  - TrackPopulation program, 250–251
  - TrackPopulation2 program, 252
  - TrackPopulation3 program, 253–254
  - TrackPopulation4 program, 155–156
  - traditional comments, 61, 64–65. *See also* comments
  - trial versions of software, 336. *See also* CD-ROM with this book

troubleshooting programs on the CD, 337  
 try keyword, 292  
 try statement. *See also* catch clause  
   for checked exceptions, 308–309  
   continuing program after, 304–305  
   defined, 294  
   InventoryB example, 293  
   InventoryC example, 295–297  
   InventoryD example, 297–303  
   multiple catch clauses with, 297–303  
 tutorials online, 324  
 types. *See also specific types*  
   for characters, 84–86  
   for decimal numbers, 77–79, 84  
   defined, 74, 76  
   for keyboard input, 104  
   overview, 76–79  
   primitive, overview, 83–88  
   reference, overview, 88–91  
   return type, 156  
   for whole numbers, 80–82, 83–84

## • U •

unchecked exceptions, 308, 311, 313  
 uncommenting code with JCreator, 65  
 Unicode, 85–86  
 uppercase. *See* case  
 UseAccount class  
   accessor methods called by, 168  
   display() methods called by, 154–155  
   formatting numbers, 162–165  
   getInterest() method called by,  
     157–158  
   listing for, 147–148  
   main method, 148–150  
   variable declarations in, 148  
 UseAssignmentOperators program,  
   99–100  
 UseTemperature class, 208–210  
 UseTemperatureNice class, 217–218

## • V •

values. *See also* keyboard input  
   in arrays, 259, 261–263  
   assigned by constructors, 210–211

assignment statements for, 75–76  
 boolean type, 86  
 comparing, 318  
 defined, 74  
 enum type, 138  
 as expressions, 87  
 in for statements, 140–141  
 initializing in declarations, 83  
 in method calls, 161  
 passing parameters by, 250–252  
 passing to methods, 158–160  
 returning from methods, 161  
 variable declarations  
   within blocks, 135–136  
   in classes, 91, 148, 149  
   combining, 82  
   defined, 77  
   for enum type, 139  
   within for loops, 129  
   in for statements, 140  
   initializing variables in, 83  
   private keyword in, 169  
 variable has protected access  
   message, 348, CD22  
 variables. *See also* types; variable  
   declarations  
   accessor methods for, 167–168  
   assignment statements for, 75–76  
   assignment versus initialization, 83  
   creating for enum type, 139  
   default access for, 344–347  
   defined, 74  
   initializing, 150  
   literals versus, 75  
   meaning of names and context of,  
     243–244  
   method-local, 246, 341, CD3, CD16  
   non-static... cannot be  
     referenced... message, 242–243,  
     319–320  
   parameters with same name, 211, 212  
   passing to methods, 247–249  
   referencing by object, 146–147  
   simple example, 73–74  
   static keyword for, 236–237, 238, 239, 242  
   this keyword for, 211, 247  
   values assigned by constructors, 210–211

values, defined, 74  
variable name versus, 74–75  
vertical bars (| |) as logical operator, 113  
visitIdaho method, 248, 249  
visitNewJersey method, 248, 249  
void keyword, 155

## • W •

Web pages. *See also* Web resources  
bare minimum HTML file for, CD40  
creating from javadoc comments, 61, 62  
Web resources  
Adobe Acrobat Reader site, 335  
API documentation commentary, 325  
API download site, 46  
applet running information, CD41  
blogs, 325–326  
Bonus Chapters for this book, 6  
bug history information, 290  
FAQs, 325  
Java certification, 326  
Web resources  
Java Community Process site, 323  
Java DB information, CD52  
Java download sites, 24, 25, 26  
Java SE Documentation, 24, 27  
Java site, official, 323  
Java tutorials, 324  
JCP, 47  
JCreator PRO site, 335  
Jigloo GUI builder, 30  
Jindent site, 336  
job opportunities, 326  
Language Specification, 46  
NetCaptor site, 336

for news, reviews, and sample code, 324  
newsgroups, 324–325  
Slashdot, 326  
SourceForge, 327  
support sites for this book, 7, 337  
32-bit and 64-bit number information, 78  
WinOne site, 337  
while statements  
counters for, 126  
for database queries, CD61  
do...while, 132–136  
for statement versus, 129  
GuessAgain example, 124–126  
iterations, 126  
overview, 126, 131–132  
for user input, 132–134  
versatility of, 132  
whole number types, 80–82, 83–84  
Wiley Publishing Customer Service, 337  
windows. *See* frames; JFrame type or class  
Windows computers  
programs on the CD for, 334–337  
using the CD with, 331–332  
WinOne shell (on the CD), 336–337  
workspaces (JCreator), 36, 65, 66  
writing to files, 268–269

## • Y •

Yawn program, 127–128

## • Z •

zero (0), as first index number of arrays,  
259

