

# Index

## Symbols and Numerics

- | **operator**
  - command line syntax, 235
- & **operator**
  - command line syntax, 235
- / **bin directory**
  - commands, 189
- / **dev directory**
  - devices, 60
- / **etc directory**
  - commands, 192
- / **etc/shadow file**
  - passwords, 261, 262
- / **sbin directory**
  - commands, 192
- / **usr/bin directory**
  - commands, 191
  - files, 193
- / **var/log directory**
  - security monitoring, 430
- > **operator**
  - command line syntax, 234
- > **operator**
  - command line syntax, 234
- < **operator**
  - command line syntax, 233

## A

- absolute path**
  - shell commands, 215
- accessibility, desktop configuration, 76**
- accounts**
  - modifying
    - root account and, 270, 271
  - users
    - creating, 32
- ACK flag, TCP packets, 452**
- addresses**
  - e-mail
    - Perl, 555, 556
- administrative commands**
  - shell, 222, 223, 224
- administrator, 250**
- alerts**
  - security, 480
    - Bugtraq mailing list, 481
    - CERT, 481
    - Red Hat errata Web site, 481
- aliases**
  - /etc/aliases and, 487
  - command line syntax, 231, 232
  - hosts
    - /etc/hosts and, 489
- Anaconda, 8**
- analog modems, 91, 94**
- anonymous FTP**
  - configuration, 364, 366
- anonymous read access, FTP server, 365**
- anonymous write access, FTP client**
  - testing, 367, 368
- anonymous write access, FTP server, 366, 367**
- Apache Web server**
  - certificates
    - commercial, 358, 359
  - configuration, 349, 351
  - configuration files, 347
  - development, 345
  - documentation, 345
  - DSOs (dynamic shared objects), 347
  - flexibility, 345
  - initial startup, 347, 348, 349
  - installation, 345, 347
  - OpenSSL software
    - mod\_ssl package installation, 354
  - performance, 345
  - scalability, 345
  - security, 345
  - setup, 344, 345, 347, 349, 350, 351, 352, 353
    - OpenSSL and, 353, 354, 355, 356, 357, 358, 359, 360
  - site setup, 351, 352
  - startup
    - SSL and, 359, 360
  - testing, 349
- application-specific log files, 496**
- application task bars, 39**

## applications

- building, 315, 316, 317, 318, 319
- development
  - C/C++, 596, 597
- e-mail, 389
- graphics, 159
  - Eye of Gnome, 160
  - GIMP, 159, 160
  - GTKam, 162
  - OpenDraw, 161
  - PDF Viewer, 161
  - TVTime, 162
- Internet, 138
- main menu and, 43
- multimedia, 151
  - audio, 152, 153, 154, 155, 156, 157, 158
- office applications, 122
  - installation, 123, 124, 125
  - OpenOffice suite, 123
  - OpenOffice suite, starting application, 126
- panel shortcuts, 45, 46
- preferred
  - desktop configuration and, 78
- printing from, configuration, 374
- Python
  - developing, 598
- source code
  - building from, 515, 516, 517, 518
- sysadmin, 590, 591
- system applications
  - emulators, 166, 167
  - file compression/archiving, 164, 165
  - file management, 163, 164
  - text editor, 163
- System Logs, 496
- window layout, 127

## APT

- Yum comparison, 334

## APT (Advance Package Management Tool), 329, 330, 332

### archives, 499. *See also* backups

- candidates for, 508
- definition, 499
- Perl, 568
- tar application, 499

## archiving

- compression
  - dump, 512
- cpio and, 509
  - creating archives, 509
  - restoring archives, 510, 511
  - selective archiving, 510
- dump and, 511
  - archive creation, 511, 512
  - incremental backups, 512
  - restoring archives, 512, 513

## files

- File Roller, 164, 165
- overview, 507
- storage, 508

## arguments

- command line
  - Perl, 560, 561

## arrays, 548

- associative, 570

## associative arrays, 570

## atime attribute, 179

## attributes

- files, 170
  - time, 179, 180, 181

## audio applications, 152

- CD burning, 156, 157, 158
- CD play, 152, 153
- CD ripping, 156, 157, 158
- multimedia file play, 153, 154, 155, 156

## authentication

- FTP server
  - system accounts and, 368

## auto-completion, 227, 228

## automatic installation, 26, 28

# B

## background

- desktop, 40

## backtick approach, Perl, 561, 562

## backups, 499. *See also* archives

- candidates for, 500
- CD-ROMs, 501
- creating, 502
- definition, 499
- file storage, 501, 502
- frequency, 506, 507
- hard disk, 501
- incremental, 507
- magnetic tapes, 501
- network, 501
- overview, 499
- removable disks, 501
- restoring
  - from CD-ROM, 506
  - saving to CD-ROM, 504
    - configuring CD writer, 504
    - ISO9660 image, 505, 506
- tar application, 499
- tar archive
  - creating, 502, 503
  - restoring from, 503, 504

## balsa package, 309

## Bash, 212

## bashrc file, 237

**binary files, 172**

**block devices, files, 171**

**Bluecurve theme, 75**

**boot disk**

- creating, 28
- installation and, 4

**boot loader**

- dual boot machine, 29
- initial boot up, 29, 30, 32, 34
- installation options, 20

**booting**

- boot loader and, 29
- initial boot up, 29, 30, 32, 34
- from CD
  - installation and, 6
- from DVD
  - installation, 6
- kernel, VPNs and, 461, 462

**Born Again shell, 212**

**Bourne shell, 212**

**broadband routers, Internet connection and, 98, 99**

**browsers. See also Web browsers**

- hardware browser, 63, 64, 65

**brute force attacks, passwords, 260**

**BSD license, 590**

**bug tracker, 581, 582**

**Bugtraq mailing list, 481**

**building applications, 315, 316, 317, 318, 319**

- from source code, 515, 516, 517, 518

**built-in programs, shell, 214**

**burning CDs, 156, 157, 158**

## C

**C library, 212**

**C/C++ application development, 596, 597**

**C-shell, 212**

**Calendar**

- Evolution, 147

**carriage return–line feed pair, text files, 172**

**CD writers**

- configuration, 504

**CD-ROM**

- backups
  - restoring, 506
- booting from
  - installation and, 6

**CD-ROMs**

- backups, 501
  - ISO9660 image, 505, 506
- saving to, 504

**CDs**

- audio
  - playing, 152, 153
- burning, 156, 157, 158
- detection program, 76

- ejecting mounted, 61
- ripping, 156, 157, 158

**CERT (Computer Emergency Response Team), 481**

**certificates**

- commercial, 358, 359
- Web servers
  - private key creation, 356

**character devices, files, 171**

**checksums**

- verifying, 481

**chfn command, 270**

**child processes, 78**

**chmod command, 176**

**chsh command, 270**

**ciphertext, 416**

**CLI (command-line interface)**

- advantages/disadvantages, 47
- file searches and, 58, 59

**clients**

- configuration
  - Yum, 324, 325, 326
- running
  - Yum, 326, 327, 328
- VPNs
  - connection setup, 463, 464, 466, 467
  - Microsoft VPNs, 469, 470

**command**

- Perl
  - readdir, 572

**command line. See also RPM Command Line Interface**

**Tool**

- argument
  - Perl, 560, 561
- mounting and, 62
- print jobs
  - creating, 374
  - substitutions
    - Perl, 564, 565, 566
- syntax, 228
  - | operator, 235
  - & operator, 235
  - <<> operator, 233
  - aliases, 231, 232
  - environment variables, 232
  - file globbing, 228, 229, 230
  - I/O redirection, 233
  - I/O streams, 233
  - quotes, 230, 231
  - system-defined variables, 232
  - user-defined variables, 232
  - xargs operator, 235
- unmounting and, 62
- user groups
  - creating, 272, 273
  - management, 272

# command line

---

## command line (continued)

- users
  - adding, 265, 266, 267
  - management tools, 263, 264, 265

## commands

- /bin directory, 189
- /etc directory, 192
- /sbin directory, 192
- /usr/bin directory, 191
- auto-completion, 227, 228
- chfn, 270
- chmod, 176
- chsh, 270
- configure, 317
- df, 223
- fdisk, 203
- find, 184, 185, 186
- grep, 187
- groupadd, 272
- history, 225
- iptables, 454, 455, 456, 457
- locate, 183, 184
- ls, 52, 170, 182, 216
- make, 317
- man, 48
- mount, 197, 199, 223
- mv, 217, 218
- parted, 203
- passwd, 267
- Perl
  - pack, 551
  - system, 563, 564
  - uptime, 561
- ps, 213
- reboot, 223
- SELinux, 479, 480
- shell, 214
  - administrative, 222, 223, 224
  - filesystem, 215, 216, 217, 218, 219
  - process management, 219, 220, 221
- shutdown, 222
- su, 222, 283, 284, 285
- sudo, 286, 287
- tar, 414
- touch, 181, 217
- tune2fs, 209
- umask, 176
- useradd, 267
- userinfo, 269
- whereis, 55
- which, 55
- xargs, 187

## commercial certificates, 358, 359

## compatibility

- filesystems, 201, 202

## compiling

- application builds, 315, 316, 317, 318, 319
- development tools
  - installing, 314, 315
- packages, 313, 314
- root user and, 287, 288

## compressing files

- File Roller, 164, 165

## compression

- tar archives, 504

## computer

- shut down, 50, 51

## conditional constructs, 242, 243, 244

## configuration

- Apache Web server
  - configuration files, 347
  - SSL, 354, 355
- CD writer, 504
- clients
  - Yum, 324, 325, 326
- Custom option, 2
- desktop, 75, 76, 77, 78
- DHCP client, 403
- DHCP server, 399, 400
  - Windows 2000 machines, 403, 405
- firewalls
  - Fedora Core, 453, 454
- FTP server
  - anonymous, 364, 366
- kudzu, 206
- Mozilla, 111, 112, 113, 114
- network devices
  - manual, 22
- networking
  - DNS hostname, 22
  - DNS server, 22
- Package Management Tool, 302
- Personal desktop, 1
- printers, 373
  - cupsd printer daemon, start/stop, 373
  - printing from applications, 374
- printers
  - print jobs created at command line, 374
- root account, 25
- Samba
  - files/utilities, 378, 379
  - shares, 383, 384
  - SWAT, 380, 381, 382, 383, 384, 385, 386, 387
- Sendmail, 390, 391, 392
  - testing, 393
- Server configuration option, 1
- Service Configuration application, 443, 444
- shell, 236
  - prompt, 237

- system configuration, 485
    - configuration files, 487
    - DNS server, locating, 486
  - Tripwire, 434, 435, 436, 437, 438
  - Web servers
    - Apache, 347, 349, 351
  - Workstation configuration option, 1
  - configure command, 317**
  - connection profiles, multiple Internet connections, 104, 105, 106, 107**
  - connections**
    - Internet, 89, 90, 91, 93, 94, 96, 97, 99, 100, 101, 102
      - analog modems, 91, 94
      - broadband routers, 98, 99
      - connection profiles, 104, 105, 106, 107
      - DNS, 100
      - e-mail, 114, 115, 116
      - FTP clients, 116
      - high-bandwidth connections, 95, 97
      - instant messaging, 119
      - LANs, 99, 100
      - Network Configuration Tool, 90, 91
      - news clients, 114, 115, 116
      - security, 103, 104
      - starting, 108
      - VPN connections, 102
      - Web browsers, 109, 110, 112, 113, 114
      - wireless, 101
      - Xchat, 118
    - networks, 452
      - TCP, 452
    - ssh
      - setup, 471, 472, 473, 474, 475
    - VPN clients
      - setup, 463, 464, 466, 467
  - constants**
    - Perl, 570
  - constructs**
    - conditional, 242, 243, 244
  - Contacts**
    - Evolution, 148, 150
  - contents, directories**
    - displaying, 57
    - listing, 52, 53
  - contributing to Fedora Project, 579, 580, 581, 582, 583, 584, 585, 586**
  - control keystrokes, 224, 225**
  - converting files**
    - quality, 134
  - copying**
    - files
      - dual boot systems, 203
      - rcp (remote copy), OpenSSH suite, 475, 476
      - scp (secure copy), OpenSSH suite, 475, 476
  - CPAN extension**
    - extension installation, 544, 545
  - cpio, 509**
    - archive creation, 509
    - archiving selectively, 510
    - restoring archives, 510, 511
  - CPU**
    - information detection, 65
    - usage information, 72
      - load average, 73, 74
  - Crack program, 413, 414, 416, 417, 418**
  - cracking passwords, 413, 414, 416, 417, 418**
  - credentials, user accounts, 250**
  - cron daemon**
    - etc/crontab and, 487
    - unattended jobs, 432
  - cryptography**
    - GPG (GNU Privacy Guard), 419, 420, 421, 422, 423, 424
      - public key, 419, 420, 421, 422, 423, 424
  - CSRs (Certificate Signing Requests), 356**
  - ctime attribute, 179**
  - CUPS**
    - printer installation, 371, 372, 373
  - CUPS (Common UNIX Printing System), 370**
  - cupsd printer daemon**
    - start/stop, 373
  - current directory, 56**
    - changing, 57
  - cursor keys, 225, 226**
  - Custom configuration option, 2**
  - CVS (Concurrent Versions System)**
    - module building, 584, 585
    - repository connection, 583
    - source code checkout, 583, 584
- ## D
- daemons**
    - pppd, 462
    - security and, 440
    - syslogd, 498
  - data transfer**
    - security, 409
  - databases**
    - lease database, DHCP server, 401
    - updating
      - Tripwire, 439
      - user account database, 258
  - date and time**
    - setup, 30
  - date and time applet, 39**
  - debugging**
    - bug tracker, 581, 582
  - decryption, 429**

# defaults

---

## defaults

etc/bashrc and, 487

## desktop

- application task bars, 39
- background, 40
- configuration, 75, 76, 77, 78
- date and time, 41
- date and time applet, 39
- GNOME, 38
- GNOME desktop control center, 75, 76, 77, 78
- KDE, 38
- keyboard shortcuts, 77
- login photo, 77
- panel, 38, 40
  - shortcut buttons, 39
- Personal desktop configuration option, 1
- screen resolution, 41
- themes
  - Bluecurve, 75
- workspace, 39
  - switcher, 39

## detecting

hard disk, 206

## developing applications

Python, 598

## development applications

- future of Linux, 595, 596, 597, 598, 600, 601, 602, 603
- jEdit, 595, 596
- MySQL, 601, 603
- PHP, 599, 600, 601

## development tools

source code applications, 514

## device drivers

kernel, 521

## device independent subsystems, 521

## devices

- /dev directory, 60
- filesystem, 59
- information detection, 66
- mounting, 60
  - automatically, 61
  - root user and, 281, 282, 283
- network
  - information detection, 67
  - manual configuration, 22
- networked
  - Internet connection and, 99
- networks
  - DNS hostname, 22
  - DNS server, 22

## df command, 223

## DHCP (Dynamic Host Configuration Protocol), 397

## DHCP client

- configuration, 403
- installation, 403

## DHCP servers

- benefits, 398
- configuration, 399, 400
- dhcpd service
  - starting, 401
- installtion and, 5
- IP addresses
  - static, 402, 403
- lease database, 401
- setup, 397, 398, 399, 400, 401, 402, 403, 405
- package installation, 399
- Windows 2000 machines, 403, 405

## dhcpd service

- starting, 401

## dictionary attacks, passwords, 261

## directories

- /bin
  - commands, 189
- /dev, 60
- /etc
  - commands, 192
- /etc/rc and, 491
- /sbin
  - commands, 192
- /usr/bin
  - commands, 191
  - files, 193
- contents
  - displaying, 57
  - listing, 216
- contents, listing, 52, 53
- current
  - changing, 57
- current directory, 56
- moving, 217, 218
- permissions, 176, 178
- root, 51
- security, 491
- shared libraries
  - /etc/ld.so.conf and, 490
- shell commands
  - creating/removing, 216, 217
- skel, 492
- sysconfig, 492
- top-level, 53
- users, 250

## directory permissions, 176

## disabling services, 440, 441, 442, 443, 444, 445

## disk

- usage summary, 223

## disk partitions. See partitions

**disk usage monitor, Perl, 569, 570, 572, 573, 574, 575, 576**

**disks**

- boot disk
  - creating, 28
- mounting, 223
- removable, backups and, 501

**display**

- settings, 30

**display card**

- information detection, 70

**displaying**

- directory contents, 57

**DNS (domain name service)**

- installation and, 5

**DNS (Domain Name System), 100, 342**

**DNS hostname**

- configuration, 22

**DNS server**

- configuration, 22
- installation and, 5
- system configuration and, 486

**documentation, 588**

- Apache Web server, 345

**dotted quad notation, 340**

**downloads**

- CD images for installation, 2
- FTP server
  - anonymous configuration, 364
- Official Fedora Core Security Guide, 482
- TAR files, 414
- Tripwire, 434, 435, 436, 437, 438

**drives**

- managing, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208
- mounting, 195, 196
  - flash drives, 199
  - Hardware Browser, 196
  - manually, 197, 199

**DSL (Digital Subscriber Line) connections, 95, 97**

**DSOs (dynamic shared objects), Apache, 347**

**dual-boot system**

- file copy and, 203
- installation, 13, 15, 17

**dump, 511**

- archive creation, 511
  - compressed archives, 512
  - incremental backups, 512
- restoring archives, 512, 513

**DVD**

- booting from
  - installation and, 6

**dynamic addresses**

- Internet connection, LANs, 99

## E

**e-mail**

- applications, 389
- Evolution
  - importing from other formats, 150
- Mozilla, 139, 141
  - mail client, 116
- Perl
  - addresses, 555, 556
  - message body, 556, 557
  - subject, 556
- receiving messages, Sendmail, 396, 397
- sending
  - Perl, 552, 553, 554, 555, 556, 557
- sending messages, Sendmail, 396
- Sendmail
  - client setup, 394
  - Ximian Evolution, 114
    - Microsoft Exchange access, 114, 115

**ejecting mounted CDs, 61**

**elements**

- Perl
  - extracting, 550

**emulators, 166**

- VMWare, 166
- Wine, 167

**enabling services, 440, 441, 442, 443, 444, 445**

**encryption, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429**

- cryptography
  - public key, 419, 420, 421, 422, 423, 424
- keys
  - expiry date, 421
  - managing, 424, 425, 426
- passwords, 260
- private key, 419
  - passphrase, 419
- public key
  - trust relationships, 426, 427, 428

**environment variables**

- command line syntax, 232
- search path, 54

**error checking**

- Perl, 554

**/etc/bashrc, 487**

**/etc/aliases, 487**

**/etc/csh.cshrc, 487**

**/etc/default/useradd, 488**

**/etc/fstab, 488**

**/etc/group, 488**

**/etc/grub.conf, 488**

**/etc/hosts, 489**

**/etc/hosts.allow, 489**

**/etc/hosts.deny, 489**

**/etc/init.d, 489**

**/etc/inittab, 490**

**/etc/issue, 490**

**/etc/issue.net, 490**

**/etc/ld.so.conf, 490**

**/etc/logrotate.conf, 490**

**/etc/modprobe.conf, 491**

**/etc/passwd, 491**

**/etc/rc, 491**

**/etc/resolv.conf, 491**

**/etc/security, 491**

**/etc/shadow, 492**

**/etc/shells, 492**

**/etc/skel, 492**

**/etc/sysconfig, 492**

**/etc/sysctl.conf, 492**

**/etc/syslog.conf, 493**

**/etc/X11/org.conf, 487**

**/etc/xinetd.conf, 493**

**Evolution, 144**

Calendar, 147

Contacts, 148, 150

e-mail

importing from other formats, 150

icon, 45

Inbox, 147

menu bar, 146

Microsoft Exchange Server connection, 150

setup, 144, 145

Tasks, 148

toolbar, 146

**Excel**

OpenCalc compatibility and, 136

**execute permission, 176**

**existing partitions, installation and, 17, 20**

**exporting**

keys, 424, 425

**ext filesystems, 200**

**extensions**

Perl

installation, 544, 545

**external modules**

loading

Perl, 555

**external programs, shell, 214**

**Eye of Gnome graphics application, 160**

## F

**FAT (file allocation table system) filesystem, 200**

**fdisk command, 203**

**Fedora**

networks and, 338

**Fedora Core**

firewall

configuration, 453, 454

**Fedora Project**

bug tracker, 581, 582

contributions, 579, 580, 581, 582, 583, 584, 585, 586

mailing lists, 580, 581

**FIFOs, 171**

**file compression**

File Roller, 164, 165

**file formats**

conversion quality, 134

OpenOffice, 132, 134

**file globbing, 228, 229, 230**

**file locking**

User Manager, 263

**file management**

Nautilus, 163, 164

**file permissions, 175**

**File Roller, 164, 165**

**file servers**

description, 375

Samba, 376

configuration files/utilities, 378, 379

installation, 376

smbclient utility, 384, 385

smbmount utility, 385, 386

start/stop, 377, 378

SWAT, 380, 381, 382, 383, 384

setup, 375, 376, 377, 378, 379, 380, 381, 382, 383,

384, 385, 386, 387

**filesystems**

devices

adding, 59

information detection, 66

hierarchy, 51, 52, 53, 54, 55

navigating

GUI, 55, 56

terminal emulator, 56

**filesystem table, 488**

**filenames**

auto-completion, 227

ls command, 182

white space in, 182

**files**

/usr/bin directory, 193

attributes, 170

time, 179, 180, 181

backup

storage, 501, 502

binary, 172

block devices, 171

character devices, 171

configuration

Samba, 378, 379

- configuration files, 487
  - /etc/aliases, 487
  - /etc/bashrc, 487
  - /etc/crontab, 487
  - /etc/csh.cshrc, 487
  - /etc/default/useradd, 488
  - /etc/fstab, 488
  - /etc/group, 488
  - /etc/grub.conf, 488
  - /etc/hosts, 489
  - /etc/hosts.allow, 489
  - /etc/hosts.deny, 489
  - /etc/init.d, 489
  - /etc/inittab, 490
  - /etc/issue, 490
  - /etc/issue.net, 490
  - /etc/ld.so.conf, 490
  - /etc/logrotate.conf, 490
  - /etc/modprobe.conf, 491
  - /etc/passwd, 491
  - /etc/rc, 491
  - /etc/resolv.conf, 491
  - /etc/security, 491
  - /etc/shadow, 492
  - /etc/shells, 492
  - /etc/skel, 492
  - /etc/sysconfig, 492
  - /etc/sysctl.conf, 492
  - /etc/syslog.conf, 493
  - /etc/X11/xorg.conf, 487
  - /etc/xinetd.conf, 493
- converting
  - quality, 134
- copying
  - dual boot systems and, 203
  - rcp (remote copy), OpenSSH suite, 475, 476
  - scp (secure copy), OpenSSH suite, 475, 476
- FIFOs, 171
- groups, 175
- inode, 173
- links, 171, 172
  - hard, 173, 174, 175
  - symbolic, 173, 174, 175
- log
  - application specific, 496
  - searching, 496, 497
- logs
  - viewing, 494, 495, 496
- ls command, 170
- moving, 217, 218
- ownership, 175
- Perl
  - opening, 548, 549
- permissions, 176, 178, 278, 279
  - private, 275
  - public, 275
  - Read-only, 275, 276
  - restricted, 276, 277
  - Write access, 277
- searches
  - find command, 184, 185, 186
  - GNOME search tool, 186
  - locate command, 183, 184
- searching for, 58, 59
- shell commands
  - creating/removing, 217
- size, 181
- sockets, 171
- SSH directories, 171
- substitutions
  - Perl, 566
- text, 172
- types, 170, 171, 172
  - desktop configuration, 76
- files, archival**
  - File Roller, 164, 165
- filesystem, 169**
  - compatibility, 201, 202
  - ext, 200
  - FAT, 200
  - Fedora
    - accessing from MS Windows, 203
  - maintenance, 208, 209
  - Microsoft, 202, 203
  - Nautilus and, 169
  - navigation, 189, 191, 192, 193, 194
  - NTFS, 200
  - partitions and, 200, 201
  - shell commands, 215, 216, 217, 218, 219
    - absolute path, 215
    - directories, 216, 217
    - files, 217
    - relative path, 215
    - working directory, 215
- find command, 184, 185, 186**
- firewalls**
  - Fedora Core
    - configuration, 453, 454
  - iptables command, 454, 455, 456, 457
  - network security and, 452, 453, 454, 455, 456, 457
  - packet filters and, 452
- fixed IP**
  - installation and, 5
- flash drives**
  - mounting, 199
- floppy disks**
  - mounting, 60
- focus**
  - windows
    - desktop configuration, 78
- fonts**
  - desktop configuration, 77

## formatting

- hard disks, 207
- FQDN (fully qualified domain name), 5**
- frequency of backups, 506, 507**
- FTP (File Transfer Protocol), 361**
  - clients, 116
  - SFTP (Secure FTP), 361
- FTP client**
  - anonymous write access
    - testing, 367, 368
- FTP server**
  - anonymous
    - configuration, 364, 366
    - read access, testing, 365
    - write access, 366, 367
  - authentication
    - system accounts and, 368
  - greeting banner, 370
  - gssftpd, 361
  - setup, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370
  - TUX, 361
  - user accounts
    - disabling, 368, 369
  - vsftpd, 361
    - installation, 362, 363, 364
  - wu\_ftpd, 361
- full path name, 54**
- functions**
  - opendir, 572
  - Package Management Tool, 293, 295, 296, 297
  - Perl
    - split, 550
- future of Linux, 587**
  - development applications, 595, 596, 597, 598, 600, 601, 602, 603
  - licensing, 587, 588, 589, 590
  - online resources, 587, 588, 589, 590
  - system administration applications, 590, 591, 593, 594

## G

- Gaim, 138, 141, 142, 144**
- gateway, networking, 342**
- gedit, 163**
- GID (group identification number), 259**
- GIMP (GNU Image Manipulation Program), 159, 160**
- GNOME**
  - desktop, 38
  - desktop control center, 75, 76, 77, 78
  - notification area, 39
  - search tool, 186
  - wildcards, 187
- GNOME Workstation Command Center (GWCC), 591, 592**

- GnomeToaster, 158**
- GNU GPL license, 589, 590**
- GNU LGPL license, 589, 590**
- GPG (GNU Privacy Guard), 307**
  - setup, 420, 421, 422, 423, 424
- graphical installer launch, 8**
- graphical mode installation, 6**
- graphics applications, 159**
  - Eye of GNOME, 160
  - GIMP, 159, 160
  - GTKam, 162
  - OpenDraw, 161
  - PDF Viewer, 161
  - TVTime, 162
- graphics card, 3**
- grep command, 187**
- groupadd command, 272**
- groups, 84**
  - /etc/group and, 488
  - creating
    - User Manager, 254, 255
  - files, 175
  - managing
    - User Manager, 255, 256, 257
    - User Manager, 262, 263
  - users
    - creating, command line and, 272, 273
    - deleting, 273, 274
    - managing, command line and, 272
    - primary groups, 222
- GRUB (grand unified bootloader)**
  - /etc/grub.conf and, 488
- gssftpd FTP server, 361**
- GTKam, 162**
- guessing passwords, 260**
- GUI (graphical user interface), 138**
  - filesystem navigation, 55, 56
- GUI Web browser icon, 45**
- GUIs**
  - Synaptic, 332, 334
- GWCC (GNOME Workstation Command Center), 591, 592**

## H

- hacking, 408**
- handhelds**
  - desktop configuration, 77
- hard disks**
  - adding new, 206
  - backups, 501
  - detection, 206
  - formatting, 207
  - mounting, 207, 208
  - partitioning, 207
  - size, 3

**hard links, 173, 174, 175****hardware**

- graphics card, 3
- hard disk size, 3
- installation needs, 3, 4
- keyboard
  - type, 3
- locating, 63, 64, 65
- mouse
  - type, 3
- physical security, 410, 411
- video card, 3

**hardware browser, 63, 64, 65**

- drive mounting and, 196

**Hardware Compatibility List (HCL), 4****hardware failure, security, 410, 411****hardware failure, data loss and, 408****hardware**

- RAID, 410

**hashes, 570**

- passwords, 412

**HCL (Hardware Compatibility List), 4****hierarchy**

- filesystem, 51, 52, 53, 54, 55

**high-bandwidth Internet connections, 95, 97****history command, 225****home directory, users, 250****hostname**

- networking, 342

**hosts**

- aliases
- /etc/hosts and, 489

**HTML**

- OpenOffice compatibility, 131

**HTTP (Hypertext Transfer Protocol), 344****I****I/O**

- redirection
  - command line syntax, 233
- streams
  - command line syntax, 233

**icons**

- shortcuts, 46

**identities**

- switching, 222

**IMAP (Internet Message Access Protocol), 388****importing**

- e-mail
  - other formats to Evolution, 150
- keys, 426

**Inbox**

- Evolution, 147

**incremental backups, 507**

- dump, 512

**initializing kernel**

- rebuilding and, 522, 523, 524

**inode number, files, 173****installation**

- Apache Web server, 345, 347
  - OpenSSL software and, 353, 354, 355, 356, 357, 358, 359, 360
- automatic, 26, 28
- boot disk, 4
  - creating, 28
- boot loader options, 20
- from CD, 6
- completion, 34
- default language, 8
- development tools
  - package compile, 314, 315
- development tools, 514
- DHCP client, 403
- DHCP server and, 5
- DHCP server packages, 399
- DNS and, 5
- dual-boot system, 13, 15, 17
- from DVD, 6
- graphical installation launch, 8
- graphical mode, 6
- hardware needs, 3, 4
- Internet gateway and, 5
- IP address and, 5
- keyboard selection, 9
- language support
  - additional, 24
- libraries
  - source code applications and, 514
- media test module, 6
- mouse, 9
- networking
  - firewall setup, 22, 23
  - setup, 21, 22
- networks and, 4, 5
- office applications, 123, 124, 125
- packages
  - Package Management Tool, 298, 302
  - selecting, 26
- partitions, 11
  - dual-boot system, 13, 15, 17
  - existing partitions, 17, 20
- Perl, 543
  - extensions, 544, 545
- printers, 371, 372, 373
- root account configuration, 25
- root user and, 287, 288
- Samba, 376
  - SWAT, 380, 381
- Sendmail, 389

# installation

---

## **installation (continued)**

- software
  - additional, 32, 34
  - software necessary, 2
  - text mode, 6
  - time zone setup, 24
  - upgrade versus new, 11
  - vsftpd FTP server, 362, 363, 364

## **instant messaging, 119**

- Gaim client, 138, 141, 142, 144

## **integrity of system, 434**

- Tripwire, 434, 435, 436, 437, 438
  - database update, 439
  - running automatically, 438

## **integrity verification**

- packages, 312

## **Internet**

- applications, 138
- connecting to, 89, 90, 91, 93, 94, 96, 97, 99, 100, 101, 102
  - analog modems, 91, 94
  - broadband routers, 98, 99
  - connection profiles, 104, 105, 106, 107
  - DNS, 100
  - DSL, 95, 97
  - dynamic addresses, 99
  - e-mail, 114, 115, 116
  - FTP clients, 116
  - high-bandwidth connections, 95, 97
  - instant messaging, 119
  - ISDN, 95, 97
  - LANs, 99, 100
  - Network Configuration Tool, 90, 91
  - news clients, 114, 115, 116
  - security, 103, 104
  - starting connections, 108
  - static addresses, 99
  - VPN connections, 102
  - Web browsers and, 109, 110, 112, 113, 114
  - wireless connections, 101
  - Xchat, 118

## **Internet Configuration Wizard, 89**

## **Internet gateway**

- installation and, 5

## **invoking**

- programs
  - path and, 54, 55

## **IP**

- fixed
  - installation and, 5

## **IP addresses**

- static
  - DHCP server and, 402, 403

## **IPs**

- traffic
  - security and, 448, 449, 450, 452

## **iptables command**

- firewall settings, 454, 455, 456, 457

## **IRC (Internet Relay Chat), 118**

## **ISDN (Integrated Services Digital Network) connection, 95, 97**

## **J**

## **jEdit, 595, 596**

## **job control, 239, 240**

## **K**

## **KDE desktop, 38**

## **kernel**

- booting
  - VPNs and, 461, 462
- building
  - VPNs and, 461
  - device drivers, 521
  - device independent subsystems, 521
  - MPPE/MPPC support, 462
- patching
  - VPNs and, 459, 460
- rebuilding
  - initializing, 522, 523, 524
  - reverting to original, 536, 537
  - small, 524, 525, 527, 528, 529, 530, 531, 532, 534, 535, 536
  - scheduling and, 521

## **key servers, 425**

## **key-chain storage drives**

- mounting, 199

## **keyboard**

- auto-completion, 227, 228
- control keystrokes, 224, 225
- cursor keys, 225, 226
- desktop configuration, 77
- information detection, 68
- shortcuts, 224, 225, 226, 227, 228
  - desktop configuration, 77
- special keys, 224, 225, 226, 227, 228
- type, 3

## **keys**

- expiry date, 421
- exporting, 424, 425
- importing, 426
- managing, 424
- private
  - passphrase, 419

## **Korn shell, 212**

**kudzu**

- configuration tool, 206
- hardware detection, 63

**L****L2TP (Layer 2 Tunneling Protocol), 458****language**

- additional support, 24
- default installation, 8

**LANs (local area networks)**

- Internet connection and, 99, 100

**launchers, 39****launching**

- graphical installer, 8

**lease database, DHCP server, 401****libc, 212****libraries**

- source code applications, 514

**licensing**

- BSD, 590
- future of Linux, 587, 588, 589, 590
- open source licenses, 589
  - GNU GPL, 589, 590
  - GNU LGPL, 589, 590

**links**

- files, 171, 172
- hard links, 173, 174, 175
- symbolic links, 173, 174, 175

**Linux**

- client, 343
- future of, 587
  - development applications, 595, 596, 597, 598, 600, 601, 602, 603
  - licensing, 587, 588, 589, 590
  - online resources, 587, 588, 589, 590
  - system administration applications, 590, 591, 593, 594
- networking and
  - advantages of Linux, 339
- Security Enhanced. See SELinux server, 343

**listing**

- users, 224

**LKM (Linux Kernel Modules), 521****load average, CPU usage informatin, 73, 74****local security, 411, 412****locate command, 183, 184****log files**

- rotating, 490

**logging, 493, 494**

- application specific log files, 496
- process overview, 498

- searching log files, 496, 497
  - System Logs and, 496
- syslogd daemon, 498
- viewing log files, 494, 495, 496

**logging out**

- security and, 481

**login, 34**

- checking
  - root user and, 288, 289
- username
  - viewing, 547, 548, 549, 550, 551, 552

**login photo, desktop configuration, 77****logwatch, 430, 431, 432, 433****loops**

- shell scripts, 245, 246

**ls command, 52, 170, 216**

- filenames, 182

**M****magicdev, 61****magnetic tapes, backups, 501****Mail client icon, 45****mail servers**

- description, 388
- e-mail applications, 389
- protocols, 388
- Sendmail
  - configuration, 390, 391, 392, 393
  - e-mail client setup, 394
  - installation, 389
  - reasons to use, 389
  - starting, 392
- setup, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397

**mailing lists, Fedora-related, 580, 581****main menu**

- applications, 43
- Run Program option, 44

**make command, 317****man command, 48****managing**

- partitions, 200
  - filesystems supported, 200, 201

**managing tasks, 238**

- job control, 239, 240
- processes, 238, 239
- scheduling
  - processes, 240, 241

**MDAs**

- Sendmail, demo, 394

**MDAs (Mail Delivery Agents), 389****media test module**

- installation, 6

## memory

information detection, 65

## menu bar

Evolution, 146

Mozilla, 139

## menus

desktop configuration, 76

OpenOffice, 127

## message body, e-mail

Perl, 556, 557

## Microsoft

filesystems

accessing, 202, 203

VPN clients, 469, 470

Windows

Fedora filesystem access, 203

## Microsoft Exchange

e-mail access, 114, 115

server connection to Evolution, 150

## Microsoft Office

OpenOffice compability, 128, 129, 130, 131

## modems

analog, 91, 94

## modules

external

Perl, 555

## mod\_ssl package

Apache Web server, 354

configuration, 354, 355

## monitoring

network services, 446

netstat, 446, 447

nmap, 447, 448

## mount command, 197, 199, 223

## mount point, 60, 223

## mount program, 62

## mounting

CDs

ejecting mounted, 61

command line and, 62

devices

automatically, 61

root user and, 281, 282, 283

disks, 223

drives, 195, 196

flash drives, 199

Hardware Browser, 196

manually, 197, 199

hard disks, 207, 208

## mouse

desktop configuration, 77

information detection, 68

installation, 9

type, 3

## moving

directories, 217, 218

files, 217, 218

## Mozilla

launching, 45

mail client, 116, 139, 141

importing from other clients, 141

Web browser, 138, 139, 141

configuration, 111, 112, 113, 114

plug-ins, 114

proxies, 110

## MP3s

playing, 155

## MPL (Mozilla Public License), 138

## MPPC

kernel support, 462

## MPPC (Microsoft Point-to-Point Compression)

algorithm, 458, 459

## MPPE (Microsoft Point-to-Point Encryption) algorithm, 458, 459

kernel support, 462

## MTAs (Mail Transfer Agents), 389

## mtime attribute, 179

## MUAs (Mail User Agents), 389

## multimedia applications, 151

audio, 152, 153, 154, 155, 156, 157, 158

## multimedia files

playing, 153, 154, 155, 156

## mv command, 217, 218

## MySQL database engine, 601, 603

# N

## NAT (Network Address Translator), 99

## Nautilus, 163, 164

filesystem and, 169

## navigating

filesystem

GUI, 55, 56

terminal emulator, 56

## navigation

filesystem, 189, 191, 192, 193, 194

## navigation toolbar

Mozilla, 139

## netmask, 342

## netstat utility

service monitoring and, 446, 447

## Network Configuration Tool, 90, 91

## network mask, 5

## networked devices, 99

## networking

backup storage, 501

configuration

DNS hostname, 22

DNS server, 22

- devices
    - DNS hostname, 22
    - DNS server, 22
    - manual configuration, 22
  - DHCP server
    - setup, 397, 398, 399, 400, 401, 402, 403, 405
  - DNS, 342
  - Fedora and, 338
  - file servers
    - setup, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387
  - firewall
    - setup, 22, 23
  - FTP server
    - setup, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370
  - gateway, 342
  - hostname, 342
  - installation
    - setup, 21, 22
  - installation and, 4, 5
  - Linux
    - advantages, 339
  - mail servers
    - setup, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397
  - netmask, 342
  - network setup
    - assumptions, 340, 342, 343
  - overview, 338
  - print servers
    - setup, 370, 371, 372, 373, 374, 375
  - protocols, 338
  - servers
    - configuration, 343
  - TCO (total cost of ownership), 339
  - topology, 340
    - dotted quad notation, 340
  - Web server
    - Apache configuration, 349, 351
    - setup, 343, 344, 345, 347, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360
    - site setup, Apache, 351, 352
- networks**
- connections, 452
    - TCP, 452
  - devices
    - information detection, 67
  - proxy
    - desktop configuration, 77
  - security, 440
    - enabling/disabling services, 440, 441, 442, 443, 444, 445
    - firewalls, 452, 453, 454, 455, 456, 457
    - IP traffic, 448, 449, 450, 452
    - monitoring services, 446, 447
    - ssh, 470, 471, 472, 473, 474, 475, 476
  - services
    - netstat monitoring utility, 446, 447
    - nmap monitoring utility, 447, 448
    - xinetd, 445
  - VPNs
    - security, 457, 458, 459, 460, 461, 462, 463, 464, 467, 469, 470
- nmap utility**
- service monitoring and, 447, 448
- notification area, 39**
- NTFS (NT filesystem), 200**
- ## O
- office applications, 122**
- installation, 123, 124, 125
  - OpenOffice suite, 123
  - starting application, 126
- Office Calc**
- icon, 45
- Office Impress**
- icon, 45
- Office Writer**
- icon, 45
- Official Fedora Core Security Guide download, 482**
- OLE (Object Linking and Embedding), 130**
- online resources**
- future of Linux, 587, 588, 589, 590
- open source licenses, 589**
- GNU GPL, 589, 590
  - GNU LGPL, 589, 590
- OpenCalc, 136**
- opendir function, 572**
- OpenDraw, 161**
- OpenImpress, 137, 138**
- opening**
- files
    - Perl, 548, 549
- OpenOffice suite, 123**
- applications
    - starting, 126
  - common functionality, 126, 127, 128, 129, 130, 131, 132, 134
  - file formats, 132, 134
  - HTML compatibility, 131
  - loading options, 129
  - menus, 127
  - Microsoft Office compatibility, 128, 129, 130, 131
  - OpenCalc, 136
  - OpenImpress, 137, 138
  - OpenWriter, 134, 135

## **OpenOffice suite (continued)**

- saving options, 129
- toolbars, 127
- VBA and, 129
- window layout, 127

## **OpenSSL software**

- Apache Web server
  - mod\_ssl package, 354
- Apache Web server installation, 353, 354, 355, 356, 357, 358, 359, 360

## **OpenWriter, 134, 135**

## **operator error, data loss and, 408**

## **ownership of files, 175**

# P

## **pack command**

- Perl, 551

## **Package Management Tool, 293**

- adding/removing packages, 298
- configuration files, 302
- functions, 293, 295, 296, 297
- package installation, 298, 302
- Remove Packages window, 296
- removing packages, 299, 302
- starting, 293
- Update System GUI, 296

## **packages**

- APT, 329, 330, 332
- balsa, 309
- compiling
  - application builds, 315, 316, 317, 318, 319
  - development tools, installation, 314, 315
- DHCP server
  - installation, 399
- installation, 308, 309, 310
  - selecting for, 26
- integrity verification, 312
- managing
  - Yum, 323, 324, 325, 326, 327, 328, 329
- queries
  - RPM, 292
  - RPM Command Line Interface Tool, 303, 304, 305, 306
- removing, 310, 311
  - Package Management Tool, 299, 302
- RPM
  - security, 306, 307
- signed
  - verification, 308
- source
  - uncompiled, 313, 314
- TAR files, 313, 314
- upgrades, 311

## **packet filters**

- firewalls and, 452

## **panel**

- desktop, 40
- notification area, 39
- shortcut buttons, 39
- shortcuts
  - adding, 45
  - applications, 45, 46

## **panel, desktop, 38**

## **parent processes, 78**

## **parsing**

- Perl and, 564

## **parted command, 203**

## **partitions**

- dual boot systems, 200
- fdisk command and, 203
- hard disk, 207
- installation, 11
  - dual-boot system, 13, 15, 17
  - existing partitions, 17, 20
- managing, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208
  - filesystems supported, 200, 201
- parted command and, 203
- super block, 208
- swap, 207

## **passwd**

- command, 267
- program
  - permissions, 179

## **passwords, 258, 412**

- /etc/passwd and, 491
- brute force attacks, 260
- changing
  - own account, 268, 269
- cracking, 413, 414, 416, 417, 418
- desktop configuration, 77
- dictionary attacks, 261
- hashes, 412
- selecting, 412, 413
- shadow password file, 412
- User Manager
  - /etc/shadow file, 261, 262
  - encryption, 260
  - guessing, 260

## **patches**

- creating, 585, 586

## **patching kernel**

- VPNs and, 459, 460

## **path**

- invoking programs and, 54, 55

## **path name, 54**

## **PCI devices**

- information detection, 71

**PDF Viewer, 161****performance**

Apache Web server, 345

**Perl**

advantages, 542

archives, 568

command argument, 560, 561

command line substitutions, 564, 565, 566

commands

pack, 551

readdir, 572

system, 563, 564

uptime, 561

constants, 570

disadvantages, 542

disk usage monitor, 569, 570, 572, 573, 574, 575, 576

e-mail

addresses, 555, 556

message body, 556, 557

sending, 552, 553, 554, 555, 556, 557

subject, 556, 557

elements

extracting, 550

error checking, 554

extensions

installing, 544, 545

files

opening, 548, 549

substitutions, 566

functions

split, 550

installation, 543

introduction, 539

modules

loading external, 555

overview, 540, 541, 542, 543

parsing, 564

pipes, 561, 562

record separators, 555

records

reading, 549

regular expressions, 564

starting, 546, 547

strict, 548

syntax, 554

system load, 558, 559, 560, 561, 562, 563, 564, 565,

566, 568, 569

users

login name display, 547, 548, 549, 550, 551, 552

**permissions, 84**

directories, 176, 178

files, 175, 176, 178, 278, 279

private, 275

public, 275

Read-only, 275, 276

restricted, 276, 277

Write access, 277

passwd program, 179

setuid, 179

**permissions block, 175****Personal desktop configuration, 1**

**PHP (PHP Hypertext Preprocessor), 599, 600, 601**

**physical security, 410, 411**

**physical threats, security, 409**

**PIM (personal information management), 144. See**

**pipes**

Perl, 561, 562

**plug-ins**

Mozilla and, 114

**policies**

SELinux, 480

**POP (Post Office Protocol), 388**

**POP3**

starting

Sendmail and, 395

**port forwarding, 99**

**PPP (Point-to-Point Protocol)**

daemon (pppd), 462

**PPTP (Point-to-Point Tunneling Protocol), 458**

**Presentation software icon, 45**

**presentations. See OpenImpress**

**primary groups, 222**

**print jobs**

creating at command line, 374

**Print manager icon, 45**

**print queues, 371**

**print servers. See also CUPs**

printer installation, 371, 372, 373

setup, 370, 371, 372, 373, 374, 375

**printers**

configuration, 373

cupsd printer daemon, start/stop, 373

print jobs created at command line, 374

printing from applications, 374

installation, 371, 372, 373

**printing**

from applications, 374

**private files, 275**

**private key encryption, 419**

expiry date, 421

**private keys**

creating

Web server certificates, 356

passphrase, 419

**probing, hacking, 408**

**process management**

shell commands, 219, 220, 221

## processes

- child processes, 78
- parent processes, 78
- running
  - controlling, 81
  - viewing, 79, 80
- scheduling, 240, 241
- task management, 238, 239

## programs

- built-in, shell, 214
- external, shell, 214
- finding, 55
- invoking
  - path and, 54, 55

## properties

- user accounts, 258, 259, 260

## protocols, 338

- L2TP (Layer 2 Tunneling Protocol), 458
- mail servers, 388
- PPTP (Point-to-Point Tunneling Protocol), 458
- TCP/IP connections, 452

## ps command, 213

## public files, 275

## public key cryptography, 419, 420, 421, 422, 423, 424

## public key encryption

- expiry date, 421
- importing keys, 426
- publishing key, 424, 425
- signatures on keys, 427
- trust relationships, 426, 427, 428

## publishing public key, 424, 425

## Python

- application development, 598

# Q

## queries

- packages
  - RPM Command Line Interface Tool, 303, 304, 305, 306

## queries, packages

- RPM, 292

## quotes

- command line syntax, 230, 231

# R

## RAID (Redundant Array of Independent Disks), 410

## RAM

- information detection, 65

## rcp (remote copy), OpenSSH suite, 475, 476

## read permission, 176

## read-only files, 275, 276

## readdir command

- Perl, 572

## reboot, 222

## reboot command, 223

## rebuilding kernel

- initializing, 522, 523, 524
- reverting to original, 536, 537
- small, 524, 525, 527, 528, 529, 530, 531, 532, 534, 535, 536

## record separators, Perl, 555

## regular expressions

- Perl, 564

## relative path

- shell commands, 215

## removable disks, backups, 501

## Remove Packages window, Package Management Tool, 296

## repositories

- Yum, 324

## repository, CVS

- connecting to, 583

## Request Tracker (RT), 594

## resolution

- desktop, 41

## resource usage, monitoring, 72

## restoring

- archives
  - cpio, 510, 511
  - dump, 512, 513
- backups
  - from CD-ROM, 506
  - from tar archive, 503, 504

## restricted files, 276, 277

## right-click menu, workspace, 42

## ripping CDs, 156, 157, 158

## root account

- configuration, 25
- Package Management Tool, 293
- security and, 412

## root directory

- usr subdirectory, 51

## root user, 83

- account modification and, 270, 271
- compiling and, 287, 288
- date and time
  - desktop, 41
- installation and, 287, 288
- login check and, 288, 289
- mounting devices and, 281, 282, 283
- need for, 280, 281
- running software and, 287, 288
- su command and, 283, 284, 285
- sudo command and, 286, 287

## rotating log files, 490

**RPM**

- benefits, 292
- packages
  - queries, 292
  - security, 306, 307
- security and, 292
- upgrades and, 292
- verification and, 292

**RPM Command Line Interface Tool, 303**

- packages
  - queries, 303, 304, 305, 306

**RPM Package Management Tool**

- adding/removing packages, 298
- configuration files, 302
- functions, 293, 295, 296, 297
- package installation, 298, 302
- Remove Packages window, 296
- removing packages, 299, 302
- starting, 293

**RT (Request Tracker), 594****RTF (Rich Text Format) files, 134****run levels, services, 82****Run Program option, main menu, 44****running clients**

- Yum, 326, 327, 328

**running processes**

- controlling, 81
- viewing, 79, 80

**running software, root user and, 287, 288****S****Samba**

- configuration
  - files, 378, 379
  - SWAT, 380, 381, 382, 383, 384, 385, 386, 387
  - utilities, 378, 379
- installation, 376
  - SWAT, 380, 381
- overview, 376
- shares
  - configuration, 383, 384
- smbclient utility, 384, 385
- smbmount utility, 385, 386
- start/stop, 377, 378
- SWAT
  - adding users, 383
  - initial use, 382, 383
  - share configuration, 383, 384
  - starting, 381
- users
  - adding, 383

**scheduling**

- kernel and, 521
- tasks
  - processes, 240, 241

**scp (secure copy), OpenSSH suite, 475, 476****screen**

- resolution
  - desktop, 41

**screensaver**

- desktop configuration, 78

**scripts**

- shell, 241
  - constructs, 242, 243, 244
  - loops, 245, 246
  - variables, 241, 242

**search path, 54****searches**

- files, 58, 59
  - find command, 184, 185, 186
  - GNOME search tool, 186
  - locate command, 183, 184
- log files, 496, 497
  - System Log and, 496
- strings
  - grep command, 187
- text, 187, 188, 189
- xargs command, 187

**security**

- alerts, 480
  - Bugtraq mailing list, 481
  - CERT, 481
  - Red Hat Errata Web site, 481
- Apache Web server, 345
- daemons, 440
- data transfer, 409
- encryption, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429
  - GPG (GNU Privacy Guard), 419, 420, 421, 422, 423, 424
  - GPG (GNU Privacy Guard), 307
- hacking, 408
- hardware, 410, 411
  - RAID, 410
- hardware failure and, 408
- Internet connections, 103
- local security, 411, 412
- logging out, 481
- monitoring
  - system logs, 429, 430, 431, 432, 433
- Mozilla settings, 111
- network services, 440
  - enabling/disabling, 440, 441, 442, 443, 444, 445
  - monitoring, 446, 447
- networks
  - firewalls, 452, 453, 454, 455, 456, 457
  - IP traffic, 448, 449, 450, 452
  - ssh and, 470, 471, 472, 473, 474, 475, 476
  - VPNs, 457, 458, 459, 460, 461, 462, 463, 464, 467, 469, 470
- operator error and, 408

## **security (continued)**

- overview, 407
- passwords, 412
  - cracking, 413, 414, 416, 417, 418
  - hashes, 412
  - selecting strong, 412, 413
- physical threats, 409
- planning
  - threats, 408, 409, 410
  - value of files, 408
- probing (hacking), 408
- root account and, 412
- RPM and, 292
- RPM packages, 306, 307
- script errors, 412
- SELinux. See SELinux
- Service Configuration application, 443, 444
- services, 440
- system integrity, 434
  - Tripwire, 434, 435, 436, 437, 438, 439
- threats
  - countering, 410, 411, 412, 413, 414, 416, 417, 418
- trojans, 409
- verification, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429
  - signed packages, 308
- verification and, 481
- viruses, 409
- worms, 409

## **security directory, 491**

## **Security Level Configuration, firewall configuration, 454**

## **SELinux (Security Enhanced Linux), 476, 478**

- commands, 479, 480
- online resources, 480
- overview, 478, 479
- policy rules, 480

## **sending e-mail**

- Perl, 552, 553, 554, 555, 556, 557

## **Sendmail**

- configuration, 390, 391, 392
  - testing, 393
- e-mail
  - client setup, 394
  - receiving messages, 396, 397
  - sending messages, 396
- installation, 389
- MDA, 394
- POP3 service, 395
- reasons to use, 389
- starting, 392

## **Server configuration, 1**

### **servers**

- configuration, 343
- DHCP server
  - setup, 397, 398, 399, 400, 401, 402, 403, 405

- file servers
  - setup, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387

### **FTP servers**

- setup, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370

### **key servers, 425**

### **mail servers**

- setup, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397

### **print servers**

- setup, 370, 371, 372, 373, 374, 375

### **Web server**

- Apache configuration, 349, 351
  - setup, 343, 344, 345, 347, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360
- site setup, Apache, 351, 352

### **Web servers**

- Apache, 345, 347, 348, 349

## **Service Configuration application, 443, 444**

## **services, 82**

### **networks**

- enabling/disabling, 440, 441, 442, 443, 444, 445
- monitoring, 446, 447

### **run levels, 82**

### **security and, 440**

### **selecting, 82**

### **xinetd, 445**

## **setuid permissions, 179**

## **SFTP (Secure FTP), 361**

## **shadow password file, 412**

## **shadow passwords**

- /etc/shadow and, 492

## **shared libraries**

- /etc/ld.so.conf and, 490

## **shares, Samba**

- configuration, 383, 384

## **shell, 54, 212**

- as command line interface, 211

### **Bash, 212**

### **Bourne shell, 212**

### **built-in programs, 214**

### **C-shell, 212**

### **commands, 214**

#### **absolute path, 215**

#### **administrative, 222, 223, 224**

#### **directories, 216, 217**

#### **files, 217**

#### **filesystem, 215, 216, 217, 218, 219**

#### **process management, 219, 220, 221**

#### **relative path, 215**

#### **working directory, 215**

### **configuration, 236**

#### **prompt, 237**

### **external programs, 214**

- Korn shell, 212
- user account modification, 269
- shell scripts, 241**
  - conditional constructs, 242, 243, 244
  - loops, 245, 246
  - variables, 241, 242
- shells**
  - listing
    - /etc/shells and, 492
- shortcut buttons**
  - panel, 39
- shortcuts, 224, 225, 226, 227, 228**
  - applications, 45, 46
  - auto-completion, 227, 228
  - icons
    - size, 46
  - panel
    - adding to, 45
- shut down, 222**
- shut down computer, 50, 51**
- shutdown command, 222**
- signatures**
  - public keys, 427
  - verifying, 481
- signed packages**
  - verification, 308
- site certificates**
  - verifying, 481
- size**
  - files, 181
- skel directory, 492**
- smbclient utility, 384, 385**
- smbmount utility, 385, 386**
- SMTP (Simple Mail Transfer Protocol), 389**
- sockets**
  - SSH directories, 171
- soft links, 173, 174, 175**
- software**
  - installation needs, 2
- sound**
  - desktop configuration, 78
- sound cards**
  - information detection, 71
  - settings, 32
- source code**
  - access, 583, 584, 585, 586
  - applications
    - building, 515, 516, 517, 518
  - applications from, 513, 514, 516, 517, 518
  - checking out, CVS, 583, 584
  - development tools and
    - installing, 514
  - libraries
    - installing, 514
  - module building, 584, 585
  - patch creation, 585, 586
- special keys, 224, 225, 226, 227, 228**
- split function, Perl, 550**
- Spreadsheet software icon, 45**
- spreadsheets. See OpenCalc**
- ssh**
  - network security, 470, 471, 472, 473, 474, 475, 476
  - connection setup, 471, 472, 473, 474, 475
- SSH (Secure Shell) directories**
  - sockets, 171
- SSL (Secure Sockets Layer), 141**
  - Apache Web server
    - configuration, 354, 355
    - startup, 359, 360
  - OpenSSL software
    - Apache Web server installation and, 353, 354, 355, 356, 357, 358, 359, 360
- startup**
  - Apache
    - initial, 347, 348, 349
- startup scripts**
  - /etc/init.d and, 489
- static addresses**
  - Internet connection, LANs, 99
- static IP addresses**
  - DHCP server and, 402, 403
- stream editor**
  - text searches, 188
- strict, 548**
- strings**
  - searches
    - grep command, 187
- strong password selection, 412, 413**
- su command, 222**
  - root user and, 283, 284, 285
- subject, e-mail**
  - Perl, 556, 557
- substitutions in command line, Perl, 564, 565, 566**
- sudo command**
  - root user and, 286, 287
- super block, partitions, 208**
- swap partitions, 207**
- SWAT**
  - initial use, 382, 383
  - installation, 380, 381
  - shares
    - configuration, 383, 384
  - starting, 381
  - users
    - adding, 383
- SWAT (Samba Web Administration Tool)**
  - Samba configuration, 380, 381, 382, 383, 384, 385, 386, 387

## **switching identities, 222**

### **symbolic links, 173, 174, 175**

### **SYN flag, TCP packets, 452**

### **Synaptic, 332, 334**

#### **syntax**

- command line, 228
  - | operator, 235
  - & operator, 235
  - <#62> operator, 234
  - <#62><#62> operator, 234
  - <<> operator, 233
- aliases, 231, 232
- environment variables, 232
- file globbing, 228, 229, 230
- I/O redirection, 233
- I/O streams, 233
- quotes, 230, 231
- system-defined variables, 232
- user-defined variables, 232
- xargs operator, 235

Perl, 554

### **sysadmin application, 590, 591**

### **sysconfig directory, 492**

### **syslogd daemon, 498**

### **system accounts, 258**

- FTP server authentication testing, 368

### **system administration**

- GWCC (GNOME Workstation Command Center), 591, 592
- RT (Request Tracker), 594
- Webmin, 593, 594

### **system administration applications**

- future of Linux, 590, 591, 593, 594

### **system applications**

- emulators, 166, 167
- file compression/archiving, 164, 165
- file management, 163, 164
- text editor, 163

### **system command**

- Perl, 563, 564

### **system configuration, 485**

- configuration files, 487
  - /etc/aliases, 487
  - /etc/bashrc, 487
  - /etc/crontab, 487
  - /etc/csh.cshrc, 487
  - /etc/default/useradd, 488
  - /etc/fstab, 488
  - /etc/group, 488
  - /etc/grub.conf, 488
  - /etc/hosts, 489
  - /etc/hosts.allow, 489
  - /etc/hosts.deny, 489
  - /etc/init.d, 489
  - /etc/inittab, 490
  - /etc/issue, 490
  - /etc/issue.net, 490
  - /etc/ld.so.conf, 490
  - /etc/logrotate.conf, 490
  - /etc/modprobe.conf, 491
  - /etc/passwd, 491
  - /etc/rc, 491
  - /etc/resolv.conf, 491
  - /etc/security, 491
  - /etc/shadow, 492
  - /etc/shells, 492
  - /etc/skel, 492
  - /etc/sysconf, 492
  - /etc/sysctl.conf, 492
  - /etc/syslog.conf, 493
  - /etc/X11/xorg.conf, 487
  - /etc/xinetd.conf, 493
- DNS server, locating, 486

### **system integrity, 434**

- Tripwire, 434, 435, 436, 437, 438
- database update, 439
- running automatically, 438

### **system load, Perl, 558, 559, 560, 561, 562, 563, 564, 565, 566, 568, 569**

### **system logs**

- security monitoring, 429
- /var/log directory, 430
- logwatch tool, 430, 431, 432, 433

### **System Logs application, 496**

### **system-defined variables**

- command line syntax, 232

## **T**

### **tar (tape archive), 499**

### **TAR (Tape Archive) files**

- downloads, 414
- packages, 313, 314

### **tar application, 499**

### **tar archive**

- compressed, 504
- creating, 502, 503
- excluding files, 504
- including files, 504
- restoring from, 503, 504

### **tar command, 414**

### **task management, 238**

- job control, 239, 240
- processes, 238, 239
- scheduling
  - processes, 240, 241

### **Tasks, Evolution, 148**

### **TCO (total cost of ownership), networking, 339**

### **TCP (Transmission Control Protocol), 452**

### **TCP (Transmission Control Protocol), 452**

### **TCP/IP connections**

- protocols, 452

- tcpdump utility**
    - IP traffic and, 448
  - tcsh, 212**
  - terminal emulation, 46, 47, 48, 49, 50**
  - terminal emulator**
    - filesystem navigation, 56
  - testing**
    - Apache Web server, 349
  - text**
    - searches, 187, 188, 189
    - stream editor, 188
  - text editors**
    - gedit, 163
  - text files, 172**
    - carriage return-line feed pair, 172
  - text mode installation, 6**
  - themes, desktop**
    - Bluecurve, 75
  - time attributes, files, 179, 180, 181**
  - time zone**
    - setup, 24
  - toolbars**
    - desktop configuration, 76
    - Evolution, 146
    - OpenOffice suite, 127
  - top-level directories, 53**
  - topology, networking**
    - dotted quad notation, 340
  - topology, networks, 340**
  - touch command, 181, 217**
  - traffic, IPs**
    - network security and, 448, 449, 450, 452
  - Tripwire integrity checker, 434, 435, 436, 437, 438**
    - configuration, 434, 435, 436, 437, 438
    - database update, 439
    - downloading, 434, 435, 436, 437, 438
    - running, 434, 435, 436, 437, 438
    - running automatically, 438
  - Trojans, security, 409**
  - trust relationships**
    - public keys, 426, 427, 428
  - tune2fs command, 209**
  - tunneling**
    - VPNs, 457, 458
      - L2TP, 458
      - PPTP, 458
  - TUX FTP server, 361**
  - TVTime, 162**
  - types of files, 170, 171, 172**
- U**
- UDP (Universal Datagram Protocol), 452**
  - UID (user identification number), 259**
  - umask command, 176**
  - umount program, 62**
  - uncompiled source packages, 313, 314**
  - unmounting**
    - command line and, 62
  - up2date facility, 320, 321, 322, 323**
  - Update System GUI, Package Management Tool, 296**
  - updates**
    - automating, 328
  - upgrade**
    - versus new installation, 11
  - upgrades**
    - packages, 311
    - RPM and, 292
  - uploads**
    - FTP server
      - anonymous configuration, 366
  - uptime command**
    - Perl, 561
  - USB devices**
    - flash drives, 199
    - information detection, 71
  - user account database, 258**
  - user accounts**
    - creating, 32, 252, 253
    - credentials, 250
    - FTP server
      - disabling, 368, 369
    - groups, 254, 255, 262, 263
      - member management, 255, 256, 257
    - information storage, 257, 258, 259, 260, 261, 262, 263
    - passwords, 260
      - /etc/shadow file, 261, 262
      - encryption, 260
      - guessing, 260
    - properties, 258, 259, 260
    - purpose, 250
  - user management**
    - root user, 83
  - User Manager, 251**
    - account information storage, 257, 258, 259, 260, 261, 262, 263
    - creating accounts, 252, 253
    - creating groups, 254, 255
    - deleting users, 272
    - file locking, 263
    - groups, 262, 263
      - managing, 255, 256, 257
    - passwords, 260
      - /etc/shadow file, 261, 262
      - encryption, 260
      - guessing, 260
    - properties, 258, 259, 260

## user-defined variables

command line syntax, 232

**useradd command, 267**

**userinfo command, 269**

## users

/etc/default/useradd and, 488

account modification

root account and, 270, 271

adding, 85

adding at command line, 265, 266, 267

administrator, 250

command line tools, 263, 264, 265

deleting, 272

groups, 84

creating, command line and, 272, 273

deleting, 273, 274

managing, command line and, 272

primary group, 222

home directory, 250

listing, 224

login

name, viewing, 547, 548, 549, 550, 551, 552

modifying, 85

modifying own account, 268

description, 269, 270

password, 268, 269

shell, 269

permissions, 84

removing, 85

Samba

adding, 383

**usr subdirectory, 51**

## utilities

configuration

Samba, 378, 379

smbclient, 384, 385

smbmount, 385, 386

# V

## variables

environment

command line syntax, 232

shell scripts, 241, 242

system-defined, 232

user-defined, 232

**VBA (Visual Basic for Applications)**

OpenOffice suite and, 129

**verification, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429**

RPM and, 292

security and, 481

signed packages, 308

**VFS (Virtual Filesystem), 201**

**video card, 3**

## viewing

running processes, 79, 80

**viruses, 103**

**viruses, security, 409**

**VMWare emulator, 166**

**VPN (Virtual Private Network) connections, 102**

## VPNs

PPP (Point-to-Point Protocol), 462

**VPNs (Virtual Private Networks)**

clients

connection setup, 463, 464, 466, 467

Microsoft VPN, 469, 470

kernel

booting, 461, 462

MPPE/MPPC support, 462

kernel building, 461

kernel patching, 459, 460

MPPC algorithm, 458, 459

MPPE algorithm, 458, 459

tunneling and, 457, 458

L2TP, 458

PPTP, 458

**vsftpd FTP server, 361**

installation, 362, 363, 364

# W

## wallpaper

desktop configuration, 76

**Web browsers, 109**

Mozilla, 138, 139, 141

configuration, 111, 112, 113, 114

proxies, 110

## Web servers

certificates

private key creation, 356

configuration

Apache, 347

CSR (Certificate Signing Request), 356

HTTP and, 344

initial startup

Apache, 347, 348, 349

installation

Apache, 345, 347

setup, 343, 344

Apache Web server, 344, 345, 347, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360

site setup

Apache Web server, 351, 352

testing

Apache, 349

## Web sites

setup

Apache, 351, 352

**Webmin application, 593, 594**

- wget application, building, 315**
- whereis command, 55**
- which command, 55**
- white space in filenames, 182**
- WiFi (Wireless LAN) connections, 98**
- wildcard searches**
  - GNOME search tool, 187
- windows**
  - focus
    - desktop configuration, 78
- Windows 2000**
  - DHCP server and, 403, 405
- Wine emulator, 167**
- wireless Internet connections, 101**
- wizards**
  - Internet Configuration Wizard, 89
- word processing. See OpenWriter**
- word processor icon, 45**
- working directory**
  - shell commands, 215
- workspace, 39**
  - launchers, 39
  - right-click menu, 42
  - switcher, 39
- workspace switcher, 40**
- Workstation configuration, 1**
- worms, security, 409**
- Write access**
  - files, 277
- write permission, 176**
- wu\_ftp FTP server, 361**

## X

- xargs command, 187**
- xargs operator**
  - command line syntax, 235
- Xchat, 118**
- XF86Config**
  - /etc/X11/org.conf file and, 487
- Ximian Evolution e-mail client, 114**
  - Microsoft Exchange access, 114, 115
- xinetd service, 445**
- XMMS application, 154**

## Y

- Yum**
  - APT comparison, 334
  - client
    - running, 326, 327, 328
  - client configuration, 324, 325, 326
  - repository, 324
  - update automation, 328
- Yum (Yellow Dog Updater, Modified), 323, 324, 325, 326, 327, 328, 329**