

Index

- Absorbing factor, 352
- Accumulated analysis of deviance, 289–291
- Accumulated anova, 13, 15, 16, 20, 64
- AI. *See* Algorithm, average information (AI)
- Algorithm
- average information (AI), 19, 20, 25, 58, 81, 98, 144, 199, 201, 216, 217, 223, 256, 267, 321, 323, 352, 353
 - fisher scoring, 223, 352, 353
 - sparse, 19, 20, 25, 58, 81, 98, 144, 199, 201, 216, 217, 256, 267, 321, 323
- Aliasing
- partial, 12, 183, 231
- Analysis of deviance, 289, 290
- Analysis of variance, 8, 9, 14–15, 24–25, 31, 40, 43, 47–57, 64, 68, 72, 76, 95–96, 118–120, 139, 141, 143, 146, 150, 164, 176–177, 239, 243, 244, 246, 248, 251, 253, 255, 256, 271, 272, 294
- Anova, 8, 13–16, 20, 32, 40, 45, 52–56, 58–61, 64, 66, 67, 76–78, 80, 81, 85, 94–99, 103, 109, 110, 114, 115, 117, 119, 125, 131, 133, 138–140, 143–147, 150–152, 172, 176, 178, 182, 183, 185, 191, 212, 229, 233, 251–262, 275, 289, 290, 297, 304, 305, 320, 323
- Anova table. *See* Anova
- AR model. *See* Model, autoregressive
- Array, 263, 265, 272, 317, 327
- Assay, 73, 84, 87, 115, 117, 119
- Asterisk, 30, 92, 110, 111
- Average information (AI), 19, 20, 25, 58, 60, 81, 98, 144, 199, 201, 216, 217, 223, 256, 267, 321, 323, 352, 353
- Balance, 52, 59, 64, 78, 93, 98, 99, 110, 117, 139, 140, 172, 185, 191, 251, 255, 261–265, 267, 269, 271, 272, 276
- Best linear unbiased estimate (BLUE), 154, 164, 276
- Best linear unbiased predictor (BLUP), 154, 164, 276
- Bias, 61, 120, 166
- Block, 45, 46, 52, 56–58, 61, 65, 67, 68, 76, 77, 80, 87, 92, 93, 95, 97, 98, 100, 102–104, 106, 109, 110, 115, 117, 120, 139, 141, 146, 150–152, 162, 164, 169, 173, 174, 180–183, 185, 187, 191, 239, 242–244, 246, 247, 251, 253, 254, 256, 257, 261–264, 269, 271–273, 276, 320, 325, 326
- complete, 61, 67, 244, 251, 269, 320, 325, 326
 - incomplete, 45, 46, 185, 251, 254, 257, 259, 261, 262, 269, 271, 272, 276
 - term. *See* Term, block
- BLUE. *See* Best linear unbiased estimate (BLUE)
- BLUP. *See* Best linear unbiased predictor (BLUP)
- Breeding line, 87, 92, 95–100, 102, 107–109, 117, 118, 151, 153–158, 160, 162–164, 173, 276, 320
- Breeding value, 314, 315

- Case study, 193
- Central limit theorem, 62
- Chi-square. *See* Distribution, chi-square
- Chi-square distribution. *See* Distribution, chi-square
- Chi-square statistic. *See* Distribution, chi-square
- Chi-square test. *See* Distribution, chi-square
- Chromosome, 316
- Clinical trial, 185–187
- Confidence interval, 149
- Constant, 7, 9, 18, 20, 27, 29, 30, 62, 66, 78, 82, 83, 98, 101, 107, 111, 113, 118, 126, 127, 130, 140, 150, 156, 157, 207, 213, 214, 249, 289, 292, 293, 301, 325, 346
- Contingency table, 285, 327
- Convergence, 283, 294, 297, 313
- Correlation, 31, 180, 211, 261, 271, 318–320, 323, 325–327
- Covariance, 158, 284, 303–309, 314, 317, 320, 323–325, 327
- Critical region, 134, 135, 137
- Crossed term. *See* Term, crossed
- Curve
 - of convenience, 208
 - logistic, 276
 - sigmoidal, 279
- Data
 - grouped, 113, 151, 172
 - padded, 94, 103, 110
 - set, 1, 2, 8, 9, 27, 39, 73, 95, 96, 101–104, 109, 125, 139, 140, 165, 172, 176, 189, 191–193, 238, 242, 248, 285, 287, 294, 313, 315, 328, 329
 - unbalanced, 96, 110, 140
- Degrees of freedom (DF), 8, 10, 11, 26–28, 30, 39, 57, 60, 62, 66, 79, 80, 86, 95, 96, 101, 103, 133, 134, 149, 180, 183, 185, 187, 201, 225, 232, 290
- Design
 - alpha, 262, 263, 265, 272, 273, 276
 - alpha, 265, 269, 272, 276, 330, 331
 - balanced incomplete block, 251, 261, 262, 269, 271, 272, 276
 - fully randomised, 45, 67, 151
 - incomplete block, 45, 46, 185, 254, 257, 269, 271
 - randomised complete block, 251, 244, 320
 - split plot, 45, 46, 57, 61, 67, 68, 77, 95, 139, 146, 150, 172, 173, 247, 251, 253
- Deviance, 60, 101–103, 112, 113, 118, 202, 213, 222, 289, 290, 294, 297, 301, 313, 326
 - analysis of. *See* Analysis of deviance
- DF. *See* Degrees of freedom (DF)
- Direct product, 320, 323
- Dispersion, 283, 284, 290, 301
- Distribution
 - binomial, 277, 278, 281, 282, 327
 - bivariate-normal, 158
 - chi-square, 19, 25, 26, 59, 145, 178, 199, 224, 256, 322
 - F , 8, 9, 26
 - gamma, 298, 327
 - normal, 8, 16, 27, 100, 104, 108, 277, 279, 298, 300, 301
 - poisson, 286, 287, 289, 290, 298, 327
 - standard normal, 107, 133
 - t , 7, 9, 133–137, 149, 282, 289, 301
- Effect
 - block, 45, 61, 67, 106, 115, 141, 151, 164, 174, 181, 182, 185, 191, 272
 - carry-over, 186
 - crossover, 55
 - deviation, 14
 - fixed, 16, 32, 73, 117, 125, 126, 191, 196, 213, 215, 261, 351
 - genetic, 315, 316
 - interaction, 51, 109, 181, 186, 284
 - main, 51, 53, 55, 57, 170, 174, 186, 189, 191, 290
 - random, 1, 16, 31, 45, 62, 67, 103, 239, 316, 323
 - residual, 8, 51, 117
 - treatment, 53, 68, 130, 141, 185, 262, 269, 317
- Efficiency factor, 254, 271
- Estimate
 - best linear unbiased. *See* Best linear unbiased estimate (BLUE)
 - biased, 61
 - initial, 351, 352
 - interval, 125, 126, 148
 - maximum likelihood, 294, 334, 342, 352
 - parameter, 5, 9, 13, 20, 51, 82, 148, 204, 284, 333
 - point, 125, 126, 148

- residual maximum likelihood (REML), 333
- restricted maximum likelihood (REML). *See* Estimate, residual maximum likelihood (REML)
- shrunk, 154, 155, 164, 316
- unbiased, 336, 351, 352
- Excel, 29, 34, 63, 85, 109, 110, 147, 178, 209, 229, 259, 269
- Exclamation mark (!), 2, 29, 64, 85, 109, 110, 147, 178, 209, 229, 259, 269
- Expected mean square. *See* Mean square, expected
- Expected value, 8, 79, 96, 159, 162
- Experimental design. *See* Design
- F*. *See* Distribution, *F*
- F* distribution. *See* Distribution, *F*
- F* statistic. *See* Distribution, *F*
- F* test. *See* Distribution, *F*
- Factor, 2, 13, 53, 81, 95, 111, 120, 140, 151, 170, 173, 174, 189, 191, 194, 196, 216, 234, 275, 285, 309
- level, 140, 150, 164, 173, 185, 291, 303
- Fitted line. *See* Line, of best fit
- Fitted value, 9, 27, 104, 204, 210, 300, 348
- Fixed-effect term. *See* Term, fixed-effect
- Function
- logistic, 280, 281
 - logit, 281, 282
 - probit, 281
- Gamma
- distribution. *See* Distribution, gamma
 - parameter, 297
- Gene, 308
- Genetic advance, 106, 109, 118, 153, 164
- Genetic improvement, 105, 314
- Genetic map, 316
- Genetic marker, 316
- Genetic variation, 87, 108, 316
- Genotype x environment interaction, 214
- GenStat, 6, 9, 16, 20, 27, 30, 32, 37, 40, 54, 59, 65, 66, 76, 77, 81, 86, 97, 98, 102, 110, 112, 113, 131, 136, 163, 176, 204, 212, 216, 232, 260, 263, 271, 298
- GLMM. *See* Model, generalised linear mixed
- Graphical user interface (GUI), 6, 40
- Group
- of observations, 43, 52
- GUI. *See* Graphical user interface (GUI), 7, 46
- Heritability, 87, 105, 106, 109, 117, 120, 166, 314
- HGLM. *See* Model, hierarchical generalised linear
- Hierarchical structure, 77
- Histogram, 27, 33, 62, 63, 104, 197, 300
- Hypothesis
- null. *See* Null hypothesis
- i*. *See* Selection, intensity of
- Imbalance, 92, 272
- Inference, 16, 173, 174, 183, 275
- Information, 6, 7, 29, 53, 77, 117, 127, 140, 146, 156, 162, 172, 185, 191, 208, 255, 283, 306, 309, 313, 316, 325
- inter-block, 185, 255
- Information summary, 254
- Interaction, 46, 51, 109, 174, 181, 189, 191, 196, 243, 290, 309
- Intercept, 5, 8, 9, 11, 30, 111, 125, 126, 163, 170, 190, 213, 261, 271
- Intrinsic interest, 51, 151, 164, 173, 275
- Lack of fit, 17, 18
- Least significant difference (LSD), 137, 149
- Likelihood, 294
- maximum, 294, 333, 334, 351, 352
 - ratio, 60, 67
 - residual maximum. *See* Residual maximum likelihood (REML)
- Line
- of best fit, 5, 8, 9, 14, 20, 43, 44, 159, 164, 227, 237, 348
 - regression, 1, 9–11, 16, 17, 160, 161, 277
- Link function, 281, 282, 292, 297, 298, 329
- canonical, 281
 - identity, 298, 301
- LSD. *See* Least significant difference (LSD)
- Main plot, 45, 46, 67, 68, 131, 247
- Marginality criterion, 200
- Matrix, 110, 263
- algebra, 306
 - covariance, 284, 303, 307, 323
 - identity, 307
 - inverse, 309
 - leading diagonal of, 305
 - relationship, 309
 - sparse, 352
- Mean
- adjusted, 153
 - combined, 254

- Mean (*continued*)
 comparison between, 131
 grand, 107, 140
 overall, 98, 156
 population, 315
 sample, 13, 173
 simple, 152, 255
 treatment, 61, 95, 125, 138, 154, 185,
 254, 255
 unadjusted, 156, 158, 272
- Mean square, 14, 17, 78, 86, 172, 183, 213
 expected, 78, 80, 115, 175, 297
 stratum, 78
- Merlin, 317
- Missing value, 92, 95, 96, 110, 210, 282,
 289, 297
- Mixed-model analysis, 17, 18, 31, 59, 98,
 106, 110, 114, 125, 127, 144, 146, 153,
 164, 172, 191, 239, 257, 269, 275
- Mixed modelling, 1, 16, 40, 67, 92, 118,
 147, 175, 239, 251, 256, 262, 271, 275,
 285, 352
- Model
 autoregressive, 323, 327, 331
 best-fitting, 204, 213
 full, 60, 101–103, 214
 generalised linear, 281, 285
 generalised linear mixed, 282
 hierarchical generalised linear, 298
 linear, 29, 277, 281, 284, 288, 329, 338
 mixed, 16, 33, 45, 58, 67, 104, 151, 169,
 187, 200, 251, 277
 polynomial, 172, 200
 reduced, 60, 101, 202
 regression, 2, 6, 16, 39, 52
 stratified generalised linear, 298
- Model feature, 170
- Model notation, 53
- Monitoring information, 282, 283, 293, 295,
 297, 301
- MS. *See* Mean square
- NA, 209
- Nested term. *See* Term, nested
- Non-linearity, 31, 194, 239
- Notation
 model. *See* Model notation
- Null hypothesis, 8, 26, 66, 96, 99, 100, 102,
 133, 137, 144, 285
- Observation
 unique, 216
- Optimum strategy, 82–85
- Orthogonality, 59, 350
- Outlier, 27, 43, 63, 193, 197
- P value, 8, 9, 15, 16, 20, 26, 27, 30, 32, 39,
 40, 43, 55, 59, 60, 62, 65, 67, 68, 77,
 96, 103, 118, 136, 289, 290
- Parameter, 5–7, 9, 12–14, 16, 18, 20, 24,
 30, 51, 58, 82, 125, 126, 134, 138, 148,
 173, 203, 204, 206, 239, 263, 277,
 279–284, 287–291, 293, 294, 301,
 303, 309, 311, 313, 323, 325, 333, 334,
 341, 345, 347, 351–353
- Parameterisation, 204, 213
- Pedigree, 307–309, 316, 320, 323, 327, 329
- Plot
 diagnostic, 27, 32, 33, 40, 62, 66, 67, 104,
 119, 120, 193, 196, 197, 202, 209,
 210, 239, 243, 244, 298, 301, 329
 fitted value, 104
 half-normal, 27, 32, 66, 104, 197, 210,
 300
 normal, 27, 33, 104, 197, 298
 quantile-quantile, 33
- Population, 6, 8, 16, 40, 61, 73, 97, 105,
 107, 118, 120, 125, 151, 154, 156, 160,
 162, 164–166, 173, 174, 183, 187,
 191, 196, 286, 293, 308, 328, 336, 342
 infinite, 8, 40, 61, 125, 173, 174, 191,
 286, 336, 342
- Power
 statistical, 257, 271
- Precision, 9, 12, 16, 20, 52, 59, 73, 81, 82,
 87, 99, 102, 125, 127, 129–131, 133,
 135, 140, 147, 149, 156, 183, 185, 194,
 240, 245, 251, 254, 255, 262, 265, 269,
 284, 293, 317, 320, 326
- Predicted value, 108, 118, 193, 204, 206,
 207, 213, 244, 247
- Prediction, 87, 118, 158, 160–162, 164, 173,
 193, 206–209, 276, 291, 292
 classifying factor for, 207
 marginal factor for, 293
 parallel terms, 206
- Probability, 6–8, 79, 80, 102, 136, 278, 279,
 284, 287, 288, 294, 334, 352
- Probability density, 6, 8, 157, 158, 334, 342,
 343
- Proband, 196, 209, 210
- Probit analysis, 279, 281
- Procrustes analysis, 55
- Pythagoras's theorem, 339

- Q-Q plot. *See* Plot, quantile-quantile
- QTD. *See* Quantitative transmission disequilibrium test
- Quantile, 33, 107, 298
- Quantitative transmission disequilibrium test, 317
- Random-effect term. *See* Term, random-effect
- Randomisation, 46, 47, 61, 186, 242, 263, 318, 320
- Recovery of inter-block information. *See* Information, inter-block
- Regression analysis, 1, 2, 18, 20, 23–25, 30, 40, 43, 45, 64, 67, 125, 127, 129, 130, 149, 151, 159, 164, 172, 183, 191, 218, 275, 289–290, 294
- Regression towards the mean, 156, 159–161, 164
- REML. *See* Residual maximum likelihood (REML)
- Replicate, 45, 46, 106, 181, 186, 263, 265, 267, 269, 272, 273, 323
- Residual maximum likelihood (REML), 18
- Restricted maximum likelihood. *See* Residual maximum likelihood (REML)
- Rows and columns, 265, 267, 269, 272, 323
- S-plus, 29
- Sample, 2, 8, 16, 21, 28, 39, 40, 61, 73, 82, 84, 103, 117–120, 156, 162, 173, 174, 188, 192, 196, 206, 207, 277, 279, 281, 282, 284, 334, 336, 338, 350, 352, 353
- random, 97, 125, 173, 174, 186, 191, 308
- Sample space, 339, 345, 346, 351
- SAS, 275
- SD. *See* Standard deviation
- SE
- of difference, 55, 63, 140, 141, 144, 145, 192, 203, 257, 293
 - of mean, 141, 145
- Selection, 34, 107, 109, 118, 153, 164, 314, 315
- intensity of, 106
- Shrinkage
- of BLUPs, 156, 160, 161, 164
- Significance test, 27, 40, 100, 103, 104, 135, 182, 183, 187, 191, 271, 290
- Slope, 5, 9, 11, 16, 18, 125, 130, 172, 191, 284
- Software, 6, 29, 30, 77, 136, 176, 269, 275, 317
- Spline
- smoothing, 327
- Spreadsheet, 2, 10, 29, 40, 46, 73, 87, 92, 94, 110, 141, 165, 176, 194, 205, 214, 242, 244, 251, 265, 277, 285, 309, 328, 329
- SS. *See* Sum of squares
- Standard deviation, 86, 112, 114, 334
- Standard error. *See* SE
- Stratum, 1, 53, 61, 77, 78, 172, 183, 254, 271, 303
- Structure, 31, 51, 187, 217, 293, 311
- block, 45, 67, 239, 254, 262
 - hierarchical, 77
 - treatment, 72, 239, 243
- Sub-plot, 45, 46, 67, 68, 131, 149, 247
- Sufficient statistic, 281
- Sum of squares, 5, 8, 86, 96, 350
- t*. *See* Distribution, *t*
- t* distribution. *See* Distribution, *t*
- t* statistic. *See* Distribution, *t*
- t* test. *See* Distribution, *t*
- Term
- block, 65, 68, 97, 98, 106, 146, 162, 173, 174, 180, 251, 253, 262
 - choice of in random-effect model, 185
 - crossed, 201
 - fixed-effect, 18, 20, 25, 40, 67, 73, 81, 101, 146, 152, 163, 165, 172–175, 181, 182, 186, 187, 189, 191, 196, 243, 251, 288, 293, 295, 297, 309, 317, 329, 333, 345
 - interaction, 55, 170, 172, 174, 181–183, 186, 187, 191, 229, 289, 291, 309
 - main effect, 187, 200
 - model, 15, 16, 40, 52, 53, 57, 77, 92, 119, 120, 136, 149, 169, 183, 206, 235, 246, 284, 289, 295, 323, 329, 345, 352
 - nested, 174, 191, 200, 201
 - nugget, 327
 - offset, 288, 289
 - random-effect, 1, 17, 18, 20, 31, 39, 40, 44, 45, 51, 61, 67, 73, 76, 77, 92, 95–98, 101, 104, 114, 117, 119, 120, 151, 152, 162–166, 173, 174, 176, 181, 185, 187, 191, 192, 196, 213, 215, 221, 243, 251, 275, 281, 293, 297, 298, 301, 317, 320, 333, 351

- Term (*continued*)
- residual, 15, 19, 40, 45, 57, 59, 81, 119, 135, 175, 182, 183, 192, 216, 229, 256, 281, 285, 288, 298, 301, 327
 - treatment, 51, 53, 59, 60, 62, 68, 98, 131, 140, 183, 185, 239, 251, 253, 271
- Test
- of significance. *See* Significance test
- Text file, 29, 63, 85, 109, 110, 147, 178, 209, 229, 259
- Treatment, 45, 53, 61, 68, 133, 141, 165, 181, 182, 185, 242, 244, 246, 251, 254, 261–263, 267, 317
- comparison between, 149, 254
- Treatment term. *See* Term, treatment
- Trend
- linear, 187, 192, 217, 218, 232
- Unit, 7, 20, 24, 59, 76, 95, 110, 164, 175, 181, 222, 251, 261, 262, 264, 272, 317
- Variable
- dummy, 277, 281, 346
 - explanatory, 1, 2, 7, 18, 39, 43, 149, 159, 204–206, 213, 217, 276, 277, 279, 316, 345
 - nuisance, 52, 73, 77, 98, 151, 164
 - random, 16, 44, 51, 76, 92, 97, 104, 125, 133, 134, 148, 175, 181, 187, 196, 227, 277, 286, 316, 353
 - response, 1, 7, 29, 31, 39, 43, 51, 52, 58, 87, 105, 149, 159, 175, 185, 204, 210, 213, 239, 272, 277, 281, 285, 291, 298, 304, 306, 311, 313, 327, 329, 345, 351
- Variance, 7, 8, 16, 27, 62, 73, 77, 79, 81, 92, 106, 125, 129, 146, 157, 160, 166, 175, 181, 187, 212, 233, 261, 282, 314, 333, 336, 342, 352
- analysis of. *See* Analysis of variance
 - component of, 20, 59, 78, 80, 81, 86, 87, 97, 99, 104, 112, 114, 115, 117, 129, 131, 145, 167, 180, 183, 199, 202, 218, 222, 262, 269, 275, 283, 297, 307, 334, 351, 352
 - heterogeneity of, 284
 - structure, 309, 311, 313, 327
- Variate, 2, 18, 169, 170, 172, 173, 189–192, 196, 204–206, 217, 240, 246, 282, 289, 354
- Variation
- natural, 51, 53, 54, 57, 131, 133, 261, 262, 265, 269, 272, 317, 318
 - residual, 1, 2, 5, 8, 56, 108, 151, 176, 221, 227, 265, 284, 289, 298, 346, 352
 - spatial, 104, 327
- Vector, 338
- Wald statistic, 20, 25–27, 32, 40, 59–61, 67, 68, 72, 212, 218, 221, 256, 271
- Wald test. *See* Wald statistic
- Wash-out period, 186
- Weight, 21, 40, 68, 194, 196, 207, 208, 246, 275
- marginal, 292
 - per group(town), 40, 246
 - per observation(house), 21, 40, 208
- Workbook, 34, 63, 85, 94, 109, 110, 147, 178, 209, 229, 259, 269
- z
- z statistic, 100, 104
- z statistic, 118, 301