

Index

- Abbreviated Mental Test (AMT) 24, 35
- ABCD *see* Arizona Battery for
Communication Disorders in
Dementia
- abuse of older people 23, 67, 249
- Academy of Neurological
Communication Disorders and
Sciences 299
- Academy of Neurology 290, 311
- access to services 320–1
- acetylcholine 39–40
- acquired immune deficiency syndrome
(AIDS) dementia complex 107–8
- acute confusional state *see* delirium
- Administration on Ageing (AoA) 290,
291, 294–6
- Admiral nurses 57, 250
- advance directives 47
- adverse drug reactions (ADRs) 20
- Age Concern 23
- ageing process 3–6, 17
- Agency for Healthcare Research Quality
(AHRQ) 290
- agnosia 133–4
- AIDS dementia complex 107–8
- Air Carrier Access Act 298
- alcoholism and alcohol abuse, dementia
associated with 44, 108
assessment 174–5
prevalence 26
- Allan, K. 188
- Alzheimer's Association (USA) 290
- Alzheimer's disease (AD) 38–41, 76–7,
201, 205–9
aphasia 75
assessment 36, 154, 156, 158, 163,
170–1, 210–11
- communication programmes, effective
10
- co-morbidity
Down's syndrome 109, 110, 177
Parkinson's disease 101
- costs 35
- cueing and priming 84–5
- differential diagnosis 76, 92–3, 95,
170–1
- discourse, cohesion and repair 89–90
- drawing tasks 91, 134
- drug treatment 6–7, 39, 40, 55,
311–12
- early interventions 55
- electrophysiology 138
- evaluation of care 203–4
- functional losses, mediation of 8–9
- future 225
- intervention
early stages 211–14
middle stages 214–20
later stages 220–3
- language and cognitive processing 80–1
- mixed dementia 165
- movement disorder and dyspraxias
90–1
- mutism 98
- naming and understanding names
81–4, 130
- prevalence 34, 76, 286
- protective factors 39
- referral 210
- review and discharge 224–5
- risk factors 38–9
- sentence processing 87–9
- speech and language therapists' role
209–10

- teamwork 205
- training 223–4, 230–7
- USA 285, 286, 290, 298–300, 311–12
 - FOCUSED Program 307–10
- validation therapies 204–5
- variation and progression 77–80
- visual and auditory perception 85–6
- working within a wider context 201–3
- written language skills 86–7
- Alzheimer's Disease Assessment Scale (ADAS) 168
- Alzheimer's Disease Demonstration Grants to States Program (ADDGS) 295–6
- Alzheimer's Disease Education and Referral Centre (ADEAR) 290
- Alzheimer's Quick Test (AQT) 160
- Alzheimer's Society 23, 225
 - carers 251
 - developing SLT services 275, 277
 - diagnosis of dementia 320
 - information sheets 63
 - primary care 54
 - research priorities 323–4
 - social inclusion of people with dementia 218
- American Bar Association Commission on Law and Ageing 290–1
- American Geriatrics Society 290
- American Medical Association 290
- American Psychiatric Association 290
- American Speech–Language–Hearing Association (ASHA) 299
- Americans with Disabilities Act (ADA) 287, 297–8
- aminophylline 30
- amnesia, transient global 42
 - see also* memory
- anxiety disorders 26, 30
- aphasia 75, 95
 - progressive 75, 95–7, 128
- apraxia 91
- Aricept *see* donepezil
- Arizona Battery for Communication Disorders in Dementia (ABCD)
 - late-onset schizophrenia and paraphrenia 173
 - mild to moderate dementia 156, 157, 160
 - moderate to severe dementia 166
 - Parkinson's disease 177
- Armstrong Naming Test 158, 159
- assessment of language and communication difficulties 74–5, 147–9, 152–3, 178
- alcohol abuse and related conditions 174–5
- Alzheimer's disease 210–11, 220
- cognitive, perceptual and social issues 151
- depression 168–72
- Down's syndrome 177–8
- late-onset schizophrenia and paraphrenia 173–4
- location 150–1
- mild to moderate dementia 153–65
- moderate to severe dementia 165–8
- Parkinson's disease 176–7
- reasons for 149
- team assessment, role of speech and language therapist in 149–50
- assistants to speech and language therapists 268
- attention 4
- attitudes to older people and their health 2–3
- auditing service provision 278
- Auditory Comprehension task 157
- Auditory Comprehension Test for Sentences 166
- auditory perception *see* hearing problems
- Barnes Language Assessment (BLA) 150, 160–1, 166, 177
- BASDEC (Brief Assessment Schedule Depression Cards) 27, 169, 170, 176
- benchmarking services 278–9
- Bennett, K. 197
- benzodiazepines 28
 - abuse 43, 44
- best practice guidelines, service development 271
- Binswanger's disease 42, 92, 94
 - case study 165
- bipolar disorder 29
- bisexual carers 244
- Boston Diagnostic Aphasia Examination 166
- Boston Naming Test (BNT) 157, 158, 159
 - depression 170–1
 - semantic dementia 130
- bovine spongiform encephalopathy 106

- bradykinesia 102
bradyphrenia 102
brain imaging, semantic dementia 138
Brief Assessment Schedule Depression
 Cards (BASDEC) 27, 169, 170, 176
British National Formulary (BNF) 19
Broca's aphasia 75
Bush, George W. 287
- CADASIL 42
calculation, preserved 136
Cambridge Neuropsychological Test
 Automated Battery (CANTAB) 161
CAMCOG 110, 155–6, 159
CAMDEX interviews 110
capacity 46
carbamazepine 30
Care Aims 276
career frameworks 321–2
care homes 66–7
Care Programme Approach 205
carers 238, 256
 and accuracy of diagnosis 73
 Alzheimer's disease 211–13, 215–16,
 221, 224–5, 237
 assessment of 246, 247–8
 communication activity programmes
 252
 communication partners 238
 contact with 244–9
 coping strategies 242–3
 dementia with Lewy bodies 241
 expectations 248
 experience 240–1
 extra-resident 241
 friends as 242
 future developments and research
 255–6
 goal setting 249
 importance 23
 individual work with 254–5
 interventions 249–55
 issues for discussion 248–9
 leaflets 251–2
 long-distance 241
 meeting 245–6
 neighbours as 242
 pre-morbid roles and relationships
 246–7
 and primary care 58–64
 reasons for working with 238–9
 resources 251–2
 specific groups, needs of 243–4
 support from other agencies 250–1
 support groups 252–4
 training programmes, USA 306–10
 understanding 240–2, 246–7
 USA 298, 306
 FOCUSED Program 307–10
caring career 242–4
caseload management 280–1
Centers for Disease Control and
 Prevention (CDC) 290
Centers for Medicare and Medicaid
 Services (CMS) 290, 292
cerebral autosomal dominant
 arteriopathy with subcortical infarcts
 and leukoencephalopathy (CADASIL)
 42
Chatter Matters presentation 254–5
child carers 243
chlorpromazine 43
citalopram 28
civil rights laws, USA 297–8
Civil Rights of Institutionalized Persons
 Act 298
classification of psychiatric illnesses 25
Clifton Assessment Procedures for the
 Elderly (CAPE) 155
clinical assessment *see* assessment of
 language and communication
 difficulties
clinical governance 280
cognition
 assessment 154–6
 in normal ageing 2–4
cognitive behavioural therapy for carers
 251
Cognitive Drug Research Programme
 (CDR) 161
Cognitive Linguistic Quick Test (CLQT)
 160, 167
cohesion 89–90
commissioning arrangements 271–2
'Communicate' training 223–4, 230–7
communication activity programmes for
 carers 252
Community Care Act 56
community matrons 18
competencies, service development
 282–3
computed tomography (CT) 138
confabulation 215–16
confrontation avoidance 63–4

- confrontation naming tests 158–9
- confusion 106–7
see also delirium
- conophilic amyloid angiopathy 42
- consultancy 321–2
- context and understanding, semantic dementia 142
- context of care
 attitudes to older people and their health 2–3
 effective communication programmes 9–10
 empowerment of older people 11
 evidence base for SLT intervention 7–10
 functional losses, mediation of 8–9
 language and ageing 3–6
 living arrangements of older people 2
 population issues 1
 recent approaches to dementia 6–7
 services for older people 11
- Cornell Depression Scale (CDS) 169, 170
- costs of health and social care 1
 carers 59, 254
 dementia 35, 49
 USA 287
- counselling for carers 250–1
- Court of Protection 47, 58
- Craig, C. 197–8
- Creutzfeldt–Jakob disease (CJD) 105–6
- cueing 84–5, 213
- dance therapy 221
- deafness *see* hearing problems
- deictic terms, Alzheimer's disease 209
- delirium 31–3, 106–7
 differential diagnosis 34, 52–3
 prevalence 26
- dementia 33–4
 care homes 66–7
 causes 34–5
 clinical assessment, aims of 36–7
 and confusion 106–7
 costs 35, 49
 and depression 27, 63, 106–7
 diagnosis 35–6
 differential 34, 52–3
 disclosing the 54–5
 importance of accurate 73–4
 re-evaluation 219, 220
 early interventions 55
 effects and importance 35
 features 50–1
 gateways to support, information and services 55–6
 home care 60–4
 interest in communication, development of 185–8
 language, communication and cognition 73–5, 110–11
 management 37–8
 prevalence 26, 34, 49
 recognition 51–4
see also specific dementias
- Dementia Care Mapping 188, 203–4
- Dementia Questionnaire for Mentally Retarded Persons 177
- Dementia Rating Scale 2TM (DRM-2TM) 167
- Dementia Scale for Down's Syndrome 177
- Dementia Services Development Centre 196, 198
- dementia treatment clinics 211
- dementia with Lewy bodies (DLB) 41, 99–100
 assessment 36, 151
 carers 241
 drugs for 55, 63
- demographics 1
 developing speech and language therapy services 269, 273
 long-term care 322
 semantic dementia 126–7
 USA 286
- dentition and dentures 6
- Department of Health and Human Services (DHHS, USA) 290, 291, 296
- depression 26–7, 106–7
 assessment 168–72
 in carers 60, 241
 in dementia 27, 63
 Alzheimer's disease 107, 176
 Family Visit Educational Program 254
 Huntington's disease 107
 Parkinson's disease 103–4, 107
 vascular dementia 94
- diagnosis 27–8
 differential 52–3, 170–1
- drug overdose 21
- drug treatment 28–9
 management 28

- prevalence 25–6
- suicide 29, 279–80
- development of SLT services 261–2
 - accessing support 281
 - auditing 278
 - benchmarking 278–9
 - best practice guidelines 271
 - caseload management 280–1
 - in a changing environment 283
 - clinical governance 280
 - commissioning 271–2
 - competencies 282–3
 - current provision within OPMH 262–4
 - defining the service 270–1
 - existing services 277–83
 - management structures 267
 - new services 264–77
 - outcome measurement 275–6
 - population needs, understanding the 269
 - promotion 276–7
 - protocols and pathways 281
 - resource identification 272
 - risk assessment 270, 279–80
 - sites of provision 272
 - staffing 267–8
 - stakeholders 270
 - training and enabling other colleagues and students 275
 - types of intervention 273–5
- Diagnostic and Statistical Manual of Mental Disorders*, 4th edn, Test Revision (DSM-IV-TR) 25, 76
- Dictation Homophone Pairs task 157
- Diogenes syndrome 45
- discourse, Alzheimer's disease 89–90
- Discourse Abilities Profile (DAP) 161–2, 166, 167
- discourse analysis 204
- disinhibition syndromes 30
- donepezil (Aricept) 40, 55
 - and accurate diagnosis 154
 - NICE assessment 7
- Down's syndrome 109–10
 - assessment 177–8
 - carers 244
 - risk of Alzheimer's disease 38–9
- Down's Syndrome Mental State Examination 177
- drawing 91, 134
- driving 46, 58
- drug abuse 43–4
- drugs 37–8
 - Alzheimer's disease 6–7, 39, 40, 55, 311–12
 - delirium 33
 - dementia with Lewy bodies 63
 - depression 28–9
 - late-onset psychosis 43
 - management in older people 20–1
 - Parkinson's disease 19, 102, 103
 - prescribing 18–20
 - primary care 63
 - side effects 6, 19
 - sleep problems 45
 - see also specific drugs*
- dysgraphia, surface 135
- dyslexia, surface 135
- dysphagia 270
- dyspraxias 91
- early onset familial Alzheimer's disease (EOFAD) 38, 77, 78
- East Kent Outcome Measures Scales 224
- eating problems 270
- economic issues *see* costs of health and social care
- educating professionals 144
 - see also* training
- education levels and dementia 2
- elder abuse 23, 67, 249
- Elderly Nutrition Program (ENP), USA 295
- electroconvulsive therapy (ECT) 28
- electrophysiology, semantic dementia 138
- empathy, loss of 136
- empowerment of older people 11
- end-of-life decisions 47
- Enduring Power of Attorney (EPA) 46–7, 58
- English not the first language 151
- English Picture Vocabulary Test (EPVT) 159
- environmental approach to
 - communication in the dementias 195–9
- errorless learning techniques 213
 - with quizzes 304, 306, 311
- ethical principles 45–6, 221
- ethnic minority groups 1, 286, 309, 310
 - carers 243–4
- Evercare schemes 18
- evidence-based practice 323–5

- developing SLT services 281
- teamwork 193
- explaining concepts 142–3
- extra-resident carers 240, 241
- facilitation 186
- Fair Housing Act 298
- family *see* carers
- family therapists 247
- Family Visit Educational Program (FVEP) 254
- Feil, N. 186, 204
- financial issues *see* costs of health and social care
- Finding Your Way* tool 193–4
- fluoxetine 30
- FOCUSED Program 253, 307–10, 311, 312
- Food and Drug Administration (FDA) 290
- forgetfulness *see* memory
- Frenchay Aphasia Screening Test (FAST) 166, 176
- friends *see* carers
- frontotemporal dementia (FTD)/Pick's disease 41, 95–6, 98–9, 127, 128
- frontotemporal lobar degeneration (FTLD) 97, 127, 128
- Functional Linguistic Communication Inventory 167
- functional losses, mediation of 8–9
- future directions 225, 319–20
 - access to services 320–1
 - carers 255–6
 - consultancy and career frameworks 321–2
 - evidence-based practice 323–5
 - intermediate care 321
 - long-term care 322
 - rehabilitation 321
 - service agenda 322–3
 - social inclusion for older people 322
 - training 321
- galantamine 40, 55
 - NICE assessment 7
- gay carers 244
- general practice *see* primary care, managing dementias in
- Geriatric Depression Scale (GDS) 27, 169
- Geriatric Education Centres (GECs) 296–7
- Gerontological Society of America 290
- gesture 139–40
- Gibson, F. 189–90
- ginkgo biloba 55, 312
- Global Deterioration Scale (GDS) 78, 152–3
- Goldsmith, M. 187
- Graded Naming Test 130, 158–9
- Hachinski ischaemia scale 36, 92–3
- haloperidol
 - delirium 33
 - dementia 38
 - depression 29
- Hamilton Rating Scale for Depression (HRSD) 169, 170
- Hammersmith Hospital Memory Clinic Battery 156–8, 160
- Health Action Zones 321
- Health Care Financing Administration (HCFA) 290
- Health Improvement Programmes 263
- Health Resources and Services Administration (HRSA) 291, 296–7
- hearing problems
 - Alzheimer's disease 85–6
 - and environmental design 196
 - in normal ageing 2, 5
 - paraphrenia 173
 - Pick's disease 99
- history taking 24
- HIV-associated cognitive impairment 107–8
- home care 60–4
- homosexual carers 244
- Hospital Anxiety and Depression Scale (HADS) 169, 170
- Huntington's disease 100–1, 107
- hydrocephalus, normal pressure (NPH) 42
- hyperpriming 84
- hypertension, and vascular dementia 92, 94
- hypomania 29
- idiosyncratic word usage 135
- Indian Health Services (IHS) 290
- informal carers *see* carers
- insomnia 45
- intermediate care 321
- International Classification of Diseases and Related Health Problems, 10th edition (ICD-10) 25

- Alzheimer's disease 110
depression 26
- International Psychogeriatric Association 263
- Iris Murdoch Building, University of Stirling 196
- Kendrick Cognitive Tests for the Elderly 155
- key terms, use of 141
- Killick, J. 186–7, 198
- Kitwood, Tom 184–6, 188, 189, 202–3
- Korsakoff's dementia 8, 44, 108, 174–5
- Kotai-Ewers, T. 195–6
- labelling 185
- late-onset Alzheimer's disease (LOAD) 38, 77, 78
- late-onset psychosis *see* paraphrenia
- late-onset schizophrenia 43, 173–4
- leaflets for carers 251–2
- learning
Alzheimer's disease 213
semantic dementia 141–4
- legal issues
advance directives 47
capacity 46
civil rights laws, USA 297–8
Court of Protection 47, 58
driving 46, 58
end-of-life decisions 47
Enduring Power of Attorney 46–7, 58
ethical principles 45–6
Mental Health Act 47
- length of utterance, semantic dementia 139
- lesbian carers 244
- Lewy body dementia *see* dementia with Lewy bodies
- life story work 216, 273–4
case study 217, 218
- lithium 29, 30
- living arrangements of older people 2
- living wills 47
- lofepramine 29
- long-distance carers 241
- long-term care 321, 322
USA 287
- look books 305
- lorazepam 33
- lost words, re-learning of 141–2
- magnetic resonance imaging (MRI), semantic dementia 138
- mania 29–30
- Marshall, M. 196
- Medicaid 285, 287, 291, 292–4
- Medicare 285, 287, 291–2
- memantine 40
and accurate diagnosis 154
NICE assessment 7
- memory 34–5
alcohol-related dementia 108
Alzheimer's disease 80, 87, 89–90, 206–8, 212
in normal ageing 4–5, 6, 35
Parkinson's disease 102, 103
progressive supranuclear palsy 105
semantic dementia 126, 137–8, 142–4
- Memory Assessment Clinic System (MAC) 161
- memory/communication compensations 303, 305
- Mental Health Act 1983/Mental Health Bill 2004 47
- mental health in older age 17
background 17–21
classification of psychiatric illnesses 25
drug management 20–1
ethical principles 45–6
evaluation 24–5
interaction with physical health and social circumstances 18
legal aspects 45–7
normal ageing 17
prescribing 18–20
prevalence of psychiatric illness 25–6
service provision 21–3
see also specific disorders
- mental state examination 24–5
- Mental Test Score (MTS) 155
- Middlesex Elderly Assessment Mental State (MEAMS) 155
- Miesen, B. 186
- mild cognitive impairment (MCI) 74
- Mini-Mental State Examination (MMSE) 154–6
case study 216–17
depression 170
different versions 150
- mirtazapine 28
- mixed dementia 165
- Modified Ordinal Scales of Psychological Development (M-OSPD) 167

- Montessori-based activities 303, 305
- Montgomery–Asberg Depression Rating Scale (MADRS) 169, 170
- mood disorders 26–30
see also depression
- movement disorder 90–1
- Müller-Hergl, C. 192
- multidisciplinary team *see* teamwork
- multi-infarct dementia *see* vascular dementia
- multisensory work 221
- multisystems atrophy 74
- Murdoch, Iris 87
- mutism 98
- naming and understanding names
 Alzheimer's disease 81–4, 130
 Parkinson's disease 103
 semantic dementia 130–2
- narrowed preoccupations, semantic dementia 136–7
- National Adult Reading Test 86
- National Care Standards Commission (NCSC) 67
- National Center on Elder Abuse 295
- National Family Caregiver Support Program (NFCSP) 295
- National Health Service Plan 7, 11
- National Institute for Clinical Excellence (NICE) 320
- National Institute on Ageing (NIA) 285, 290
- National Institutes of Health (NIH) 290
- National Service Frameworks 263
 for Mental Health 11
 for Older People 11, 49, 319–20
 benchmarking 279
 psychiatry services 264
 service user involvement 218
 shared care protocols 68
 single assessment process 57
 training 321
- National Strategy for Carers 60
- National Suicide Prevention Strategy for England 280
- neighbours as carers 242
- neuropsychiatric testing 137–8
- NHS Plan 7, 11
- nitrazepam 33
- non-verbal communication 190
- normal pressure hydrocephalus (NPH) 42
- North American Industry Classification System (NAICS) 288–9
- nursing homes 66–7
- objectification 185
- obsessive-compulsive disorders (OCD) 31
- occupational therapists 250
- oestrogen 55
- olanzapine
 delirium 33
 dementia 38
 late-onset psychosis 43
- Older Americans Act (OAA) 285, 291, 294
- opiate addiction 43
- outcome measurement 275–6
- outpacing 187
- pacings dimension in interactions 187
- panic disorders 30
- pantomime 139–40
- Paragraph Reading Comprehension task 157, 171
- paraphasias 133, 135
- paraphrenia (late-onset psychosis)
 assessment 42–3, 173
 prevalence 26
- parasuicide 29
- Parkinson's disease (PD) 101–4
 assessment 156, 176–7
 depression 103–4, 107
 drugs 19
- Parkinson's Disease Management Pack 176
- parsimony, semantic dementia 137
- partial knowledge, semantic dementia 139
- pathways and protocols 68–9, 281
- Peabody Picture Vocabulary Test 159, 160
- perceptual matching, semantic dementia 134
- personal experience, links to 140–1
- person-centred care 188–90, 191, 203–4
- personhood 184–5, 186, 196–7, 202–3
- pharmacodynamics 19
- pharmacokinetics 19
- phobic disorders 30
- phonemic paraphasias 135
- physical and mental health, interaction between 18

- Pick's disease/frontotemporal dementia (FTD) 41, 95–6, 98–9, 127, 128
- polypharmacy 19–20
- population issues *see* demographics
- population needs, and service development 269
- positron emission tomography (PET), semantic dementia 138
- preoccupations, narrowed 136–7
- presbycusis *see* hearing problems
- prescribing in old age 18–20
- preserved domains of function, semantic dementia 143–4
- press of speech, semantic dementia 135
- prevalence of psychiatric illness in older people 25–6
- primary care, managing dementias in 49–50
- care homes 66–7
- developing SLT services 264–5
- diagnosis of dementia 35–6, 54–5
- early interventions 55
- features of the dementias 50–1
- framework for practice 68–9
- gateways to support, information and services 55–6
- home care 60–4
- informal carers 58–64
- joint working 56–8
- National Service Framework for Older People 319
- professionals' knowledge and attitudes, addressing 64–6
- recognition of dementia 51–4
- primary progressive aphasia 95–7
- priming 84–5
- prion diseases 105
- privacy 197
- Programs for Older Americans 294–5
- progressive aphasia 75, 128
- primary 95–7
- progressive supranuclear palsy (PSP) 41, 104–5
- promotion of SLT services 276–7
- prosody 5
- prosopagnosia 128, 133–4
- protocols and pathways 68–9, 281
- Prudhoe Cognitive Function Test 110
- pseudodementia 27, 76
- pseudodepression 107
- psychiatric health and illness *see* mental health in older age
- psychiatry services 21–3, 263–4
- psychosis, late-onset *see* paraphrenia
- psychotic depression 29
- Public Health Service (PHS), USA 291
- Public Office Trust and Guardianship 58
- quetiapine 43
- rate of speech 212
- Raven's Coloured Progressive Matrices (RCPM) 155
- reading aloud, semantic dementia 135
- reading problems, Alzheimer's disease 208
- reality orientation (RO) 55, 300, 301, 310
- recognition 186
- referrals 210, 273
- reflection by practitioners 192–4
- rehabilitation 7, 262, 321
- Rehabilitation Act 297
- rehearsal 213
- remembrance therapy 220–1, 301, 302, 310
- repair
- Alzheimer's disease 89–90
- Parkinson's disease 102–3
- Repeatable Battery for the Assessment of Neuropsychological Status (RBANS) 161
- repetition, semantic dementia 134
- Reporter's Test 166
- research priorities 323–4
- residential care 66–7
- resolution therapy 204
- resources
- for carers 251–2, 260
- and development of SLT services 272
- USA 287–98, 318
- Right Hemisphere Battery 162, 173
- risk assessment, and service development
- existing services 279–80
- new services 270
- risperidone
- delirium 33
- dementia 38
- depression 29
- late-onset psychosis 43
- rivastigmine 40, 55
- and accurate diagnosis 154
- NICE assessment 7

- Rivermead Behavioural Memory Test 155
- Robertson Dysarthria Profile 176
- Rose, S. 198
- routine, in semantic dementia 137, 143
- Royal College of Physicians Sentinel Stroke Audit 279
- Royal College of Speech and Language Therapists (RCSLT)
- best practice guidelines 271
 - position paper 11, 279, 323
- Royal Commission on Long Term Care 321, 322, 325
- Ruchill Memory and Information Test 155
- rural areas, carers living in 244
- salbutamol 30
- same-sex partnerships 244
- Scales for Outcomes of Parkinson's Disease – Cognition (SCOPA-COG) 176
- schizophrenia 43, 173–4
- SCOPA-COG 176
- selective serotonin reuptake inhibitors (SSRIs) 19–20
- selegiline 55
- semantic dementia 95, 125, 144–5
- anatomy 127–8
 - assessment 163
 - behavioural changes 126–7
 - clinical overview 125–6
 - communication difficulties, managing 138–42
 - demographic features 126–7
 - diagnosing 128–36
 - functional losses, mediation of 8
 - histology 128
 - learning and forgetting 142–4
 - neuropathology overview 127–8
 - physical signs 137–8
- senile squalor syndrome 45
- Senior Legal Services 295
- Sentence Disambiguation task 157
- sentence processing 87–9
- service development *see* development of SLT services
- Severe Impairment Battery (SIB) 110, 166–7
- shared care protocols 68–9
- sight problems 85–6, 208–9
- single-photon emission computed tomography (SPECT), semantic dementia 138
- single-word repetition, semantic dementia 134
- SKT 168
- sleep problems 44–5
- social circumstances, interaction with mental health 18
- social inclusion for older people with dementia 218, 279–80, 322
- social services 37, 264, 277
- sodium valproate 30
- Sonas aPc 221
- spaced retrieval 304, 305, 311
- spatial ability testing 137
- spatial location, and semantic dementia 143–4
- Speakability 224
- spouses *see* carers
- stakeholders, and service development 270
- standardized assessment instruments 24
- Steele–Richardson–Olszewski syndrome (progressive supranuclear palsy) 41, 104–5
- stigma of mental illness 27
- Stirling University 196
- Stokes, G. 204
- Story Retelling task 157, 171, 173
- substance abuse 43–4
- see also* alcoholism and alcohol abuse, dementia associated with
- suicide 29, 279–80
- surface dysgraphia 135
- surface dyslexia 135
- swallowing difficulties 270
- sympathy, loss of 136
- teamwork 9, 191–4
- Alzheimer's disease 205
 - assessment process 147, 149–50
 - with carer 250–1
 - developing SLT services 263–4, 275, 277, 278, 282–3
 - primary care 56–8
- Telecommunications Act 298
- temazepam 45
- Test for the Reception of Grammar (TROG) 132, 166, 208
- thioridazine 37–8
- thyroxine 30
- time, and semantic dementia 137, 143
- Token Test 132, 166
- Trail Making Test 177

- training 275, 282–3, 306–10, 321
 Alzheimer's disease 223–4, 230–7
- transcortical sensory aphasia 75, 95, 99
- transient global amnesia 42
- transmissible spongiform encephalopathies 105
- trazodone 29, 45
- United States of America 285, 312–13
 agencies and organizations 290–8, 318
 caregiver training programmes 306–10
 costs of dementia 287
 demographics of dementia 286
 effectiveness of interventions 310–12
 Evercare schemes 18
 psychiatry, old age 22
 resources for elderly individuals 287–9, 318
 treatment and intervention for dementia 298–306
- University of Stirling 196
- Unusual Angle Photograph Naming 154, 157
- validation therapies 186, 204–5, 300–2, 310
- Valium 28
- vascular dementia (VaD) 34, 42, 91–2
 aphasia 75
 assessment 36, 151, 165
 differential diagnosis 76, 92–3, 95
 functional losses, mediation of 8
 mixed dementia 165
 speech, language and cognitive functions 93–5
 USA 286
- venlafaxine 29
- Veterans Health Administration (VHA) 290
- video recordings of carer–client interactions 247–8
- Visual Object and Space Perception (VOSP) 137
- visual perception 85–6, 208–9
- vocabulary books 213, 214
- voluntary sector 23, 225, 275
see also Alzheimer's Society
- Voting Accessibility for the Elderly and Handicapped Act 298
- warfarin 20–1
- Wechsler Adult Intelligence Scale (WAIS) 150, 174
- Wernicke–Korsakoff syndrome 108, 174–5
- Wernicke's encephalopathy 44, 108, 174
- Western Aphasia Battery 166
- What's Wrong? task 157, 158
- White House Conference on Ageing 285
- Whurr Aphasia Screening Test 166
- Wisconsin Card Sorting Test 177
- word books 213, 214
- Word Fluency tests 157, 159–60, 171, 177
- Word Learning test 157, 173
- World Health Organization (WHO) 263
- World Psychiatric Association 263
- written language skills
 Alzheimer's disease 86–7, 208–9
 Pick's disease 99
 semantic dementia 135
- Written Picture Description task 157, 158, 166
- young-onset dementia (YOD) 74, 110
- zopiclone 45