

## Index

### a

- absorption
  - vibronic structure 239
  - coefficient 198
  - photoluminescence 253
- absorption spectrum 230
  - Franck-Condon type 321
- Airy unit 155
- amplitude mode model 229 f
- anthracene 218, 367, 369 f, 461, 467
- anti-resonance 228, 230, 241, 254
  - Fano-type AR 196
- autocorrelation 29, 32
  - function 9
- autoionization 264
- avalanche photodiode 20

### b

- 1,1-bis(ditolylaminophenyl)cyclohexane 313, 339 ff
- $1^1B_u$ , free-exciton 499
- band gap 369
- band transport, trap-controlled 284
- biexciton 194
- bimolecular recombination 207, 235 f, 247, 252 f
  - DBR 209
  - kinetics 232
  - non-dispersive 232
  - rate constant 319
- biphenylamine 350 f
- bipolaron 190
- Boltzmann distribution 204
- broadening homogeneous 507
- broadening inhomogeneous 507
- bulk conductivity 325

### c

- carbon nanotube 381, 391 ff, 395
- carrier
  - density 282
  - dynamics 395
- carrier jump
  - backward 285 f
  - rate 273
- carrier mobility 280, 293, 302, 381, 408, 410 f
  - single-carrier (TOF) 294
- carrier packet 283
  - dispersion 277
  - field-assisted spreading 285
- carrier transport 391
  - band-like 370
  - trap-controlled 279
- charge carrier
  - concentration 318
  - equilibration 275
  - generation 318
  - hopping 265
  - optical 320
- charge carrier generation
  - delayed 320
  - optically detected 320
- charge carrier hopping, trapping effect 342
- charge carrier mobility 304
  - determination 325
  - effective 315
  - P3HT 354
- charge carrier motion
  - in a FET 326
  - ultrafast monitoring 327
- charge carrier transport 368
  - in disordered organic materials 314
- charge coupled device 16 f
- charge density wave 229 f
  - approximation 196

- charge generation 262
  - efficiency 400
  - rate 543
- charge photogeneration efficiency 407 f, 410, 418
- charge transfer
  - complex 529
  - overlap integral 192
  - transition 192
- charge transport 261
  - ambipolar 171, 175, 178
  - chemical and morphological aspects 350
  - effect of positional disorder 339
  - random organic solid with energetic disorder 328
  - unipolar 171
- charged excitation, optical transition 190
- Child's law 323
- co-evaporation 178
- Cole-Cole model 213, 387
- Cole-Davidson model 387
- conductivity 396
  - complex 373
  - model 381
  - spectrum 197
- conjugated polymer 49 f, 57, 131, 134 ff, 183, 302, 338, 347
  - correlations, electronic 49 f, 98 f, 135
  - electron-electron interactions 49 f, 98 f, 135
  - electron-phonon interactions 49 f, 121 134
  - ordered reference state 50
  - photoexcitation 187
  - self-trapping 134
- conjugation length 239 f, 241 f, 250, 254
- continuity equation, Fokker-Planck type 275
- continuous time random walks 265
- Coulomb
  - binding energy 290
  - center 326
  - potential 290
  - potential well 293
  - trap 290, 292 ff
- cryostat 30
  - optical 24
- Curie susceptibility 187
- current flow, space charge-limited 323
  
- d**
- dark count 21
- DAST 374, 376
- Davydov
  - component 430, 445, 458, 462, 469, 471, 474 f, 477, 480, 490, 492 f
  - splitting 239, 460, 473
- degradation 163
- density of state 275 ff, 536, 542
  - distribution 278
  - function 281
  - Gaussian 279, 284, 287, 314
  - Gaussian function 276
  - maximum 280
- device
  - electronic 153
  - optoelectronic 171
- diacetylenes 50, 56, 64 ff, 137 ff
  - 3- and 4-BCMU monomer 53, 59, 64 ff
  - BCMU crystal structures 142 ff
  - polymerization, topochemical 51, 64, 137 ff
  - side-groups 53 ff, 60, 66, 139
- diacetylenes, polymerization
  - energetics 141 f
  - initiation 51 f, 137, 139
  - propagation 51 f, 54, 138, 140
  - strain, and effect of 54 f, 57, 71, 141, 144 f
  - structural requirements 54, 138 ff
- disorder 49, 51, 54 ff, 63, 125 ff, 136 f
- dichroic beam splitter 17, 20
- dielectric tensor 442, 445 f, 453, 457, 466 f, 478, 480, 490, 493
  - aggregation 430, 463, 469, 471, 477, 483, 492
  - optical axis 445, 453 f, 456, 461, 466, 471, 477, 487, 491
  - principal axes 446, 453, 457, 473, 480, 484, 492
- dielectric theory 439, 471, 481
  - absorption constant 443, 449, 469, 485, 488
  - boundary conditions 443, 451 f, 472
  - exciton-free layer 452, 456
  - Fermi's golden rule 429, 438 f, 458, 460, 490
  - dielectric constant 440, 442 ff, 447, 449, 453 f, 466, 473
  - dielectric susceptibility 443, 447, 490
  - local field 445, 469
  - material equations 440
  - permeability 440
  - plasma frequency 437, 438, 447
  - polarizability 444, 445, 485, 489
  - polarization, macroscopic 429 ff, 443 f, 446, 462, 481, 492
  - Poynting vector 440 f, 490, 492
  - reflectivity 443 f, 449
  - refractive index 440, 442 f, 452, 454, 468

- solvent shift 445
  - sum rule 463, 481, 483
  - transmittance 444, 488 f
  - diethylaminobenzaldehyde diphenylhydrazone 345
  - difference absorption spectra 504
  - diffusion coefficient 280
  - dimer 192
  - disorder model
    - correlated 271, 305
    - Gaussian 271
  - disordered organic materials, in presence of traps 314
  - dispersive process 213
  - dispersive recombination 213
  - ditolylphenylamine 345
  - drift mobility
    - electric field dependence of 2, 303
    - temperature dependence 299
    - zero-field effective 309
  - Drude model 381 ff
    - generalized 387 f
    - localized-modified 388, 390 ff
    - relaxation time 381 f
    - response 403
  - Drude-Lorentz model 385, 394
  - Drude-Smith model 387 f, 390, 415 f
- e**
- effective medium approximation 270, 308, 314
    - hopping charge-carrier transport 295
    - theory 297
  - effective medium model 284
  - Einstein relation 273, 277, 322
  - electrically detected magnetic resonance 206
  - electric field-assisted photoluminescence up-conversion 533 ff
    - experimental setup 534
  - electric field-assisted pump-probe 537 ff
    - differential transmission 537
    - interpretation 537
    - popular dynamics 537
  - electric field-assisted up-conversion, PPPV 535
  - electroabsorption 185, 525
  - electrodynamics
    - electric field 439 ff, 453, 454, 486
    - energy density 440 f, 442
    - energy flux 439 f, 450, 490
    - energy velocity 440 f
    - displacement current 439, 441 ff, 452 f, 490, 492
    - induction 439
    - magnetic field 439 f
    - Maxwell's equations 439 ff, 446
    - normal mode 433 f, 439, 443
    - phase velocity 440 f, 468
    - polarization, longitudinal 446, 455, 461, 467, 476, 484, 492
    - polarization of light 439, 442, 476, 480 f
    - spatial damping 434, 439, 443, 449, 459
    - temporal damping 434, 439, 443, 459
    - wave vector 433 f, 442 f, 445 ff, 451, 453 f, 456, 467, 475, 478 f, 490, 492
  - electroluminescence 175, 178
  - electromodulation 530
  - electron
    - correlation 191
    - spin 201
    - spin resonance 200 ff
    - spin transition 200
    - trap 263
  - electron-electron interaction 184
  - electron-hole
    - pair 263 f
    - recombination 319
  - electronic coupling 32 ff
  - electronic relaxation 521
  - electron-lattice dynamics 498
  - electron-photon interaction 184
  - electron-spin resonance, light-induced 187
  - electro-optic sampling 376
  - emission 103 ff, 130
    - excitation spectrum 104
    - lifetime, non-radiative 113 ff
    - lifetime, radiative 112 f, 130
    - quantum yield 109 f
    - rate 8
    - resonance emission 104 ff
    - resonant vs non-resonant excitation 117 f, 128 ff
    - spectrum 125
    - vibronic lines 103 f, 117 f, 123, 126
  - energetic disorder 328
  - ergodic hypothesis 295
  - excitation binding energy 369
  - excitation, long-lived 205
  - excitation transfer interaction 12
  - exciton 61 ff, 99 f, 193, 268, 386, 408, 429, 431, 433 f, 436, 438, 446 f, 452, 458, 460, 463, 469, 490, 527 ff
    - binding energy 63, 99 f, 132
    - Davydov component, *see* Davydov
    - density fluctuation 434

- dipole moment 434, 436 f, 452, 473, 475, 479, 486, 492 f
  - energy 99 f
  - Förster transfer 460, 487
  - formation 220
  - Herzberg-Teller coupling 484
  - high-energy 93 ff
  - hybridization 450, 484, 492
  - longitudinal exciton 434, 447 ff, 451, 454 ff, 461, 467, 469 f, 488
  - Lorentz oscillation, *see* Lorentz
  - Lorentz screening, *see* Lorentz
  - oscillator strength 430, 437 f, 447, 453, 458 f, 462 ff, 467, 473 f, 481 ff, 486 f, 491
  - radius 63, 99
  - relaxation 101
  - scattering 438 f, 449 f, 452, 458 ff, 467, 476, 490, 492
  - Stark effect 436, 485
  - surface states 452, 466 f, 478
  - transition dipole, *see* transition dipole
  - transverse 434, 447 ff, 451, 454, 461, 467, 469 f, 473, 476, 478, 490
  - vibronic exciton 448, 462 f, 469, 473
  - virtual transition 444
  - Wannier exciton, *see* Wannier
  - exciton, bands 528
    - binding energy 262, 527
    - dissociation 178, 263, 535 ff
    - Frenkel exciton, *see* Frenkel
    - migration 542
    - self-trapping 194
    - trap 334
    - trapped CT 532
    - vibrationally relaxed 263
    - Wannier-Mott exciton, *see* Wannier-Mott
  - exciton, singlet 73 ff, 96 ff, 117–136, 243, 246, 255
    - 1-D band 112, 117 ff
    - binding energy 76 f, 96 ff
    - coherence time 121 f
    - effective mass 76, 78, 113, 130
    - energy 72, 76 f
    - exciton-phonon interactions 130 ff
    - exciton-photon interaction (Rabi period) 129 ff
    - fission 89 ff, 96, 134
    - non radiative relaxation 82–88, 96
    - radius, or size 76, 96, 98, 133
    - relaxation 109
    - self-trapping, and absence of 82, 88, 93
  - exciton, triplet 88 ff, 133
    - energy 91
    - modulation frequency 235
    - transport 92 f, 97
  - triplet-triplet exciton annihilation 207
  - T-T\* transition 84, 89, 91, 194, 207, 225, 232, 240 f, 243, 246, 255
  - extinction coefficient 198
- f**
- far-infrared 370, 393
  - fast Fourier power spectrum 515
  - femtosecond laser source 377
  - femtosecond spectroscopy 498
  - Fermi
    - energy 284, 286 f
    - level 286 f, 292
  - Fermi-Dirac
    - distribution 286
    - function 283
  - field
    - drift mobility 303, 305
    - effective polaron mobility 306
    - external 290
    - strong 290
    - weak 290
  - field dependence, Pool-Frenkel type 270 f
  - field-effect transistor 326 ff
    - mobility 327
  - field-induced pump-probe, Stark shift 544
  - film
    - co-evaporated 174
    - vacuum sublimed 162
  - fluorene trimers 539, 549
    - polarization of initial and final states 550
    - singlet dissociation 550
  - fluorescence 79 ff, 193, 531
    - site-effective 272
    - lifetime 36, 80 f, 96 f
    - quenching 264, 531
    - resonance energy transfer 11
    - Stokes shift, absence of 80, 96
    - vibronic lines 79
  - Fourier transform IR spectrometer 241
  - Franck-Condon
    - point 518
    - principle 518
    - state 264, 508
    - transition 321
  - Franz-Keldysh effect 73, 75, 77 ff, 102, 357
  - free carrier absorption 370
  - free carrier yield 557
  - free induction decay 513
  - Frenkel
    - excitation 368

- exciton 429, 439
- exciton band 528
- Frenkel-type exciton 262
- Fresnel equation 442 f, 451, 453, 457, 492
- biaxial 457, 483
- isotropic 446 f
- uniaxial 453

**g**

- gallium arsenide 373
- Gaussian distribution, double-peak 288
- Gaussian envelope function 268
- generalized coordinates 234, 252
- geometric relaxation 500
- geometrically relaxed  $2^1 A_g$  state 519
- Gill equation 266, 269
- grain boundary 412

**h**

- 8-hydroxyquinoline, field-induced exciton separation 531
- H-aggregate 12
- heterojunction, bulk 171, 171 ff, 175, 177 f
- higher lying state 530
- Hoesterey-Letson formalism 314, 316
- hole burning 498
- hole mobility 332
- in substituted tritolyamines and biphenylamines 352
- hole transport 343
- in polyfluorene films 356
- non-dispersive to dispersive 329
- HOMO 188, 226, 346
- hopping
- conductivity 286
- Coulomb effects 289
- downward 275
- in a doped organic material 289
- master equation 297
- mobility 274
- model 267
- neighbors 277 f, 285
- parameter 274 f
- rate 280
- relaxation 276
- sites 287, 316
- thermally activated variable-range 277
- transition 296
- hopping charge-carrier transport, EMA theory 295
- hopping mobility, equilibrium 284, 287
- hopping state distribution 268
- hopping theory, stochastic 273

- hopping transport
- dispersive 281
- equation 283
- equilibrium 283 ff
- in organic solids 306
- low-field 308
- trap-controlled 315 ff
- trap-to-trap 315 ff
- hot excitation 413
- dissociation 368
- Huang-Rhys factor 251, 272, 347, 505
- Hückel model 185

**i**

- imaging
- photoluminescence 161, 168
- topographic 161
- inorganic glass 328
- in-phase quadrature 200
- intensity correlation function 27
- interchain excitation 186
- interchain interaction 221, 240, 254, 530
- interface 153
- internal conversion 500
- intersystem crossing 7, 225
- IR-active vibration 188, 195, 222, 228 ff, 232, 254

**j**

- J-aggregate 12, 239
- jump rate 280
- Markus theory 296, 306
- Miller Abrahams 198, 298

**l**

- ladder-type polyphenylene 264, 334 ff, 357, 539
- ladder-type polyphenylene, methylated 243
- anisotropy loss 569
- geminate recombination 569
- re-excitation of charged state 569
- re-excitation of singlet exciton 564
- ladder-type polyphenylene, methyl-substituted 541 ff
- field-assisted pump-probe 541
- Landé factor 203
- Langevin's equation 319
- Larmor frequency 203
- laser 158
- femtosecond 158
- lens, aperture angle 155
- lifetime, mean 214
- lifetime distribution function 216

- light-induced electron spin resonance 187
- linear prediction singular value decomposition 515
- lineary increasing voltage 325
- Lorentz
  - oscillator 384 ff, 408, 415 f, 444, 446, 466 f, 479 ff, 487, 492
  - screening 445
- LT-GaAs 375
- LUMO 188, 226, 346
  
- m**
- magnetic dipole moment 202
- magnetic moment 202
- magnetic quantum number 201
- magnetic resonance 205, 245, 248 f
  - spectroscopy 204
- Marcus
  - jump rate 296, 306
  - model 309
- mean lifetime 214
- methoxyspirofluorenearylamine 330
- microscope
  - confocal laser scanning 157 f
  - objective 19
- microscopy
  - $4\pi$  21
  - atomic force 154, 161, 164
  - confocal 24 ff, 155, 157
  - confocal laser scanning 178
  - confocal laser scanning fluorescence 154
  - epifluorescence 14 ff
  - optical 153
  - photoluminescence 164
  - scanning confocal optical 18 ff
  - scanning near-field optical 22
  - stimulated emission depletion 21
  - total internal reflection 18
  - two-photon 21
- microwave conductivity 356
  - time-resolved 370
- microwave technique, time-resolved 327
- Miller-Abrahams
  - assumption 269
  - equation 278
  - form 314
  - formalism 296, 298
  - jump rate 198, 298
  - model 309
  - rate 271
- mobility 220, 367
  - field-effect 176
  - transient 332
- modulation frequency 210
- molecular dimers 32 ff
- molecular excitation model 369
- molecular exciton model 368
- molecular orientation 153, 165
- molecular weight 241
- monomolecular recombination 207
  - DMR 209
- mononuclear recombination 252
- Monte Carlo simulation 267, 270 f, 279, 284
- morphology 153, 162, 164, 171, 173
- Mott law 292
- multi-phonon approximation 296
  
- n**
- naphthalene 367 f, 369, 408, 458 f
- neutral exciton, optical transition 193
- N, N'-ditridecylperylene-3,4,9,10-tetracarboxylic diimide 172
- non-collinear optical parametric amplification 500
- noncrystalline organic material 265
- non-degenerated ground state polymers 184
- non-equilibrium state 510
- nonlinear optical property 504
- nonlinear optical spectroscopy 194
  
- o**
- objective, numerical aperture 156
- occupational density of state 297, 314
- occupational probability 275
- oligoacenes 368
- oligomer 186, 241 f, 243, 249 f, 255
- oligo(phenylenevinylene) 242, 348, 539, 551 ff
  - anisotropy decay 566
  - early charge carrier mobility 553
  - field-induced singlet exciton breaking 553
  - geminate recombination of charged pairs 553
  - photoinduced absorption bands 553
  - re-excitation of charged state 570
  - re-excitation of singlet exciton 565
- oligophenyls 242
- oligo(thienylenevinylene)s 242
- oligothiophenes 242 f
- one-dimensional system 507
- Onsager theory 186
- optical absorption 188, 252
  - band 200
- optical Bloch equation 7
- optical gap 241
  - optical microscopy, near- and far-field 153

- optical properties
    - absorption coefficient 379
    - complex conductivity 380
    - complex dielectric constant 380
    - conductivity 397
    - effective medium model 393 f
    - extinction coefficient 380
    - refractive index 379
  - optical rectification 373 f
  - optical resolution 154
  - optical sectioning 160 f
  - optical selection rule 191
  - optically detected magnetic resonance 200 f, 246, 248, 251 f, 255
    - spectroscopy 243
  - optoelectronic probing 526
  - organic light-emitting diode 183, 218, 251 f
  - organic material
    - doped 286
    - disordered, in presence of traps 314
    - organic molecular crystal 367
  - organic solid 306
  - organic thin film, semiconductor 154
  - orientation factor 11
  - oscillation, coupled 10
  - overlap integral 12
- p**
- P13 173
  - paramagnetic species 203
  - peak-tracking 502
  - Peierls gap 184
  - pentacene 367, 370, 375, 404, 406, 409 f, 414
    - functionalized 370, 395, 404 f, 407, 409
    - thin films 370
  - percolation energy 314
  - percolation threshold 296, 301
  - percolation-type theory 273
  - perylene 367
  - phase segregation 171
  - phase separation 173
  - phase-sensitive lock-in detection 210
  - phonon peak 510
  - phonon-polariton 431, 456
  - phonon replica 222
  - phonon transition 505
  - phosphorescence 194, 219
  - photoabsorption 239, 242 f, 246, 249 f, 252 f
  - photobleaching 39
  - photoconductive switch 373
  - photoconductivity 187, 261 ff, 369 f
    - transient 370, 393, 395, 399 f, 404, 406, 414
  - photoconductor, disordered organic 316
  - photocurrent
    - stationary 318
    - transient 320 f
  - photocurrent cross-correlation 555 ff
    - experimental setup 556
    - re-excitation of charged state 568
    - stimulated emission dumping 558
  - photodegradation 37
  - photoexcitation
    - optical transition 188
    - density 208
    - lifetime 206
  - photogenerated species 200
  - photogeneration 185, 261
    - efficiency 410
  - photoinduced absorption 199, 225 f, 228 ff, 232, 234 f
    - spectroscopy 255
  - photoinduced absorption-detected magnetic resonance 187, 204, 224, 241, 246 ff, 249, 255
    - spectroscopy 243 ff
  - photoinduced absorption, kinetics 232
    - modulation frequency dependence 232
    - pump intensity dependence 232
  - photoinduced carrier density 197
  - photoluminescence 155, 185, 238 f, 241, 246 f
    - decay 178
    - quenching 177
    - spatially resolved 166, 169
    - spectroscopy, time-resolved 178
  - photoluminescence-detected magnetic resonance 204, 246 f
  - photoluminescence, intersystem crossing 222
    - quantum efficiency 222, 253
    - RRA-P3HT and RR-P3HT 221
    - time-resolved 172
  - photoluminescence spectrum, vibronic structure 239
  - photoluminescence up-conversion 533 ff
  - photoluminescent efficiency 220
  - photomodulation 186, 222, 224, 252
    - spectroscopy 198
  - photomultiplier tube 20
  - photon
    - antibunching 9, 27
    - bunching 9, 29
    - propagator 196
  - photonics 367
  - point spread function 20, 154
  - Poisson
    - distribution 281
    - probability 275

- statistics 274
- equation 323
- polariton 429, 431, 434, 437, 439, 443, 445, f, 450 f, 458, 460, 490, 492
  - absorption, non-classical 439, 458 ff
  - Boson 432 f
  - exciton-polariton 431, 446, 456, 467
  - Fermion 432 f
  - Hamiltonian 432 ff, 436, 458
  - harmonic oscillators 432
  - nanocrystals 482, 487 ff, 492
  - polarization quanta 436
  - radiation field 429, 434 ff, 438, 443, 445, 490
  - self-energy correction 467
  - spectral density 463, 465, 467, 469, 481
  - surface polariton 431, 463
- polariton dispersion 446 ff, 456, 461
  - axial dispersion 457, 471, 473 ff
  - directional dispersion 453, 455 f, 461 f, 468 f, 474, 476, 478 f, 483, 487, 489 ff
  - extraordinary ray 454 ff, 471
  - field-broadening 486 f, 489, 491
  - Kurosawa relation 449, 454
  - Lyddane-Sachs-Teller relation 448, 451, 466
  - ordinary ray 454 f
  - polariton gap 447 f, 452 f, 455 f, 466 f, 469, 477
  - reflectivity, metallic 430 f, 447, 455, 462 f, 466, 473, 476, 478
  - resonance frequency 454 f, 461, 465, 467, 481, 483, 491
  - spatial dispersion 450 ff, 456, 476, 492
  - spectral shift 454, 461, 466 f, 470, 474 f, 484, 492
  - stop band 447, 489, 492
- polariton spectra 464 ff, 478, 488
  - anthracene 461, 467
  - BDP 430, 480
  - BDH 477 ff
  - CTIP 462 ff, 468
  - electroabsorption 485 ff
  - electron-loss spectra 461 f
  - elliptic polarization 472 f, 475 f, 480
  - graphite 460 ff
  - lineshape 449, 465, 476, 486, 488
  - linewidth 459, 460, 463, 467, 473, 484, 493
  - naphthalene 458 f
  - quaterthiophene 490 ff
  - polariton selection 471 f, 475
  - sexithiophene 482 ff, 487 ff
  - TCNQ 469 ff
  - tetracene 467
  - TTI 471 ff
  - normal incidence 445, 464, 469, 490
- polarization 18 f
- polaron 190, 225 f, 229 f, 240 f, 243, 248, 250, 272, 369, 410
  - activation energy 307
  - absorption 223
  - delocalized 192, 221, 224 f, 253
  - effect 306, 347
  - hopping transport 306
  - modulation frequency dependence 236
  - PA spectrum 241
  - photoabsorption 247
  - relaxation energy 198, 225 f
  - small molecular 409
- polaron excitation, trapped 197
- polaron mobility
  - Arrhenius activation energy 307
  - in electric fields 306
- polaron pair 193, 246, 249
  - geminate 243
  - non-geminate 245
- polaron recombination 218, 243, 255
  - non-geminate 248
  - process 219
- polaron transport 272
- polaron vibrational pinning parameter 196
- polaronic exciton 195
- polyacetylene
  - cis 183
  - trans 183
- polyarylenevinylenes 272
- polycarbonate 266, 313
- polydiacetylene 262 f, 498
  - 3BCMU 501 f
  - crystalline 356
- polydiacetylene, bulk crystal 60 ff, 99 ff
  - $A_g$  excited states 64, 75
  - absorption and reflection spectra 56 f, 61
  - blue and red states 56 f, 66
  - chain geometry and conformation 58 f
  - electroreflectance 62, 74 f
  - interchain interactions 79, 100
  - ionized states 102
  - triplet states 102
- polydiacetylene ionized states 73 ff
  - band gap 77, 96
  - effective mass 78
  - coherence length 78
- polydiacetylene, isolated chains, blue 50, 67–102
  - $A_g$  excited states 82, 88, 93, 96 ff, 133, 135
  - $A_g$  triplets, excited 88, 91

- absorption 67 ff
  - absorption low energy lines 71, 74, 145 f
  - electroabsorption 73 ff, 79, 95, 145
  - polydiacetylene, isolated chains, red 103 f
    - absorption 105 ff
    - absorption cross-section 127
    - electroabsorption 107
  - polydiacetylene, single chain emission 116–130
    - spatial extension 124 ff
  - polydiacetylene solution 56 f, 65 f, 133
    - absorption spectrum 57, 68
    - chain length, mol. weight 65 f
  - poly(dibutylsilylene) 312
  - poly(dioctylfluorene) 304
  - poly(ethylenedioxythiophene) 330
  - polyfluorene 184, 270, 338, 539, 545 ff
    - phase 254
  - polyfluorene, charge carrier mobility 549
    - field-induced process 547
    - morphological behavior 237
    - non-geminate pairing 548
    - phase 238 f, 240 f
  - polyfluorene film 338
    - hole transport 356
  - polyfluorene, singlet efficiency 549
    - thermal cycling 240 f
    - triplet state 546
  - polyfluorene-phenyl-butyric acid ester 346
  - poly(3-hexylthiophene) 192, 355
    - regio-random 220, 222, 246, 253
    - regio-regular 220, 224 ff, 253
  - polymer 241, 243, 249, 255
    - conducting 391
  - polymethylphenylsilylene 348
  - poly(3-methylthiophene) 381, 391 f
  - poly(phenylenevinylene) 184, 235 f, 246 f, 254, 266, 353, 375
  - poly(phenylenevinylene), MEH substituted 375, 381, 395, 403, 416 ff
    - free carrier field 561
  - polypyrrole 381, 391, 391 f
  - polystyrene
    - doped 345
  - polystyrene sulfonic acid 330
  - polythiophene 184, 253, 272, 325
  - poly(toluenesulfonate-diacetylene) 357
  - polyvinylcarbazole 266, 345
  - Poole-Frenkel
    - effect 266
    - factor 307
    - formalism 528
  - law 266, 271, 311
  - regime 271
  - positional disorder, effect 339
  - potential hypersurface 505
  - power-law
    - behavior 407
    - decay 413 f
  - primary photoexcitation 368 f, 411
  - proton-deprotonation process 230, 254
  - pump intensity 213, 216
  - pump-pump coupling 513
  - pyridylene/vinylene polymer 230
- q**
- quantized angular momentum 201
  - quantum efficiency 200, 219
    - internal electroluminescence 218
  - quantum interference 197 f
  - quantum wire, or 1D 55, 98, 120, 132 f, 136
    - lateral confinement 49, 98, 132
  - quinquethiophene 172
- r**
- Rabi
    - coupling 438
    - frequency 7, 435 f, 438, 458 f, 492
    - oscillation 10, 436
    - splitting 435 f
  - Raman
    - active mode 195
    - active vibration 195
  - Raman scattering
    - impulsive stimulated 508
    - dispersion 195
    - resonant 229
  - Raman spectroscopy, time-resolved 498
  - random organic solid, charge transport analysis in 328
  - random phase approximation 196
  - raster scanning 156
  - Rayleigh resolution 155
  - real-time spectrum 500
  - recombination rate distribution 213 212
  - re-excitation of singlet excitons 563
  - refractive index 156
  - relaxation time 393
  - resolution, depth 155
    - in-plane 155
  - retinal 378 f
  - RRS 230
  - rubrene 367, 370

**s**

saturation intensity 9  
 saturationless recombination kinetics 212  
 scanning head 157  
 second-harmonic generation 158  
 semiconductor 395  
 – band model 321, 369  
 – organic 153, 164, 367  
 – organic thin-film 154  
 sexithiophene 164, 370  
 – unit cell 164  
 sexithiophene film, sub-monolayer 170  
 signal-to-noise ratio 13, 28  
 simple-rate-equation 220  
 single molecule, orientation 41  
 single molecule spectroscopy 13  
 – cryogenic temperature 23  
 single-phonon approximation 296  
 single rate equation 208  
 singlet 244  
 – excitation 193  
 – exciton, *see* exciton, singlet  
 singlet-singlet annihilation 38, 40  
 singlet-triplet  
 – annihilation 38, 40  
 – formation 220  
 – ratio in OLED 251 f  
 site correlation effect 270  
 soliton 184  
 – optical transition 189  
 – soliton-antisoliton pair 185  
 SOMO 188  
 space charge limited current 323 ff  
 – stationary 323  
 – transient 324  
 spectral relaxation 535  
 spectroscopy  
 – femtosecond 498  
 – nonlinear optical 194  
 – optically detected magnetic resonance 243  
 – photoinduced absorption 255  
 – photoinduced absorption-detected magnetic resonance 243 ff  
 – photoluminescence 153  
 – single molecule 13  
 – terahertz puls 327  
 – terahertz time-domain 377  
 – spatially resolved 154  
 – spatially resolved PL 164  
 – time-resolved 158  
 – time-resolved PL 159  
 – time-resolved Raman 498

spin 202  
 – angular momentum 201  
 – degeneracy 219  
 – polarization 201  
 spin-dependent exciton formation 243, 248  
 – cross-section 220  
 spin-dependent polaron recombination 247  
 spin-dependent recombination rate 243  
 spin-lattice relaxation time 206  
 spin-orbit coupling 219  
 static disorder 13  
 stimulated emission 203  
 stimulated emission dumping  
 – MEH-PPV 560  
 – m-LPPP 561  
 streak camera 159  
 superimposed disorder, organic solids 306  
 superradiance 34 f  
 supramolecular arrangement 153  
 supramolecular organization 165, 168, 171  
 Su-Schrieffer-Heeger model 185  
 SWNT 393

**t**

T13 178  
 T5 173, 178  
 teracene 367  
 terahertz pulse 327, 367, 370, 373  
 terahertz spectroscopy 327  
 – time-resolved 370 ff, 393  
 terahertz time-domain spectroscopy 377  
 tetracene 370  
 thermal cycling 254  
 thermal excitation, Boltzmann type 273  
 thin film 153, 163, 367, 409  
 – transistor 286  
 thionaphthenindole, field-induced exciton separation 531  
 three-level system 6  
 time-of-flight currents 346  
 time-of-flight technique 321  
 transcendental equation yield 277  
 transistor  
 – light-emitting 175  
 – light-emitting field-effect 171  
 transition dipole 167, 429, 433, 444 ff, 451, 460, 463 ff, 469, 472, 477, 481, 486 f, 491  
 transition rate  
 – effective 308  
 – two-site 308  
 transport, band-like 367, 407 ff  
 transport regime, dispersive 282

trap  
– concentration 315  
– density 208  
– depth 342  
– distribution 323  
– exciton 334  
– monoenergetic 323  
trap-filling effect 286  
trapping effect, on charge carrier hopping 342  
trinitrofluorene 345  
triplet 244  
triplet excitation 236, 254  
– absorption 223  
– pump intensity dependence 235  
tritolyamine 343, 350 f  
two-photon absorption 194  
two-triplet property 520

**u**

ultrafast 368 ff  
ultra-thin film 164 f  
– organic 171

**v**

vibration  
– coherent 500  
– torsional 379  
vibrational mode 379  
vibronic sideband 241

**w**

wave  
– absorption 202  
– radiation 203  
wave packet motion 505  
Wannier exciton 429, 439, 451, 456, 460, 464  
Wannier-Mott exciton 527

**x**

xerographic discharge technique 324

**z**

Zeeman  
– Hamiltonian 203  
– level 203  
– splitting 202

