

Index

- adaptive music 301
- ADC (analog to digital convertor) 19
 - low pass filters with 20
- additive synthesis 85, 164
- Ajay Kapur's percussive robot 217–18
- algorithmic composition 299–301
 - active style synthesis 301
 - adaptive music 301
 - empirical style modeling 301
 - generative music 301
 - some precedents in rule-based composition 300
- algorithmic composition, implementation 302–10
 - AthenaCL Python-built tool 309–10
 - dynamic programming techniques 309
 - heuristics, use of 309
 - Illiac Suite 305
 - Lehmer pseudo-random number generator 307
 - Logistic map 307–8
 - Lorenz attractor 308
 - probability theory 302–5
 - symbolic logic 308
- aliasing distortion 20
 - proof of 20
- Ambionics system 61
- amplitude modulation 124
- amplitude and power 9
- analog modeling 162–4
 - additive synthesis 164
 - source plus filter model 164
 - subtractive synthesis 164
- analysis 75–115
 - about analysis 75–6
 - alternative representations 89–91
 - dictionaries of time-frequency atoms 89
 - dictionary-based analysis 91, 92
 - multi-resolution analysis 90
 - wavelet analysis functions 89–90
- causal realtime analysis 113–14
- machine listening 113–14
- transcription problem 111–13
 - see also* auditory models; automating musicological analysis; feature extraction; Fourier theory/analysis
- Ardour - DAW 51
- artificial intelligence (AI) 217, 218–19, 317
- AthenaCL Python-built algorithmic composition tool 309–10
- audification 331
- audio analysis *see* analysis
- audio codecs 53–4
- audio effects *see* digital audio effects
- auditory models 91–9
 - about auditory models 91–3
 - cochleagrams 94–5
 - computational auditory scene analysis (CASA) 95–7
 - generic auditory model stages 94
 - object coding 99
 - perceptual audio coding/codecs 97–9
 - masking levels 98
 - physiologically inspired models 93–5
 - source separation 96–7
 - spectrotemporal processing 93–4
- auditory stream analysis 294
- automatic accompaniment 215–16
 - Chris Raphael's Bayesian system Music Plus One 215–16
 - problems of 216
 - statistical pattern matching 215
- automating musicological analysis 321–7
 - about automating analysis 321
 - basic key finding algorithm 327
 - existing works in symbolic formats 323
 - Keyscape 325–6
 - Lilypond open-source software 322–3
 - some symbolic music analysis tools 324
 - symbolically formatted data 324–5
 - using computer algorithms 325
- beat tracking 108–11
 - about beat tracking 108–9
 - cross-correlation procedure 109, 110–11
 - inter-onset interval (IOI) procedure 110–11

- binaural audio 55
- bits and bytes 18
- bottom-up/top-down methodologies 101
- brain and sound waves 8
- breakpoints/control points 126
- Buraka Sound System 6

- causal realtime analysis 113–14
- Centre for the History and Analysis of Recorded Music (CHARM) 329
- Chebyshev polynomials 148–9
- cochleagrams 94–5
- complex numbers 122
- composition and composers 264–73
 - the act of composition 264–6
 - computer music and style 270–3
 - examples 271–2
 - computer roles for 267–70
 - algorithmic composition 269–70
 - metronomical electronic dance music 269
 - with realtime computer editing 269
 - Xenakis’s computational trajectory 268
 - improvisation 266
 - pre-recording/live performance
 - tensions 265
 - time constraints 265
 - see also* algorithmic composition; formalizing music; organizing sound
- computational auditory scene analysis (CASA) 95–7
- computational creativity 318
- computer games 212–13
- computer music
 - about its future 341–5
 - research suggestions list 342–4
 - as an experimental activity 6
 - as an interdisciplinary pursuit 3
 - definitions 1–3
 - as a labor-saving device 6–7
 - new sounds with 7
 - production/perception gap 7
 - quickstart guide 7–38
 - as a social activity 5–6
 - what it is 1–7
 - why investigate it? 6–7
- computer music, examples 3–5
 - Auto-Tune 5
 - early examples 3–4
 - John Chowning’s FM technique 4
 - pre 1990s with slow computers 4
 - virtual performers 4
 - Voyager system 4
- computer music software 28–31
 - FOSS (Free and Open-Source Software) 30
 - free and commercial 30
- computer music and style 270–3
 - examples 271–2
 - Computer Practice Music Notation 2
- concatenative synthesis 171–3
- concert performances 213–14
- convolution and impulse responses 133–7
- convolution and multiplication 137–8
 - circular convolution 137–8
 - fast convolution 137
- copyright 67–8
 - copyleft 67
 - Creative Commons 68
 - Digital Rights Management (DRM) 68
 - intellectual property (IP) rights 67
 - unfettered swapping issues 68
- cumulative distribution function (CDF) 303

- DAC (digital to analog convertor) 19
 - low pass filter with 20
- decibels 11–12
- delays 131–2
 - delay lines 131–3
 - ring buffers 132
- dictionary-based analysis 91, 92
- digital audio 18–21
 - ADC (analog to digital convertor) 19
 - bit resolution 18, 21
 - computer limitations 21
 - DAC (digital to analog convertor) 19
 - and dynamic range 21
 - quantization 18
 - sampling rates 18
- digital audio effects 143–55
 - about the effects 143–6
 - a collation of effects 144–5
 - complementary filtering 144
 - Digital Audio Effects (DAFX)
 - conferences 144
 - distortion 146–7
 - dynamics processing 146–9
 - pitch shifting 150–1
 - time stretching 149–51
 - transfer functions 146–8
 - waveshaping 146, 149
 - see also* spatialization, implementing
- digital audio workstation (DAW) 50–2

- digital networks *see* networks...
- Digital Rights Management (DRM) 68
- digital sine 19
- diphones 184
- Discrete Fourier Transform (DFT) 76–7
- distortion 146–7
 - aliasing distortion 20
- Doppler effect 153
- dynamic expectancy modeling 336
- dynamics processing 146–9
 - side chains 148
- emotion
 - and modeling expression 330
 - with spatialization 152–3
- envelopes 126–7
- equal loudness contours 18
- fades *see* splicing/fades
- Fast Fourier Transform (FFT) 76–7
- Faust Music OnLine (FMOL) 239
- feature extraction 99–111
 - about feature extraction 99–103
 - beat tracking 108–11
 - bottom-up/top-down methodologies 101
 - higher-level features 101–2
 - low level features 99–100
 - normalizing 101
 - onset detection 102, 106–8
 - pitch detection 103–5
- feature-based synthesis 171–3
 - concatenative synthesis 171–3
 - with MIDI 173
- file formats 52–5
 - and audio codecs 53–4
 - conversion problems 53
 - lossless and lossy formats 53–4
 - metadata 54
 - perceptual audio coding 54
 - some standard formats 54
- filters 21–3, 138–43
 - all-pass filters 141–3
 - comb filters 141–3
 - universal comb filter 142
 - filter types 24
 - finite impulse response (FIR) filter 23, 138–9
 - frequency response 139
 - infinite impulse response (IIR) filter 23, 138–9
 - linear filters 139–40
 - mathematics 23, 140–1
 - nonlinear filters 141
 - phase response 139
- fMRI (functional magnetic resonance imaging) 208
- foldover 20
- formalizing music 297–9
 - on being specific 299
 - benefits 297–8
 - music above system attitude 298
 - tensions 298
 - see also* algorithmic composition
- FOSS (Free and Open-Source Software) 30
- Fourier theory/analysis 12–13, 17, 76–89
 - additive synthesis 85
 - Discrete Fourier Transform (DFT) 76–7
 - Fast Fourier Transform (FFT) 76–7
 - with frequency domains 16–17
 - inverse discrete Fourier transform (IDFT) 86
 - inverse fast Fourier transform (IFFT) 85
 - noise 87–9
 - peak matching 83
 - peak tracking 82–3
 - resynthesis 85–7
 - SPEAR (Sinusoidal Partial Editing Analysis and Resynthesis) 84
 - spectral envelope 82
 - time-frequency reassignment 81–2
 - online algorithm pseudocode 82
 - tracking phase encoder 83
 - zero padding 81
 - see also* Short-Time Fourier Transform (STFT)
- frequency 12
 - fundamental frequency 13
- frequency domain 16–18
 - modes 16
 - and noise 17
 - as a process of measurement 16
 - and sound energy 16
 - spectrograms 17
 - steady state sound 16
 - transient sound 16
- frequency modulation (FM) 166–8
 - with Bessel functions 168
 - with feedback 168
 - and phase modulation 168
 - simple algorithms 167
- Genative Theory of Tonal Music (GTTM) 316
- generative music 301

- geometric modeling 155
- George Lewis's Voyager system 219–20
- gesture 295
- granular synthesis 169–70
 - three-dimensional tendency mask 170
- harmonics 13
- harmony 279
- head-related transfer functions (HRTFs) 56
- hearing 11–12
 - and decibels 11–12
 - differential sensitivity to frequency 277
- history 36–8
 - early mainframes 36
 - early small computers 37
 - electronic dance music 37
 - Mathew's Music N 36–7
 - with portable, powerful and affordable machines 37–8
 - of recording 44–6
- human-computer interaction (HCI) 192–3
- Illiac Suite 305
- improvisation 266
- information characteristics of music 333–6
 - dynamic expectancy modeling 336
 - English language based 334
 - and entropy 333–4
 - and information theory 333
 - Markov chains/models 335–6
 - noise comparisons 334–5
- input devices 197–200
- intellectual property (IP) rights 67
- intelligent instruments 214
- inter-onset interval (IOI) procedure 110–11
- interaction 191–6
 - between instruments and players 195
 - defining interaction 193–5
 - directness of control 195–6
 - evaluation of 223–5
 - criteria for 234
 - HCI research/methods 224–5
 - feedback loops in 195
 - human-computer interaction (HCI) 192–3
 - interactive systems 194
 - physicality of gesture 195–6
 - system issues 194–5
 - ubiquitous computing 192
 - see also* interfacing; live musical agents; virtual musicians, programming
- interactive music systems 209–14
 - about the systems 209–10
 - computer games 212–13
 - concert performances 213–14
 - installations with computers 210–11
 - intelligent instruments 214
- interfacing 197–209
 - about interfacing 197
 - audio tracking 201–4
 - conventions and protocols 198
 - input devices 197–200
 - gamepads 197–8
 - microcontrollers 198
 - live coding 201
 - machine vision techniques 202
 - office computing for music 200–1
 - physical computing 204–7
 - physiological state 207–9
 - some sensor possibilities 199
 - video tracking 202–4
 - WIMP (window, icon, menu and pointers) paradigm 200–1
- internet 234–5
- interpolation filters 121
- intranet 234
- inverse discrete Fourier transform (IDFT) 86
- inverse fast Fourier transform (IFFT) 85
- Karplus–Strong (K–S) algorithm 176–8
- Keyscape 325–6
- KTH rulebase 330
- laptop music 238
- laptop orchestra 241–3
- latency on networks 236
- Lehmer pseudo-random number generator 307
- Lilypond open-source software 322–3
- line spectrum 14–16
- linear and logarithmic 10
- linear predictive coding (LPC) 183
- live musical agents 214–23
 - agents, notion of 214–15
 - automatic accompaniment 215–16
 - machine musicianship 214
 - robot musicians 216–18
 - see also* virtual musicians, programming
- local area networks (LANs) 238–9
- local musical structures 294–5
 - auditory stream analysis 294
 - gesture 295
 - horizontal term 294
 - layers, active, timbral and multiple 295
 - multiple voices 295

- notions of stream 294
 - vertical term 294
- logarithmic and linear 10
- Logistic map 307–8
- Lorenz attractor 308

- machine listening 113–14
- machine musicianship 214
- MATLAB toolboxes 96
- mechanical music 216–17
- melody 279
- metadata 54, 249
- MIDI (musical instrument digital interface)
 - 46–50
 - about MIDI 37, 46–7
 - basic principles 47–8
 - with feature-based synthesis 173
 - file types 49
 - limitations 49–50
 - and Open Sound Control 50
 - revisions/extensions 48
 - specification 1.0: channel command types 49
 - with virtual musicians 219–20
- MIREX
 - evaluation competitions 250
 - and MIR systems 256
- mixing 125–6
 - tips and tricks 64
- mobile music 243–5
 - with computer music making 243
 - Mandela 7* (2008) 244
 - mobile game music 245
 - mobile phone orchestra 244
 - smart phones 243
 - wireless protocols 243
- modeling 315–18
 - and artificial intelligence (AI) 317
 - automated composition methodologies 316
 - computational creativity 318
 - computer issues 317–18
 - Generative Theory of Tonal Music (GTTM) 316
 - see also* automating musicological analysis; information characteristics of music; representing music, practicalities of; sonification
- modeling musical expression 327–30
 - Centre for the History and Analysis of Recorded Music (CHARM) 329
 - computer-driven sensor technology 328
 - emotion issues 330
 - i-MAESTRO PROJECT 328–9
 - InfoMus Lab at Genoa 328
 - Spectral Modeling Synthesis 329
 - Stockholm's KTH rulebase 330
- modes 16
- modularity 27
 - modular patching environments 29
- modulation 123–5
 - amplitude modulation 124
 - bipolar signals 123
 - ring modulation (RM) 123, 124
 - sidebands 123, 124
- music information retrieval (MIR) 248–58
 - about MIR 248–9
 - annotation and evaluation 255–7
 - annotation tools 256
 - F-measure 257
 - ground truth 255–6
 - MIREX 256–7
 - recall and precision 257
 - available system examples 258
 - content analysis 251–5
 - algorithm issues 252
 - audio analysis 253
 - feature vectors 252
 - machine learning 253
 - similarity matrix 253–4
 - similarity measures 253
 - some development technologies 255
 - content-based systems 249–50
 - deployments 257–8
 - Digital Music Report of the IFIP 248
 - genre recognition 250
 - metadata 249
 - MIREX evaluation competitions 250
 - selected tasks in MIR 251
- musical form 296–7
- musical structures *see* local musical structures

- NASA's xSonify Java application 331–2
- net art 239
- networks, about networks 231–4
 - biotelemetry in theatres 233
 - digital networks, influence of 232–3
 - music issues 232–3
 - Netcraft's 2008 survey 232
- networks for music 237–43
 - Faust Music OnLine (FMOL) 239
 - Hugill's provisional taxonomy 239
 - laptop music 238
 - laptop orchestra 241–3

- League of Automatic Music Composers 237–8
- local area networks (LANs) 238–9
- multi-computer concerts 240
- multi-computer ensembles 240–1
- net art 239
- networked band architecture 241
- PowerBooks UnPlugged (PB_UP) 241–2
- Princeton Laptop Orchestra 241–2
- The Hub 237–8, 241–3
- see also* mobile music; music
 - information retrieval (MIR);
 - online music distribution
- networks, the technology 234–7
 - bandwidth issues 237
 - delay issues 236
 - internet 234–5
 - intranet 234
 - jitter problems 237
 - latency problems 236
 - Open Sound Control (OSC) 236
 - standard network technologies 234–5
 - Transmission Control Protocol (TCP) 235
 - User Datagram Protocol (UDP) 235
- noise 17, 87–9
 - deterministic plus stochastic decomposition 87–8
 - sines+noise+transients model 88
 - sines+noise model 87
 - Spectral Modeling Synthesis software 88
 - white noise 17, 87
- normalization 101, 121
- Nyquist limit 20
- online music distribution 245–8
 - business models uncertainties 247–8
 - digital rights management (DRM) 246–7
 - freedom of information issues 246
 - intellectual property rights issues 246
 - opportunities for 245–6
 - technologies for 246–7
- onset detection 102, 106–8
 - energy-based detection 106–7
 - frequency domain 107
 - time domain 107
 - peak picking 107–8
- Open Sound Control (OSC) 50, 236
- organizing sound 273–97
 - auditory properties 276
 - musical form 296–7
 - parameters 274–6
 - sound objects 274
 - top-down/bottom-up approaches 273
 - see also* local musical structures; pitch; spatialization, strategies for; timbre; time and music
- oscillator bank resynthesis 87
- overlap add (OLA) architecture 149
 - PSOLA (pitch-synchronous OLA) 149–50
 - SOLA (synchronous OLA) 149–50
- overtones 13
- panning laws 151–2
 - amplitude planning 151
 - inverse square law issues 152
 - pan pot law 151
 - vector-based amplitude planning (VBAP) 152
- parameters of sound 274–6
- patching 26–8
 - in AudioMulch 28, 30
 - modular patching environments 29
- peak matching 83
- peak tracking 82–3
- perceptual audio coding 54
- periodicity/periodic sound 12–15
 - and frequency 12
 - line spectra 14–16
 - sinusoidal components of 14–15
- physical computing 204–7
 - tangible interfaces 205–6
 - wiring board interfacing 205
- physical modeling synthesis 174–85
 - analytical and numerical solutions 175
 - easy-to-use realtime models 174–5
 - ‘impossible’ instruments 175
 - linear resonators 176
 - mass-spring models 175
 - modal synthesis 175
 - nonlinear exciters 176
 - Nyquist frequency issues 175
 - singing voice synthesis 180–5
 - waveguide synthesis 175, 176–80
- physiological state interfacing 207–9
 - affective computing 208
 - bio-feedback 207–8
 - biosignals 207
 - electrocardiogram 207
 - electroencephalogram 207
 - fMRI (functional magnetic resonance imaging) 208
 - galvanic skin response (GSR) 208

- pitch 13–14, 277–81
 - about pitch 277
 - absolute pitch (AP) 277
 - analyzing scales 281
 - continuous versus discrete 278
 - and differential sensitivity of hearing 277
 - equation of tuning 279
 - harmony 279
 - inflections and expressions 278
 - interactions with timbre 278
 - linear versus logarithmic 278
 - melody 279
 - middle C 281
 - octave equivalence 278
 - reference pitch 280–1
 - relative versus absolute 277
 - scales as cents or ratios 281
 - tuning systems 278
- pitch detection 103–5
 - autocorrelation method 103–4
 - pattern matching method 103, 104–6
 - phenomenon of the missing fundamental 103
- pitch shifting 150–1
- power and amplitude 9
- PowerBooks UnPlugged (PB_UP) 241–2
 - Princeton Laptop Orchestra 241–2
- probability theory 302–5
 - conditional probabilities 304
 - continuous probability distribution 306–7
 - cumulative distribution function (CDF) 303
 - probability density function 302
 - probability distributions 303–4
- processing
 - delays 131–2
 - dynamic processing 126
 - mixing 125–6
 - splicing/fades 127–30
 - see also* convolution...; digital audio effects; filters; modulation; sampling
- programming *see* virtual musicians, programming
- programming for computer music 31–3
 - some popular languages for 32–3
- psychoacoustics of sound localization 56–7
- quantization 18
- recording 43–72
 - history of 44–6
 - analog to digital impact 44
 - early days 44
 - internet and computers 46
 - overview of advances 45
 - synthesis advances 44–6
 - tips and tricks 63–4
 - see also* copyright; MIDI; sample playback; sampling; spatialization (surround sound)
- representing music 33–5
 - about representing music 33–4
 - blocks and frames 34–5
 - note concept 34
 - signal-to-symbol problem 35
 - sliding windows 35
 - sound objects 34
- representing music, practicalities of 318–21
 - alternatives to MIDI 320
 - contour notion problem 319–20
 - low/high-level description tension 319
 - method selection issues 318–19
 - representational decisions 320–1
- resynthesis 85–7
 - additive synthesis 85
 - oscillator bank resynthesis 87
 - overlap-add structure 85
- reverberation 154–5
- ring modulation (RM) 123, 124
- robot musicians 216–18
 - Ajay Kapur's percussive robot 217–18
 - with artificial intelligence 217
 - mechanical music 216–17
- room acoustics 59, 153–4
- sample playback 68–71
 - about sample playback 68–9
 - interpolation 69
 - multi-sampling 69–70
 - procedure for 69
 - project examples 71
 - sample-based synthesis 69–71
 - software samplers 70–1
 - as a standard source model 71
- sampling 64–72, 120–3
 - about sampling 64–5
 - downsampling 120
 - history of 65–6
 - selected examples 66
 - interpolation filters 121
 - and normalization 121

- sampling rates 18
- sampling theorem 19–20
- upsampling 120
- see also* copyright
- Short-Time Fourier Transform (STFT) 77–81
 - discrete STFT, mathematical basis 78–9
 - online algorithm pseudocode 82
 - phasors 78
 - spectrograms 81
 - typical parameters 80–1
 - voice vocoders 81
 - windowing functions 79–80
- sidebands 123, 124
- signal flow 27
- sine waves 12
- singing voice synthesis 180–5
 - advanced project examples 184–5
 - analysis of 'a' in 'cat' 181–2
 - diphones 184
 - early examples 180–1
 - formant data/charts 182–4
 - linear predictive coding (LPC) 183
 - physiology of the vocal system 181
 - Praat software 182
 - spectral modeling front end methods 184–5
- sinusoids 14
 - sinusoidal components of sound 14–15
- social computer musicians 5–6
 - sonification 330–3
 - about sonification 330–1
 - audification 331
 - NASA's xSonify Java application 331–2
- sound analysis *see* analysis
- sound location, psychoacoustics of 56–7
- sound objects 274
- sound waves and the brain 8
- source plus filter model 164
- spatialization (surround sound) 25–6
 - Ambionics system 61
 - binaural audio 55
 - cinema formats 61, 62
 - common technologies for 60
 - head-related transfer functions (HRTFs) 56
 - and localization of sound 25, 58
 - psychoacoustics of sound localization 56–7
 - room acoustics 59
 - spatial hearing 56–8
 - speaker configurations 62
 - surround sound
 - configurations 59–62
 - formats 60
 - matrixing method 60–1
 - two channel stereo 55
- spatialization, implementing 151–5
 - angular shift in energy 152
 - Doppler effect 153
 - evoking emotion 152–3
 - geometric modeling 155
 - panning laws 151–2
 - radial shift in energy 153
 - radial shift in frequency 153
 - reverberation 154–5
 - room acoustics 153–5
- spatialization, strategies for 284–7
 - about spatialization strategies 284–5
 - with electroacoustic composers 287
 - live diffusion 285
 - loudspeaker orchestras 285–6
 - pre-rendering 285
 - problems with 285
 - spatial cues
 - differentiation of multiple sources 287
 - moving sound sources 287
 - spatial illusions and transformations 287
 - spatial layers 287
 - wavefield synthesis rigs 286
- SPEAR (Sinusoidal Partial Editing Analysis and Resynthesis) 84
 - Spectral Modeling Synthesis 329
 - software for 88
- spectrograms 17, 22, 81
- splicing/fades 127–30
 - crossfades 127, 129–30
 - discontinuities 127–8
 - fade shaping 128–30
 - grains (small segments) 130
- statistical pattern matching 215
- subtractive synthesis 164
- surround sound *see* spatialization
- symbolic logic 308
- synthesis of sound 159–73
 - about sound synthesis 159–60
 - abstract algorithm (loose modeling) 160, 162
 - analog modeling 162–4
 - classic algorithms 162–3
 - concatenative synthesis 171–3

- factors for comparison
 - compute time 161
 - flexibility 161
 - generality 161
 - sound quality 161
- feature-based synthesis 171–3
- frequency modulation (FM) 166–8
- granular synthesis 169–70
 - processed recording 160
- singing voice synthesis 180–5
- spectral modeling 160–1
- vibrato 166–8
- waveforms 162–5
- waveguide synthesis 176–80
- wavetables 165–6
 - see also* physical modeling synthesis
- The Hub 237–8, 241–3
- timbre 22–5, 281–4
 - importance of 284
 - isolation of primary dimensions 282
 - principal perceptual components 282
 - some successful morphs 283
 - spectromorphology 282
- time domain 8–12
 - amplitude/signal strength 9
 - basic signal operations in 9
 - and human hearing 11
 - power measurement 9
 - root mean square concept 10
 - signals and waveforms 9–10
- time and music 288–94
 - computer models with 291–2
 - expressive deviation issues 292
 - human perception of 288
 - meter types 290–1
 - metrical frameworks and structures 288–90
 - musical timescale table 289
 - and rhythm and meter 288
 - time maps 292–3
- time stretching 149–51
 - overlap add (OLA) architecture 149
 - with transients 149–50
 - PSOLA (pitch-synchronous OLA) 149–50
 - SOLA (synchronous OLA) 149–50
- transcription problem 111–13
 - automated transcriptions 112–13
 - limitations of transcriptions 112
 - multiple solution issues 111
 - piano music 113
 - polyphonic pitch transcription schemes 113
 - psychological issues 112
- transfer functions from an identity curve
 - 146–8
 - dynamics curve 147–8
 - polynomial curve 147–9
 - soft clipping curve 146–7
- Transmission Control Protocol (TCP) 235
- ubiquitous computing 192
- unit generators 27
- User Datagram Protocol (UDP) 235
- vibrato 166–8
- video tracking 202–4
- virtual musicians, programming 218–23
 - artificial intelligence 218–19
 - attempting human musicianship 219
 - improvisation 219–21
 - George Lewis's Voyager system 219–20
 - items to be specified 220
 - machines that learn 221–3
 - example systems 222
 - using Markov chains 223
 - with MIDI 219–20
 - symbolic algorithms required 221
- virtual studios 50–3
 - Ardour - DAW 51
 - digital audio workstation (DAW) 50–2
 - a selection of paradigms 53
- vocal system physiology 181
- voice vocoders 81
- waveforms 162–5
 - analog modeling 162–4
 - digital system issues 164
 - band-limited waveforms 164
 - Nyquist frequency limitation 164
 - standard waveforms 165
- waveguide synthesis 175, 176–80
 - diagrams for 179
 - differentiation/integration limitations 179–80
 - Karplus–Strong (K–S) algorithm 176–8
 - modal synthesis 180
 - real-world sound sources 180
 - traveling wave issues 177–8
- waveshaping 146, 149
- wavetables 165–6
- WIMP (window, icon, menu and pointers) paradigm 200–1
- Xenakis's computational trajectory 268