

# Index

## A

A=AltRegSets, 299

absolute vs. relative paths, 36

access

AuditPol utility, auditing with, 214–218

to auxiliary devices, 27

with CACL utility, 132–134

to communications devices, 27

to default printer, 26

to functions with DLLs, 269–277

with ICACLs utility, 134–136

to printers attached via ports, 27

to system consoles, 26

to Windows Package Manager, 232–233

to WinPE Network Installer, 232

WinRS utility, to systems with, 428–429

Accounts mode, in Net utility, 171

Active Directory

command line, using effectively, 11

DSAdd utility, creating new objects using, 373–378

DSGet utility, listing objects using, 378–382

DSMod, editing existing objects using, 382

DSMove utility, moving existing objects using, 382

DSQuery utility, managing with, 365–371

DSRm utility, deleting objects using, 383

GPUupdate, managing group policies with, 213

NTDSUtil, managing databases with, 371–372

scripting. *see* scripting, for Active Directory

add PowerShell commands, 536

adding

applications with OCSetup utility, 235–236

configured applications, 496–497

debug information to batch files, 409–412

DPMI support with DosX utility, 302

Netware support with NW16, 304–305

Netware support with VWIPXSPX, 304–305

performance counters with LodCtr, 111–112

support to IIS with ASPNET\_RegIIS, 520–523

support to SQL Server with ASPNet\_RegSQL, 523–527

utilities with SysOCMgr utility, 235

Address Resolution Protocol (ARP) utility, 184–185

advanced file comFC utility, 62–63

Advanced Technology Attachment Packet Interface (ATAPI), 257

after hours automation scripting, 403–431

batch files, designing and testing, 409–417

fault tolerance in, 429–430

MQBackup, creating message queue backups with, 405

MSIExec utility, installing applications with, 405–409

remote system management in, 424–429

scripts, designing and testing, 417–423

summary, 431

task candidates, defining, 403–409

alerts, managing, 112–116

Allocate mode, in RSM utility, 254

ANSI.SYS

controlling environment with, 297–298

default terminal type of, 161

OEM codes, 301–303

Append utility, opening remote directories, 24–25

applications

compability, defining with SetVer, 308–309

modifying behavior with PIF, 305–308

paths, setting and viewing with *Path* command, 37–38

registration errors in ASP.NET, 514

ARP (Address Resolution Protocol) utility, 184–185

- ASP.NET, 513–528
    - application registration errors, fixing, 514
    - ASPNet\_Compiler, creating Web applications with, 518–519
    - ASPNET\_RegBrowsers, providing multiple browser support with, 519–520
    - ASPNET\_RegIIS, adding support to IIS with, 520–523
    - ASPNet\_RegSQL, adding support to SQL Server with, 523–527
    - ASPNet\_State, understanding, 527
    - configuration problems, fixing, 517–518
    - errors, locating, 513–518
    - file association problems, fixing, 514–517
  - ASPNet\_RegSQL, 523–527
    - about generally, 523–524
    - at command line, 524–526
    - wizard, 526–527
  - ASR (Automated System Recovery). *see* Automated System Recovery (ASR)
  - assemblies, .NET Framework
    - discovering essential, 486–488
    - folders, viewing, 484–486
  - Assoc command, 64, 295
  - associating folders to drives, 43
  - Asynchronous Transfer Mode Administrator (ATMAdmin), 168
  - AT utility, in Task Scheduler, 395–398
  - ATAPI (Advanced Technology Attachment Packet Interface), 257
  - ATM Call Manager, 168
  - ATMAdmin (Asynchronous Transfer Mode Administrator), 168
  - Attach mode, in FltMC utility, 222–223
  - Attrib (Attribute) utility, 130–132
  - audio systems, 9
  - auditing access, 214–218
  - AuditPol utility, 214–218
    - Backup mode, 217
    - Clear mode, 217
    - Get mode, 215
    - List mode, 216–217
    - Remove mode, 217–218
    - Restore mode, 217
    - Set mode, 215–216
  - AuditUsr, 210–211
  - AutoChk utility
    - with ChkNTFS utility, 138–139
    - drive errors, checking for, 82
  - AutoExec.NT, 301–305
    - CD support using MSCDexNT, 304
    - code page numbers, setting, 301–302
    - DPMI support, adding with DosX, 302
    - graphics character support, enabling, 303
    - memory, saving with *LH* command, 304
    - Netware support, adding with NW16, 304–305
    - Netware support, adding with VWIPXSPX, 304–305
    - Network Redirector, installing, 304
    - printing command line graphics, 303–304
  - Automated System Recovery (ASR), 248–251
    - ASR\_Fmt, backing up and restoring system data with, 249–250
    - ASR\_LDM, logical disks using, 250–251
    - ASR\_PFU, protected files using, 251
  - automating email, 456–458
  - AutoRun registry setting, 295
  - AUX (auxiliary device) access command, 27
- B**
- B=BaseSegment, 299
  - backing up. *see also* Automated System Recovery (ASR)
    - audit policies in AuditPol, 217
    - files with NTBackup, 66–68
    - files with the WBAAdmin, 68–69
    - message queues with MQBackup, 405
    - system data with ASR\_Fmt, 249–250
  - Backup Selection (BKS) files, 66–67
  - backup\_path*, 405
  - BAT files. *see* batch files
  - Batch File Compiler 5.2, 465–466
  - batch files
    - as command interpreter. *see* command interpreter
    - commands in Vista affecting, 20
    - editing with Notepad+, 463–465
    - editing with WinVi, 461–463
    - fault tolerance for, 429–430
    - storing commands in, 7
    - AT utility, combining with, 396–398

- batch files, compiling. *see also*
    - scripts, compiling
      - with Batch File Compiler 5.2, 465–466
      - with Quick Batch File Compiler, 466–467
  - batch files, creating, 322–337
    - Call* command, 323–324
    - Choice* command, 324–326
    - For* command, 328–330
    - Echo* command, 326
    - Exit* command, 327
    - ForFiles* utility, 327–328
    - Goto* command, 330
    - If* command, 331–334
    - Pause* command, 334
    - Prompt* command, 334–335
    - Rem* command, 335
    - Shift* command, 335
    - TimeOut utility, 335–336
    - WaitFor utility, 336
  - batch files, designing and testing after hours, 409–417
    - centralized data stores, using, 415–417
    - debug information, adding, 409–412
    - identifying, 413–415
  - battery alarms, 145–147
  - baud rates, 313–314
  - BCDEdit, boot configuration with, 226, 228–231
  - Behavior mode, in FSUtil, 80–82
  - BKS (Backup Selection) files, 66–67
  - Blast Clean (BlastCln) utility, 220
  - Blaster virus, 220
  - Boot Configuration (BootConf) utility, 226–228
  - Boot Configuration Data Store Editor (BCDEdit), 226, 228–231
  - boot time disk checks, 137–139
  - Break command in batch files, 322
  - bulk file transfers, 45–47
- C**
- CAB (cabinet) files, 34, 261
  - cabinet (CAB) files, 34, 261
  - CACL (Check Access Control List) utility, 132–134
  - Call command extension, 295
  - Call* command, in batch files, 323–324
  - CASPol utility, setting policies using, 499–502
  - CD* command, 61–65
  - CD support using MSCDexNT, 304
  - centralized data stores, 415–417
  - Change utility, 361
  - changed file class, in RoboCopy, 53
  - changing
    - directories with *CD* and *ChDir*
      - commands, 61–62
    - logons, ports and users with Change utility, 360–361
    - User Account Control (UAC), 17–18
  - Chdir(*CD*) command, 61–65, 295
  - Check Access Control List (CACL) utility, 132–134
  - checkpoint files extensions, 32
  - ChgLogon utility, 361
  - ChgPort utility, 361
  - ChgUsr utility, 361
  - ChkDsk utility, 136–137
  - ChkNTFS utility, 137–139
  - Choice* command, in batch files, 324–326
  - Cipher utility, 139–141
  - Classify mode, in Mem utility, 93
  - Clear mode, in AuditPol utility, 217
  - clear PowerShell commands, 536
  - Clear Screen (CLS) command, 316
  - CLR (Common Language Runtime), 489
  - CLS (Clear Screen) command, 316
  - CMB (Command) files, 291–337
    - application behavior, modifying with PIF, 305–308
    - AutoExec.NT and, 301–305
    - batch files, creating, 322–337
    - CMD switches and, 292–297
    - command prompts, 316–322
    - Config.NT and, 297–301
    - DOS utilities, using, 309–316
  - CMD switches, 292–297
    - command extensions, 295–297
    - introduction to, 292–294
    - registry settings and, 294–295

- CMD.EXE
  - as command interpreter, 291–292
  - introduction to, 17
  - using switches, 292–297
- CmdKey, 317–318
  - creating user names and passwords, 317–318
  - deleting user names and passwords, 318
  - displaying user names and passwords, 317
- Cmdlet and shells, 558–561
  - compiling Cmdlet executable, 560–561
  - creating Cmdlet code, 558–560
  - creating shell with Make-Shell utility, 561
- CMStP (Connection Manager Service Profile), 210–212
- code access, .NET Framework, 492–493
- code groups, .NET Framework, 494–495
- code page numbers, 301–302
- code sources online, 322
- color, text, 14–15
- Color* command, 318–319
- Color command extension, 295
- COM (Component Object Model) servers, 74
- COM+ applications, 506–508
- COM1-COM4 (communications device via ports) command, 27
- command interpreter, 291–316
  - application behavior, modifying with PIF, 305–308
  - application compatibility, defining with SetVer, 308–309
  - AutoExec.NT, modifying, 301–305
  - CMD switches, 292–297
  - command extensions, 295–297
  - Config.NT, modifying, 297–301
  - DOS utilities, using, 309–316
  - registry settings and, 294–295
  - in Windows PowerShell, 548–550
- command line, introduction to
  - in Active Directory. *see* Active Directory
  - command window, configuring, 12
  - data-specific commands, 9
  - developer tasks, 10–11
  - easy use of, 6–8
  - file and resource management
    - commands, 10
  - fonts, 14
  - importance of, 4–5
  - internal commands, 17
  - low-level utilities, 10–11
  - old commands not supported, 20
  - permissions, 18–19
  - prompts, creating, 15–16
  - RegSvr32, adding and removing servers with, 75
  - scripts, writing, 8
  - security monitoring, 10
  - services, managing, 11–12
  - system status commands, 9–10
  - tasks, scheduling, 8, 12
  - text colors, 14–15
  - third party utilities, 8
  - User Account Control, 17–18
  - utilities for, 6–7, 12
  - viewing by purpose, 8–12
  - Vista changes on, 17
  - window layout, 14
  - window options, 13
  - zones on network drives, 19–20
- command line productivity. *see* productivity, at command line
- command line tasks
  - after hours automation scripting, 431
  - ASP.NET, configuring, 528
  - command prompt enhancers, obtaining, 447–448
  - developer and low-level utilities, using, 287
  - .NET Framework utilities, 488
  - productivity at command line, 459–460
  - scripting for Active Directory, 385
  - scripts for retrieving information, 350–352
  - securing and monitoring systems, 245
  - system status, discovering, 120
  - Windows PowerShell, 562
- command line vs. graphical interfaces, 78
- command prompts, 316–322
  - Clip utility, redirecting output to Clipboard with, 316

- CLS command, clearing screen with, 316
- CmdKey, managing user names and passwords with, 317–318
- Color command, 318–319
- Date command, 319
- DosKey utility, tracking actions with, 319–321
- Help utility, 321
- introduction to, 15–16
- Time command, 321
- Title command, 322
- command prompts, enhancers, 435–448
  - command line tasks, getting started with, 447–448
  - file integrity checking with FCIV, 439–442
  - moving data with Send To Toys, 438–439
  - Process Explorer, 445–447
  - shell extensions with ShellEx View, 443–445
  - viewing files with XVI32, 435–438
  - XCopy using XCopy, 443
- command window, configuring, 12
- commands, defined, 17
- Common Language Runtime (CLR), 489
- Comp utility, comparing files with, 62
- Compact utility, compressing data with, 141–142
- compare-objects PowerShell command, 536
- compatibility
  - databases, managing with SDBInst, 275–276
  - ForceDos utility and, 269
  - in PIF Properties dialog box, 305
- compiling batch files. *see* batch files, compiling
- compiling Cmdlet executable, 560–561
- compiling scripts. *see* scripts, compiling
- CompletionChar registry setting, 295
- Component Object Model (COM) servers, 74
- COMPort Mappings, 361
- compressing data, 141–142
- computer hostnames, in Active Directory, 383–385
- Computer mode, in Net utility, 172
- ComRepl, replicating COM+ applications with, 284
- CON (system console) access command, 26
- CONFIG files in .NET Framework, 497–499
- Config mode, in Net utility, 172
- Config.NT, 297–301
  - accessible files, setting number of, 299
  - ANSI.SYS, controlling environment with, 297–298
  - displaying, 298
  - DOS applications, running, 298
  - DOS location, setting, 298
  - Expanded Memory Manager, 298
  - HIMEM.SYS, controlling extended memory with, 299–300
- ConfigServer mode, in Net utility, 172
- configuring
  - ASP.NET. *see* ASP.NET
  - COM+ applications with ComSvcConfig, 506–508
  - command window, 12–13
  - Host options, 344
  - .NET Framework. *see* .NET Framework, configuring
  - ODBCConf environment, 70–72
  - performance logs with ReLog utility, 116–117
  - profiles with CMStP utility, 210–211
  - property page options, 344
  - system setups. *see* system setup, configuring
- Connection Manager Service Profile (CMStP), 211–212
- connection Status in WinIPCfg, 187
- Continue mode, in Net utility, 173
- Convert utility, 259–260
- converting
  - event trace logs with TraceRpt utility, 243–244
  - FATpartitions to NTFS with, 259–260
  - IIS logs with ConvLog utility, 237–238
  - PowerShell command for, 537
- ConvLog utility, 237–238
- Copy command, 25–27
- copy PowerShell commands, 537
- cracker, defined, 167
- CREATEPOOL mode, in RSM utility, 257

## creating

- Assoc* command for file associations, 64
- basic scripts, 349–354
- CmdKey*, 317–318
- Cmdlet* and shells in PowerShell, 558–561
- Command Prompt, 15–16
- CSV files, 420–423
- directories with *MD* and *MKDir* commands, 35–36
- files. *see* data files and directories, creating and monitoring
- FType* command for file types, 64–65
- interfaces with *PromptPal*, 453–454
- message queue backups, 405
- objects using *DSAdd* utility, 373–378
- ODBC data sources, 72
- permission sets, 495–496
- script-based activities, 398–401
- shell extensions with *Make-Shell* utility, 550–552
- shells with *Make-Shell* utility, 561
- simple PowerShell scripts, 553–556
- Web applications with *ASPNet\_Compiler*, 518–519
- CScript*, executing scripts with, 342–344
- CSV files, creating, 420–423
- current directory, determining, 61–65

**D**

- daemon
  - line printer, 47–55
  - Remote Shell Daemon Service, 200
- data
  - compressing with *Compact* utility, 141–142
  - displaying. *see* displaying data files
  - encrypting with *Cipher* utility, 139–141
  - locating. *see* files, locating
  - redirection with *Type* command, 57–58
- data files and directories, creating and monitoring
  - application paths, setting and viewing, 37–38
  - associating folders to drives with *Subst* utility, 43
  - bulk file transfers using *XCopy* utility, 45–47

## copying files, 25–27

- database repair with *ESEnTUtl*, 30–34
- decompressing files with *Expand* utility, 34–35
- directories, creating with *MD* and *MKDir* commands, 35–36
- directories, storing and reviewing, 38–39
- displaying directory structure with *Tree* utility, 44
- modifying files with *Edlin* utility, 29
- moving files, 36–37
- recovering lost files, 39
- remote directories, opening with *Append* utility, 24–25
- removing directories with *RD* and *Rmdir* commands, 39–40
- removing directory trees with *DelTree* command, 28–29
- removing files with *Del* and *Erase* commands, 27–28
- renaming files and directories, 40
- renaming files and directories with *Move* command, 36–37
- replacing existing files, 40–41
- robust file transfers with *RoboCopy* utility, 47–54
- sorting file content, 41–43
- validating file operations with the *Verify* command, 45
- Data Source Name (DSN), 72
- databases
  - compatibility, managing, 275–276
  - hard drives as, 89
  - NTDSUtil* utility, managing with, 371–372
  - Open Database Connectivity, 70–72
  - repairing with *ESEnTUtl*, 30–34
  - Solution Database, 266–276
- data-specific commands, 9
- data-specific tasks
  - data files and directories. *see* data files and directories, creating and monitoring
  - displaying data files. *see* displaying data files
  - status of files and directories, determining, 54–61
- Date* command, 319

- Deallocate mode, in RSM utility, 255
- Debug utility, 269–270
- debugging
  - batch files after hours, 409–412
  - files, 269–270
  - systems with NTSD utility, 271–275
- decompressing files with Expand utility, 34–35
- Defrag utility, 260–261
- defragmentation, using ESEnTUtl utility, 31–32
- Del* and *Erase* commands, 27–28
- DelayedExpansion registry setting, 295
- Del(Erase) command extension, 296
- DELETEPOOL mode, in RSM utility, 258
- deleting
  - CmdKey, 318
  - directory trees with *DelTree* command, 28–29
  - objects with DSRm utility, 383
- Depends (Dependency Walker), 276–277
- Detach mode, in FltMC utility, 222–223
- developer utilities, 247–288
  - Automated System Recovery, 248–251
  - ComRepl utility, replicating COM+ applications with, 284
  - disk maintenance. *see* disk maintenance
  - DLLs. *see* DLLs, accessing functions with low-level utilities and. *see* low-level utilities
  - OSUninst utility, uninstalling operating systems with, 277
  - RegTLib utility, managing type libraries with, 284
  - SC utility, controlling services with, 278–282
  - ShutDown utility, shutting down systems with, 282–284
  - SRDiag utility, saving and restoring system restore data with, 285
  - Start command, 251–253
  - SxSTrace utility, tracing WinSxS behavior with, 287
  - Web-based enterprise management tasks, 285–287
- devices, accessing from command line, 26–27
- diagnosing
  - with DispDiag utility, 245
  - networks with NetDiag utility, 189–191
- dial-up networking, 156–157
- Diantz utility, compressing files with, 261–262
- Dir* command, 122–123
- directories
  - Attrib utility, changing, 130–132
  - Check Access Control List, changing access with, 132–134
  - ChkDsk utility, determining status with, 136–137
  - creating with *MD* and *MKDir* commands, 35–36
  - ICACLs, changing access with, 134–136
  - locating with *Dir* command, 122–123
  - locating with *Where* utility, 124
  - storing and reviewing, 38–39
- directory, defined, 23
- DirectX Diagnostics (DXDiag) utility. *see* DXDiag utility
- DirectX status, 79
- dirty bits, 138–139
- Dirty mode, in FSUtil, 82
- disabling session logons, 361
- disconnect mode, in OpenFiles utility, 125
- disk maintenance, 253–269
  - Defrag, improving performance with, 260–261
  - Diantz, compressing files with, 261–262
  - DiskPart, managing partitions with, 262–267
  - DiskPerf, managing performance with, 268–269
  - DiskRAID, managing RAID setups with, 269
  - MakeCAB, compressing files with, 261–262
  - MountVol, mounting volume with, 267–268
  - RSM, managing removable storage with. *see* Removable Storage Management (RSM) utility
- DiskCopy utility, copying disks, 310
- Dismount mode, in RSM utility, 256
- DispDiag utility, diagnosing with, 245

## displaying

- CmdKey, 317
- Config.NT commands, 298
- data files. *see* displaying data files
- directory structure with Tree utility, 44
- options for, in command window, 13

## displaying data files, 54–61

- formatted printouts with Notepad, 60–61
- line printers, working with, 47–56
- outputting data files with *Type* command, 57–60
- Print utility, 56–57

## DLLs

- accessing functions with, 269–277
- multiple versions of, 288

## DNS (Domain Name Service)

- defined, 172
- IPConfig and, 186–187
- NetDiag and, 189–190
- NSLookup, 192–195

## documentation errors in PathPing, 196

Domain Name Service (DNS). *see* DNS (Domain Name Service)

## DOS applications, 298

## DOS location, 298

## DOS Protected Mode Interface (DPMI), 302

## DOS utilities

- DiskComp, comparing disk contents with, 309
- DiskCopy, copying disks with, 310
- Edit, modifying data files with, 310–311
- Format, formatting disks with, 311–312
- LoadFix, loading old DOS applications with, 312
- Mode, configuring system devices with, 313–316

## DosKey utility, tracking actions with, 319–321

## DosX utility, adding DPMI (DOS Protected Mode Interface) with, 302

## downloading

- introduction to, 12
- from Microsoft. *see* Microsoft Download Center
- Windows PowerShell, 533

## DPMI (DOS Protected Mode Interface), 302

## drivers

- installing with PnPUattend utility, 101
- verifying with Verifier utility, 224–226

## DSAdd utility, creating new objects using, 373–378

## DSGet utility, listing objects using, 378–382

## DSMod, editing existing objects using, 382

## DSMove utility, moving existing objects using, 382

## DSN (Data Source Name), 72

## DSQuery utility, managing Active Directory with, 365–371

## DSRm utility, deleting objects using, 383

## DXDiag utility

- audio system, troubleshooting, 9–10
- converting FAT partitions to NTFS with, 259–260

**E***Echo* command, in batch files, 326

## ECHOCONFIG, 298–299

## editing

- files with Edit utility, 310–311
- files with Edlin utility, 29
- objects with DSMod utility, 382

## Edlin utility, 29

## Eject mode, in RSM utility, 256–257

## EjectATAPI, in RSM utility, 257

## email, automating, 456–458

## EMM (Expanded Memory Manager), 298

## EnableExtensions registry setting, 295

## enabling session logons with ChgLogon, 361

## encrypting data, with Cipher utility, 139–141

## ending session fasts with Quick Shutdown, 451–452

## EndLocal command extension, 296

## environment, scripting, 360–361

- changing logons, ports and users with Change utility, 360–361

- disabling session logons with ChgLogon, 361

- enabling session logons with ChgLogon, 361

- listing COMPort Mappings with ChgPort, 361

- modifying install mode with ChgUsr, 361

- ESeNTUtl (Extensible Storage Engine Technology), 30–34
- EventCreate utility, managing system events with, 102–103
- events
- information, managing with WEvtUtil, 106–110
  - logs, using, 102
  - trace logs, converting with TraceRpt, 243–244
  - triggering. *see* EventTriggers utility
- EventTriggers utility, 104–106
- Create mode, 104–105
  - Delete mode, 105–106
  - Query mode, 106
- Exe2bin utility, 270
- executing applications with ForceDos, 270
- executing scripts, 342–344
- with CScript utility, 342–344
  - Host options, configuring, 344
  - property page options, configuring, 344
  - with WScript utility, 342–344
- Exit* command, in batch files, 327
- Expand utility, decompressing files with, 34–35
- Expanded Memory Manager (EMM), 298
- Expanded Memory Specification (EMS), 299
- export PowerShell commands, 537
- eXtended Memory Specification (XMS), 299–300
- extended mode, in More utility, 59–60
- Extensible Storage Engine Technology (ESeNTUtl), 30–34
- external intrusion protection, 219–226
- eXtra file class, in RoboCopy, 54
- F**
- FastOpen utility, 297
- FAT file system. *see* File Allocation Table (FAT) file system
- fault tolerance for batches and scripts, 429–430
- FCIV, checking file integrity with, 439–442
- File Allocation Table (FAT) file system
- attributes of, 131–132
  - clusters in, 312
  - Convert utility, converting FAT partitions to NTFS with, 259–260
  - file and resource management commands, 10
  - file association problems in ASP.NET, 514–517
  - file dump mode, in ESeNTUtl utility, 32
- File mode
- in FSUtil, 82–83
  - in Net utility, 173
- File System Utility (FSUtil), 80–91
- Behavior mode, 80–82
  - Dirty mode, 82
  - File mode, 82–83
  - FSinfo mode, 83–84
  - Hardlink mode, 84
  - ObjectID mode, 84–85
  - Quota mode, 85–86
  - Repair mode, 86
  - ReparsePoint mode, 86–87
  - Resource mode, 87–89
  - Sparse mode, 89–90
  - Transaction mode, 90
  - USN mode, 90–91
  - Volume mode, 91
- files
- Assoc* command, for file associations, 64
  - checking integrity with FCIV, 439–442
  - FType* command, for file types, 64–65
  - status of, 61–65
- files, locating, 121–129
- with *Dir* command, 122–123
  - find and findstr utilities, 127–129
  - with OpenFiles utility, 124–126
  - with Where utility, 124
- files, monitoring, 129–142
- access, using Check Access Control List (CACL), 132–134
  - access, using ICACLs utility, 134–136
  - boot time disk checks using ChkNTFS utility, 137–139
  - changing with Attrib utility, 130–132
  - compressing data with Compact utility, 141–142
  - encrypting data with Cipher utility, 139–141
  - status with ChkDsk utility, 136–137

Filter Manager Control (FltMC) utility  
 Attach mode, 222–223  
 Detach mode, 222–223  
 Filters mode, 222  
 Instances mode, 222  
 Load mode, 221  
 managing file systems with, 221–223  
 Unload mode, 222  
 Volumes mode, 222

Filters mode, in FltMC utility, 222

find utility, 127–129

findstr utility, 127–129

Finger utility, getting user information with, 185

FltMC (Filter Manager Control) utility, 221–223

folder, defined, 23

fonts, changing, 14

For command extension, 296

For command, in batch files, 328–330

ForceDos utility for application execution, 270

foreach-object PowerShell command, 537

ForFiles utility, in batch files, 327–328

format PowerShell commands, 537

Format utility, formatting disks with, 311–312

formatted printouts, 60–61

FSinfo mode, in FSUtil, 83–84

FSUtil (File System Utility). *see* File System Utility (FSUtil)

FTP servers, 208–209

FTP utility, 208–209

FType command, 64–65

FType command, 296

## G

GACUtil, 502–504

general applications  
 for securing and monitoring systems, 240–243  
 TaskKill utility, terminating tasks with, 240–242  
 TaskList utility, listing applications and services with, 242–243  
 TraceRt utility, converting event trace logs with, 243–244

Get Items mode, 69

Get mode, in AuditPol utility, 215

get PowerShell commands, 537–539

GetMac utility, 168–169

Global Assembly Cache, 490

Go to command, 296

Google Search, 12

Goto command, in batch files, 330

GPRResult utility, 212–213

GPT (GUID Partition Tables), 262–267

GPUUpdate utility, managing group policies with, 213–214

GrafTabl utility, graphics character support with, 303

graphical interfaces vs. command line, 78

Graphical User Interface (GUI), 3–5

graphics  
 GrafTabl utility, enabling character support with, 303  
 printing with graphics utility, 303–304

Group mode, in Net utility, 173–174

group policies  
 getting results with GPRResult utility, 212–213  
 managing with GPUUpdate utility, 213–214

GroupConv utility, 143–148

group-object PowerShell command, 539

groups, in Active Directory, 383–385

GUI (Graphical User Interface), 3–5

GUID Partition Tables (GPT), 262–267

## H

hard drives as databases, 89

Hardlink mode, in FSUtil, 84

Help mode, in Net utility, 174

HelpMsg mode, in Net utility, 174

Hewlett-Packard, 54

hibernation, 145

HI/LOW memory area command, 298

HIMEM.SYS, controlling extended memory, 299–300

/HMAMIN=*m*, 300

Host options, configuring, 344

Hostname utility, 185

hostnames, in Active Directory, 385

**I**

I attribute, 27

IBM Tivoli Storage Manager, 249

ICACLS utility, 134–136

identifying batch files, 413–415

If command

- in batch files, 331–334
- in command interpreter, 296

IIS

- adding support with ASPNET\_RegIIS, 520–523
- Reset utility, monitoring and managing with, 238

impersonating users with RunAs utility, 359–360

import PowerShell commands, 540

inheritance rights, 136

INI (initialization or configuration) files, 72

initialization or configuration (INI) files, 72

Install mode, with ChgUsr utility, 361

installing

- applications with MSIE utility, 405–409
- assemblies with InstallUtil, 504
- drivers with PnPUattend utility, 101
- Network Redirector with ReDir utility, 304
- Windows PowerShell, 533

Instances mode, in FltMC utility, 222

Instant Messaging (IM), 298

- /INT15=xxxx, 300

integrity checking, using ESEnTUtl, 32

interfaces with PromptPal, 453–454

internal commands, 17

International Standards Organization/Open System Interconnection (ISO/OSI), 167

internet, interacting with, 237–240

- ConvLog utility, converting IIS logs with, 237–238
- IIS Reset utility, monitoring and managing IIS with, 238
- IPv6, working with, 238–240

Internet Packet eXchange. *see* IPX (Internet Packet eXchange)

Internet Protocol, managing with IPConfig utility, 186–187

Internet Service Provider (ISP), 5

Inventory mode, in RSM utility, 259

invoke PowerShell commands, 540

IPConfig utility, managing Internet Protocol with, 186–187

IPSec6 utility, changing IP policies with, 239

IPv6, 238–240

IPX (Internet Packet eXchange)

- IPXRoute for routing information, 169–170
- VWIPXSPX supporting Netware, 304–305

IPXRoute utility, 169–170

ISO (International Standards Organization/Open System Interconnection), 167

ISP (Internet Service Provider), 5

**J**

JavaScript

- basic scripting, 340–341
- compiling scripts with, 467–469

join-path PowerShell command, 540

JSC Compiler in .NET, 469–473

- compiling scripts with, 469–473
- example, creating, 469–472
- in the .NET Framework, 472–473
- using generally, 469–472

**K**

/K command, 297

KB16 utility, 301

**L**

L attribute, 27

Label utility, managing volume labels with, 92

languages, scripting, 339–342

- about generally, 339–340
- JavaScript basics, 340–341
- VBScript basics, 341–342

Lavedas, Tom, 322

layout of windows, 14

LH (Load High) command, saving memory with, 304

Line Printer Daemon (LPD), 47–55

Line Printer Queue (LPQ) utility, 55  
 Line Printer Request (LPR) utility, 56  
 List mode, in AuditPol utility, 216–217  
 listing  
   COMPort Mappings with ChgPort utility, 361  
   objects with DSGet utility, 378–382  
 Load High (*LH*) command, saving memory with, 304  
 Load mode, in FltMC utility, 221  
 LoadFix utility, 312  
 local hostname, with Hostname utility, 185  
 local mode, in OpenFiles utility, 126  
 LocalGroup mode, in Net utility, 174–175  
 LodCtr utility, adding performance counters with, 111–112  
 log file extensions, 32–33  
 login information, getting with QUser, 218  
 LogMan utility, managing logs and alerts with, 112–116  
 Logoff utility, terminating sessions with, 271  
 logon names, in Active Directory, 384  
 logons  
   changing with Change utility, 360–361  
   session, enabling or disabling with ChgLogon utility, 361  
 logs, managing with LogMan utility, 112–116  
 lonely file class, in RoboCopy, 53  
 low-level utilities, 269–276  
   command line, using effectively, 10–11  
   Debug utility, 269–270  
   Exe2bin utility, 270  
   ForceDos utility for application execution, 270  
   Logoff utility, terminating sessions with, 271  
   NTSD utility, system-level debugging with, 271–275  
   SDBInst, managing compatibility databases with, 275–276  
 LPD (Line Printer Daemon), 47–55  
 LPQ (Line Printer Queue) utility, 55  
 LPR (Line Printer Request) utility, 56  
 LPT1-LPT4 (printers attached via ports) command, 26

## M

MAC (Media Access Control) information, 168–169  
 MakeCAB utility, compressing files with, 261–262  
 Make-Shell utility, creating shell extensions with, 550–552  
 Malicious [Software] Removal Tool (MRT), 223  
 managed object format (MOF) files, 286  
 managing  
   Active Directory databases with NTDSUtil, 371–372  
   Active Directory with DSQuery, 365–371  
   ATM Call Manager with ATMAdmin, 168  
   boot configuration BootCfg, 226–228  
   boot configuration with BCDEditor, 226, 228–231  
   compatibility databases with SDBInst, 275–276  
   disk performance with DiskPerf, 268–269  
   environment variables with *Set* command, 96–98  
   environment variables with *SetX* utility, 98–99  
   event information with WEvtUtil, 106–110  
   file systems with FltMC utility, 221–223  
   files and resources generally, 10  
   files with RCP utility, 200  
   files with TFTP utility, 206–207  
   FTP servers with FTP utility, 208–209  
   group policies with GPUUpdate, 213–214  
   IIS with IIS Reset utility, 238  
   Internet Protocol with IPConfig, 186–187  
   networks with Net utility. *see* Net utility  
   partitions with DiskPart, 262–267  
   performance logs and alerts with LogMan, 112–116  
   power settings with PowerCfg, 143–148  
   RAID setups with DiskRAID, 269  
   services with command line utilities, 11–12  
   system events with EventCreate, 102–103  
   task management with SchTasks, 389–395  
   time with W32Tm utility, 161–165

- type libraries with RegTLib, 284
- user names and passwords with CmdKey, 317–318
- volume labels with Label utility, 92
- Web-based enterprise management tasks, 285–287
- Windows registry, 72–75
- WinHTTP Proxy configuration with ProxyCfg, 170–171
- mapping network drives, 417–420
- MD* and *MKDir* commands, creating directories with, 35–36
- measure PowerShell commands, 540
- Media Access Control (MAC) information, 168–169
- Mem utility
  - classify mode, 93
  - determining memory status with, 92
  - program mode, 92–93
- memory, saving with *LH* (Load High) command, 304
- message queue, backing up, 405
- MessageBeep() function, 276–277
- messages, sending with Msg utility, 214
- Microsoft Download Center
  - about generally, 12
  - for NetDiag, 189
  - for RAS Server Monitor, 155
  - for RoboCopy utility, 47
  - updating current utilities at, 12
  - for Web-based enterprise management, 285
- Microsoft Information 32-bit (MSInfo32) utility. *see* MSInfo32 utility
- Microsoft Installer Executive (MSIE) utility, 405–409
- Microsoft Knowledge Base article
  - on ASR utilities, 248–249
  - on Graphics utility, 303
  - on MRT utility, 223
  - on Net utility, 175
  - on Netware support, 304–305
  - on registries, 73–74
  - on SDBIsnt utility, 275
  - on SysOCMgr, 235
- Microsoft Message Queue (MSMQ) utility, 405
- Microsoft Messenger, 175
- Microsoft Terminal Server Connection (MSTSC), 424–425
- Microsoft Windows Vista. *see* Windows Vista
- mismatched file class, in RoboCopy, 54
- MKDir* command, 35–36, 296
- Mode utility, configuring system devices with, 313–316
- modifying
  - application behavior using PIF, 305–308
  - Config.NT, 297–301
  - files with Edlin utility, 29
  - Install mode with ChgUsr utility, 361
- MOF (managed object format) files, 286
- MOFComp utility, 286
- monitoring
  - files. *see* files, monitoring
  - files systems. *see* File System Utility (FSUtil)
  - IIS with IIS Reset utility, 238
  - systems. *see* monitoring systems
  - user access with AuditUsr utility, 210–211
- monitoring systems, 167–245
  - configuring setups. *see* system setup, configuring
  - diagnostics, performing with DispDiag utility, 245
  - event trace logs, converting with TraceRpt utility, 243–244
  - FTP servers, managing with FTP utility, 208–209
  - general applications in, 240–243
  - networks in. *see* networks
  - users. *see* users
  - virus and external intrusion protection, 219–226
- More utility, 59–60
- Mount mode, in RSM utility, 255–256
- MountVol utility, 267–268
- Move* command, 36–37
- move PowerShell commands, 540

## moving

- data with Send to Toys, 438–439
- files with *Move* command, 36–37
- objects with DSMove utility, 382
- MQBackup utility, message queue backups with, 405
- MRInfo utility, multicast router information with, 187–188
- MRT (Malicious [Software] Removal Tool), 223
- MSCDexNT utility, CD support with, 304
- MSIE (Microsoft Installer Executive), 405–409
- MSInfo32 utility, 93–95
- MSMQ (Microsoft Message Queue) utility, 405
- MSTSC (Microsoft Terminal Server Connection), 424–425
- multicast router information, 187–188
- multiple browser support with ASPNET\_RegBrowsers, 519–520

**N**

- Nachi virus, 220
- Name mode, in Net utility, 175
- names
  - Data Source Name (DSN), 72
  - Domain Name Service (DNS). *see* DNS (Domain Name Service)
  - Hostname utility, 185
  - managing with CmdKey, 317–318
  - Ren* and *Rename* command, renaming files and directories with, 40
  - of users in Active Directory, 384
- National Center for Supercomputing Applications (NCSA), 237
- NBTStat utility, getting with NetBIOS, 188–189
- .NET Framework
  - JCS Compiler in, 469–473
  - security. *see* .NET Framework security
  - understanding. *see* .NET Framework, understanding configuration of utilities. *see* .NET Framework utilities
  - version 3.0. *see* .NET Framework 3.0
- .NET Framework 3.0, 506–510
  - ComSvcConfig, configuring COM+ applications with, 506–508

- ServiceModelReg, Windows
  - Communication Foundation using, 508–509
- WSATConfig, supporting WS-Atomic Transaction with, 509–510
- .NET Framework, configuring
  - CASPol utility, setting policies using, 499–502
  - CONFIG files, 497–499
  - GACUtil, placing assemblies in Global Cache Assembly with, 502–504
  - InstallUtil utility, installing assemblies with, 504
  - RegAsm utility, registering assemblies with, 505
  - RegSvsc utility, registering services with, 505–506
- .NET Framework security, 490–493
  - code access, 492–493
  - request zones, 492
  - user roles, 491
- .NET Framework, understanding
  - configuration of, 489–497
  - code access, 492–493
  - code groups, 494–495
  - configured applications, 496–497
  - Global Assembly Cache, 490
  - .NET security, 490–493
  - permission sets, creating and defining, 495–496
  - policy assemblies, defining, 496
  - request zones, 492
  - user roles, 491
- .NET Framework utilities
  - ASP.NET. *see* ASP.NET
  - assemblies, 486–488
  - assembly folder, viewing, 484–486
  - locating .NET on systems, 478–481
  - side-by-side versions, 481–484
  - understanding generally, 477–488
- Net utility, 171–184
  - Accounts mode, 171
  - Computer mode, 172
  - Config mode, 172
  - ConfigServer mode, 172
  - Continue mode, 173

- File mode, 173
  - Group mode, 173–174
  - Help mode, 174
  - HelpMsg mode, 174
  - LocalGroup mode, 174–175
  - Name mode, 175
  - Pause mode, 175–176
  - Print mode, 176
  - Send mode, 176–177
  - Session mode, 177
  - Share mode, 177–178
  - Start mode, 178
  - Statistics mode, 178–179
  - Stop mode, 179
  - Time mode, 179–180
  - Use mode, 180–181
  - User mode, 181–183
  - View mode, 183
  - NetBIOS over TCP/IP status, 188–189
  - NetCfg, accessing WinPE Network Installer with, 232
  - NetStat utility, getting network statistics with, 191–192
  - Netware, 304–305
  - network diagnostics, performing with
    - NetDiag utility, 189–191
  - network drives, mapping, 417–420
  - network paths, tracking with TraceRt utility, 207–208
  - Network Redirector, installing using ReDir, 304
  - network routing tables, manipulating with Route utility, 201–202
  - network statistics, getting with NetStat, 191–192
  - networking solutions with NetSH, 344–349
  - networks, 168–208
    - ATM Call Manager, 168
    - managing with Net utility. *see* Net utility
    - Media Access Control Information, getting, 168–169
    - Net utility, managing with. *see* Net utility
    - routing information, with IPXRoute utility, 169–170
    - shared open files, detecting, 125–126
    - TCP/IP diagnostic tools. *see* TCP/IP diagnostic tools
    - WinHTTP Proxy configuration, managing with ProxyCfg utility, 170–171
  - new PowerShell commands, 540–541
  - New Technology Symbolic Debugger (NTSD), 271–275
  - newer file class, in RoboCopy, 53
  - Norton Ghost, 249
  - Notepad
    - formatted printouts, performing with, 60–61
    - starting, 298
    - XML files with XML Notepad 2007, 458–459
  - Notepad+, 463–465
  - Novell, 304–305
  - NSLookup utility, tracking servers, 192–195
  - NTBackup utility, backing up with, 66–68
  - NTCMD PROMPT, 298
  - NTDSUtil, managing databases with, 371–372
  - NTFS (Windows NT File System)
    - attributes of, 131–132
    - boot time disk checks, performing, 137–139
    - converting FATpartitions to, 259–260
  - NTLM ([Windows] NT LAN Manager), 161
  - /NUMHANDLES=*n*, 300
  - NW16, adding Netware support with, 304–305
- O**
- ObjectID mode, in FSUtil, 84–85
  - objects, scripting
    - using generally, 354
    - with WScript object, 355–356
    - with WScript.WshArguments object, 356–357
    - with WScript.WshNetwork object, 358–359
    - with WScript.WshShell object, 357–358
  - objects in Active Directory, 373–383
    - creating with DSAdd, 373–378
    - deleting with DSRm, 383
    - editing with DSMod, 382
    - listing with DSGet, 378–382

- moving with DSMove, 382
- users, groups and computers with, 383–385
- OCSetup (Optional Component Setup) utility, 235–236
- ODBC (Open Database Connectivity), 70–72
- OEM and OEM/ANSI codes, 301–303
- older file class, in RoboCopy, 54
- online code sources, 322
- Open Database Connectivity (ODBC), 70–72
- OpenFiles utility
  - detecting shared open files with, 124–126
  - disconnect mode, 125
  - introduction to, 124–125
  - local mode, 126
  - query mode, 126
- opening
  - files with OpenFiles utility, 124–126
  - remote directories with Append utility, 24–25
- Optional Component Setup (OCSetup), 235–236
- Options tab in command window, 13
- OSUninst utility, uninstalling operating systems with, 277
- out PowerShell commands, 541
- outputting data files with *Type* command, 57–60
  - data redirection, 57–58
  - displaying data files, 57–60
  - More utility, 59–60

## P

- Package Manager, Manager, 232–233
- Packet Internet Groper (PING) utility, 197–199
- parity types, 314
- passwords
  - managing with CmdKey, 317–318
  - resetting, in Active Directory, 384
- Path* command, 37–38
- Path Packet Internet Groper (PathPing), 195–197
- PathCompletionChar registry setting, 295
- PathPing utility, tracing transmission paths, 195–197
- Pause* command, in batch files, 334
- Pause mode, in Net utility, 175–176
- PentNT utility, 78
- PerfMon utility, 116
- performance information, 111–120
  - LodCtr, adding performance counters with, 111–112
  - LogMan, managing performance logs and alerts with, 112–116
  - PerfMon, viewing results with, 116
  - ReLog, reconfiguring performance logs with, 116–117
  - TypePerf utility, 118–119
  - UnlodCtr, removing performance counters with, 119
  - WinSat, assessing systems with, 119–120
- permanent paths, 37–38
- permission sets, 495–496
- permissions, 18–19
- PID (Process Identifier), 4
- PIF, modifying application behavior with, 305–308
  - custom Auto.Exe and Config.NT, 306–307
  - Windows Explorer, customizing with command line switches, 307–308
- PING utility, checking connections with, 197–199
- PkgMgr utility, accessing Windows Package Manager with, 232–233
- Plug and Play (PnP), 101–102
- PnP (Plug and Play), 101–102
- PnPUattend, unattended driver installation with, 101
- PnPUattend utility, performing unattended driver installation with, 101
- PnPUtil, managing PnP setups with, 101–102
- policy assemblies, defining, 496
- PopD* command, 38–39, 296
- pop-location PowerShell command, 541
- ports
  - changing with Change utility, 361
  - supporting, 313
- power settings, 143–148
- PowerCfg utility, 143–148
- PowerShell. *see* Windows PowerShell
- Print mode, in Net utility, 176

Print utility, 56–57

printing

command line graphics with graphics utility, 303–304

Net Use vs. Windows, 180

PRN (default printer) access command, 26

Process Explorer, examining processes with, 445–447

Process Identifier (PID), 4

Process mode, in Query utility, 153

productivity, at command line, 449–460

automating email with sendEmail, 456–458

ending session fasts with Quick Shutdown, 451–452

interfaces with PromptPal, 453–454

ToggIt Command Line Helper, 450–451

using WinOne for, 454–455

viewing XML files with XML Notepad 2007, 458–459

program groups, converting with

GroupConv utility, 143–148

Program Manager, 143

program mode in Mem utility, 92–93

Program tab in PIFs, 306

*Prompt* command, 296, 334–335

prompts

creating, 15–16

enhancers for command line. *see*

command prompts, enhancers

interfaces with PromptPal, 453–454

property page options, 344

ProxyCfg utility, managing WinHTTP Proxy

configuration with, 170–171

*PushD* command, 38–39, 296

push-location PowerShell command, 541

## Q

QAppSrvr utility, 149

QProcess utility, 149–150

query mode, in OpenFiles utility, 126

Query utility, 153–155

obtaining session status information with, 153–155

Process mode, 153

Session mode, 154

TermServer mode, 155

User mode, 154–155

Quick Batch File Compiler, 466–467

Quick Shutdown, ending session fasts with, 451–452

Quota mode, in FSUtil, 85–86

QUser utility, getting user login information with, 218

QWinsta utility

obtaining session information with, 150

resetting hardware and software

with, 151

## R

/R command, 298

RAID (Redundant Array of Inexpensive Disks), 269

RAM command line argument, 299

RAR files, 261

RAS (Remote Access Server), 155–157

RASDial utility, 156

RASPhone utility, 156–157

RCP (Remote Copy Protocol) utility, 200

*RD* and *Rmdir* commands, removing directories with, 39–40

read-host PowerShell command, 542

reasons for shutting down, 283

recovering

files with Recover utility, 39

system database information with

ESEnTUtl utility, 32

ReDir utility, installing Network Redirector with, 304

Redundant Array of Inexpensive Disks (RAID), 269

Refresh mode, in RSM utility, 258

RegAsm utility, registering assemblies with, 505

RegEdit utility

modifying registries with, 73–74

in performing formatted printouts, 60–61

RegIni utility, scripting registry entries with, 74

- registering
  - assemblies with RegAsm utility, 505
  - services with RegSvc utility, 505–506
- registry, 72–75
  - creating basic scripts for, 352–354
  - RegEdit utility, modifying registry with, 73–74
  - RegIni utility, scripting registry entries with, 74
  - RegSvr32 utility, adding and removing servers with, 74–75
  - settings, 294–295
- RegSvr32 utility, adding and removing servers with, 74–75
- RegSvc utility, registering services with, 505–506
- RegTLib utility, managing type libraries with, 284
- regular expressions, 129
- relative vs. absolute paths, 36
- ReLog utility, reconfiguring performance logs with, 116–117
- Rem* command, in batch files, 335
- Remote Access Server (RAS), 155–157
- remote command execution
  - with RExec utility, 200
  - with RSH utility, 206
  - with Telnet, 160–161
- Remote Copy Protocol (RCP) utility, 200
- remote directories, opening with Append utility, 24–25
- Remote Procedure Call with Ping (RPCPing) utility, 202–206
- Remote Shell (RSH) utility, 206
- Remote Shell (RSHD) Daemon Service, 200
- remote system management, 424–429
  - MSTSC, creating remote connections with, 424–425
  - WinRM, remote Windows management with, 425–428
  - WinRS, accessing systems with, 428–429
- Removable Storage Management (RSM) utility, 251–259
  - Allocate mode, 254
  - CREATEPOOL mode, 257
  - Deallocate mode, 255
  - DELETEPOOL mode, 258
  - Dismount mode, 256
  - Eject mode, 256–257
  - EjectATAPI, 257
  - Inventory mode, 259
  - Mount mode, 255–256
  - Refresh mode, 258
  - View mode, 258
- Remove mode, in AuditPol utility, 217–218
- remove PowerShell commands, 542
- removing
  - applications with OCSetup utility, 235–236
  - directories with *RD* and *Rmdir* commands, 39–40
  - directory trees with *DelTree* command, 28–29
  - files with *Del* and *Erase* commands, 27–28
  - malicious software with MRT utility, 223
  - performance counters with UnlodCtr utility, 119
  - utilities with SysOCMgr utility, 235
  - viruses with BlastCln utility, 220
- Ren* command, renaming files and directories with, 40
- Rename* command, renaming files and directories with, 40
- rename PowerShell commands, 542
- renaming files and directories with *Move* command, 36–37
- Repair mode, in FSUtil, 86
- repairing system databases with ESEntUtil, 30–34
- ReparsePoint mode, in FSUtil, 86–87
- Replace utility, 40–41
- replicating COM+ applications with ComRepl, 284
- request zones in .NET Framework, 492
- Reset utility, terminating sessions with, 150
- resolve-path PowerShell command, 542
- Resource mode, in FSUtil, 87–89
- restart-service PowerShell command, 542
- Restore mode, in AuditPol utility, 217

restoring. *see also* Automated System Recovery (ASR)  
 system data with ASR\_Fmt, 249–250  
 system restore data with SRDiag, 285  
 Resultant Set of Policy (RSoP), 212–213  
 resume-service PowerShell command, 542  
 reviewing directories with *PushD* and *PopD* commands, 38–39  
 RExec utility, executing commands remotely, 200  
*Rmdir* commands, removing directories with, 39–40  
 RoboCopy utility, robust file transfers with, 47–54  
 robust file transfers with RoboCopy utility, 47–54  
 Rootkits, 44  
 Route utility, manipulating network routing tables with, 201–202  
 routing information, with IPXRoute utility, 169–170  
 RPCPing (Remote Procedure Call with Ping) utility, 202–206  
 RSH (Remote Shell) utility, 206  
 RSHD (Remote Shell) Daemon Service, 200  
 RSM utility. *see* Removable Storage Management (RSM) utility  
 RSoP (Resultant Set of Policy), 212–213  
 RunDLL32.EXE, 276–277  
 running PowerShell scripts, 556–557

## S

same file class, in RoboCopy, 53  
 saving  
 memory with *LH* command, 304  
 system restore data with SRDiag, 285  
 SC (Service Control) utility, 278–282  
 scheduling tasks, 8, 12  
 SchTasks utility, managing tasks with, 389–395  
 screen colors, changing with *Color* command, 318–319  
 script-based activities in Task Scheduler, 398–401

scripting, for Active Directory, 363–386  
 about generally, 363–364  
 objects. *see* objects in Active Directory  
 users, groups and computers, working with, 383–385  
 utilities for, 364–372  
 scripts, 339–361  
 for Active Directory. *see* scripting, for Active Directory  
 after hours automation of. *see* after hours automation scripting  
 changing environment generally, 360–361  
 command line, getting information from, 350–352  
 command line, using effectively, 8  
 creating basic, 349–354  
 CScript utility, 342–344  
 executing, 342–344  
 Host options, configuring, 344  
 impersonating users with RunAs utility, 359–360  
 JavaScript basics, 340–341  
 languages for, 339–342  
 networking solutions with NetSH utilities, 344–349  
 objects generally, 354–359  
 property page options, configuring, 344  
 for registry, 352–354  
 system environment, getting information about, 350–352  
 VBScript basics, 341–342  
 in Windows PowerShell, 552–557  
 with WScript object, 355–356  
 WScript utility, 342–344  
 with WScript.WshArguments object, 356–357  
 with WScript.WshNetwork object, 358–359  
 with WScript.WshShell object, 357–358  
 scripts, compiling  
 with JavaScript and VBScript, 467–469  
 with JSC Compiler in .NET, 469–473  
 SDB (System Database) files, 30–34  
 SDBInst utility, managing compatibility databases with, 275–276

- SDI LPD (Line Printer Daemon) server, 54
- SecEdit (Security Edit), configuring security policies with, 233–234
- securing and monitoring systems, 167–245
  - configuring setups. *see* system setup, configuring
  - diagnostics, performing with DispDiag utility, 245
  - event trace logs, with TraceRpt, 243–244
  - FTP servers, managing with FTP utility, 208–209
  - general applications, working with, 240–243
  - networks, working with. *see* networks
  - users, working with. *see* users
  - virus and external intrusion protection, 219–226
- security
  - bulletins about, 94
  - CACLS utility in, 132–136
  - monitoring, 10
  - .NET Framework. *see* .NET Framework security
  - permissions for, 18–19
  - RPC issues with, 203
- Security Edit (SecEdit) utility, 233–234
- Security Identifier (SID), 82
- select PowerShell commands, 542
- Send mode, in Net utility, 176–177
- Send to Toys, 438–439
- sendEmail, automating email with, 456–458
- sending messages with Msg utility, 214
- Service Control (SC) utility, 278–282
- ServiceModelReg, Windows Communication Foundation using, 508–509
- ServiceProfileFileName, 211–212
- session fasts, ending with QuickShutdown, 451–452
- session logons, enabling or disabling with ChgLogon utility, 361
- Session mode, in Net utility, 177
- Session mode, in Query utility, 154
- Set command, 96–98, 297
- Set mode, in AuditPol utility, 215–216
- set PowerShell commands, 543
- Set Version (Set Ver) utility tables, 309
- SetLocal command, 297
- setting application paths with *Path* command, 37–38
- SetX utility, managing environment variables with, 98–99
- SFC (System File Scan) utility, 223–224
- Shadow utility, 151
- Share mode, in Net utility, 177–178
- shared open files, detecting with OpenFiles, 124–126
- shell extensions, using ShellEx View with, 443–445
- shells, creating in Windows PowerShell, 558–561
- Shift* command, 297, 335
- SHRPubW, sharing folders with, 184
- Shutdown, Quick, 451–452
- ShutDown utility, 282–284
- SID (Security Identifier), 82
- side-by-side versions, in .NET Framework utilities, 481–484
- SigVerify utility, verifying driver safety with, 220
- sleep states, 146
- snapshots of systems setups, 95
- Solution Database (SDB), 266–276
- Sort utility, 41–43
- sort-object PowerShell command, 544
- sparse files, 83
- Sparse mode, in FSUtil, 89–90
- split-path PowerShell command, 544
- SQL Server, supporting with ASPNet\_RegSQL, 523–527
- SRDiag utility, saving and restoring system restore data, 285
- stacks, directory, 38–39
- Start Backup mode, 69
- Start command, 251–253, 297
- Start mode, in Net utility, 178
- start PowerShell commands, 544
- Statistics mode, in Net utility, 178–179
- status
  - of directories, using ChkDsk utility, 136–137
  - of files and directories generally. *see* status of files and directories

- of files and directories with ChkDsk utility, 136–137
- of sessions, using Query utility, 153–155
- of systems. *see* system status
- using information about, 9
- status of files and directories, 61–65
  - advanced file comparison using FC utility, 62–63
  - changing directories with *CD* and *ChDir* commands, 61–62
  - comparing files with *Comp* utility, 62
  - current directory, determining with *CD* and *ChDir* commands, 61–65
  - file associations and types, 64–65
  - taking ownership of files with *TakeOwn* utility, 65
- Stop mode, in *Net* utility, 179
- stop PowerShell commands, 544
- storing
  - centralized data stores, 415–417
  - commands in batch files, 7
  - directories with *PushD* and *PopD* commands, 38–39
  - Extensible Storage Engine Technology for, 30–34
  - IBM Tivoli Storage Manager for, 249
  - Removable Storage Management (RSM) utility. *see* Removable Storage Management (RSM) utility
- Subst* utility, associating folders to drives with, 43
- suspend-service PowerShell command, 544
- SxSTrace*, tracing WinSxS behavior with, 287
- SysOCMgr*, adding and removing utilities with, 235
- System Database (SDB) files, 30–34
- system databases, repairing with *ESEnTUtl*, 30–34
- system dates, working with, 319
- system environment, 350–352
- System File Scan (SFC) utility, 223–224
- system resources, 143–165
  - power settings, managing with *PowerCfg* utility, 143–148
  - program groups, converting with *GroupConv* utility, 143–148
- Query utility, obtaining session status information with, 153–155
- Remote Access Server (RAS), 155–157
- Telephony clients with *TCMSetup*, 157–158
- Telnet, communicating with, 158–161
- Terminal Server, 148–153
- time management with *W32Tm* utility, 161–165
- system setup, configuring, 226–237
  - BCDEdit*, managing boot configuration with, 228–231
  - BootCfg*, managing boot configuration with, 226–228
  - MSInfo32*, providing information about, 95
  - NetCfg*, accessing WinPE Network Installer with, 232
  - OCSetup*, adding and removing applications with, 235–236
  - PkgMgr*, accessing Windows Package Manager with, 232–233
  - SecEdit*, configuring local security policies with, 233–234
  - SysOCMgr*, adding and removing utilities with, 235
  - SystemInfo*, getting system configuration information with, 236–237
- system status, 102–120
  - at command line, 9–10
  - command line tasks, getting started with, 120
  - performance information, working with, 111–120
  - recording information about, 102–110
- system status information, 77–102
  - DriverQuery* utility, getting driver information with, 78–79
  - DXDiag* utility, getting DirectX status with, 79
  - EventCreate* utility, managing system events with, 102–103
  - EventTriggers* utility, triggering system events with, 104–106
  - FSUtil* utility, monitoring with. *see* File System Utility (*FSUtil*)

- Label utility, managing volume labels with, 92
  - Mem utility, determining memory status with, 92–93
  - MSInfo32 utility, getting general information with, 93–95
  - Plug and Play, working with, 101–102
    - recording information about, 102
  - Set command, managing environment variables with, 96–98
  - SetX utility, managing environment variables with, 98–99
  - Ver command, determining operating system version with, 100
  - Vol command, getting volume information with, 100
  - VSSAAdmin utility, viewing Volume Shadow Service data with, 100–101
  - WEvtUtil utility, managing event information with, 106–110
  - SystemInfo utility, 236–237
    - system-level debugging with NTSD utility, 271–275
- T**
- TakeOwn utility, 65
  - TAPI clients, 157–158
  - task candidates, after hours automation scripting, 403–409
    - MQBackup, creating message queue backups with, 405
    - MSIExec utility, installing applications with, 405–409
  - Task Manager, 4–5
  - Task Scheduler, 387–401
    - about generally, 387–388
    - introduction to, 12
    - SchTasks utility, managing tasks with, 389–395
    - script-based activities in, 398–401
    - stopping and starting, 388–396
    - AT utility, 395–398
  - TaskKill utility, 240–242
  - TaskList utility, 4–5, 241–243
  - TCMSetup, 157–158
  - TCP/IP diagnostic tools, 184–208
    - ARP utility, 184–185
      - defined, 169
      - diagnostics, performing with NetDiag, 189–191
      - hostname, retrieving with Hostname utility, 185
    - Internet Protocol, managing with IPConfig, 186–187
    - multicast router information, getting with MRInfo, 187–188
    - NetBIOS over TCP/IP status, getting with NBTStat, 188–189
    - network routing tables, manipulating with Route utility, 201–202
    - NSLookup, tracking servers with, 192–195
    - PathPing, tracing transmission paths with, 195–197
    - Ping, checking connections with, 197–199
    - RCP utility, managing files with, 200
    - RExec, executing commands remotely with, 200
    - RPC with RPCPing utility, checking connections using, 202–206
    - RSH utility, remote command execution with, 206
    - statistics, getting with NetStat, 191–192
    - TFTP utility, managing files with, 206–207
    - TraceRt utility, tracking network paths with, 207–208
    - user information, with Finger utility, 185
  - Teach Yourself Microsoft XP in 21 Days*, 66
  - techniques and tricks, 563–568
  - tee-object PowerShell command, 544
  - Telephony clients, setting up with TCMSetup, 157–158
  - Telnet, 158–161
    - about generally, 158
    - administering with TLNTAdmin utility, 159–160
    - executing commands remotely with, 160–161
  - Terminal Server, 148–153
    - attaching user sessions with TSCon, 151
    - disconnecting sessions with TSDiscon, 152

- ending sessions with TSKill, 152
  - locating with QAppSrvr utility, 149
  - monitoring sessions with Shadow utility, 151
  - obtaining processes with QProcess utility, 149–150
  - obtaining session information with QWinsta utility, 150
  - resetting with QWinsta utility, 151
  - shutting terminal server down with TSShutdown, 152–153
  - terminating sessions with Reset utility, 150
  - terminating
    - sessions with Logoff utility, 271
    - tasks with TaskKill utility, 240–242
  - TermServer mode, in Query utility, 155
  - testing
    - after hours automation scripts, 417–423
    - batch files in after hours automation scripting, 409–417
    - /TESTMEM:{ON|OFF}, 300–301
  - test-path PowerShell command, 545
  - text colors, 14–15
  - TFTP (Trivial File Transfer Protocol) utility, 206–207
  - third party utilities, 8
  - Time command, 321
  - time management using W32Tm utility, 161–165
  - Time mode, in Net utility, 179–180
  - TimeOut utility, in batch files, 335–336
  - Title command, 322
  - TLNTAdmin utility, administering Telnet with, 159–160
  - ToggIt Command Line Helper, 450–451
  - trace-command, in PowerShell, 545
  - TraceRpt utility, converting event trace logs with, 243–244
  - TraceRt utility, tracking network paths with, 207–208
  - tracing transmission paths with PathPing, 195–197
  - tracking
    - with DosKey utility, 319–321
    - network paths with TraceRt utility, 207–208
    - servers with NSLookup utility, 192–195
  - Transaction mode, in FSUtil, 90
  - Transactional Resource Manager, 88–91
  - Transmission Control Protocol/Internet Protocol (TCP/IP). *see* TCP/IP
    - diagnostic tools
  - transmission paths, tracing with PathPing utility, 195–197
  - Tree utility, displaying directory structure with, 44
  - tricks and techniques, 563–568
  - Trivial File Transfer Protocol (TFTP) utility, 206–207
  - TSSCon utility, 151
  - TSDiscon utility, 152
  - TSKill utility, 152
  - TSShutdown utility, 152–153
  - tweaked file class, in RoboCopy, 53
  - Type command, outputting data files with, 57–60
  - TypePerf utility, 118–119
- ## U
- UAC (User Account Control). *see* User Account Control (UAC)
  - UMBs (Upper Memory Blocks), 298
  - unattended driver installation, with PnPUtil, 101
  - UNC (Universal Naming Convention) paths, 48
  - uninstalling operating systems with OSUninst, 277
  - Universal Naming Convention (UNC) paths, 48
  - Unload mode, in FltMC utility, 222
  - UnlodCtr, removing performance counters with, 119
  - update PowerShell commands, 545
  - Update Sequence Number (USN) mode, 90–91
  - updating utilities, 12
  - Upper Memory Blocks (UMBs), 298
  - usage instructions, 6–7
  - Use mode, in Net utility, 180–181
  - User Account Control (UAC)
    - changing, 17–18
    - ownership, importance of, 64

- providing virus protection, 16
- troubleshooting, 18
- user information, with Finger utility, 185
- User mode
  - in Net utility, 181–183
  - in Query utility, 154–155
- user names, managing with CmdKey, 317–318
- user roles in .NET Framework, 491
- users, 209–219
  - AuditPol auditing access of, 214–218
  - AuditUsr monitoring, 210–211
  - changing with Change utility, 361
  - CMStP configuring profiles, 210–211
  - GPUUpdate, managing group policies with, 213–214
  - messages, sending with Msg utility, 214
  - QUser, getting user login information with, 218
  - WhoAmI, discovering identity with, 218–219
- users, in Active Directory, 383–385
  - full name, obtaining, 384
  - group membership, discovering, 385
  - hostnames, 385
  - logon name, obtaining, 384
  - password, resetting, 384
- USN (Update Sequence Number) mode, 90–91
- utilities. *see also specific utilities*
  - in Active Directory. *see* utilities in Active Directory
  - defined, 17
  - developer. *see* developer utilities
  - in DOS. *see* DOS utilities
  - low-level. *see* low-level utilities
  - in .NET framework. *see* .NET Framework utilities
  - SysOCMgr, adding and removing with, 235
  - using effectively, 6–7
- utilities in Active Directory, 364–372
  - managing databases with NTDSUtil, 371–372
  - managing with DSQuery, 365–371

## V

- validating file operations with *Verify*, 45
- van der Woude, Rob, 322
- VBScript, 467–469
- VBScript basics, 341–342
- VDS (Virtual Disk Service), 269
- Ver* command, 100
- /VERBOSE, 301
- Verify*, validating file operations with, 45
- verifying
  - drivers with Verifier utility, 224–226
  - system files with SFC utility, 223–224
- View mode
  - in Net utility, 183
  - in RSM utility, 258
- viewing
  - application paths with *Path* command, 37–38
  - files with XVI32, 435–438
  - by purpose, 8–12
  - results with PerfMon utility, 116
  - Volume Shadow Service data, 100–101
  - XML files with XML Notepad 2007, 458–459
- Virtual Disk Service (VDS), 269
- Virtual Private Networks (VPNs), 157
- virus protection, 219–226
  - BlastCln utility, removing viruses with, 220
  - FltMC utility, managing file systems with, 221–223
  - monitoring files for, 130
  - MRT utility, removing malicious software with, 223
  - recovery from attacks, 249
  - against Rootkits, 44
  - SFC utility, verifying system files with, 223–224
  - User Account Control for, 16
  - Verifier, verifying drivers with, 224–226
- Vista. *see* Windows Vista
- Vol* command, getting volume information with, 100
- Volume mode, in FSUtil, 91
- Volume Shadow Service (VSS), 100–101

Volumes mode, in FltMC utility, 222  
 VPNs (Virtual Private Networks), 157  
 VSS (Volume Shadow Service), 100–101  
 VSSAdmin, viewing Volume Shadow Service data with, 100–101  
 VWIPXSPX, adding Netware support with, 304–305

## W

W32Tm utility  
   time management with, 161–165  
   Time mode vs., 179  
 WaitFor utility, in batch files, 336  
 wake mode, 147–148  
 WBAAdmin, backing up with, 68–69  
 Web applications, creating with ASPNet\_Compiler, 518–519  
 Web-based enterprise management (WBEM) tasks, 285–287  
   MOFComp, administering managed object format files with, 286  
   WinMgmt, interacting with server with, 287  
 WEvtUtil, managing event information with, 106–110  
 Where utility, 124  
 where-object PowerShell command, 545  
 WhoAmI utility, 218–219  
 wildcard characters, 28  
 window layout, 14  
 window options, configuring, 13  
 Windows Communication Foundation, 508–509  
 Windows HyperText Transfer Protocol (WinHTTP) Proxy, 170–171  
 Windows Management Instrumentation (WMI) Service, 95  
 Windows Management Instrumentation (WMI) Tester, 285  
 Windows Messenger, 175, 214  
 Windows NT File System (NTFS). *see* NTFS (Windows NT File System)  
 Windows NT LAN Manager (NTLM), 161  
 Windows Package Manager, 232–233

Windows PowerShell, 531–562  
   attributes of, 533–536  
   benefits of, 532–533  
   Cmdlet and shells, creating, 558–561  
   command interpreter, working with, 548–550  
   commands, using. *see* Windows PowerShell commands  
   downloading, 533  
   installing, 533  
   Make-Shell utility, creating shell extensions with, 550–552  
   overview of, 531–532  
   scripts, creating. *see* Windows PowerShell scripts  
 Windows PowerShell commands  
   add commands, 536  
   clear commands, 536  
   compare-objects, 536  
   convert commands, 537  
   copy commands, 537  
   export commands, 537  
   foreach-object, 537  
   format commands, 537  
   get commands, 537–539  
   group-object, 539  
   import commands, 540  
   invoke commands, 540  
   join-path, 540  
   measure commands, 540  
   move commands, 540  
   new commands, 540–541  
   out commands, 541  
   pop-location, 541  
   push-location, 541  
   read-host, 542  
   remove commands, 542  
   rename commands, 542  
   resolve-path, 542  
   restart-service, 542  
   resume-service, 542  
   select commands, 542  
   set commands, 543  
   sort-object, 544  
   split-path, 544

- start commands, 544
  - stop commands, 544
  - suspend-service, 544
  - tee-object, 544
  - test-path, 545
  - trace-command, 545
  - update commands, 545
  - where-object, 545
  - write commands, 545
  - Windows PowerShell scripts, 552–557
    - about generally, 552–553
    - creating simple, 553–556
    - running, 556–557
  - Windows Pre-Installation Environment (WinPE), 232
  - Windows Remote Management (WinRM) utility, 425–428
  - Windows Remote Shell (WinRS) utility, 428–429
  - Windows Resource Kit, 47
  - Windows Vista
    - about generally, 19–21
    - BCDEditor utility in, 228–231
    - changing, 17
    - commands and utilities, summary of, 569–574
    - old commands, not supporting, 20
    - system recovery in, 248
    - zones on network drives, setting, 19–20
  - WinHTTP (Windows HyperText Transfer Protocol) Proxy, 170–171
  - WinMgmt utility, 287
  - WinMSD, 94
  - WinOne, 454–455
  - WinPE (Windows Pre-Installation Environment), 232
  - WinRAR, 261
  - WinRM (Windows Remote Management) utility, 425–428
  - WinRS (Windows Remote Shell) utility, 425–428
  - WinSat, assessing systems with, 119–120
  - WinSxS behavior, tracing with SxSTrace, 287
  - WinVi, editing with, 461–463
  - WMI (Windows Management Instrumentation) Service, 95
  - write PowerShell commands, 545
  - WSATConfig, supporting WS-Atomic Transaction with, 509–510
  - WS-Atomic Transaction, 509–510
  - WScript object, 355–356
  - WScript utility, 342–344
  - WScript.WshArguments object, 356–357
  - WScript.WshNetwork object, 358–359
  - WScript.WshShell object, 357–358
  - WshArguments object, 356–357
  - WshNetwork object, 358–359
  - WshShell object, 357–358
- X**
- /X command, 297
  - XCOPY error levels, 331
  - XCOPY using XCOPY, 443
  - XCOPY utility, bulk file transfers using, 45–47
  - XML files with XML Notepad 2007, 458–459
  - XML Notepad 2007, 458–459
  - XMS (eXtended Memory Specification), 299–300
  - XVI32, viewing files with, 435–438
  - XCOPY, 443
- Z**
- ZIP files, 261